Presented by

.....

..... *193*

22500172416

FOR OFFICIAL USE.

WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

AND IN

TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND,

1911.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton-street, Dublin; or
WYMAN and SONS, Ltd., Fetter-lane, E.C.; or
OLIVER and BOYD, Tweeddale-court, Edinburgh.

PRINTED BY
A. THOM & CO., LTD., ABBEY STREET, DUBLIN.
1912.
Price 1½*d.*

WELLCOME INSTITUTE
LIBRARY

Coll.	WellMOmec
Coll.	
No.	

YEARLY SUMMARY

OF THE

WEEKLY RETURNS.

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

1911.

Note.—In this Summary, as in the Weekly Reports for 1911, the International Classification of Causes of Death has been adopted.

BIRTHS.—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown, there were registered during the year 1911 (52 weeks) 11,378 births—5,953 boys and 5,425 girls—being equal to one in 36, or an annual rate of 28·2 per 1,000 of the estimated population.* The average rate for the preceding ten years was 28·6 per 1,000.

Of the 11,378 births registered in 1911, 9,813, or 32 in every 1,000 of the population, occurred in the city, and 1,565, or only 17 in every 1,000 inhabitants, in the urban districts named above.

Of the 11,378 births in the entire district, 2,933 were registered during the first quarter of the year, 3,006 in the second, 2,824 in the third, and 2,615 in the fourth, the weekly average being 219.

In London the number of births registered during the year 1911 (52 weeks) was 112,814, being equal to an annual rate of 25 in every 1,000 of the estimated population ; in Glasgow the number was 21,757, equal to 28 per 1,000 ; and in Edinburgh it was 6,819, or 21 per 1,000 of the population.

DEATHS.—The number of deaths appertaining to the Dublin Registration Area, and registered during the year 1911 was 8,629 ; this number is equal to one in 47, or 21·4 per 1,000 of the population of the Area, estimated to the middle of the year 1911. The average death-rate for the 10 years 1901-10 was 22·5 per 1,000. Thus the rate for last year is 1·1 below the average—a decrease equivalent to 4·9 per cent.

The total number of deaths registered during the year, namely, 9,118 (4,529 males and 4,589 females), including the deaths of 489 persons who were admitted into public institutions from localities outside the Area, is equal to one in 44, or 22·6 per 1,000 of the estimated population. The average rate for the preceding 10 years was 23·5 per 1,000.

The rate for the city of Dublin was 23·0 per 1,000 (22·8 on the North side, and 23·1 on the South), and for the suburbs 16·1 per 1,000. The rates for the several districts range from 12·5 for Clontarf and Howth No. 1, part of, to 24·9 for North City No. 2.

Of the 9,118 deaths in the entire district, 2,511 were registered during the first quarter of the year, 2,115 in the second, 2,285 in the third, and 2,207 in the fourth, the weekly average being 175.

* See note (*) page xiv.

In the twenty-one provincial Urban Districts, for which statistics are given in the Weekly Returns, the respective annual death-rates are as follow, ranging from the lowest to the highest:—Armagh, 13·0 per 1,000 of the population* ; Drogheda, 13·8 ; Portadown, 13·8 ; Clonmel, 14·5 ; Galway, 15·3 ; Queenstown, 15·6 ; Dundalk, 15·8 ; Tralee, 16·0 ; Sligo, 16·1 ; Limerick, 16·8 ; Lisburn, 16·8 ; Londonderry, 17·0 ; Belfast, 17·2 ; Waterford, 17·2 ; Lurgan, 17·5 ; Wexford, 18·5 ; Newry, 18·8 ; Ballymena, 19·1 ; Newtownards, 20·0 ; Cork, 21·2 ; and Kilkenny, 21·7.

The number of deaths registered in London during the year 1911 (52 weeks) was 67,830, being equal to an annual rate of 15·0 in every 1,000 of the inhabitants ; in Glasgow, 13·899, equal to 17·7 per 1,000 ; and in Edinburgh, 5,120, or 16·0 in every 1,000 of the estimated population.

Public Institutions.—Of the 9,118 deaths registered in the Dublin Registration Area last year, 3,810, or 41·8 per cent., occurred in public institutions, viz. :—2,251 in the various hospitals, prisons, and lunatic asylums ; 631 in the North Dublin Union Workhouse, 890 in the South Dublin Union Workhouse ; and 38 (those of persons admitted from the Dublin Registration Area) in the Rathdown Union Workhouse.

DISEASES.

Dublin Registration Area.—(See Tables III. and IV)—The records of last year show that the total number of deaths from some of the principal epidemic diseases† registered in the Dublin Registration Area was 1,387. This number is equal to a rate of 3·4 per 1,000 of the estimated population.

The following tabular statement shows the mortality from some of the principal epidemic diseases during the year 1911, and the average annual number of deaths for the ten years 1901—1910.

Names of Diseases.	No of Deaths in 1911.	Average No. of Deaths, 1901–1910.
Enteric Fever, ...	83	72
Typhus, ...	4	4
Small-pox, ...	—	4
Measles, ...	207	124
Scarlet Fever, ...	77	33
Whooping-cough, ...	183	141
Diphtheria, ...	101	53

Enteric Fever.—During the year, 83 deaths from enteric fever were registered, being the highest number of deaths from this cause since 1903, in which year the number was 94. The 83 deaths are equivalent to an annual rate of 2·1 per 10,000 of the estimated population of the Area and are 11 above the average for the 10 years 1901–10. Of the 83 deaths, 33 appertained to districts of North Dublin city, 37 to districts of South Dublin city, 6 to the urban district of Rathmines and Rathgar and 4 to Pembroke. No death from enteric fever was recorded for Finglas and Glasnevin, part of, in North Dublin city, New Kilmainham, in South Dublin city, or for the urban districts of Blackrock or Kingstown. Three deaths occurred in public institutions of persons admitted from without the Dublin Registration Area. From Table I. it appears that 717 cases of enteric fever were under treatment in hospital during the year ; 610 were discharged ; there were 59 deaths, and 48 persons remained under treatment at the close of the year.

Typhus.—The number of deaths from typhus was 4, the average for the preceding decade being also 4. Forty cases were admitted to hospital during the year ; 31 were discharged ; 4 died, and 5 cases remained under treatment at the end of the year.

Small-pox.—There was no mortality recorded from this cause in the Dublin Registration Area during the year. The presence of one case of small-pox was notified in the urban district of Pembroke during the week ended 21st January, 1911.

*See note (*), page xiv.

†Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

Measles.—The deaths from measles numbered 207, equivalent to an annual rate of 5·1 per 10,000 of the estimated population, the number registered from this cause in 1910 being 20, and the average for the 10 years 1901–10 being 124. Of the 207 deaths, 87 belonged to the districts of North Dublin city, 100 to South Dublin city, 5 to the urban district of Rathmines and Rathgar ; 10 to Pembroke ; 2 to Kingstown, and 3 deaths were those of persons admitted to institutions from without the Registration Area. Table I. shows that 788 cases of measles were under treatment in hospital, 691 were discharged, there were 78 deaths, and 19 cases remained under treatment at the close of the year.

Scarlet Fever.—There were 77 deaths registered from this cause during the year 1911, the number for 1910 being 44 and the average for the 10 years 1901–10 being 33. The 77 deaths are equivalent to an annual rate of 1·9 per 10,000 of the estimated population of the Dublin Registration Area. Of the total 39 appertained to the districts of North Dublin City, 32 to South Dublin city, one to the urban district of Rathmines and Rathgar, one to Pembroke, and 4 deaths were those of persons admitted from without the Registration Area. From Table I. it appears that 1,308 cases of scarlet fever were treated in hospital, of these 1,042 were discharged, 77 died and 189 cases remained under treatment at the end of the year (exclusive of 20 patients in Beneavin, the convalescent home of Cork Street Fever Hospital).

Whooping-cough.—During the year 183 deaths from this cause were registered, the average for the preceding decade being 141. The 183 deaths are equal to an annual rate of 4·5 per 10,000 of the estimated population. Of the total 83 belonged to North Dublin city, 77 to South Dublin city, 6 to Rathmines and Rathgar urban district, 13 to Pembroke, and 3 to Blackrock.

Diphtheria.—The deaths registered from this cause, 101 in number, were higher than in any of the 10 years 1901–10, the average for which was 53. The 101 deaths are equivalent to a rate of 2·5 per 10,000 of the estimated population. Of the total 40 deaths belonged to North Dublin city, 49 to South Dublin city, and 7 to the urban districts, excepting Kingstown for which no death from this disease was recorded. In Table I. it may be seen that 850 cases were treated in Dublin hospitals during the year 1911, 706 were discharged, there were 84 deaths, and 60 cases remained under treatment at the close of the year.

Diarrhœal Diseases.—Under this heading the deaths of 663 children under 2 years of age from diarrhœa or *enteritis* are included, affording an annual rate of 16·4 per 10,000 of the estimated population. Of the 663 deaths, 426 or more than 64 per cent., were registered during the 13 weeks ending 30th September, 1911. During the year 316 deaths of children under 2 years from diarrhœa or *enteritis* were recorded for North Dublin city, 254 for South Dublin city, 33 for the urban district of Rathmines and Rathgar, 33 for Pembroke, 3 for Blackrock, and 18 for Kingstown.

Influenza.—The number of deaths from influenza (71) was the lowest since 1906 in which year 69 deaths were recorded, the average for the 10 years 1901–10 being 112. The 71 deaths registered during 1911 are equivalent to an annual rate of 1·8 per 10,000 of the population of the Dublin Registration Area estimated to the middle of the year.

Cerebro-spinal Fever.—Two deaths from this cause were registered during the year. In the year 1907, 46 deaths from this disease were recorded ; in 1908 the number declined to 30, in 1909 to 13, and in 1910 only one death was registered.

Pneumonia.—The number of deaths from all forms of pneumonia was 603, comprising 293 from broncho-pneumonia, 70 from lobar pneumonia, and 240 from *pneumonia* (type not distinguished). The total is equivalent to a yearly rate of 14·9 per 10,000 of the estimated population, the average yearly rate for the preceding decade being 16·5.

Tuberculous Disease.—The table which follows shows a decrease in the mortality from all forms of tuberculous disease from 3·70 per 1,000 in 1910 to 3·59 in 1911.

TABLE showing the Number of DEATHS from all forms of Tuberculous Disease and from Pulmonary Tuberculosis registered in the Dublin Registration Area during each of the 11 years, 1901–1911, with the respective rates per 1,000 of the population represented thereby; also the averages for the years, 1901–10. (See notes (*) and (†) on page viii.)

Years.	Deaths from all Forms of Tuberculous Disease.		Deaths from Pulmonary Tuberculosis.	
	Number.	Rate per 1,000.	Number.	Rate per 1,000.
1901	1,876	4·99	1,274	3·39
1902	1,736	4·58	1,261	3·27
1903	1,778	4·69	1,218	3·21
1904	1,779	4·69	1,172	3·09
1905	1,724	4·55	1,207	3·18
1906	1,694	4·47	1,152	3·04
1907	1,793	4·59	1,183	3·03
1908	1,742	4·34	1,174	2·93
1909	1,508	3·79	1,049	2 64
1910	1,491	3·70	1,006	2·50
Average 1901–1910	1,712	4·44	1,170	3·03
1911	1,451	3·59	1,052	2·60

The foregoing table shows that since the year 1907 the number of deaths from all forms of tuberculous disease has steadily declined, the numbers being 1,793 in 1907, 1,742 in 1908, 1,508 in 1909, 1,491 in 1910, and 1,451 in 1911, the year under review. The annual rate per 1,000 of the estimated population represented by the latter figure is 3·59, the rate for 1910 being 3·70, and the average rate for the 10 years 1901–10, 4·44. The deaths from all forms of tuberculous disease constitute 15·9 per cent. of the deaths registered from all causes. Of the total deaths 1,052 were from pulmonary tuberculosis, 141 from tuberculous meningitis, 107 from abdominal tuberculosis, 17 from tuberculosis of the vertebral column, 19 from tuberculosis of joints, 17 from tuberculosis of other organs and 98 from disseminated tuberculosis. The rate from all forms of tuberculous disease for the Area was 3·59 per 1,000 of the estimated population, the rate for pulmonary tuberculosis being 2·60. For the city districts of North Dublin the death rate from all forms of the disease was 3·51 per 1,000 of the estimated population, and the rate from pulmonary tuberculosis was 2·59. The corresponding rates for the city districts of South Dublin were 4·22, and 3·00 per 1,000 for the urban district of Rathmines and Rathgar 1·80, and 1·30 per 1,000; for Pembroke urban district 1·77 and 1·40 per 1,000; for Blackrock urban district 2·20 and 1·65 per 1,000, and for Kingstown urban district 1·86 and 1·68 per 1,000.

CANCER.—In the aggregate 447 deaths were classified under this heading, representing an annual rate of 11·1 per 10,000 of the estimated population of the Registration Area.

DISEASES OF THE BRAIN AND NERVOUS SYSTEM.—Included in the 858 deaths under this heading are 185 from *convulsions*, of which 181 were deaths of children under 5 years of age. The total (858) is equivalent to an annual rate of 21·3 per 10,000 of the estimated population.

DISEASES OF THE CIRCULATORY SYSTEM.—Under this heading 874 deaths were classified, representing an annual rate of 21·7 per 10,000 of the estimated population.

BRONCHITIS.—The deaths of 957 persons, equivalent to an annual rate of 23·7 per 10,000 of the estimated population of the Area, were ascribed to bronchitis.

PREMATURE BIRTH, CONGENITAL DEBILITY.—The deaths of 210 infants were ascribed to premature birth and those of 205 to congenital debility.

ACCIDENTAL VIOLENCE.—The deaths of 200 persons were due to accidental causes. Of the latter 60 were caused by burns, scalds or explosions, and of this figure 29 were deaths of

children under 5 years of age, 29 deaths were caused by drowning, 20 by vehicles or horses, 13 by suffocation in bed, 6 by railway accidents, and 3 by poisons or poisonous vapours.

HOMICIDE.—There were 5 homicidal deaths.

SUICIDE.—Seventeen deaths by suicide were recorded.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated during the YEAR 1911 (52 weeks), in the principal Dublin Hospitals in which cases of infectious diseases are received.

DISEASES.	No. of Cases in Hospital at close of previous year.	No. admitted during year.	Discharged.	Died.	No. under treatment on above date.
Small-pox, ...	—	1	1	—	—
Measles, ...	22	766	691	78	19
Scarlet Fever, ...	122	1,186	1,042	77	189*
Typhus, ...	—	40	31	4	5
Diphtheria, ...	66	784	706	84	60
Enteric Fever, ...	36	681	610	59	48
Pneumonia, ...	21	370	323	49	19

* Exclusive of 20 patients in Beneavin, the convalescent home of Cork-street Fever Hospital.

In 243 cases the cause of death was uncertified, there having been no medical attendant during the last illness ; of these 243 cases, 126, or 51·9 per cent., were deaths of children under 5 years of age ; these 126 deaths form 4·2 per cent. of the total number of deaths of children of that age-period. Of the deaths of 532 infants under one month old registered, there were 59 (or 11·1 per cent.) regarding which the cause was uncertified.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District ; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District ; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District ; by Mr. Vaughan, Executive Sanitary Officer for Kingstown Urban District ; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE II.—Showing the NUMBER OF CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz. :—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the Year 1911 (52 weeks). A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Population in middle of 1911.*	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (Phthisis).	Other Notifiable Diseases.	Total.
CITY OF DUBLIN	309,738	.	–	–	976	33	.	569	1	78	622	379	2	–	–	2	–	578	.	3,240
RATHMINES AND RATHGAR URBAN DISTRICT.	38,330	.	–	–	95	.	.	105	.	2	40	27	.	2†	–	–	.	–	.	271
PEMBROKE URBAN DISTRICT	29,347	1	226	2	48	.	.	19	2	4	15	13	.	12‡	210	–	–	3	.	555
BLACKROCK URBAN DISTRICT	9,090	.	–	–	43	.	.	12	.	.	3	2	.	–	–	.	–	–	.	60
KINGSTOWN URBAN DISTRICT	17,227	.	–	–	23	.	.	8	.	.	9	14	.	–	–	–	–	17	.	71
CITY OF BELFAST‡ ..	386,449	.	–	–	766	12	.	328	11	17	93	214	7	–	–	3(*a*)	–	580	.	2,031

* See Note (*) on page xiv.
† Notifiable from 10th July for a period of 6 months.
‡ Notifiable from 1st July for a period of 12 months.
(*a*). Notifiable up to 1st December. The number of cases given includes 2 returned as *cerebro-spinal meningitis.*

TABLE III.—DUBLIN REGISTRATION AREA.*—CAUSES OF DEATH in the years 1901–1911, with the Ratio of the Deaths to the Population.

Names of Diseases.	Number of Deaths Registered.																Annual rate for each cause per 10,000 Persons living.	
	1901 (52 weeks).	1902 (53† weeks).	1903 (52 weeks).	1904 (52 weeks).	1905 (52 weeks).	1906 (52 weeks).	1907 (52 weeks).	1908 (53† weeks.)	1909 (52 weeks).	1910 (52 weeks).	Yearly Average. 1901–10.	1911. Total (52 weeks).	1911. 1st Quarter.	1911. 2nd Quarter.	1911. 3rd Quarter.	1911. 4th Quarter.	Yearly Average. 1901–1910.	1911 (52 weeks).
Enteric Fever	107	121	94	74	64	54	38	58	68	48	72	83	23	11	27	22	1·9	2·1
Typhus	3	8	2	1	.	4	8	2	3	5	4	4	.	1	.	3	0·1	0·1
Small-pox	.	.	36	.	.	.	.	.	.	.	4	.	.	.	.	.	0·1	–
Measles	7	392	49	191	97	56	154	150	121	20	124	207	50	83	31	43	3·2	5·1
Scarlet Fever	31	76	63	26	24	13	14	19	25	44	33	77	23	14	17	23	0·9	1·9
Whooping-cough	235	59	129	239	48	101	228	91	156	126	141	183	77	33	40	33	3·7	4·5
Diphtheria	54	85	60	35	32	40	47	49	60	64	53	101	24	30	20	27	1·4	2·5
Croup	21	16	15	4	8	10	6	4	4	.	9	5	2	2	.	1	0·2	0·1
Influenza	186	95	105	86	79	69	121	176	102	104	112	71	34	15	9	13	2·9	1·8
Dysentery	—	—	—	—	—	—	—	—	—	—	—	7	2	1	3	1	—	0·2
Tuberculous Disease. Phthisis	1,274	1,261	1,218	1,172	1,207	1,152	1,183	1,174	1,049	1,006	1,170	1,052	294	288	213	257	30·3	26·0
Tuberculous Disease. Other Forms	602	475	560	607	517	542	610	568	459	485	542	399	102	99	107	91	14·1	9·9
Cancer	301	342	362	367	372	453	399	426	418	476	392	447	109	109	108	121	10·2	11·1
Diseases of: Nervous System	1,996	2,034	2,174	2,010	1,981	2,002	2,027	1,960	1,852	1,841	1,988	858	275	190	200	193	51·5	21·3
Diseases of: Circulatory System												874	255	225	194	200		21·7
Diseases of: Organs of Special Sense	9	10	7	11	10	6	9	6	14	9	9	13	1	4	3	5	0·2	0·3
Diseases of: Respiratory System. Pneumonia	603	620	522	619	553	622	770	663	746	647	637	603	201	170	92	140	16·5	14·9
Diseases of: Respiratory System. Others	1,233	1,323	1,168	1,164	1,000	1,083	1,285	1,180	1,175	1,185	1,179	1,042	395	249	124	274	30·6	25·8
Diseases of: Digestive System. Diarrhœa under 2 years; Diarrhœa 2 yrs. and upwards.	390	237	151	339	284	417	205	325	212	273	283	443	33	26	308	76	7·3	11·0
												62	7	4	45	6		1·5
Diseases of: Digestive System. *Enteritis* under 2 years; *Enteritis* 2 yrs. and upwards.	40	94	106	125	146	160	154	182	184	186	138	220	20	24	118	58	3·6	5·4
												70	11	8	38	13		1·7
Diseases of: Digestive System. Others	395	460	409	428	415	441	367	394	362	353	402	390	80	96	111	103	10·4	9·7
Diseases of: Genito-urinary System	281	296	280	305	253	306	324	294	319	301	296	315	79	70	79	87	7·7	7·8
Puerperal Septicæmia, &c.	12	14	16	18	9	16	10	9	9	16	13	13	1	.	7	5	0·3	0·3
Other Causes incident to Pregnancy and Childbirth.	24	40	26	21	21	26	27	23	27	18	25	23	7	4	6	6	0·6	0·6
Diseases of Skin and Cellular Tissue	37	31	22	14	16	15	16	18	14	16	20	46	16	10	10	10	0·5	1·1
Diseases of Locomotor System	20	29	14	10	5	11	20	14	14	10	15	17	4	3	9	1	0·4	0·4
Violent Deaths	251	221	217	198	208	203	232	222	179	220	215	222	54	50	60	58	5·6	5·5
Other Specified Causes, Ill-defined, &c., Causes,	1,456	1,388	1,242	1,200	1,076	1,055	1,193	1,063	1,178	1,051	1,190	1,084	287	262	254	281	30·8	26·8
												187	45	34	52	56		4·6
Deaths from all Causes	9,571	9,727	9,047	9,264	8,425	8,857	9,447	9,070	8,750	8,504	9,066	9,118	2,511	2,115	2,285	2,207	235·0	225·8
Annual Death-rate per 1,000 of Pop.*	25·4	25·3	23·9	24·4	22·2	23·4	24·2	22·6	22·0	21·1	23·5	22·6	24·7	21·0	22·6	21·9	.	.
	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°		
Mean Temperature of the Air (Fahr.)	47·7	47·9	47·7	48·1	48·4	48·3	47·7	48·8	47·5	47·8	48·0	49·0	41·0	51·3	58·7	44·8	.	.
Rainfall (in inches)	25·79	26·97	32·48	22·62	24·46	23·59	27·80	24·41	26·42	31·33	26·59	23·33	3 96	3·97	4·82	10·58	.	.

* The rates are calculated on the population estimated to the middle of the respective years.

† The numbers for the years 1902 and 1908 embrace the returns for 53 weeks. This arrangement is occasionally necessary in order that the annual series may correspond with the calendar year.

TABLE IV.—Showing for the YEAR 1911 (52 weeks) the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Population, estimated to middle of 1911.†	Annual Rate of Mortality per 1,000 living represented by Deaths. From all causes	From diseases in Cols. 13-20, 26-8.	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
	YEAR 1911 (52 WEEKS). DEATHS. CAUSED BY																													
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
North City.																														
North City, No. 1, E. ..	29,854	24·0	4·8	716	165	69	43	27	34	129	139	110	9	–	–	13	5	24	6	–	81	32	26	53	72	53	8	26	21	23
,, 1. W. ..	39,902	24·6	4·4	983	226	86	57	39	48	141	216	170	7	–	–	24	9	23	6	1	115	25	34	65	148	75	12	18	19	36
,, 2 ..	30,689	24·9	4·2	765	174	64	49	40	30	100	183	125	4	–	–	14	7	18	12	–	68	50	34	52	101	57	8	8	13	14
,, 3 ..	33,498	22·8	4·2	764	164	75	55	29	29	133	148	131	10	–	–	32	15	14	10	1	93	29	37	55	74	38	8	13	14	17
Clontarf and Howth, No. 1, part of.	5,371	12·5	0·9	67	5	–	1	3	2	14	14	28	1	–	–	–	1	–	–	–	7	4	9	2	6	1	1	1	2	–
Coolock and Drumcondra, part of.	11,601	16·6	2·2	192	30	7	3	8	8	28	47	61	2	–	–	2	1	2	2	–	26	4	15	9	16	6	3	7	5	9
Finglas and Glasnevin, part of.	7,679	17·7	2·9	136	26	4	7	6	7	27	30	29	–	–	–	2	1	2	4	–	20	3	5	7	13	8	–	5	4	7
South City.																														
South City, No. 1 ..	41,401	24·8	4·7	1,028	247	98	57	53	48	149	169	207	12	3	–	37	9	17	18	2	127	45	31	50	129	32	7	59	18	17
,, 2 ..	21,715	23·7	2·7	515	103	44	34	19	29	81	113	92	2	1	–	9	7	6	3	–	64	39	25	32	86	22	1	7	11	10
,, 3 ..	43,149	24·4	3·9	1,051	210	89	91	47	62	147	206	199	14	–	–	35	10	19	14	–	150	53	37	80	146	47	1	29	24	23
,, 4 ..	35,816	20·7	3·3	741	144	67	40	45	34	129	157	125	9	–	–	19	2	28	11	–	97	38	27	52	72	42	3	5	29	25
New Kilmainham	9,063	17·8	2·9	161	38	11	7	9	8	27	32	29	–	–	–	–	4	7	3	–	16	9	6	11	12	7	1	4	2	3
Urban Districts.																														
Rathmines and Rathgar ..	38,330	15·0	1·6	574	85	28	12	20	22	79	108	220	6	–	–	5	1	6	5	–	50	19	32	40	53	18	4	15	18	23
Pembroke	29,347	16·1	2·3	472	92	30	19	11	19	61	94	146	4	–	–	10	1	13	1	–	41	11	23	35	54	17	4	16	9	15
Blackrock	9,090	14·2	0·8	129	15	6	2	4	6	19	24	53	–	–	–	–	–	3	1	–	15	5	6	7	11	1	–	2	2	4
Kingstown	17,227	19·4	1·2	335	56	12	6	16	9	38	83	115	–	–	–	2	–	–	–	–	29	3	26	23	23	16	1	2	11	17
Total City. North, ...	158,594	22·8	4·0	3,623	790	305	215	152	158	572	777	654	33	–	–	87	39	83	40	2	410	147	160	243	430	238	40	78	78	106
Total City. South, ...	151,144	23·1	3·8	3,496	742	309	229	173	181	533	677	652	37	4	–	100	32	77	49	2	454	184	126	225	445	150	13	104	84	78
Total City. North and South,	309,738	23·0	3·9	7,119	1,532	614	444	325	339	1,105	1,454	1,306	70	4	–	187	71	160	89	4	864	331	286	468	875	388	53	182	162	184
Total Urban Districts, ..	93,994	16·1	1·6	1,510	248	76	39	51	56	197	309	534	10	–	–	17	2	22	7	–	135	38	87	105	141	52	9	35	40	59
Total Registration Area, ..	403,732	21·4	3·4	8,629	1,780	690	483	376	395	1,302	1,763	1,840	80	4	–	204	73	182	96	4	999	369	373	573	1,016	440	62	217	202	243
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				489	28	8	14	30	48	124	144	93	3	–	–	3	4	1	5	3	53	30	74	30	26	3	–	3	20	–

* See Note (†) on page iv.

† See Note (*) on page xiv.

AGES.—Of the 9,118 deaths registered during the year, 3,003, or 33 per cent. were of children under five years of age, and 1,933, or 21 per cent., were of persons aged 65 years and upwards, including those of 1,422 persons aged 70 years and upwards, of whom 71 were stated to have been nonagenarians, and 2 (a male and a female) were stated to have been aged 100 and 103 years, respectively.

The deaths of infants under 1 year old were equal to 159 for every 1,000 births registered against 145 in the preceding year, and 143 in 1909.

TABLE V. (i.)—Showing, by certain Age-Periods, the Population of the Dublin Registration Area in 1901, the Number of Deaths registered in each of the years 1901–1910, and the proportion which the Deaths at each age-period bear to the estimated Population* at the same age.

Years, &c.		Ages.							
		All Ages.	Under 20 years.			20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
			Under 5 years.	5 and under 20.	Total.				
Census Population in 1901		375,350	38,157	106,723	144,880	135,683	68,610	24,273	1,904
Number of Deaths *Registered.*	Year 1901	9,571	2,750	751	3,501	1,548	1,988	2,084	450
	„ 1902,†	9,727	3,192	762	3,954	1,582	1,924	1,857	410
	„ 1903, ...	9,047	2,563	648	3,211	1,522	1,950	1,962	402
	„ 1904	9,264	3,023	654	3,677	1,445	1,808	1,927	407
	„ 1905	8,425	2,426	640	3,066	1,372	1,733	1,851	403
	„ 1906	8,857	2,497	626	3,123	1,380	1,934	2,046	374
	„ 1907	9,447	2,935	669	3,604	1,410	1,910	2,117	406
	„ 1908†	9,070	2,768	576	3,344	1,358	1,932	2,032	404
	„ 1909	8,750	2,620	561	3,181	1,318	1,763	2,109	379
	„ 1910	8,504	2,441	557	2,998	1,239	1,731	2,124	412
	Yearly average, 1901–1910	9,066	2,722	644	3,366	1,417	1,867	2,011	405
Number of Deaths at each Age-Period to every 1,000 of the Estimated Population at* same Age.	Year 1901	25·4	71·9	7·0	24·1	11·4	28·9	85·7	235·8
	„ 1902†	25·3	81·5	7·0	26·6	11·4	27·3	74·5	209·9
	„ 1903	23·9	66·5	6·0	22·0	11·1	28·1	80·1	209·2
	„ 1904	24·4	78·5	6·1	25·1	10·5	26·1	78·6	211·8
	„ 1905	22·2	63·0	5·9	21·0	10·0	25·0	75·5	209·7
	„ 1906	23·4	64·8	5·8	21·3	10·1	27·9	83·5	194·6
	„ 1907	24·2	73·9	6·0	23·9	10·0	26·7	83·8	204·8
	„ 1908†	22·6	67·9	5·1	21·6	9·4	26·4	78·4	198·6
	„ 1909	22·0	64·7	5·0	20·7	9·2	24·2	81·9	187·5
	„ 1910	21·1	59·6	4·9	19·3	8·5	23·5	81·5	201·6
	Yearly average, 1901–1910	22·5	69·2	5·9	22·6	10·2	26·4	80·4	206·4

* See note (*), page viii. † See note (†), page viii.

TABLE V. (ii.)—Showing, by certain Age-Periods, the number of Deaths registered during the year 1911 (52 weeks), and the proportion which the Deaths at each Age-Period bear to the estimated Population at the same age‡.

Year.		Ages.									
		All Ages.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.
Number of Deaths *Registered.*	Year 1911 ..	9,118	1,808	698	497	406	443	1,426	1,907	1,121	812
	1st Quarter, 1911	2,511	422	176	133	116	114	393	556	357	244
	2nd „	2,115	311	180	130	119	115	339	465	277	179
	3rd „	2,285	646	207	104	86	97	315	417	229	184
	4th „	2,207	429	135	130	85	117	379	469	258	205
Number of Deaths at each Age-Period to every 1,000 of the Estimated Population at Same Age.‡	Year 1911 ..	22·6	–	–	–	–	–	–	–	–	–

‡ The death-rates at each age-period are not at present available, as the Census Reports for 1911 are not yet published.

Occupations.—Table VII. on page xii. exhibits the occupations or social position of the persons whose deaths were registered during the year, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to a rate of 16·3 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 16·5 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 18·2; and in the "General Service Class" it was 24·8. The number of the living in each of the several classes and orders of occupations in 1901 is shown by age-periods in the following Table.

Table VI.—Showing by Ages, in Five General Classes and Eighteen Groups, the Occupations or Social Position of the Inhabitants of the Dublin Registration Area in 1901.

Class.	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Ages. Under 5 years.	5 and under 15.	15 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
	ALL PERSONS	375,350	38,157	67,552	39,171	135,683	68,610	24,273	1,904
	CLASSES.								
	Families of the :—								
I.	Professional and Independent Class ..	17,436	937	2,136	1,322	5,665	4,490	2,532	354
II.	Middle Class	87,188	7,418	14,383	9,936	33,875	15,662	5,460	454
III.	Artisan Class and Petty Shopkeepers ..	110,423	12,336	21,973	11,462	37,921	20,434	5,920	377
IV.	General Service Class	154,279	17,205	28,768	16,320	57,135	26,398	7,989	464
V.	Inmates of Workhouses	6,024	261	292	131	1,087	1,626	2,372	255
I.	Professional and Independent Class.								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers; and Heads of Public Departments.	7,799	541	997	548	2,654	2,196	793	70
	2. Merchants and Manufacturers, Higher Class	1,277	139	268	98	325	322	116	9
	3. Persons of Rank and Property, not otherwise described.	8,360	257	871	676	2,686	1,972	1,623	275
II.	Middle Class.								
	4. General Body of Officials—Civil Service, Banking, &c.	7,712	822	1,509	822	2,461	1,658	412	28
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	22,016	2,849	5,110	1,330	6,494	4,995	1,181	57
	6. Clerks and Commercial Assistants	30,432	2,477	3,842	5,170	14,637	3,630	663	13
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above.	27,028	1,270	3,922	2,614	10,283	5,379	3,204	356
III.	Artisan Class and Petty Shopkeepers.								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers.	9,874	1,364	2,151	940	3,627	1,512	271	9
	9. Building and Furnishing Trades	29,801	4,037	6,963	2,619	9,373	5,452	1,289	68
	10. Clothing Trades	23,260	1,359	2,995	3,338	9,277	4,484	1,700	107
	11. Food Supply Trades	9,242	1,279	2,023	742	3,300	1,565	320	13
	12. Other Trades and Callings ranking with Trades	30,352	3,472	6,258	3,151	9,923	5,623	1,770	155
	13. Petty Shopkeepers	7,894	825	1,583	672	2,421	1,798	570	25
IV.	General Service Class.								
	14. Army, Police, Postal Delivery, and Prison Services &c.	13,425	1,376	2,217	2,238	5,068	1,655	836	35
	15. Domestic Servants	36,603	916	2,256	5,873	18,887	6,290	2,203	178
	16. Coach and Car Drivers, Vanmen, &c. ..	14,390	2,250	3,385	838	5,084	2,416	407	10
	17. Hawkers, Porters, Labourers, &c.	89,861	12,663	20,910	7,371	28,096	16,037	4,543	241
V.	Inmates of Workhouses.								
	18. Workhouse Inmates	6,024	261	292	131	1,087	1,626	2,372	255

TABLE VII.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the Year 1911 (52 weeks), the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, YEAR 1911 (52 WEEKS). Annual Death Rate per 1000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis	Other Forms	Cancer	Convulsions	Diseases of the Respiratory System. Pneumonia	Other	Diarrhœa of children under 2 yrs. of age	2 yrs. of age and upwards	Enteritis of children under 2 years	Violence	Other Causes	Number of Uncertified Deaths
	ALL PERSONS	375,350	–	9,118	3003	406	443	1426	1907	1121	812	83	4	–	207	77	183	101	7	1052	399	447	185	603	1042	443	62	220	222	3781	243
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS	17,436	16·3	284	14	3	7	29	71	66	94	1	–	–	1	–	1	1	–	17	3	28	–	19	15	–	2	2	14	180	1
II.	MIDDLE CLASS	87,188	16·5	1,436	274	69	99	222	349	198	225	15	1	–	14	11	22	11	2	155	50	102	13	83	102	60	8	33	31	723	26
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	18·2	2,006	653	106	112	335	426	226	148	24	1	–	39	22	34	32	–	250	86	88	45	141	205	96	16	39	44	844	66
IV.	GENERAL SERVICE CLASS	154,279	24·8	3,833	1775	202	160	528	624	359	185	37	2	–	137	43	115	56	5	383	167	134	122	306	436	242	25	114	124	1385	150
V.	INMATES OF WORKHOUSES	6,024	–	1,559	287	26	65	312	437	272	160	6	–	–	16	1	11	1	–	247	93	95	5	54	284	45	11	32	9	649	–
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers and Heads of Public Departments.	7,799	25·6	200	14	2	4	23	54	43	60	1	–	–	–	–	1	1	–	14	2	19	–	13	10	–	2	2	12	123	1
	2. Merchants and Manufacturers, Higher Class.	1,277	2·3	3	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–
	3. Persons of Rank and Property, not otherwise described.	8,360	9·7	81	–	1	3	6	16	22	33	–	–	–	1	–	–	–	–	3	1	9	–	6	5	–	–	–	2	54	–
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c.	7,712	15·7	121	15	6	2	23	29	21	25	–	–	–	1	1	1	2	–	9	3	12	1	6	4	5	–	1	4	71	3
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	22,016	17·0	375	87	11	9	44	119	58	47	2	–	–	4	1	5	3	–	22	9	23	5	29	28	15	2	12	11	204	4
	6. Clerks and Commercial Assistants ..	30,432	14·8	450	136	22	55	91	85	29	32	11	1	–	8	9	13	4	–	79	21	19	7	18	35	29	1	15	6	174	10
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above.	27,028	18·1	490	36	30	33	64	116	90	121	2	–	–	1	–	3	2	2	45	17	48	–	30	35	11	5	5	10	274	9
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers.	9,874	20·7	204	88	14	4	35	35	11	17	–	–	–	2	5	2	5	–	23	9	5	4	13	14	18	4	2	8	90	10
	9. Building and Furnishing Trades ..	29,801	17·9	534	210	36	25	73	98	56	36	5	–	–	15	6	11	12	–	64	27	17	17	42	59	25	2	16	10	206	18
	10. Clothing Trades	23,260	11·3	263	67	12	27	43	58	38	18	3	–	–	4	3	4	4	–	41	15	13	6	12	36	7	4	6	3	102	8
	11. Food Supply Trades	9,242	14·0	129	39	5	6	28	31	11	9	4	–	–	2	–	4	1	–	15	8	9	2	8	11	8	–	–	1	56	3
	12. Other Trades and Callings ranking with Trades.	30,352	25·0	760	209	35	48	138	181	89	60	10	1	–	7	8	11	10	–	100	22	40	14	49	73	31	6	14	16	348	23
	13. Petty Shopkeepers	7,894	14·7	116	40	4	2	18	23	21	8	2	–	–	9	–	2	–	–	7	5	4	2	17	12	7	–	1	6	42	4
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c.	13,425	20·6	277	76	8	11	40	53	57	32	3	–	–	4	8	2	1	1	24	12	16	5	17	36	13	1	6	7	121	13
	15. Domestic Servants	36,603	10·0	366	98	11	38	81	61	45	32	2	–	–	12	2	5	6	–	53	10	17	2	20	35	20	1	2	11	168	8
	16 Coach and Car Drivers, Vanmen, &c.	14,390	26·2	377	155	17	16	76	63	35	15	5	–	–	6	4	12	4	–	54	21	16	13	32	36	14	2	12	8	138	13
	17. Hawkers, Porters, Labourers, &c. ..	89,861	31·3	2,813	1446	166	95	331	447	222	106	27	2	–	115	29	96	45	4	252	124	85	102	237	329	195	21	94	98	958	116
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Imates;	6,024	–	1,559	287	26	65	312	437	272	160	6	–	–	16	1	11	1	–	247	93	95	5	54	284	45	11	32	9	649	–

PROVINCIAL URBAN DISTRICTS.—(See Tables VIII. and IX.)—The respective death-rates represented by the deaths from the principal epidemic diseases* registered during the year in the twenty-one urban districts included in the Weekly Returns are as follow, ranging in order from the lowest to the highest:—

Galway, 0·5 per 1,000 of the population; Armagh, 0·5; Kilkenny, 0·8; Newry, 0·9; Ballymena, 1·0; Limerick, 1·2; Lisburn, 1·2; Tralee, 1·3; Clonmel, 1·4; Queenstown, 1·4; Drogheda, 1·4; Sligo, 1·6; Wexford, 1·7; Portadown, 1·7; Belfast, 1·8; Cork, 1·8; Waterford, 1·9; Dundalk, 2·1; Lurgan, 2·1; Londonderry, 2·4; and Newtownards, 4·6.

Enteric Fever.—Of 29 deaths from this cause, 15 appertained to Belfast, 5 to Limerick, 3 to Cork, 2 to Newry, and one to each of Londonderry, Galway, Dundalk, and Sligo.

Typhus.—There were 2 deaths from typhus for Belfast, 2 for Cork and one for each of Galway and Clonmel.

Small-pox.—No mortality from small-pox was recorded.

Measles.—Of the total 16 deaths appertained to Cork, 11 to Newtownards, 8 to Drogheda, 4 to Lurgan and 2 to each of Belfast and Kilkenny.

Scarlet Fever.—Thirty-seven deaths belonged to Belfast, 2 to each of Cork, Londonderry and Sligo, and one to each of Waterford, Lurgan, Ballymena and Portadown.

Whooping-cough.—For Belfast 67 deaths were recorded, for Londonderry 55, for Cork 28, for Lurgan 13, for Sligo 6, for Newtownards 4, and for Queenstown 3.

Diphtheria.—Thirty-two deaths were recorded for Belfast, for Dundalk 18, for Cork 10, for Limerick 3, and for Queenstown 2.

Dysentery.—There was one death recorded for Belfast.

Diarrhœa and Enteritis.—For Belfast there were 470 deaths of children under 2 years of age from one or other of these causes, for Cork 75, for Waterford 47, for Londonderry 35, for Limerick 32, and for Newtownards 24.

Cerebro-spinal Fever.—Two deaths from cerebro-spinal fever were recorded for Belfast during the year 1911. In the year 1910 the deaths from this cause numbered 3, and in the year 1909 there were 20 deaths registered. During the year 3 cases of cerebro-spinal fever or *cerebro-spinal meningitis* were returned as having been notified in Belfast. (See Table II).

Phthisis (Tuberculous Phthisis.)—The number of deaths from phthisis registered in the twenty-one Town Districts amounted to 1,613, being 13 in excess of the number registered in 1910. The total (1,613) is equal to an annual rate of 2·2 per 1,000 of the aggregate population of the twenty-one Urban Districts. The deaths in Belfast, 802, represent a rate of 2·1 per 1,000 of the estimated population. In the twenty other Urban Districts the deaths, 811, represent an annual rate of 2·3 per 1,000 of the aggregate population of these Areas. The death-rate for phthisis in the Dublin Registration Area (exclusive of deaths in public institutions of persons admitted from outside the Area) is equal to 2·5 per 1,000 of the estimated population.

* See note (†) on page iv.

TABLE VIII.—BIRTHS and DEATHS Registered during the YEAR 1911 (52 weeks) in the Dublin Registration Area, and in each of the undermentioned Twenty-one Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other localities), with the number of Deaths from some of the principal causes; also the number of Uncertified Deaths.

Towns and Districts.	Census Statistics of Districts.* Population. Total.	Population. Persons to an Acre.	Registration—Year, 1911 (52 weeks). Annual Rate per 1,000 persons Represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in Cols. 10-17, 23-5.	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 Year of Age.	Deaths. At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa. Of children under 2 years of age.	Diarrhœa. 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
Total of 22 Town Districts	1,149,495	20·2	27·6	18·8	2·3	31,751	21,640	4,329	4,959	109	10	–	247	120	360	173	5	2612	1002	927	1390	2583	879	145	591	446	739	6668	760
Dublin Registration Area:— Total	403,732	29·3	28·2	21·4	3·4	11,378	8,629†	1,780	1,840	80	4	–	204	73	182	96	4	999	369	373	573	1016	440	62	217	202	213	3321	243
City of Dublin	309,738	39·2	31·7	23·0	3·9	9,813	7,119	1,532	1,306	70	4	–	187	71	160	89	4	864	331	286	468	875	388	53	182	162	170	2939	184
Urban Districts. Rathmines and Rathgar	38,330	22·4	13·5	15·0	1·6	519	574	85	220	6	–	–	5	1	6	5	–	50	19	32	40	53	18	4	15	18	19	153	23
Pembroke	29,347	18·5	19·1	16·1	2·3	561	472	92	146	4	–	–	10	1	13	1	–	41	11	23	35	54	17	4	16	9	10	128	15
Blackrock	9,090	8·4	12·5	14·2	0·8	114	129	15	53	–	–	–	–	–	3	1	–	15	5	6	7	11	1	–	2	2	2	31	4
Kingstown	17,227	11·8	21·5	19·4	1·2	371	335	56	115	–	–	–	2	–	–	–	–	29	3	26	23	23	16	1	2	11	12	70	17
Urban Districts. Belfast	386,449	26·3	28·4	17·2	1·8	10,984	6,645‡	1,409	1,311	15	2	–	2	37	67	32	1	802	357	284	468	788	236	54	234	155	333	1704	63
Cork	76,632	33·8	26·0	21·2	1·8	1,992	1,622	277	377	3	2	–	16	2	28	10	–	252	73	64	91	175	65	3	10	28	61	627	81
Londonderry	40,799	18·9	26·2	17·0	2·4	1,068	694	131	164	1	–	–	–	2	55	1	–	87	27	32	43	113	26	4	9	10	16	63	12
Limerick	38,403	18·2	27·4	16·8	1·2	1,053	644	115	157	5	–	–	–	–	–	3	–	75	14	20	33	116	24	5	8	2	18	201	83
Waterford	27,430	19·1	24·9	17·2	1·9	683	472	107	157	–	–	–	–	1	–	1	–	62	20	16	19	55	15	3	32	8	23	180	42
Galway	13,249	2·5	28·2	15·3	0·5	373	203	27	78	1	1	–	–	–	–	1	–	32	10	7	4	19	3	–	–	10	11	66	31
Dundalk	13,128	9·5	24·7	15·8	2·1	324	208	32	69	1	–	–	–	–	1	18	–	16	11	15	11	18	2	–	5	5	3	43	15
Drogheda	12,425	8·4	22·3	13·8	1·4	277	171	25	61	–	–	–	8	–	–	–	–	9	4	7	14	18	7	–	3	1	3	41	12
Newry	11,956	17·2	25·1	18·8	0·9	300	225	31	73	2	–	–	–	–	–	1	–	21	8	13	25	20	3	2	3	4	13	47	7
Lurgan	12,135	14·3	27·9	17·5	2·1	338	212	34	67	–	–	–	4	1	13	–	–	34	11	9	9	24	3	–	5	2	3	39	8
Lisburn	12,172	10·7	26·9	16·8	1·2	327	205	37	60	–	–	–	–	–	–	1	–	26	11	15	10	13	9	1	4	2	6	36	6
Wexford	11,455	23·8	30·4	18·5	1·7	348	212	58	67	–	–	–	–	–	–	1	–	26	20	12	17	28	9	–	9	4	3	36	35
Ballymena	11,376	9·3	27·1	19·1	1·0	308	217	38	69	–	–	–	–	1	–	1	–	26	5	9	15	23	6	3	–	6	3	28	19
Sligo	11,163	3·8	22·3	16·1	1·6	249	180	29	60	1	–	–	–	2	6	1	–	20	11	6	7	15	6	1	1	–	3	59	27
Kilkenny	10,513	11·4	22·7	21·7	0·8	239	228	28	84	–	–	–	2	–	–	1	–	25	7	5	17	56	5	–	–	1	5	52	18
Clonmel	10,277	7·9	24·7	14·5	1·4	254	149	25	53	–	1	–	–	–	–	1	–	17	8	8	2	11	8	–	4	–	7	43	6
Portadown	11,727	15·3	30·7	13·8	1·7	360	162	34	45	–	–	–	–	1	1	–	–	16	9	7	3	13	–	1	17	2	6	–	7
Tralee	9,867	16·6	29·3	16·0	1·3	289	158	25	46	–	–	–	–	–	–	–	–	27	3	9	4	13	7	2	4	–	1	43	7
Newtownards	9,110	18·9	26·6	20·0	4·6	242	182	46	62	–	–	–	11	–	4	1	–	20	6	8	7	22	–	2	24	3	3	19	9
Queenstown	7,909	14·4	25·8	15·6	1·4	204	123	21	31	–	–	–	–	–	3	2	–	14	15	6	14	9	4	–	2	–	2	8	6
Armagh	7,588	22·2	21·2	13·0	0·5	161	99	20	28	–	–	–	–	–	–	1	–	6	3	2	4	18	1	2	–	1	3	12	23

* In the cases of the Districts comprising the Dublin Registration Area and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures), and in the other urban districts according to the Census of 1901.

† Including 2 deaths from cerebro-spinal fever.

‡ Including 2 deaths from cerebro-spinal fever.

TABLE IX.—Showing by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the YEAR 1911 (52 weeks). Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE OF MORTALITY per 1,000 of the Population according to the Census of 1901 represented by the Deaths from All Causes and from certain Epidemic Diseases; the number of Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911 (unrevised.)	No of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality: Diseases in Cols. 12–19 25–7.	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Numbe of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT ..	385,492	462	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		312	69	17	28	67	77	54	–	–	–	–	–	5	1	–	44	10	12	17	35	14	2	10	8	20	108	3
Do. 2 do. ..		1,252			813	161	74	94	136	171	177	2	1	–	1	4	7	3	–	121	21	25	49	89	64	3	18	13	40	221	9
Do. 3 do. ..		1,418			885	188	85	102	141	198	171	–	–	–	–	7	14	6	–	99	57	41	73	114	37	9	24	18	34	184	7
Do. 4 do. ..		1,309			632	176	48	51	108	128	121	3	–	–	1	6	2	4	–	82	16	13	39	79	18	3	27	15	26	273	5
Do. 5 do. ..		514			373	79	34	37	74	87	62	1	1	–	–	1	4	2	–	35	32	14	28	47	7	1	13	23	24	152	2
Do. 6 do. ..		743			576	66	32	61	84	152	181	–	–	–	–	5	4	1	–	58	20	37	33	61	7	3	12	19	30	90	8
Do. 7 do. ..		60			27	3	5	1	3	3	12	–	–	–	–	–	–	–	–	3	–	3	1	4	2	–	–	–	1	9	1
Do. 8 do. ..		148			90	16	10	7	19	20	18	–	–	–	–	1	1	1	–	10	2	6	2	11	2	–	5	3	5	12	–
Do. 9 do. ..		636			396	83	39	45	73	88	68	4	–	–	–	1	9	1	–	49	21	9	38	48	16	3	6	11	19	95	4
Do. 10 do. ..		866			489	113	48	61	87	112	68	2	–	–	–	2	11	2	–	77	20	23	50	55	22	4	10	10	27	99	5
Do. 11 do. ..		1,059			580	100	58	60	109	125	128	–	–	–	–	2	3	6	1	85	32	31	40	71	22	7	7	18	35	100	9
Do. 12 do. ..		1,354			657	179	70	76	123	115	94	2	–	–	–	7	–	3	–	45	80	24	30	105	8	11	69	5	34	156	4
Do. 13 do. ..		503			282	43	21	29	41	75	73	–	–	–	–	–	3	–	–	37	18	24	21	28	2	2	11	4	13	47	2
Do. 14 do. ..		4			3	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Do. 15 do. ..		656			530	133	37	46	75	158	81	1	–	–	–	1	4	2	–	57	28	22	47	41	15	6	22	8	25	158	4
Total	—	10,984			6,645*	1409	578	698	1140	1509	1311	15	2	–	2	37	67	32	1	802	357	284	468	788	236	54	234	155	333	1704	63
City of Cork.																															
CORK URBAN No. 1 DISTRICT ..	76,632	312	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		276	38	23	30	41	71	73	2	–	–	4	–	6	–	–	32	7	15	18	18	8	1	–	2	4	137	5
Do. 2 do. ..		301			205	45	29	36	28	40	27	1	2	–	4	1	1	6	–	26	13	6	20	19	11	–	1	5	12	51	12
Do. 3 do. ..		279			201	44	30	23	31	34	39	–	–	–	1	–	1	1	–	39	14	8	12	40	15	–	–	5	9	57	7
Do. 4 do. ..		217			164	34	11	20	21	45	33	–	–	–	3	–	5	–	–	20	5	4	7	28	9	–	2	4	15	42	11
Do. 5 do. ..		127			135	16	15	8	26	33	37	–	–	–	–	–	2	–	–	26	3	6	4	23	7	–	–	2	7	67	2
Do. 6 do. ..		307			277	47	30	26	56	54	64	–	–	–	1	1	6	2	–	47	13	12	12	19	5	–	2	–	3	127	18
Do. 7 do. ..		449			364	53	43	36	60	68	104	–	–	–	3	–	7	1	–	62	18	13	18	28	10	2	5	10	11	146	26
Total	—	1,992	21·2	1·8	1,622	277	181	179	263	345	377	3	2	–	16	2	28	10	–	252	73	64	91	175	65	3	10	28	61	627	81

* See note (‡) on page xiv.

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
24th February, 1912.

WILLIAM J. THOMPSON,
Registrar-General.

Printed by A. THOM & Co. (Ltd.) 31856 Wt. P. 392–106/138 375. 1. 1912. Sch. 10

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & Co., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 7TH JANUARY, 1911. [No. 1.

General Register Office, Charlemont House, Dublin, 9th January, 1911.

In this Report, as the first of the series, the International Classification of Causes of Death has been adopted. A similar course is being pursued from the 1st instant by the Registrar-General of England and Wales and the Registrar-General of Scotland. Care has been taken to ensure that the continuity of the reports will be in no way impaired.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,163,596.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Dec. 17	Week ending Dec. 24	Week ending Dec. 31	Week ending Jan. 7	Average Rate for 4 weeks.	Towns, &c.	Week ending Dec. 17	Week ending Dec. 24	Week ending Dec. 31	Week ending Jan. 7	Average Rate for 4 weeks.
22 Town Districts, ...	**19·6**	**19·1**	**16·8**	**19·4**	**18·7**	Limerick	21·9	10·9	28·7	13·7	18·8
						Lisburn	13·6	18·2	31·8	9·1	18·2
Armagh	13·7	20·6	.	20·6	13·7	Londonderry	20·4	18·0	16·8	24·9	20·0
Ballymena	14·4	23·9	9·6	14·4	15·6	Lurgan	48·7	35·4	22·1	35·4	35·4
Belfast	17·7	17·6	12·1	16·0	15·9	Newry	25·2	21·0	29·4	4·2	19·9
Clonmel	15·4	15·4	20·5	.	12·8	Newtownards	11·4	22·9	11·4	17·2	15·7
Cork	20·5	17·1	25·3	24·0	21·7	Portadown	15·5	31·0	15·5	36·2	24·5
Drogheda	24·5	12·3	12·3	16·3	16·4	Queenstown	26·4	19·8	26·4	13·2	21·4
Dublin Reg. Area ...	19·8	21·6	18·9	21·5	20·4	Sligo	9·6	4·8	9·6	28·8	13·2
Dundalk	8·0	27·9	16·0	43·9	23·9	Tralee	10·6	5·3	10·6	15·9	10·6
Galway	19·4	19·4	15·5	23·3	19·4	Waterford	35·1	13·6	17·5	13·6	19·9
Kilkenny	29·5	24·6	.	34·3	22·1	Wexford	23·3	23·3	18·7	23·3	22·1

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in sixteen of the districts to 13·3 in Lurgan, the 8 deaths from all causes for that district including 3 from measles. Included in the 122 deaths from all causes for Belfast are one from scarlet fever and 2 from diarrhœal diseases. Among the 35 deaths from all causes for Cork are one from scarlet fever, one from whooping-cough, and one from diphtheria. Included in the 21 deaths from all causes for Londonderry are one from whooping-cough and one from diarrhœa, and the 11 deaths from all causes for Dundalk include 3 from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 203—108 boys and 95 girls—and the deaths to 176—85 males and 91 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœa.

DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 21·5 per 1,000 of the population, the rate for the total deaths registered in the Area being 22·5 per 1,000.

Among the total deaths registered there were 4 from measles, 7* from scarlet fever, 6 from whooping-cough, one from diphtheria, and 3 deaths from diarrhœa of children under 2 years of age. In each of the three preceding weeks deaths from measles were one, 0, and one; deaths from scarlet fever were one, 0, and 2; deaths from whooping-cough were one, 5, and 7; deaths from diphtheria were 3, 2, and 0, and deaths from diarrhœal diseases were 2, 2, and one.

Of 25 deaths attributed to all forms of tuberculous disease, 21 were from pulmonary tuberculosis, 2 were from tuberculous meningitis, one was from abdominal tuberculosis, and one was from disseminated tuberculosis. In each of the three weeks preceding deaths from all forms of tuberculous disease were 18, 26, and 24.

There were 3 deaths from *convulsions* of infants under one year of age.

Seventeen deaths were accounted for by diseases of the circulatory system.

Broncho-pneumonia caused 9 deaths, lobar pneumonia 2 deaths, and *pneumonia* (type not distinguished) 4 deaths. There were 27 deaths from bronchitis.

Among the infants under one year of age 2 died from congenital malformations, 5 from prematurity, and 4 from congenital debility.

Two deaths were attributed to accidental violence.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year of age and the death of 2 persons aged 65 years and upwards.

Fifty-six of the persons whose deaths were registered during the week were under 5 years of age (33 being infants under one year, of whom 10 were under one month old) and 36 were aged 65 years and upwards, including 28 persons aged 70 and upwards, of whom 16 were aged 75 and upwards.

Sixty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse, 7 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·5 per 1,000; the rate in the City was 23·6 (North City Districts, 26·3; South 20·8) and in the Suburbs, 14·5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·4 per 1,000 inhabitants, the rate for the City being 2·8 (2·6 in the North City Districts, and 3·1 in the South), and for the Suburbs, 1·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (15) are equal to an annual rate of 25·9 per 1,000, and include one death from whooping-cough, 5 deaths from tuberculous disease, 2 deaths from broncho-pneumonia, and 2 deaths from bronchitis.

No. 1 *North City District, West* (Summer-hill.—The deaths (17) are equal to an annual rate of 21·9 per 1,000. Among them are one death from *diarrhœa* of a child under 2 years of age, one death from pulmonary tuberculosis, one death from broncho-pneumonia, one death from *pneumonia* (type not distinguished), and 6 from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 31·9 per 1,000. One death from whooping-cough, 4 from tuberculous disease, and 4 deaths from bronchitis were recorded.

No. 3 *North City District* (Benburb-street).—The deaths (17) represent an annual rate of 26·1 per 1,000. There were 5 deaths from scarlet fever, one death from pulmonary tuberculosis, one death from broncho-pneumonia, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 31·1; and Finglas and Glasnevin, part of, 33·5. Of the 7 deaths from all causes for Coolock and Drumcondra, part of, one was from *pneumonia* (type not distinguished), and 2 were from bronchitis; and the 5 deaths from all causes for Finglas and Glasnevin, part of, include 2 from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (18) represent an annual rate of 22·4 per 1,000. Among them are one from whooping-cough, 2 from pulmonary tuberculosis, one from *pneumonia* (type not distinguished), and 4 deaths from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (9) are equal to an annual rate of 21·4 per 1,000. There were 2 deaths from pulmonary tuberculosis, 2 deaths from broncho-pneumonia, and 2 deaths from *pneumonia* (type not distinguished).

No. 3 *South City District* (Peter-street).—The deaths (20) are equal to an annual rate of 23·9 per 1,000, and include one death from *diarrhœa* of a child under 2 years of age, 5 deaths from pulmonary tuberculosis, one from broncho-pneumonia, and 4 from other diseases of the respiratory system.

No. 4 *South City District* (Grand Canal Street).—The deaths (14) are equivalent to an annual rate of 20·1 per 1,000. One death from *diarrhœa* of a child under 2 years of age, 3 deaths from measles, 2 deaths from whooping-cough, one death from diphtheria, and 2 from tuberculous disease were recorded.

New Kilmainham District.—There were no deaths recorded for this district during last week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·5; Pembroke, 10·7; Blackrock, 11·6; and Kingstown, 26·6. The deaths from certain epidemic diseases† tabulated for these districts consist of one from measles for Pembroke and one from whooping-cough for Blackrock. Among the 9 deaths from all causes for Rathmines and Rathgar are 2 from broncho-pneumonia, and 2 from bronchitis; of the 6 deaths from all causes for Pembroke one was from bronchitis; and the 9 deaths from all causes for Kingstown include one from *pneumonia* (type not distinguished), 2 from bronchitis, and one accidental death.

* See note (*c*), Table II. † See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 7th January, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Dec. 17,	.	—	—	9	.	.	19	.	4	5	10	.	—	—	.	—	7	—	54
	Dec. 24,	.	—	—	15	.	.	9	1	3	7	6	.	—	—	.	—	8	—	49
	Dec. 31,	.	—	—	26	.	.	10	.	1	4	2	.	—	—	.	—	14	—	57
	Jan. 7,	.	—	—	8	.	.	18	.	1	5	4	.	—	—	.	—	12	—	48
Rathmines and Rathgar Urban District.	Dec. 17,	.	—	—	1	.	.	3	.	.	1	.	.	—	—	—	—	—	—	5
	Dec. 24,	.	—	—	2	.	.	5	.	.	.	2	.	—	—	—	—	—	—	9
	Dec. 31,	.	—	—	.	.	.	4	.	.	3	.	.	—	—	—	—	—	—	7
	Jan. 7,	.	—	—	1	.	.	4	.	.	2	.	.	—	—	—	—	—	—	7
Pembroke Urban District.	Dec. 17,	.	3	.	1	.	.	1	.	.	.	.	.	—	1	.	—	.	—	6
	Dec. 24,	.	2	.	2	.	.	1	.	.	.	.	.	—	6	.	—	.	—	11
	Dec. 31,	.	7	.	.	.	.	.	.	.	1	1	.	—	1	.	—	.	—	10
	Jan. 7,	.	2	.	.	.	.	.	.	.	.	.	.	—	2	.	—	.	—	4
Blackrock Urban District.	Dec. 17,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
	Dec. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 31,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 7,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Dec. 17,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	.	—	2
	Dec. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Dec. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Jan. 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Dec. 17,	.	—	—	26	.	.	5	.	1	1	3	1	—	—	—	—	11	—	48
	Dec. 24,	.	—	—	23	.	.	2	.	.	2	4	.	—	—	—	—	14	—	45
	Dec. 31,	.	—	—	19	.	.	4	.	.	.	3	2	—	—	—	—	8	—	36
	Jan. 7,	.	—	—	27	1	.	13	.	.	.	3	.	—	—	—	—	14	—	58

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 7th January, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Eight cases of measles were admitted to hospital during the week, 6 were discharged, and 24 cases remained under treatment at the close of the week. Thirteen cases of scarlet fever were admitted to hospital, 32 were discharged, there were 7 deaths, and 96* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 101, 119, and 122, respectively.

Twenty cases of diphtheria were admitted to hospital during the week, 19 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 64, 53, and 66, respectively, were 66 at the close of last week.

Eight cases of enteric fever were admitted to hospital during the week, 2 were discharged, and 42 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 35, 32, and 36.

In addition to the above named diseases, 7 cases of pneumonia were admitted to hospital, 3 were discharged, and 25 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 14·1) was equal to an average annual death-rate of 14·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 14·3 per 1,000, the rate for Glasgow being 14·1 and for Edinburgh 15·0.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 7th January. From this Report it appears that of a total of 52 cases notified, 19 were scarlet fever, 14 diphtheria, 13 phthisis, 4 erysipelas, and 2 enteric fever. Among the 448 cases of infectious diseases in hospital at the close of the week were 235 cases of scarlet fever, 79 of diphtheria, 55 of phthisis, 36 of measles, 25 of whooping cough, 6 of erysipelas, 6 of enteric fever, 2 of chicken pox, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 7th January, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 7th January, 1911. Annual Rate per 1,000 Persons Represented by: Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa. Of children under 2 years of age.	Diarrhœa. 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 7th January, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 31st December, 1910. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 24th December, 1910. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
TOTAL OF 22 TOWN DISTRICTS, ...	1,163,596	20·4	28·6	19·4	1·5	638	434	77	101	...	...	...	7	7	8	5	...	45	18	22	29	67	5	1	3	13	22	134	20	° ...	° ...	° ...	...		° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, c. ...	407,057	29·6	26·0	21·5	2·4	203	168	33	35	...	...	...	4	5	6	1	...	20	4	7	15	28	3	...	...	2	5	56	4	e49·3	26·7	37·2	0·34	e47·7	25·9	40·9	0·13	e54·8	33·6	43·5	0·18
CITY OF DUBLIN,	313,526	39·6	29·8	23·6	2·8	179	142	25	28	...	...	...	3	5	5	1	...	20	4	6	12	22	3	...	...	1	5	52	3	f49·9 g49·7	30·6 27·0	39·3 37·8	0·22 0·27	f47·3 g48·9	30·2 27·0	42·3 41·5	0·15 0·18	f55·4 g59·6	37·1 35·0	45·8 44·7	0·20 0·22
Urban Districts. RATHMINES AND RATHGAR.	37,528	21·9	11·1	12·5	...	8	9	3	3	...	...	...	...	...	...	...	...	...	...	...	2	2	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,368	18·5	14·2	10·7	1·8	8	6	2	1	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,013	8·3	23·1	11·6	5·8	4	2	1	1	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,622	12·1	11·8	26·6	...	4	9	2	2	...	...	...	...	...	...	...	...	...	...	1	1	2	...	...	...	1	...	1	...	51	32	40·2	0·21	49	29	42·2	0·08	56	39	47·1	0·11
Urban Districts. BELFAST, ...	398,421	27·1	31·5	16·0	0·4	241	122	21	20	...	...	...	...	1	...	...	...	14	7	7	8	18	1	1	1	6	10	32	3	47·0	26·5	38·2	0·64	48·0	28·0	43·0	0·47	54·0	36·0	44·6	0·41
CORK, ...	76,122	33·6	30·1	24·0	2·1	44	35	8	2	...	...	...	...	1	1	1	...	4	1	1	2	6	...	...	...	1	3	13	3	51	32	41·6	0·53	50	34	44·4	0·26	53	34	47·0	0·45
LONDONDERRY...	43,900	20·3	29·7	24·9	2·4	25	21	5	4	...	...	...	...	...	1	...	...	2	2	1	1	3	1	...	...	...	...	7	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,151	18·1	15·0	13·7	...	11	10	1	6	...	...	...	...	...	...	...	...	...	...	1	...	4	...	...	...	...	...	1	...	50·9	24·8	36·6	0·67	50	26·3	42·9	0·16	54·4	34·7	45·6	0·49
WATERFORD, ...	26,769	18·7	33·1	13·6	...	17	7	2	2	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	1	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,426	2·5	19·4	23·3	...	5	6	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	4	1	...	50	24	39	0·78	50	30	45	0·18	53	37	46	0·77
DUNDALK, ...	13,076	9·4	27·9	43·9	12·0	7	11	2	4	...	...	...	...	...	...	3	...	...	1	1	...	...	...	...	...	...	...	7	2	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,760	8·6	36·8	16·3	...	9	4	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	12,405	17·8	12·6	4·2	...	3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	48·0	29·2	37·5	0·48	47·1	28·2	41·0	0·35	52·8	37·3	44·0	0·18
LURGAN, ...	11,782	13·8	17·7	35·4	13·3	4	8	2	3	...	...	...	3	...	...	...	...	...	...	2	...	...	...	...	1	...	...	2	1	48·0	29·2	37·5	0·48	47·1	28·2	41·0	0·35	52·8	37·3	44·0	0·18
LISBURN, ...	11,461	10·1	27·3	9·1	...	6	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	48·0	29·2	37·5	0·48	47·1	28·2	41·0	0·35	52·8	37·3	44·0	0·18
WEXFORD, ...	11,168	23·2	60·7	23·3	...	13	5	...	2	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA, ...	10,886	8·9	91·0	14·4	...	19	3	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	10,870	3·7	19·2	28·8	...	4	6	...	4	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	3	2	51·3	23·0	36·9	0·67	51·0	25·5	41·6	0·63	53·2	36·5	45·2	0·57
KILKENNY, ...	10,609	11·5	14·7	34·3	...	3	7	...	3	...	...	...	...	...	...	...	...	2	...	...	...	3	...	...	...	...	...	2	1	50	26	36·6	0·57	47	24	39·4	0·12	55	33	44·7	0·33
CLONMEL, ...	10,167	7·8	15·4	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	10,092	13·2	31·0	36·2	...	6	7	1	3	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	...	...	...	48·0	29·2	37·5	0·48	47·1	28·2	41·0	0·35	52·8	37·3	44·0	0·18
TRALEE, ...	9,867	16·6	37·0	15·9	...	7	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	...	17·2	...	...	3	1	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	48	32	41·1	0·72	47	31	41·9	0·24	54	38	44·9	0·20
QUEENSTOWN, ...	7,909	14·4	39·6	13·2	...	6	2	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	1	...	51	32	41·6	0·53	50	34	44·4	0·26	53	34	47·0	0·45
ARMAGH, ...	7,588	22·2	13·7	20·6	...	2	3	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	1	2	48·0	29·2	37·5	0·48	47·1	28·2	41·0	0·35	52·8	37·3	44·0	0·18

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1911. (b) See note (‡) at foot of first page. (c) Exclusive of 8 deaths of persons (including one at 79 years) admitted to hospital from localities outside the Area; of the 8 deaths 2 were from scarlet fever. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 7th of January, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	4	.
Scarlet Fever,	.	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	5	2
Whooping-cough,	1	.	1	.	.	.	.	1	.	.	2	.	.	.	1	.	6	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	4	1	2	1	.	.	2	2	2	5	1	.	.	.	.	.	20	1
Tuberculous Disease. { Other Forms,	1	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	4	.
Cancer,	1	.	1	1	1	1	.	.	.	.	1	.	.	.	.	1	7	1
Diseases of Nervous System,	1	4	2	1	.	.	1	2	1	3	2	.	1	1	.	.	19	1
" Organs of Special Sense,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Circulatory System,	.	1	1	1	.	2	2	3	1	2	1	.	1	1	.	1	17	.
" Respiratory System. { Pneumonia,	2	2	.	1	.	1	.	1	4	1	.	.	2	.	.	1	15	.
" Respiratory System. { Others,	2	6	4	.	.	2	.	4	.	4	.	.	2	1	1	2	28	1
" Digestive System. { Diarrhœa, under 2 years,	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	.	3	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Enteritis, under 2 years,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
" Digestive System. { Others,	.	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	4	1
" Genito-urinary System,	.	.	.	1	.	.	.	1	.	1	1	.	.	.	.	.	4	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	3	2	3	3	.	.	.	3	.	.	.	.	3	1	.	1	19	.
Violent Deaths,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.
Ill-defined, &c. Causes,	.	.	1	.	.	1	.	1	.	1	.	.	.	.	.	2	6	.
Deaths from All Causes,	15	17	19	17	1	7	5	18	9	20	14	.	9	6	2	9	168	8
Annual Rate of Mortality from All Causes in every 1,000 of the population.	25·9	21·9	31·9	26·1	9·6	31·1	33·5	22·4	21·4	23·9	20·1	.	12·5	10·7	11·6	26·6	21·5	.
	26·3							20·8					14·5					
	23·6																	
Ages at Death. { Under 1 year,	4	6	3	3	.	.	.	2	.	5	2	.	3	2	1	2	33	.
1 and under 2 years,	1	.	3	1	.	.	.	2	1	1	5	.	.	.	.	1	15	.
2 " 5 "	.	1	.	3	.	.	.	2	.	.	.	.	.	.	.	1	7	1
5 " 15 "	1	.	.	3	.	.	.	1	.	.	.	.	.	.	.	.	5	.
15 " 25 "	.	.	.	1	.	.	.	1	1	4	1	.	.	.	.	.	8	1
25 " 45 "	3	2	5	1	.	1	1	.	3	3	2	.	1	2	.	.	24	1
45 " 65 "	6	3	4	4	1	3	2	4	2	5	1	.	2	1	.	3	41	4
65 and upwards,	.	5	4	1	.	3	2	6	2	2	3	.	3	1	1	2	35	1
Number of Uncertified Deaths,	.	1	.	.	.	1	.	.	.	1	.	.	1	.	.	.	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	6	.	4	5	.	.	.	2	3	2	7	.	2	1	.	.	32	6
Workhouse Hospitals,	3	3	6	3	.	.	.	2	3	2	1	.	.	.	.	1	24	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the of the Ten Years 1901–1910, and

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in first Week of the 10 years 1901–1910.	In the Week ending Saturday, 7th January, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Jan. 5, 1901.	Jan. 4, 1902.	Jan. 10, 1903.	Jan. 9, 1904.	Jan. 7, 1905.	Jan. 6, 1906.	Jan. 5, 1907.	Jan. 4, 1908.	Jan. 9, 1909.	Jan. 8, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 41·1	° 45·4	° 39·4	° 40·0	° 46·7	° 43·4	° 39·4	° 35·5	° 43·4	° 45·4	° 42·0	° 37·2										
ALL CAUSES.	203	223	206	208	192	168	246	199	190	174	200·9	176	10	23	15	8	5	9	25	45	20	16
Enteric Fever, ...	3	2	3	6	1	3	.	.	5	.	2·3	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	.	2	2	3	.	3	.	9	2	2·3	4	.	2	2	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	2	3	.	.	.	.	.	.	·5	7	.	.	.	3	3	1	.	.	.	.
Whooping-cough, ...	13	1	2	9	.	2	7	6	.	3	4·3	6	.	1	5	.	.	.	.	.	.	.
Diphtheria, ...	4	3	3	1	.	2	.	1	1	1	1·6	1	.	1	.	.	.	.	.	.	.	.
Croup, ...	2	.	.	.	.	.	1	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	2	7	1	.	2	6	1	.	2	2·1	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	1	.	.	.	1	.	.	·2	1	.	.	.	.	.	.	1	.	.	.
Other Epidemic Diseases, ...	.	.	1	.	.	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	.	.	.	1	3	·4	1	.	.	.	.	.	.	.	1	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	24	30	23	26	31	21	24	20	21	24	24·4	21	.	.	.	.	1	6	9	5	.	.
Tuberculous Meningitis, ...	4	2	2	3	3	5	.	.	3	2	2·4	2	.	1	1	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	5	1	1	1	5	2	.	.	1	1	1·7	1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of the Spine, ...												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	4	3	3	7	4	5	6	8	4	2	4·6	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												1	.	.	.	.	.	.	1	.	.	.
Venereal Diseases, ...	1	2	.	.	2	1	.	1	1	1	·9	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	2	11	6	7	13	7	8	9	8	8	7·9	8	.	.	.	.	.	.	.	8	.	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	2	.	1	.	.	.	1	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	.	2	1	.	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Anæmia Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	1	.	1
Alcoholism, ...	2	3	2	4	1	2	1	.	1	.	1·6	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*												8	.	.	.	.	.	.	1	4	1	2
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												3	.	.	.	.	.	.	.	1	.	2
Epilepsy, ...												2	.	.	.	.	.	.	1	1	.	.
Convulsions (non-puerperal),												3	1	2	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	41	47	59	43	46	41	60	56	43	42	47·8	4	.	.	.	1	.	1	.	1	1	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.												13	.	.	.	.	.	1	1	5	3	3
Embolism and Thrombosis (including Cerebral)												2	.	.	.	.	.	.	.	.	1	1
Other Diseases of Circulatory System.												2	.	.	.	.	.	.	1	.	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	31	37	15	35	29	24	31	32	26	17	27·7	27	.	4	2	2	.	.	1	11	6	1
Broncho-pneumonia, ...												9	.	5	1	.	.	.	1	2	.	.
Lobar-pneumonia, ...	11	16	11	17	20	12	23	20	21	22	17·3	2	.	.	1	.	.	.	1	.	.	.
Pneumonia (type not distinguished).												4	.	1	.	.	.	.	2	.	.	1
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	2	4	4	5	1	2	6	3	4	3	3·4	1	.	.	.	.	.	.	.	.	.	1
Other Diseases of Respiratory System.												1	.	.	.	.	.	.	1	.	.	.

FIRST WEEK ending Saturday, 7th January, 1911, with the deaths from each cause in the corresponding Week the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in first Week of the 10 years 1901–1910.	In the Week ending Saturday, 7th January, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Jan. 5, 1901.	Jan. 4, 1902.	Jan. 10, 1903.	Jan. 9, 1904.	Jan. 7, 1905.	Jan. 6, 1906.	Jan. 5, 1907.	Jan. 4, 1908.	Jan. 9, 1909.	Jan. 8, 1910.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	41·1°	45·4°	39·4°	40·0°	46·7°	43·4°	39·4°	35·5°	43·4°	45·4°	42·0°	37·2°										
Diseases of the Pharynx, Tonsillitis.	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	1	1	.	.	.	.	.	.
Diarrhœa of Children under 2 years.	1	4	3	3	1	1	9	3	3	2	3·0	3	.	2	1	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	1	.	2	1	3	2	3	2	2	2	1·8	.	.	.	.	.	.	.	.	.	.	.
„ 2 years and upwards,												1	.	.	.	.	.	.	.	.	1	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	1	.	1	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	6	3	.	.	1	3	2	2	.	2	2·4	1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Liver, ...			1	2	.	.	2	.	.	.		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	1	.	.	.	.	1	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	4	11	6	4	4	7	7	7	7	8	6·5	1	.	.	.	.	.	.	.	1	.	.
Acute Nephritis, ...												.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...												4	.	.	.	.	.	.	2	2	.	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	4	4	5	9	2	7	10	3	11	7	6·2	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Childbirth.	1	5	1	.	.	2	.	1	.	.	1·0	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	.	1	1
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	2	2	.	.	.	.	.	.	.	.	.
Premature Birth, ...	5	2	7	4	2	1	7	5	4	2	3·9	5	5	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	4	1	3	.	.	.	.	.	.	.	.
Old Age, ...	11	10	10	3	1	3	8	3	3	1	5·3	4	.	.	.	.	.	.	.	.	1	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	1	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	1	1	2	.	3	2	4	3	.	.	1·6	.	.	.	.	.	.	.	.	.	.	.
By Drowning, ...	.	1	2	1	1	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	3	2	1	.	2	.	2	.	2	1·3	2	.	.	.	.	.	.	.	1	1	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	1	.	.	2	.	1	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	.	.	.	.	.	.	.	.	.	.	.	6	1	.	1	1	.	.	.	1	2	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910–11—WEEK ENDING																									
	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.
No. of weeks in Annual Series,	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1
BIRTHS registered.	272	225	243	198	209	240	194	228	260	235	292	196	219	161	244	182	211	207	204	182	199	174	232	158	170	203
Average Births in corresponding week of previous 10 years, ...	198	204	215	221	202	219	218	207	232	203	200	252	192	184	209	206	209	202	195	181	207	193	195	177	174	231
DEATHS registered, ...	118	144	127	145	143	126	146	120	141	153	174	164	160	151	174	139	147	141	166	168	176	188	165	178	155	176
Annual Death-rate per 1,000, ...	15·3	18·6	16·4	18·8	18·5	16·3	18·9	15·5	18·2	19·8	22·5	21·2	20·7	19·5	22·5	18·0	19·0	18·2	21·5	21·7	22·8	24·3	21·4	23·0	20·1	22·5
Average Deaths in corresponding week of previous 10 years, ...	142	146	147	146	148	156	166	159	157	154	167	160	158	156	160	156	172	175	179	182	182	182	177	182	177	201
Ages, Under 5 years, ...	29	48	31	31	54	37	57	42	38	59	70	60	58	44	56	40	46	47	57	49	55	53	43	41	47	56
Ages, 5—15 „ ... / 15—25 „ ... / 25—45 „ ... / 45—65 „ ... / 65—75 „ ... / 75 and upwards, ...	89	96	96	114	89	89	89	78	103	94	104	104	102	107	118	99	101	94	109	119	121	135	122	137	108	5 / 9 / 25 / 45 / 20 / 16
Deaths from :—																										
Enteric Fever, ...	1	2	2	.	.	2	.	1	1	1	1	.	3	1	2	1	1	.	.	2	.	1	2	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	.	.	1	.	.	.	.	.	3	.	1	.	.	.	1	.	1	1	.	2	1	.	1	4
Scarlet Fever, ...	1	3	3	1	1	1	2	1	1	2	.	.	1	.	1	1	3	.	2	1	3	1	1	.	2	7
Whooping-cough, ...	1	1	.	3	3	2	.	4	3	2	1	2	2	2	5	1	1	4	2	6	5	11	1	5	7	6
Diphtheria, ...	1	.	5	1	.	2	4	1	.	2	3	2	2	1	.	4	1	2	3	2	4	.	3	2	.	1
Influenza, ...	.	1	.	1	.	1	.	.	.	1	1	2	1	1	2	1	4	1	.	2	4	2	1	3	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.
Tuberculous Disease, Phthisis, ...	19	11	17	24	14	17	12	17	23	15	19	18	17	14	23	17	18	16	20	14	16	25	14	19	19	21
Tuberculous Disease, Other Forms,	8	3	9	10	15	7	5	5	13	9	8	11	12	8	8	4	11	11	8	6	7	11	4	7	5	4
Cancer, ...	5	11	10	8	8	9	10	8	9	7	9	11	12	11	12	9	7	9	8	14	3	12	4	13	6	8
Diseases of Circulatory System,	17	22	23	23	20	16	20	17	23	19	24	30	20	24	25	23	17	18	22	24	30	30	23	28	31	17
Diseases of Respiratory System, Pneumonia,	7	9	5	7	8	7	6	5	6	10	4	6	5	11	15	12	13	11	16	16	14	15	27	18	11	15
Diseases of Respiratory System, Others, ...	18	14	12	10	8	10	11	6	10	10	20	12	16	17	17	12	18	26	26	29	37	27	32	26	25	29
Diarrhœa, Under 2 years, ... / 2 years & upwards,	3	5	.	2	14	6	17	12	11	21	22	27	12	10	8	4	5	4	2	4	6	2	2	2	1	3 / .
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.
Violent Deaths, ...	3	8	5	3	6	2	4	5	3	6	6	3	10	4	.	2	1	2	2	3	4	4	8	4	6	2
Number of Uncertified Deaths,	.	4	7	2	3	4	4	3	2	1	3	3	3	6	2	4	1	8	6	7	5	5	3	3	6	4
Mean Temperature of the Air (Phœnix Park)	57·1	56·9	57·8	56·5	59·2	58·8	56·6	57·2	54·8	52·0	50·4	54·2	52·5	48·2	49·1	50·4	43·1	39·6	38·2	42·2	37·0	43·4	45·2	43·5	40·9	37·2
Average Mean Temperature in corresponding week of previous 10 years, ...	58·9	60·6	58·8	58·8	58·2	57·7	56·5	56·1	54·4	53·1	53·8*	53·7	52·2	50·6	48·4	46·2	47·1	45·2	42·7	41·5	42·8	42·4	41·6	41·3*	41·3	42·0
Rainfall in inches, ...	·000	·840	·355	·940	·205	1·175	·411	·194	·150	·015	·015	·391	·585	·138	·333	·365	·558	·860	·352	1·206	1·820	1·700	1·172	·183	·130	·336
Mean Humidity of the Air, complete Saturation 1·0, ...	·81	·81	·81	·84	·85	·81	·84	·88	·87	·91	·85	·89	·90	·84	·92	·87	·90	·89	·85	·91	·93	·91	·91	·94	·88	·92

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 7th January, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 7TH JANUARY, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	176	56	5	9	25	45	20	16	.	.	.	4	7	6	1	.	21	4	8	3	15	29	3	.	.	2	73	4
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	23·9	8	1	.	.	.	2	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	5	.
II.	MIDDLE CLASS, ...	87,188	14·4	24	5	.	2	3	9	3	2	.	.	.	.	.	1	.	.	3	.	4	.	1	2	1	.	.	1	11	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	20·8	44	12	2	2	8	13	5	2	.	.	.	1	4	1	.	.	8	.	1	1	6	6	1	.	.	1	14	.
IV.	GENERAL SERVICE CLASS, ...	154,279	25·0	74	36	3	2	9	14	7	3	.	.	.	3	3	4	1	.	5	3	2	2	8	13	.	.	.	.	30	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	26	2	.	3	5	7	4	5	.	.	.	.	.	.	.	.	5	1	1	.	.	5	1	.	.	.	13	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	46·8	7	1	.	.	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	21·3	9	1	.	1	1	4	1	1	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	1	5	.
	6. Clerks and Commercial Assistants, ...	30,432	12·0	7	2	.	.	1	3	1	.	.	.	.	.	.	1	.	.	.	.	2	.	.	2	.	.	.	.	2	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	15·4	8	2	.	1	1	2	1	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	47·5	9	4	.	.	2	1	1	1	.	.	.	.	1	.	.	.	.	.	.	.	2	1	1	.	.	.	4	.
	9. Building and Furnishing Trades, ...	29,801	21·0	12	4	.	1	.	5	2	.	.	.	.	1	.	1	.	.	3	.	.	1	1	.	.	.	.	1	4	.
	10. Clothing Trades, ...	23,260	11·2	5	.	.	.	2	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	2	.
	11. Food Supply Trades, ...	9,242	5·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	25·8	15	3	2	1	3	5	1	.	.	.	.	.	3	.	.	.	4	.	1	.	2	3	.	.	.	.	2	.
	13. Petty Shopkeepers, ...	7,894	13·2	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	19·4	5	1	.	.	1	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.	.	.	.	1	1
	15. Domestic Servants, ...	36,603	8·5	6	2	1	.	1	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	29·0	8	5	.	.	2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	5	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	31·9	55	28	2	2	5	11	5	2	.	.	.	3	2	3	1	.	4	2	2	2	8	7	.	.	.	.	21	2
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	26	2	.	3	5	7	4	5	.	.	.	.	.	.	.	.	5	1	1	.	.	5	1	.	.	.	13	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS	1910-11. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (Office, Clarence-st. Nth.) Pop. in 1911 (Est.) 30,219	Nov. 19,	22·7	.	13	.	.	.	.	.	.	.	—	2	.	.	3	1	.		—	.	1
	„ 26,	20·9	.	12	.	.	.	.	.	.	.	—	1	.	1	1	3	.		—	.	.
	Dec. 3,	29·6	3·5	17	.	.	.	.	.	2	.	—	4	1	.	.	4	.		—	1	.
	„ 10,	17·4	3·5	10	.	.	.	.	.	2	.	—	1	.	1	.	.	.		—	2	1
	„ 17,	22·7	.	13	.	.	.	.	.	.	.	—	2	.	.	3	2	.		—	2	.
	„ 24,	17·4	.	10	.	.	.	.	.	.	.	—	3	.	1	2	.	.		—	.	1
	„ 31,	12·2	.	7	.	.	.	.	.	.	.	—	.	.	.	1	2	.		—	.	.
	Jan. 7,	25·9	1·7	15	.	.	.	.	.	1	.	.	4	1	1	2	2	.	.	.	.	.
North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1911 (Est.) 40,390.	Nov. 19,	14·3	1·3	11	.	.	.	.	.	.	.	—	1	1	.	1	3	1		—	.	.
	„ 26,	24·8	1·3	19	.	.	.	.	.	.	.	—	4	.	2	3	1	1		—	.	.
	Dec. 3,	19·6	2·6	15	.	.	.	.	1	.	.	—	1	3	.	1	4	1		—	.	.
	„ 10,	36·5	1·3	28	.	.	.	.	.	.	.	—	2	.	2	4	2	1		—	.	1
	„ 17,	19·6	2·6	15	.	.	.	.	1	.	.	—	.	.	.	2	4	1		—	1	.
	„ 24,	15·7	.	12	.	.	.	.	.	.	.	—	4	2	3	1	.	.		—	.	.
	„ 31,	20·9	.	16	.	.	.	.	.	.	.	—	6	.	.	2	3	.		—	1	1
	Jan. 7,	21·9	1·3	17	.	.	.	.	.	.	.	.	1	.	.	2	6	1	.	.	.	1
North City, No. 2. (Office, Lisburn-street.) Pop. in 1911 (Est.) 31,064.	Nov. 19,	25·4	.	15	.	.	.	.	.	.	.	—	.	2	1	1	2	.		—	.	.
	„ 26,	22·0	3·4	13	1	.	.	.	.	.	.	—	2	1	.	2	1	1		—	1	.
	Dec. 3,	23·7	.	14	.	.	.	.	.	.	.	—	.	1	.	.	4	.		—	1	.
	„ 10,	27·1	1·7	16	.	.	.	.	.	1	.	—	3	2	.	.	3	.		—	.	.
	„ 17,	18·7	1·7	11	.	.	.	.	.	.	1	—	2	.	.	1	1	.		—	.	.
	„ 24,	30·5	1·7	18	.	.	.	.	.	.	.	—	3	.	1	3	2	1		—	.	.
	„ 31,	18·7	.	11	.	.	.	.	.	.	.	—	.	1	.	.	2	.		—	.	.
	Jan. 7,	31·9	1·7	19	.	.	.	.	.	1	.	.	2	2	1	.	4	.	.	.	.	.
North City, No. 3. (Office, Benburb-street.) Pop. in 1911 (Est.) 33,908.	Nov. 19,	14·0	.	9	.	.	.	.	.	.	.	—	.	.	.	1	.	.		—	.	1
	„ 26,	21·8	.	14	.	.	.	.	.	.	.	—	2	1	.	.	2	.		—	.	2
	Dec. 3,	21·8	1·6	14	.	.	.	.	.	1	.	—	.	.	.	2	2	.		—	.	1
	„ 10,	18·6	.	12	.	.	.	.	.	.	.	—	1	2	3	1	.	.		—	.	.
	„ 17,	17·1	.	11	.	.	.	.	.	.	.	—	.	.	.	2	4	.		—	.	1
	„ 24,	26·4	.	17	.	.	.	.	.	.	.	—	.	.	.	.	3	.		—	1	2
	„ 31,	10·9	1·6	7	.	.	.	.	1	.	.	—	2	.	1	.	2	.		—	.	.
	Jan. 7,	26·1	7·7	17	.	.	.	.	5	.	.	.	1	.	1	1	.	.	.	.	1	.
South City, No. 1. (Office, Sth. Earl-street.) Pop. in 1911. (Est.) 41,908.	Nov. 19,	22·6	2·5	18	.	.	.	.	1	1	.	—	2	.	.	2	7	.		—	.	.
	„ 26,	26·4	2·5	21	.	.	.	.	.	2	.	—	.	.	.	1	6	.		—	.	1
	Dec. 3,	26·4	3·8	21	.	.	.	.	.	1	1	—	2	.	.	.	6	1		—	.	.
	„ 10,	18·9	2·5	15	.	.	.	.	.	1	.	—	2	.	1	1	2	1		—	.	.
	„ 17,	15·1	.	12	.	.	.	.	.	.	.	—	2	.	.	.	6	.		—	.	.
	„ 24,	32·7	3·8	26	.	.	.	.	.	2	1	—	.	1	1	3	1	.		—	1	.
	„ 31,	23·9	2·5	19	.	.	.	.	.	2	.	—	4	1	.	2	6	.		—	1	.
	Jan. 7,	22·4	2·5	18	.	.	.	.	.	1	.	.	2	.	.	1	4	.	.	.	.	.
South City, No. 2. (Office, Castle-street.) Pop. in 1911 (Est.) 21,980.	Nov. 19,	19·2	.	8	.	.	.	.	.	.	.	—	1	.	1	3	1	.		—	.	2
	„ 26,	24·0	.	10	.	.	.	.	.	.	.	—	2	.	1	.	2	.		—	1	1
	Dec. 3,	26·4	4·8	11	.	.	.	.	.	.	2	—	.	.	.	1	4	.		—	1	.
	„ 10,	19·2	2·4	8	1	.	.	.	.	.	.	—	1	.	.	2	2	.		—	.	.
	„ 17,	31·2	.	13	.	.	.	.	.	.	.	—	.	.	.	2	3	.		—	.	.
	„ 24,	36·0	.	15	.	.	.	.	.	.	.	—	3	1	1	2	3	.		—	.	.
	„ 31,	14·4	2·4	6	.	.	.	.	.	1	.	—	.	.	.	.	1	.		—	2	.
	Jan. 7,	21·4	.	9	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.	.	.
South City, No. 3. (Office, Peter-street.) Pop. in 1911 (Est.) 43,677.	Nov. 19,	30·2	1·2	25	.	.	.	1	.	.	.	—	2	2	.	4	3	.		—	1	.
	„ 26,	25·3	4·8	21	.	.	.	1	.	1	1	—	1	2	2	4	3	1		—	.	1
	Dec. 3,	16·9	1·2	14	.	.	.	.	1	.	.	—	2	1	.	3	2	.		—	.	.
	„ 10,	31·4	7·2	26	.	.	.	1	.	5	.	—	3	3	.	3	6	.		—	.	.
	„ 17,	18·1	.	15	.	.	.	.	.	.	.	—	.	1	.	4	4	.		—	1	1
	„ 24,	21·7	3·6	18	.	.	.	.	.	2	1	—	1	2	1	2	3	.		—	.	.
	„ 31,	19·3	.	16	.	.	.	.	.	.	.	—	3	.	.	1	2	.		—	1	3
	Jan. 7,	23·9	1·2	20	.	.	.	.	.	.	.	.	5	.	.	1	4	1	.	.	.	1
South City, No. 4. (Office, Grand Canal-st.) Pop. in 1911 (Est.) 36,254.	Nov. 19,	30·5	5·8	21	.	.	.	.	1	1	1	—	5	.	2	.	3	1		—	.	.
	„ 26,	23·3	2·9	16	1	.	.	.	.	1	.	—	2	.	.	2	5	.		—	.	.
	Dec. 3,	27·6	5·8	19	.	.	.	.	1	.	.	—	2	.	.	2	3	3		—	1	1
	„ 10,	34·9	4·4	24	.	.	.	1	.	2	.	—	1	3	2	2	6	.		—	.	2
	„ 17,	18·9	1·5	13	.	.	.	1	.	.	.	—	3	2	.	2	3	.		—	1	.
	„ 24,	24·7	1·5	17	.	.	.	.	.	.	.	—	2	.	1	1	7	1		—	.	.
	„ 31,	18·9	8·7	13	.	.	.	1	1	3	.	—	1	1	.	1	1	1		—	.	.
	Jan. 7,	20·1	10·1	14	.	.	.	3	.	2	1	.	1	1	1	.	.	1	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1910-11. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Nov. 19,	22·5	1·4	16	.	.	.	.	.	.	1	—	.	.	1	.	2	.		—	.	1
	„ 26,	14·1	2·8	10	.	.	.	.	.	1	1	—	.	1	1	2	1	.		—	.	.
	Dec. 3,	16·9	.	12	.	.	.	.	.	.	.	—	1	.	.	1	2	.		—	.	1
	„ 10,	11·3	.	8	.	.	.	.	.	.	.	—	2	.	.	.	3	.		—	.	.
	„ 17,	14·1	.	10	.	.	.	.	.	.	.	—	1	.	1	2	.	.		—	1	1
Pop. in 1911 (Est.) 37,528.	„ 24,	15·5	1·4	11	.	.	.	.	.	1	.	—	1	.	1	1	1	.		—	1	.
	„ 31,	23·9	1·4	17	.	.	.	.	.	1	.	—	.	.	.	1	3	.		—	.	1
	Jan. 7,	12·5	.	9	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	1
Pembroke Urban District.	Nov. 19,	14·4	.	8	.	.	.	.	.	.	.	—	3	.	2	.	1	.		—	1	.
	„ 26,	12·6	.	7	.	.	.	.	.	.	.	—	.	1	.	1	4	.		—	.	.
	Dec. 3,	25·2	1·8	14	.	.	.	.	.	.	.	—	1	.	1	1	2	1		—	.	.
	„ 10,	18·0	.	10	.	.	.	.	.	.	.	—	2	.	1	.	3	.		—	.	.
	„ 17,	19·8	1·8	11	1	.	.	.	.	.	.	—	.	.	.	3	2	.		—	.	.
Pop. in 1911 (Est.) 29,368.	„ 24,	14·4	.	8	.	.	.	.	.	.	.	—	.	.	1	1	3	.		—	.	.
	„ 31,	9·0	.	5	.	.	.	.	.	.	.	—	1	.	.	.	.	.		—	1	.
	Jan. 7,	10·7	1·8	6	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Kingstown Urban District.	Nov. 19,	11·8	.	4	.	.	.	.	.	.	.	—	.	2	.	.	1	.		—	.	.
	„ 26,	20·7	3·0	7	.	.	.	.	.	.	.	—	.	.	2	.	.	1		—	.	.
	Dec. 3,	5·9	.	2	.	.	.	.	.	.	.	—	.	.	.	1	.	.		—	.	.
	„ 10,	17·8	.	6	.	.	.	.	.	.	.	—	1	.	1	.	.	.		—	.	.
	„ 17,	23·7	.	8	.	.	.	.	.	.	.	—	.	.	.	3	1	.		—	1	.
Pop. in 1911 (Est.) 17,622.	„ 24,	8·9	.	3	.	.	.	.	.	.	.	—	.	.	1	.	1	.		—	.	.
	„ 31,	23·7	.	8	.	.	.	.	.	.	.	—	1	.	2	2	.	.		—	.	.
	Jan. 7,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.
Belfast.	Nov. 19,	17·6	0·7	132	1	.	.	.	.	.	1	—	17	8	8	11	16	3		—	2	.
	„ 26,	17·9	0·7	134	.	.	.	2	1	1	.	—	17	4	9	8	25	1		—	5	.
	Dec. 3,	14·5	0·5	109	.	.	.	2	.	.	1	—	13	7	6	7	25	1		—	3	3
	„ 10,	20·1	1·7	151	.	.	.	3	1	1	4	—	14	5	5	13	36	4		—	2	4
Pop. in 1911 (Est.) 398,421.	„ 17,	17·7	1·1	133	.	.	.	3	2	.	.	—	12	7	8	10	22	3		—	6	1
	„ 24,	17·6	0·5	132	.	.	.	1	1	1	.	—	15	3	6	10	29	1		—	2	1
	„ 31,	12·1	0·3	91	.	.	.	.	1	1	.	—	9	3	5	7	18	.		—	4	3
	Jan. 7,	16·0	0·4	122	.	.	.	.	1	.	.	.	14	7	7	8	18	1	1	1	6	3
Cork.	Nov. 19,	14·4	.	21	.	.	.	.	.	.	.	—	5	1	2	.	1	.		—	1	2
	„ 26,	17·1	0·7	25	.	.	.	.	.	.	.	—	6	2	3	1	2	1		—	.	.
	Dec. 3,	13·7	.	20	.	.	.	.	.	.	.	—	1	1	1	.	6	.		—	1	.
	„ 10,	13·7	.	20	.	.	.	.	.	.	.	—	5	1	1	1	2	.		—	.	.
Pop. (in 1901) 76,122.	„ 17,	20·5	1·4	30	.	.	.	.	.	1	.	—	4	1	.	.	3	1		—	1	1
	„ 24,	17·1	.	25	.	.	.	.	.	.	.	—	5	1	2	.	2	.		—	.	3
	„ 31,	25·3	1·4	37	.	.	.	.	.	2	.	—	4	1	.	.	5	.		—	.	4
	Jan. 7,	24·0	2·1	35	.	.	.	.	1	1	1	.	4	1	1	2	6	.	.	.	1	3
Londonderry.	Nov. 19,	18·0	2·4	15	.	.	.	.	1	1	.	—	1	1	1	.	3	.		—	.	.
	„ 26,	16·8	1·2	14	.	.	.	.	.	1	.	—	3	.	.	1	6	.		—	.	.
	Dec. 3,	15·6	1·2	13	.	.	.	.	.	.	.	—	3	.	.	2	1	1		—	.	1
	„ 10,	15·6	3·6	13	.	.	.	.	.	3	.	—	1	.	2	.	1	.		—	.	1
Pop. in 1911 (Est.) 43,900.	„ 17,	20·4	.	17	.	.	.	.	.	.	.	—	.	3	2	2	3	.		—	.	.
	„ 24,	18·0	.	15	.	.	.	.	.	.	.	—	1	1	2	.	2	.		—	.	1
	„ 31,	16·8	4·8	14	.	.	.	.	.	3	.	—	1	.	1	.	1	1		—	.	.
	Jan. 7,	24·9	2·4	21	.	.	.	.	.	1	.	.	2	2	1	1	3	1	.	.	.	.
Limerick.	Nov. 19,	5·5	.	4	.	.	.	.	.	.	.	—	.	.	.	.	.	.		—	.	.
	„ 26,	5·5	1·4	4	.	.	.	.	.	.	1	—	1	.	1	.	1	.		—	.	.
	Dec. 3,	23·2	.	17	.	.	.	.	.	.	.	—	1	.	.	.	4	.		—	.	6
	„ 10,	13·7	.	10	.	.	.	.	.	.	.	—	1	.	1	.	3	.		—	.	4
Pop. (in 1901) 38,151.	„ 17,	21·9	.	16	.	.	.	.	.	.	.	—	2	1	2	.	4	.		—	.	.
	„ 24,	10·9	.	8	.	.	.	.	.	.	.	—	1	.	.	.	1	.		—	.	3
	„ 31,	28·7	1·4	21	.	.	.	.	.	1	.	—	4	.	.	1	4	.		—	.	5
	Jan. 7,	13·7	.	10	.	.	.	.	.	.	.	.	.	.	1	.	4	.	.	.	.	.
Waterford.	Nov. 19,	25·3	1·9	13	.	.	.	.	.	.	.	—	1	3	1	.	.	1		—	.	.
	„ 26,	11·7	1·9	6	.	.	.	.	.	1	.	—	.	1	.	.	.	.		—	.	.
	Dec. 3,	19·5	1·9	10	.	.	.	.	.	.	.	—	2	.	.	.	.	1		—	.	.
	„ 10,	7·8	.	4	.	.	.	.	.	.	.	—	.	.	.	.	2	.		—	.	.
Pop. (in 1901) 26,769.	„ 17,	35·1	.	18	.	.	.	.	.	.	.	—	2	1	.	3	2	.		—	.	1
	„ 24,	13·6	1·9	7	.	.	.	.	.	.	.	—	.	1	1	.	.	1		—	.	.
	„ 31,	17·5	.	9	.	.	.	.	.	.	.	—	1	1	.	.	4	.		—	.	.
	Jan. 7,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 7th January, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa: Of children under 2 years of age.	Diarrhœa: 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	349,180	7	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		6	.	.	1	2	2	1	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	3	.
Do. 2 do.		21			7	.	.	.	2	5	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	3	.
Do. 3 do.		37			23	4	1	2	6	7	3	.	.	.	.	.	.	.	.	3	1	2	1	2	.	.	.	2	2	4	.
Do. 4 do.		20			8	2	2	.	3	.	1	.	.	.	.	1	.	.	.	2	.	.	.	1	.	.	.	1	1	4	.
Do. 5 do.		13			5	.	1	1	1	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	2	.
Do. 6 do.		14			15	2	2	1	2	2	6	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.	.	1	1	1	2
Do. 7 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		1			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		25			7	.	.	.	3	3	1	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1	1	1	.
Do. 10 do.		26			8	2	1	.	1	2	2	.	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.	1	2	4	1
Do. 11 do.		19			18	4	4	1	6	.	3	.	.	.	.	.	.	.	.	1	2	1	5	2	.	.	.	.	1	2	.
Do. 12 do.		29			9	3	1	.	2	2	1	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.	.	3	.
Do. 13 do.		11			6	.	.	1	.	4	1	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	2	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		17			9	3	.	.	2	3	1	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	1	.	1	3	.
Total,	—	241			122	21	12	7	30	32	20	.	.	.	.	1	.	.	.	14	7	7	8	18	1	1	1	6	10	32	3
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	5	28·4	4·1	7	3	.	1	.	3	.	.	.	.	.	.	1	.	.	1	.	.	1	2	.	.	.	.	.	3	1
Do. 2 do.	10,701	4	29·2	4·9	6	1	.	2	1	1	1	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	1	2	.
Do. 3 do.	9,978	8	20·9	.	4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	1	.	.
Do. 4 do.	8,666	10	24·1	.	4	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	1	1	.
Do. 5 do.	6,592	.	7·9	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	10,702	2	34·1	4·9	7	.	.	1	2	4	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	6	.
Do. 7 do.	16,616	15	18·8	.	6	2	.	.	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	2
Total,	76,122	44	24·0	2·1	35	8	1	5	6	13	2	.	.	.	.	1	1	1	.	4	1	1	2	6	.	.	.	1	3	13	3

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910–11—WEEK ENDING																									
	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.
No. of weeks in Annual Series,	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1
BIRTHS registered, ...	259	239	214	179	219	210	159	219	190	264	194	172	200	205	228	201	183	178	156	181	175	185	167	200	199	241
DEATHS registered, ...	136	117	135	115	102	124	131	121	103	116	122	105	94	122	120	115	108	122	132	134	109	151	133	132	91	122
Annual Death rate per 1,000 of estimated population, ...	18·1	15·6	18·0	15·3	13·6	16·5	17·5	16·1	13·7	15·5	16·3	14·0	12·5	16·3	16·0	15·3	14·4	16·3	17·6	17·9	14·5	20·1	17·7	17·6	12·1	16·0
AGES, Under 1 year, ...	26	25	35	27	27	35	49	30	28	23	29	25	31	27	27	28	24	28	27	24	17	34	20	22	18	21
AGES, 1—5 years, ...	32	23	23	19	6	17	14	15	14	13	11	14	6	14	16	8	11	6	6	5	8	11	17	12	8	12
AGES, 5—25 „ ...																										7
AGES, 25—45 „ ...	78	69	77	69	69	72	68	76	61	80	82	66	57	81	77	79	73	88	99	105	84	106	96	98	65	30
AGES, 45—65 „ ...																										32
AGES, 65 and upwards, ...																										20
Deaths from :—																										
Enteric Fever, ...	.	1	2	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	1	.	.	.	.	.	.	.
Typhus, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	20	21	8	7	4	7	3	.	3	1	3	1	1	3	5	.	3	1	.	2	2	3	3	1	.	.
Scarlet Fever, ...	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1	2	1	1	1
Whooping-cough, ...	1	1	.	2	1	1	5	.	1	1	1	3	1	1	.	1	.	.	.	1	.	1	.	1	1	.
Diphtheria, ...	1	1	1	.	.	.	.	.	.	1	.	.	.	2	1	.	.	1	1	.	1	4	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.
Tuberculous Disease. Phthisis, ...	9	16	15	13	12	16	10	11	12	14	11	17	9	17	10	12	14	12	17	17	13	14	12	15	9	14
Tuberculous Disease. Other Forms,	11	5	7	7	8	9	5	9	6	13	6	7	3	8	6	8	2	7	8	4	7	5	7	3	3	7
Cancer, ...	6	9	7	3	7	3	4	5	8	10	8	5	5	7	5	7	9	5	8	9	6	5	8	6	5	7
Diseases of Respiratory System, Pneumonia,	17	5	8	3	4	5	10	8	6	7	10	7	5	11	11	7	7	13	11	8	7	13	10	10	7	8
Diseases of Respiratory System, Others, ...	15	6	16	10	5	8	8	9	5	5	8	11	9	16	9	19	11	23	16	25	25	36	22	29	18	18
Diarrhœa, Under 2 years, ...																										1
Diarrhœa, 2 years & upwards,	2	5	6	10	14	22	29	16	13	15	13	7	7	3	8	10	6	4	3	1	1	4	3	1	.	1
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Violent Deaths, ...	2	.	1	1	6	.	3	2	1	1	5	2	.	.	2	.	3	4	2	5	3	2	6	2	4	6
Number of Uncertified Deaths, ...	3	3	1	2	1	2	.	2	2	2	.	1	1	1	.	.	2	3	.	.	3	4	1	1	3	3

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,912,054	Jan. 7,	2,246	1,328	14·1	6	.	72	1	15	17	14*a*
Edinburgh, ...	365,253	„ 7,	127	105	15·0	.	.	2	1	3	5†	.
Glasgow, ...	897,178	„ 7,	403	242	14·1	2	.	.	2	7	6†	9
Calcutta, ...	1,009,008	Dec. 3,	.	597	30·7	119*	1	1	.	1	3	95‡
Bombay, ...	977,822	„ 6,	422	637	33·9	78*	.	13	.	.	.	79‡
Madras, ...	509,346	Nov. 12,	527	491	50·1	99*	6	2	?	?	.	69
Cairo, ...	682,953	„ 18,	602	352	26·9	2	.	2	.	.	19†	46*a*
Paris, ...	2,760,000	Dec. 10,	965	872	16·5	4	.	.	1	2	8†	24*a*
Brussels, ...	720,030	„ 17,	238	213	15·4	5	.	.	.	.	1†	15*a*
Antwerp, ...	317,171	„ 17,	101	57	9·4		.	1	.	.	.	3*a*
Amsterdam, ...	574,987	„ 17,	268	104	9·4	.	.	3	.	.	.	1*a*
Copenhagen, ...	450,000	„ 17,	258	122	14·1	.	.	.	3	.	1†	2*a*
Stockholm, ...	341,816	„ 10,	150	93	14·1	.	.	.	.	.	2†	2*a*
Christiania, ...	240,178	„ 24,	134	49	10·6	.	.	.	.	1	1	1
St. Petersburg, ...	1,620,000	„ 3,	865	637	20·5	7	8	5	16	2	12	39‡
Moscow, ...	1,493,600	Nov. 26,	.	682	23·8	12	2	3	24	7	27	46
Berlin, ...	2,066,417	Dec. 10,	828	630	15·9	1	.	2	15	4	12†	17
Hamburg, ...	895,804	„ 17,	.	268	15·6	1	.	2	2	3	11†	13
Breslau, ...	516,407	„ 17,	.	181	18·3	.	.	.	1	3	.	17
Munich, ...	595,000	„ 24,	.	168	15·2	1	.	1	.	2	.	12
Vienna (with suburbs),	2,130,320	„ 17,	748	590	14·4	2	.	9	2	2	2†	26*a*
Buda-Pesth, ...	833,703	„ 17,	407	336	21·0	2	.	1	7	.	2†	18*a*
Prague and Faubourgs,	508,310	„ 3,	158	162	16·6	2	.	.	1	.	1†	5*a*
Trieste, ...	223,521	„ 10,	138	104	24·3	1	.	1		1	.	2*a*
Rome, ...	589,425	Oct. 15,	262	147	13·0	3	.	.		1	2†	20‡
Venice, ...	183,224	Nov. 5,	86	61	17·4	.	.	.	.	.	.	6
		„ 12,	78	65	18·5	.	.	.	.	.	1†	10
New York, ...	4,803,264	Dec. 10,	2,374	1,434	15·6	16	.	4	7	4	26†	38*a*
Philadelphia, ...	1,598,400	Nov. 19,	.	469	15·3	4	.	2	1	3	8	5*a*
Boston, ...	673,745	Dec. 17,	.	217	16·8	2	.	1	1	2	4	4

* Deaths from "fever," including 4 deaths from enteric fever in Calcutta, 4 in Bombay, and one in Madras, and 10 deaths from plague in Calcutta, 8 in Bombay, and one in Madras.

† Including deaths from croup.

‡ Including 41 deaths from cholera in Calcutta, 3 in Bombay, one in St. Petersburg, and one in Rome.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 7th January, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) — *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	2	.	.	.	.	.	.	.	2
" " 1, West, ...	.	1	.	.	3	.	.	1	.	.	.	.	5
" " 2, ...	.	.	.	.	.	.	.	.	1	.	.	1	2
" " 3, ...	.	2	.	.	4	.	.	2	.	.	.	.	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	2	.	.	.	.	.	.	.	.	.	.	2
South City No. 1, ...	.	.	.	.	2	.	1	1	3	.	.	2	9
" " 2, ...	.	.	.	.	1	.	.	1	.	.	.	6	8
" " 3, ...	.	1	.	.	3	.	.	.	.	.	.	2	6
" " 4, ...	.	.	.	.	2		.	.	.	.	.	1	3
New Kilmainham, ...	.	1	.	.	1	.	.	.	.	.	.	.	2
Total, ...	.	8	.	.	18	.	1	5	4	.	.	12	48

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 7th January, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 7th January.			
	Dec. 17.	Dec. 24.	Dec. 31.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	20	17	22	8	6	.	24
Scarlet Fever, ...	101	119	122	13	32	7	96*
Typhus, ...	.	.	.	.	.	.	.
Diphtheria, ...	64	53	66	20	19	1	66
Enteric Fever, ...	35	32	36	8	2	.	42
Pneumonia, ...	30	24	21	7	3	.	25

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 7th January, 1911:—

"The New Year opened with an atmospheric depression of medium intensity central over Norway, and a secondary V.-shaped 'hollow' passing eastwards from Ireland across the Irish Sea and the North of England. In Dublin, New Year's Day proved fine and bright after rain in the early morning. By Monday morning the Norwegian depression had moved southwards to Denmark, whereas a ridge of high pressure stretched along the western seaboard of Ireland and Scotland beyond the Faeroe. Fair, frosty weather prevailed in Ireland and at night the thermometer sank to 21° in the screen at Birr Castle. Over the greater part of England, on the contrary, rain, sleet or snow, and hail fell, and the wind blew strongly from N.E. as the Danish depression travelled southwards to the South of France. An anticyclone, in which the barometer rose to 30·8 inches, now formed over Northern Europe, and threw out a belt of relatively high pressure in a southwesterly direction, so that on Wednesday morning the isobar of 30·3 inches embraced Scotland, the North of England, Wales, and Ireland. In the centre of the last-named country the cold continued severe, the screened thermometer again falling to 21° at Birr Castle on Wednesday morning. Large depressions now began to appear in the Greenland-Iceland region, and, as a result, mild S. to W. winds arrived on the Irish coasts, extending later to most parts of Great Britain. Early on Friday morning a V.-shaped depression passed eastwards from Ireland, leaving behind it a day of unclouded sunshine in this country. It was secondary to a large depression central over Iceland and in which the barometer fell to 28·12 inches at Seydisfjord at a time when it stood at 30·60 inches at Haparanda in Sweden. Saturday was unsettled and showery after a wonderfully coloured sunrise. In Dublin the mean height of the barometer was 30·143 inches, the observed range of pressure being from 30·369 inches at 9 p.m. of Tuesday (wind, E.) and 29·560 inches at 9 a.m. of Friday (wind, W.N.W.). The corrected mean temperature was 39·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 38·8°. The screened thermometers fell to 30·6° on Monday and rose to 49·9° on Saturday. N.W. and W. winds prevailed. The rainfall was ·215 inch on 3 days, ·186 inch being measured on Thursday. Some sheet lightning was seen about 10 p.m. of Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·970 inches. The highest reading (30·191) was on Tuesday at 9 p.m., wind E.S.E., and the lowest (29·397) on Friday at 9 a.m., wind W.

The mean temperature for the week was 37·2°, being 4·8° below the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Saturday, on which day the thermometer registered 49·3°, and was lowest on Monday, the mercury having fallen to 26·7°. The mean of the Dry Bulb for the week was 36·9° and of the Wet Bulb, 35·9°. The mean humidity of the air was ·92, complete saturation being represented by 1·0. The rainfall during the week measured 0·336 inch.

At Greenwich the mean temperature for the week was 37·5°, the maximum 45·6°, and the minimum 31·9°; at Glasgow the maximum was 49·0°, the minimum 24·0°, and the mean 36·2°; and at Edinburgh the maximum was 46·3°, the minimum 30·4°, and the mean 37·2°. The rainfall at Greenwich measured 0·43 in.; at Glasgow 0·44 in.; and at Edinburgh 0·12 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, January 1,	30·138	47·6	28·2	37·9	35·2	34·3	·92	·6	2·4	·000	N.	Calm.
Monday, „ 2,	30·059	38·7	26·7	32·7	29·3	29·0	·88	·5	3·2	·008	W.	W.
Tuesday, „ 3,	30·115	42·3	29·9	36·1	39·4	37·6	·86	·0	0·4	·008	N.E.	E.S.E.
Wednesday, „ 4,	30·115	38·9	27·7	33·3	32·3	32·1	·97	·0	0·0	·000	Calm.	Calm.
Thursday, „ 5,	29·800	46·2	30·1	39·2	40·5	39·3	·90	·6	0·1	·290	Calm.	S.S.W.
Friday, „ 6,	29·592	48·8	32·7	40·8	36·6	35·6	·93	·6	3·7	·000	W.	W.
Saturday, „ 7,	29·968	49·3	32·0	40·7	44·7	43·6	·95	·7	0·3	·030	S.S.W.	W.S.W.
Mean, ...	29·970	44·5	29·6	37·2	36·9	35·9	·92	·4	Total 10·1	Total ·336	Prevailing Wind, W.	

Sunday—Day cloudy to overcast; night clear. *Monday*—Day cloudy to overcast; night clear. *Tuesday*—Day overcast to cloudy, light hail, sleet, a.m.; night clear to cloudy. *Wednesday*—Day overcast; night cloudy. *Thursday*—Day overcast, passing showers; night overcast, drizzle and heavy rain, a.m. *Friday*—Day overcast to cloudy, light rain, 7 a.m.; night cloudy. *Saturday*—Day overcast, light rain a.m.; night overcast, drizzle a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, January 7th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, January 1,	42·9	42·0	45·4	48·2	33·9	41·1	—	—
Monday, „ 2,	31·9	40·1	45·3	42·7	30·1	36·4	2·0	—
Tuesday, „ 3,	41·5	38·9	45·2	43·6	32·7	38·2	0·7	—
Wednesday, „ 4,	35·3	38·8	45·0	41·5	33·1	37·3	—	—
Thursday, „ 5,	35·5	38·8	44·7	47·0	32·0	39·5	—	·170
Friday, „ 6,	42·1	39·1	44·4	50·0	35·0	42·5	3·7	·001
Saturday, „ 7,	40·1	39·5	44·1	50·4	34·4	42·4	—	·045
Weekly Mean,	38·5	39·6	44·9	46·2	33·0	39·6	Total 6·4	Total ·216

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

30002. Wt. P. 272–32/138. 375.—1. 1911. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & Co., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 14TH JANUARY, 1911. [No. 2.

General Register Office, Charlemont House, Dublin, 16*th January,* 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,163,596.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Dec. 24	Week ending Dec. 31	Week ending Jan. 7	Week ending Jan. 14	Average Rate for 4 weeks.
22 Town Districts, ...	**19·1**	**16·8**	**19·4**	**19·9**	**18·8**
Armagh	20·6	.	20·6	13·7	13·7
Ballymena	23·9	9·6	14·4	4·8	13·2
Belfast	17·6	12·1	16·0	19·8	16·4
Clonmel	15·4	20·5	.	5·1	10·3
Cork	17·1	25·3	24·0	20·5	21·7
Drogheda	12·3	12·3	16·3	20·4	15·3
Dublin Reg. Area ...	21·6	18·9	21·5	21·4	20·8
Dundalk	27·9	16·0	43·9	12·0	24·9
Galway	19·4	15·5	23·3	27·2	21·3
Kilkenny	24·6	.	34·3	24·6	20·9
Limerick	10·9	28·7	13·7	15·0	17·1
Lisburn	18·2	31·8	9·1	4·5	15·9
Londonderry	18·0	16·8	24·9	15·4	18·8
Lurgan	35·4	22·1	35·4	26·6	29·9
Newry	21·0	29·4	4·2	8·4	15·8
Newtownards	22·9	11·4	17·2	28·6	20·0
Portadown	31·0	15·5	36·2	15·5	24·5
Queenstown	19·8	26·4	13·2	33·0	23·1
Sligo	4·8	9·6	28·8	24·0	16·8
Tralee	5·3	10·6	15·9	21·1	13·2
Waterford	13·6	17·5	13·6	27·3	18·0
Wexford	23·3	18·7	23·3	9·3	18·7

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in thirteen of the districts to 6·6 in Queenstown, the 5 deaths from all causes for that district including one from whooping-cough. Among the 151 deaths from all causes for Belfast are one from typhus, one from scarlet fever, and one from diarrhœa. Included in the 30 deaths from all causes for Cork are 2 from whooping-cough. Of the 13 deaths from all causes for Londonderry one is also from whooping-cough. Included in the 11 deaths from all causes for Limerick is one from enteric fever. One death from typhus is among the 7 deaths from all causes for Galway. Of the 6 deaths from all causes for Lurgan one is from measles, and of the 5 deaths from all causes for Sligo one is from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 230—136 boys and 94 girls—and the deaths to 179—80 males and 99 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœa.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 21·4 per 1,000 of the population, the average annual rate for the two weeks ending with Saturday last being 21·5 per 1,000.

During the two weeks referred to, the annual rate represented by the total deaths registered in the Area averaged 22·7, and was 4·1 below the mean rate for the corresponding portions of the 10 years 1901–10.

The deaths registered during the week included one death from enteric fever, 3 deaths from measles, 5 deaths from whooping-cough, 2 deaths from diphtheria, 2 deaths from diarrhœa, and 2 deaths from enteritis, the latter 4 deaths being of infants under one year. There was one death from influenza. In the three preceding weeks, deaths from enteric fever were one, 0, and 0; deaths from measles were 0, one, and 4; deaths from whooping-cough were 5, 7, and 6; deaths from diphtheria were 2, 0, and 1; deaths from diarrhœa were 2, one, and 3, and deaths from influenza were 3, one, and 0, respectively.

Tuberculosis caused 25 deaths, namely:—19 from pulmonary tuberculosis, one from tuberculous meningitis, one from abdominal tuberculosis, one from tubercular decline, and 3 from disseminated tuberculosis. In the three preceding weeks, deaths from tuberculous disease numbered 26, 24, and 25, respectively.

There were 2 deaths of infants from *convulsions*.

Broncho-pneumonia caused 13 deaths, lobar pneumonia 2 deaths, and *pneumonia* (type not distinguished) one death.

There were 20 deaths from diseases of the circulatory system, and 24 deaths from bronchitis.

Prematurity caused the deaths of 6 infants.

Of 5 deaths attributed to accident or negligence 3 were by burns or scalds. Of these one was of a child aged 3 years and another aged 5 years. There was one homicidal death and 2 deaths by suicide.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 infants under one year of age and the death of one person aged 80 years.

Sixty of the persons whose deaths were registered during the week were under 5 years of age (41 being infants under one year, of whom 13 were under one month old) and 40 were aged 65 years and upwards, including 30 persons aged 70 and upwards, of whom 15 were aged 75 and upwards, 4 being nonagenarians (one male and 3 females) who were stated to have been aged 92, 92, 92, and 95 years, respectively.

Eighty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse and 24 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·4 per 1,000; the rate in the City was 22·8 (North City Districts, 18·8; South 26·9) and in the Suburbs, 16·7.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 2·2 (1·0 in the North City Districts, and 3·4 in the South), and for the Suburbs, 0·0.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·4 per 1,000. There were 2 deaths from tuberculous disease, and one from bronchitis.

No. 1 North City District, West (Summer-hill.—The deaths (11) are equal to an annual rate of 14·2 per 1,000. Among them are one from zymotic enteritis, 3 from tuberculous disease, one from bronchitis, and one death caused by burns.

No. 2 North City District (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 16·8 per 1,000. One death from broncho-pneumonia, 2 deaths from bronchitis, one death caused by homicide and one by suicide were recorded.

No. 3 North City District (Benburb-street).—The deaths (16) represent an annual rate of 24·6 per 1,000. Whooping-cough and influenza each caused one death, pulmonary tuberculosis and bronchitis each caused 2 deaths, and accidental scalds one death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 26·6 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 13·4. Among the 6 deaths from all causes for Coolock and Drumcondra, part of, were one from zymotic enteritis and 2 from pulmonary tuberculosis; and of the 2 deaths recorded for Finglas and Glasnevin, part of, one was caused by bronchitis and one by accidental burns.

No. 1 South City District (South Earl-street).—The deaths (22) represent an annual rate of 27·4 per 1,000, and include one death from whooping-cough, 2 deaths from diphtheria, 4 from tuberculous disease, 2 from broncho-pneumonia, and 3 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (13) are equal to an annual rate of 30·8 per 1,000. One of the deaths was caused by measles, one by pulmonary tuberculosis, one by broncho-pneumonia, one by lobar pneumonia, and one by bronchitis.

No. 3 South City District (Peter-street).—The deaths (24) are equal to an annual rate of 28·7 per 1,000. Among them are one from enteric fever, one from whooping-cough, 6 from tuberculous disease, 5 deaths from broncho-pneumonia, one from *pneumonia* (type not distinguished), 4 from bronchitis, and one from accidental burns.

No. 4 South City District (Grand Canal Street).—The deaths (14) are equivalent to an annual rate of 20·1 per 1,000. There were 2 deaths each from measles, whooping-cough, tuberculous disease, and bronchitis, and one death from broncho-pneumonia.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 34·1 per 1,000. One death was caused by bronchitis, and one death was by suicide.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 9·7; Pembroke, 21·3; Blackrock, 11·6; and Kingstown, 26·6. There were no deaths from any of the principal epidemic diseases tabulated for these districts. Among the 7 deaths from all causes for Rathmines and Rathgar were one from broncho-pneumonia and one from bronchitis; of the 12 deaths from all causes for Pembroke one was caused by broncho-pneumonia and 4 were caused by bronchitis; the 2 deaths from all causes for Blackrock included one accidental death; and of the 9 deaths from all causes for Kingstown one was caused by broncho-pneumonia and one by lobar pneumonia.

* See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 14th January, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Dec. 24,	.	—	—	15	.	.	9	1	3	7	6	.	—	—	.	—	8	—	49
	Dec. 31,	.	—	—	26	.	.	10	.	1	4	2	.	—	—	.	—	14	—	57
	Jan. 7,	.	—	—	8	.	.	18	.	1	5	4	.	—	—	.	—	12	—	48
	Jan. 14,	.	—	—	12	.	.	25	.	.	6	.	.	—	—	.	—	10	—	53
Rathmines and Rathgar Urban District.	Dec. 24,	.	—	—	2	.	.	5	.	.	.	2	.	—	—	—	—	—	—	9
	Dec. 31,	.	—	—	.	.	.	4	.	.	3	.	.	—	—	—	—	—	—	7
	Jan. 7,	.	—	—	1	.	.	4	.	.	2	.	.	—	—	—	—	—	—	7
	Jan. 14,	.	—	—	1	.	.	2	.	.	.	1	.	—	—	—	—	—	—	4
Pembroke Urban District.	Dec. 24,	.	2	.	2	.	.	1	.	.	.	.	.	—	6	.	—	.	—	11
	Dec. 31,	.	7	.	.	.	.	.	.	.	1	1	.	—	1	.	—	.	—	10
	Jan. 7,	.	2	.	.	.	.	.	.	.	.	.	.	—	2	.	—	.	—	4
	Jan. 14,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	.	—	.
Blackrock Urban District.	Dec. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 31,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 7,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Dec. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Dec. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Jan. 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Jan. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Dec. 24,	.	—	—	23	.	.	2	.	.	2	4	.	—	—	—	—	14	—	45
	Dec. 31,	.	—	—	19	.	.	4	.	.	.	3	2	—	—	—	—	8	—	36
	Jan. 7,	.	—	—	27	1	.	13	.	.	.	3	.	—	—	—	—	14	—	58
	Jan. 14,	.	—	—	18	.	.	6	1	.	.	4	.	—	—	—	—	17	—	46

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 14th January, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

One case of small-pox was admitted to hospital during the week, and remained under treatment at its close; there were also two contacts retained in hospital.

Four cases of measles were admitted to hospital during the week, 5 were discharged, there were 2 deaths, and 21 cases remained under treatment at the close of the week.

Thirteen cases of scarlet fever were admitted to hospital, 20 were discharged, and 89* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 119, 122, and 96, respectively.

Twenty-three cases of diphtheria were admitted to hospital during the week, 18 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 53, 66, and 66, respectively, were 69 at the close of last week.

Three cases of enteric fever were admitted to hospital during the week, 3 were discharged, there was one death, and 41 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 32, 36, and 42.

In addition to the above named diseases, 5 cases of pneumonia were admitted to hospital, 7 were discharged, there was one death, and 22 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 15·2) was equal to an average annual death-rate of 15·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·6 per 1,000, the rate for Glasgow being 16·3 and for Edinburgh 14·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 14th January. From this Report it appears that of a total of 84 cases notified, 31 were scarlet fever, 22 phthisis, 21 diphtheria, 8 erysipelas, one puerperal fever, and one enteric fever. Among the 460 cases of infectious diseases in hospital at the close of the week were 234 cases of scarlet fever, 85 of diphtheria, 57 of phthisis, 32 of measles, 27 of whooping cough, 13 of erysipelas, 6 of enteric fever, 3 of chicken pox, and 2 of puerperal fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 14th January, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 14th January, 1911. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 14th January, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 7th January, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 31st December, 1910. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
TOTAL OF 22 TOWN DISTRICTS, ...	1,163,596	20·4	27·6	19·9	1·1	617	443	85	111	3	2	...	4	1	9	2	...	50	14	10	29	67	2	1	3	15	20	151	16	° ...	° ...	° ...	...	° ...	° ...	° ...	...	...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, c. ...	407,057	29·6	29·5	21·4	1·7	230	167	40	38	1	...	...	3	...	5	2	...	16	6	3	16	24	2	...	2	8	5	68	5	e51·2	24·7	39·0	0·35	e49·3	26·7	37·2	0·34	e47·7	25·9	40·9	0·13
CITY OF DUBLIN,	313,526	39·6	32·8	22·8	2·2	197	137	33	27	1	...	...	3	...	5	2	...	16	6	...	12	19	2	...	1	7	4	59	2	f52·3 g51·9	28·9 27·0	40·5 39·7	0·30 0·33	f49·9 g49·7	30·6 27·0	39·3 37·8	0·22 0·27	f47·3 g48·9	30·2 27·0	42·3 41·5	0·15 0·18
Urban Districts. RATHMINES AND RATHGAR.	37,528	21·9	5·6	9·7	...	4	7	1	4	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,368	18·5	17·8	21·3	...	10	12	3	4	...	...	...	...	...	...	...	...	...	...	...	1	4	...	...	1	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,013	8·3	17·4	11·6	...	3	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,622	12·1	47·3	26·6	...	16	9	3	3	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	1	2	...	...	...	...	51	32	40·2	0·21	49	29	42·2	0·08
BELFAST, ...	398,421	27·1	30·2	19·8	0·4	231	151	30	28	...	1	...	...	1	...	...	...	23	7	2	9	24	...	1	...	6	12	50	...	50·2	30·0	39·2	0·85	47·0	26·5	38·2	0·64	48·0	28·0	43·0	0·47
CORK, ...	76,122	33·6	21·9	20·5	1·4	32	30	6	11	...	...	...	...	...	2	...	...	2	...	2	1	5	...	...	...	...	...	8	3	52	31	41·7	0·52	51	32	41·6	0·53	50	34	44·4	0·26
LONDONDERRY..	43,900	20·3	28·5	15·4	1·2	24	13	3	5	...	...	...	...	...	1	...	...	3	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,151	18·1	21·9	15·0	1·4	16	11	2	3	1	...	...	...	...	...	...	...	1	...	...	1	2	...	...	1	...	...	7	...	51·2	25·8	39·6	0·54	50·9	24·8	36·6	0·67	50	26·3	42·9	0·16
WATERFORD, ...	26,769	18·7	31·2	27·3	...	16	14	1	4	...	...	...	...	...	...	...	...	2	...	2	...	3	...	...	...	1	1	6	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,426	2·5	31·1	27·2	3·9	8	7	...	4	...	1	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	5	1	50	30	39	0·56	50	24	39	0·78	50	30	45	0·18
DUNDALK, ...	13,076	9·4	12·0	12·0	...	3	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,760	8·6	12·3	20·4	...	3	5	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	12,405	17·8	25·2	8·4	...	6	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	50·0	28·3	38·8	0·22	48·0	29·2	37·5	0·48	47·1	28·2	41·0	0·35
LURGAN, ...	11,782	13·8	26·6	26·6	4·4	6	6	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	50·0	28·3	38·8	0·22	48·0	29·2	37·5	0·48	47·1	28·2	41·0	0·35
LISBURN, ...	11,461	10·1	4·5	4·5	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	50·0	28·3	38·8	0·22	48·0	29·2	37·5	0·48	47·1	28·2	41·0	0·35
WEXFORD, ...	11,168	23·2	23·3	9·3	...	5	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA, ...	10,886	8·9	28·7	4·8	...	6	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	10,870	3·7	24·0	24·0	4·8	5	5	...	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	50·4	28·0	38·6	0·56	51·3	23·0	36·9	0·67	51·0	25·5	41·6	0·63
KILKENNY, ...	10,609	11·5	9·8	24·6	...	2	5	...	1	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	1	...	...	52	25	37·1	0·40	50	26	36·6	0·57	47	24	39·4	0·12
CLONMEL, ...	10,167	7·8	5·1	5·1	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	10,092	13·2	20·7	15·5	...	4	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	50·0	28·3	38·8	0·22	48·0	29·2	37·5	0·48	47·1	28·2	41·0	0·35
TRALEE, ...	9,867	16·6	26·4	21·1	...	5	4	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	11·4	28·6	...	2	5	...	5	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	51	34	40·5	0·36	48	32	41·1	0·72	47	31	41·9	0·24
QUEENSTOWN, ...	7,909	14·4	46·1	33·0	6·6	7	5	1	1	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	1	...	1	52	31	41·7	0·52	51	32	41·6	0·53	50	34	44·4	0·26
ARMAGH, ...	7,588	22·2	27·5	13·7	...	4	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	50·0	28·3	38·8	0·22	48·0	29·2	37·5	0·48	47·1	28·2	41·0	0·35

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1911. (b) See note (‡) at foot of first page. (c) Exclusive of 12 deaths of persons (including one under one year old and 2 at 65 years or upwards) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 14th of January, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	3	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	1	.	.	.	1	.	1	2	.	.	.	.	.	5	.
Diphtheria,	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	1	2	.	2	.	2	.	3	1	4	1	.	.	.	.	.	16	3
Tuberculous Disease. — Other Forms,	1	1	.	.	.	.	.	1	.	2	1	.	.	.	.	.	6	.
Cancer,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	3	.
Diseases of Nervous System,	3	2	1	3	.	1	.	.	3	1	.	.	1	.	.	1	16	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	1	.	1	.	1	.	2	2	1	2	3	.	4	.	1	19	1
" Respiratory System. — Pneumonia,	.	.	1	.	.	.	.	2	2	6	1	.	1	1	.	2	16	.
" Respiratory System. — Others,	1	1	2	2	.	1	1	3	1	4	2	1	1	4	.	.	24	1
" Digestive System. — Diarrhœa, under 2 years,	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Enteritis, under 2 years,	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Others,	.	.	1	.	.	.	.	1	.	.	1	.	1	1	.	2	7	4
" Genito-urinary System,	1	1	1	2	.	.	.	1	.	.	.	.	1	.	.	.	7	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Childbirth,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	4	1	2	.	.	.	.	6	3	2	2	1	.	1	.	2	24	1
Violent Deaths,	.	1	2	1	.	.	1	.	.	1	.	1	.	.	1	.	8	.
Ill-defined, &c. Causes,	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	3	.
Deaths from All Causes,	13	11	10	16	.	6	2	22	13	24	14	6	7	12	2	9	167	12
Annual Rate of Mortality from All Causes in every 1,000 of the population.	22·4	14·2	16·8	24·6	.	26·6	13·4	27·4	30·8	28·7	20·1	34·1	9·7	21·3	11·6	26·6	21·4	.
	18·8							26·9					16·7					
	22·8																	
Ages at Death. — Under 1 year,	5	3	2	2	.	1	.	7	2	8	2	1	1	3	.	3	40	1
1 and under 2 years,	.	2	.	.	.	.	.	1	2	1	2	.	.	.	.	.	8	.
2 " 5 "	.	1	.	1	.	1	.	1	2	2	2	.	.	.	.	1	11	.
5 " 15 "	1	1	.	1	.	.	.	2	.	1	2	.	.	.	.	1	9	1
15 " 25 "	1	.	.	1	.	.	.	1	.	1	.	1	.	1	.	.	6	1
25 " 45 "	2	1	3	4	.	.	.	1	1	3	3	1	.	.	.	.	19	5
45 " 65 "	1	2	2	4	.	4	1	3	2	4	2	2	2	4	2	1	36	2
65 and upwards,	3	1	3	3	.	.	1	6	4	4	1	1	4	4	.	3	38	2
Number of Uncertified Deaths,	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	5	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	2	2	4	.	1	.	4	2	3	5	1	1	2	2	1	33	11
Workhouse Hospitals,	3	4	1	4	.	.	.	7	3	6	3	1	1	2	.	.	35	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 2nd Week of the 10 years 1901–1910.	In the Week ending Saturday, 14th January, 1911.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Jan. 12, 1901.	Jan. 11, 1902.	Jan. 17, 1903.	Jan. 16, 1904.	Jan. 14, 1905.	Jan. 13, 1906.	Jan. 12, 1907.	Jan. 11, 1908.	Jan. 16, 1909.	Jan. 15, 1910.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 37·3	° 44·7	° 32·3	° 39·4	° 41·6	° 41·5	° 43·7	° 36·4	° 41·1	° 42·1	° 40·0	° 39·0										
ALL CAUSES.	191	186	227	216	171	166	219	205	191	177	194·9	179	13	28	8	11	10	7	24	38	25	15
Enteric Fever, ...	3	3	5	3	1	.	1	.	3	1	2·0	1	.	.	.	.	1	.	.	.	.	.
Typhus, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	3	.	12	.	3	.	8	.	2·7	3	.	.	2	1	.	.	.	.	.	.
Scarlet Fever, ...	1	.	1	.	1	2	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	10	2	2	5	1	3	2	1	2	5	3·3	5	.	1	1	2	1	.	.	.	.	.
Diphtheria, ...	2	3	6	.	2	2	.	1	1	.	1·7	2	.	.	1	.	1	.	.	.	.	.
Croup, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	1	4	2	2	2	3	2	.	3	2·1	1	.	.	.	.	.	.	.	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	1	1	2	.	.	.	.	·4	1	.	.	.	.	1	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	2	.	1	2	1	1	.	1	2	.	1·0	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	19	30	26	30	21	14	25	32	17	19	23·3	19	.	.	1	.	2	1	8	6	1	.
Tuberculous Meningitis, ...	2	3	2	5	1	5	6	3	3	3	3·3	1	.	.	.	1	.	.	.	.	.	.
Abdominal Tuberculosis, ...	5	2	3	1	.	1	1	1	3	1	1·8	1	.	1	.	.	.	.	.	.	.	.
Tuberculosis of the Spine, ...												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	3	4	5	7	4	10	6	4	2	2	4·7	1	.	.	1	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												3	.	.	.	.	1	1	1	.	.	.
Venereal Diseases, ...	.	1	1	.	.	1	2	1	1	1	·8	2	1	1	.	.	.	.	.	.	.	.
Cancer, ...	4	6	6	7	9	5	5	9	13	7	7·1	3	.	.	.	.	.	.	.	3	.	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	2	.	.	.	.	2	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Anæmia Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	1	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	.	2	.
Alcoholism, ...	.	.	1	.	.	3	.	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*												3	.	.	.	.	.	.	.	2	.	1
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												3	.	.	.	.	.	.	1	.	1	1
Epilepsy, ...												3	.	.	.	.	1	1	1	.	.	.
Convulsions (non-puerperal),												2	.	2	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	41	37	55	55	33	35	62	37	41	45	44·1	6	.	1	.	1	.	.	2	2	.	.
Pericarditis, ...												2	.	.	.	.	.	1	.	.	1	.
Acute Endocarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,												14	.	.	.	.	.	.	1	6	6	1
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												4	.	1	.	.	.	.	1	1	.	1
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	32	25	34	28	22	24	25	50	28	31	29·9	24	.	3	.	.	.	.	.	8	7	6
Broncho-pneumonia, ...			5	10	6	7	7	9	8	7		13	.	7	1	3	1	.	.	.	1	.
Lobar-pneumonia, ...	13	8	.	1	2	1	2	.	2	.	14·3	2	.	.	1	1	.	.	.	.	.	.
Pneumonia (type not distinguished).			3	5	5	7	11	8	9	7		1	.	.	.	.	.	.	.	1	.	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	5	1	3	1	4	3	7	5	2	2	3·3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												1	.	.	.	1	.	.	.	.	.	.

SECOND WEEK ending Saturday, 14th January, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										2nd Week of the 10 years 1901–1910.	In the Week ending Saturday, 14th January, 1911.										
													Deaths of Persons of the Ages of									
	Jan. 12, 1901.	Jan. 11, 1902.	Jan. 17, 1903.	Jan. 16, 1904.	Jan. 14, 1905.	Jan. 13, 1906.	Jan. 12, 1907.	Jan. 11, 1908.	Jan. 16, 1909.	Jan. 15, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 37·3	° 44·7	° 32·3	° 39·4	° 41·6	° 41·5	° 43·7	° 36·4	° 41·1	° 42·1	° 40·0	° 39·0										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	5	.	2	.	.	.	.	1	1	1	.
Diarrhœa of Children under 2 years.	2	2	.	3	4	1	2	2	1	4	2·1	2	.	2	.	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	.	3	1	.	3	1	1	.	5	3	1·7	2	2	.	.	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	3	1	.	.	.	.	.	1	1	.	.
Cirrhosis of Liver, ...	6	5	1	2	1	.	1	3	4	1	3·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...			1	2	1	1	.	1	1	3		2	.	.	.	.	.	.	.	1	1	.
Peritonitis (cause unknown),	.	3	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	2	6	5	9	6	7	5	6	3	7	5·6	1	.	.	.	.	.	.	1	.	.	.
Acute Nephritis, ...	6	6	5	8	5	8	8	6	9	1	6·2	2	.	1	.	.	.	.	1	.	.	.
Chronic Bright's Disease, ...												4	.	.	.	.	.	.	1	2	1	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												2	.	.	.	.	.	.	1	.	1	.
Puerperal Septicæmia, &c., ...	.	.	1	1	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Childbirth.	1	1	.	1	1	.	1	.	2	.	·7	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	1	.	1	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	4	1	3	4	.	6	8	2	5	5	3·8	6	5	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	6	3	3	.	.	.	.	.	.	.	.
Old Age, ...	9	13	12	8	5	5	6	2	3	4	6·7	6	.	.	.	.	.	.	.	1	1	4
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	1	1	5	1	1	2	1	.	1	2	1·5	3	.	.	.	1	1	.	.	1	.	.
By Drowning, ...	1	1	1	.	.	.	.	1	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	1	1	.	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	2	1	2	2	1	.	2	.	1	1·2	2	.	.	.	.	.	.	.	1	.	1
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.	.	.	1	.	.	.
Suicide, ...	2	.	.	.	.	.	.	.	.	.	·2	2	.	.	.	.	.	1	1	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	1	.	.	.	1	.	.	1	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910–11—WEEK ENDING																									
	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.
No. of weeks in Annual Series,	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2
BIRTHS registered.	225	243	198	209	240	194	228	260	235	292	196	219	161	244	182	211	207	204	182	199	174	232	158	170	203	230
Average Births in corresponding week of previous 10 years, ...	204	215	221	202	219	218	207	232	203	200	252	192	184	209	206	209	202	195	181	207	193	195	177	174	231	208
DEATHS registered, ...	144	127	145	143	126	146	120	141	153	174	164	160	151	174	139	147	141	166	168	176	188	165	178	155	176	179
Annual Death-rate per 1,000, ...	18·6	16·4	18·8	18·5	16·3	18·9	15·5	18·2	19·8	22·5	21·2	20·7	19·5	22·5	18·0	19·0	18·2	21·5	21·7	22·8	24·3	21·4	23·0	20·1	22·5	22·9
Average Deaths in corresponding week of previous 10 years, ...	146	147	146	148	156	166	159	157	154	167	160	158	156	160	156	172	175	179	182	182	182	177	182	177	201	195
Ages, Under 5 years, ...	48	31	31	54	37	57	42	38	59	70	60	58	44	56	40	46	47	57	49	55	53	43	41	47	56	60
Ages, 5—15 „ ... / 15—25 „ ... / 25—45 „ ... / 45—65 „ ... / 65—75 „ ... / 75 and upwards, ...	96	96	114	89	89	89	78	103	94	104	104	102	107	118	99	101	94	109	119	121	135	122	137	108	5 9 25 45 20 16	10 7 24 38 25 15
Deaths from :—																										
Enteric Fever, ...	2	2	.	.	2	.	1	1	1	1	.	3	1	2	1	1	.	.	2	.	1	2	1	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	1	.	.	.	.	.	3	.	1	.	.	.	1	.	1	1	.	2	1	.	1	4	3
Scarlet Fever, ...	3	3	1	1	1	2	1	1	2	.	.	1	.	1	1	3	.	2	1	3	1	1	.	2	7	.
Whooping-cough, ...	1	.	3	3	2	.	4	3	2	1	2	2	2	5	1	1	4	2	6	5	11	1	5	7	6	5
Diphtheria, ...	.	5	1	.	2	4	1	.	2	3	2	2	1	.	4	1	2	3	2	4	.	3	2	.	1	2
Influenza, ...	1	.	1	.	1	.	.	.	1	1	2	1	1	2	1	4	1	.	2	4	2	1	3	1	.	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.
Tuberculous Disease, Phthisis, ...	11	17	24	14	17	12	17	23	15	19	18	17	14	23	17	18	16	20	14	16	25	14	19	19	21	19
Tuberculous Disease, Other Forms,	3	9	10	15	7	5	5	13	9	8	11	12	8	8	4	11	11	8	6	7	11	4	7	5	4	6
Cancer, ...	11	10	8	8	9	10	8	9	7	9	11	12	11	12	9	7	9	8	14	3	12	4	13	6	8	3
Diseases of Circulatory System,	22	23	23	20	16	20	17	23	19	24	30	20	24	25	23	17	18	22	24	30	30	23	28	31	17	20
Diseases of Respiratory System, Pneumonia,	9	5	7	8	7	6	5	6	10	4	6	5	11	15	12	13	11	16	16	14	15	27	18	11	15	16
Diseases of Respiratory System, Others, ...	14	12	10	8	10	11	6	10	10	20	12	16	17	17	12	18	26	26	29	37	27	32	26	25	29	25
Diarrhœa, Under 2 years, ... / 2 years & upwards,	5	.	2	14	6	17	12	11	21	22	27	12	10	8	4	5	4	2	4	6	2	2	2	1	3 .	2 .
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	2
Violent Deaths, ...	8	5	3	6	2	4	5	3	6	6	3	10	4	.	2	1	2	2	3	4	4	8	4	6	2	8
Number of Uncertified Deaths,	4	7	2	3	4	4	3	2	1	3	3	3	6	2	4	1	8	6	7	5	5	3	3	6	4	5
Mean Temperature of the Air (Phœnix Park)	56·9	57·8	56·5	59·2	58·8	56·6	57·2	54·8	52·0	50·4	54·2	52·5	48·2	49·1	50·4	43·1	39·6	38·2	42·2	37·0	43·4	45·2	43·5	40·9	37·2	39·0
Average Mean Temperature in corresponding week of previous 10 years, ...	60·6	58·8	58·8	58·2	57·7	56·5	56·1	54·4	53·1	53·8*	53·7	52·2	50·6	48·4	46·2	47·1	45·2	42·7	41·5	42·8	42·4	41·6	41·3*	41·3	42·0	40·0
Rainfall in inches, ...	·840	·355	·940	·205	1·175	·411	·194	·150	·015	·015	·391	·585	·138	·333	·365	·558	·860	·352	1·206	1·820	1·700	1·172	·183	·130	·336	·345
Mean Humidity of the Air, complete Saturation 1·0, ...	·81	·81	·84	·85	·81	·84	·88	·87	·91	·85	·89	·90	·84	·92	·87	·90	·89	85	91	·93	·91	·91	·94	·88	·92	·90

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 14th January, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 14TH JANUARY, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	179	60	10	7	24	38	25	15	1	.	.	3	.	5	2	.	19	6	3	2	16	25	2	.	2	8	85	5
	CLASSES. **Deaths in Families of the—**																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	15·0	5	.	.	.	.	2	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	1	1	.
II.	MIDDLE CLASS, ...	87,188	15·5	26	7	2	3	1	6	2	5	.	.	.	.	.	.	.	.	2	1	.	2	2	2	1	.	1	.	15	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	16·1	34	12	1	.	5	8	5	3	1	.	.	.	.	2	.	.	2	.	1	.	5	4	.	.	.	1	18	1
IV.	GENERAL SERVICE CLASS, ...	154,279	26·4	78	37	7	2	12	12	7	1	.	.	.	3	.	3	2	.	7	3	2	.	8	8	.	.	1	6	35	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	36	4	.	2	6	10	10	4	.	.	.	.	.	.	.	.	7	2	.	.	1	9	1	.	.	.	16	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	18·9	8	3	.	1	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	5	.
	6. Clerks and Commercial Assistants, ...	30,432	8·6	5	2	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	3	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	23·2	12	2	2	2	1	3	.	2	.	.	.	.	.	.	.	.	2	1	.	.	.	2	1	.	.	.	6	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	2	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	19·2	11	5	.	.	.	5	1	.	.	.	.	.	.	.	.	.	1	.	.	.	3	2	.	.	.	.	5	.
	10. Clothing Trades, ...	23,260	11·2	5	.	1	.	1	1	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	2	.
	11. Food Supply Trades, ...	9,242	11·3	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	17·2	10	4	.	.	2	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	9	1
	13. Petty Shopkeepers, ...	7,894	19·8	3	1	.	.	1	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	19·4	5	.	.	1	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	2	1	.
	15. Domestic Servants, ...	36,603	19·9	14	5	1	1	6	1	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.	2	.	.	.	.	8	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	21·7	6	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	30·8	53	29	5	.	3	10	5	1	.	.	.	3	.	2	1	.	3	2	2	.	5	6	.	.	1	4	24	2
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	36	4	.	2	6	10	10	4	.	.	.	.	.	.	.	.	7	2	.	.	1	9	1	.	.	.	16	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of). DISTRICTS.	1910-11. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 30,219	Nov. 26,	20·9	.	12	.	.	.	.	.	.	.	—	1	.	1	1	3	.		—	.	.
	Dec. 3,	29·6	3·5	17	.	.	.	.	.	2	.	—	4	1	.	.	4	.		—	1	.
	„ 10,	17·4	3·5	10	.	.	.	.	.	2	.	—	1	.	1	.	.	.		—	2	1
	„ 17,	22·7	.	13	.	.	.	.	.	.	.	—	2	.	.	3	2	.		—	2	.
	„ 24,	17·4	.	10	.	.	.	.	.	.	.	—	3	.	1	2	.	.		—	.	1
	„ 31,	12·2	.	7	.	.	.	.	.	.	.	—	.	.	.	1	2	.		—	.	.
	Jan. 7,	25·9	1·7	15	.	.	.	.	.	1	.	.	4	1	1	2	2	.	.	.	.	.
	„ 14,	22·4	.	13	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 40,390.	Nov. 26,	24·8	1·3	19	.	.	.	.	.	.	.	—	4	.	2	3	1	1		—	.	.
	Dec. 3,	19·6	2·6	15	.	.	.	.	1	.	.	—	1	3	.	1	4	1		—	.	.
	„ 10,	36·5	1·3	28	.	.	.	.	.	.	.	—	2	.	2	4	2	1		—	.	1
	„ 17,	19·6	2·6	15	.	.	.	.	1	.	.	—	.	.	.	2	4	1		—	1	.
	„ 24,	15·7	.	12	.	.	.	.	.	.	.	—	4	2	3	1	.	.		—	.	.
	„ 31,	20·9	.	16	.	.	.	.	.	.	.	—	6	.	.	2	3	.		—	1	1
	Jan. 7,	21·9	1·3	17	.	.	.	.	.	.	.	.	1	.	.	2	6	1	.	.	.	1
	„ 14,	14·2	1·3	11	.	.	.	.	.	.	.	.	2	1	.	.	1	1	.	.	1	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 31,064.	Nov. 26,	22·0	3·4	13	1	.	.	.	.	.	.	—	2	1	.	2	1	1		—	1	.
	Dec. 3,	23·7	.	14	.	.	.	.	.	.	.	—	.	1	.	.	4	.		—	1	.
	„ 10,	27·1	1·7	16	.	.	.	.	.	1	.	—	3	2	.	.	3	.		—	.	.
	„ 17,	18·7	1·7	11	.	.	.	.	.	.	1	—	2	.	.	1	1	.		—	.	.
	„ 24,	30·5	1·7	18	.	.	.	.	.	.	.	—	3	.	1	3	2	1		—	.	.
	„ 31,	18·7	.	11	.	.	.	.	.	.	.	—	.	1	.	.	2	.		—	.	.
	Jan. 7,	31·9	1·7	19	.	.	.	.	.	1	.	.	2	2	1	.	4	.	.	.	.	.
	„ 14,	16·8	.	10	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,908.	Nov. 26,	21·8	.	14	.	.	.	.	.	.	.	—	2	1	.	.	2	.		—	.	2
	Dec. 3,	21·8	1·6	14	.	.	.	.	.	1	.	—	.	.	.	2	2	.		—	.	1
	„ 10,	18·6	.	12	.	.	.	.	.	.	.	—	1	2	3	1	.	.		—	.	.
	„ 17,	17·1	.	11	.	.	.	.	.	.	.	—	.	.	.	2	4	.		—	.	1
	„ 24,	26·4	.	17	.	.	.	.	.	.	.	—	.	.	.	.	3	.		—	1	2
	„ 31,	10·9	1·6	7	.	.	.	.	1	.	.	—	2	.	1	.	2	.		—	.	.
	Jan. 7,	26·1	7·7	17	.	.	.	.	5	.	.	.	1	.	1	1	.	.	.	.	1	.
	„ 14,	24·6	1·5	16	.	.	.	.	.	1	.	.	2	.	.	.	2	.	.	.	1	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,908.	Nov. 26,	26·4	2·5	21	.	.	.	.	.	2	.	—	.	.	.	1	6	.		—	.	1
	Dec. 3,	26·4	3·8	21	.	.	.	.	.	1	1	—	2	.	.	.	6	1		—	.	.
	„ 10,	18·9	2·5	15	.	.	.	.	.	1	.	—	2	.	1	1	2	1		—	.	.
	„ 17,	15·1	.	12	.	.	.	.	.	.	.	—	2	.	.	.	6	.		—	.	.
	„ 24,	32·7	3·8	26	.	.	.	.	.	2	1	—	.	1	1	3	1	.		—	1	.
	„ 31,	23·9	2·5	19	.	.	.	.	.	2	.	—	4	1	.	2	6	.		—	1	.
	Jan. 7,	22·4	1·2	18	.	.	.	.	.	1	.	.	2	.	.	1	4	.	.	.	.	.
	„ 14,	27·4	3·7	22	.	.	.	.	.	1	2	.	3	1	.	2	3	.	.	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,980.	Nov. 26,	24·0	.	10	.	.	.	.	.	.	.	—	2	.	1	.	2	.		—	1	1
	Dec. 3,	26·4	4·8	11	.	.	.	.	.	.	2	—	.	.	.	1	4	.		—	1	.
	„ 10,	19·2	2·4	8	1	.	.	.	.	.	.	—	1	.	.	2	2	.		—	.	.
	„ 17,	31·2	.	13	.	.	.	.	.	.	.	—	.	.	.	2	3	.		—	.	.
	„ 24,	36·0	.	15	.	.	.	.	.	.	.	—	3	1	1	2	3	.		—	.	.
	„ 31,	14·4	2·4	6	.	.	.	.	.	1	.	—	.	.	.	.	1	.		—	2	.
	Jan. 7,	21·4	.	9	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.	.	.
	„ 14,	30·8	2·4	13	.	.	.	1	.	.	.	.	1	.	.	2	1	.	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,677.	Nov. 26,	25·3	4·8	21	.	.	.	1	.	1	1	—	1	2	2	4	3	1		—	.	1
	Dec. 3,	16·9	1·2	14	.	.	.	.	1	.	.	—	2	1	.	3	2	.		—	.	.
	„ 10,	31·4	7·2	26	.	.	.	1	.	5	.	—	3	3	.	3	6	.		—	.	.
	„ 17,	18·1	.	15	.	.	.	.	.	.	.	—	.	1	.	4	4	.		—	1	1
	„ 24,	21·7	3·6	18	.	.	.	.	.	2	1	—	1	2	1	2	3	.		—	.	.
	„ 31,	19·3	.	16	.	.	.	.	.	.	.	—	3	.	.	1	2	.		—	1	3
	Jan. 7,	23·9	1·2	20	.	.	.	.	.	.	.	.	5	.	.	1	4	1	.	.	.	1
	„ 14,	28·7	2·4	24	1	.	.	.	.	1	.	.	4	2	.	6	4	.	.	1	1	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 36,254.	Nov. 26,	23·3	2·9	16	1	.	.	.	.	1	.	—	2	.	.	2	5	.		—	.	.
	Dec. 3,	27·6	5·8	19	.	.	.	.	1	.	.	—	2	.	.	2	3	3		—	1	1
	„ 10,	34·9	4·4	24	.	.	.	1	.	2	.	—	1	3	2	2	6	.		—	.	2
	„ 17,	18·9	1·5	13	.	.	.	1	.	.	.	—	3	2	.	2	3	.		—	1	.
	„ 24,	24·7	1·5	17	.	.	.	.	.	.	.	—	2	.	1	1	7	1		—	.	.
	„ 31,	18·9	8·7	13	.	.	.	1	1	3	.	—	1	1	.	1	1	1		—	.	.
	Jan. 7,	20·1	10·1	14	.	.	.	3	.	2	1	.	1	1	1	.	.	1	.	.	.	.
	„ 14,	20·1	5·8	14	.	.	.	2	.	2	.	.	1	1	.	1	2	.	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1910-11. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes.	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa: Children under 2 years.	Diarrhœa: 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 37,528.	Nov. 26,	14·1	2·8	10	.	.	.	.	.	1	1	—	.	1	1	2	1	.		—	.	.
	Dec. 3,	16·9	.	12	.	.	.	.	.	.	.	—	1	.	.	1	2	.		—	.	1
	„ 10,	11·3	.	8	.	.	.	.	.	.	.	—	2	.	.	.	3	.		—	.	.
	„ 17,	14·1	.	10	.	.	.	.	.	.	.	—	1	.	1	2	.	.		—	1	1
	„ 24,	15·5	1·4	11	.	.	.	.	.	1	.	—	1	.	1	1	1	.		—	1	.
	„ 31,	23·9	1·4	17	.	.	.	.	.	1	.	—	.	.	.	1	3	.		—	.	1
	Jan. 7,	12·5	.	9	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	1
	„ 14,	9·7	.	7	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1
Pembroke Urban District. Pop. in 1911 (Est.) 29,368.	Nov. 26,	12·6	.	7	.	.	.	.	.	.	.	—	.	1	.	1	4	.		—	.	.
	Dec. 3,	25·2	1·8	14	.	.	.	.	.	.	.	—	1	.	1	1	2	1		—	.	.
	„ 10,	18·0	.	10	.	.	.	.	.	.	.	—	2	.	1	.	3	.		—	.	.
	„ 17,	19·8	1·8	11	1	.	.	.	.	.	.	—	.	.	.	3	2	.		—	.	.
	„ 24,	14·4	.	8	.	.	.	.	.	.	.	—	.	.	1	1	3	.		—	.	.
	„ 31,	9·0	.	5	.	.	.	.	.	.	.	—	1	.	.	.	.	.		—	1	.
	Jan. 7,	10·7	1·8	6	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 14,	21·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.	1	.	.
Kingstown Urban District. Pop. in 1911 (Est.) 17,622.	Nov. 26,	20·7	3·0	7	.	.	.	.	.	.	.	—	.	.	2	.	.	1		—	.	.
	Dec. 3,	5·9	.	2	.	.	.	.	.	.	.	—	.	.	.	1	.	.		—	.	.
	„ 10,	17·8	.	6	.	.	.	.	.	.	.	—	1	.	1	.	.	.		—	.	.
	„ 17,	23·7	.	8	.	.	.	.	.	.	.	—	.	.	.	3	1	.		—	1	.
	„ 24,	8·9	.	3	.	.	.	.	.	.	.	—	.	.	1	.	1	.		—	.	.
	„ 31,	23·7	.	8	.	.	.	.	.	.	.	—	1	.	2	2	.	.		—	.	.
	Jan. 7,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.
	„ 14,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	2
Belfast. Pop. in 1911 (Est.) 398,421.	Nov. 26,	17·9	0·7	134	.	.	.	2	1	1	.	—	17	4	9	8	25	1		—	5	.
	Dec. 3,	14·5	0·5	109	.	.	.	2	.	.	1	—	13	7	6	7	25	1		—	3	3
	„ 10,	20·1	1·7	151	.	.	.	3	1	1	4	—	14	5	5	13	36	4		—	2	4
	„ 17,	17·7	1·1	133	.	.	.	3	2	.	.	—	12	7	8	10	22	3		—	6	1
	„ 24,	17·6	0·5	132	.	.	.	1	1	1	.	—	15	3	6	10	29	1		—	2	1
	„ 31,	12·1	0·3	91	.	.	.	.	1	1	.	—	9	3	5	7	18	.		—	4	3
	Jan. 7,	16·0	0·4	122	.	.	.	.	1	.	.	..	14	7	7	8	18	1	1	1	6	3
	„ 14,	19·8	0·4	151	.	1	.	.	1	.	.	.	23	7	2	9	24	.	1	.	6	.
Cork. Pop. (in 1901) 76,122.	Nov. 26,	17·1	0·7	25	.	.	.	.	.	.	.	—	6	2	3	1	2	1		—	.	.
	Dec. 3,	13·7	.	20	.	.	.	.	.	.	.	—	1	1	1	.	6	.		—	1	.
	„ 10,	13·7	.	20	.	.	.	.	.	.	.	—	5	1	1	1	2	.		—	.	.
	„ 17,	20·5	1·4	30	.	.	.	.	.	1	.	—	4	1	.	.	3	1		—	1	1
	„ 24,	17·1	.	25	.	.	.	.	.	.	.	—	5	1	2	.	2	.		—	.	3
	„ 31,	25·3	1·4	37	.	.	.	.	.	2	.	—	4	1	.	.	5	.		—	.	4
	Jan. 7,	24·0	2·1	35	.	.	.	.	1	1	1	.	4	1	1	2	6	.	.	.	1	3
	„ 14,	20·5	1·4	30	.	.	.	.	.	2	.	.	2	.	2	1	5	.	.	.	.	3
Londonderry. Pop. in 1911 (Est.) 43,900.	Nov. 26,	16·8	1·2	14	.	.	.	.	.	1	.	—	3	.	.	1	6	.		—	.	.
	Dec. 3,	15·6	1·2	13	.	.	.	.	.	.	.	—	3	.	.	2	1	1		—	.	1
	„ 10,	15·6	3·6	13	.	.	.	.	.	3	.	—	1	.	2	.	1	.		—	.	1
	„ 17,	20·4	.	17	.	.	.	.	.	.	.	—	.	3	2	2	3	.		—	.	.
	„ 24,	18·0	.	15	.	.	.	.	.	.	.	—	1	1	2	.	2	.		—	.	1
	„ 31,	16·8	4·8	14	.	.	.	.	.	3	.	—	1	.	1	.	1	1		—	.	.
	Jan. 7,	24·9	2·4	21	.	.	.	.	.	1	.	.	2	2	1	1	3	1	.	.	.	.
	„ 14,	15·4	1·2	13	.	.	.	.	.	1	.	.	3	.	1	.	1	.	.	.	.	.
Limerick. Pop. (in 1901) 38,151.	Nov. 26,	5·5	1·4	4	.	.	.	.	.	.	1	—	1	.	1	.	1	.		—	.	.
	Dec. 3,	23·2	.	17	.	.	.	.	.	.	.	—	1	.	.	.	4	.		—	.	6
	„ 10,	13·7	.	10	.	.	.	.	.	.	.	—	1	.	1	.	3	.		—	.	4
	„ 17,	21·9	.	16	.	.	.	.	.	.	.	—	2	1	2	.	4	.		—	.	.
	„ 24,	10·9	.	8	.	.	.	.	.	.	.	—	1	.	.	.	1	.		—	.	3
	„ 31,	28·7	1·4	21	.	.	.	.	.	1	.	—	4	.	.	1	4	.		—	.	5
	Jan. 7,	13·7	.	10	.	.	.	.	.	.	.	.	.	.	1	.	4	.	.	.	.	.
	„ 14,	15·0	1·4	11	1	.	.	.	.	.	.	.	1	.	.	1	2	.	.	1	.	.
Waterford. Pop. (in 1901) 26,769.	Nov. 26,	11·7	1·9	6	.	.	.	.	.	1	.	—	.	1	.	.	.	.		—	.	.
	Dec. 3,	19·5	1·9	10	.	.	.	.	.	.	.	—	2	.	.	.	.	1		—	.	.
	„ 10,	7·8	.	4	.	.	.	.	.	.	.	—	.	.	.	.	2	.		—	.	.
	„ 17,	35·1	.	18	.	.	.	.	.	.	.	—	2	1	.	3	2	.		—	.	1
	„ 24,	13·6	1·9	7	.	.	.	.	.	.	.	—	.	1	1	.	.	1		—	.	.
	„ 31,	17·5	.	9	.	.	.	.	.	.	.	—	1	1	.	.	4	.		—	.	.
	Jan. 7,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	1
	„ 14,	27·3	.	14	.	.	.	.	.	.	.	.	2	.	2	.	3	.	.	.	1	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 14th January, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa: Of children under 2 years of age.	Diarrhœa: 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.			The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.																												
BELFAST URBAN No. 1 DISTRICT,	349,180	15			8	1	.	2	3	.	2	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	4	.
Do. 2 do.		25			13	2	2	1	5	.	3	.	.	.	.	.	.	.	.	6	.	.	1	2	.	.	.	1	1	4	.
Do. 3 do.		33			26	4	1	3	6	6	6	.	.	.	.	.	.	.	.	2	1	.	2	4	.	.	.	1	1	7	.
Do. 4 do.		25			10	1	.	2	2	1	4	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1	.	1	1	6	.
Do. 5 do.		15			15	7	1	2	2	1	2	.	1	.	.	.	.	.	.	.	1	.	.	3	.	.	.	1	1	10	.
Do. 6 do.		4			9	1	2	1	.	2	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	2	3	.
Do. 7 do.		1			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 8 do.		5			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		10			8	3	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1	1	.
Do. 10 do.		27			12	3	.	2	4	3	.	.	.	.	.	.	.	.	.	5	.	1	.	2	.	.	.	.	.	2	.
Do. 11 do.		18			15	2	.	2	3	3	5	.	.	.	.	.	.	.	.	3	2	.	2	3	.	.	.	.	1	5	.
Do. 12 do.		22			18	3	2	2	6	3	2	.	.	.	.	1	.	.	.	2	3	.	.	3	.	.	.	.	3	5	.
Do. 13 do.		13			4	1	.	2	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	1	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		18			12	2	2	.	5	2	1	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	1	1	2	.
Total,	—	231			151	30	11	20	37	25	28	.	1	.	.	1	.	.	.	23	7	2	9	24	.	1	.	6	12	50	.
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	3	16·2	.	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Do. 2 do.	10,701	5	19·5	.	4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
Do. 3 do.	9,978	2	31·4	.	6	1	.	1	.	2	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	1
Do. 4 do.	8,666	2	24·1	.	4	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	1
Do. 5 do.	6,592	4	7·9	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	10,702	6	14·6	.	3	.	.	1	.	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	3	.
Do. 7 do.	16,616	10	25·1	6·3	8	2	2	.	1	.	3	.	.	.	.	.	2	.	.	.	.	.	1	1	.	.	.	.	.	.	1
Total,	76,122	32	20·5	1·4	30	6	2	4	2	5	11	.	.	.	.	.	2	.	.	2	.	2	1	5	.	.	.	.	.	8	3

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910–11—WEEK ENDING																									
	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.
No. of weeks in Annual Series,	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2
BIRTHS registered, ...	239	214	179	219	210	159	219	190	264	194	172	200	205	228	201	183	178	156	181	175	185	167	200	199	241	231
DEATHS registered, ...	117	135	115	102	124	131	121	103	116	122	105	94	122	120	115	108	122	132	134	109	151	133	132	91	122	151
Annual Death rate per 1,000 of estimated population, ...	15·6	18·0	15·3	13·6	16·5	17·5	16·1	13·7	15·5	16·3	14·0	12·5	16·3	16·0	15·3	14·4	16·3	17·6	17·9	14·5	20·1	17·7	17·6	12·1	16·0	19·8
AGES, Under 1 year, ...	25	35	27	27	35	49	30	28	23	29	25	31	27	27	28	24	28	27	24	17	34	20	22	18	21	30
AGES, 1—5 years, ...	23	23	19	6	17	14	15	14	13	11	14	6	14	16	8	11	6	6	5	8	11	17	12	8	12	11
AGES, 5—25 „ ...																									7	20
AGES, 25—45 „ ...	69	77	69	69	72	68	76	61	80	82	66	57	81	77	79	73	88	99	105	84	106	96	98	65	30	37
AGES, 45—65 „ ...																									32	25
AGES, 65 and upwards, ...																									20	28
Deaths from :—																										
Enteric Fever, ...	1	2	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.
Typhus, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	21	8	7	4	7	3	.	3	1	3	1	1	3	5	.	3	1	.	2	2	3	3	1	.	.	.
Scarlet Fever, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1	2	1	1	1	1
Whooping-cough, ...	1	.	2	1	1	5	.	1	1	1	3	1	1	.	1	.	.	.	1	.	1	.	1	1	.	.
Diphtheria, ...	1	1	.	.	.	.	.	.	1	.	.	.	2	1	.	.	1	1	.	1	4	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.
Tuberculous Disease. Phthisis, ...	16	15	13	12	16	10	11	12	14	11	17	9	17	10	12	14	12	17	17	13	14	12	15	9	14	23
Tuberculous Disease. Other Forms,	5	7	7	8	9	5	9	6	13	6	7	3	8	6	8	2	7	8	4	7	5	7	3	3	7	7
Cancer, ...	9	7	3	7	3	4	5	8	10	8	5	5	7	5	7	9	5	8	9	6	5	8	6	5	7	2
Diseases of Respiratory System, Pneumonia,	5	8	3	4	5	10	8	6	7	10	7	5	11	11	7	7	13	11	8	7	13	10	10	7	8	9
Diseases of Respiratory System, Others, ...	6	16	10	5	8	8	9	5	5	8	11	9	16	9	19	11	23	16	25	25	36	22	29	18	18	24
Diarrhœa, Under 2 years, ...																									1	.
Diarrhœa, 2 years & upwards,	5	6	10	14	22	29	16	13	15	13	7	7	3	8	10	6	4	3	1	1	4	3	1	.	1	1
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	.
Violent Deaths, ...	.	1	1	6	.	3	2	1	1	5	2	.	.	2	.	3	4	2	5	3	2	6	2	4	6	6
Number of Uncertified Deaths, ...	3	1	2	1	2	.	2	2	2	.	1	1	1	.	.	2	3	.	.	3	4	1	1	3	3	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return.—Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,912,054	Jan. 14,	2,355	1,435	15·2	5	.	86	5	33	17	16*a*
Edinburgh, ...	365,253	„ 14,	130	102	14·6	1	.	1	2	.	1	1
Glasgow, ...	897,178	„ 14,	451	281	16·3	2	.	2	2	9	3	5
Calcutta, ...	1,009,008	Dec. 10,	.	544	28·0	123*	1	.	.	.	4	65‡
Bombay, ...	977,822	„ 13,	434	599	31·9	61*	2	10	.	.	.	68‡
Madras, ...	509,346	Nov. 19,	398	395	40·3	90*	2	1	?	?	?	55
Cairo, ...	682,953	„ 25,	682	366	27·9	5	.	4	.	.	17†	53*a*
Paris, ...	2,760,000	Dec. 17,	918	830	15·7	2	.	2	.	3	5†	25*a*
Brussels, ...	720,030	„ 24,	227	188	13·6	4	.	.	.	.	3†	14*a*
Antwerp, ...	317,171	„ 24,	135	73	12·0		.	6	.	.	.	7*a*
Amsterdam, ...	574,987	„ 24,	268	150	13·6	1	.	1	.	3	2	4*a*
Copenhagen, ...	450,000	„ 24,	190	125	14·5	.	.	.	1	6	1†	2
Stockholm, ...	341,816	„ 17,	181	92	14·0	1	.	.	.	.	3†	2*a*
Christiania, ...	240,178	„ 31,	64	65	14·1	.	.	.	.	1	2	.
St. Petersburg, ...	1,620,000	„ 10,	983	693	22·3	11	3	4	17	5	10	37‡
Moscow, ...	1,493,600	„ 3,	.	689	24·1	2	3	8	19	5	29†	61
Berlin, ...	2,067,656	„ 17,	808	652	16·4	2	.	3	9	1	24†	18
Hamburg, ...	895,804	„ 24,	.	282	16·4	.	.	1	3	4	9†	16
Breslau, ...	516,407	„ 24,	.	200	20·2	.	.	1	.	2	.	14
Munich, ...	595,000	„ 31,	.	208	18·8	.	.	7	2	.	1†	21
Vienna (with suburbs),	2,130,320	„ 24,	794	687	16·8	2	.	10	3	2	6†	34*a*
Buda-Pesth, ...	833,703	„ 24,	466	298	18·6	2	.	2	5	.	2†	18*a*
Prague and Faubourgs,	508,310	„ 10,	154	176	18·0	.	.	.	1	.	1†	7*a*
Trieste, ...	223,521	„ 17,	157	93	21·7	1	.	3	.	.	1†	2*a*
Rome, ...	589,425	Oct. 22,	.	.	.	.	.	.	.	.	.	.
Venice, ...	183,224	Nov. 19,	74	66	18·8	1	.	.	.	.	.	3
		„ 26,	70	72	20·5	1	.	1	.	.	2†	4
New York	4,803,264	Dec. 17,	2,322	1,537	16·7	9	.	5	14	5	23†	36*a*
Philadelphia, ...	1,598,400	Nov. 26,	.	498	16·2	4	.	.	6	4	19†	21*a*
Boston, ...	673,745	Dec. 24,	.	220	17·7	2	.	1	2	1	6	6

* Deaths from "fever," including 7 deaths from enteric fever in Calcutta, 2 in Bombay, and one in Madras, and 15 deaths from plague in Calcutta, 7 in Bombay, and one in Madras.

† Including deaths from croup.

‡ Including 26 deaths from cholera in Calcutta, 9 in Bombay, and 2 in St. Petersburg.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 14th January, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	1	.	.	1	.	.	.	1	3
" " 1, West, ...	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 2, ...	.	.	.	.	1	.	.	1	.	.	.	.	2
" " 3, ...	.	5	.	.	6	.	.	.	.	.	.	1	12
Clontarf and Howth No. 1 (part of),	.	.	.	.	1	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	2	.	.	1	.	.	1	.	.	.	.	4
South City No. 1, ...	.	1	.	.	6	.	.	1	.	.	.	2	10
" " 2, ...	.	.	.	.	1	.	.	.	.	.	.	3	4
" " 3, ...	.	1	.	.	6	.	.	1	.	.	.	1	9
" " 4, ...	.	.	.	.	2	.	.	1	.	.	.	1	4
New Kilmainham, ...	.	1	.	.	.	.	.	.	.	.	.	.	1
Total, ...	.	12	.	.	25	.	.	6	.	.	.	10	53

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 14th January, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 14th January.			
	Dec. 24.	Dec. 31.	Jan. 7.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	1	.	.	1
Measles, ...	17	22	24	4	5	2	21
Scarlet Fever, ...	119	122	96	13	20	.	89*
Typhus, ...	.	.	.	.	.	.	.
Diphtheria, ...	53	66	66	23	18	2	69
Enteric Fever, ...	32	36	42	3	3	1	41
Pneumonia, ...	24	21	25	5	7	1	22

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 14th January, 1911:—

"Opening with a day of unusual mildness, for the season, this week was rather cold on the whole—especially so on Thursday and Friday, when a strong current of Polar air swept southwards across the British Islands. On Sunday morning the barometer was as low as 28·84 inches over the North and East of Iceland, but above 30·7 inches in Bavaria. The baric gradient for S.W. winds was therefore steep all over North-western Europe, and a warm southwesterly wind of considerable strength prevailed, rain falling in most parts of the United Kingdom within the succeeding 24 hours. By Monday morning the barometer had risen considerably in Iceland, Scandinavia, and the British Isles; but small, shallow depressions passed eastwards across Ireland and England, keeping the weather dull, damp, and rainy in these countries. On Tuesday morning the barometer stood at or above 30·6 inches over the southern half of Ireland, Pembrokeshire, the Cornish Peninsula, and Brittany. Temperature was much lower and the weather was fine and bright. As the day advanced, however, cirrus cloud increased, a solar halo appeared, and the barometer fell so rapidly that the decrease of pressure amounted in the following 24 hours to 1·08 inches at Malin Head and to an inch at Blacksod Point and in Dublin. A very energetic depression at this time passed eastwards across Scotland, while a secondary disturbance, ever developing intensity, crossed the South of England and North of France in the same direction. In the rear of these low pressure systems the barometer rose even more quickly than it had fallen, the result being a bitterly cold northerly gale, and showers of hail, sleet and snow, followed by frost. On Friday an anticyclone was again found over Ireland, but a new depression had meanwhile appeared off the west of Iceland, over which island a warm S.W. wind had already raised the temperature several degrees above freezing point. The mean atmospheric pressure was 30·231 inches, the barometer rising to 30·602 inches at 8.40 a.m. of Tuesday (wind, W.) and falling to 29·540 inches at 3.30 p.m. of Wednesday (wind veering from W.S.W. to N.). The corrected mean temperature was 40·5°, the mean dry bulb temperature at 9 a.m. and 9 p.m. being 39·8°. On Sunday the screened thermometers rose to 52·3°, on Friday they fell to 28·9°. Westerly winds prevailed. Rain fell on 3 days to the amount of ·297 inch, ·110 inch being measured on Wednesday. A snow shower fell on Wednesday evening."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·061 inches. The highest reading (30·415) was on Tuesday at 9 a.m., wind W.S.W., and the lowest (29·414) on Wednesday at 9 a.m., wind W.S.W.

The mean temperature for the week was 39·0°, being 1·0° below the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Wednesday, on which day the thermometer registered 51·2°, and was lowest on Friday, the mercury having fallen to 24·7°. The mean of the Dry Bulb for the week was 38·3° and of the Wet Bulb, 37·4°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The rainfall during the week measured 0·245 inch.

At Greenwich the mean temperature for the week was 38·7°, the maximum 50·0°, and the minimum 25·6°; at Glasgow the maximum was 49·0°, the minimum 28·2°, and the mean 39·7°; and at Edinburgh the maximum was 49·0°, the minimum 29·7°, and the mean 37·9°. The rainfall at Greenwich measured 0·73 in.; at Glasgow 0·72 in.; and at Edinburgh 0·50 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins.	9 A.M.	9 P.M.
Sunday, January 8,	30·049	50·8	44·4	47·6	46·6	46·2	·88	·6	0·0	·150	S.W.	Calm.
Monday, „ 9,	30·259	45·5	34·9	40·2	38·1	37·6	·96	·5	1·9	·000	Calm.	W.
Tuesday, „ 10,	30·192	42·9	32·1	37·5	38·8	37·9	·92	·5	0·5	·100	W.S.W.	S.W.
Wednesday, „ 11,	29·508	51·2	34·8	43·0	42·1	41·2	·92	·5	2·5	·095	W.S.W.	N.N.W.
Thursday, „ 12,	30·029	38·1	31·4	34·8	33·0	31·3	·81	·5	6·5	·000	N.	N.
Friday, „ 13,	30·207	37·3	24·7	31·0	31·3	30·4	·88	·5	1·9	·000	W.	W.
Saturday, „ 14,	30·180	43·4	34·5	39·0	37·9	37·2	·94	·5	1·9	·000	W.S.W.	S.W.
Mean, ...	30·061	44·2	33·8	39·0	38·3	37·4	·90	·5	Total 15·2	Total ·345	Prevailing Wind, W.S.W.—W.	

Sunday—Day overcast, light rain a.m. and p.m ; night overcast, drizzle a.m. *Monday*—Day overcast to cloudy ; night clear. *Tuesday*—Day overcast to cloudy, light rain p.m. ; night overcast, drizzle a.m. *Wednesday*—Day cloudy to overcast, passing showers ; night clear. *Thursday*—Fine bright day ; night clear. *Friday*—Day cloudy to overcast ; night clear. *Saturday*—Day overcast to cloudy ; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, January 14th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, January 8,	49·2	42·0	44·0	52·9	45·3	49·1	0·1	·102
Monday, „ 9,	43·8	42·0	44·1	46·5	37·1	41·8	1·5	—
Tuesday, „ 10,	37·3	41·4	44·0	45·0	34·9	40·0	—	·075
Wednesday, „ 11,	49·1	41·1	44·0	51·0	35·9	43·5	0·9	·100
Thursday, „ 12,	34·8	39·2	44·0	39·2	33·4	36·3	4·5	—
Friday, „ 13,	32·1	38·6	44·1	38·0	28·6	33·3	0·2	—
Saturday, „ 14,	39·6	38·0	44·0	44·1	36·3	40·2	0·5	—
Weekly Mean, .	40·8	40·3	44·0	45·2	35·9	40·6	Total 7·7	Total ·277

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30002. Wt. P. 272–32/138. 375. 1. 1911. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & CO., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 21ST JANUARY, 1911. [No. 3.

General Register Office, Charlemont House, Dublin, 23*rd January,* 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,163,596.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Dec. 31	Week ending Jan. 7	Week ending Jan. 14	Week ending Jan. 21	Average Rate for 4 weeks.
22 Town Districts, ...	**16·8**	**19·4**	**19·9**	**19·3**	**18·8**
Armagh	.	20·6	13·7	6·9	10·3
Ballymena	9·6	14·4	4·8	23·9	13·2
Belfast	12·1	16·0	19·8	15·4	15·8
Clonmel	20·5	.	5·1	.	6·4
Cork	25·3	24·0	20·5	24·7	23·6
Drogheda	12·3	16·3	20·4	24·5	18·4
Dublin Reg. Area ...	18·9	21·5	21·4	23·4	21·3
Dundalk	16·0	43·9	12·0	12·0	21·0
Galway	15·5	23·3	27·2	3·9	17·5
Kilkenny	.	34·3	24·6	34·3	23·3
Limerick	28·7	13·7	15·0	20·5	19·5
Lisburn	31·8	9·1	4·5	27·3	18·2
Londonderry	16·8	24·9	15·4	23·8	20·2
Lurgan	22·1	35·4	26·6	13·3	24·3
Newry	29·4	4·2	8·4	25·2	16·8
Newtownards	11·4	17·2	28·6	.	14·3
Portadown	15·5	36·2	15·5	25·8	23·2
Queenstown	26·4	13·2	33·0	19·8	23·1
Sligo	9·6	28·8	24·0	14·4	19·2
Tralee	10·6	15·9	21·1	.	11·9
Waterford	17·5	13·6	27·3	11·7	17·5
Wexford	18·7	23·3	9·3	14·0	16·3

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in seventeen of the districts to 4·8 in Londonderry, the 20 deaths from all causes for that district including 4 from whooping-cough. The 118 deaths from all causes for Belfast include one from each of measles, scarlet fever, whooping-cough, and diphtheria. Among the 3 deaths from all causes for Dundalk is one from diphtheria, and of the 6 deaths from all causes for Lisburn one is also from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 238—114 boys and 124 girls—and the deaths to 190—92 males and 98 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœa.

DEATHS.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 23·4 per 1,000 of the population. During the three weeks ending with Saturday last the death-rate averaged 22·1, and was 3·5 below the mean rate for the corresponding portions of the 10 years 1901–10.

Included in the total number of deaths from all causes, there were 6 deaths from each of measles* and whooping-cough, 4 deaths from diphtheria, and 2 deaths from each of diarrhœa and enteritis of infants under one year of age. There was one death from influenza. In each of the three weeks preceding, deaths from measles were one, 4, and 3; deaths from whooping-cough were 7, 6, and 5; deaths from diphtheria were 0, one, and 2; deaths from diarrhœa and enteritis under two years were one, 3, and 4, and deaths from influenza were one, 0, and one.

There were 36 deaths from all forms of tuberculosis; this figure comprises 27 deaths from pulmonary tuberculosis, 4 deaths from tuberculous meningitis, one death from abdominal tuberculosis, one death from tuberculosis of the vertebral column, and 3 deaths from disseminated tuberculosis. In the three preceding weeks, deaths from tuberculosis were 24, 25, and 25, respectively.

Meningitis caused 3 deaths, and there were 4 deaths from *convulsions* of infants under one year of age.

Of 10 deaths from pneumonia, 7 were attributed to broncho-pneumonia, and 3 to *pneumonia* (type not distinguished).

Diseases of the organs of circulation caused 13 deaths, and bronchitis accounted for the deaths of 26 persons.

The deaths of 2 prematurely born infants were registered.

There was one death from accidental burning of a child aged 3 years

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 5 children under 5 years of age (including 4 infants under one year old) and the deaths of two persons aged 65 years and upwards.

Sixty-two of the persons whose deaths were registered during the week were under 5 years of age (37 being infants under one year, of whom 11 were under one month old) and 43 were aged 65 years and upwards including 28 persons aged 70 and upwards, of whom 15 were aged 75 and upwards.

Seventy-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse and 20 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·4 per 1,000; the rate in the City was 25·1 (North City Districts, 23·4; South 26·9) and in the Suburbs, 17·8.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·2 per 1,000 inhabitants, the rate for the City being 2·7 (2·3 in the North City Districts, and 3·1 in the South), and for the Suburbs, 0·6.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (16) are equal to an annual rate of 27·6 per 1,000. One death from diphtheria, one from influenza, 2 from tuberculous disease, and 3 from diseases of the respiratory system were recorded.

No. 1 *North City District, West* (Summer-hill).—The deaths (24) are equal to an annual rate of 31·0 per 1,000. Among them are one death from diarrhœa of a child under 2 years of age, 8 from tuberculous disease, and 4 from diseases of the respiratory system.

No. 2 *North City District* (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 15·1 per 1,000. Pulmonary tuberculosis and bronchitis each caused 2 deaths.

No. 3 *North City District* (Benburb-street).—The deaths (13) represent an annual rate of 20·0 per 1,000, and include one death each from whooping-cough and diphtheria, 3 deaths from tuberculous disease, and one from broncho-pneumonia.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No 1, part of, 9·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 31·1; and Finglas and Glasnevin, part of, 13·4. The 7 deaths from all causes for Coolock and Drumcondra, part of, include one death each from whooping-cough, diphtheria, diarrhœa (that of a child under 2 years of age), general tuberculosis, and *pneumonia* (type not distinguished).

No. 1 *South City District* (South Earl-street).—The deaths (25) represent an annual rate of 31·1 per 1,000. Among them are one death from measles, 7 deaths from pulmonary tuberculosis, one death from broncho-pneumonia, and 4 deaths from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (3) are equal to an annual rate of 7·1 per 1,000. Two deaths were caused by pulmonary tuberculosis.

No. 3 *South City District* (Peter-street).—The deaths (31) are equal to an annual rate of 37·0 per 1,000. There were 2 deaths from whooping-cough, one death from measles, 4 deaths from tuberculous disease, 3 deaths from broncho-pneumonia, 9 deaths from bronchitis, and one death of a child aged 3 years from burns.

No. 4 *South City District* (Grand Canal Street).—The deaths (17) are equivalent to an annual rate of 24·5 per 1,000, and include 2 deaths from measles, one death each from whooping-cough, diphtheria, tuberculous disease, and broncho-pneumonia, and 3 deaths from bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·1 per 1,000. One of the deaths was caused by whooping-cough, and one by pulmonary tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·1; Pembroke, 21·3; Blackrock, 17·4; and Kingstown, 11·8. The only death from any of the principal epidemic diseases† tabulated for these districts was one from measles for Pembroke. Among the 13 deaths from all causes for Rathmines and Rathgar are 3 from tuberculous disease, and one from *pneumonia* (type not distinguished); the 12 deaths from all causes for Pembroke include 2 from pulmonary tuberculosis, and one from bronchitis; of the 3 deaths from all causes for Blackrock one is from bronchitis; and of the 4 deaths from all causes for Kingstown one is from broncho-pneumonia, and one from *pneumonia* (type not distinguished).

* See note (*c*) Table II. † See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 21st January, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Dec. 31,	.	—	—	26	.	.	10	.	1	4	2	.	—	—	.	—	14	—	57
	Jan. 7,	.	—	—	8	.	.	18	.	1	5	4	.	—	—	.	—	12	—	48
	Jan. 14,	.	—	—	12	.	.	25	.	.	6	.	.	—	—	.	—	10	—	53
	Jan. 21,	.	—	—	20	1	.	16	.	2	10	8	.	—	—	.	—	11	—	68
Rathmines and Rathgar Urban District.	Dec. 31,	.	—	—	.	.	.	4	.	.	3	.	.	—	—	—	—	—	—	7
	Jan. 7,	.	—	—	1	.	.	4	.	.	2	.	.	—	—	—	—	—	—	7
	Jan. 14,	.	—	—	1	.	.	2	.	.	.	1	.	—	—	—	—	—	—	4
	Jan. 21,	.	—	—	.	.	.	3	.	.	1	2	.	—	—	—	—	—	—	6
Pembroke Urban District.	Dec. 31,	.	7	.	.	.	.	.	.	.	1	1	.	—	1	.	—	.	—	10
	Jan. 7,	.	2	.	.	.	.	.	.	.	.	.	.	—	2	.	—	.	—	4
	Jan. 14,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	.	—	.
	Jan. 21,	1	1	.	1	.	.	1	.	.	.	.	.	—	4	.	—	1	—	9
Blackrock Urban District.	Dec. 31,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 7,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 21,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Dec. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Jan. 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Jan. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Jan. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Dec. 31,	.	—	—	19	.	.	4	.	.	.	3	2	—	—	—	—	8	—	36
	Jan. 7,	.	—	—	27	1	.	13	.	.	.	3	.	—	—	—	—	14	—	58
	Jan. 14,	.	—	—	18	.	.	6	1	.	.	4	.	—	—	—	—	17	—	46
	Jan. 21,	.	—	—	18	.	.	8	1	1	2	7	.	—	—	—	—	12	—	49

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 21st January, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

One case of small-pox remained under treatment in hospital at the close of the week; there were also two contacts retained in hospital.

Ten cases of measles were admitted to hospital during the week, 5 were discharged, there were 3 deaths, and 23 cases remained under treatment at the close of the week.

Nineteen cases of scarlet fever were admitted to hospital, 17 were discharged, and 91* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 122, 96, and 89, respectively.

One case of typhus remained under treatment in hospital at the close of the week.

Thirty-two cases of diphtheria were admitted to hospital during the week, 11 were discharged, and there were 3 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 66, 66, and 69, respectively, were 87 at the close of last week.

Eighteen cases of enteric fever were admitted to hospital during the week, 5 were discharged, and 54 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 36, 42, and 41.

In addition to the above named diseases, 4 cases of pneumonia were admitted to hospital, 4 were discharged, and 22 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 17·1) was equal to an average annual death-rate of 16·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 14·8 per 1,000, the rate for Glasgow being 15·1 and for Edinburgh 13·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 21st January. From this Report it appears that of a total of 71 cases notified, 29 were scarlet fever, 19 diphtheria, 14 phthisis, 8 erysipelas, and one enteric fever. Among the 441 cases of infectious diseases in hospital at the close of the week were 218 cases of scarlet fever, 90 of diphtheria, 56 of phthisis, 29 of measles, 19 of whooping cough, 14 of erysipelas, 6 of enteric fever, 2 of chicken pox, and one of puerperal fever.

*See note (*) at foot of Table XII

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 21st January, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 21st January, 1911. Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 21st January, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 14th January, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 7th January, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
TOTAL OF 22 TOWN DISTRICTS, ...	1,163,596	20·4	27·6	19·3	1·2	617	430	80	119	...	...	...	6	1	11	7	...	51	17	24	23	82	2	...	2	3	7	124	14	...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, c. ...	407,057	29·6	30·5	23·4	2·2	238	183	36	42	...	...	...	5	...	6	4	...	27	9	11	10	27	2	...	1	1	2	70	7	e48·0	25·0	38·6	0·15	e51·2	24·7	39·0	0·35	e49·3	26·7	37·2	0·34
CITY OF DUBLIN,	313,526	39·6	33·8	25·1	2·7	203	151	28	32	...	...	...	4	...	6	4	...	25	6	8	7	25	2	...	1	1	1	62	4	f48·5 g47·9	30·1 27·0	40·1 39·0	0·08 0·14	f52·3 g51·9	28·9 27·0	40·5 39·7	0·30 0·33	f49·9 g49·7	30·6 27·0	39·3 37·8	0·22 0·27
Urban Districts. RATHMINES AND RATHGAR.	37,528	21·9	11·1	18·1	...	8	13	3	5	...	...	...	...	...	...	...	...	1	2	...	1	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,368	18·5	32·0	21·3	1·8	18	12	4	1	...	...	...	1	...	...	...	...	1	1	2	...	1	...	...	...	...	...	3	2	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,013	8·3	11·6	17·4	...	2	3	...	2	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,622	12·1	20·7	11·8	...	7	4	1	2	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	1	...	51	38·5	29	0·81	54	31	41·9	0·12	51	32	40·2	0·21
Urban Districts. BELFAST, ...	398,421	27·1	30·5	15·4	0·5	233	118	23	33	...	...	...	1	1	1	1	...	17	4	7	7	24	...	...	...	1	2	27	1	49·0	32·0	41·0	0·05	50·2	30·0	39·2	0·85	47·0	26·5	38·2	0·64
CORK, ...	76,122	33·6	21·9	24·7	...	32	36	6	8	...	...	...	...	...	...	...	...	3	...	2	1	16	...	...	1	1	1	15	1	48	38	44·3	0·28	52	31	41·7	0·52	51	32	41·6	0·53
LONDONDERRY...	43,900	20·3	15·4	23·8	4·8	13	20	3	8	...	...	...	...	...	4	...	...	...	...	1	1	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,151	18·1	20·5	20·5	...	15	15	3	4	...	...	...	...	...	...	...	...	1	1	...	...	2	...	...	...	...	...	5	1	48·6	25	40·3	0·36	51·2	25·8	39·6	0·54	50·9	24·8	36·6	0·67
WATERFORD, ...	26,769	18·7	35·1	11·7	...	18	6	1	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,426	2·5	27·2	3·9	...	7	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	50	32	42	0·04	50	30	39	0·56	50	24	39	0·78
DUNDALK, ...	13,076	9·4	16·0	12·0	4·0	4	3	1	1	...	...	...	...	...	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,760	8·6	16·3	24·5	...	4	6	2	2	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	12,405	17·8	12·6	25·2	...	3	6	...	1	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	...	...	48·2	32·6	40·9	0·14	50·0	28·3	38·8	0·22	48·0	29·2	37·5	0·48
LURGAN, ...	11,782	13·8	22·1	13·3	...	5	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	48·2	32·6	40·9	0·14	50·0	28·3	38·8	0·22	48·0	29·2	37·5	0·48
LISBURN, ...	11,461	10·1	36·4	27·3	4·5	8	6	...	3	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	...	...	...	1	...	48·2	32·6	40·9	0·14	50·0	28·3	38·8	0·22	48·0	29·2	37·5	0·48
WEXFORD, ...	11,168	23·2	18·7	14·0	...	4	3	2	...	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA, ...	10,886	8·9	19·2	23·9	...	4	5	1	1	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	10,870	3·7	24·0	14·4	...	5	3	...	1	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	4	...	47	25	38·4	0·49	52	25	37·1	0·40	50	26	36·6	0·57
KILKENNY, ...	10,609	11·5	9·8	34·3	...	2	7	...	5	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
CLONMEL, ...	10,167	7·8	5·1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	48·2	32·6	40·9	0·14	50·0	28·3	38·8	0·22	48·0	29·2	37·5	0·48
PORTADOWN, ...	10,092	13·2	25·8	25·8	...	5	5	1	4	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
TRALEE, ...	9,867	16·6	21·1	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	50	33	41·5	0·04	51	34	40·5	0·36	48	32	41·1	0·72
NEWTOWNARDS,	9,110	18·9	45·8	...	...	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	48	38	44·3	0·28	52	31	41·7	0·52	51	32	41·6	0·53
QUEENSTOWN, ...	7,909	14·4	26·4	19·8	...	4	3	1	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	48·2	32·6	40·9	0·14	50·0	28·3	38·8	0·22	48·0	29·2	37·5	0·48
ARMAGH, ...	7,588	22·2	...	6·9	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...													

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1911. (b) See note (‡) at foot of first page. (c) Exclusive of 7 deaths of persons (including one under one year old and 1 at 74 years) admitted to hospital from localities outside the Area; of the 7 deaths one was from measles. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 21st of January, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	1	.	1	2	.	.	1	.	.	5	1
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	1	.	1	.	.	.	2	1	1	.	.	.	.	6	.
Diphtheria,	1	.	.	1	.	1	.	.	.	.	1	.	.	.	.	.	4	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	1	7	2	2	.	.	.	7	2	3	.	1	1	1	.	.	27	.
Tuberculous Disease. { Other Forms,	1	1	.	1	.	1	.	.	.	1	1	.	2	1	.	.	9	.
Cancer,	2	.	1	1	.	.	.	2	.	1	1	.	.	2	1	.	11	1
Diseases of Nervous System,	4	1	.	2	.	.	1	1	1	6	1	.	1	1	.	2	21	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	2	1	1	1	.	.	3	.	.	3	.	2	.	.	.	13	.
" Respiratory System. { Pneumonia,	.	.	.	1	.	1	.	1	.	3	1	.	1	.	.	2	10	.
" Respiratory System. { Others,	3	4	2	.	.	.	.	4	.	9	3	.	.	1	1	.	27	1
" Digestive System. { Diarrhœa, under 2 years,	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Enteritis, under 2 years,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	3	1
" Genito-urinary System,	.	3	2	.	.	.	.	.	.	1	.	.	.	2	.	.	8	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	1	1	.	.	.	1	.	.	.	.	.	.	1	.	.	.	4	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	3	1	3	.	1	1	3	.	2	1	1	4	2	1	.	24	1
Violent Deaths,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Ill-defined, &c. Causes,	1	1	.	.	.	.	.	.	.	1	2	.	1	.	.	.	6	.
Deaths from All Causes,	16	24	9	13	1	7	2	25	3	31	17	3	13	12	3	4	183	7
Annual Rate of Mortality from All Causes in every 1,000 of the population.	27·6	31·0	15·1	20·0	9·6	31·1	13·4	31·1	7·1	37·0	24·5	17·1	18·1	21·3	17·4	11·8	23·4	.
	23·4							26·9					17·8					
	25·1																	
Ages at Death. { Under 1 year,	5	2	.	1	.	2	1	6	.	6	4	1	3	4	.	1	36	1
1 and under 2 years,	1	2	.	3	.	1	.	2	.	2	1	.	.	1	.	.	13	.
2 " 5 "	2	.	1	1	.	.	.	.	.	4	2	.	.	1	.	.	11	1
5 " 15 "	.	.	.	2	.	.	.	2	1	.	.	.	1	1	.	.	7	.
15 " 25 "	.	2	3	.	.	1	.	2	.	2	.	.	.	.	.	.	10	.
25 " 45 "	1	4	2	2	.	1	.	5	.	2	4	1	3	1	.	1	27	.
45 " 65 "	4	8	1	1	.	.	1	6	1	8	2	.	1	3	1	.	37	4
65 and upwards,	3	6	2	3	1	2	.	2	1	7	4	1	5	1	2	2	42	1
Number of Uncertified Deaths,	2	1	.	.	.	.	.	.	.	1	.	.	.	2	1	.	7	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	7	2	6	.	1	.	4	.	5	4	1	3	3	1	1	40	6
Workhouse Hospitals,	1	5	3	2	.	.	.	10	2	4	3	.	.	.	.	.	30	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										3rd Week of the 10 years 1901–1910.	In the Week ending Saturday, 21st January, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Jan. 19, 1901.	Jan. 18, 1902.	Jan. 24, 1903.	Jan. 23, 1904.	Jan. 21, 1905.	Jan. 20, 1906.	Jan. 19, 1907.	Jan. 18, 1908.	Jan. 23, 1909.	Jan. 22, 1910.	Averages in	Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	44·7	37·3	42·2	42·4	38·6	38·5	43·0	44·5	38·8	37·6	40·8	38·6										
ALL CAUSES.	209	177	211	195	160	154	214	246	200	181	194·7	190	11	26	13	12	7	10	27	41	28	15
Enteric Fever, ...	3	1	3	3	1	.	1	3	.	.	1·5	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	1	.	5	.	1	.	9	.	1·7	6	.	1	3	2	.	.	.	.	.	.
Scarlet Fever, ...	.	.	2	1	2	1	.	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	12	.	.	5	.	1	5	.	2	4	2·9	6	.	4	.	2	.	.	.	.	.	.
Diphtheria, ...	.	1	3	.	2	.	2	.	1	3	1·2	4	.	.	3	1	.	.	.	.	.	.
Croup, ...	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	2	2	3	4	.	4	8	2	5	3·3	1	.	.	.	.	.	.	.	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	.	.	.	1	.	1	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	1	.	3	.	1	.	3	1	1	1·1	2	1	.	.	.	1	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	19	20	29	27	27	23	22	28	18	21	23·4	27	.	.	1	.	1	7	9	8	.	1
Tuberculous Meningitis, ...	4	2	4	1	3	2	3	4	3	2	2·8	4	.	1	.	1	2	.	.	.	.	.
Abdominal Tuberculosis, ...	6	2	.	.	1	.	1	1	2	1	1·4	1	.	.	1	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.												1	.	1	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	6	4	1	9	8	3	11	5	4	3	5·4	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												3	.	.	1	.	.	1	1	.	.	.
Venereal Diseases, ...	2	.	2	.	2	.	1	1	2	1	1·1	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	8	1	8	7	5	12	8	7	5	8	6·9	12	.	.	.	.	.	.	1	8	2	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	1	.	.	1	.	3	1	.	·6	1	.	.	.	.	.	.	.	1	.	.
Anæmia Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	1	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	5	.	.	.	.	.	1	1	1	1	1
Alcoholism, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												3	.	.	.	1	2	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*												5	.	.	.	.	.	.	.	2	2	1
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												2	.	.	.	.	.	.	.	.	1	1
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												4	2	2	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	44	43	64	41	35	37	47	47	48	46	45·2	8	.	.	.	.	.	.	3	4	.	1
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												2	.	.	.	.	.	1	1	.	.	.
Organic Diseases of the Heart,												9	.	.	.	.	.	.	2	3	3	1
Embolism and Thrombosis (including Cerebral)												2	.	.	.	.	.	.	.	.	2	.
Other Diseases of Circulatory System.												.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	33	31	38	27	15	20	30	44	31	25	29·4	26	2	3	2	.	1	.	2	4	11	1
Broncho-pneumonia, ...			2	10	6	5	10	12	10	12		7	.	1	2	3	.	.	.	.	1	.
Lobar-pneumonia, ...	18	8	.	.	.	2	2	1	.	1	15·9	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).			8	6	6	5	7	11	9	8		3	.	1	.	.	.	.	1	.	1	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	4	3	2	1	3	2	3	3	3	4	2·8	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System.												1	.	.	.	.	.	.	.	1	.	.

THIRD WEEK ending Saturday, 21st January, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 3rd Week of the 10 years 1901–1910.	In the Week ending Saturday, 21st January, 1911.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Jan. 19, 1901.	Jan. 18, 1902.	Jan. 24, 1903.	Jan. 23, 1904.	Jan. 21, 1905.	Jan. 20, 1906.	Jan. 19, 1907.	Jan. 18, 1908.	Jan. 23, 1909.	Jan. 22, 1910.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 44·7	° 37·3	° 42·2	° 42·4	° 38·6	° 38·5	° 43·0	° 44·5	° 38·8	° 37·6	° 40·8	° 38·6										
Diseases of the Pharynx, Tonsillitis.	.	.	.	1	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	.	1	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	1	.	.	.	.	1	.	.	.
Diarrhœa of Children under 2 years.	2	2	1	.	.	1	1	.	1	4	1·2	2	.	2	.	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	2	2	3	1	.	1	4	4	11	3	3·1	2	1	1	.	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	1	.	1	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	3	5	2	.	1	1	.	1	3	.	2·3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...			.	3	.	.	2	1	.	1		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	5	6	3	5	6	8	6	3	3	5·0	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...												2	.	.	.	1	.	.	.	1	.	.
Chronic Bright's Disease, ...												5	.	.	.	.	.	.	3	2	.	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	2	8	6	4	8	5	11	7	4	4	5·9	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												1	.	.	.	.	.	.	.	1	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	.	.	.	.	.	.	1	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	4	.	2	.	.	.	.	.	.	1	1
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	4	3	7	2	4	7	4	2	7	4·3	2	2	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	4	2	2	.	.	.	.	.	.	.	.
Old Age, ...	6	11	2	11	5	3	7	7	.	4	5·6	7	.	.	.	.	.	.	.	.	1	6
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	1	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	1	.	1	1	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	2	.	1	.	2	4	2	1	2	.	1·4	1	.	.	.	1	.	.	.	.	.	.
By Drowning, ...	1	.	1	2	.	.	1	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	1	1	1	1	2	3	2	3	.	1·5	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	2	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	1	.	2	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	6	1	1	.	.	.	.	1	1	2	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910–11—WEEK ENDING																									
	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.
No. of weeks in Annual Series,	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3
BIRTHS registered.	243	198	209	240	194	228	260	235	292	196	219	161	244	182	211	207	204	182	199	174	232	158	170	203	230	238
Average Births in corresponding week of previous 10 years, ...	215	221	202	219	218	207	232	203	200	252	192	184	209	206	209	202	195	181	207	193	195	177	174	231	208	209
DEATHS registered, ...	127	145	143	126	146	120	141	153	174	164	160	151	174	139	147	141	166	168	176	188	165	178	155	176	179	190
Annual Death-rate per 1,000, ...	16·4	18·8	18·5	16·3	18·9	15·5	18·2	19·8	22·5	21·2	20·7	19·5	22·5	18·0	19·0	18·2	21·5	21·7	22·8	24·3	21·4	23·0	20·1	22·5	22·9	24·3
Average Deaths in corresponding week of previous 10 years, ...	147	146	148	156	166	159	157	154	167	160	158	156	160	156	172	175	179	182	182	182	177	182	177	201	195	195
Ages, Under 5 years, ...	31	31	54	37	57	42	38	59	70	60	58	44	56	40	46	47	57	49	55	53	43	41	47	56	60	62
Ages, 5—15 „ ...																								5	10	7
Ages, 15—25 „ ...																								9	7	10
Ages, 25—45 „ ...	96	114	89	89	89	78	103	94	104	104	102	107	118	99	101	94	109	119	121	135	122	137	108	25	24	27
Ages, 45—65 „ ...																								45	38	41
Ages, 65—75 „ ...																								20	25	28
Ages, 75 and upwards, ...																								16	15	15
Deaths from :—																										
Enteric Fever, ...	2	.	.	2	.	1	1	1	1	.	3	1	2	1	1	.	.	2	.	1	2	1	.	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	1	.	.	.	.	.	3	.	1	.	.	.	1	.	1	1	.	2	1	.	1	4	3	6
Scarlet Fever, ...	3	1	1	1	2	1	1	2	.	.	1	.	1	1	3	.	2	1	3	1	1	.	2	7	.	.
Whooping-cough, ...	.	3	3	2	.	4	3	2	1	2	2	2	5	1	1	4	2	6	5	11	1	5	7	6	5	6
Diphtheria, ...	5	1	.	2	4	1	.	2	3	2	2	1	.	4	1	2	3	2	4	.	3	2	.	1	2	4
Influenza, ...	.	1	.	1	.	.	.	1	1	2	1	1	2	1	4	1	.	2	4	2	1	3	1	.	1	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.
Tuberculous Disease, Phthisis, ...	17	24	14	17	12	17	23	15	19	18	17	14	23	17	18	16	20	14	16	25	14	19	19	21	19	27
Tuberculous Disease, Other Forms,	9	10	15	7	5	5	13	9	8	11	12	8	8	4	11	11	8	6	7	11	4	7	5	4	6	9
Cancer, ...	10	8	8	9	10	8	9	7	9	11	12	11	12	9	7	9	8	14	3	12	4	13	6	8	3	12
Diseases of Circulatory System,	23	23	20	16	20	17	23	19	24	30	20	24	25	23	17	18	22	24	30	30	23	28	31	17	20	13
Diseases of Respiratory System, Pneumonia	5	7	8	7	6	5	6	10	4	6	5	11	15	12	13	11	16	16	14	15	27	18	11	15	16	10
Diseases of Respiratory System, Others, ...	12	10	8	10	11	6	10	10	20	12	16	17	17	12	18	26	26	29	37	27	32	26	25	29	25	28
Diarrhœa, Under 2 years, ...	.	2	14	6	17	12	11	21	22	27	12	10	8	4	5	4	2	4	6	2	2	2	1	3	2	2
Diarrhœa, 2 years & upwards,																								.	.	.
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	2	2
Violent Deaths, ...	5	3	6	2	4	5	3	6	6	3	10	4	.	2	1	2	2	3	4	4	8	4	6	2	8	1
Number of Uncertified Deaths,	7	2	3	4	4	3	2	1	3	3	3	6	2	4	1	8	6	7	5	5	3	3	6	4	5	7
Mean Temperature of the Air (Phœnix Park)	57·8	56·5	59·2	58·8	56·6	57·2	54·8	52·0	50·4	54·2	52·5	48·2	49·1	50·4	43·1	39·6	38·2	42·2	37·0	43·4	45·2	43·5	40·9	37·2	39·0	38·6
Average Mean Temperature in corresponding week of previous 10 years, ...	58·8	58·8	58·2	57·7	56·5	56·1	54·4	53·1	53·8*	53·7	52·2	50·6	48·4	46·2	47·1	45·2	42·7	41·5	42·8	42·4	41·6	41·3*	41·3	42·0	40·0	40·8
Rainfall in inches, ...	·355	·940	·205	1·175	·411	·194	·150	·015	·015	·391	·585	·138	·333	·365	·558	·860	·352	1·206	1·820	1·700	1·172	·183	·130	·336	·345	·153
Mean Humidity of the Air, complete Saturation 1·0, ...	·81	·84	·85	·81	·84	·88	·87	·91	·85	·89	·90	·84	·92	·87	·90	·89	85	91	·93	·91	·91	·94	·88	·92	·90	·93

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 21st January, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 21ST JANUARY, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	190	62	7	10	27	41	28	15	.	.	.	6	.	6	4	.	27	9	12	4	10	28	2	.	2	1	79	7
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	15·0	5	.	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	87,188	18·5	31	7	.	.	7	8	6	3	.	.	.	.	.	2	1	.	2	1	5	.	.	.	.	.	.	.	20	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	22·2	47	15	3	5	4	7	6	7	.	.	.	2	.	1	3	.	8	1	4	1	1	4	1	.	.	.	21	1
IV.	GENERAL SERVICE CLASS, ...	154,279	25·7	76	34	4	3	11	15	5	4	.	.	.	4	.	3	.	.	9	5	1	3	7	13	.	.	1	1	29	5
V.	INMATES OF WORKHOUSES, ...	6,024	—	31	6	.	2	4	9	9	1	.	.	.	.	.	.	.	.	8	2	1	.	1	10	1	.	1	.	7	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	27·0	4	.	.	.	2	1	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	9·5	4	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	3	.
	6. Clerks and Commercial Assistants, ...	30,432	22·3	13	6	.	.	2	2	2	1	.	.	.	.	.	2	1	.	.	1	1	.	.	.	.	.	.	.	8	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	19·3	10	.	.	.	1	4	4	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	7	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	26·4	5	1	1	1	.	.	1	1	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	19·2	11	5	1	.	.	1	3	1	.	.	.	.	.	1	.	.	.	.	.	1	.	3	.	.	.	.	6	.
	10. Clothing Trades, ...	23,260	11·2	5	.	.	2	.	2	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	3	.
	11. Food Supply Trades, ...	9,242	28·2	5	1	1	1	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	4	1
	12. Other Trades and Callings ranking with Trades, ...	30,352	27·5	16	4	.	1	3	4	1	3	.	.	.	.	.	.	2	.	2	1	3	.	.	1	.	.	.	.	7	.
	13. Petty Shopkeepers, ...	7,894	33·0	5	4	.	.	1	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	1	.	1	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	19·4	5	.	1	1	1	1	.	1	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	2	.
	15. Domestic Servants, ...	36,603	10·0	7	1	.	1	.	2	2	1	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	.	.	2	1
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	39·9	11	4	.	.	4	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	8	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	30·8	53	29	3	1	6	9	3	2	.	.	.	4	.	3	.	.	5	2	.	2	6	12	.	.	1	1	17	4
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	31	6	.	2	4	9	9	1	.	.	.	.	.	.	.	.	8	2	1	.	1	10	1	.	1	.	7	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1910-11. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa. Children under 2 years.	2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),																						
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*)	Dec. 3,	29·6	3·5	17	.	.	.	.	.	2	.	—	4	1	.	.	4	.		—	1	.
	„ 10,	17·4	3·5	10	.	.	.	.	.	2	.	—	1	.	1	.	.	.		—	2	1
	„ 17,	22·7	.	13	.	.	.	.	.	.	.	—	2	.	.	3	2	.		—	2	.
	„ 24,	17·4	.	10	.	.	.	.	.	.	.	—	3	.	1	2	.	.		—	.	1
	„ 31,	12·2	.	7	.	.	.	.	.	.	.	—	.	.	.	1	2	.		—	.	.
Pop. in 1911 (Est.) 30,219	Jan. 7,	25·9	1·7	15	.	.	.	.	.	1	.	.	4	1	1	2	2	.	.	.	.	.
	„ 14,	22·4	.	13	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	1
	„ 21,	27·6	1·7	16	.	.	.	.	.	.	1	.	1	1	2	.	3	.	.	.	.	2
North City, No. 1 (W.) (*Office, Summer hill.*)	Dec. 3,	19·6	2·6	15	.	.	.	.	1	.	.	—	1	3	.	1	4	1		—	.	.
	„ 10,	36·5	1·3	28	.	.	.	.	.	.	.	—	2	.	2	4	2	1		—	.	1
	„ 17,	19·6	2·6	15	.	.	.	.	1	.	.	—	.	.	.	2	4	1		—	1	.
	„ 24,	15·7	.	12	.	.	.	.	.	.	.	—	4	2	3	1	.	.		—	.	.
	„ 31,	20·9	.	16	.	.	.	.	.	.	.	—	6	.	.	2	3	.		—	1	1
Pop. in 1911 (Est.) 40,390.	Jan. 7,	21·9	1·3	17	.	.	.	.	.	.	.	.	1	.	.	2	6	1	.	.	.	1
	„ 14,	14·2	1·3	11	.	.	.	.	.	.	.	.	2	1	.	.	1	1	.	.	1	.
	„ 21,	31·0	1·3	24	.	.	.	.	.	.	.	.	7	1	.	.	4	1	.	.	.	1
North City, No. 2. (*Office, Lisburn-street.*)	Dec. 3,	23·7	.	14	.	.	.	.	.	.	.	—	.	1	.	.	4	.		—	1	.
	„ 10,	27·1	1·7	16	.	.	.	.	.	1	.	—	3	2	.	.	3	.		—	.	.
	„ 17,	18·7	1·7	11	.	.	.	.	.	.	1	—	2	.	.	1	1	.		—	.	.
	„ 24,	30·5	1·7	18	.	.	.	.	.	.	.	—	3	.	1	3	2	1		—	.	.
	„ 31,	18·7	.	11	.	.	.	.	.	.	.	—	.	1	.	.	2	.		—	.	.
Pop. in 1911 (Est.) 31,064.	Jan. 7,	31·9	1·7	19	.	.	.	.	.	1	.	.	2	2	1	.	4	.	.	.	.	.
	„ 14,	16·8	.	10	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2	.
	„ 21,	15·1	.	9	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*)	Dec. 3,	21 8	1·6	14	.	.	.	.	.	1	.	—	.	.	.	2	2	.		—	.	1
	„ 10,	18·6	.	12	.	.	.	.	.	.	.	—	1	2	3	1	.	.		—	.	.
	„ 17,	17·1	.	11	.	.	.	.	.	.	.	—	.	.	.	2	4	.		—	.	1
	„ 24,	26·4	.	17	.	.	.	.	.	.	.	—	.	.	.	.	3	.		—	1	2
	„ 31,	10·9	1·6	7	.	.	.	.	1	.	.	—	2	.	1	.	2	.		—	.	.
Pop. in 1911 (Est.) 33,908.	Jan. 7,	26·1	7·7	17	.	.	.	.	5	.	.	.	1	.	1	1	.	.	.	.	1	.
	„ 14,	24·6	1·5	16	.	.	.	.	.	1	.	.	2	.	.	.	2	.	.	.	1	.
	„ 21,	20·0	3·1	13	.	.	.	.	.	1	1	.	2	1	1	1	.	.	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*)	Dec. 3,	26·4	3·8	21	.	.	.	.	.	1	1	—	2	.	.	.	6	1		—	.	.
	„ 10,	18·9	2·5	15	.	.	.	.	.	1	.	—	2	.	1	1	2	1		—	.	.
	„ 17,	15·1	.	12	.	.	.	.	.	.	.	—	2	.	.	.	6	.		—	.	.
	„ 24,	32·7	3·8	26	.	.	.	.	.	2	1	—	.	1	1	3	1	.		—	1	.
	„ 31,	23·9	2·5	19	.	.	.	.	.	2	.	—	4	1	.	2	6	.		—	1	.
Pop. in 1911. (Est.) 41,908.	Jan. 7,	22·4	1·2	18	.	.	.	.	.	1	.	.	2	.	.	1	4	.	.	.	.	.
	„ 14,	27·4	3·7	22	.	.	.	.	.	1	2	.	3	1	.	2	3	.	.	.	.	.
	„ 21,	31·1	1·2	25	.	.	.	1	.	.	.	.	7	.	2	1	4	.	.	1	.	.
South City, No. 2. (*Office, Castle-street.*)	Dec. 3,	26·4	4·8	11	.	.	.	.	.	.	2	—	.	.	.	1	4	.		—	1	.
	„ 10,	19·2	2·4	8	1	.	.	.	.	.	.	—	1	.	.	2	2	.		—	.	.
	„ 17,	31·2	.	13	.	.	.	.	.	.	.	—	.	.	.	2	3	.		—	.	.
	„ 24,	36·0	.	15	.	.	.	.	.	.	.	—	3	1	1	2	3	.		—	.	.
	„ 31,	14·4	2·4	6	.	.	.	.	.	1	.	—	.	.	.	.	1	.		—	2	.
Pop. in 1911 (Est.) 21,980.	Jan. 7,	21·4	.	9	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.	.	.
	„ 14,	30·8	2·4	13	.	.	.	1	.	.	.	.	1	.	.	2	1	.	.	.	.	.
	„ 21,	7·1	.	3	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
South City, No. 3. (*Office, Peter-street.*)	Dec. 3,	16·9	1·2	14	.	.	.	.	1	.	.	—	2	1	.	3	2	.		—	.	.
	„ 10,	31·4	7·2	26	.	.	.	1	.	5	.	—	3	3	.	3	6	.		—	.	.
	„ 17,	18·1	.	15	.	.	.	.	.	.	.	—	.	1	.	4	4	.		—	1	1
	„ 24,	21·7	3·6	18	.	.	.	.	.	2	1	—	1	2	1	2	3	.		—	.	.
	„ 31,	19·3	.	16	.	.	.	.	.	.	.	—	3	.	.	1	2	.		—	1	3
Pop. in 1911 (Est.) 43,677.	Jan. 7,	23·9	1·2	20	.	.	.	.	.	.	.	.	5	.	.	1	4	1	.	.	.	1
	„ 14,	28·7	2·4	24	1	.	.	.	.	1	.	.	4	2	.	6	4	.	.	1	1	1
	„ 21,	37·0	3·6	31	.	.	.	1	.	2	.	.	3	1	1	3	9	.	.	.	1	1
South City, No. 4. (*Office, Grand Canal-st.*)	Dec. 3,	27·6	5·8	19	.	.	.	.	1	.	.	—	2	.	.	2	3	3		—	1	1
	„ 10,	34·9	4·4	24	.	.	.	1	.	2	.	—	1	3	2	2	6	.		—	.	2
	„ 17,	18·9	1·5	13	.	.	.	1	.	.	.	—	3	2	.	2	3	.		—	1	.
	„ 24,	24·7	1·5	17	.	.	.	.	.	.	.	—	2	.	1	1	7	1		—	.	.
	„ 31,	18·9	8·7	13	.	.	.	1	1	3	.	—	1	1	.	1	1	1		—	.	.
Pop. in 1911 (Est.) 36,254.	Jan. 7,	20·1	10·1	14	.	.	.	3	.	2	1	.	1	1	1	.	.	1	.	.	.	.
	„ 14,	20·1	5·8	14	.	.	.	2	.	2	.	.	1	1	.	1	2	.	.	.	.	.
	„ 21,	24·5	5·8	17	.	.	.	2	.	1	1	.	.	1	1	1	3	.	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1910-11. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes.	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa: Children under 2 years.	Diarrhœa: 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 37,528.	Dec. 3,	16·9	.	12	.	.	.	.	.	.	.	—	1	.	.	1	2	.		—	.	1
	„ 10,	11·3	.	8	.	.	.	.	.	.	.	—	2	.	.	.	3	.		—	.	.
	„ 17,	14·1	.	10	.	.	.	.	.	.	.	—	1	.	1	2	.	.		—	1	1
	„ 24,	15·5	1·4	11	.	.	.	.	.	1	.	—	1	.	1	1	1	.		—	1	.
	„ 31,	23·9	1·4	17	.	.	.	.	.	1	.	—	.	.	.	1	3	.		—	.	1
	Jan. 7,	12·5	.	9	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	1
	„ 14,	9·7	.	7	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1
	„ 21,	18·1	.	13	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,368.	Dec. 3,	25·2	1·8	14	.	.	.	.	.	.	.	—	1	.	1	1	2	1		—	.	.
	„ 10,	18·0	.	10	.	.	.	.	.	.	.	—	2	.	1	.	3	.		—	.	.
	„ 17,	19·8	1·8	11	1	.	.	.	.	.	.	—	.	.	.	3	2	.		—	.	.
	„ 24,	14·4	.	8	.	.	.	.	.	.	.	—	.	.	1	1	3	.		—	.	.
	„ 31,	9·0	.	5	.	.	.	.	.	.	.	—	1	.	.	.	.	.		—	1	.
	Jan. 7,	10·7	1·8	6	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 14,	21·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.	1	.	.
	„ 21,	21·3	1·8	12	.	.	.	1	.	.	.	.	1	1	2	.	1	.	.	.	.	2
Kingstown Urban District. Pop. in 1911 (Est.) 17,622.	Dec. 3,	5·9	.	2	.	.	.	.	.	.	.	—	.	.	.	1	.	.		—	.	.
	„ 10,	17·8	.	6	.	.	.	.	.	.	.	—	1	.	1	.	.	.		—	.	.
	„ 17,	23·7	.	8	.	.	.	.	.	.	.	—	.	.	.	3	1	.		—	1	.
	„ 24,	8·9	.	3	.	.	.	.	.	.	.	—	.	.	1	.	1	.		—	.	.
	„ 31,	23·7	.	8	.	.	.	.	.	.	.	—	1	.	2	2	.	.		—	.	.
	Jan. 7,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.
	„ 14,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	2
	„ 21,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Belfast. Pop. in 1911 (Est.) 398,421.	Dec. 3,	14·5	0·5	109	.	.	.	2	.	.	1	—	13	7	6	7	25	1		—	3	3
	„ 10,	20·1	1·7	151	.	.	.	3	1	1	4	—	14	5	5	13	36	4		—	2	4
	„ 17,	17·7	1·1	133	.	.	.	3	2	.	.	—	12	7	8	10	22	3		—	6	1
	„ 24,	17·6	0·5	132	.	.	.	1	1	1	.	—	15	3	6	10	29	1		—	2	1
	„ 31,	12·1	0·3	91	.	.	.	.	1	1	.	—	9	3	5	7	18	.		—	4	3
	Jan. 7,	16·0	0·4	122	.	.	.	.	1	.	.	.	14	7	7	8	18	1	1	1	6	3
	„ 14,	19·8	0·4	151	.	1	.	.	1	.	.	.	23	7	2	9	24	.	1	.	6	.
	„ 21,	15·4	0·5	118	.	.	.	1	1	1	1	.	17	4	7	7	24	.	.	.	1	1
Cork. Pop. (in 1901) 76,122.	Dec. 3,	13·7	.	20	.	.	.	.	.	.	.	—	1	1	1	.	6	.		—	1	.
	„ 10,	13·7	.	20	.	.	.	.	.	.	.	—	5	1	1	1	2	.		—	.	.
	„ 17,	20·5	1·4	30	.	.	.	.	.	1	.	—	4	1	.	.	3	1		—	1	1
	„ 24,	17·1	.	25	.	.	.	.	.	.	.	—	5	1	2	.	2	.		—	.	3
	„ 31,	25·3	1·4	37	.	.	.	.	.	2	.	—	4	1	.	.	5	.		—	.	4
	Jan. 7,	24·0	2·1	35	.	.	.	.	1	1	1	.	4	1	1	2	6	.	.	.	1	3
	„ 14,	20·5	1·4	30	.	.	.	.	.	2	.	.	2	.	2	1	5	.	.	.	.	3
	„ 21,	27·4	.	36	.	.	.	.	.	.	.	.	3	.	2	1	16	.	.	1	1	1
Londonderry. Pop. in 1911 (Est.) 43,900.	Dec. 3,	15·6	1·2	13	.	.	.	.	.	.	.	—	3	.	.	2	1	1		—	.	1
	„ 10,	15·6	3·6	13	.	.	.	.	.	3	.	—	1	.	2	.	1	.		—	.	1
	„ 17,	20·4	.	17	.	.	.	.	.	.	.	—	.	3	2	2	3	.		—	.	.
	„ 24,	18·0	.	15	.	.	.	.	.	.	.	—	1	1	2	.	2	.		—	.	1
	„ 31,	16·8	4·8	14	.	.	.	.	.	3	.	—	1	.	1	.	1	1		—	.	.
	Jan. 7,	24·9	2·4	21	.	.	.	.	.	1	.	.	2	2	1	1	3	1	.	.	.	.
	„ 14,	15·4	1·2	13	.	.	.	.	.	1	.	.	3	.	1	.	1	.	.	.	.	.
	„ 21,	23·8	4·8	20	.	.	.	.	.	4	.	.	.	.	1	1	4	.	.	.	.	.
Limerick. Pop. (in 1901) 38,151.	Dec. 3,	23·2	.	17	.	.	.	.	.	.	.	—	1	.	.	.	4	.		—	.	6
	„ 10,	13·7	.	10	.	.	.	.	.	.	.	—	1	.	1	.	3	.		—	.	4
	„ 17,	21·9	.	16	.	.	.	.	.	.	.	—	2	1	2	.	4	.		—	.	.
	„ 24,	10·9	.	8	.	.	.	.	.	.	.	—	1	.	.	.	1	.		—	.	3
	„ 31,	28·7	1·4	21	.	.	.	.	.	1	.	—	4	.	.	1	4	.		—	.	5
	Jan. 7,	13·7	.	10	.	.	.	.	.	.	.	.	.	.	1	.	4	.	.	.	.	.
	„ 14,	15·0	1·4	11	1	.	.	.	.	.	.	.	1	.	.	1	2	.	.	1	.	.
	„ 21,	20·5	.	15	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	1
Waterford. Pop. (in 1901) 26,769.	Dec. 3,	19·5	1·9	10	.	.	.	.	.	.	.	—	2	.	.	.	.	1		—	.	.
	„ 10,	7·8	.	4	.	.	.	.	.	.	.	—	.	.	.	.	2	.		—	.	.
	„ 17,	35·1	.	18	.	.	.	.	.	.	.	—	2	1	.	3	2	.		—	.	1
	„ 24,	13·6	1·9	7	.	.	.	.	.	.	.	—	.	1	1	.	.	1		—	.	.
	„ 31,	17·5	.	9	.	.	.	.	.	.	.	—	1	1	.	.	4	.		—	.	.
	Jan. 7,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	1
	„ 14,	27·3	.	14	.	.	.	.	.	.	.	.	2	.	2	.	3	.	.	.	1	.
	„ 21,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 21st January, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: Certain Epidemic Diseases.*	Total Number of DEATHS.	DEATHS. Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa: Of children under 2 years of age.	Diarrhœa: 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.			The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.																												
BELFAST URBAN No. 1 DISTRICT,	349,180	13			9	1	.	1	3	1	3	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	3	.
Do. 2 do.		32			16	4	1	5	1	3	2	.	.	.	.	1	1	.	.	2	.	.	.	3	.	.	.	.	.	5	1
Do. 3 do.		28			16	1	1	1	2	2	9	.	.	.	.	.	.	.	.	2	.	.	2	4	.	.	.	.	1	3	.
Do. 4 do.		23			10	3	1	1	.	3	2	.	.	.	1	.	.	1	.	.	.	.	2	1	.	.	.	.	.	3	.
Do. 5 do.		8			8	.	.	1	5	.	2	.	.	.	.	.	.	.	.	1	2	.	.	3	.	.	.	.	.	3	.
Do. 6 do.		9			11	1	.	1	2	3	4	.	.	.	.	.	.	.	.	3	.	2	1	1	.	.	.	.	.	2	.
Do. 7 do.		2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		5			3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		7			5	1	1	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	1	.
Do. 10 do.		14			9	3	.	1	1	3	1	.	.	.	.	.	.	.	.	2	.	1	.	4	.	.	.	.	.	2	.
Do. 11 do.		32			10	1	2	4	.	.	3	.	.	.	.	.	.	.	.	4	.	1	1	2	.	.	.	.	.	.	.
Do. 12 do.		37			13	5	1	1	1	3	2	.	.	.	.	.	.	.	.	1	1	1	.	5	.	.	.	.	.	2	.
Do. 13 do.		10			4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		13			4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Total,	—	233			118	23	8	16	17	21	33	.	.	.	1	1	1	1	.	17	4	7	7	24	.	.	.	1	2	27	1
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	4	28·4	.	7	2	.	.	2	3	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	.	.	3	.
Do. 2 do.	10,701	8	9·7	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 3 do.	9,978	2	31·4	.	6	.	1	.	1	2	2	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	1	1	1	.
Do. 4 do.	8,666	6	24·1	.	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	3	.
Do. 5 do.	6,592	2	7·9	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 6 do.	10,702	2	34·1	.	7	1	.	1	.	3	2	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	3	.
Do. 7 do.	16,616	8	28·2	.	9	2	.	.	1	4	2	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	1	.	.	5	1
Total,	76 122	32	24·7	.	36	6	1	1	5	15	8	.	.	.	.	.	.	.	.	3	.	2	1	16	.	.	1	1	1	15	1

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910–11—WEEK ENDING																									
	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.
No. of weeks in Annual Series,	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3
BIRTHS registered, ...	214	179	219	210	159	219	190	264	194	172	200	205	228	201	183	178	156	181	175	185	167	200	199	241	231	233
DEATHS registered, ...	135	115	102	124	131	121	103	116	122	105	94	122	120	115	108	122	132	134	109	151	133	132	91	122	151	118
Annual Death rate per 1,000 of estimated population, ...	18·0	15·3	13·6	16·5	17·5	16·1	13·7	15·5	16·3	14·0	12·5	16·3	16·0	15·3	14·4	16·3	17·6	17·9	14·5	20·1	17·7	17·6	12·1	16·0	19·8	15·4
AGES, Under 1 year, ...	35	27	27	35	49	30	28	23	29	25	31	27	27	28	24	28	27	24	17	34	20	22	18	21	30	23
AGES, 1—5 years, ...	23	19	6	17	14	15	14	13	11	14	6	14	16	8	11	6	6	5	8	11	17	12	8	12	11	8
AGES, 5—25 „ ...																								7	20	16
AGES, 25—45 „ ...	77	69	69	72	68	76	61	80	82	66	57	81	77	79	73	88	99	105	84	106	96	98	65	30	37	17
AGES, 45—65 „ ...																								32	25	21
AGES, 65 and upwards, ...																								20	28	33
Deaths from :—																										
Enteric Fever, ...	2	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.
Typhus, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	8	7	4	7	3	.	3	1	3	1	1	3	5	.	3	1	.	2	2	3	3	1	.	.	.	1
Scarlet Fever, ...	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1	2	1	1	1	1	1
Whooping-cough, ...	.	2	1	1	5	.	1	1	1	3	1	1	.	1	.	.	.	1	.	1	.	1	1	.	.	1
Diphtheria, ...	1	.	.	.	.	.	.	1	.	.	.	2	1	.	.	1	1	.	1	4	.	.	.	.	.	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.
Tuberculous Disease. Phthisis, ...	15	13	12	16	10	11	12	14	11	17	9	17	10	12	14	12	17	17	13	14	12	15	9	14	23	17
Tuberculous Disease. Other Forms,	7	7	8	9	5	9	6	13	6	7	3	8	6	8	2	7	8	4	7	5	7	3	3	7	7	4
Cancer, ...	7	3	7	3	4	5	8	10	8	5	5	7	5	7	9	5	8	9	6	5	8	6	5	7	2	7
Diseases of Respiratory System, Pneumonia,	8	3	4	5	10	8	6	7	10	7	5	11	11	7	7	13	11	8	7	13	10	10	7	8	9	7
Diseases of Respiratory System, Others, ..	16	10	5	8	8	9	5	5	8	11	9	16	9	19	11	23	16	25	25	36	22	29	18	18	24	24
Diarrhœa, Under 2 years, ...	6	10	14	22	29	16	13	15	13	7	7	3	8	10	6	4	3	1	1	4	3	1	.	1	.	.
Diarrhœa, 2 years & upwards,																								1	1	.
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	.	.
Violent Deaths, ...	1	1	6	.	3	2	1	1	5	2	.	.	2	.	3	4	2	5	3	2	6	2	4	6	6	1
Number of Uncertified Deaths, ...	1	2	1	2	.	2	2	2	.	1	1	1	.	.	2	3	.	.	3	4	1	1	3	3	.	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,912,054	Jan. 21,	2,289	1,613	17·1	2	.	82	5	26	12	22*a*
Edinburgh, ...	365,253	„ 21,	134	95	13·6	.	.	.	.	2	.	1
Glasgow, ...	897,178	„ 21,	399	259	15·1	2	.	.	2	12	4	6
Calcutta, ...	1,009,008	Dec. 17,	.	545	28·0	111*	.	.	.	.	1	87‡
Bombay, ...	977,822	„ 20,	450	621	33·0	75*	4	8	.	.	.	85‡
Madras, ...	509,346	Nov. 26,	416	398	40·6	98*	1	.	?	?	?	51
Cairo, ...	682,953	Dec. 2,	657	370	28·2	.	.	1	1	.	16†	45*a*
Paris, ...	2,760,000	„ 24,	875	891	16·9	4	.	4	1	3	3†	16*a*
Brussels, ...	720,030	„ 31,	219	159	11·5	2	.	.	.	.	1†	10*a*
Antwerp, ...	317,171	„ 31,	113	66	10·9	.	.	2	.	.	.	7*a*
Amsterdam, ...	574,987	„ 31,	278	152	13·8	.	.	9	1	3	.	6*a*
Copenhagen, ...	450,000	„ 31,	260	152	17·6	.	.	.	1	3	2†	6
Stockholm, ...	341,816	„ 24,	149	83	12·6	.	.	.	1	.	.	4
Christiania, ...	240,178	Jan. 7,	98	46	10·0	.	.	.	.	.	.	1
St. Petersburg, ...	1,620,000	Dec. 17,	954	701	22·6	7	4	7	18	2	15	41
Moscow, ...	1,493,600	„ 10,	.	784	27·4	5	1	8	32	6	28†	61
Berlin, ...	2,068,546	„ 24,	844	581	14·6	1	.	3	5	4	12†	23
Hamburg, ...	895,804	„ 31,	.	287	16·7	3	.	1	.	5	14†	9
Breslau, ...	516,407	„ 31,	.	216	21·8	.	.	.	.	3	2	20
Munich, ...	595,000	Jan. 7,	.	191	16·6	.	.	6	.	.	1†	13
Vienna (with suburbs),	2,130,320	Dec. 31,	797	684	16·7	1	.	11	2	3	1†	26*a*
Buda-Pesth, ...	833,703	„ 31,	463	287	17·9	1	.	.	4	.	5†	13*a*
Prague and Faubourgs,	508,310	„ 17,	154	157	16·1	1	.	.	1	.	1†	9*a*
Trieste, ...	223,521	„ 24,	136	92	21·5	1	.	.	.	2	1†	1*a*
Rome, ...	589,425	Oct. 22,	257	171	15·1	9	.	1	.	1	2	22‡
Venice, ...	183,224	Dec. 3,	83	78	22·2	2	.	.	.	.	1†	6
		„ 10,	81	60	17·1	.	.	.	.	.	.	6
New York, ...	4,803,264	„ 24,	2,245	1,690	18·4	12	.	4	8	8	27†	30*a*
Philadelphia, ...	1,598,400	„ 3,	.	.	.	.	.	.	.	.	.	.
Boston, ...	688,912	Jan. 7,	.	227	17·2	.	.	.	1	.	4	8

* Deaths from "fever," including 5 deaths from enteric fever in Calcutta, 3 in Bombay, and one in Madras, and 16 deaths from plague in Calcutta, and 5 in Bombay.

† Including deaths from croup.

‡ Including 22 deaths from cholera in Calcutta, 14 in Bombay, and 7 in Rome.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 21st January, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) — *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	2	.	.	1	1	.	.	1	5
" " 1, West, ...	.	.	.	.	.	.	1	1	1	.	.	1	4
" " 2, ...	.	1	.	.	2	.	.	.	.	.	.	.	3
" " 3, ...	.	7	.	.	8	.	.	1	1	.	.	2	19
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	1	.	1	.	.	2	.	.	.	.	5
Finglas and Glasnevin (part of), ...	.	5	.	.	.	.	.	.	.	.	.	.	5
South City No. 1, ...	.	3	.	.	1	.	1	4	5	.	.	.	14
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	5	5
" " 3, ...	.	2	.	.	1	.	.	1	.	.	.	1	5
" " 4, ...	.	.	.	.	1	.	.	.	.	.	.	.	1
New Kilmainham, ...	.	1	.	.	.	.	.	.	.	.	.	1	2
Total, ...	.	20	1	.	16	.	2	10	8	.	.	11	68

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 21st January, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 21st January.			
	Dec. 31.	Jan. 7.	Jan. 14.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	1	.	.	.	1
Measles, ...	22	24	21	10	5	3	23
Scarlet Fever, ...	122	96	89	19	17	.	91*
Typhus, ...	.	.	1	.	.	.	1
Diphtheria, ...	66	66	69	32	11	3	87
Enteric Fever, ...	36	42	41	18	5	.	54
Pneumonia, ...	21	25	22	4	4	.	22

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 21st January, 1911:—

"Throughout this week an anticyclonic system, in the centre of which the barometer rose on Tuesday morning to 30·90 inches at Munich, stretched across Central Europe to the southern half of the British Isles, France, and the ocean between Ireland and Brittany. Atmospheric pressure was relatively low in the Mediterranean basin and in the far North a series of deep barometric depressions passed quickly eastwards across Iceland and the Norwegian Sea to Finmark. Calm, cold, foggy weather was prevalent within the area of high pressure, whereas open, squally, rainy weather was reported from Norway—at Christiansund 3·69 inches of rain were measured up to Friday morning on 5 rain-days. This large precipitation was connected with the prevalence of strong, warm and moist S.W. winds on the Norwegian Coast. The same winds passed with a smaller velocity over the northern half of the British Isles, in which region the weather was for the most part mild though damp. As the calm area of the anticyclone spread to Ireland, the thermometer fell decidedly in the centre and east of this country, so that on Thursday morning Birr reported a minimum of 24°, and even in the City of Dublin 30° was recorded in the screen; at 7 a.m. of that day the temperature was 26° at Birr Castle but 49° at Blacksod Point, Co. Mayo—that is, on the Atlantic coast. Even at Holyhead the minimum was not lower than 41° and the 7 a.m. reading was 45·0°. The local chill in Central and Eastern Ireland was accompanied by dense fogs on both Thursday and Friday, but with a light S.W. wind on Saturday came bright sunshine and a milder temperature. Cirrus cloud came up from S.W. in the afternoon of this day and rain fell at 9 p.m., the air being calm and smoke fog prevailing. In Dublin the mean height of the barometer was 30·501 inches, the range being from 30·748 inches at 9 a.m. of Wednesday (wind, S.W.) to 30·141 inches at 4 p.m. of Saturday (wind, S.S.W.). The corrected mean temperature was 40·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 39·9°. The screened thermometers rose to 48·5° on Tuesday and fell to 30·1° on Thursday. S.W. winds at first, and calms later, were prevalent. Rain fell on 2 days, the measurement being ·083 inch, of which ·075 was registered on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·324 inches. The highest reading (30·569) was on Wednesday at 9 a.m., wind S.W., and the lowest (29·987) on Saturday at 9 p.m., air calm.

The mean temperature for the week was 38·6°, being 2·2° below the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Tuesday, on which day the thermometer registered 48·0°, and was lowest on Thursday, the mercury having fallen to 25·0°. The mean of the Dry Bulb for the week was 38·8° and of the Wet Bulb, 37·8°. The mean humidity of the air was ·93, complete saturation being represented by 1·0. The rainfall during the week measured 0·153 inch.

At Greenwich the mean temperature for the week was 37·3°, the maximum 44·0°, and the minimum 24·1°; at Glasgow the maximum was 49·4°, the minimum 29·0°, and the mean 41·9°; and at Edinburgh the maximum was 49·3°, the minimum 30·7°, and the mean 41·4°. The rainfall at Greenwich measured 0·02 in.; and at Glasgow 0·07 in. There was no rainfall recorded at Edinburgh.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, January 15,	30·155	44·6	32·7	38·7	39·8	38·6	·89	·4	1·0	·008	S.	S.W.
Monday, „ 16,	30·430	46·6	36·9	41·8	41·7	41·0	·95	·7	3·8	·000	W.	S.W.
Tuesday, „ 17,	30·496	48·0	44·5	46·3	45·0	43·7	·91	·6	0·1	·000	S.W.	S.W.
Wednesday, „ 18,	30·529	46·4	28·9	37·7	36·0	34·7	·86	·6	0·7	·000	S.W.	Calm.
Thursday, „ 19,	30·438	37·7	25·0	31·4	33·8	33·0	·93	·1	0·0	·000	Calm.	Calm.
Friday, „ 20,	30·218	36·7	32·8	34·8	33·7	33·6	·99	·1	0·0	·000	Calm.	Calm.
Saturday, „ 21,	30·000	47·9	31·4	39·7	41·3	40·0	·96	·5	4·8	·145	S.W.	Calm.
Mean, ...	30·324	44·0	33·2	38·6	38·8	37·8	·93	·4	Total 10·4	Total ·153	Prevailing Wind, S.W.	

Sunday—Day cloudy to overcast, light rain p.m.; night cloudy. *Monday*—Day overcast to cloudy; night cloudy. *Tuesday*—Day overcast; night overcast. *Wednesday*—Day overcast to cloudy; night clear. *Thursday*—Day overcast, fog; night overcast, fog. *Friday*—Day overcast, fog; night overcast, fog. *Saturday*—Day cloudy; night overcast, drizzle a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, January 21st, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, January 15,	40·2	38·5	43·8	45·8	36·7	41·3	1·2	·001
Monday, „ 16,	37·8	39·2	43·5	48·7	35·0	41·9	—	—
Tuesday, „ 17,	46·0	40·0	43·3	49·5	44·6	47·1	0·1	—
Wednesday, „ 18,	43·0	41·0	43·2	48·0	35·0	41·5	1·8	—
Thursday, „ 19,	33·5	39·7	43·2	39·3	29·9	34·6	—	—
Friday, „ 20,	34·7	39·1	43·2	38·3	32·5	35·4	—	—
Saturday, „ 21,	42·0	38·9	43·1	47·1	32·0	39·6	3·3	·070
Weekly Mean, .	39·6	39·5	43·3	45·2	35·1	40·2	Total 6·4	Total ·071

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30002. Wt. P. 272–32/138. 375. 1. 1911. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & CO., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 28TH JANUARY, 1911. [No. 4.

General Register Office, Charlemont House, Dublin, 30th January, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,163,596.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Jan. 7	Week ending Jan. 14	Week ending Jan. 21	Week ending Jan. 28	Average Rate for 4 weeks.
22 Town Districts, ...	**19·4**	**19·9**	**19·3**	**21·3**	**20·0**
Armagh	20·6	13·7	6·9	48·1	22·3
Ballymena	14·4	4·8	23·9	23·9	16·8
Belfast	16·0	19·8	15·4	15·4	16·7
Clonmel	.	5·1	.	15·4	5·1
Cork	24·0	20·5	24·7	25·3	23·6
Drogheda	16·3	20·4	24·5	16·3	19·4
Dublin Reg. Area ...	21·5	21·4	23·4	27·5	23·4
Dundalk	43·9	12·0	12·0	.	17·0
Galway	23·3	27·2	3·9	3·9	14·6
Kilkenny	34·3	24·6	34·3	29·5	30·7
Limerick	13·7	15·0	20·5	20·5	17·4
Lisburn	9·1	4·5	27·3	27·3	17·1
Londonderry	24·9	15·4	23·8	22·6	21·7
Lurgan	35·4	26·6	13·3	17·7	23·2
Newry	4·2	8·4	25·2	16·8	13·7
Newtownards	17·2	28·6	.	34·3	20·0
Portadown	36·2	15·5	25·8	20·7	24·5
Queenstown	13·2	33·0	19·8	19·8	21·4
Sligo	28·8	24·0	14·4	.	16·8
Tralee	15·9	21·1	.	42·3	19·8
Waterford	13·6	27·3	11·7	11·7	16·1
Wexford	23·3	9·3	14·0	23·3	17·5

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in seventeen of the districts to 5·7 in Newtownards, the 6 deaths from all causes for that district including one from whooping-cough. Among the 118 deaths from all causes for Belfast are one from whooping-cough and 2 from diphtheria. Of the 37 deaths from all causes for Cork 4 are from whooping-cough, and included in the 19 deaths from all causes for Londonderry are 2 from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 232—110 boys and 122 girls—and the deaths to 228—106 males and 122 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœa.

DEATHS.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 27·5 per 1,000 of the population. During the four weeks ending with Saturday last the death-rate averaged 23·5, and was 1·9 below the mean rate for the corresponding portions of the 10 years 1901–10.

Among the total deaths registered are 2 deaths from enteric fever, 2 from measles,* one from scarlet fever, 10 from whooping-cough, one from diphtheria, and 4 deaths of children under 2 years of age from diarrhœa. Influenza caused 4 deaths. In the three preceding weeks, deaths from enteric fever were 0, one, and 0; deaths from measles were 4, 3, and 6; deaths from scarlet fever were 7, 0, and 0; deaths from whooping-cough were 6, 5, and 6; deaths from diphtheria were one, 2, and 4; deaths from diarrhœa and enteritis under 2 years of age were 3, 4, and 4, and deaths from influenza were 0, one, and one, respectively.

Deaths from tuberculous, which in the three preceding weeks numbered 25, 25, and 36, respectively, rose to 35 last week, the latter including 28 deaths from pulmonary tuberculosis, 2 from tuberculous meningitis, 3 from abdominal tuberculosis; one from tuberculosis of the vertebral column, and one from disseminated tuberculosis.

Diseases of the brain and nervous system included 2 deaths from meningitis and 3 deaths from *convulsions*; of the latter 2 were under one year of age and one was aged one year.

Seven deaths were caused by broncho-pneumonia, one by lobar pneumonia, and 9 by *pneumonia* (type not distinguished).

There were 25 deaths from diseases of the circulatory system and 39 deaths from bronchitis.

Prematurity was the cause of the deaths of 4 infants.

Of 3 deaths attributed to accidental causes one was caused by a vehicle, and one by scalds of a girl aged 11 years.

One death by suicide was recorded.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 4 children under 5 years of age (including 2 infants under one year old) and the death of one person aged 78 years.

Fifty-nine of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 7 were under one month old) and 60 were aged 65 years and upwards, including 45 persons aged 70 and upwards; among the latter were 26 aged 75 and upwards, of whom 6 were nonagenarians (one male and 5 females) who were stated to have been aged 90, and 90, 91, 92, 95, and 96 years respectively.

One hundred of the deaths registered during the week occurred in hospitals and other public institutions; of this number 21 took place in the North Dublin Union Workhouse and 13 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 27·5 per 1,000; the rate in the City was 29·4 (North City Districts, 30·5; South 28·3) and in the Suburbs, 21·2.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·4 per 1,000 inhabitants, the rate for the City being 3·0 (2·6 in the North City Districts, and 3·4 in the South), and for the Suburbs, 0·6.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 24·2 per 1,000, and include one death from whooping-cough, 2 deaths from influenza, 2 from pulmonary tuberculosis, and 3 deaths from diseases of the respiratory system.

No. 1 North City District, West (Summer-hill).—The deaths (29) are equal to an annual rate of 37·4 per 1,000. Among them are one death from whooping-cough, 4 deaths from tuberculous disease, one death each from broncho-pneumonia, and *pneumonia* (type not distinguished), 8 deaths from bronchitis, and one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (21) are equivalent to an annual rate of 35·2 per 1,000. There were 2 deaths from whooping-cough, one death from diarrhœa (of a child under 2 years of age), one death from pulmonary tuberculosis, and 7 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (16) represent an annual rate of 24·6 per 1,000. One death from diphtheria, 2 deaths (of children under 2 years of age) from diarrhœa, 2 deaths from tuberculous disease, one death from broncho-pneumonia, and 3 deaths from other diseases of the respiratory system were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No 1, part of, 28·8 per 1,000 inhabitants; Coolock and Drumcondra, part of, 26·6; and Finglas and Glasnevin, part of, 33·5. Of the 3 deaths from all causes for Clontarf and Howth, No. 1, part of, one was from pulmonary tuberculosis; the 6 deaths from all causes for Coolock and Drumcondra, part of, included 2 from pulmonary tuberculosis; and among the 5 deaths from all causes for Finglas and Glasnevin, part of, was one from broncho-pneumonia.

No. 1 South City District (South Earl-street).—The deaths (22) represent an annual rate of 27·4 per 1,000, and include one death each from scarlet fever and whooping-cough, 3 deaths from pulmonary tuberculosis, 3 deaths from *pneumonia* (type not distinguished), 2 from bronchitis and one death caused by suicide.

No. 2 South City District (Castle-street).—The deaths (18) are equal to an annual rate of 42·7 per 1,000. Of the deaths, one was caused by enteric fever, 5 were caused by tuberculous disease, one by *pneumonia* (type not distinguished), and 4 by bronchitis.

No. 3 South City District (Peter street)—The deaths (19) are equal to an annual rate of 22·7 per 1,000. Among them are one death from enteric fever, 6 from tuberculous disease, 2 from broncho-pneumonia, one from *pneumonia* (type not distinguished), and 3 from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (20) are equivalent to an annual rate of 28·8 per 1,000. There were 4 deaths from whooping-cough, one death from measles, one death (of a child under 2 years of age) from diarrhœa, 4 deaths from tuberculous disease, one death from broncho-pneumonia, one from *pneumonia* (type not distinguished), and 5 deaths from other diseases of the respiratory system.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 22·7 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 20·8; Pembroke, 24·9; Blackrock, 17·4; and Kingstown, 17·8. The only death from any of the principal epidemic diseases† tabulated for these districts was one from whooping-cough for Rathmines and Rathgar. Among the 15 deaths from all causes for the last-named district are one death from broncho-pneumonia, one death from *pneumonia* (type not distinguished), and 3 from bronchitis; the 14 deaths from all causes for Pembroke include 2 from influenza, one from pulmonary tuberculosis, one from *pneumonia* (type not distinguished) and 2 from bronchitis; among the 3 deaths from all causes for Blackrock are one from pulmonary tuberculosis, and one from bronchitis; and the 6 deaths from all causes for Kingstown include one from bronchitis.

* See note (*c*) Table II. † See note (‡) on first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 28th January, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping cough.	Cerebro-spinal Fever.	Diarrhœal Diseases	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Jan. 7,	.	—	—	8	.	.	18	.	1	5	4	.	—	—	.	—	12	—	48
	Jan. 14,	.	—	—	12	.	.	25	.	.	6	.	.	—	—	.	—	10	—	53
	Jan. 21,	.	—	—	20	1	.	16	.	2	10	8	.	—	—	.	—	11	—	68
	Jan. 28,	.	—	—	15	.	.	10	.	1	23	10	.	—	—	.	—	10	—	69
Rathmines and Rathgar Urban District.	Jan. 7,	.	—	—	1	.	.	4	.	.	2	.	.	—	—	—	—	—	—	7
	Jan. 14,	.	—	—	1	.	.	2	.	.	.	1	.	—	—	—	—	—	—	4
	Jan. 21,	.	—	—	.	.	.	3	.	.	1	2	.	—	—	—	—	—	—	6
	Jan. 28,	.	—	—	2	.	.	1	.	.	.	2	.	—	—	—	—	—	—	5
Pembroke Urban District.	Jan. 7,	.	2	.	.	.	.	.	.	.	.	.	.	—	2	.	—	.	—	4
	Jan. 14,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	.	—	.
	Jan. 21,	1	1	.	1	.	.	1	.	.	.	.	.	—	4	.	—	1	—	9
	Jan. 28,	.	4	.	.	.	.	.	.	1	.	.	.	—	1	.	—	.	—	6
Blackrock Urban District.	Jan. 7,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 21,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 28.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Jan. 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Jan. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Jan. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Jan. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Jan. 7,	.	—	—	27	1	.	13	.	.	.	3	.	—	—	—	—	14	—	58
	Jan. 14,	.	—	—	18	.	.	6	1	.	.	4	.	—	—	—	—	17	—	46
	Jan. 21,	.	—	—	18	.	.	8	1	1	2	7	.	—	—	—	—	12	—	49
	Jan. 28.	.	—	—	24	.	.	8	1	.	.	7	.	—	—	—	—	22	—	62

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 28th January, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

One case of small-pox remained under treatment in hospital at the close of the week.

Eight cases of measles were admitted to hospital during the week, 5 were discharged, there was one death, and 25 cases remained under treatment at the close of the week.

Fourteen cases of scarlet fever were admitted to hospital, 11 were discharged, there was one death, and 93* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 96, 89, and 91, respectively.

One case of typhus remained under treatment in hospital at the close of the week.

Twelve cases of diphtheria were admitted to hospital during the week, 13 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 66, 69, and 87, respectively, were 84 at the close of last week.

Twenty-four cases of enteric fever were admitted to hospital during the week, 10 were discharged, there was one death, and 67 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 42, 41, and 54.

In addition to the above named diseases, 9 cases of pneumonia were admitted to hospital, 5 were discharged, there was one death, and 25 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 16·3) was equal to an average annual death-rate of 16·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 15·7 per 1,000, the rate for Glasgow being 15·9 and for Edinburgh 16·0.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 28th January. From this Report it appears that of a total of 79 cases notified, 30 were scarlet fever, 25 diphtheria, 16 phthisis, 7 erysipelas, and one enteric fever. Among the 440 cases of infectious diseases in hospital at the close of the week were 213 cases of scarlet fever, 93 of diphtheria, 59 of phthisis, 30 of measles, 16 of erysipelas, 15 of whooping cough, 7 of enteric fever, one of chicken pox, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 28th January, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by: Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa. Of children under 2 years of age.	Diarrhœa. 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Week ending 28th January, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 21st January, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 14th January, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
TOTAL OF 22 TOWN DISTRICTS, ...	1,163,596	20·4	26·8	21·3	1·3	597	476	84	130	2	...	...	1	1	18	3	...	51	17	21	39	74	4	...	3	6	14	149	23	° ...	° ...	° ...	...	...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, c. ...	407,057	29·6	29·7	27·5	2·4	232	215	31	59	2	...	...	1	1	10	1	...	27	5	4	16	42	4	...	...	3	4	87	7	e54·8	27·9	45·5	0·03	e48·0	25·0	38·6	0·15	e51·2	24·7	39·0	0·35
CITY OF DUBLIN,	313,526	39·6	32·8	29·4	3·0	197	177	26	42	2	...	...	1	1	9	1	...	25	5	4	13	35	4	...	...	2	3	79	6	f55·4 g55·8	33·8 28·0	46·5 45·9	0·04 0·05	f48·5 g47·9	30·1 27·0	40·1 39·0	0·08 0·14	f52·3 g51·9	28·9 27·0	40·5 39·7	0·30 0·33
Urban Districts. RATHMINES AND RATHGAR.	37,528	21·9	8·3	20·8	1·4	6	15	1	9	...	...	...	...	...	1	...	...	...	...	...	2	3	...	...	...	1	1	3	1	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,368	18·5	28·4	24·9	...	16	14	1	5	...	...	...	...	...	...	...	...	1	...	...	1	2	...	...	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,013	8·3	11·6	17·4	...	2	3	1	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,622	12·1	32·5	17·8	...	11	6	2	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	57	33	46·8	0·09	51	29	38·5	0·01	54	31	41·9	0·12
Urban Districts. BELFAST, ...	398,421	27·1	24·6	15·4	0·4	188	118	26	31	...	...	...	...	...	1	2	...	13	4	11	7	20	...	...	2	2	4	24	5	52·0	30·6	43·4	0·43	49·0	32·0	41·0	0·05	50·2	30·0	39·2	0·85
CORK, ...	76,122	33·6	27·4	25·3	2·7	40	37	4	13	...	...	...	...	...	4	...	...	1	1	...	5	4	...	...	...	...	...	13	1	52	35	46·1	0·15	48	38	44·3	0·28	52	31	41·7	0·52
LONDONDERRY...	43,900	20·3	30·9	22·6	2·4	26	19	5	4	...	...	...	...	...	2	...	...	2	1	...	4	...	...	...	...	1	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,151	18·1	19·1	20·5	...	14	15	4	3	...	...	...	...	...	...	...	...	2	1	1	1	...	...	...	...	...	2	5	2	55·2	31·1	45·1	0·02	48·6	25	40·3	0·36	51·2	25·8	39·6	0·54
WATERFORD, ...	26,769	18·7	40·9	11·7	...	21	6	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,426	2·5	15·5	3·9	...	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	56	38	45·4	0·86	50	32	42	0·04	50	30	39	0·56
DUNDALK, ...	13,076	9·4	12·0	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,760	8·6	28·6	16·3	...	7	4	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	12,405	17·8	16·8	16·8	...	4	4	1	...	...	...	...	...	...	...	...	...	2	1	...	...	1	...	...	...	...	...	2	...	52·0	33·1	44·8	0·23	48·2	32·6	40·9	0·14	50·0	28·3	38·8	0·22
LURGAN, ...	11,782	13·8	31·0	17·7	...	7	4	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	1	52·0	33·1	44·8	0·23	48·2	32·6	40·9	0·14	50·0	28·3	38·8	0·22
LISBURN, ...	11,461	10·1	18·2	27·3	...	4	6	...	4	...	...	...	...	...	...	...	...	2	...	1	...	2	...	...	...	...	...	5	...	52·0	33·1	44·8	0·23	48·2	32·6	40·9	0·14	50·0	28·3	38·8	0·22
WEXFORD, ...	11,168	23·2	23·3	23·3	...	5	5	...	2	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA, ...	10,886	8·9	19·2	23·9	...	4	5	2	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	10,870	3·7	19·2	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	53·9	34·5	45·6	0·77	49·6	30·9	41·1	0·53	50·4	28·0	38·6	0·56
KILKENNY, ...	10,609	11·5	44·2	29·5	...	9	6	1	1	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	2	1	55	26	44·7	0·05	47	25	38·4	0·49	52	25	37·1	0·40
CLONMEL, ...	10,167	7·8	...	15·4	...	...	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	10,092	13·2	36·2	20·7	...	7	4	1	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	52·0	33·1	44·8	0·23	48·2	32·6	40·9	0·14	50·0	28·3	38·8	0·22
TRALEE, ...	9,867	16·6	42·3	42·3	...	8	8	...	1	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	28·6	34·3	5·7	5	6	1	3	...	...	...	...	...	1	...	...	...	...	1	...	1	...	...	...	...	...	...	...	52	36	45·3	0·23	50	33	41·5	0·04	51	34	40·5	0·36
QUEENSTOWN, ...	7,909	14·4	6·6	19·8	...	1	3	3	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	1	52	35	46·1	0·15	48	38	44·3	0·28	52	31	41·7	0·52
ARMAGH, ...	7,588	22·2	27·5	48·1	...	4	7	...	2	...	...	...	...	...	...	...	...	1	2	...	...	1	...	...	...	...	...	1	2	52·0	33·1	44·8	0·23	48·2	32·6	40·9	0·14	50·0	28·3	38·8	0·22

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1911. (b) See note (‡) at foot of first page. (c) Exclusive of 13 deaths of persons (including one at 72 years) admitted to hospital from localities outside the Area; of the 13 deaths one was from measles. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 28th of January, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
Enteric Fever,	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1
Scarlet Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	1	1	2	.	.	.	.	1	.	.	4	.	1	.	.	.	10	.
Diphtheria,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Influenza,	2	.	.	.	.	.	.	.		.	.	.	.	2	.	.	4	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	2	3	1	1	1	2	.	3	4	5	3	.	.	1	1	.	27	1
Tuberculous Disease. — Other Forms,	.	1	.	1	.	.	.	.	1	1	1	.	.	.	.	.	5	2
Cancer,	1	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	4	3
Diseases of Nervous System,	1	4	1	1	.	1	.	1	1	1	.	.	2	4	.	2	19	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	2	3	1	.	.	2	4	2	.	1	1	5	.	.	1	23	2
" Respiratory System. — Pneumonia,	.	2	.	1	.	.	1	3	1	3	2	.	2	1	.	.	16	1
" Respiratory System. — Others,	3	8	7	3	.	.	.	2	4	3	5	.	3	2	1	1	42	.
" Digestive System. — Diarrhœa, under 2 years,	.	.	1	2	.	.	.	.	.	.	1	.	.	.	.	.	4	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Enteritis, under 2 years,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	2	.
" Digestive System. — Others,	.	.	.	1	.	.	.	1	2	.	1	.	.	2	.	.	7	.
" Genito-urinary System,	.	1	.	1	.	.	1	.	1	1	.	3	1	.	.	.	9	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	5	6	1	2	1	1	4	1	3	1	.	.	1	1	2	31	1
Violent Deaths,	.	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	3	1
Ill-defined, &c. Causes,	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	3	.
Deaths from All Causes,	14	29	21	15	3	6	5	22	18	19	20	4	15	14	3	6	215	13
Annual Rate of Mortality from All Causes in every 1,000 of the population.	24·2	37·4	35·2	24·6	28·8	26·6	33·5	27·4	42·7	22·7	28·8	22·7	20·8	24·9	17·4	17·8	27·5	.
	30·5							28·3					21·2					
	29·4																	
Ages at Death. — Under 1 year,	2	3	7	4	1	.	.	.	2	3	4	.	1	1	1	2	31	.
1 and under 2 years,	1	2	.	2	.	1	1	1	2	.	3	.	1	.	.	.	14	2
2 " 5 "	2	2	.	1	.	.	.	.	.	3	2	1	.	1	.	.	12	.
5 " 15 "	.	1	.	.	.	.	.	3	2	.	.	.	.	2	1	.	9	2
15 " 25 "	1	.	1	1	.	.	.	.	.	4	1	.	2	.	.	.	10	1
25 " 45 "	4	2	1	1	.	2	.	4	5	3	4	1	.	2	.	.	29	3
45 " 65 "	2	9	7	4	1	2	2	7	3	3	3	1	2	3	.	2	51	4
65 and upwards,	2	10	5	3	1	1	2	7	4	3	3	1	9	5	1	2	59	1
Number of Uncertified Deaths,	1	1	.	.	.	1	.	1	.	1	1	.	1	.	.	.	7	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	4	8	5	5	1	4	1	4	8	8	1	.	3	3	.	.	55	11
Workhouse Hospitals,	1	4	7	7	.	.	.	4	2	3	2	.	.	2	.	.	32	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 4th Week of the 10 years 1901–1910.	In the Week ending Saturday, 28th January, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Jan. 26, 1901.	Jan. 25, 1902.	Jan. 31, 1903.	Jan. 30, 1904.	Jan. 28, 1905.	Jan. 27, 1906.	Jan. 26, 1907.	Jan. 25, 1908.	Jan. 30, 1909.	Jan. 29, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 41·5	° 45·0	° 46·7	° 41·9	° 40·4	° 43·1	° 34·3	° 40·2	° 39·6	° 32·5	° 40·5	° 45·5										
ALL CAUSES.	196	158	187	196	192	160	225	229	203	177	192·3	228	7	24	16	12	11	11	32	55	34	26
Enteric Fever, ...	5	2	2	1	.	.	1	2	2	2	1·7	2	.	.	.	.	1	1	.	.	.	.
Typhus, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	.	1	13	.	.	1	6	1	2·3	2	.	.	1	1	.	.	.	.	.	.
Scarlet Fever, ...	1	.	3	.	2	.	1	.	.	1	·8	1	.	.	.	.	1	.	.	.	.	.
Whooping-cough, ...	8	1	.	11	2	1	6	5	2	1	3·7	10	.	5	3	1	1	.	.	.	.	.
Diphtheria, ...	2	1	1	.	.	1	.	.	2	.	·7	1	.	.	1	.	.	.	.	.	.	.
Croup, ...	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	.	3	3	2	2	5	12	.	1	3·1	4	.	1	.	.	.	.	.	1	2	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	2	1	.	2	.	2	1	·8	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	2	.	2	.	1	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	1	1	1	.	2	1	.	.	.	·7	1	.	.	.	.	.	.	.	.	1	.
Tetanus, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	26	19	18	26	32	21	33	32	18	23	24·8	28	.	1	1	.	2	3	14	7	.	.
Tuberculous Meningitis, ...	2	2	1	4	4	1	4	.	4	2	2·4	2	.	1	.	.	1	.	.	.	.	.
Abdominal Tuberculosis, ...	4	1	1	.	5	.	.	2	1	.	1·4	3	.	2	1	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.												1	.	.	.	.	.	1	.	.	.	.
Tuberculosis of Joints, ...												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	6	7	7	5	5	5	4	6	8	4	5·7	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												1	.	.	.	.	.	1	.	.	.	.
Venereal Diseases, ...	1	1	.	.	.	1	1	2	5	.	1·1	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	5	8	5	8	1	6	7	12	11	11	7·4	7	.	.	.	.	.	.	1	4	1	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	.	1	.	1	3	.	1	·6	.	.	.	.	.	.	.	.	.	.	.
Anæmia Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	1	.	.	1	.	.	1
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	4	.	.	.	.	.	.	.	2	1	1
Alcoholism, ...	.	.	.	.	.	.	3	1	.	.	·4	1	.	.	.	.	.	.	1	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												2	.	.	.	.	1	1	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*												4	.	.	.	.	.	.	.	1	1	2
Softening of Brain, ...												1	.	.	.	.	.	.	.	.	1	.
Paralysis, without specified cause.												2	.	.	.	.	.	.	.	1	.	1
Epilepsy, ...												1	.	.	1	.	.	.	.	.	.	.
Convulsions (non-puerperal),												3	.	2	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	30	32	42	48	41	45	42	42	34	29	38·5	7	.	.	.	.	.	.	2	3	2	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												2	.	.	.	.	.	.	.	2	.	.
Organic Diseases of the Heart,												22	.	.	.	.	.	2	4	9	5	2
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												1	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	34	14	29	29	28	17	40	52	38	36	31·7	39	1	2	2	3	1	.	1	10	11	8
Broncho-pneumonia, ...			3	4	4	9	5	7	8	5		7	1	.	3	3	.	.	.	.	.	.
Lobar-pneumonia, ...	12	20	.	.	1	1	1	1	.	2	14·7	1	.	.	.	.	.	.	.	1	.	.
Pneumonia (type not distinguished).			8	4	6	6	16	11	6	7		9	.	.	1	1	1	1	1	2	2	.
Pleurisy, ...												1	.	.	.	.	.	.	1	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	5	.	4	4	1	1	5	6	9	3	3·8	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System.												1	.	.	.	.	.	.	1	.	.	.

FOURTH WEEK ending Saturday, 28th January, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 4th Week of the 10 years 1901–1910.	In the Week ending Saturday, 28th January, 1911.										
													Deaths of Persons of the Ages of									
	Jan. 26, 1901.	Jan. 25, 1902.	Jan. 31, 1903.	Jan. 30, 1904.	Jan. 28, 1905.	Jan. 27, 1906.	Jan. 26, 1907.	Jan. 25, 1908.	Jan. 30, 1909.	Jan. 29, 1910.		Mean Temp.	0—5. Under 1 month.	0—5. 1 month and under a year.	0—5. 1—2.	0—5. 2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 41·5	° 45·0	° 46·7	° 41·9	° 40·4	° 43·1	° 34·3	° 40·2	° 39·6	° 32·5	° 40·5	° 45·5										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	1	.	.	.	.	.	.	.	.
Diarrhœa of Children under 2 years.	3	4	7	1	1	3	.	1	1	2	2·3	4	1	3	.	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	1	1	2	5	2	1	4	1	2	4	2·3	.	.	.	.	.	.	.	.	.	.	.
„ 2 years and upwards,												2	.	.	.	1	1	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	4	.	.	.	.	.	.	1	.	2	1
Cirrhosis of Liver, ...	3	2	2	.	2	.	1	1	2	2	2·5	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...			2	.	.	2	3	1	.	2		1	.	.	.	.	.	.	1	.	.	.
Peritonitis (cause unknown),	.	.	1	1	.	.	.	.	1	1	·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	2	3	9	3	5	4	6	3	6	7	4·8	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	6	4	5	8	5	7	8	3	8	6	6·0	4	.	.	.	1	.	.	1	2	.	.
Chronic Bright's Disease, ...												4	.	.	.	.	.	.	1	2	.	1
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												1	.	.	.	.	.	.	.	1	.	.
Puerperal Septicæmia, &c., ...	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	1	1	.	.	.	1	.	1	.	·4	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	2	3	3	5	3	4	6	4	4	4	3·8	4	3	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	6	1	5	.	.	.	.	.	.	.	.
Old Age, ...	17	12	6	4	5	2	3	6	4	3	6·2	12	.	.	.	.	.	.	.	1	4	7
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	1	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	.	.	.	.	.	1	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	2	2	2	1	2	3	1	.	.	2	1·5	1	.	.	.	.	1	.	.	.	.	.
By Drowning, ...	1	1	1	1	.	2	1	.	.	1	·8	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	.	.	3	.	·3	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	2	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	2	.	5	2	3	3	1	1	.	1·8	1	.	.	.	.	.	1	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	.	.	.	.	1	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	.	.	.	.	1	1	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910–11—WEEK ENDING																									
	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.
No. of weeks in Annual Series,	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4
BIRTHS registered.	198	209	240	194	228	260	235	292	196	219	161	244	182	211	207	204	182	199	174	232	158	170	203	230	238	232
Average Births in corresponding week of previous 10 years. ...	221	202	219	218	207	232	203	200	252	192	184	209	206	209	202	195	181	207	193	195	177	174	231	208	209	201
DEATHS registered, ...	145	143	126	146	120	141	153	174	164	160	151	174	139	147	141	166	168	176	188	165	178	155	176	179	190	228
Annual Death-rate per 1,000, ...	18·8	18·5	16·3	18·9	15·5	18·2	19·8	22·5	21·2	20·7	19·5	22·5	18·0	19·0	18·2	21·5	21·7	22·8	24·3	21·4	23·0	20·1	22·5	22·9	24·3	29·2
Average Deaths in corresponding week of previous 10 years, ...	146	148	156	166	159	157	154	167	160	158	156	160	156	172	175	179	182	182	182	177	182	177	201	195	195	192
Ages, Under 5 years, ...	31	54	37	57	42	38	59	70	60	58	44	56	40	46	47	57	49	55	53	43	41	47	56	60	62	59
Ages, 5—15 „ ...																							5	10	7	11
Ages, 15—25 „ ...																							9	7	10	11
Ages, 25—45 „ ...	114	89	89	89	78	103	94	104	104	102	107	118	99	101	94	109	119	121	135	122	137	108	25	24	27	32
Ages, 45—65 „ ...																							45	38	41	55
Ages, 65—75 „ ...																							20	25	28	34
Ages, 75 and upwards, ...																							16	15	15	26
Deaths from :—																										
Enteric Fever, ...	.	.	2	.	1	1	1	1	.	3	1	2	1	1	.	.	2	.	1	2	1	.	.	1	.	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	.	.	.	.	.	3	.	1	.	.	.	1	.	1	1	.	2	1	.	1	4	3	6	2
Scarlet Fever, ...	1	1	1	2	1	1	2	.	.	1	.	1	1	3	.	2	1	3	1	1	.	2	7	.	.	1
Whooping-cough, ...	3	3	2	.	4	3	2	1	2	2	2	5	1	1	4	2	6	5	11	1	5	7	6	5	6	10
Diphtheria, ...	1	.	2	4	1	.	2	3	2	2	1	.	4	1	2	3	2	4	.	3	2	.	1	2	4	1
Influenza, ...	1	.	1	.	.	.	1	1	2	1	1	2	1	4	1	.	2	4	2	1	3	1	.	1	1	4
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.
Tuberculous Disease, Phthisis, ...	24	14	17	12	17	23	15	19	18	17	14	23	17	18	16	20	14	16	25	14	19	19	21	19	27	28
Tuberculous Disease, Other Forms,	10	15	7	5	5	13	9	8	11	12	8	8	4	11	11	8	6	7	11	4	7	5	4	6	9	7
Cancer, ...	8	8	9	10	8	9	7	9	11	12	11	12	9	7	9	8	14	3	12	4	13	6	8	3	12	7
Diseases of Circulatory System,	23	20	16	20	17	23	19	24	30	20	24	25	23	17	18	22	24	30	30	23	28	31	17	20	13	25
Diseases of Respiratory System, Pneumonia,	7	8	7	6	5	6	10	4	6	5	11	15	12	13	11	16	16	14	15	27	18	11	15	16	10	17
Diseases of Respiratory System, Others, ...	10	8	10	11	6	10	10	20	12	16	17	17	12	18	26	26	29	37	27	32	26	25	29	25	28	42
Diarrhœa, Under 2 years, ... / 2 years & upwards,	2	14	6	17	12	11	21	22	27	12	10	8	4	5	4	2	4	6	2	2	2	1	3	2	2	4
Diarrhœa, Under 2 years, ... / 2 years & upwards,																							.	.	.	.
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	2	2	.
Violent Deaths, ...	3	6	2	4	5	3	6	6	3	10	4	.	2	1	2	2	3	4	4	8	4	6	2	8	1	4
Number of Uncertified Deaths,	2	3	4	4	3	2	1	3	3	3	6	2	4	1	8	6	7	5	5	3	3	6	4	5	7	7
Mean Temperature of the Air (Phœnix Park)	56·5	59·2	58·8	56·6	57·2	54·8	52·0	50·4	54·2	52·5	48·2	49·1	50·4	43·1	39·6	38·2	42·2	37·0	43·4	45·2	43·5	40·9	37·2	39·0	38·6	45·5
Average Mean Temperature in corresponding week of previous 10 years, ...	58·8	58·2	57·7	56·5	56·1	54·4	53·1	53·8*	53·7	52·2	50·6	48·4	46·2	47·1	45·2	42·7	41·5	42·8	42·4	41·6	41·3*	41·3	42·0	40·0	40·8	40·5
Rainfall in inches, ...	·940	·205	1·175	·411	·194	·150	·015	·015	·391	·585	·138	·333	·365	·558	·860	·352	1·206	1·820	1·700	1·172	·183	·130	·336	·345	·153	·034
Mean Humidity of the Air, complete Saturation 1·0, ...	·84	·85	·81	·84	·88	·87	·91	·85	·89	·90	·84	·92	·87	·90	·89	·85	·91	·93	·91	·91	·94	·88	·92	·90	·93	·92

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 28th January, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 28TH JANUARY, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
Cols.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	228	59	11	11	32	55	34	26	2	.	.	2	1	10	1	.	28	7	7	3	17	42	4	.	.	4	100	7
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	17·9	6	.	.	.	2	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	5	.
II.	MIDDLE CLASS, ...	87,188	20·3	34	5	3	1	2	7	8	8	.	.	.	.	.	3	.	.	2	1	.	.	3	7	.	.	.	2	16	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	22·7	48	14	.	5	7	11	9	2	1	.	.	1	.	.	.	.	6	3	4	2	2	10	1	.	.	.	18	.
IV.	GENERAL SERVICE CLASS, ...	154,279	35·8	106	36	7	4	12	24	11	12	1	.	.	1	1	7	1	.	14	2	3	1	11	15	.	.	.	1	48	7
V.	INMATES OF WORKHOUSES, ...	6,024	—	34	4	1	1	9	10	6	3	.	.	.	.	.	.	.	.	6	1	.	.	1	9	3	.	.	1	13	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	23·7	10	.	2	.	.	1	4	3	.	.	.	.	.	.	.	.	.	1	.	.	.	6	.	.	.	.	3	.
	6. Clerks and Commercial Assistants, ...	30,432	20·6	12	5	.	.	1	3	1	2	.	.	.	.	.	2	.	.	.	.	.	.	3	.	.	.	.	2	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	23·2	12	.	1	1	1	3	3	3	.	.	.	.	.	1	.	.	2	.	.	.	.	1	.	.	.	.	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	37·0	7	3	.	.	2	.	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	.	.	.	3	.
	9. Building and Furnishing Trades, ...	29,801	19·2	11	5	.	1	.	.	4	1	.	.	.	1	.	.	.	.	1	1	.	1	.	2	1	.	.	.	4	.
	10. Clothing Trades, ...	23,260	13·5	6	.	.	1	.	4	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.	.	.	.	2	.
	11. Food Supply Trades, ...	9,242	33·9	6	2	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	25·8	15	4	.	1	3	5	1	1	1	.	.	.	.	.	.	.	2	2	3	1	.	1	.	.	.	.	5	.
	13. Petty Shopkeepers, ...	7,894	19·8	3	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	54·4	14	.	.	1	3	3	6	1	.	.	.	.	.	.	.	.	3	.	.	.	1	3	.	.	.	1	6	3
	15. Domestic Servants, ...	36,603	25·6	18	6	.	1	2	6	1	2	.	.	.	.	.	.	1	.	2	1	1	.	1	3	.	.	.	.	9	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	18·1	5	4	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	40·0	69	26	7	2	7	14	4	9	1	.	.	1	1	6	.	.	9	1	2	1	8	9	.	.	.	.	30	4
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	34	4	1	1	9	10	6	3	.	.	.	.	.	.	.	.	6	1	.	.	1	9	3	.	.	1	13	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1910-11. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 30,219	Dec. 10,	17·4	3·5	10	.	.	.	.	.	2	.	—	1	.	1	.	.	.		—	2	1
	„ 17,	22·7	.	13	.	.	.	.	.	.	.	—	2	.	.	3	2	.		—	2	.
	„ 24,	17·4	.	10	.	.	.	.	.	.	.	—	3	.	1	2	.	.		—	.	1
	„ 31,	12·2	.	7	.	.	.	.	.	.	.	—	.	.	.	1	2	.		—	.	.
	Jan. 7,	25·9	1·7	15	.	.	.	.	.	1	.	.	4	1	1	2	2	.	.	.	.	.
	„ 14,	22·4	.	13	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	1
	„ 21,	27·6	1·7	16	.	.	.	.	.	.	1	.	1	1	2	.	3	.	.	.	.	2
	„ 28,	24·2	1·7	14	.	.	.	.	.	1	.	.	2	.	1	.	3	.	.	.	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 40,390.	Dec. 10,	36·5	1·3	28	.	.	.	.	.	.	.	—	2	.	2	4	2	1		—	.	1
	„ 17,	19·6	2·6	15	.	.	.	.	1	.	.	—	.	.	.	2	4	1		—	1	.
	„ 24,	15·7	.	12	.	.	.	.	.	.	.	—	4	2	3	1	.	.		—	.	.
	„ 31,	20·9	.	16	.	.	.	.	.	.	.	—	6	.	.	2	3	.		—	1	1
	Jan. 7,	21·9	1·3	17	.	.	.	.	.	.	.	.	1	.	.	2	6	1	.	.	.	1
	„ 14,	14·2	1·3	11	.	.	.	.	.	.	.	.	2	1	.	.	1	1	.	.	1	.
	„ 21,	31·0	1·3	24	.	.	.	.	.	.	.	.	7	1	.	.	4	1	.	.	.	1
	„ 28,	37·4	1·3	29	.	.	.	.	.	1	.	.	3	1	1	2	8	.	.	.	1	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 31,064.	Dec. 10,	27·1	1·7	16	.	.	.	.	.	1	.	—	3	2	.	.	3	.		—	.	.
	„ 17,	18·7	1·7	11	.	.	.	.	.	.	1	—	2	.	.	1	1	.		—	.	.
	„ 24,	30·5	1·7	18	.	.	.	.	.	.	.	—	3	.	1	3	2	1		—	.	.
	„ 31,	18·7	.	11	.	.	.	.	.	.	.	—	.	1	.	.	2	.		—	.	.
	Jan. 7,	31·9	1·7	19	.	.	.	.	.	1	.	.	2	2	1	.	4	.	.	.	.	.
	„ 14,	16·8	.	10	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2	.
	„ 21,	15·1	.	9	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.	.
	„ 28,	35·2	5·0	21	.	.	.	.	.	2	.	.	1	.	.	.	7	1	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,908.	Dec. 10,	18·6	.	12	.	.	.	.	.	.	.	—	1	2	3	1	.	.		—	.	.
	„ 17,	17·1	.	11	.	.	.	.	.	.	.	—	.	.	.	2	4	.		—	.	1
	„ 24,	26·4	.	17	.	.	.	.	.	.	.	—	.	.	.	.	3	.		—	1	2
	„ 31,	10·9	1·6	7	.	.	.	.	1	.	.	—	2	.	1	.	2	.		—	.	.
	Jan. 7,	26·1	7·7	17	.	.	.	.	5	.	.	.	1	.	1	1	.	.	.	.	1	.
	„ 14,	24·6	1·5	16	.	.	.	.	.	1	.	.	2	.	.	.	2	.	.	.	1	.
	„ 21,	20·0	3·1	13	.	.	.	.	.	1	1	.	2	1	1	1	.	.	.	.	.	.
	„ 28,	24·6	4·6	16	.	.	.	.	.	.	1	.	1	1	1	1	3	2	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,908.	Dec. 10,	18·9	2·5	15	.	.	.	.	.	1	.	—	2	.	1	1	2	1		—	.	.
	„ 17,	15·1	.	12	.	.	.	.	.	.	.	—	2	.	.	.	6	.		—	.	.
	„ 24,	32·7	3·8	26	.	.	.	.	.	2	1	—	.	1	1	3	1	.		—	1	.
	„ 31,	23·9	2·5	19	.	.	.	.	.	2	.	—	4	1	.	2	6	.		—	1	.
	Jan. 7,	22·4	1·2	18	.	.	.	.	.	1	.	.	2	.	.	1	4	.	.	.	.	.
	„ 14,	27·4	3·7	22	.	.	.	.	.	1	2	.	3	1	.	2	3	.	.	.	.	.
	„ 21,	31·1	1·2	25	.	.	.	1	.	.	.	.	7	.	2	1	4	.	.	1	.	.
	„ 28,	27·4	2·5	22	.	.	.	.	1	1	.	.	3	.	.	3	2	.	.	.	1	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,980.	Dec. 10,	19·2	2·4	8	1	.	.	.	.	.	.	—	1	.	.	2	2	.		—	.	.
	„ 17,	31·2	.	13	.	.	.	.	.	.	.	—	.	.	.	2	3	.		—	.	.
	„ 24,	36·0	.	15	.	.	.	.	.	.	.	—	3	1	1	2	3	.		—	.	.
	„ 31,	14·4	2·4	6	.	.	.	.	.	1	.	—	.	.	.	.	1	.		—	2	.
	Jan. 7,	21·4	.	9	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.	.	.
	„ 14,	30·8	2·4	13	.	.	.	1	.	.	.	.	1	.	.	2	1	.	.	.	.	.
	„ 21,	7·1	.	3	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
	„ 28,	42·7	2·4	18	1	.	.	.	.	.	.	.	4	1	.	1	4	.	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,677.	Dec. 10,	31·4	7·2	26	.	.	.	1	.	5	.	—	3	3	.	3	6	.		—	.	.
	„ 17,	18·1	.	15	.	.	.	.	.	.	.	—	.	1	.	4	4	.		—	1	1
	„ 24,	21·7	3·6	18	.	.	.	.	.	2	1	—	1	2	1	2	3	.		—	.	.
	„ 31,	19·3	.	16	.	.	.	.	.	.	.	—	3	.	.	1	2	.		—	1	3
	Jan. 7,	23·9	1·2	20	.	.	.	.	.	.	.	.	5	.	.	1	4	1	.	.	.	1
	„ 14,	28·7	2·4	24	1	.	.	.	.	1	.	.	4	2	.	6	4	.	.	1	1	1
	„ 21,	37·0	3·6	31	.	.	.	1	.	2	.	.	3	1	1	3	9	.	.	.	1	1
	„ 28,	22·7	1·2	19	1	.	.	.	.	.	.	.	5	1	1	3	3	.	.	.	.	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 36,254.	Dec. 10,	34·9	4·4	24	.	.	.	1	.	2	.	—	1	3	2	2	6	.		—	.	2
	„ 17,	18·9	1·5	13	.	.	.	1	.	.	.	—	3	2	.	2	3	.		—	1	.
	„ 24,	24·7	1·5	17	.	.	.	.	.	.	.	—	2	.	1	1	7	1		—	.	.
	„ 31,	18·9	8·7	13	.	.	.	1	1	3	.	—	1	1	.	1	1	1		—	.	.
	Jan. 7,	20·1	10·1	14	.	.	.	3	.	2	1	.	1	1	1	.	.	1	.	.	.	.
	„ 14,	20·1	5·8	14	.	.	.	2	.	2	.	.	1	1	.	1	2	.	.	.	.	.
	„ 21,	24·5	5·8	17	.	.	.	2	.	1	1	.	.	1	1	1	3	.	.	.	.	.
	„ 28,	28·8	8·6	20	.	.	.	1	.	4	.	.	3	1	.	2	5	1	.	.	.	1

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1910-11. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes.	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa: Children under 2 years.	Diarrhœa: 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Dec. 10,	11·3	.	8	.	.	.	.	.	.	.	—	2	.	.	.	3	.		—	.	.
	„ 17,	14·1	.	10	.	.	.	.	.	.	.	—	1	.	1	2	.	.		—	1	1
	„ 24,	15·5	1·4	11	.	.	.	.	.	1	.	—	1	.	1	1	1	.		—	1	.
	„ 31,	23·9	1·4	17	.	.	.	.	.	1	.	—	.	.	.	1	3	.		—	.	1
Pop. in 1911 (Est.) 37,528.	Jan. 7,	12·5	.	9	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	1
	„ 14,	9·7	.	7	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1
	„ 21,	18·1	.	13	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.	.
	„ 28,	20·8	1·4	15	.	.	.	.	.	1	.	.	.	.	.	2	3	.	.	.	1	1
Pembroke Urban District.	Dec. 10,	18·0	.	10	.	.	.	.	.	.	.	—	2	.	1	.	3	.		—	.	.
	„ 17,	19·8	1·8	11	1	.	.	.	.	.	.	—	.	.	.	3	2	.		—	.	.
	„ 24,	14·4	.	8	.	.	.	.	.	.	.	—	.	.	1	1	3	.		—	.	.
	„ 31,	9·0	.	5	.	.	.	.	.	.	.	—	1	.	.	.	.	.		—	1	.
Pop. in 1911 (Est.) 29,368.	Jan. 7,	10·7	1·8	6	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 14,	21·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.	1	.	.
	„ 21,	21·3	1·8	12	.	.	.	1	.	.	.	.	1	1	2	.	1	.	.	.	.	2
	„ 28,	24·9	.	14	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.
Kingstown Urban District.	Dec. 10,	17·8	.	6	.	.	.	.	.	.	.	—	1	.	1	.	.	.		—	.	.
	„ 17,	23·7	.	8	.	.	.	.	.	.	.	—	.	.	.	3	1	.		—	1	.
	„ 24,	8·9	.	3	.	.	.	.	.	.	.	—	.	.	1	.	1	.		—	.	.
	„ 31,	23·7	.	8	.	.	.	.	.	.	.	—	1	.	2	2	.	.		—	.	.
Pop. in 1911 (Est.) 17,622.	Jan. 7,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.
	„ 14,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	2
	„ 21,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 28,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Belfast.	Dec. 10,	20·1	1·7	151	.	.	.	3	1	1	4	—	14	5	5	13	36		4	—	2	4
	„ 17,	17·7	1·1	133	.	.	.	3	2	.	.	—	12	7	8	10	22		3	—	6	1
	„ 24,	17·6	0·5	132	.	.	.	1	1	1	.	—	15	3	6	10	29		1	—	2	1
	„ 31,	12·1	0·3	91	.	.	.	.	1	1	.	—	9	3	5	7	18		.	—	4	3
Pop. in 1911 (Est.) 398,421.	Jan. 7,	16·0	0·4	122	.	.	.	.	1	.	.	.	14	7	7	8	18	1	1	1	6	3
	„ 14,	19·8	0·4	151	.	1	.	.	1	.	.	.	23	7	2	9	24	.	1	.	6	.
	„ 21,	15·4	0·5	118	.	.	.	1	1	1	1	.	17	4	7	7	24	.	.	.	1	1
	„ 28,	15·4	0·4	118	.	.	.	.	.	1	2	.	13	4	11	7	20	.	.	2	2	5
Cork.	Dec. 10,	13·7	.	20	.	.	.	.	.	.	.	—	5	1	1	1	2		.	—	.	.
	„ 17,	20·5	1·4	30	.	.	.	.	.	1	.	—	4	1	.	.	3		1	—	1	1
	„ 24,	17·1	.	25	.	.	.	.	.	.	.	—	5	1	2	.	2		.	—	.	3
	„ 31,	25·3	1·4	37	.	.	.	.	.	2	.	—	4	1	.	.	5		.	—	.	4
Pop. (in 1901) 76,122.	Jan. 7,	24·0	2·1	35	.	.	.	.	1	1	1	.	4	1	1	2	6	.	.	.	1	3
	„ 14,	20·5	1·4	30	.	.	.	.	.	2	.	.	2	.	2	1	5	.	.	.	.	3
	„ 21,	27·4	.	36	.	.	.	.	.	.	.	.	3	.	2	1	16	.	.	1	1	1
	„ 28,	25·3	2·7	37	.	.	.	.	.	4	.	.	1	1	.	5	4	.	.	.	.	1
Londonderry.	Dec. 10,	15·6	3·6	13	.	.	.	.	.	3	.	—	1	.	2	.	1		.	—	.	1
	„ 17,	20·4	..	17	.	.	.	.	.	.	.	—	.	3	2	2	3		.	—	.	.
	„ 24,	18·0	.	15	.	.	.	.	.	.	.	—	1	1	2	.	2		.	—	.	1
	„ 31,	16·8	4·8	14	.	.	.	.	.	3	.	—	1	.	1	.	1		1	—	.	.
Pop. in 1911 (Est.) 43,900.	Jan. 7,	24·9	2·4	21	.	.	.	.	.	1	.	.	2	2	1	1	3	1	.	.	.	.
	„ 14,	15·4	1·2	13	.	.	.	.	.	1	.	.	3	.	1	.	1	.	.	.	.	.
	„ 21,	23·8	4·8	20	.	.	.	.	.	4	.	.	.	.	1	1	4	.	.	.	.	.
	„ 28,	22·6	2·4	19	.	.	.	.	.	2	.	.	2	1	.	4	.	.	.	.	1	1
Limerick.	Dec. 10,	13·7	.	10	.	.	.	.	.	.	.	—	1	.	1	.	3		.	—	.	4
	„ 17,	21·9	.	16	.	.	.	.	.	.	.	—	2	1	2	.	4		.	—	.	.
	„ 24,	10·9	.	8	.	.	.	.	.	.	.	—	1	.	.	.	1		.	—	.	3
	„ 31,	28·7	1·4	21	.	.	.	.	.	1	.	—	4	.	.	1	4		.	—	.	5
Pop. (in 1901) 38,151.	Jan. 7,	13·7	.	10	.	.	.	.	.	.	.	.	.	.	1	.	4	.	.	.	.	.
	„ 14,	15·0	1·4	11	1	.	.	.	.	.	.	.	1	.	.	1	2	.	.	1	.	.
	„ 21,	20·5	.	15	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	1
	„ 28,	20·5	.	15	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.	.	2
Waterford.	Dec. 10,	7·8	.	4	.	.	.	.	.	.	.	—	.	.	.	.	2		.	—	.	.
	„ 17,	35·1	.	18	.	.	.	.	.	.	.	—	2	1	.	3	2		.	—	.	1
	„ 24,	13·6	1·9	7	.	.	.	.	.	.	.	—	.	1	1	.	.		1	—	.	.
	„ 31,	17·5	.	9	.	.	.	.	.	.	.	—	1	1	.	.	4		.	—	.	.
Pop. (in 1901) 26,769.	Jan. 7,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	1
	„ 14,	27·3	.	14	.	.	.	.	.	.	.	.	2	.	2	.	3	.	.	.	1	.
	„ 21,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 28,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 28th January, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 25 years.	Ages at Death: 25 and under 45 years.	Ages at Death: 45 and under 65 years.	Ages at Death: 65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa: Of children under 2 years of age.	Diarrhœa: 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.			The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.																												
BELFAST URBAN No. 1 DISTRICT,	349,180	10			4	.	1	.	1	.	2	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	1	1
Do. 2 do.		24			19	5	1	1	.	7	5	.	.	.	.	.	.	.	.	.	.	4	2	4	.	.	.	.	.	3	1
Do. 3 do.		23			10	3	2	.	2	.	3	.	.	.	.	.	1	.	.	2	.	2	1	2	.	.	.	.	.	.	2
Do. 4 do.		21			7	3	.	.	1	2	1	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	4	.
Do. 5 do.		7			6	1	2	2	1	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	.	1	1	1	1	.
Do. 6 do.		12			13	1	2	1	2	2	5	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	1	1	3	.
Do. 7 do.		.			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		5			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 9 do.		9			9	1	.	.	.	4	4	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	.	.	.	3	.
Do. 10 do.		15			14	4	1	2	3	2	2	.	.	.	.	.	.	.	.	1	.	.	2	3	.	.	.	.	1	3	1
Do. 11 do.		18			8	1	.	1	2	1	3	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.	.	1	.
Do. 12 do.		23			9	.	1	3	1	3	1	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	.	2	.
Do. 13 do.		11			5	2	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		10			12	5	.	1	.	3	3	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	1	.	1	3	.
Total.	—	188			118	26	10	11	13	27	31	.	.	.	.	.	1	2	.	13	4	11	7	20	.	.	2	2	4	24	5
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	3	24·3	8·1	6	.	2	1	1	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Do. 2 do.	10,701	8	14·6	.	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Do. 3 do.	9,978	6	26·1	.	5	1	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 4 do.	8,666	2	6·0	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do.	6,592	2	7·9	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 do.	10,702	7	34·1	.	7	.	3	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	1	1
Do. 7 do.	16,616	12	43·9	6·3	14	2	3	1	1	.	7	.	.	.	.	.	2	.	.	1	1	.	2	1	.	.	.	.	.	6	.
Total,	76,122	40	25·3	2·7	37	4	8	2	6	4	13	.	.	.	.	.	4	.	.	1	1	.	5	4	.	.	.	.	.	13	1

* See note (‡) at foot of first page

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910–11—WEEK ENDING																									
	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.
No. of weeks in Annual Series,	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4
BIRTHS registered, ...	179	219	210	159	219	190	264	194	172	200	205	228	201	183	178	156	181	175	185	167	200	199	241	231	233	188
DEATHS registered, ...	115	102	124	131	121	103	116	122	105	94	122	120	115	108	122	132	134	109	151	133	132	91	122	151	118	118
Annual Death rate per 1,000 of estimated population, ...	15·3	13·6	16·5	17·5	16·1	13·7	15·5	16·3	14·0	12·5	16·3	16·0	15·3	14·4	16·3	17·6	17·9	14·5	20·1	17·7	17·6	12·1	16·0	19·8	15·4	15·4
AGES, Under 1 year, ...	27	27	35	49	30	28	23	29	25	31	27	27	28	24	28	27	24	17	34	20	22	18	21	30	23	26
1—5 years, ...	19	6	17	14	15	14	13	11	14	6	14	16	8	11	6	6	5	8	11	17	12	8	12	11	8	10
5—25 „ ...																							7	20	16	11
25—45 „ ...	69	69	72	68	76	61	80	82	66	57	81	77	79	73	88	99	105	84	106	96	98	65	30	37	17	13
45—65 „ ...																							32	25	21	27
65 and upwards, ...																							20	28	33	31
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	7	4	7	3	.	3	1	3	1	1	3	5	.	3	1	.	2	2	3	3	1	.	.	.	1	.
Scarlet Fever, ...	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1	2	1	1	1	1	1	.
Whooping-cough, ...	2	1	1	5	.	1	1	1	3	1	1	.	1	.	.	.	1	.	1	.	1	1	.	.	1	1
Diphtheria, ...	.	.	.	.	.	.	1	.	.	.	2	1	.	.	1	1	.	1	4	.	.	.	.	.	1	2
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.
Tuberculous Disease. Phthisis, ...	13	12	16	10	11	12	14	11	17	9	17	10	12	14	12	17	17	13	14	12	15	9	14	23	17	13
Tuberculous Disease. Other Forms,	7	8	9	5	9	6	13	6	7	3	8	6	8	2	7	8	4	7	5	7	3	3	7	7	4	4
Cancer, ...	3	7	3	4	5	8	10	8	5	5	7	5	7	9	5	8	9	6	5	8	6	5	7	2	7	11
Diseases of Respiratory System, Pneumonia,	3	4	5	10	8	6	7	10	7	5	11	11	7	7	13	11	8	7	13	10	10	7	8	9	7	7
Diseases of Respiratory System, Others, ...	10	5	8	8	9	5	5	8	11	9	16	9	19	11	23	16	25	25	36	22	29	18	18	24	24	20
Diarrhœa, Under 2 years, ...																							1	.	.	.
Diarrhœa, 2 years & upwards,	10	14	22	29	16	13	15	13	7	7	3	8	10	6	4	3	1	1	4	3	1	.	1	1	.	.
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	.	.	2
Violent Deaths, ...	1	6	.	3	2	1	1	5	2	.	.	2	.	3	4	2	5	3	2	6	2	4	6	6	1	2
Number of Uncertified Deaths, ...	2	1	2	.	2	2	2	.	1	1	1	.	.	2	3	.	.	3	4	1	1	3	3	.	1	5

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,912,054	Jan. 28,	2,277	1,538	16·3	5	.	82	3	30	9	19*a*
Edinburgh, ...	365,253	„ 28,	138	112	16·0	.	.	1	1	1	1	1
Glasgow, ...	897,178	„ 28,	412	274	15·9	2	.	.	4	5	2	4
Calcutta, ...	1,009,008	Dec. 24,	.	567	29·2	116*	.	2	.	1	1	67‡
Bombay, ...	977,822	„ 27,	425	639	34·0	64*	.	16	.	.	.	63‡
Madras, ...	509,346	„ 3,	405	463	47·2	102*	2	.	?	?	?	67
Cairo, ...	682,953	„ 9,	638	370	28·2	3	.	3	1	.	6†	35*a*
Paris, ...	2,760,000	„ 31,	902	915	17·5	1	.	1	.	4	5†	15*a*
Brussels, ...	720,030	Jan. 7,	.	.	.	.	.	.	.	.	.	.
Antwerp, ...	317,171	„ 7,	121	83	13·6	.	.	3	.	.	.	8*a*
Amsterdam, ...	573,984	„ 7,	262	132	12·0	2	.	3	.	1	.	1*a*
Copenhagen, ...	450,000	„ 7,	194	128	14·8	.	.	.	4	2	.	5*a*
Stockholm, ...	341,816	Dec. 31,	202	86	13·1	.	.	.	.	.	1†	1
Christiania, ...	240,178	Jan. 14,	141	83	18·0	.	.	1	.	3	.	3
St. Petersburg, ...	1,620,000	Dec. 24,	864	739	23·8	9	5	6	14	3	6	50
Moscow, ...	1,493,600	„ 17,	.	826	28·8	9	2	14	22	7	22	54
Berlin, ...	2,068,762	„ 31,	799	616	15·5	.	.	3	8	5	11†	19
Hamburg, ...	895,804	Jan. 7,	.	277	16·1	2	.	1	2	2	5†	12
Breslau, ...	516,407	„ 7,	.	171	17·3	.	.	.	.	2	1	7
Munich, ...	597,000	„ 14,	.	209	18·2	.	.	4	.	1	1†	14
Vienna (with suburbs),	2,130,320	„ 7,	737	715	17·5	2	.	5	5	2	5†	23*a*
Buda-Pesth, ...	838,950	„ 7,	418	329	20·5	2	.	2	6	.	6†	8*a*
Prague and Faubourgs,	508,310	Dec. 24,	151	160	16·4	.	.	.	1	2	4†	12*a*
Trieste, ...	223,521	„ 31,	127	108	25·2	.	.	1	.	.	2†	1*a*
Rome, ...	589,425	Oct. 29,	219	188	16·6	9	.	2	.	1	1	25‡
Venice, ...	183,224	Dec. 17,	76	55	15·7	1	.	.	.	.	.	2
		„ 24,	86	66	18·8	.	.	.	.	.	.	5
New York, ...	4,803,264	„ 31,	.	.	.	.	.	.	.	.	.	.
Philadelphia, ...	1,598,400	„ 10,	.	491	16·0	1	.	4	4	3	13†	22
Boston, ...	688,912	Jan. 14,	.	222	16·8	1	.	1	.	1	2	3

* Deaths from "fever," including 2 deaths from enteric fever in Calcutta, 2 in Bombay, and 14 deaths from plague in Calcutta, and 10 in Bombay.

† Including deaths from croup.

‡ Including 16 deaths from cholera in Calcutta, 7 in Bombay, and 2 in Rome.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 28th January, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	.	1	.	.	1	3
„ „ 1, West, ...	.	1	.	.	.	.	1	1	2	.	.	1	6
„ „ 2, ...	.	.	.	.	.	.	.	1	1	.	.	1	3
„ „ 3, ...	.	3	.	.	6	.	.	.	1	.	.	.	10
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	4	.	.	.	.	.	.	.	.	.	.	4
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	.	.	.	1	.	.	16	2	.	.	.	19
„ „ 2, ...	.	.	.	.	1	.	.	2	2	.	.	1	6
„ „ 3, ...	.	2	.	.	.	.	.	1	.	.	.	3	6
„ „ 4, ...	.	3	.	.	1	.	.	2	.	.	.	3	9
New Kilmainham, ...	.	.	.	.	1	.	.	.	1	.	.	.	2
Total.	.	15	.	.	10	.	1	23	10	.	.	10	69

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 28th January, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 28th January.			
	Jan. 7.	Jan. 14.	Jan. 21.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	1	1	.	.	.	1
Measles, ...	24	21	23	8	5	1	25
Scarlet Fever, ...	96	89	91	14	11	1	93*
Typhus, ...	.	1	1	.	.	.	1
Diphtheria, ...	66	69	87	12	13	2	84
Enteric Fever, ...	42	41	54	24	10	1	67
Pneumonia, ...	25	22	22	9	5	1	25

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 28th January, 1911:—

"Opening with a dull, wet morning on Sunday, this week proved fine and singularly mild and open after Tuesday. The fine period was, however, temporarily interrupted on Wednesday, when the sky was densely clouded and slight drizzling showers fell, especially in the evening. The open weather spread over the greater part of Europe as the week advanced, so that on Friday morning the region of frost was confined to Sweden and Russia—even in Berlin the minimum was not lower than 41°, and at 7 a.m. the thermometer stood at 45°. The mild weather of the period was determined by the prevalence all over North-western Europe of a strong south-westerly, or equatorial, air-current. And this, in turn, depended on the persistent presence of a ridge of high atmospheric pressure over Central Europe, whence it stretched across France and the Atlantic to the Azores. On the other hand, the barometer was generally low in the Icelandic region and Finmark. Thus, on Tuesday morning, the baric readings ranged from 28·78 inches at Seydisfjord, in Iceland (E.), to 30·54 inches at Belfort, in the east of France; and again on Wednesday morning the range was from 28·81 inches at Isafjord in Iceland (N.W.) to 30·61 inches at Belfort. On Thursday morning the lowest pressure was 28·73 inches at Bodö, lat. 66° on the Norwegian coast. The rain on Sunday fell in connection with a shallow depression which formed within an anticyclone over Ireland. On Friday again a small secondary depression was central at 7 a.m. over the Shetlands: it caused a heavy rainfall at Sumburgh Head (·69 inch), and smaller amounts of rain at most of the Scottish stations. Saturday was fine, bright and dry. In Dublin the mean height of the barometer was 30·246 inches, pressure ranging between 30·054 inches at 9 a.m. of Wednesday (wind, S.W.) and 30·323 inches at 9 a.m. of Saturday (wind, calm). The corrected mean temperature was 46·5°, the mean dry bulb readings at 9 a.m. and 9 p.m. being 46·0°. The screened thermometers fell to 33·8° on Monday and rose to 55·4° on Wednesday. S.W. winds prevailed. The rainfall was ·043 inch on 2 days, ·038 inch being recorded on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·070 inches. The highest reading (30·157) was on Saturday at 9 a.m., air calm, and the lowest (29·883) on Wednesday at 9 a.m., wind W.S.W.

The mean temperature for the week was 45·5°, being 5·0° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Wednesday, on which day the thermometer registered 54·8°, and was lowest on Monday, the mercury having fallen to 27·9°. The mean of the Dry Bulb for the week was 44·7° and of the Wet Bulb, 43·5°. The mean humidity of the air was ·92, complete saturation being represented by 1·0. The rainfall during the week measured 0·034 inch.

At Greenwich the mean temperature for the week was 41·5°, the maximum 51·7°, and the minimum 29·5°; at Glasgow the maximum was 53·0°, the minimum 33·8°, and the mean 44·9°; and at Edinburgh the maximum was 51·0°, the minimum 34·5°, and the mean 43·4°. The rainfall at Greenwich measured 0·04 in.; at Glasgow 0·70 in.; and at Edinburgh 0·12 in.*

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, January 22,	30·063	46·6	35·4	41·0	39·7	39·2	·99	·5	1·8	·012	S.E.	Calm.
Monday, „ 23,	30·125	46·3	27·9	37·1	37·0	36·0	·91	·6	6·8	·006	Calm.	S.
Tuesday, „ 24,	29·996	48·1	40·7	44·4	45·5	44·0	·90	·6	1·0	·000	W.S.W.	S.W.
Wednesday, „ 25,	29·927	54·8	46·9	50·9	50·6	49·5	·93	·6	0·0	·016	W.S.W.	W.S.W.
Thursday, „ 26,	30·120	52·1	47·9	50·0	48·4	47·2	·92	·6	3·4	·000	W.S.W.	S.W.
Friday, „ 27,	30·115	51·3	44·4	47·9	46·5	44·9	·89	·6	2·3	·000	S.W.	S.W.
Saturday, „ 28,	30·141	52·9	41·4	47·2	45·2	43·4	·87	·5	3·4	·000	Calm.	S.W.
Mean, ...	30·070	50·3	40·7	45·5	44·7	43·5	·92	·6	Total 18·7	Total ·034	Prevailing Wind, S.W.	

Sunday—Day overcast to cloudy, drizzle; night clear. *Monday*—Day cloudy, light rain p.m.; night cloudy. *Tuesday*—Day overcast to cloudy; night cloudy. *Wednesday*—Day overcast, drizzle p.m.; night overcast, drizzle a.m. *Thursday*—Day cloudy; night cloudy. *Friday*—Day overcast to cloudy, mild; night clear. *Saturday*—Day cloudy, mild; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, January 28th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, January 22,	43·5	39·6	43·1	47·2	39·0	43·1	1·5	·028
Monday, „ 23,	39·0	39·3	43·0	46·8	32·1	39·9	4·0	—
Tuesday, „ 24,	45·5	39·1	43·0	48·5	41·9	45·2	0·2	—
Wednesday, „ 25,	51·5	41·0	43·0	56·2	42·2	49·2	0·2	—
Thursday, „ 26,	50·2	43·1	43·0	53·3	48·0	50·7	4·0	—
Friday, „ 27,	48·0	43·0	43·2	51·8	44·8	48·3	1·6	—
Saturday, „ 28,	47·7	43·0	43·5	53·7	45·0	49·4	1·5	—
Weekly Mean,	46·5	41·2	43·1	51·1	41·9	46·5	Total 13·0	Total ·028

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30002. Wt. P. 272–32/138. 375. 1. 1911. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & CO., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 4TH FEBRUARY, 1911. [No. 5.

General Register Office, Charlemont House,
Dublin, 6th February, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,163,596.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Jan. 14	Jan. 21	Jan. 28	Feb. 4	Average Rate for 4 weeks.	Towns, &c.	Week ending Jan. 14	Jan. 21	Jan. 28	Feb. 4	Average Rate for 4 weeks.
22 Town Districts, ...	**19·9**	**19·3**	**21·3**	**19·6**	**20·0**	Limerick	15·0	20·5	20·5	20·5	19·1
						Lisburn	4·5	27·3	27·3	9·1	17·1
Armagh	13·7	6·9	48·1	13·7	20·6	Londonderry	15·4	23·8	22·6	14·3	19·0
Ballymena	4·8	23·9	23·9	14·4	16·8	Lurgan	26·6	13·3	17·7	22·1	19·9
Belfast	19·8	15·4	15·4	16·8	16·9	Newry	8·4	25·2	16·8	8·4	14·7
Clonmel	5·1	.	15·4	46·2	16·7	Newtownards	28·6	.	34·3	17·2	20·0
Cork	20·5	24·7	25·3	20·5	22·7	Portadown	15·5	25·8	20·7	15·5	19·4
Drogheda	20·4	24·5	16·3	8·2	17·4	Queenstown	33·0	19·8	19·8	13·2	21·4
Dublin Reg. Area ...	21·4	23·4	27·5	24·1	24·1	Sligo	24·0	14·4	.	4·8	10·8
Dundalk	12·0	12·0	.	23·9	12·0	Tralee	21·1	.	42·3	10·6	18·5
Galway	27·2	3·9	3·9	15·5	12·6	Waterford	27·3	11·7	11·7	19·5	17·6
Kilkenny	24·6	34·3	29·5	29·5	29·5	Wexford	9·3	14·0	23·3	9·3	14·0

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in sixteen of the districts to 12·0 in Dundalk, the 6 deaths from all causes for that district including 3 from diphtheria. Among the 128 deaths from all causes for Belfast are one from whooping-cough and one from diphtheria. Included in the 30 deaths from all causes for Cork is one from whooping-cough. Of the 12 deaths from all causes for Londonderry 3 are from whooping-cough, and among the 15 deaths from all causes for Limerick are 2 from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 219—110 boys and 109 girls—and the deaths to 200—87 males and 113 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœa.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 24·1 per 1,000 of the population. During the five weeks ending with Saturday last the death-rate averaged 23·6, and was 1·9 below the mean rate for the corresponding portions of the 10 years 1901–10.

The total deaths registered, numbering 200, represent an annual rate of 25·6 per 1,000; the annual rate for the past five weeks was 24·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·6 per 1,000 of the mean population for all deaths registered.

Among the deaths registered there were 3 from enteric fever, 2 from measles, 4 from whooping-cough, 5 from diphtheria, and 3 deaths from influenza. In each of the three preceding weeks, deaths from enteric fever were one, 0, and 2; deaths from measles were 3, 6, and 2; deaths from whooping-cough were 5, 6, and 10; deaths from diphtheria were 2, 4, and one; and deaths from influenza were one, one, and 4. There were 7 deaths from diarrhœa and enteritis of children under 2 years; in each of the three preceding weeks deaths from these conditions were 4, 4, and 4.

There was one death from cerebro-spinal fever.

Deaths from all forms of tuberculous disease, which in the three preceding weeks had numbered 25, 36, and 35, respectively, declined to 23 in the week under notice; the latter figure included 19 deaths from pulmonary tuberculosis, 2 deaths from tuberculous meningitis, and 2 deaths from tuberculous disease of bone.

There were 16 deaths attributed to cancer, malignant disease.

Meningitis caused 4 deaths, and there were 8 deaths of children under 2 years of age assigned to *convulsions*; of this figure 6 were deaths of infants under one year of age.

Diseases of the heart and blood vessels accounted for the deaths of 19 persons.

Of 18 deaths from pneumonia (all forms), 11 were from broncho-pneumonia, 3 from lobar pneumonia, and 4 from *pneumonia* (type not distinguished).

Bronchitis was accountable for 26 deaths.

There were 4 deaths of premature infants registered.

Of 6 deaths attributed to accident or negligence one was by burning, of a child aged 3½ years, 3 were by drowning, and one was by poisoning. There was one death by suicide registered.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; all these cases were of infants under one year old.

Sixty-one of the persons whose deaths were registered during the week were under 5 years of age (35 being infants under one year, of whom 16 were under one month old) and 41 were aged 65 years and upwards, including 31 persons aged 70 and upwards; among the latter were 19 aged 75 and upwards, of whom 3 (females) were nonagenarians, who were stated to have been aged 90, 94, and 97 years respectively.

Eighty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the North Dublin Union Workhouse, 17 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death rate for the entire Registration Area was 24·1 per 1,000; the rate in the City was 25·1 (North City Districts, 26·3; South 23·9) and in the Suburbs, 20·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·4 per 1,000 inhabitants, the rate for the City being 3·0 (3·6 in the North City Districts, and 2·4 in the South), and for the Suburbs, 0·6.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (20) are equal to an annual rate of 34·5 per 1,000. Among them are one death each from enteric fever and whooping-cough, 2 deaths from influenza, 2 from pulmonary tuberculosis, 2 from broncho-pneumonia, one from *pneumonia* (type not distinguished), one from bronchitis, and one death caused by drowning.

No. 1 *North City District, West* (Summer-hill).—The deaths (27) are equal to an annual rate of 34·9 per 1,000. Enteric fever and influenza each caused one death; there were 2 deaths from diarrhœa of children under 2 years of age, 4 from pulmonary tuberculosis, 2 from broncho-pneumonia, one from lobar pneumonia, 4 from bronchitis, and one death caused by accidental poisoning.

No. 2 *North City District* (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 21·8 per 1,000. One death from broncho-pneumonia, 3 from bronchitis, and one death from drowning were recorded.

No. 3 *North City District* (Benburb-street).—The deaths (11) represent an annual rate of 16·9 per 1,000. There was one death from each of enteric fever, whooping-cough, diphtheria, diarrhœa (of a child under 2 years of age), pulmonary tuberculosis, and broncho-pneumonia.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No 1, part of, 19·2 per 1,000 inhabitants; Coolock and Drumcondra, part of, 26·6; and Finglas and Glasnevin, part of, 13·4 Among the 6 deaths from all causes for Coolock and Drumcondra, part of, one was from cerebro-spinal fever, one was from diarrhœa, and one from pulmonary tuberculosis; and of the 2 deaths recorded for Finglas and Glasnevin, part of, one was caused by whooping-cough, and one by *pneumonia* (type not distinguished).

No. 1 *South City District* (South Earl-street).—The deaths (22) represent an annual rate of 27·4 per 1,000. Among them are one death from measles, one from pulmonary tuberculosis, one from broncho-pneumonia, 4 from bronchitis, one death of an infant from neglect, and one death caused by drowning.

No. 2 *South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 28·5 per 1,000. There were 4 deaths from tuberculous disease, one death each from broncho-pneumonia and *pneumonia* (type not distinguished), and 3 deaths from bronchitis.

No. 3 *South City District* (Peter-street)—The deaths (19) are equal to an annual rate of 22·7 per 1,000, and include one death each from measles and diphtheria, 3 deaths from pulmonary tuberculosis, one death each from broncho-pneumonia and *pneumonia* (type not distinguished), 4 from bronchitis, and one death by suicide.

No. 4 *South City District* (Grand Canal Street).—The deaths (17) are equivalent to an annual rate of 24·5 per 1,000. There were 2 deaths from diphtheria, one from whooping-cough, one from diarrhœa (of a child under 2 years of age), 3 from pulmonary tuberculosis, one from lobar pneumonia, 2 from bronchitis, and one death from accidental burns.

New Kilmainham District.—No deaths were recorded for this district.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 25·0; Pembroke, 14·2; Blackrock, 11·6; and Kingstown, 26·6. The only death from any of the principal epidemic diseases tabulated or these districts was one from diphtheria for Rathmines and Rathgar, the 18 deaths from all causes for the last-named district including 2 from tuberculous disease, one from broncho-pneumonia, and 4 from other diseases of the respiratory system. Among the 8 deaths from all causes for Pembroke are 2 from diseases of the respiratory system; and of the 9 deaths from all causes for Kingstown one was caused by broncho-pneumonia, and one by lobar pneumonia.

* See note (‡) on first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 4th February, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Jan. 14,	.	—	—	12	.	.	25	.	.	6	.	.	—	—	.	—	10	—	53
	Jan. 21,	.	—	—	20	1	.	16	.	2	10	8	.	—	—	.	—	11	—	68
	Jan. 28,	.	—	—	15	.	.	10	.	1	23	10	.	—	—	.	—	10	—	69
	Feb. 4,	.	—	—	25	.	.	9	.	.	15	8	.	—	—	1	—	9	—	67
Rathmines and Rathgar Urban District.	Jan. 14,	.	—	—	1	.	.	2	.	.	.	1	.	—	—	—	—	—	—	4
	Jan. 21,	.	—	—	.	.	.	3	.	.	1	2	.	—	—	—	—	—	—	6
	Jan. 28,	.	—	—	2	.	.	1	.	.	.	2	.	—	—	—	—	—	—	5
	Feb. 4,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	—	1
Pembroke Urban District.	Jan. 14,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	.	—	.
	Jan. 21,	1	1	.	1	.	.	1	.	.	.	.	.	—	4	.	—	1	—	9
	Jan. 28,	.	4	.	.	.	.	.	.	1	.	.	.	—	1	.	—	.	—	6
	Feb. 4,	.	4	.	.	.	.	.	.	1	.	.	.	—	2	.	—	.	—	7
Blackrock Urban District.	Jan. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 21,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 4,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Jan. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Jan. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Jan. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Feb. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Jan. 14,	.	—	—	18	.	.	6	1	.	.	4	.	—	—	.	—	17	—	46
	Jan. 21,	.	—	—	18	.	.	8	1	1	2	7	.	—	—	.	—	12	—	49
	Jan. 28,	.	—	—	24	.	.	8	1	.	.	7	.	—	—	.	—	22	—	62
	Feb. 4,	.	—	—	11	.	.	3	.	.	1	2	.	—	—	.	—	22	—	39

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 4th February, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

One case of small-pox remained under treatment in hospital at the close of the week.

Twelve cases of measles were admitted to hospital during the week, 6 were discharged, there were 2 deaths, and 29 cases remained under treatment at the close of the week.

Twenty-seven cases of scarlet fever were admitted to hospital, 21 were discharged, there was one death, and 98* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 89, 91, and 93, respectively.

One case of typhus remained under treatment in hospital at the close of the week.

Eighteen cases of diphtheria were admitted to hospital during the week, 24 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 69, 87, and 84, respectively, were 76 at the close of last week.

Eleven cases of enteric fever were admitted to hospital during the week, 6 were discharged, there were 2 deaths, and 70 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 41, 54, and 67.

In addition to the above named diseases, 9 cases of pneumonia were admitted to hospital, 6 were discharged, there was one death, and 27 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 16·1) was equal to an average annual death-rate of 16·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·2 per 1,000, the rate for Glasgow being 19·8 and for Edinburgh 17·1.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 4th February. From this Report it appears that of a total of 96 cases notified, 33 were scarlet fever, 31 phthisis, 22 diphtheria, and 10 erysipelas. Among the 448 cases of infectious diseases in hospital at the close of the week were 205 cases of scarlet fever, 101 of diphtheria, 58 of phthisis, 46 of measles, 15 of erysipelas, 14 of whooping cough, and 6 of enteric fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 4th February, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 4th February, 1911. Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 4th February, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 28th January, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 21st January, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
Total of 22 Town Districts, ...	1,163,596	20·4	27·5	19·6	1·3	614	437	74	103	5	...	...	2	...	9	9	...	41	8	21	37	70	4	1	6	12	19	148	13	° ...	° ...	° ...	...	° ...	° ...	° ...	...	...	° ...	° ...	...
Dublin Registration Area:— Total, c. ...	407,057	29·6	28·1	24·1	2·4	219	188	35	38	3	...	...	2	...	4	5	...	18	3	14	18	27	4	1	3	7	8	76	3	e46·0	18·5	35·9	0·00	e54·8	27·9	45·5	0·03	e48·0	25·0	38·6	0·15
City of Dublin,	313,526	39·6	30·1	25·1	3·0	181	151	29	25	3	...	...	2	...	4	4	...	18	1	12	15	21	4	1	2	7	8	62	1	f46·4 g46·4	26·8 21·0	38·6 37·1	0·00 0·00	f55·4 g55·8	33·8 28·0	45·5 45·9	0·04 0·05	f48·5 g47·9	30·1 27·0	40·1 39·0	0·08 0·14
Urban Districts. Rathmines and Rathgar.	37,528	21·9	22·2	25·0	1·4	16	18	4	6	...	...	...	...	...	...	1	...	...	2	1	1	4	...	...	1	...	...	6	1	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,368	18·5	19·5	14·2	...	11	8	...	4	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,013	8·3	5·8	11·6	...	1	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,622	12·1	29·6	26·6	...	10	9	2	2	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	3	1	46·0	31·0	39·8	0·00	57	33	46·8	0·09	51	29	38·5	0·01
Urban Districts. Belfast ...	398,421	27·1	27·7	16·8	0·3	212	128	24	29	...	...	...	...	...	1	1	...	10	4	6	7	25	...	...	2	4	9	35	2	47·0	21·0	38·5	0·00	52·0	30·6	43·4	0·43	49·0	32·0	41·0	0·05
Cork, ...	76,122	33·6	21·9	20·5	0·7	32	30	2	4	...	...	...	...	...	1	...	...	6	1	...	3	3	...	...	...	1	1	11	2	48	31	41·0	0·01	52	35	46·1	0·15	48	38	44·3	0·28
Londonderry...	43,900	20·3	20·2	14·3	3·6	17	12	4	1	...	...	...	...	...	3	...	...	...	...	...	1	3	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,151	18·1	53·3	20·5	2·7	39	15	1	4	2	...	...	...	...	...	...	...	1	...	...	...	4	...	...	1	...	...	5	1	49·3	22·6	36·7	0·00	55·2	31·1	45·1	0·02	48·6	25	40·3	0·36
Waterford, ...	26,769	18·7	25·3	19·5	...	13	10	2	3	...	...	...	...	...	...	...	...	2	...	...	1	1	...	...	...	...	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,426	2·5	23·3	15·5	...	6	4	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	56	38	45·4	0·86	50	32	42	0·04
Dundalk, ...	13,076	9·4	23·9	23·9	12·0	6	6	...	3	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,760	8·6	16·3	8·2	...	4	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	12,405	17·8	12·6	8·4	...	3	2	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	47·0	18·0	34·3	0·01	52·0	33·1	44·8	0·23	48·2	32·6	40·9	0·14
Lurgan, ...	11,782	13·8	22·1	22·1	...	5	5	2	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	47·0	18·0	34·3	0·01	52·0	33·1	44·8	0·23	48·2	32·6	40·9	0·14
Lisburn, ...	11,461	10·1	40·9	9·1	...	9	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	47·0	18·0	34·3	0·01	52·0	33·1	44·8	0·23	48·2	32·6	40·9	0·14
Wexford, ...	11,168	23·2	23·3	9·3	...	5	2	...	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena, ...	10,886	8·9	28·7	14·4	...	6	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	10,870	3·7	19·2	4·8	...	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	48·0	17·6	33·8	0·01	53·9	34·5	45·6	0·77	49·6	30·9	41·1	0·53
Kilkenny, ...	10,609	11·5	29·5	29·5	...	6	6	...	5	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	...	2	...	46	23	35·8	0·04	55	26	44·7	0·05	47	25	36·4	0·49
Clonmel, ...	10,167	7·8	41·0	46·2	...	8	9	...	5	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	10,092	13·2	31·0	15·5	...	6	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	47·0	18·0	34·3	0·01	52·0	33·1	44·8	0·23	48·2	32·6	40·9	0·14
Tralee, ...	9,867	16·6	15·9	10·6	...	3	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	34·3	17·2	...	6	3	...	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	47	30	39·5	0·01	52	36	45·3	0·23	50	33	41·5	0·04
Queenstown, ...	7,909	14·4	26·4	13·2	...	4	2	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	48	31	41·0	0·01	52	35	46·1	0·15	48	38	44·3	0·28
Armagh, ...	7,588	22·2	6·9	13·7	...	1	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	47·0	18·0	34·3	0·01	52·0	33·1	44·8	0·23	48·2	32·6	40·9	0·14

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1911. (b) See note (‡) at foot of first page. (c) Exclusive of 12 deaths of persons (including 3 at 65 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 4th of February, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.	4	.
Diphtheria,	.	.	.	1	.	.	.	.	.	1	2	.	1	.	.	.	5	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	2	4	.	1	.	1	.	1	3	3	3	.	.	.	.	.	18	1
Tuberculous Disease. { Other Forms,	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	3	1
Cancer,	.	3	1	.	1	1	.	1	1	1	3	.	1	.	.	1	14	2
Diseases of Nervous System,	2	3	1	2	.	1	.	5	.	3	1	.	4	1	2	2	27	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	.	2	.	1	1	.	3	.	2	2	.	3	.	.	1	16	3
" Respiratory System. { Pneumonia,	3	3	1	1	.	.	1	1	2	2	1	.	1	.	.	2	18	.
" Respiratory System. { Others,	1	4	3	.	.	.	.	4	3	4	2	.	4	2	.	.	27	3
" Digestive System. { Diarrhœa, under 2 years,	.	2	.	1	.	.	.	.	.	.	1	.	.	.	.	.	4	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. { Enteritis, under 2 years,	.	.	1	.	.	.	.	1	.	.	.	.	1	.	.	.	3	.
" Digestive System. { Enteritis, 2 years and upwards,	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.
" Digestive System. { Others,	2	1	.	.	.	1	.	.	1	.	.	.	.	.	.	.	5	1
" Genito-urinary System,	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	3	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	3	1	3	3	.	.	.	3	1	1	.	.	1	1	.	3	20	.
Violent Deaths,	1	1	1	.	.	.	.	2	.	1	1	.	.	.	.	.	7	.
Ill-defined, &c. Causes,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Deaths from All Causes	20	27	13	11	2	6	2	22	12	19	17	.	18	8	2	9	188	12
Annual Rate of Mortality from All Causes in every 1,000 of the population.	34·5	34·9	21·8	16·9	19·2	26·6	13·4	27·4	28·5	22·7	24·5	.	25·0	14·2	11·6	26·6	24·1	.
	26·3							23·9					20·6					
	25·1																	
Ages at Death. { Under 1 year,	5	4	3	4	.	1	.	6	2	1	3	.	4	.	.	2	35	.
1 and under 2 years,	2	1	.	1	.	.	.	2	1	4	1	.	.	.	.	.	12	1
2 " 5 "	.	.	2	2	.	.	1	1	1	2	1	.	2	1	.	.	13	.
5 " 15 "	1	1	.	.	.	1	.	.	.	.	.	.	2	.	.	.	5	1
15 " 25 "	1	1	1	1	.	1	.	2	.	1	1	.	.	.	1	.	10	2
25 " 45 "	4	3	.	.	1	2	.	3	3	6	2	.	2	2	.	2	30	2
45 " 65 "	3	15	3	2	.	1	.	3	4	1	7	.	2	1	.	3	45	3
65 and upwards,	4	2	4	1	1	.	1	5	1	4	2	.	6	4	1	2	38	3
Number of Uncertified Deaths,	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	4	5	2	3	1	1	.	2	6	4	4	.	5	3	1	1	42	10
Workhouse Hospitals,	3	9	2	1	1	1	.	2	1	7	3	.	1	1	.	2	34	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 5th Week of the 10 years 1901–1910.	In the Week ending Saturday, 4th February, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Feb. 2, 1901.	Feb. 1, 1902.	Feb. 7, 1903.	Feb. 6, 1904.	Feb. 4, 1905.	Feb. 3, 1906.	Feb. 2, 1907.	Feb. 1, 1908.	Feb. 6, 1909.	Feb. 5, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 35·9	° 34·9	° 44·6	° 37·0	° 43·9	° 44·3	° 37·7	° 41·8	° 44·4	° 38·1	° 40·3	° 35·9										
ALL CAUSES.	186	169	202	233	183	187	193	208	196	239	199·6	200	16	19	13	13	6	12	32	48	22	19
Enteric Fever, ...	3	.	.	1	.	1	.	.	.	.	·5	3	.	.	.	.	1	2	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	.	.	5	.	.	2	7	.	1·5	2	.	.	1	1	.	.	.	.	.	.
Scarlet Fever, ...	.	1	3	.	1	1	.	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	12	1	3	9	2	2	2	2	1	2	3·6	4	.	1	1	2	.	.	.	.	.	.
Diphtheria, ...	1	1	3	1	1	1	.	.	3	2	1·3	5	.	1	1	1	1	.	.	.	1	.
Croup, ...	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	2	1	3	2	.	6	6	.	4	2·7	3	.	.	.	.	.	.	.	2	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	.	1	.	.	.	.	2	.	·4	1	.	.	.	.	.	.	.	1	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	.	.	1	.	.	.	1	1	·4	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	20	33	21	23	28	29	24	28	24	26	25·6	19	.	.	.	.	.	2	14	3	.	.
Tuberculous Meningitis, ...	2	.	4	4	4	2	3	3	1	4	2·7	2	.	1	.	1	.	.	.	.	.	.
Abdominal Tuberculosis, ...	2	.	2	3	2	.	1	.	2	1	1·3	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	5	6	5	4	5	7	8	6	5	12	6·3	2	.	.	.	.	2	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases, ...	.	1	1	1	1	1	2	1	1	2	1·1	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	4	7	4	11	8	8	10	6	4	19	8·1	16	.	.	.	.	.	.	2	12	2	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	2	.	1	1	.	.	.	.	.	.	·4	1	.	.	.	.	.	.	.	.	1	.
Diabetes, ...	.	.	1	.	.	.	1	1	1	.	·4	1	.	.	.	.	.	.	.	.	.	1
Anæmia Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	1	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
Simple Meningitis, ...												4	.	.	1	1	.	1	.	1	.	.
Cerebral Hæmorrhage, *Apoplexy.*												9	.	.	.	.	.	.	1	5	.	3
Softening of Brain, ...												1	.	.	.	.	.	.	.	1	.	.
Paralysis, without specified cause.												1	.	.	.	.	.	.	.	.	.	1
Epilepsy, ...												1	.	.	.	.	.	1	.	.	.	.
Convulsions (non-puerperal),												8	2	4	2	.	.	.	.	.	.	.
Other Diseases of Nervous System.	35	30	48	47	41	45	41	41	43	42	41·3	2	.	.	.	.	.	.	.	1	1	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												1	.	.	.	.	.	1	.	.	.	.
Organic Diseases of the Heart,												15	.	.	.	.	.	1	3	4	5	2
Embolism and Thrombosis (including Cerebral)												2	.	.	.	.	.	.	.	2	.	.
Other Diseases of Circulatory System.												1	.	.	.	.	.	.	1	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	27	29	37	32	25	24	40	41	33	43	33·1	26	1	1	4	3	.	.	1	8	5	3
Broncho-pneumonia, ...			4	4	7	11	6	9	8	12		11	1	3	3	2	.	.	1	1	.	.
Lobar-pneumonia, ...	19	15	2	.	2	.	1	2	3	1	17·2	3	.	.	.	.	1	.	1	.	1	.
Pneumonia (type not distinguished).			11	12	2	8	6	8	12	7		4	.	.	.	.	.	.	1	1	1	1
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	3	3	5	3	7	3	4	2	3	.	3·3	2	1	.	.	.	.	.	.	.	1	.
Other Diseases of Respiratory System.												2	.	.	.	.	.	.	.	.	1	1

FIFTH WEEK ending Saturday, 4th February, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										5th Week of the 10 years 1901–1910.	In the Week ending Saturday, 4th February, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Feb. 2, 1901.	Feb. 1, 1902.	Feb. 7, 1903.	Feb. 6, 1904.	Feb. 4, 1905.	Feb. 3, 1906.	Feb. 2, 1907.	Feb. 1, 1908.	Feb. 6, 1909.	Feb. 5, 1910.	Averages in Week of the 10 years 1901–1910.	Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 35·9	° 34·9	° 44·6	° 37·0	° 43·9	° 44·3	° 37·7	° 41·8	° 44·4	° 38·1	° 40·3	° 35·9										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	1	.	.	.	.	1	.	.	.
Diarrhœa of Children under 2 years.	2	.	1	1	.	1	2	2	.	4	1·3	4	.	4	.	.	.	.	.	.	.	.
„ 2 years and upwards,												1	.	.	.	.	1	.	.	.	.	.
Enteritis of Children under 2 years.	1	3	1	.	5	2	3	1	.	7	2·3	3	1	2	.	.	.	.	.	.	.	.
„ 2 years and upwards,												3	.	.	.	1	.	.	1	1	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	1	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	.	1
Cirrhosis of Liver, ...	1	3	.	2	1	.	.	.	1	.	1·4	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...			.	3	.	.	.	2	1	.		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	2	.	.	.	1	1	2	·6	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Digestive System.	2	4	4	5	4	4	1	4	1	2	3·1	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	3	8	5	8	4	9	5	5	7	8	6·2	1	.	.	.	.	.	.	1	.	.	.
Chronic Bright's Disease, ...												1	.	.	.	.	.	.	.	1	.	.
Urinary Calculi, ...												1	.	.	.	.	.	.	1	.	.	.
Uterine Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												1	.	.	.	.	.	.	.	.	1	.
Puerperal Septicæmia, &c., ...	.	1	1	.	.	.	.	1	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	.	1	2	.	1	1	3	1	1	1·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	.	1
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	2	2	8	9	7	6	3	7	4	6	5·4	4	4	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	5	4	1	.	.	.	.	.	.	.	.
Old Age, ...	11	6	4	18	5	8	4	6	9	8	7·9	6	.	.	.	.	.	.	.	.	1	5
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	2	.	.	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	3	2	.	3	2	2	2	1	2	1	1·8	1	.	.	.	1	.	.	.	.	.	.
By Drowning, ...	1	.	1	2	.	.	1	1	.	2	·8	3	.	.	.	.	.	2	1	.	.	.
By Suffocation in Bed, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	.	.	.	.	.	1	.	.
Other Deaths by Accident, ...	2	.	1	1	1	1	1	.	.	2	·9	1	1	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	1	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.	.	.	1	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910–11—WEEK ENDING																									
	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.
No. of weeks in Annual Series,	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5
BIRTHS registered.	209	240	194	228	260	235	292	196	219	161	244	182	211	207	204	182	199	174	232	158	170	203	230	238	232	219
Average Births in corresponding week of previous 10 years, ...	202	219	218	207	232	203	200	252	192	184	209	206	209	202	195	181	207	193	195	177	174	231	208	209	201	241
DEATHS registered, ...	143	126	146	120	141	153	174	164	160	151	174	139	147	141	166	168	176	188	165	178	155	176	179	190	228	200
Annual Death-rate per 1,000, ...	18·5	16·3	18·9	15·5	18·2	19·8	22·5	21·2	20·7	19·5	22·5	18·0	19·0	18·2	21·5	21·7	22·8	24·3	21·4	23·0	20·1	22·5	22·9	24·3	29·2	25·6
Average Deaths in corresponding week of previous 10 years, ...	148	156	166	159	157	154	167	160	158	156	160	156	172	175	179	182	182	182	177	182	177	201	195	195	192	200
Ages, Under 5 years, ...	54	37	57	42	38	59	70	60	58	44	56	40	46	47	57	49	55	53	43	41	47	56	60	62	59	61
5—15 „ ...																						5	10	7	11	6
15—25 „ ...																						9	7	10	11	12
25—45 „ ...	89	89	89	78	103	94	104	104	102	107	118	99	101	94	109	119	121	135	122	137	108	25	24	27	32	32
45—65 „ ...																						45	38	41	55	48
65—75 „ ...																						20	25	28	34	22
75 and upwards, ...																						16	15	15	26	19
Deaths from :—																										
Enteric Fever, ...	.	2	.	1	1	1	1	.	3	1	2	1	1	.	.	2	.	1	2	1	.	.	1	.	2	3
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	.	.	.	3	.	1	.	.	.	1	.	1	1	.	2	1	.	1	4	3	6	2	2
Scarlet Fever, ...	1	1	2	1	1	2	.	.	1	.	1	1	3	.	2	1	3	1	1	.	2	7	.	.	1	.
Whooping-cough, ...	3	2	.	4	3	2	1	2	2	2	5	1	1	4	2	6	5	11	1	5	7	6	5	6	10	4
Diphtheria, ...	.	2	4	1	.	2	3	2	2	1	.	4	1	2	3	2	4	.	3	2	.	1	2	4	1	5
Influenza, ...	.	1	.	.	.	1	1	2	1	1	2	1	4	1	.	2	4	2	1	3	1	.	1	1	4	3
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	14	17	12	17	23	15	19	18	17	14	23	17	18	16	20	14	16	25	14	19	19	21	19	27	28	19
Tuberculous Disease, Other Forms,	15	7	5	5	13	9	8	11	12	8	8	4	11	11	8	6	7	11	4	7	5	4	6	9	7	4
Cancer, ...	8	9	10	8	9	7	9	11	12	11	12	9	7	9	8	14	3	12	4	13	6	8	3	12	7	16
Diseases of Circulatory System,	20	16	20	17	23	19	24	30	20	24	25	23	17	18	22	24	30	30	23	28	31	17	20	13	25	19
Diseases of Respiratory System, Pneumonia,	8	7	6	5	6	10	4	6	5	11	15	12	13	11	16	16	14	15	27	18	11	15	16	10	17	18
Diseases of Respiratory System, Others, ...	8	10	11	6	10	10	20	12	16	17	17	12	18	26	26	29	37	27	32	26	25	29	25	28	42	30
Diarrhœa, Under 2 years, ...	14	6	17	12	11	21	22	27	12	10	8	4	5	4	2	4	6	2	2	2	1	3	2	2	4	4
Diarrhœa, 2 years & upwards,																						.	.	.	.	1
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	2	2	.	3
Violent Deaths, ...	6	2	4	5	3	6	6	3	10	4	.	2	1	2	2	3	4	4	8	4	6	2	8	1	4	7
Number of Uncertified Deaths,	3	4	4	3	2	1	3	3	3	6	2	4	1	8	6	7	5	5	3	3	6	4	5	7	7	3
Mean Temperature of the Air (Phœnix Park)	59·2	58·8	56·6	57·2	54·8	52·0	50·4	54·2	52·5	48·2	49·1	50·4	43·1	39·6	38·2	42·2	37·0	43·4	45·2	43·5	40·9	37·2	39·0	38·6	45·5	35·9
Average Mean Temperature in corresponding week of previous 10 years, ...	58·2	57·7	56·5	56·1	54·4	53·1	53·8*	53·7	52·2	50·6	48·4	46·2	47·1	45·2	42·7	41·5	42·8	42·4	41·6	41·3*	41·3	42·0	40·0	40·8	40·5	40·3
Rainfall in inches, ...	·205	1·175	·411	·194	·150	·015	·015	·391	·585	·138	·333	·365	·558	·860	·352	1·206	1·820	1·700	1·172	·183	·130	·336	·345	·153	·034	·000
Mean Humidity of the Air, complete Saturation 1·0, ...	·85	·81	·84	·88	·87	·91	·85	·89	·90	·84	·92	·87	·90	·89	·85	·91	·93	·91	·91	·94	·88	·92	·90	·93	·92	·87

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 4th February, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
			REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 4TH FEBRUARY, 1911.																												
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	200	61	6	12	32	48	22	19	3	.	.	2	.	4	5	.	19	4	16	8	18	30	4	1	3	7	76	3
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	9·0	3	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
II.	MIDDLE CLASS, ...	87,188	12·6	21	3	2	3	2	3	4	4	1	.	.	.	.	1	1	.	3	2	2	.	1	1	1	1	.	.	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	21·7	46	17	1	4	6	11	2	5	2	.	.	.	.	1	2	.	1	1	5	1	3	5	1	.	.	3	21	1
IV.	GENERAL SERVICE CLASS, ...	154,279	31·8	94	39	3	4	17	17	9	5	.	.	.	2	.	2	2	.	8	1	6	7	12	13	2	.	2	4	33	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	36	1	.	1	7	17	7	3	.	.	.	.	.	.	.	.	7	.	3	.	2	11	.	.	.	.	13	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	13·4	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	14·2	6	2	1	1	1	.	1	.	.	.	.	.	.	.	.	.	2	2	.	.	.	1	1	.	.	.	.	.
	6. Clerks and Commercial Assistants, ...	30,432	5·1	3	.	1	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	19·3	10	1	.	1	1	3	2	2	.	.	.	.	.	1	1	.	1	.	2	.	.	.	.	.	.	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	3	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	9. Building and Furnishing Trades, ...	29,801	24·5	14	9	1	1	2	1	.	.	1	.	.	.	.	1	2	.	.	.	1	1	1	1	1	.	.	2	3	.
	10. Clothing Trades, ...	23,260	13·5	6	.	.	1	1	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	4	.
	11. Food Supply Trades, ...	9,242	22·6	4	.	.	.	1	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	25·8	15	4	.	2	2	4	2	1	1	.	.	.	.	.	.	.	1	.	1	.	2	2	.	.	.	1	7	1
	13. Petty Shopkeepers, ...	7,894	19·8	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	19·4	5	.	.	.	.	3	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	3	.
	15. Domestic Servants, ...	36,603	14·2	10	2	1	1	4	2	.	.	.	.	.	1	.	.	1	.	1	.	.	.	1	2	.	.	.	.	6	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	47·1	13	4	.	2	3	2	1	1	.	.	.	.	.	.	.	.	1	.	1	2	1	2	.	.	.	2	4	2
	17. Hawkers, Porters, Labourers, &c., ...	89,861	38·3	66	33	2	1	10	10	6	4	.	.	.	1	.	2	1	.	6	1	3	5	10	11	2	.	2	2	20	.
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	36	1	.	1	7	17	7	3	.	.	.	.	.	.	.	.	7	.	3	.	2	11	.	.	.	.	13	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number
Statistics for each of the Provincial

DISTRICTS.	1910-11. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa. Children under 2 years.	2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 30,219	Dec. 17,	22·7	.	13	.	.	.	.	.	.	.	—	2	.	.	3	2	.		—	2	.
	„ 24,	17·4	.	10	.	.	.	.	.	.	.	—	3	.	1	2	.	.		—	.	1
	„ 31,	12·2	.	7	.	.	.	.	.	.	.	—	.	.	.	1	2	.		—	.	.
	Jan. 7,	25·9	1·7	15	.	.	.	.	.	1	.	.	4	1	1	2	2	.	.	.	.	.
	„ 14,	22·4	.	13	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	1
	„ 21,	27·6	1·7	16	.	.	.	.	.	.	1	.	1	1	2	.	3	.	.	.	.	2
	„ 28,	24·2	1·7	14	.	.	.	.	.	1	.	.	2	.	1	.	3	.	.	.	.	1
	Feb. 4,	34·5	3·5	20	1	.	.	.	.	1	.	.	2	.	.	3	1	.	.	.	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 40,390.	Dec. 17,	19·6	2·6	15	.	.	.	.	1	.	.	—	.	.	.	2	4	1		—	1	.
	„ 24,	15·7	.	12	.	.	.	.	.	.	.	—	4	2	3	1	.	.		—	.	.
	„ 31,	20·9	.	16	.	.	.	.	.	.	.	—	6	.	.	2	3	.		—	1	1
	Jan. 7,	21·9	1·3	17	.	.	.	.	.	.	.	.	1	.	.	2	6	1	.	.	.	1
	„ 14,	14·2	1·3	11	.	.	.	.	.	.	.	.	2	1	.	.	1	1	.	.	1	.
	„ 21,	31·0	1·3	24	.	.	.	.	.	.	.	.	7	1	.	.	4	1	.	.	.	1
	„ 28,	37·4	1·3	29	.	.	.	.	.	1	.	.	3	1	1	2	8	.	.	.	1	1
	Feb. 4,	34·9	3·9	27	1	.	.	.	.	.	.	.	4	.	3	3	4	2	.	.	1	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 31,064.	Dec. 17,	18·7	1·7	11	.	.	.	.	.	.	1	—	2	.	.	1	1	.		—	.	.
	„ 24,	30·5	1·7	18	.	.	.	.	.	.	.	—	3	.	1	3	2	1		—	.	.
	„ 31,	18·7	.	11	.	.	.	.	.	.	.	—	.	1	.	.	2	.		—	.	.
	Jan. 7,	31·9	1·7	19	.	.	.	.	.	1	.	.	2	2	1	.	4	.	.	.	.	.
	„ 14,	16·8	.	10	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2	.
	„ 21,	15·1	.	9	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.	.
	„ 28,	35·2	5·0	21	.	.	.	.	.	2	.	.	1	.	.	.	7	1	.	.	.	.
	Feb. 4,	21·8	.	13	.	.	.	.	.	.	.	.	.	.	1	1	3	.	.	1	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,908.	Dec. 17,	17·1	.	11	.	.	.	.	.	.	.	—	.	.	.	2	4	.		—	.	1
	„ 24,	26·4	.	17	.	.	.	.	.	.	.	—	.	.	.	.	3	.		—	1	2
	„ 31,	10·9	1·6	7	.	.	.	.	1	.	.	—	2	.	1	.	2	.		—	.	.
	Jan. 7,	26·1	7·7	17	.	.	.	.	5	.	.	.	1	.	1	1	.	.	.	.	1	.
	„ 14,	24·6	1·5	16	.	.	.	.	.	1	.	.	2	.	.	.	2	.	.	.	1	.
	„ 21,	20·0	3·1	13	.	.	.	.	.	1	1	.	2	1	1	1	.	.	.	.	.	.
	„ 28,	24·6	4·6	16	.	.	.	.	.	.	1	.	1	1	1	1	3	2	.	.	.	.
	Feb. 4,	16·9	6·2	11	1	.	.	.	.	1	1	.	1	.	.	1	.	1	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,908.	Dec. 17,	15·1	.	12	.	.	.	.	.	.	.	—	2	.	.	.	6	.		—	.	.
	„ 24,	32·7	3·8	26	.	.	.	.	.	2	1	—	.	1	1	3	1	.		—	1	.
	„ 31,	23·9	2·5	19	.	.	.	.	.	2	.	—	4	1	.	2	6	.		—	1	.
	Jan. 7,	22·4	1·2	18	.	.	.	.	.	1	.	.	2	.	.	1	4	.	.	.	.	.
	„ 14,	27·4	3·7	22	.	.	.	.	.	1	2	.	3	1	.	2	3	.	.	.	.	.
	„ 21,	31·1	1·2	25	.	.	.	1	.	.	.	.	7	.	2	1	4	.	.	1	.	.
	„ 28,	27·4	2·5	22	.	.	.	.	1	1	.	.	3	.	.	3	2	.	.	.	1	1
	Feb. 4,	27·4	1·2	22	.	.	.	1	.	.	.	.	1	.	1	1	4	.	.	1	2	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,980.	Dec. 17,	31·2	.	13	.	.	.	.	.	.	.	—	.	.	.	2	3	.		—	.	.
	„ 24,	36·0	.	15	.	.	.	.	.	.	.	—	3	1	1	2	3	.		—	.	.
	„ 31,	14·4	2·4	6	.	.	.	.	.	1	.	—	.	.	.	.	1	.		—	2	.
	Jan. 7,	21·4	.	9	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.	.	.
	„ 14,	30·8	2·4	13	.	.	.	1	.	.	.	.	1	.	.	2	1	.	.	.	.	.
	„ 21,	7·1	.	3	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
	„ 28,	42·7	2·4	18	1	.	.	.	.	.	.	.	4	1	.	1	4	.	.	.	.	.
	Feb. 4,	28·5	.	12	.	.	.	.	.	.	.	.	3	1	1	2	3	.	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,677.	Dec. 17,	18·1	.	15	.	.	.	.	.	.	.	—	.	1	.	4	4	.		—	1	1
	„ 24,	21·7	3·6	18	.	.	.	.	.	2	1	—	1	2	1	2	3	.		—	.	.
	„ 31,	19·3	.	16	.	.	.	.	.	.	.	—	3	.	.	1	2	.		—	1	3
	Jan. 7,	23·9	1·2	20	.	.	.	.	.	.	.	.	5	.	.	1	4	1	.	.	.	1
	„ 14,	28·7	2·4	24	1	.	.	.	.	1	.	.	4	2	.	6	4	.	.	1	1	1
	„ 21,	37·0	3·6	31	.	.	.	1	.	2	.	.	3	1	1	3	9	.	.	.	1	1
	„ 28,	22·7	1·2	19	1	.	.	.	.	.	.	.	5	1	1	3	3	.	.	.	.	1
	Feb. 4,	22·7	2·4	19	.	.	.	1	.	.	1	.	3	.	1	2	4	.	.	.	1	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 36,254.	Dec. 17,	18·9	1·5	13	.	.	.	1	.	.	.	—	3	2	.	2	3	.		—	1	.
	„ 24,	24·7	1·5	17	.	.	.	.	.	.	.	—	2	.	1	1	7	1		—	.	.
	„ 31,	18·9	8·7	13	.	.	.	1	1	3	.	—	1	1	.	1	1	1		—	.	.
	Jan. 7,	20·1	10·1	14	.	.	.	3	.	2	1	.	1	1	1	.	.	1	.	.	.	.
	„ 14,	20·1	5·8	14	.	.	.	2	.	2	.	.	1	1	.	1	2	.	.	.	.	.
	„ 21,	24·5	5·8	17	.	.	.	2	.	1	1	.	.	1	1	1	3	.	.	.	.	.
	„ 28,	28·8	8·6	20	.	.	.	1	.	4	.	.	3	1	.	2	5	1	.	.	.	1
	Feb. 4,	24·5	5·8	17	.	.	.	.	.	1	2	.	3	.	3	1	2	1	.	.	1	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1910-11. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Dec. 17,	14·1	.	10	.	.	.	.	.	.	.	—	1	.	1	2	.		.	—	1	1
	„ 24,	15·5	1·4	11	.	.	.	.	.	1	.	—	1	.	1	1	1		.	—	1	.
	„ 31,	23·9	1·4	17	.	.	.	.	.	1	.	—	.	.	.	1	3		.	—	.	1
Pop. in 1911 (Est.) 37,528.	Jan. 7,	12·5	.	9	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	1
	„ 14,	9·7	.	7	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1
	„ 21,	18·1	.	13	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.	.
	„ 28,	20·8	1·4	15	.	.	.	.	.	1	.	.	.	.	.	2	3	.	.	.	1	1
	Feb. 4,	25·0	1·4	18	.	.	.	.	.	.	1	.	.	2	1	1	4	.	.	1	.	1
Pembroke Urban District.	Dec. 17,	19·8	1·8	11	1	.	.	.	.	.	.	—	.	.	.	3	2		.	—	.	.
	„ 24,	14·4	.	8	.	.	.	.	.	.	.	—	.	.	1	1	3		.	—	.	.
	„ 31,	9·0	.	5	.	.	.	.	.	.	.	—	1	.	.	.	.		.	—	1	.
Pop. in 1911 (Est.) 29,368.	Jan. 7,	10·7	1·8	6	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 14,	21·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.	1	.	.
	„ 21,	21·3	1·8	12	.	.	.	1	.	.	.	.	1	1	2	.	1	.	.	.	.	2
	„ 28,	24·9	.	14	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.
	Feb. 4,	14·2	.	8	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
Kingstown Urban District.	Dec. 17,	23·7	.	8	.	.	.	.	.	.	.	—	.	.	.	3	1		.	—	1	.
	„ 24,	8·9	.	3	.	.	.	.	.	.	.	—	.	.	1	.	1		.	—	.	.
	„ 31,	23·7	.	8	.	.	.	.	.	.	.	—	1	.	2	2	.		.	—	.	.
Pop. in 1911 (Est.) 17,622.	Jan. 7,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.
	„ 14,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	2
	„ 21,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 28,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Feb. 4,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	1
Belfast.	Dec. 17,	17·7	1·1	133	.	.	.	3	2	.	.	—	12	7	8	10	22		3	—	6	1
	„ 24,	17·6	0·5	132	.	.	.	1	1	1	.	—	15	3	6	10	29		1	—	2	1
	„ 31,	12·1	0·3	91	.	.	.	.	1	1	.	—	9	3	5	7	18		.	—	4	3
Pop. in 1911 (Est.) 398,421.	Jan. 7,	16·0	0·4	122	.	.	.	.	1	.	.	.	14	7	7	8	18	1	1	1	6	3
	„ 14,	19·8	0·4	151	.	1	.	.	1	.	.	.	23	7	2	9	24	.	1	.	6	.
	„ 21,	15·4	0·5	118	.	.	.	1	1	1	1	.	17	4	7	7	24	.	.	.	1	1
	„ 28,	15·4	0·4	118	.	.	.	.	.	1	2	.	13	4	11	7	20	.	.	2	2	5
	Feb. 4,	16·8	0·3	128	.	.	.	.	.	1	1	.	10	4	6	7	25	.	.	2	4	2
Cork.	Dec. 17,	20·5	1·4	30	.	.	.	.	.	1	.	—	4	1	.	.	3		1	—	1	1
	„ 24,	17·1	.	25	.	.	.	.	.	.	.	—	5	1	2	.	2		.	—	.	3
	„ 31,	25·3	1·4	37	.	.	.	.	.	2	.	—	4	1	.	.	5		.	—	.	4
Pop. (in 1901) 76,122.	Jan. 7,	24·0	2·1	35	.	.	.	.	1	1	1	.	4	1	1	2	6	.	.	.	1	3
	„ 14,	20·5	1·4	30	.	.	.	.	.	2	.	.	2	.	2	1	5	.	.	.	.	3
	„ 21,	27·4	.	36	.	.	.	.	.	.	.	.	3	.	2	1	16	.	.	1	1	1
	„ 28,	25·3	2·7	37	.	.	.	.	.	4	.	.	1	1	.	5	4	.	.	.	.	1
	Feb. 4,	20·5	0·7	30	.	.	.	.	.	1	.	.	6	1	.	3	3	.	.	.	1	2
Londonderry.	Dec. 17,	20·4	.	17	.	.	.	.	.	.	.	—	.	3	2	2	3		.	—	.	.
	„ 24,	18·0	.	15	.	.	.	.	.	.	.	—	1	1	2	.	2		.	—	.	1
	„ 31,	16·8	4·8	14	.	.	.	.	.	3	.	—	1	.	1	.	1		1	—	.	.
Pop. in 1911 (Est.) 43,900.	Jan. 7,	24·9	2·4	21	.	.	.	.	.	1	.	.	2	2	1	1	3	1	.	.	.	.
	„ 14,	15·4	1·2	13	.	.	.	.	.	1	.	.	3	.	1	.	1	.	.	.	.	.
	„ 21,	23·8	4·8	20	.	.	.	.	.	4	.	.	.	.	1	1	4	.	.	.	.	.
	„ 28,	22·6	2·4	19	.	.	.	.	.	2	.	.	2	1	.	4	.	.	.	.	1	1
	Feb. 4,	14·3	3·6	12	.	.	.	.	.	3	.	.	.	.	.	1	3	.	.	.	.	1
Limerick.	Dec. 17,	21·9	.	16	.	.	.	.	.	.	.	—	2	1	2	.	4		.	—	.	.
	„ 24,	10·9	.	8	.	.	.	.	.	.	.	—	1	.	.	.	1		.	—	.	3
	„ 31,	28·7	1·4	21	.	.	.	.	.	1	.	—	4	.	.	1	4		.	—	.	5
Pop. (in 1901) 38,151.	Jan. 7,	13·7	.	10	.	.	.	.	.	.	.	.	.	.	1	.	4	.	.	.	.	.
	„ 14,	15·0	1·4	11	1	.	.	.	.	.	.	.	1	.	.	1	2	.	.	1	.	.
	„ 21,	20·5	.	15	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	1
	„ 28,	20·5	.	15	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.	.	2
	Feb. 4,	20·5	2·7	15	2	.	.	.	.	.	.	.	1	.	.	.	4	.	.	1	.	1
Waterford.	Dec. 17,	35·1	.	18	.	.	.	.	.	.	.	—	2	1	.	3	2		.	—	.	1
	„ 24,	13·6	1·9	7	.	.	.	.	.	.	.	—	.	1	1	.	.		1	—	.	.
	„ 31,	17·5	.	9	.	.	.	.	.	.	.	—	1	1	.	.	4		.	—	.	.
Pop. (in 1901) 26,769.	Jan. 7,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	1
	„ 14,	27·3	.	14	.	.	.	.	.	.	.	.	2	.	2	.	3	.	.	.	1	.
	„ 21,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 28,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2
	Feb. 4,	19·5	.	10	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 4th February, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.			The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.																												
BELFAST URBAN No. 1 DISTRICT,	349,180	10			7	2	.	.	3	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
Do. 2 do.		23			11	1	2	.	3	2	3	.	.	.	.	.	.	.	.	2	.	1	.	3	.	.	.	.	.	4	.
Do. 3 do.		29			11	1	1	1	2	4	2	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	3	4	3	.
Do. 4 do.		31			13	5	1	1	2	2	2	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	1	.	.	8	.
Do. 5 do.		9			8	3	.	.	2	1	2	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.	6	.
Do. 6 do.		14			14	.	.	1	2	4	7	.	.	.	.	.	.	.	.	1	.	1	1	4	.	.	.	.	.	.	.
Do. 7 do.		5			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 8 do.		2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		13			8	1	.	.	1	3	3	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	1	1	3	.
Do. 10 do.		13			4	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
Do. 11 do.		18			25	4	3	.	3	9	6	.	.	.	.	.	.	1	.	2	.	2	3	4	.	.	.	.	.	3	2
Do. 12 do.		22			13	3	3	2	2	3	.	.	.	.	.	.	.	.	.	1	2	1	.	4	.	.	.	.	2	2	.
Do. 13 do.		10			3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		13			10	4	.	.	2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	1	2	.
Total,	—	212			128	24	10	6	25	34	29	.	.	.	.	.	1	1	.	10	4	6	7	25	.	.	2	4	9	35	2
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	3	32·4	4·1	8	1	2	2	1	1	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	3	1
Do. 2 do.	10,701	6	19·5	.	4	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.
Do. 3 do.	9,978	7	15·7	.	3	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	1	1	.
Do. 4 do.	8,666	3	12·0	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Do. 5 do.	6,592	4	31·6	.	4	.	.	1	2	1	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	2	.
Do. 6 do.	10,702	3	9·7	.	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Do. 7 do.	16,616	6	22·0	.	7	.	.	1	3	2	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	4	.
Total,	76,122	32	20·5	0·7	30	2	3	5	8	8	4	.	.	.	.	.	1	.	.	6	1	.	3	3	.	.	.	1	1	11	2

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City* are omitted.

BELFAST.	1910–11—WEEK ENDING																									
	ug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.
No. of weeks in Annual Series,	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5
BIRTHS registered, ...	219	210	159	219	190	264	194	172	200	205	228	201	183	178	156	181	175	185	167	200	199	241	231	233	188	212
DEATHS registered, ...	102	124	131	121	103	116	122	105	94	122	120	115	108	122	132	134	109	151	133	132	91	122	151	118	118	128
Annual Death rate per 1,000 of estimated population, ...	13·6	16·5	17·5	16·1	13·7	15·5	16·3	14·0	12·5	16·3	16·0	15·3	14·4	16·3	17·6	17·9	14·5	20·1	17·7	17·6	12·1	16·0	19·8	15·4	15·4	16·8
AGES, Under 1 year, ...	27	35	49	30	28	23	29	25	31	27	27	28	24	28	27	24	17	34	20	22	18	21	30	23	26	24
AGES, 1—5 years, ...	6	17	14	15	14	13	11	14	6	14	16	8	11	6	6	5	8	11	17	12	8	12	11	8	10	10
AGES, 5—25 „ ...																						7	20	16	11	6
AGES, 25—45 „ ...	69	72	68	76	61	80	82	66	57	81	77	79	73	88	99	105	84	106	96	98	65	30	37	17	13	25
AGES, 45—65 „ ...																						32	25	21	27	34
AGES, 65 and upwards, ...																						20	28	33	31	29
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	1	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	4	7	3	.	3	1	3	1	1	3	5	.	3	1	.	2	2	3	3	1	.	.	.	1	.	.
Scarlet Fever, ...	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1	2	1	1	1	1	1	.	.
Whooping-cough, ...	1	1	5	.	1	1	1	3	1	1	.	1	.	.	.	1	.	1	.	1	1	.	.	1	1	1
Diphtheria, ...	.	.	.	.	.	1	.	.	.	2	1	.	.	1	1	.	1	4	.	.	.	.	.	1	2	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	12	16	10	11	12	14	11	17	9	17	10	12	14	12	17	17	13	14	12	15	9	14	23	17	13	10
Tuberculous Disease. Other Forms,	8	9	5	9	6	13	6	7	3	8	6	8	2	7	8	4	7	5	7	3	3	7	7	4	4	4
Cancer, ...	7	3	4	5	8	10	8	5	5	7	5	7	9	5	8	9	6	5	8	6	5	7	2	7	11	6
Diseases of Respiratory System, Pneumonia	4	5	10	8	6	7	10	7	5	11	11	7	7	13	11	8	7	13	10	10	7	8	9	7	7	7
Diseases of Respiratory System, Others, ...	5	8	8	9	5	5	8	11	9	16	9	19	11	23	16	25	25	36	22	29	18	18	24	24	20	25
Diarrhœa, Under 2 years, ...	14	22	29	16	13	15	13	7	7	3	8	10	6	4	3	1	1	4	3	1	.	1	.	.	.	.
Diarrhœa, 2 years & upwards,																						1	1	.	.	.
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	.	.	2	2
Violent Deaths, ...	6	.	3	2	1	1	5	2	.	.	2	.	3	4	2	5	3	2	6	2	4	6	6	1	2	4
Number of Uncertified Deaths, ...	1	2	.	2	2	2	.	1	1	1	.	.	2	3	.	.	3	4	1	1	3	3	.	1	5	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,912,054	Feb. 4,	2,162	1,518	16·1	1	.	95	6	39	12	19*a*
Edinburgh, ...	365,253	„ 4,	119	120	17·1	.	.	4	1	2	2	2
Glasgow, ...	897,178	„ 4,	380	340	19·8	1		.	5	16	4	8
Calcutta, ...	1,009,008	Dec. 31,	.	583	30·0	96*	1	2	.	.	.	72‡
Bombay, ...	977,822	Jan. 3,	382	625	33·2	56*	3	19	.	.	.	93‡
Madras, ...	509,346	Dec. 10,	380	404	41·2	84*	1	1	?	?	?	70‡
Cairo, ...	682,953	„ 16,	651	372	28·4	1	2	1	.	.	13†	37*a*
Paris, ...	2,760,000	Jan. 7,	988	966	18·3	4	.	2	.	4	7†	16*a*
Brussels, ...	720,030	„ 7,	202	197	14·2	1	.	.	.	.	2†	11
Antwerp, ...	317,171	„ 14,	125	82	13·5	.	.	.	.	1	.	6*a*
Amsterdam, ...	573,984	„ 14,	246	133	12·1	1	.	2	.	1	.	3*a*
Copenhagen, ...	450,000	„ 14,	236	125	14·5	.	.	.	2	1	3†	3*a*
Stockholm, ..	341,816	„ 7,	138	69	10·5	.	.	.	.	.	1†	2
Christiania, ...	240,178	„ 21,	120	63	13·6	.	.	1	.	.	1	.
St. Petersburg, ...	1,620,000	Dec. 31,	903	701	22·6	6	3	4	15	4	7	55
Moscow, ...	1,493,600	„ 24,	.	691	24·1	4	.	7	18	4	20	51
Berlin, ...	2,068,282	Jan. 7,	741	650	16·4	2	.	3	4	4	22†	23
Hamburg, ...	932,000	„ 14,	.	272	15·2	1	.	1	1	3	15†	15
Breslau, ...	516,407	„ 14,	.	190	19·2	.	.	2	1	2	.	11
Munich, ...	597,000	„ 21,	.	197	17·2	.	.	3	.	3	3†	17
Vienna (with suburbs),	2,130,320	„ 14,	700	740	18·6	.	.	6	2	2	5†	24*a*
Buda-Pesth, ...	838,950	„ 14,	473	344	21·3	1	.	.	3	.	2†	7*a*
Prague and Faubourgs,	508,310	Dec. 31,	157	193	19·7	3	.	.	2	1	3†	18*a*
Trieste, ...	224,080	Jan. 7,	132	105	24·4	1	.	2	.	1	3†	.
Rome, ...	589,425	Nov. 5,	274	184	16·3	5	.	.	.	.	1	11
Venice, ...	183,224	Dec. 31,	73	72	20·5	.	.	.	.	.	1†	5
New York, ...	4,803,264	„ 31,	2,688	1,666	18·1	10	.	7	11	5	25	29*a*
Philadelphia, ...	1,598,400	„ 17,	.	534	17·4	5	.	8	3	3	19†	20*a*
Boston, ...	688,912	Jan. 21,	.	243	18·4	.	.	2	4	2	4	5

* Deaths from "fever," including 6 deaths from enteric fever in Calcutta and one in Madras and 8 deaths from plague in Calcutta and 11 in Bombay.

† Including deaths from croup.

‡ Including 14 deaths from cholera in Calcutta 21 in Bombay, and one in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 4th February, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 1, West, ...	.	4	.	.	.	.	.	.	.	.	.	.	4
„ „ 2, ...	.	.	.	.	.	.	.	.	1	.	.	.	1
„ „ 3, ...	.	3	.	.	3	.	.	2	.	.	.	4	12
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	1	.	.	.	.	.	1	.	3
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	8	.	.	1	.	.	11	7	.	.	2	29
„ „ 2, ...	.	3	.	.	.	.	.	.	.	.	.	1	4
„ „ 3, ...	.	2	.	.	3	.	.	.	.	.	.	1	6
„ „ 4, ...	.	.	.	.	.	.	.	2	.	.	.	.	2
New Kilmainham, ...	.	3	.	.	1	.	.	.	.	.	.	1	5
Total, ...	.	25	.	.	9	.	.	15	8	.	1	9	67

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 4th February, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 4th February.			
	Jan. 14.	Jan. 21.	Jan. 28.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	1	1	1	.	.	.	1
Measles, ...	21	23	25	12	6	2	29
Scarlet Fever, ...	89	91	93	27	21	1	98*
Typhus, ...	1	1	1	.	.	.	1
Diphtheria, ...	69	87	84	18	24	2	76
Enteric Fever, ...	41	54	67	11	6	2	70
Pneumonia, ...	22	22	25	9	6	1	27

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 4th February, 1911:—

"Anticyclonic conditions held throughout this week over the British Islands and their immediate neighbourhood, and quiet, cold weather was prevalent in consequence. The most striking feature in the weather of the period was the scanty precipitation. A little rain fell on Sunday along the west coast of Ireland and at Donaghadee; and wet fog yielded ·01 inch in the gauge at Skegness on that day and at Roche's Point on Thursday. A little rain was also measured on Saturday morning at stations in the S.E. and E. of England; but at most British and Irish stations the week was rainless. Both in the far North, however, and in the Mediterranean and over the Iberian Peninsula broken weather was experienced owing to the presence in those regions of cyclonic systems. On Sunday morning the barometer ranged from 30·61 inches at Færder, on the Christiania Fjord, to 29·15 inches at Seydisfjord, on the east coast of Iceland. S. and finally S.E. winds were felt in Ireland, and the weather was overcast and dull. By Monday morning the barometer had risen to 30·83 inches at Karlstad in Central Sweden, and a large anticyclone had spread over Great Britain and Ireland, while a wellmarked depression was centred near Corunna in the N.W. of Spain. Temperature fell generally and frost set in at night. The anticyclone continued to spread westward, and its centre also moved southwards to Holland. Thence it travelled slowly across the British Isles, the barometer rising to 30·8 inches or slightly above that point at many British and Irish stations on Wednesday and Thursday. The highest reading recorded was 30·85 inches at Castle Bay, Barra Island, at 6 p.m. of Wednesday. Very sharp frost attended the calms of this anticyclone, the screened thermometer falling to 18° at Nottingham, Blackpool, and Birr Castle. Dense fogs also formed in many districts at the same time. On Friday a brisk and sudden rise of temperature spread southwards over the United Kingdom, warmth being carried by an anticyclonic N. wind from Iceland and the Arctic Circle, in which regions the weather of the week was unusually mild for the season. In Dublin the mean height of the barometer was 30·585 inches, pressure ranging from 30·199 inches at 9 p.m. of Sunday (wind, S S.E.) to 30·801 inches at 9 p.m. of Wednesday (wind, calm). The corrected mean temperature was 38·6°, the mean dry-bulb reading at 9 a.m. and 9 p.m. being 37·9°. On Sunday the screened thermometers rose to 46·4°; on Wednesday they fell to 26·8°, the grass minimum being 24·8°. The wind was light and variable. Thick fog prevailed on Tuesday and the three following days. There were light drizzling showers on Sunday, but they yielded no measurable rainfall."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·408 inches. The highest reading (30·617) was on Wednesday at 9 p.m., air calm, and the lowest (30·022) on Sunday at 9 p.m., wind S.E.

The mean temperature for the week was 35·9°, being 4·4° below the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Sunday, on which day the thermometer registered 46·0°, and was lowest on Wednesday, the mercury having fallen to 18·5°. The mean of the Dry Bulb for the week was 35·0° and of the Wet Bulb, 33·9°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. There was no rainfall recorded during the week.

At Greenwich the mean temperature for the week was 34·2°, the maximum 43·0°, and the minimum 21·6°; at Glasgow the maximum was 47·5°, the minimum 20·0° and the mean 32·5°; and at Edinburgh the maximum was 46·4°, the minimum 21·3°, and the mean 35·5°. The rainfall at Greenwich measured 0·03 in.; and at Glasgow 0·02 in. There was no rainfall recorded at Edinburgh.*

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, January 29,	30·053	46·0	35·9	41·0	42·1	41·0	·92	·5	0·0	·000	Calm.	S.E.
Monday, „ 30,	30·173	44·7	35·1	39·9	39·4	38·1	·90	·0	1·4	·000	S.E.	Calm.
Tuesday, „ 31,	30·451	44·7	24·9	34·8	31·6	29·7	·72	·0	7·8	·000	S.E.	Calm
Wednesday, February 1,	30·615	36·5	18·5	27·5	22·1	21·6	·83	·0	5·2	·000	Calm.	Calm.
Thursday, „ 2,	30·576	37·8	23·9	30·9	33·2	32·9	·97	·4	0·2	·000	Calm.	Calm.
Friday, „ 3,	30·510	45·7	27·9	36·8	37·2	36·4	·89	·5	2·7	·000	Calm.	N.E.
Saturday, „ 4,	30·477	43·0	37·2	40·1	39·3	37·5	·87	·4	0·0	·000	Calm.	Calm.
Mean, ...	30·408	42·6	29·1	35·9	35·0	33·9	·87	·3	Total 17·3	Total ·000	—	

Sunday—Day overcast; night overcast. *Monday*—Day overcast to cloudy; night clear. *Tuesday*—Fine bright day; night clear. *Wednesday*—Cloudy day, fine; night clear. *Thursday*—Day overcast; night cloudy. *Friday*—Day cloudy to overcast; night cloudy. *Saturday*—Day overcast; night overcast.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, February 4th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, January 29,	44·3	42·4	43·7	46·9	39·0	43·0	—	—
Monday, „ 30,	43·9	42·3	43·7	45·5	39·9	42·7	0·4	—
Tuesday, „ 31,	38·3	40·9	43·8	44·3	30·1	37·2	5·8	—
Wednesday, February 1,	28·8	38·7	43·8	38·7	27·1	32·9	—	—
Thursday, „ 2,	37·3	37·5	43·7	39·0	29·1	34·1	—	—
Friday, „ 3,	35·8	37·2	43·3	46·9	31·8	39·4	0·6	—
Saturday, „ 4,	42·2	38·8	43·0	44·8	40·1	42·5	—	—
Weekly Mean,	38·7	39·7	43·6	43·7	33·9	38·8	Total 6·8	Total —

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30166. Wt. P. 272–32/138. 375. 1. 1911. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & Co., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 11TH FEBRUARY, 1911. [No. 6.

General Register Office, Charlemont House, Dublin, 13th February, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 24·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,163,596.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Jan. 21	Jan. 28	Feb. 4	Feb. 11	Average Rate for 4 weeks.
22 Town Districts, ...	**19·3**	**21·3**	**19·6**	**24·1**	**21·1**
Armagh	6·9	48·1	13·7	34·4	25·8
Ballymena	23·9	23·9	14·4	38·3	25·1
Belfast	15·4	15·4	16·8	19·1	16·7
Clonmel	.	15·4	46·2	15·4	19·3
Cork	24·7	25·3	20·5	27·4	24·5
Drogheda	24·5	16·3	8·2	16·3	16·3
Dublin Reg. Area ...	23·4	27·5	24·1	27·4	25·6
Dundalk	12·0	.	23·9	19·9	14·0
Galway	3·9	3·9	15·5	15·5	9·7
Kilkenny	34·3	29·5	29·5	29·5	30·7
Limerick	20·5	20·5	20·5	24·6	21·5
Lisburn	27·3	27·3	9·1	22·7	21·6
Londonderry	23·8	22·6	14·3	20·2	20·2
Lurgan	13·3	17·7	22·1	17·7	17·7
Newry	25·2	16·8	8·4	25·2	18·9
Newtownards	.	34·3	17·2	17·2	17·2
Portadown	25·8	20·7	15·5	20·7	20·7
Queenstown	19·8	19·8	13·2	33·0	21·4
Sligo	14·4	.	4·8	76·8	24·0
Tralee	.	42·3	10·6	15·9	17·2
Waterford	11·7	11·7	19·5	33·1	19·0
Wexford	14·0	23·3	9·3	23·3	17·5

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in fifteen of the districts to 6·9 in Armagh, the 5 deaths from all causes for that district including one from diphtheria. Among the 146 deaths from all causes for Belfast are one from scarlet fever and 2 from diarrhœa. Of the 40 deaths from all causes for Cork one is from scarlet fever and one from whooping-cough. Included in the 17 deaths from all causes for Londonderry are 4 from whooping-cough, and of the 4 deaths from all causes for Portadown one is from scarlet fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 241—122 boys and 119 girls—and the deaths to 220—110 males and 110 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœa.

DEATHS.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 27·4 per 1,000 of the population. During the six weeks ending with Saturday last the death-rate averaged 24·2, and was 1·3 below the mean rate for the corresponding portions of the 10 years 1901–10.

The total deaths registered, numbering 220, represent an annual rate of 28·2 per 1,000; the annual rate for the past six weeks was 25·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·6 per 1,000 of the mean population for all deaths registered.

The total deaths registered included 2 from enteric fever, 2 from measles, 4 from scarlet fever, 3 from whooping-cough, 2* from diphtheria, 5 from diarrhœa and enteritis of children under 2 years, and 4 deaths from influenza. In each of the three preceding weeks, deaths from enteric fever were 0, 2 and 3; deaths from measles were 6, 2, and 2; deaths from scarlet fever were 0, one, and 0; deaths from whooping-cough were 6, 10, and 4; deaths from diphtheria were 4, one, and 5; deaths from diarrhœa and enteritis of children under 2 years were 4, 4, and 7, and deaths from influenza were one, 4, and 3.

There were 33 deaths from all forms of tuberculous disease, namely:—27 deaths from pulmonary tuberculosis, one death from tuberculous meningitis 3 deaths from abdominal tuberculosis, one death from tuberculosis of a joint, and one death from disseminated tuberculous. In each of the three preceding weeks deaths from all forms of tuberculous disease numbered 36, 35, and 23.

There were 11 deaths from broncho-pneumonia, 2 from lobar pneumonia, and 7 from *pneumonia* (type not distinguished).

Eleven deaths were assigned to cancer.

There were 5 deaths from convulsions of infants under one year of age.

Diseases of the heart and blood vessels caused the deaths of 23 persons, and there were 39 deaths from bronchitis.

One death of an infant from prematurity was registered.

Of 4 deaths assigned to accident or negligence, one was caused by a motor car, and 2 were by burns or scalds, one of the latter being that of a child aged 2 years and 2 months.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one person aged 76 years.

Forty-seven of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 10 were under one month old) and 58 were aged 65 years and upwards, including 43 persons aged 70 and upwards; among the latter were 19 aged 75 and upwards, of whom 2 (females) were nonagenarians, who were stated to have been aged 96 and 97 years respectively.

Ninety-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse and 30 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 27·4 per 1,000; the rate in the City was 30·6 (North City Districts, 28·9; South 32·4) and in the Suburbs, 16·7.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 2·3 (1·9 in the North City Districts, and 2·7 in the South), and for the Suburbs, 0·0.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (21) are equal to an annual rate of 36·2 per 1,000, and include one death from scarlet fever, one death from diarrhœa (of a child under 2 years), 3 deaths from influenza, one from tuberculous disease, one from broncho-pneumonia, 5 deaths from bronchitis, and one accidental death.

No. 1 *North City District, West* (Summer-hill).—The deaths (23) are equal to an annual rate of 29·7 per 1,000. Among them are one death from whooping-cough, one death from diarrhœa of a child under 2 years of age, 3 deaths from pulmonary tuberculosis, one from broncho-pneumonia, and 5 deaths from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 26·9 per 1,000. There were 5 deaths from tuberculous disease, one death each from broncho-pneumonia, and *pneumonia* (type not distinguished), and 2 deaths from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (23) represent an annual rate of 35·4 per 1,000. One death each from scarlet fever and whooping-cough, 2 deaths from pulmonary tuberculosis, 2 deaths from broncho-pneumonia, one death from *pneumonia* (type not distinguished), and 7 deaths from diseases of the respiratory system were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 4·4; and Finglas and Glasnevin, part of, 26·8. The only death recorded for Coolock and Drumcondra, part of, was one from pulmonary tuberculosis; and among the 4 deaths for Finglas and Glasnevin, part of, was one from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (29) represent an annual rate of 36·1 per 1,000. There were 2 deaths from enteric fever, one death each from scarlet fever and diphtheria, 5 deaths from tuberculous disease, one death from broncho-pneumonia, and 7 deaths from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (16) are equal to an annual rate of 38·0 per 1,000. Tuberculous disease caused 5 deaths, broncho-pneumonia one death, and bronchitis 2 deaths.

No. 3 *South City District* (Peter-street).—The deaths (24) are equal to an annual rate of 28·7 per 1,000, and included one death from scarlet fever, 4 deaths from pulmonary tuberculosis, 3 deaths from pneumonia (all forms), 2 deaths from bronchitis, and one death caused by accidental scalds.

No. 4 *South City District* (Grand Canal Street).—The deaths (23) are equivalent to an annual rate of 33·1 per 1,000. Among them are 2 deaths from measles, one from whooping-cough, 5 from tuberculous disease, 2 from *pneumonia* (type not distinguished), and 6 from bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·1 per 1,000. Broncho-pneumonia caused 2 of the deaths.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·1; Pembroke, 14·2; Blackrock, 17·4; and Kingstown, 17·8. There was no death from any of the principal epidemic diseases† tabulated for these districts. Among the 13 deaths from all causes for Rathmines and Rathgar are one from pulmonary tuberculosis, one death each from broncho-pneumonia and *pneumonia* (type not distinguished), 2 deaths from bronchitis, and one from accidental burns; the 8 deaths from all causes for Pembroke include one from influenza, one from lobar pneumonia, and 2 deaths from diseases of the respiratory system; and of the 6 deaths from all causes for Kingstown one was caused by pulmonary tuberculosis.

* See note (*c*) Table II. † See note (‡) on first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 11th February, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Jan. 21,	.	—	—	20	1	.	16	.	2	10	8	.	—	—	.	—	11	—	68
	Jan. 28,	.	—	—	15	.	.	10	.	1	23	10	.	—	—	.	—	10	—	69
	Feb. 4,	.	—	—	25	.	.	9	.	.	15	8	.	—	—	1	—	9	—	67
	Feb. 11,	.	—	—	42	.	.	17	.	2	22	16	.	—	—	.	—	18	—	117
Rathmines and Rathgar Urban District.	Jan. 21,	.	—	—	.	.	.	3	.	.	1	2	.	—	—	—	—	—	—	6
	Jan. 28,	.	—	—	2	.	.	1	.	.	.	2	.	—	—	—	—	—	—	5
	Feb. 4,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	—	1
	Feb. 11,	.	—	—	1	.	.	1	.	.	1	1	.	—	—	—	—	—	—	4
Pembroke Urban District.	Jan. 21,	1	1	.	1	.	.	1	.	.	.	.	.	—	4	.	—	1	—	9
	Jan. 28,	.	4	.	.	.	.	.	.	1	.	.	.	—	1	.	—	.	—	6
	Feb. 4,	.	4	.	.	.	.	.	.	1	.	.	.	—	2	.	—	.	—	7
	Feb. 11,	.	1	.	.	.	.	1	.	.	.	.	.	—	8	.	—	.	—	10
Blackrock Urban District.	Jan. 21,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 4,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Feb. 11,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	Jan. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Jan. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Feb. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Feb. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Jan. 21,	.	—	—	18	.	.	8	1	1	2	7	.	—	—	.	—	12	—	49
	Jan. 28,	.	—	—	24	.	.	8	1	.	.	7	.	—	—	.	—	22	—	62
	Feb. 4,	.	—	—	11	.	.	3	.	.	1	2	.	—	—	.	—	22	—	39
	Feb. 11,	.	—	—	21	.	.	6	.	.	2	3	.	—	—	.	—	19	—	51

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 11th February, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

One case of small-pox remained under treatment in hospital at the close of the week.

Thirteen cases of measles were admitted to hospital during the week, 10 were discharged, and 32 cases remained under treatment at the close of the week.

Thirty-eight cases of scarlet fever were admitted to hospital, 16 were discharged, there were 4 deaths, and 116* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 91, 93, and 98, respectively.

One case of typhus remained under treatment in hospital at the close of the week.

Eleven cases of diphtheria were admitted to hospital during the week, 22 were discharged, and there were 3 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 87, 84, and 76, respectively, were 62 at the close of last week.

Fifteen cases of enteric fever were admitted to hospital during the week, 13 were discharged, there was one death, and 71 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 54, 67, and 70.

In addition to the above-named diseases, 15 cases of pneumonia were admitted to hospital, 3 were discharged, there was one death, and 38 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 17·3) was equal to an average annual death-rate of 17·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·8 per 1,000, the rate for Glasgow being 20·8 and for Edinburgh 17·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 11th February. From this Report it appears that of a total of 84 cases notified, 31 were scarlet fever, 29 phthisis, 16 diphtheria, and 8 erysipelas. Among the 452 cases of infectious diseases in hospital at the close of the week were 203 cases of scarlet fever, 101 of diphtheria, 62 of phthisis, 46 of measles, 17 of erysipelas, 15 of whooping-cough, and 5 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 11th February, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa: Of children under 2 years of age.	Diarrhœa: 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) Week ending 11th February, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 4th February, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 28th January, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
TOTAL OF 22 TOWN DISTRICTS, ...	1,163,596	20·4	27·9	24·1	1·2	623	538	76	149	2	...	...	2	7	8	2	...	67	17	22	48	93	4	1	9	10	21	174	13	...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	407,057	29·6	30·9	27·4	1·8	241	214	30	56	2	...	...	2	4	3	1	...	27	6	11	19	41	2	...	3	3	3	90	3	e46·4	25·9	37·0	0·01	e46·0	18·5	35·9	0·00	e54·8	27·9	45·5	0·03
CITY OF DUBLIN,	313,526	39·6	34·3	30·6	2·3	206	184	25	41	2	...	...	2	4	3	1	...	25	6	11	16	37	2	...	3	2	2	77	2	f46·4 g46·9	32·8 27·0	39·3 37·4	0·01 0·00	f46·4 g46·1	26·8 21·0	38·6 37·1	0·00 0·00	f55·4 g55·8	33·8 28·0	45·5 45·9	0·04 0·05
Urban Districts. RATHMINES AND RATHGAR.	37,528	21·9	19·5	18·1	...	14	13	2	6	...	...	...	...	...	...	...	...	1	...	...	2	2	...	...	...	1	1	7	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE ...	29,368	18·5	24·9	14·2	...	14	8	3	5	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,013	8·3	5·8	17·4	...	1	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,622	12·1	17·8	17·8	...	6	6	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	1	47	36	40·2	0·02	46·0	31·0	39·8	0·00	57	33	46·8	0·09
Urban Districts. BELFAST, ...	398,421	27·1	28·5	19·1	0·4	218	146	24	43	...	...	...	...	1	...	...	...	11	4	5	11	26	1	1	3	4	11	38	1	48·5	27·5	39·1	0·12	47·0	21·0	38·5	0·00	52·0	30·6	43·4	0·43
CORK, ...	76,122	33·6	21·9	27·4	1·4	32	40	2	11	...	...	...	...	1	1	...	...	10	2	5	2	2	...	...	...	1	4	18	4	47	32	40·6	0·17	48	31	41·0	0·01	52	35	46·1	0·15
LONDONDERRY ...	43,900	20·3	24·9	20·2	4·8	21	17	4	3	...	...	...	...	...	4	...	...	2	...	...	...	3	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,151	18·1	9·6	24·6	...	7	18	3	6	...	...	...	...	...	...	...	...	4	...	...	...	7	...	...	...	...	...	5	1	49·9	23·5	38·4	0·08	49·3	22·6	36·7	0·00	55·2	31·1	45·1	0·02
WATERFORD, ...	26,769	18·7	23·4	33·1	...	12	17	4	8	...	...	...	...	...	...	...	...	2	...	...	1	2	...	...	2	...	...	7	1	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,426	2·5	38·8	15·5	...	10	4	1	2	...	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	1	...	48	28	39	0·05	53	20	35·4	0·00	56	38	45·4	0·86
DUNDALK, ...	13,076	9·4	23·9	19·9	...	6	5	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,760	8·6	45·0	16·3	...	11	4	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	12,405	17·8	29·4	25·2	...	7	6	...	1	...	...	...	...	...	...	...	...	2	...	...	2	2	...	...	...	...	...	...	...	48·0	30·3	38·1	0·12	47·0	18·0	34·3	0·01	52·0	33·1	44·8	0·23
LURGAN, ...	11,782	13·8	35·4	17·7	...	8	4	...	...	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	...	...	...	48·0	30·3	38·1	0·12	47·0	18·0	34·3	0·01	52·0	33·1	44·8	0·23
LISBURN, ...	11,461	10·1	36·4	22·7	...	8	5	...	1	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	1	...	...	48·0	30·3	38·1	0·12	47·0	18·0	34·3	0·01	52·0	33·1	44·8	0·23
WEXFORD, ...	11,168	23·2	23·3	23·3	...	5	5	...	2	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA, ...	10,886	8·9	19·2	38·3	...	4	8	2	1	...	...	...	...	...	...	...	...	...	...	...	1	4	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	10,870	3·7	28·8	76·8	...	6	16	2	6	...	...	...	...	...	...	...	...	3	...	...	2	1	...	...	...	...	...	10	2	47·8	23·4	36·7	0·21	48·0	17·6	33·8	0·01	53·9	34·5	45·6	0·77
KILKENNY, ...	10,609	11·5	19·7	29·5	4·9	4	6	1	3	...	...	...	...	...	...	...	...	...	...	...	2	2	1	...	...	...	...	...	...	48	24	41·7	0·14	46	23	35·8	0·04	55	26	44·7	0·05
CLONMEL, ...	10,167	7·8	10·3	15·4	...	2	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	10,092	13·2	36·2	20·7	5·2	7	4	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	48·0	30·3	38·1	0·12	47·0	18·0	34·3	0·01	52·0	33·1	44·8	0·23
TRALEE, ...	9,867	16·6	47·6	15·9	...	9	3	...	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	.	17·2	...	...	3	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	1	...	47	33	39·6	0·12	47	30	39·5	0·01	52	36	45·3	0·23
QUEENSTOWN, ...	7,909	14·4	.	33·0	...	...	5	...	...	...	...	...	...	...	...	...	...	1	1	...	2	...	...	...	...	...	...	...	...	47	32	40·6	0·17	48	31	41·0	0·01	52	35	46·1	0·15
ARMAGH, ...	7,588	22·2	34·4	34·4	6·9	5	5	2	1	...	...	...	...	...	...	1	...	...	...	...	1	1	...	...	...	...	...	...	...	48·0	30·3	38·1	0·12	47·0	18·0	34·3	0·01	52·0	33·1	44·8	0·23

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1911. (b) See note (‡) at foot of first page. (c) Exclusive of 6 deaths of persons (including 2 at 65 years or upwards), admitted to hospital from localities outside the Area; of the 6 deaths one was from diphtheria. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 11th of February, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.
Scarlet Fever,	1	.	.	1	.	.	.	1	.	1	.	.	.	.	.	.	4	.
Whooping-cough,	.	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	.	3	3	2	.	1	.	4	4	4	4	.	1	.	.	1	27	.
Tuberculous Disease. — Other Forms,	1	.	2	.	.	.	.	1	1	.	1	.	.	.	.	.	6	.
Cancer,	.	2	1	3	.	.	.	.	2	.	2	1	.	.	.	.	11	.
Diseases of Nervous System,	1	1	3	5	.	.	1	2	1	1	1	.	3	1	.	1	21	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	2	1	1	.	1	.	1	1	2	4	3	.	4	1	.	1	22	1
" Respiratory System. — Pneumonia,	1	1	2	3	.	.	.	1	1	3	2	2	2	1	.	.	19	1
" Respiratory System. — Others,	5	5	2	7	.	.	1	7	2	2	6	.	2	2	.	.	41	.
" Digestive System. — Diarrhœa, under 2 years,	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Enteritis, under 2 years,	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	3	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Others,	.	3	1	.	.	.	.	.	1	.	.	.	.	.	1	1	7	1
" Genito-urinary System,	2	1	.	1	.	.	.	2	.	1	.	.	.	1	1	.	9	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Locomotor System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other specified Causes,	3	2	1	.	.	.	1	5	2	4	1	.	.	1	.	2	22	.
Violent Deaths,	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	3	1
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	3	.
Deaths from All Causes	21	23	16	23	1	1	4	29	16	24	23	3	13	8	3	6	214	6
Annual Rate of Mortality from All Causes in every 1,000 of the population.	36·2	29·7	26·9	35·4	9·6	4·4	26·8	36·1	38·0	28·7	33·1	17·1	18·1	14·2	17·4	17·8	27·4	.
	28·9							32·4					16·7					
	30·6																	
Ages at Death. — Under 1 year,	4	2	5	2	.	.	.	5	1	5	1	.	2	3	.	.	30	.
1 and under 2 years,	.	1	.	3	.	.	.	2	.	.	2	1	.	.	1	.	10	.
2 " 5 "	.	1	.	2	.	.	.	.	.	1	2	.	.	.	.	.	6	1
5 " 15 "	1	1	1	1	.	.	.	3	1	1	1	.	.	.	.	.	10	.
15 " 25 "	1	1	1	.	.	1	2	2	1	1	2	.	1	.	.	.	13	.
25 " 45 "	3	5	3	4	1	.	.	6	5	6	4	1	.	.	.	1	39	2
45 " 65 "	6	9	4	8	.	.	1	3	2	4	5	1	4	.	.	3	50	1
65 and upwards,	6	3	2	3	.	.	1	8	6	6	6	.	6	5	2	2	56	2
Number of Uncertified Deaths,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	1	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	7	3	5	.	.	.	5	3	4	4	.	4	2	1	2	43	5
Workhouse Hospitals,	5	4	3	6	.	.	.	8	5	6	6	.	3	1	.	.	47	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 6th Week of the 10 years 1901–1910.	In the Week ending Saturday, 11th February, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Feb. 9, 1901.	Feb. 8, 1902.	Feb. 14, 1903.	Feb. 13, 1904.	Feb. 11, 1905.	Feb. 10, 1906.	Feb. 9, 1907.	Feb. 8, 1908.	Feb. 13, 1909.	Feb. 12, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 36·9	° 35·7	° 49·1	° 38·3	° 44·4	° 37·4	° 34·0	° 44·7	° 38·6	° 43·7	° 40·3	° 37·0										
ALL CAUSES.	229	181	193	207	194	151	225	182	203	217	198·2	220	10	20	10	7	10	13	41	51	39	19
Enteric Fever, ...	4	2	1	2	2	.	2	2	4	.	1·9	2	.	.	.	.	1	.	1	.	.	.
Typhus, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	2	.	.	.	4	1	1	.	·8	2	.	.	1	1	.	.	.	.	.	.
Scarlet Fever, ...	.	.	3	1	2	.	1	.	1	1	·9	4	.	.	.	1	1	.	1	1	.	.
Whooping-cough, ...	9	2	3	6	.	.	6	1	5	4	3·6	3	.	2	.	1	.	.	.	.	.	.
Diphtheria, ...	.	.	1	1	.	.	.	.	1	2	·5	2	.	.	1	1	.	.	.	.	.	.
Croup, ...	2	.	.	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	5	3	2	7	1	.	4	13	2	3	4·0	4	.	.	.	.	.	.	1	2	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	1	.	.	.	1	.	.	·3	3	.	.	.	.	.	.	1	2	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	.	1	1	.	2	·4	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	1	2	.	1	1	1	.	2	3	1·2	1	.	.	.	.	.	.	.	1	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	28	31	28	19	32	18	25	14	21	19	23·5	27	.	.	.	.	1	4	17	4	.	1
Tuberculous Meningitis, ...	2	.	6	8	1	7	4	2	2	3	3·5	1	.	.	.	.	.	1	.	.	.	.
Abdominal Tuberculosis, ...	7	1	2	3	2	1	1	2	1	2	2·2	3	.	1	.	.	1	1	.	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	4	6	7	7	8	7	10	6	7	5	6·7	1	.	.	.	1	.	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												1	.	.	.	.	1	.	.	.	.	.
Venereal Diseases, ...	.	.	2	2	5	.	2	1	3	.	1·5	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	4	6	6	11	10	14	9	4	9	10	8·3	11	.	.	.	.	.	.	2	5	4	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	.	1	.	.	1	.	.	1	·4	1	.	.	.	.	.	.	1	.	.	.
Diabetes.	.	.	1	.	.	.	.	1	.	.	·2	2	.	.	.	.	.	1	.	1	.	.
Anæmia Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	.	1
Alcoholism, ...	.	.	1	.	2	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												2	.	.	.	1	.	1	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*												5	.	.	.	.	.	.	.	4	.	1
Softening of Brain, ...												1	.	.	.	.	.	.	.	.	.	1
Paralysis, without specified cause.												4	.	.	.	.	.	.	.	1	2	1
Epilepsy, ...												1	.	.	.	.	.	.	.	.	.	1
Convulsions (non-puerperal),												6	3	2	.	.	1	.	.	.	.	.
Other Diseases of Nervous System.	43	36	35	46	49	35	50	40	33	54	42·1	3	.	.	.	.	.	.	2	1	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												1	.	.	.	.	.	.	1	.	.	.
Organic Diseases of the Heart,												20	.	.	.	.	.	2	2	5	6	5
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												2	.	.	.	.	.	.	.	1	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	39	29	26	34	22	25	38	25	43	46	32·7	39	1	3	4	.	.	.	5	8	15	3
Broncho-pneumonia, ...			2	5	10	4	6	5	16	10		11	.	4	2	.	2	.	1	2	.	.
Lobar-pneumonia, ...	18	5	.	4	.	.	2	.	.	1	14·6	2	.	1	.	.	1	.	.	.	.	.
Pneumonia (type not distinguished).			7	12	7	2	8	8	8	6		7	1	.	1	.	1	.	1	2	1	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	3	2	6	1	3	1	5	3	3	9	3·6	2	.	.	.	.	.	.	1	.	.	1
Other Diseases of Respiratory System.												.	.	.	.	.	.	.		.	.	.

SIXTH WEEK ending Saturday, 11th February, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										6th Week of the 10 years 1901–1910.	In the Week ending Saturday, 11th February, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Feb. 9, 1901.	Feb. 8, 1902.	Feb. 14, 1903.	Feb. 13, 1904.	Feb. 11, 1905.	Feb. 10, 1906.	Feb. 9, 1907.	Feb. 8, 1908.	Feb. 13, 1909.	Feb. 12, 1910.	Averages in	Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 36·9	° 35·7	° 49·1	° 38·3	° 44·4	° 37·4	° 34·0	° 44·7	° 38·6	° 43·7	° 40·3	° 37·0										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	1	1	.	.	.	.	.	.	.
Diarrhœa of Children under 2 years.	2	1	4	2	3	.	2	.	2	6	2·2	2	1	1	.	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	.	.	3	1	1	1	1	.	.	3	1·0	3	1	2	.	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	1	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.
Cirrhosis of Liver, ...	1	1	.	2	.	1	1	2	2	.	1·7	2	.	.	.	.	.	.	1	1	.	.
Other Diseases of Liver, ...			3	.	.	1	.	3	.	.		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	1	.	.	1	.	.	.	1	.	1	·4	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Digestive System.	5	7	9	4	3	4	6	8	3	6	5·5	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	5	6	8	2	7	4	14	6	5	4	6·1	2	.	.	.	.	.	.	1	.	1	.
Chronic Bright's Disease, ...												5	.	.	.	.	.	.	1	4	.	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												2	.	.	.	.	.	.	.	.	1	1
Puerperal Septicæmia, &c., ...	.	.	.	2	1	.	.	.	1	1	·5	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	3	2	2	1	1	.	.	2	.	1·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	4	3	1	2	2	2	4	2	6	1	2·7	1	1	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	3	1	2	.	.	.	.	.	.	.	.
Old Age, ...	20	9	6	6	4	5	7	9	4	4	7·4	8	.	.	.	.	.	.	.	.	6	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	1	1	.	1	.	.	.	1	.	.	·4	1	.	.	.	.	.	.	.	1	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	2	2	.	2	1	1	2	1	1	.	1·2	2	.	.	.	1	.	1	.	.	.	.
By Drowning, ...	.	1	.	.	1	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	1	.	.	.	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	.	2	2	2	2	1	1	3	.	1·4	1	.	.	.	.	.	1	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	1	1	.	1	2	1	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	.	.	.	.	2	.	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910–11—WEEK ENDING																									
	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.
No. of weeks in Annual Series,	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6
BIRTHS registered.	240	194	228	260	235	292	196	219	161	244	182	211	207	204	182	199	174	232	158	170	203	230	238	232	219	241
Average Births in corresponding week of previous 10 years, ...	219	218	207	232	203	200	252	192	184	209	206	209	202	195	181	207	193	195	177	174	231	208	209	201	241	217
DEATHS registered, ...	126	146	120	141	153	174	164	160	151	174	139	147	141	166	168	176	188	165	178	155	176	179	190	228	200	220
Annual Death-rate per 1,000, ...	16·3	18·9	15·5	18·2	19·8	22·5	21·2	20·7	19·5	22·5	18·0	19·0	18·2	21·5	21·7	22·8	24·3	21·4	23·0	20·1	22·5	22·9	24·3	29·2	25·6	28·2
Average Deaths in corresponding week of previous 10 years, ...	156	166	159	157	154	167	160	158	156	160	156	172	175	179	182	182	182	177	182	177	201	195	195	192	200	198
Ages, Under 5 years, ...	37	57	42	38	59	70	60	58	44	56	40	46	47	57	49	55	53	43	41	47	56	60	62	59	61	47
5—15 " ...																					5	10	7	11	6	10
15—25 " ...																					9	7	10	11	12	13
25—45 " ...	89	89	78	103	94	104	104	102	107	118	99	101	94	109	119	121	135	122	137	108	25	24	27	32	32	41
45—65 " ...																					45	38	41	55	48	51
65—75 " ...																					20	25	28	34	22	39
75 and upwards, ...																					16	15	15	26	19	19
Deaths from :—																										
Enteric Fever, ...	2	.	1	1	1	1	.	3	1	2	1	1	.	.	2	.	1	2	1	.	.	1	.	2	3	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	3	.	1	.	.	.	1	.	1	1	.	2	1	.	1	4	3	6	2	2	2
Scarlet Fever, ...	1	2	1	1	2	.	.	1	.	1	1	3	.	2	1	3	1	1	.	2	7	.	.	1	.	4
Whooping-cough, ...	2	.	4	3	2	1	2	2	2	5	1	1	4	2	6	5	11	1	5	7	6	5	6	10	4	3
Diphtheria, ...	2	4	1	.	2	3	2	2	1	.	4	1	2	3	2	4	.	3	2	.	1	2	4	1	5	2
Influenza, ...	1	.	.	.	1	1	2	1	1	2	1	4	1	.	2	4	2	1	3	1	.	1	1	4	3	4
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	17	12	17	23	15	19	18	17	14	23	17	18	16	20	14	16	25	14	19	19	21	19	27	28	19	27
Tuberculous Disease, Other Forms,	7	5	5	13	9	8	11	12	8	8	4	11	11	8	6	7	11	4	7	5	4	6	9	7	4	6
Cancer, ...	9	10	8	9	7	9	11	12	11	12	9	7	9	8	14	3	12	4	13	6	8	3	12	7	16	11
Diseases of Circulatory System,	16	20	17	23	19	24	30	20	24	25	23	17	18	22	24	30	30	23	28	31	17	20	13	25	19	23
Diseases of Respiratory System, Pneumonia,	7	6	5	6	10	4	6	5	11	15	12	13	11	16	16	14	15	27	18	11	15	16	10	17	18	20
Diseases of Respiratory System, Others, ...	10	11	6	10	10	20	12	16	17	17	12	18	26	26	29	37	27	32	26	25	29	25	28	42	30	41
Diarrhœa, Under 2 years, ... / 2 years & upwards,	6	17	12	11	21	22	27	12	10	8	4	5	4	2	4	6	2	2	2	1	3	2	2	4	4	2
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	1	.
Violent Deaths, ...	2	4	5	3	6	6	3	10	4	.	2	1	2	2	3	4	4	8	4	6	2	2	2	.	3	3
Number of Uncertified Deaths,	4	4	3	2	1	3	3	3	6	2	4	1	8	6	7	5	5	3	3	6	4	8	1	4	7	4
Mean Temperature of the Air (Phœnix Park)	58·8	56·6	57·2	54·8	52·0	50·4	54·2	52·5	48·2	49·1	50·4	43·1	39·6	38·2	42·2	37·0	43·4	45·2	43·5	40·9	37·2	39·0	38·6	45·5	35·9	37·0
Average Mean Temperature in corresponding week of previous 10 years, ...	57·7	56·5	56·1	54·4	53·1	53·8*	53·7	52·2	50·6	48·4	46·2	47·1	45·2	42·7	41·5	42·8	42·4	41·6	41·3*	41·3	42·0	40·0	40·8	40·5	40·3	40·3
Rainfall in inches, ...	1·175	·411	·194	·150	·015	·015	·391	·585	·138	·333	·365	·558	·860	·352	1·206	1·820	1·700	1·172	·183	·130	·336	·345	·153	·034	·000	·011
Mean Humidity of the Air, complete Saturation 1·0, ...	·81	·84	·88	·87	·91	·85	·89	·90	·84	·92	·87	·90	·89	·85	·91	·93	·91	·91	·94	·88	·92	·90	·93	·92	·87	·90

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 11th February, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 11th February, 1911. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	220	47	10	13	41	51	39	19	2	.	.	2	4	3	2	.	27	6	11	6	20	41	2	.	3	4	87	3
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	15·0	5	.	.	1	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	13·2	22	1	1	3	6	6	4	1	.	.	.	.	1	.	.	.	1	.	2	.	2	4	1	.	.	1	10	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	26·4	56	14	2	3	14	14	6	3	1	.	.	1	1	.	1	.	12	2	2	2	7	8	.	.	.	1	18	2
IV.	GENERAL SERVICE CLASS, ...	154,279	30·1	89	28	6	5	12	16	16	6	1	.	.	1	2	3	1	.	8	3	3	4	9	17	1	.	1	2	33	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	48	4	1	1	9	13	13	7	.	.	.	.	.	.	.	.	6	1	4	.	1	11	.	.	2	.	23	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	14·2	6	.	.	.	1	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	4	.
	6. Clerks and Commercial Assistants, ...	30,432	18·8	11	1	1	3	2	3	1	.	.	.	.	.	1	.	.	.	1	.	1	.	1	1	1	.	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	7·7	4	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	1	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	28·0	16	2	.	2	5	2	4	1	.	.	.	.	.	.	.	.	5	.	.	.	2	2	.	.	.	1	6	.
	10. Clothing Trades, ...	23,260	6·7	3	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	1
	11. Food Supply Trades, ...	9,242	16·9	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	42·9	25	6	2	.	6	8	2	1	.	.	.	1	1	.	1	.	3	1	2	1	2	4	.	.	.	.	9	1
	13. Petty Shopkeepers, ...	7,894	33·0	5	3	.	1	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	35·0	9	4	.	.	.	.	4	1	.	.	.	.	.	1	.	.	.	.	1	1	2	1	.	.	.	.	3	.
	15. Domestic Servants, ...	36,603	7·1	5	.	.	1	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	43·5	12	1	.	.	3	3	5	.	.	.	.	.	1	.	.	.	2	.	1	.	2	2	.	.	1	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	36·6	63	23	6	4	8	13	5	4	1	.	.	1	1	2	1	.	6	3	1	3	5	14	1	.	.	1	23	1
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	48	4	1	1	9	13	13	7	.	.	.	.	.	.	.	.	6	1	4	.	1	11	.	.	2	.	23	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1910-11. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 30,219	Dec. 24,	17·4	.	10	.	.	.	.	.	.	.	—	3	.	1	2	.	.		—	.	1
		„ 31,	12·2	.	7	.	.	.	.	.	.	.	—	.	.	.	1	2	.		—	.	.
		Jan. 7,	25·9	1·7	15	.	.	.	.	.	1	.	.	4	1	1	2	2	.	.	.	.	.
		„ 14,	22·4	.	13	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	1
		„ 21,	27·6	1·7	16	.	.	.	.	.	.	1	.	1	1	2	.	3	.	.	.	.	2
		„ 28,	24·2	1·7	14	.	.	.	.	.	1	.	.	2	.	1	.	3	.	.	.	.	1
		Feb. 4,	34·5	3·5	20	1	.	.	.	.	1	.	.	2	.	.	3	1	.	.	.	1	.
		„ 11,	36·2	3·5	21	.	.	.	.	1	.	.	.	.	1	.	1	5	1	.	.	1	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 40,390.	Dec. 24,	15·7	.	12	.	.	.	.	.	.	.	—	4	2	3	1	.	.		—	.	.
		„ 31,	20·9	.	16	.	.	.	.	.	.	.	—	6	.	.	2	3	.		—	1	1
		Jan. 7,	21·9	1·3	17	.	.	.	.	.	.	.	.	1	.	.	2	6	1	.	.	.	1
		„ 14,	14·2	1·3	11	.	.	.	.	.	.		.	2	1	.	.	1	1	.	.	1	.
		„ 21,	31·0	1·3	24	.	.	.	.	.	.	.	.	7	1	.	.	4	1	.	.	.	1
		„ 28,	37·4	1·3	29	.	.	.	.	.	1	.	.	3	1	1	2	8	.	.	.	1	1
		Feb. 4,	34·9	3·9	27	1	.	.	.	.	.	.	.	4	.	3	3	4	2	.	.	1	.
		„ 11,	29·7	2·6	23	.	.	.	.	.	1	.	.	3	.	2	1	5	1	.	.	.	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 31,064.	Dec. 24,	30·5	1·7	18	.	.	.	.	.	.	.	—	3	.	1	3	2	1		—	.	.
		„ 31,	18·7	.	11	.	.	.	.	.	.	.	—	.	1	.	.	2	.		—	.	.
		Jan. 7,	31·9	1·7	19	.	.	.	.	.	1	.	.	2	2	1	.	4	.	.	.	.	.
		„ 14,	16·8	.	10	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2	.
		„ 21,	15·1	.	9	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.	.
		„ 28,	35·2	5·0	21	.	.	.	.	.	2	.	.	1	.	.	.	7	1	.	.	.	.
		Feb. 4,	21·8	.	13	.	.	.	.	.	.	.	.	.	.	1	1	3	.	.	1	1	.
		„ 11,	26·9	.	16	.	.	.	.	.	.	.	.	3	2	1	2	2	.	.	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,908.	Dec. 24,	26·4	.	17	.	.	.	.	.	.	.	—	.	.	.	.	3	.		—	1	2
		„ 31,	10·9	1·6	7	.	.	.	.	1	.	.	—	2	.	1	.	2	.		—	.	.
		Jan. 7,	26·1	7·7	17	.	.	.	.	5	.	.	.	1	.	1	1	.	.	.	.	1	.
		„ 14,	24·6	1·5	16	.	.	.	.	.	1	.	.	2	.	.	.	2	.	.	.	1	.
		„ 21,	20·0	3·1	13	.	.	.	.	.	1	1	.	2	1	1	1	.	.	.	.	.	.
		„ 28,	24·6	4·6	16	.	.	.	.	.	.	1	.	1	1	1	1	3	2	.	.	.	.
		Feb. 4,	16·9	6·2	11	1	.	.	.	.	1	1	.	1	.	.	1	.	1	.	.	.	.
		„ 11,	35·4	3·1	23	.	.	.	.	1	1	.	.	2	.	3	3	7	.	.	.	.	1
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,908.	Dec. 24,	32·7	3·8	26	.	.	.	.	.	2	1	—	.	1	1	3	1	.		—	1	.
		„ 31,	23·9	2·5	19	.	.	.	.	.	2	.	—	4	1	.	2	6	.		—	1	.
		Jan. 7,	22·4	1·2	18	.	.	.	.	.	1	.	.	2	.	.	1	4	.	.	.	.	.
		„ 14,	27·4	3·7	22	.	.	.	.	.	1	2	.	3	1	.	2	3	.	.	.	.	.
		„ 21,	31·1	1·2	25	.	.	.	1	.	.	.	.	7	.	2	1	4	.	.	1	.	.
		„ 28,	27·4	2·5	22	.	.	.	.	1	1	.	.	3	.	.	3	2	.	.	.	1	1
		Feb. 4,	27·4	1·2	22	.	.	.	1	.	.	.	.	1	.	1	1	4	.	.	1	2	1
		„ 11,	36·1	5·0	29	2	.	.	.	1	.	1	.	4	1	.	1	7	.	.	1	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,980.	Dec. 24,	36·0	.	15	.	.	.	.	.	.	.	—	3	1	1	2	3	.		—	.	.
		„ 31,	14·4	2·4	6	.	.	.	.	.	1	.	—	.	.	.	.	1	.		—	2	.
		Jan. 7,	21·4	.	9	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.	.	.
		„ 14,	30·8	2·4	13	.	.	.	1	.	.	.	.	1	.	.	2	1	.	.	.	.	.
		„ 21,	7·1	.	3	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
		„ 28,	42·7	2·4	18	1	.	.	.	.	.	.	.	4	1	.	1	4	.	.	.	.	.
		Feb. 4,	28·5	.	12	.	.	.	.	.	.	.	.	3	1	1	2	3	.	.	.	.	.
		„ 11,	38·0	.	16	.	.	.	.	.	.	.	.	4	1	2	1	2	.	.	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,677.	Dec. 24,	21·7	3·6	18	.	.	.	.	.	2	1	—	1	2	1	2	3	.		—	.	.
		„ 31,	19·3	.	16	.	.	.	.	.	.	.	—	3	.	.	1	2	.		—	1	3
		Jan. 7,	23·9	1·2	20	.	.	.	.	.	.	.	.	5	.	.	1	4	1	.	.	.	1
		„ 14,	28·7	2·4	24	1	.	.	.	.	1	.	.	4	2	.	6	4	.	.	1	1	1
		„ 21,	37·0	3·6	31	.	.	.	1	.	2	.	.	3	1	1	3	9	.	.	.	1	1
		„ 28,	22·7	1·2	19	1	.	.	.	.	.	.	.	5	1	1	3	3	.	.	.	.	1
		Feb. 4,	22·7	2·4	19	.	.	.	1	.	.	1	.	3	.	1	2	4	.	.	.	1	.
		„ 11,	28·7	1·2	24	.	.	.	.	1	.	.	.	4	.	.	3	2	.	.	2	1	1
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 36,254.	Dec. 24,	24·7	1·5	17	.	.	.	.	.	.	.	—	2	.	1	1	7	1		—	.	.
		„ 31,	18·9	8·7	13	.	.	.	1	1	3	.	—	1	1	.	1	1	1		—	.	.
		Jan. 7,	20·1	10·1	14	.	.	.	3	.	2	1	.	1	1	1	.	.	1	.	.	.	.
		„ 14,	20·1	5·8	14	.	.	.	2	.	2	.	.	1	1	.	1	2	.	.	.	.	.
		„ 21,	24·5	5·8	17	.	.	.	2	.	1	1	.	.	1	1	1	3	.	.	.	.	.
		„ 28,	28·8	8·6	20	.	.	.	1	.	4	.	.	3	1	.	2	5	1	.	.	.	1
		Feb. 4,	24·5	5·8	17	.	.	.	.	.	1	2	.	3	.	3	1	2	1	.	.	1	.
		„ 11,	33·1	4·3	23	.	.	.	2	.	1	.	.	4	1	2	2	6	.	.	.	.	.

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1910-11. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysenteryy.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa. Children under 2 years.	2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 37,528.	Dec. 24,	15·5	1·4	11	.	.	.	.	.	1	.	—	1	.	1	1	1	.		—	1	.
	„ 31,	23·9	1·4	17	.	.	.	.	.	1	.	—	.	.	.	1	3	.		—	.	1
	Jan. 7,	12·5	.	9	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	1
	„ 14,	9·7	.	7	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1
	„ 21,	18·1	.	13	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.	.
	„ 28,	20·8	1·4	15	.	.	.	.	.	1	.	.	.	.	.	2	3	.	.	.	1	1
	Feb. 4,	25·0	1·4	18	.	.	.	.	.	.	1	.	.	2	1	1	4	.	.	1	.	1
	„ 11,	18·1	.	13	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	.	1	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,368.	Dec. 24,	14·4	.	8	.	.	.	.	.	.	.	—	.	.	1	1	3	.		—	.	.
	„ 31,	9·0	.	5	.	.	.	.	.	.	.	—	1	.	.	.	.	.		—	1	.
	Jan. 7,	10·7	1·8	6	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 14,	21·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.	1	.	.
	„ 21,	21·3	1·8	12	.	.	.	1	.	.	.	.	1	1	2	.	1	.	.	.	.	2
	„ 28,	24·9	.	14	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.
	Feb. 4,	14·2	.	8	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 11,	14·2	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 (Est.) 17,622.	Dec. 24,	8·9	.	3	.	.	.	.	.	.	.	—	.	.	1	.	1	.		—	.	.
	„ 31,	23·7	.	8	.	.	.	.	.	.	.	—	1	.	2	2	.	.		—	.	.
	Jan. 7,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.
	„ 14,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	2
	„ 21,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 28,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Feb. 4,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	1
	„ 11,	17·8	.	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Belfast. Pop. in 1911 (Est.) 398,421.	Dec. 24,	17·6	0·5	132	.	.	.	1	1	1	.	—	15	3	6	10	29		1	—	2	1
	„ 31,	12·1	0·3	91	.	.	.	.	1	1	.	—	9	3	5	7	18		.	—	4	3
	Jan. 7,	16·0	0·4	122	.	.	.	.	1	.	.	.	14	7	7	8	18	1	1	1	6	3
	„ 14,	19·8	0·4	151	.	1	.	.	1	.	.	.	23	7	2	9	24	.	1	.	6	.
	„ 21,	15·4	0·5	118	.	.	.	1	1	1	1	.	17	4	7	7	24	.	.	.	1	1
	„ 28,	15·4	0·4	118	.	.	.	.	.	1	2	.	13	4	11	7	20	.	.	2	2	5
	Feb. 4,	16·8	0·3	128	.	.	.	.	.	1	1	.	10	4	6	7	25	.	.	2	4	2
	„ 11,	19·1	0·4	146	.	.	.	.	1	.	.	.	11	4	5	11	26	1	1	3	4	1
Cork. Pop. (in 1901) 76,122.	Dec. 24,	17·1	.	25	.	.	.	.	.	.	.	—	5	1	2	.	2		.	—	.	3
	„ 31,	25·3	1·4	37	.	.	.	.	.	2	.	—	4	1	.	.	5		.	—	.	4
	Jan. 7,	24·0	2·1	35	.	.	.	.	1	1	1	.	4	1	1	2	6	.	.	.	1	3
	„ 14,	20·5	1·4	30	.	.	.	.	.	2	.	.	2	.	2	1	5	.	.	.	.	3
	„ 21,	27·4	.	36	.	.	.	.	.	.	.	.	3	.	2	1	16	.	.	1	1	1
	„ 28,	25·3	2·7	37	.	.	.	.	.	4	.	.	1	1	.	5	4	.	.	.	.	1
	Feb. 4,	20·5	0·7	30	.	.	.	.	.	1	.	.	6	1	.	3	3	.	.	.	1	2
	„ 11,	27·4	1·4	40	.	.	.	.	1	1	.	.	10	2	5	2	2	.	.	.	1	4
Londonderry. Pop. in 1911 (Est.) 43,900.	Dec. 24,	18·0	.	15	.	.	.	.	.	.	.	—	1	1	2	.	2		.	—	.	1
	„ 31,	16·8	4·8	14	.	.	.	.	.	3	.	—	1	.	1	.	1		1	—	.	.
	Jan. 7,	24·9	2·4	21	.	.	.	.	.	1	.	.	2	2	1	1	3	1	.	.	.	.
	„ 14,	15·4	1·2	13	.	.	.	.	.	1	.	.	3	.	1	.	1	.	.	.	.	.
	„ 21,	23·8	4·8	20	.	.	.	.	.	4	.	.	.	.	1	1	4	.	.	.	.	.
	„ 28,	22·6	2·4	19	.	.	.	.	.	2	.	.	2	1	.	4	.	.	.	.	1	1
	Feb. 4,	14·3	3·6	12	.	.	.	.	.	3	.	.	.	.	.	1	3	.	.	.	.	1
	„ 11,	20·2	4·8	17	.	.	.	.	.	4	.	.	2	.	.	.	3	.	.	1	.	1
Limerick. Pop. (in 1901) 38,151.	Dec. 24,	10·9	.	8	.	.	.	.	.	.	.	—	1	.	.	.	1		.	—	.	3
	„ 31,	28·7	1·4	21	.	.	.	.	.	1	.	—	4	.	.	1	4		.	—	.	5
	Jan. 7,	13·7	.	10	.	.	.	.	.	.	.	.	.	.	1	.	4	.	.	.	.	.
	„ 14,	15·0	1·4	11	1	.	.	.	.	.	.	.	1	.	.	1	2	.	.	1	.	.
	„ 21,	20·5	.	15	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	1
	„ 28,	20·5	.	15	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.	.	2
	Feb. 4,	20·5	2·7	15	2	.	.	.	.	.	.	.	1	.	.	.	4	.	.	1	.	1
	„ 11,	24·6	.	18	.	.	.	.	.	.	.	.	4	.	.	.	7	.	.	.	.	1
Waterford. Pop. (in 1901) 26,769.	Dec. 24,	13·6	1·9	7	.	.	.	.	.	.	.	—	.	1	1	.	.		1	—	.	.
	„ 31,	17·5	.	9	.	.	.	.	.	.	.	—	1	1	.	.	4		.	—	.	.
	Jan. 7,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	1
	„ 14,	27·3	.	14	.	.	.	.	.	.	.	.	2	.	2	.	3	.	.	.	1	.
	„ 21,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 28,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2
	Feb. 4,	19·5	.	10	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	.
	„ 11,	33·1	.	17	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	2	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 11th February, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 25 years.	Ages at Death: 25 and under 45 years.	Ages at Death: 45 and under 65 years.	Ages at Death: 65 years and upwards.	Deaths from: Enteric Fever.	Deaths from: Typhus.	Deaths from: Small-pox.	Deaths from: Measles.	Deaths from: Scarlet Fever.	Deaths from: Whooping-cough.	Deaths from: Diphtheria.	Deaths from: Dysentery.	Deaths from: Tuberculous Disease: Phthisis.	Deaths from: Tuberculous Disease: Other Forms.	Deaths from: Cancer.	Deaths from: Diseases of the Respiratory System: Pneumonia.	Deaths from: Diseases of the Respiratory System: Other.	Deaths from: Diarrhœa: Of children under 2 years of age.	Deaths from: Diarrhœa: 2 years of age and upwards.	Deaths from: Enteritis of children under 2 years.	Deaths from: Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	349,180	4	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		8	1	.	.	2	4	1	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.	.	3	.
Do. 2 do.		25			17	3	1	1	1	4	7	.	.	.	.	.	.	.	.	.	.	.	2	3	.	.	.	.	2	7	1
Do. 3 do.		27			16	3	.	2	2	2	7	.	.	.	.	.	.	.	.	4	1	3	.	4	.	.	.	.	.	1	.
Do. 4 do.		25			9	1	2	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	2	3	.	.	.	.	1	5	.
Do. 5 do.		11			8	1	1	1	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	3	3	.
Do. 6 do.		13			14	.	.	1	5	2	6	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.	4	.
Do. 7 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		4			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		18			10	4	1	1	1	1	2	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.	.	.	1	.	.
Do. 10 do.		20			10	1	1	.	3	2	3	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	1	1	.
Do. 11 do.		16			12	1	1	3	4	1	2	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.	2	3	5	.
Do. 12 do.		31			18	4	.	1	5	4	4	.	.	.	.	.	.	.	.	.	1	.	.	5	.	1	1	.	.	2	.
Do. 13 do.		9			8	2	.	1	1	1	3	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	1	.	.	2	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		14			15	3	.	.	.	9	3	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	1	.	.	5	.
Total,	—	218			146	24	7	11	27	34	43	.	.	.	.	1	.	.	.	11	4	5	11	26	1	1	3	4	11	38	1
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	6	24·3	.	6	.	.	.	1	1	4	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	6	.
Do. 2 do.	10,701	5	43·9	4·9	9	1	2	1	1	2	2	.	.	.	.	1	.	.	.	2	.	.	.	1	.	.	.	.	.	3	3
Do. 3 do.	9,978	7	10·5	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.
Do. 4 do.	8,666	1	36·1	.	6	.	.	2	2	2	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	2	.	.
Do. 5 do.	6,592	1	15·8	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 6 do.	10,702	6	14·6	.	3	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	1
Do. 7 do.	16,616	6	37·7	3·1	12	1	2	1	3	1	4	.	.	.	.	.	1	.	.	4	.	2	1	.	.	.	.	1	2	6	.
Total,	76,122	32	27·4	1·4	40	2	6	5	8	8	11	.	.	.	.	1	1	.	.	10	2	5	2	2	.	.	.	1	4	18	4

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910–11—WEEK ENDING																									
	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.
No. of weeks in Annual Series,	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6
BIRTHS registered, ...	210	159	219	190	264	194	172	200	205	228	201	183	178	156	181	175	185	167	200	199	241	231	233	188	212	218
DEATHS registered, ...	124	131	121	103	116	122	105	94	122	120	115	108	122	132	134	109	151	133	132	91	122	151	118	118	128	146
Annual Death rate per 1,000 of estimated population, ...	16·5	17·5	16·1	13·7	15·5	16·3	14·0	12·5	16·3	16·0	15·3	14·4	16·3	17·6	17·9	14·5	20·1	17·7	17·6	12·1	16·0	19·8	15·4	15·4	16·8	19·1
AGES, Under 1 year, ...	35	49	30	28	23	29	25	31	27	27	28	24	28	27	24	17	34	20	22	18	21	30	23	26	24	24
1—5 years, ...	17	14	15	14	13	11	14	6	14	16	8	11	6	6	5	8	11	17	12	8	12	11	8	10	10	7
5—25 „ ...	72	68	76	61	80	82	66	57	81	77	79	73	88	99	105	84	106	96	98	65	7	20	16	11	6	11
25—45 „ ...																					30	37	17	13	25	27
45—65 „ ...																					32	25	21	27	34	34
65 and upwards, ...																					20	28	33	31	29	43
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	1	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	7	3	.	3	1	3	1	1	3	5	.	3	1	.	2	2	3	3	1	.	.	.	1	.	.	.
Scarlet Fever, ...	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1	2	1	1	1	1	1	.	.	1
Whooping-cough, ...	1	5	.	1	1	1	3	1	1	.	1	.	.	.	1	.	1	.	1	1	.	.	1	1	1	.
Diphtheria, ...	.	.	.	.	1	.	.	.	2	1	.	.	1	1	.	1	4	.	.	.	.	.	1	2	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	16	10	11	12	14	11	17	9	17	10	12	14	12	17	17	13	14	12	15	9	14	23	17	13	10	11
Tuberculous Disease. Other Forms,	9	5	9	6	13	6	7	3	8	6	8	2	7	8	4	7	5	7	3	3	7	7	4	4	4	4
Cancer, ...	3	4	5	8	10	8	5	5	7	5	7	9	5	8	9	6	5	8	6	5	7	2	7	11	6	5
Diseases of Respiratory System, Pneumonia	5	10	8	6	7	10	7	5	11	11	7	7	13	11	8	7	13	10	10	7	8	9	7	7	7	11
Diseases of Respiratory System, Others, ...	8	8	9	5	5	8	11	9	16	9	19	11	23	16	25	25	36	22	29	18	18	24	24	20	25	26
Diarrhœa, Under 2 years, ...	22	29	16	13	15	13	7	7	3	8	10	6	4	3	1	1	4	3	1	.	1	.	.	.	.	1
Diarrhœa, 2 years & upwards,																					1	1	.	.	.	1
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	.	.	2	2	3
Violent Deaths, ...	.	3	2	1	1	5	2	.	.	2	.	3	4	2	5	3	2	6	2	4	6	6	1	2	4	4
Number of Uncertified Deaths, ...	2	.	2	2	2	.	1	1	1	.	.	2	3	.	.	3	4	1	1	3	3	.	1	5	2	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,912,054	Feb. 11,	2,400	1,630	17·3	2	.	86	1	32	18	21*a*
Edinburgh, ...	365,253	„ 11,	130	124	17·7	.	.	4	.	3	3	1
Glasgow, ...	897,178	„ 11,	436	357	20·8	1	.	1	3	24	4	6
Calcutta, ...	1,009,008	Jan. 7,	.	512	26·3	107*	.	1	.	1	3	62‡
Bombay, ...	977,822	„ 7,	381	651	34·6	57*	7	25	.	.	.	78‡
Madras, ...	509,346	Dec. 17,	361	411	41·9	80*	3	2	?	?	?	66
Cairo, ...	682,953	„ 23,	618	426	32·5	4	.	.	.	.	11†	53*a*
Paris, ...	2,760,000	Jan. 14,	909	1,099	20·8	.	.	4	2	2	8†	13*a*
Brussels, ...	720,030	„ 14,	251	218	15·7	2	.	.	.	.	1†	9
Antwerp, ...	320,640	„ 21,	98	76	12·4	.	.	1	.	.	.	2*a*
Amsterdam, ...	573,984	„ 21,	252	173	15·7	.	.	5	.	2	.	3*a*
Copenhagen, ...	450,000	„ 21,	200	133	15·4	.	.	.	3	1	2†	1*a*
Stockholm, ...	341,816	„ 14,	154	86	13·1	.	.	.	1	1	.	2
Christiania, ...	240,178	„ 28,	112	47	10·2	.	.	2	.	2	2	1
St. Petersburg, ...	1,620,000	„ 7,	863	667	21·5	7	11	7	13	3	13	52
Moscow, ...	1,493,600	Dec. 31,	.	744	26·0	1	2	10	22	5	25†	53
Berlin, ...	2,067,625	Jan. 14,	815	638	16·1	1	.	4	3	3	19†	24
Hamburg, ...	932,000	„ 21,	.	248	13·8	.	.	.	4	4	8†	15*a*
Breslau, ...	512,510	„ 21,	.	180	18·3	.	.	2	3	1	.	10
Munich, ...	597,000	„ 28,	.	220	19·2	.	.	1	1	2	1†	11
Vienna (with suburbs),	2,030,834	„ 21,	783	848	21·7	.	.	7	1	3	10†	24*a*
Buda-Pesth, ...	838,950	„ 21,	419	326	20·2	1	.	1	5	.	4†	11*a*
Prague and Faubourgs,	508,310	„ 7,	186	176	18·0	.	.	1	.	1	3†	6*a*
Trieste, ...	224,080	„ 14,	137	102	23·6	.	.	1	.	.	1†	3*a*
Rome, ...	589,425	Nov. 12,	291	166	14·7	6	.	1	.	.	.	21‡
Venice, ...	183,224	Jan. 7,	80	76	21·6	1	.	.	.	.	.	2
New York, ...	4,983,385	„ 7,	2,560	1,697	17·8	6	.	5	14	7	29	28*a*
Philadelphia, ...	1,598,400	Dec. 24,	.	517	16·8	7	.	6	3	1	21†	18*a*
Boston, ...	686,912	Jan. 28,	.	277	21·0	1	.	3	1	4	2	6

* Deaths from "fever," including 5 deaths from enteric fever in Calcutta, one in Bombay and 3 in Madras, and 9 deaths from plague in Calcutta, 11 in Bombay, and one in Madras.

† Including deaths from croup.

‡ Including 12 deaths from cholera in Calcutta, 18 in Bombay, and one in Rome.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 11th February, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) — *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	1	.	.	1	.	.	2	2	.	.	2	8
" " 1, West, ...	.	1	.	.	2	.	.	1	5	.	.	3	12
" " 2, ...	.	1	.	.	.	.	.	.	2	.	.	3	6
" " 3, ...	.	1	.	.	4	.	.	1	2	.	.	2	10
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	5	.	.	.	.	.	4	.	.	.	.	9
Finglas and Glasnevin (part of), ...	.	2	.	.	1	.	.	1	.	.	.	.	4
South City No. 1, ...	.	23	.	.	4	.	2	8	4	.	.	2	43
" " 2, ...	.	1	.	.	.	.	.	2	1	.	.	3	7
" " 3, ...	.	2	.	.	3	.	.	2	.	.	.	2	9
" " 4, ...	.	5	.	.	2	.	.	1	.	.	.	1	9
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	42	.	.	17	.	2	22	16	.	.	18	117

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 11th February, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 11th February.			
	Jan. 21.	Jan. 28.	Feb. 4.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	1	1	1	.	.	.	1
Measles, ...	23	25	29	13	10	.	32
Scarlet Fever, ...	91	93	98	38	16	4	116*
Typhus, ...	1	1	1	.	.	.	1
Diphtheria, ...	87	84	76	11	22	3	62
Enteric Fever, ...	54	67	70	15	13	1	71
Pneumonia, ...	22	25	27	15	3	1	38

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 11th February, 1911:—

"Dry anticyclonic weather again prevailed—only on Thursday night and Friday were the quiet, settled conditions, which have so long held over Western Europe, temporarily interrupted by the passage across Ireland eastwards of a V.-shaped depression secondary to a deep cyclonic system between Iceland and Greenland. But overcast skies and dull, cold weather persisted until sunset on Wednesday, when a decided fall of the barometer gave the first intelligence of an approaching change. During Sunday and Monday the central area of a large anticyclone in which the barometer stood above 30·6 inches covered the greater part of the British Isles. On Tuesday the barometer rose slightly above 30·7 inches all over Ireland, in the Faeroe, and at Brest. Depressions were at the same time found at the Azores (29·58 inches at Horta) and in Lapland (29·62 inches at Haparanda on the Gulf of Bothnia). On Wednesday morning the anticyclone was centred over Great Britain, and the barometer had begun to fall in Ireland and more quickly in Iceland, towards which latter country a large and deep depression was advancing from Greenland. These changes were progressive, so that on Thursday morning the centre of the anticyclone was transferred to Bavaria, causing an intense frost in that country, while the barometer had fallen below 29 inches in the N.W. of Iceland. At this time also a brisk decrease of pressure in Ireland caused strong and squally S. winds, clouds and a moderate rainfall. On Friday morning a well-defined V.-shaped depression, secondary to the Icelandic primary, in which the barometer was down to 28·86 inches at Isafjord, crossed Ireland eastwards. When it passed, the wind drew into N.W. and moderated, the sky cleared and temperature fell quickly. The week closed with a day of unclouded sunshine. In Dublin the mean height of the barometer was 30·418 inches, pressure ranging from 30·722 inches at 9 p.m. of Tuesday (wind, W.) to 29·765 inches at 9 a.m. of Friday (wind, W.). The mean temperature was 39·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 37·9°. The screened thermometers rose to 46·4° on Friday and fell to 32·8° on Saturday. The prevailing wind was W.N.W. Rain fell on one day to the small amount of ·011 inch."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·231 inches. The highest reading (30·539) was on Tuesday at 9 p.m., air calm, and the lowest (29·601) on Friday at 9 a.m., wind S.S.W.

The mean temperature for the week was 37·0°, being 3·3° below the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Saturday, on which day the thermometer registered 46·4°, and was lowest on Thursday, the mercury having fallen to 25·9°. The mean of the Dry Bulb for the week was 35·6° and of the Wet Bulb, 34·6°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The rainfall during the week measured 0·011 inch.

At Greenwich the mean temperature for the week was 37·0°, the maximum 44·9°, and the minimum 25·1°; at Glasgow the maximum was 46·2°, the minimum 26·0° and the mean 37·6°; and at Edinburgh the maximum was 42·1°, the minimum 31·0°, and the mean 36·5°. The rainfall at Greenwich measured 0·11 in.; at Glasgow 0·02 in., and at Edinburgh 0·03 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, February 5,	30·448	38·5	34·9	36·7	35·1	34·3	·95	·5	0·0	·000	Calm.	Calm.
Monday, „ 6,	30·503	39·6	33·3	36·5	35·0	33·7	·88	·6	0·5	·000	Calm.	Calm
Tuesday, „ 7,	30·534	40·7	32·9	36·8	34·9	33·9	·91	·4	0·0	·000	W.	Calm.
Wednesday, „ 8,	30·429	44·6	29·1	36·9	33·1	32·6	·95	·4	0·0	·000	Calm.	Calm.
Thursday, „ 9,	29·923	44·1	25·9	35·0	40·1	38·1	·84	·6	0·0	·011	S.E.	S.
Friday, „ 10,	29·740	46·2	31·9	39·1	38·5	37·6	·92	·6	3·7	·000	S.S.W.	W.
Saturday, „ 11,	30·039	46·4	29·9	38·2	32·8	31·9	·84	·6	8·3	·000	W.	Calm.
Mean, ...	30·231	42·9	31·1	37·0	35·6	34·6	·90	·5	Total 12·5	Total ·011	—	

Sunday—Day overcast; night overcast. *Monday*—Day overcast to cloudy; night overcast. *Tuesday*—Day overcast; night overcast. *Wednesday*—Day overcast; night clear. *Thursday*—Day overcast; night cloudy, light showers a.m. *Friday*—Day cloudy, fine; night clear. *Saturday*—Fine bright day; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, February 11th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, February 5,	38·0	39·0	42·9	41·9	36·7	39·2	—	—
Monday, „ 6,	37·0	38·9	42·8	40·9	35·2	38·2	—	—
Tuesday, „ 7,	36·2	38·8	42·7	42·1	35·6	38·9	—	—
Wednesday, „ 8,	38·9	39·0	42·5	45·3	36·4	40·9	—	—
Thursday, „ 9,	39·1	38·5	42·6	45·3	33·9	39·6	—	·001
Friday, „ 10,	45·6	39·1	42·4	47·2	36·8	41·5	1·8	—
Saturday, „ 11,	36·0	38·8	42·4	46·3	33·8	40·1	4·6	—
Weekly Mean, .	38·7	38·9	42·6	44·1	35·5	39·8	Total 6·4	Total ·001

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30166. Wt. P. 489–53/138. 375. 2. 1911. G. III.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & CO., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 18TH FEBRUARY, 1911. [No. 7.

General Register Office, Charlemont House,
Dublin, 20th February, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,163,596.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Jan. 28	Feb. 4	Feb. 11	Feb. 18	Average Rate for 4 weeks.
22 Town Districts, ...	**21·3**	**19·6**	**24·1**	**22·7**	**21·9**
Armagh	48·1	13·7	34·4	6·9	25·8
Ballymena	23·9	14·4	38·3	14·4	22·7
Belfast	15·4	16·8	19·1	19·5	17·7
Clonmel	15·4	46·2	15·4	61·5	34·6
Cork	25·3	20·5	27·4	25·3	24·6
Drogheda	16·3	8·2	16·3	4·1	11·2
Dublin Reg. Area ...	27·5	24·1	27·4	25·5	26·1
Dundalk	.	23·9	19·9	8·0	13·0
Galway	3·9	15·5	15·5	15·5	12·6
Kilkenny	29·5	29·5	29·5	4·9	23·3
Limerick	20·5	20·5	24·6	10·9	19·1
Lisburn	27·3	9·1	22·7	40·9	25·0
Londonderry	22·6	14·3	20·2	29·7	21·7
Lurgan	17·7	22·1	17·7	48·7	26·5
Newry	16·8	8·4	25·2	37·8	22·0
Newtownards	34·3	17·2	17·2	45·8	28·6
Portadown	20·7	15·5	20·7	10·3	16·8
Queenstown	19·8	13·2	33·0	19·8	21·5
Sligo	.	4·8	76·8	28·8	27·6
Tralee	42·3	10·6	15·9	10·6	19·9
Waterford	11·7	19·5	33·1	23·4	21·9
Wexford	23·3	9·3	23·3	14·0	17·5

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·3 per 1,000. In twenty of the districts the rate was 0·0; the highest rate was 7·1 in Londonderry, the 25 deaths from all causes for that district including one from enteric fever and 5 from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 192—101 boys and 91 girls—and the deaths to 208—98 males and 110 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 25·5 per 1,000 of the population.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœa.

During the seven weeks ending with Saturday last the death-rate averaged 24·4, and was 1·2 below the mean rate for the corresponding portions of the 10 years 1901–10.

The total deaths registered, numbering 208, represent an annual rate of 26·6 per 1,000; the annual rate for the past seven weeks was 25·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·7 per 1,000 of the mean population for all deaths registered.

Among the deaths which were registered there were 2 from enteric fever, 2 from measles, 6 from scarlet fever, 6 from whooping-cough, 3 from diphtheria, one from *croup*, 2* from dysentery, 4 from diarrhœa and enteritis of children under 2 years of age, and 5 deaths from influenza. In each of the three preceding weeks, deaths from enteric fever were 2, 3, and 2; deaths from measles were 2, 2, and 2; deaths from scarlet fever were one, 0, and 4; deaths from whooping-cough were 10, 4, and 3; deaths from diphtheria were one, 5, and 2; deaths from diarrhœa and enteritis of children under 2 years were 4, 7, and 5, and deaths from influenza were 4, 3, and 4.

The deaths from all forms of tuberculous disease numbered 30, and included 22 deaths from pulmonary tuberculosis, 4 deaths from tuberculous meningitis, one death from abdominal tuberculosis, one death from tuberculosis of a joint, and 2 deaths from disseminated tuberculosis. In each of the three preceding weeks deaths from all forms of tuberculous disease were 35, 23, and 33.

There were 6 deaths from broncho-pneumonia, and 9 deaths from *pneumonia* (type not distinguished).

Four deaths were caused by cancer.

There were 3 deaths of infants under one year of age from *convulsions*.

Diseases of the circulatory system accounted for 17 deaths, and 43 deaths from bronchitis were registered

Prematurity caused the death of one infant, and the deaths of 6 infants were assigned to congenital debility.

Of 2 deaths from accident or negligence, one was of a child aged 3 years and 10 months by burning.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; both of these cases were infants under one year of age.

Fifty-seven of the persons whose deaths were registered during the week were under 5 years of age (32 being infants under one year, of whom 7 were under one month old) and 55 were aged 65 years and upwards, including 41 persons aged 70 and upwards; among the latter were 22 aged 75 and upwards, of whom one (a female) was stated to have been aged 90 years.

Eighty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 21 took place in the North Dublin Union Workhouse and 23 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death rate for the entire Registration Area was 25·5 per 1,000; the rate in the City was 27·6 (North City Districts, 27·3; South 27·9) and in the Suburbs, 18·4.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·9 per 1,000 inhabitants, the rate for the City being 3·8 (2·6 in the North City Districts, and 5·1 in the South), and for the Suburbs, 0·0.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (14) are equal to an annual rate of 24·2 per 1,000. Among them are one death each from whooping-cough, diphtheria, influenza, and pulmonary tuberculosis, and 3 deaths from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (28) are equal to an annual rate of 36·1 per 1,000. One death each from scarlet fever, diphtheria, and diarrhœa (of a child under 2 years of age), 6 deaths from tuberculous disease, one death from *pneumonia* (type not distinguished), and 9 deaths from bronchitis were recorded.

No. 2 *North City District* (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 23·5 per 1,000, and include one death from diarrhœa of a child under 2 years of age, 5 deaths from tuberculous disease, 3 deaths from bronchitis, and one accidental death.

No. 3 *North City District* (Benburb-street).—The deaths (21) represent an annual rate of 32·3 per 1,000. Whooping-cough, diarrhœa (a child under 2 years of age), and influenza each caused one death; 4 deaths were caused by tuberculous disease, 2 by broncho-pneumonia, and 5 by bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No 1, part of, 9·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 22·2; and Finglas and Glasnevin, part of, 6·7. Of the 5 deaths from all causes for Coolock and Drumcondra, part of, 2 were caused by tuberculous disease, one by *pneumonia* (type not distinguished), and one by bronchitis; and the only death recorded for Finglas and Glasnevin, part of, was one from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (21) represent an annual rate of 26·1 per 1,000. There were 2 deaths each from enteric fever and scarlet fever, one death each from whooping-cough, dysentery, pulmonary tuberculosis, broncho-pneumonia, and *pneumonia* (type not distinguished), and 2 deaths from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (14) are equal to an annual rate of 33·2 per 1,000. One death from scarlet fever, 2 deaths from tuberculous disease, and 5 deaths from bronchitis were recorded.

No. 3 *South City District* (Peter-street).—The deaths (24) are equal to an annual rate of 28·7 per 1,000. Among them are 2 deaths from measles, one death each from diphtheria and influenza, 3 deaths from pulmonary tuberculosis, one death from broncho-pneumonia, one from *pneumonia* (type not distinguished), 5 from bronchitis, and one death from burns.

No. 4 *South City District* (Grand Canal Street).—The deaths (16) are equivalent to an annual rate of 23·0 per 1,000, and include 3 deaths from whooping-cough, one death each from *croup*, abdominal tuberculosis and broncho-pneumonia, and 2 deaths from bronchitis.

New Kilmainham District.—The deaths (7) are equal to an annual rate of 39·8 per 1,000. Two deaths were caused by scarlet fever, and 2 by bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 19·5; Pembroke, 24·9; Blackrock, 11·6; and Kingstown, 8·9. There was no death from any of the principal epidemic diseases† tabulated for these districts. Among the 14 deaths from all causes for Rathmines and Rathgar are one from broncho-pneumonia, 3 from *pneumonia* (type not distinguished), and 2 from bronchitis; the 14 deaths from all causes for Pembroke include 2 from pulmonary tuberculosis, one from *pneumonia* (type not distinguished), and 3 from bronchitis; of the 2 deaths recorded for Blackrock one was caused by influenza, and one by pulmonary tuberculosis; and of the 3 deaths from all causes for Kingstown there was one from bronchitis.

* See note (*c*) Table II. † See note (‡) on first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 18th February, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Jan. 28,	.	—	—	15	.	.	10	.	1	23	10	.	—	—	.	—	10	—	69
	Feb. 4,	.	—	—	25	.	.	9	.	.	15	8	.	—	—	1	—	9	—	67
	Feb. 11,	.	—	—	42	.	.	17	.	2	22	16	.	—	—	.	—	18	—	117
	Feb. 18,	.	—	—	32	.	.	24	.	4	16	6	.	—	—	.	—	10	—	92
Rathmines and Rathgar Urban District.	Jan. 28,	.	—	—	2	.	.	1	.	.	.	2	.	—	—	—	—	—	—	5
	Feb. 4,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	—	1
	Feb. 11,	.	—	—	1	.	.	1	.	.	1	1	.	—	—	—	—	—	—	4
	Feb. 18,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
Pembroke Urban District.	Jan. 28,	.	4	.	.	.	.	.	.	1	.	.	.	—	1	.	—	.	—	6
	Feb. 4,	.	4	.	.	.	.	.	.	1	.	.	.	—	2	.	—	.	—	7
	Feb. 11,	.	1	.	.	.	.	1	.	.	.	.	.	—	8	.	—	.	—	10
	Feb. 18,	.	1	1	.	.	.	.	.	.	.	.	.	—	4	.	—	.	—	6
Blackrock Urban District.	Jan. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 4,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Feb. 11,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Feb. 18,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	Jan. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Feb. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Feb. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Feb. 18,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	.	—	2
City of Belfast.	Jan. 28,	.	—	—	24	.	.	8	1	.	.	7	.	—	—	.	—	22	—	62
	Feb. 4,	.	—	—	11	.	.	3	.	.	1	2	.	—	—	.	—	22	—	39
	Feb. 11,	.	—	—	21	.	.	6	.	.	2	3	.	—	—	.	—	19	—	51
	Feb. 18,	.	—	—	6	.	.	6	.	.	1	3	1	—	—	.	—	21	—	38

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 18th February, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

One case of small-pox remained under treatment in hospital at the close of the week.

Twelve cases of measles were admitted to hospital during the week, 9 were discharged, and 35 cases remained under treatment at the close of the week.

Twenty-one cases of scarlet fever were admitted to hospital, 22 were discharged, there were 4 deaths, and 111* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 93, 98, and 116, respectively.

One case of typhus was discharged from hospital during the week, and no case remained under treatment at its close.

Thirty-seven cases of diphtheria were admitted to hospital during the week, 16 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 84, 76, and 62, respectively, were 82 at the close of last week.

Eighteen cases of enteric fever were admitted to hospital during the week, 10 were discharged, there was one death, and 78 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 67, 70, and 71.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, 7 were discharged, and 42 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 17·1) was equal to an average annual death-rate of 17·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·0 per 1,000, the rate for Glasgow being 20·8 and for Edinburgh 13·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 18th February. From this Report it appears that of a total of 83 cases notified, 31 were phthisis, 25 scarlet fever, 20 diphtheria, 4 erysipelas, 2 enteric fever, and one puerperal fever. Among the 450 cases of infectious diseases in hospital at the close of the week were 202 cases of scarlet fever, 94 of diphtheria, 62 of phthisis, 55 of measles, 14 of erysipelas, 10 of whooping-cough, 6 of enteric fever, and one of chicken pox.

*See note (*) at foot of Table XII.

BIRTHS and DEATHS registered during the week ending Saturday, 18th February, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	Diarrhœa. 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) Week ending 18th February, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 11th February, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 4th February, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
Total of 22 Town Districts, ...	1,163,596	20·4	26·9	22·7	1·3	600	507	83	132	3	...	...	2	6	11	3	1	67	27	13	36	101	3	...	4	2	9	151	17	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:— Total, (c) ...	407,057	29·6	24·6	25·5	2·9	192	199	31	54	2	...	...	2	6	6	3	1	21	7	3	14	44	3	...	1	2	3	80	2	e58·8	24·3	46·4	0·58	e46·1	25·9	37·0	0·01	e46·0	18·5	35·9	0·00
City of Dublin,	313,526	39·6	25·9	27·6	3·8	156	166	29	34	2	...	...	2	6	6	3	1	18	7	1	9	38	3	...	1	2	2	73	2	f57·4 g51·8	31·9 22·4	47·1 15·1	0·39 0·49	f46·4 g46·9	32·8 27·0	39·3 37·4	0·01 0·00	f46·4 g46·1	26·8 21·0	38·6 37·1	0·00 0·00
Urban Districts. Rathmines and Rathgar.	37,528	21·9	25·0	19·5	...	18	14	2	7	...	...	...	...	...	...	...	...	...	...	1	4	2	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,368	18·5	19·5	24·9	...	11	14	...	9	...	...	...	...	...	...	...	...	2	...	1	1	3	...	...	...	...	1	5	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,013	8·3	17·4	11·6	...	3	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,622	12·1	11·8	8·9	...	4	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	59	31	47·9	0·17	47	36	40·2	0·02	46·0	31·0	39·8	0·00
Urban Districts. Belfast, ...	398,421	27·1	28·3	19·5	...	216	149	31	25	...	...	...	...	...	...	...	...	22	11	5	14	25	...	...	2	...	3	39	...	54·0	27·5	42·4	0·69	18·5	27·5	39·1	0·12	47·0	21·0	38·5	0·00
Cork, ...	76,122	33·6	33·6	25·3	...	49	37	4	14	...	...	...	...	...	...	...	...	7	...	...	3	11	...	...	...	...	1	11	3	53	33	45·4	0·82	47	32	40·6	0·17	48	31	41·0	0·01
Londonderry ...	42,900	20·3	9·5	29·7	7·1	8	25	2	8	1	...	...	...	...	5	...	...	4	...	2	...	6	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,151	18·1	17·8	10·9	...	13	8	2	1	...	...	...	...	...	...	...	...	1	...	...	1	3	...	...	...	...	...	3	2	56·1	28·2	46·2	0·71	49·9	23·5	38·4	0·08	49·3	22·6	36·7	0·00
Waterford, ...	26,769	18·7	27·3	23·4	...	14	12	3	5	...	...	...	...	...	...	...	...	1	2	1	...	4	...	...	1	...	...	4	2	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,426	2·5	27·2	15·5	...	7	4	1	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	2	2	52	29	44	0·61	48	28	39	0·05	53	20	35·4	0·00
Dundalk, ...	13,076	9·4	23·9	8·0	...	6	2	...	1	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,760	8·6	28·6	4·1	...	7	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry (h), ...	12,405	17·8	4·2	37·8	...	1	9	2	3	...	...	...	...	...	...	...	...	1	1	...	1	2	...	...	...	...	...	1	...	52·8	31·8	44·6	0·96	48·0	30·3	38·1	0·12	47·0	18·0	34·3	0·01
Lurgan, ...	11,782	13·8	35·4	18·7	...	8	11	1	3	...	...	...	...	...	...	...	...	3	1	...	1	1	...	...	...	...	...	...	...	52·8	31·8	44·6	0·96	48·0	30·3	38·1	0·12	47·0	18·0	34·3	0·01
Lisburn, ...	11,461	10·1	40·9	10·9	...	9	9	1	2	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	...	...	3	1	52·8	31·8	44·6	0·96	48·0	30·3	38·1	0·12	47·0	18·0	34·3	0·01
Wexford, ...	11,168	23·2	37·4	14·0	...	8	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena, ...	10,886	8·9	100·6	14·4	...	21	3	...	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	10,870	3·7	4·8	28·8	...	1	6	...	1	...	...	...	...	...	...	...	...	...	1	1	...	3	...	...	...	...	...	...	1	54·7	27·5	45·2	0·99	47·8	23·4	36·7	0·21	48·0	17·6	33·8	0·01
Kilkenny, ...	10,609	11·5	14·7	4·9	...	3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	58	25	45·1	0·99	48	24	41·7	0·14	46	23	35·8	0·04
Clonmel, ...	10,167	7·8	10·3	61·5	...	2	12	1	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	7	...	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	10,092	13·2	46·5	10·3	...	9	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	52·8	31·8	44·6	0·96	48·0	30·3	38·1	0·12	47·0	18·0	34·3	0·01
Tralee, ...	9,867	16·6	47·6	10·6	...	9	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	40·1	15·8	...	7	8	3	1	...	...	...	...	...	...	...	...	2	1	1	...	...	...	...	...	...	...	...	...	55	33	45·0	0·65	47	33	39·6	0·12	47	30	39·5	0·01
Queenstown, ...	7,909	11·4	33·0	19·8	...	5	3	...	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	53	33	45·4	0·82	47	32	40·6	0·17	48	31	41·0	0·01
Armagh, ...	7,588	22·2	34·4	6·9	...	5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	52·8	31·8	44·6	0·96	48·0	30·3	38·1	0·12	47·0	18·0	34·3	0·01

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1911. (b) See note (‡) at foot of first page. (c) Exclusive of 9 deaths of persons (including one under one year old and one at 68 years), admitted to hospital from localities outside the Area; of the 9 deaths one was from dysentery. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin. (h) The Registrar of Newry No. 2 reports that he registered the death of a woman admitted from Rathfryland into the Home, Kilmorey-street, who was 110 years of age.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 18th of February, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.
Scarlet Fever,	.	1	.	.	.	.	.	2	1	.	.	2	.	.	.	.	6	.
Whooping-cough,	1	.	.	1	.	.	.	1	.	.	3	.	.	.	.	.	6	.
Diphtheria,	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
Croup,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Influenza,	1	.	.	1	.	.	.	.	.	1	.	.	.	.	1	.	4	1
Dysentery,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1
Tuberculous Disease. Pulmonary Tuberculosis,	1	5	3	3	.	1	.	1	1	3	.	.	.	2	1	.	21	1
Tuberculous Disease. Other Forms,	.	1	2	1	.	1	.	.	1	.	1	.	.	.	.	.	7	1
Cancer,	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	3	1
Diseases of Nervous System,	.	1	3	2	1	.	.	4	2	2	4	1	3	3	.	1	27	2
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	2	2	.	2	.	1	.	.	1	3	1	2	1	2	.	.	17	.
" Respiratory System. Pneumonia,	.	1	.	2	.	1	.	2	.	2	1	.	4	1	.	.	14	1
" Respiratory System. Others,	3	9	3	5	.	1	1	2	5	5	2	2	2	3	.	1	44	.
" Digestive System. Diarrhœa, under 2 years,	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.
" Digestive System. Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. Enteritis, under 2 years,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. Enteritis, 2 years and upwards,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. Others,	1	3	.	.	.	.	.	.	1	1	.	.	.	.	.	1	7	.
" Genito-urinary System,	.	.	.	.	.	.	.	1	.	1	1	.	.	1	.	.	4	.
Puerperal Septicæmia, etc.,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy & Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
" Locomotor System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other specified Causes,	1	1	1	2	.	.	.	4	1	2	1	.	2	1	.	.	16	.
Violent Deaths,	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Ill-defined, &c. Causes,	.	1	.	.	.	.	.	.	1	.	1	.	.	.	.	.	3	1
Deaths from All Causes	14	28	14	21	1	5	1	21	14	24	16	7	14	14	2	3	199	9
Annual Rate of Mortality from All Causes in every 1,000 of the population.	24·2	36·1	23·5	32·3	9·6	22·2	6·7	26·1	33·2	28·7	23·0	39·8	19·5	24·9	11·6	8·9	25·5	.
	27·3							27·9					18·4					
	27·6																	
Ages at Death. Under 1 year,	2	4	2	4	.	.	.	4	5	4	4	.	2	.	.	.	31	1
1 and under 2 years,	.	1	1	3	.	.	.	.	2	.	2	1	.	1	.	.	11	.
2 " 5 "	2	3	.	.	.	.	.	1	.	3	3	1	.	1	.	.	14	.
5 " 15 "	1	.	1	1	1	.	.	.	1	1	.	.	.	.	.	.	6	.
15 " 25 "	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	3	2
25 " 45 "	2	4	1	4	.	2	.	7	.	4	2	2	1	2	1	.	32	4
45 " 65 "	2	11	4	9	.	3	.	1	3	5	4	1	4	1	.	.	48	1
65 and upwards,	5	5	5	.	.	.	1	6	3	6	1	2	7	9	1	3	54	1
Number of Uncertified Deaths,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	8	2	4	.	.	.	6	3	2	3	1	2	3	.	.	37	8
Workhouse Hospitals,	2	6	3	8	.	1	.	5	4	7	1	4	.	2	.	.	43	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 7th Week of the 10 years 1901–1910.	In the Week ending Saturday, 18th February, 1911.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Feb. 16, 1901.	Feb. 15, 1902.	Feb. 21, 1903.	Feb. 20, 1904.	Feb. 18, 1905.	Feb. 17, 1906.	Feb. 16, 1907.	Feb. 15, 1908.	Feb. 20, 1909.	Feb. 19, 1910.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 34·8	° 29·9	° 46·9	° 37·7	° 45·5	° 36·4	° 40·4	° 44·7	° 39·5	° 42·3	° 39·8	° 46·4										
ALL CAUSES.	235	200	161	223	175	149	239	194	211	211	199·8	208	7	25	11	14	6	5	36	49	33	22
Enteric Fever, ...	2	2	1	3	3	.	.	.	1	.	1·2	2	.	.	.	.	.	1	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	3	6	1	2	.	3	1	4	.	2·1	2	.	1	.	.	1	.	.	.	.	.
Scarlet Fever, ...	2	2	5	.	.	.	.	.	1	2	1·2	6	.	.	2	2	.	1	1	.	.	.
Whooping-cough, ...	3	3	3	9	1	.	4	1	2	1	2·7	6	.	2	1	3	.	.	.	.	.	.
Diphtheria, ...	1	.	3	1	1	.	1	1	2	.	1·0	3	.	.	1	2	.	.	.	.	.	.
Croup, ...	1	.	1	.	.	1	.	.	1	.	·4	1	.	.	.	1	.	.	.	.	.	.
Influenza, ...	6	3	5	5	3	2	9	13	.	2	4·8	5	.	.	.	.	.	.	.	2	1	2
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	2	.	.	.
Erysipelas, ...	1	.	.	.	.	.	1	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	1	.	1	1	.	3	1	·7	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	1	1	2	.	.	1	.	1	·6	2	.	1	.	.	.	.	1	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	36	27	21	27	28	23	27	29	28	19	26·5	22	.	.	.	1	2	.	13	4	2	.
Tuberculous Meningitis, ...	2	1	3	.	2	2	2	2	6	2	2·2	4	.	.	2	1	.	.	1	.	.	.
Abdominal Tuberculosis, ...	6	1	1	3	2	2	1	4	1	6	2·7	1	.	.	.	.	.	.	1	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...												1	.	.	.	.	.	.	1	.	.	.
Tuberculosis of other Organs,	4	5	3	4	8	6	7	9	8	6	6·0	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												2	.	2	.	.	.	.	.	.	.	.
Venereal Diseases, ...	2	.	.	1	3	1	1	2	1	1	1·2	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	4	6	4	5	6	6	6	7	11	8	6·3	4	.	.	.	.	.	.	2	1	.	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	.	1	1	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	2	4	.	1	.	.	1	.	·8	1	.	.	.	.	.	.	.	.	1	.
Anæmia Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.
Alcoholism, ...	.	.	.	.	1	.	.	.	.	.	·1	1	.	.	.	.	.	.	.	1	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	2	1	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												3	.	.	1	2	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*												11	.	.	.	.	.	1	2	1	5	2
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												5	.	.	.	.	.	.	.	3	1	1
Epilepsy, ...												1	.	.	.	.	.	.	.	.	1	.
Convulsions (non-puerperal),												3	1	2	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	43	38	40	48	47	36	58	39	43	52	44·4	6	.	.	.	.	1	.	1	4	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												2	.	.	.	.	.	1	1	.	.	.
Organic Diseases of the Heart,												14	.	.	.	.	.	.	2	4	4	4
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												1	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	38	33	14	38	18	25	36	23	33	37	29·5	43	.	4	2	1	.	.	.	19	11	6
Broncho-pneumonia, ...			1	7	4	5	8	8	7	15		6	.	4	2	.	.	.	.	.	.	.
Lobar-pneumonia, ...	24	13	.	1	.	2	4	1	.	1	14·7	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).			7	8	7	4	7	4	5	4		9	.	1	.	.	.	1	3	2	2	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	3	2	3	5	3	1	4	6	9	4	4·0	1	.	.	.	.	.	.	.	.	.	1
Other Diseases of Respiratory System.												.	.	.	.	.	.	.	.	.	.	.

SEVENTH WEEK ending Saturday, 18th February, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 7th Week of the 10 years 1901–1910.	In the Week ending Saturday, 18th February, 1911.										
												Deaths of Persons of the Ages of										
	Feb. 16, 1901.	Feb. 15, 1902.	Feb. 21, 1903.	Feb. 20, 1904.	Feb. 18, 1905.	Feb. 17, 1906.	Feb. 16, 1907.	Feb. 15, 1908.	Feb. 20, 1909.	Feb. 19, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 34·8	° 29·9	° 46·9	° 37·7	° 45·5	° 36·4	° 40·4	° 44·7	° 39·5	° 42·3	° 39·8	° 46·4										
Diseases of the Pharynx, Tonsillitis.	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	1	.	.	.
Diarrhœa of Children under 2 years.	2	2	1	2	1	1	1	.	.	2	1·2	3	1	2	.	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	.	1	.	5	1	1	2	5	3	4	2·2	1	.	1	.	.	.	.	.	.	.	.
„ 2 years and upwards,												1	.	.	.	.	1	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.
Cirrhosis of Liver, ...	1	2	.	.	.	.	.	2	.	2	1·8	2	.	.	.	.	.	.	.	2	.	.
Other Diseases of Liver, ...			6	1	3	1	.	.	.	.		2	1	.	.	.	.	.	.	.	1	.
Peritonitis (cause unknown),	.	1	.	.	.	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	6	4	3	4	3	1	9	4	7	2	4·3	1	.	.	.	.	.	.	.	1	.	.
Acute Nephritis, ...	10	6	7	4	5	8	8	4	4	9	6·5	1	.	.	.	.	.	.	.	1	.	.
Chronic Bright's Disease, ...												3	.	.	.	.	.	.	2	.	1	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	1	.	2	.	.	.	.	·3	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	1	.	1
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	7	7	1	5	2	1	6	6	4	4	4·3	1	.	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	6	3	3	.	.	.	.	.	.	.	.
Old Age, ...	15	11	3	10	6	5	9	6	7	6	7·8	4	.	.	.	.	.	.	.	.	1	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	1	3	.	1	.	.	4	1	3	2	1·5	1	.	.	.	1	.	.	.	.	.	.
By Drowning, ...	2	2	2	.	.	.	1	1	1	.	·9	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	1	1	2	.	.	.	2	.	4	1·1	1	.	.	.	.	.	.	.	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	4	1	1	.	.	1	.	.	.	.	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910–11—WEEK ENDING																									
	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.
No. of weeks in Annual Series,	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7
BIRTHS registered.	194	228	260	235	292	196	219	161	244	182	211	207	204	182	199	174	232	158	170	203	230	238	232	219	241	192
Average Births in corresponding week of previous 10 years, ...	218	207	232	203	200	252	192	184	209	206	209	202	195	181	207	193	195	177	174	231	208	209	201	241	217	212
DEATHS registered, ...	146	120	141	153	174	164	160	151	174	139	147	141	166	168	176	188	165	178	155	176	179	190	228	200	220	208
Annual Death-rate per 1,000, ...	18·9	15·5	18·2	19·8	22·5	21·2	20·7	19·5	22·5	18·0	19·0	18·2	21·5	21·7	22·8	24·3	21·4	23·0	20·1	22·5	22·9	24·3	29·2	25·6	28·2	26·6
Average Deaths in corresponding week of previous 10 years, ...	166	159	157	154	167	160	158	156	160	156	172	175	179	182	182	182	177	182	177	201	195	195	192	200	198	200
Ages, Under 5 years, ...	57	42	38	59	70	60	58	44	56	40	46	47	57	49	55	53	43	41	47	56	60	62	59	61	47	57
5—15 „ ...																				5	10	7	11	6	10	6
15—25 „ ...																				9	7	10	11	12	13	5
25—45 „ ...	89	78	103	94	104	104	102	107	118	99	101	94	109	119	121	135	122	137	108	25	24	27	32	32	41	36
45—65 „ ...																				45	38	41	55	48	51	49
65—75 „ ...																				20	25	28	34	22	39	33
75 and upwards, ...																				16	15	15	26	19	19	22
Deaths from :—																										
Enteric Fever, ...	.	1	1	1	1	.	3	1	2	1	1	.	.	2	.	1	2	1	.	.	1	.	2	3	2	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	3	.	1	.	.	.	1	.	1	1	.	2	1	.	1	4	3	6	2	2	2	2
Scarlet Fever, ...	2	1	1	2	.	.	1	.	1	1	3	.	2	1	3	1	1	.	2	7	.	.	1	.	4	6
Whooping-cough, ...	.	4	3	2	1	2	2	2	5	1	1	4	2	6	5	11	1	5	7	6	5	6	10	4	3	6
Diphtheria, ...	4	1	.	2	3	2	2	1	.	4	1	2	3	2	4	.	3	2	.	1	2	4	1	5	2	3
Influenza, ...	.	.	.	1	1	2	1	1	2	1	4	1	.	2	4	2	1	3	1	.	1	1	4	3	4	5
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	2
Tuberculous Disease, Phthisis, ...	12	17	23	15	19	18	17	14	23	17	18	16	20	14	16	25	14	19	19	21	19	27	28	19	27	22
Tuberculous Disease, Other Forms,	5	5	13	9	8	11	12	8	8	4	11	11	8	6	7	11	4	7	5	4	6	9	7	4	6	8
Cancer, ...	10	8	9	7	9	11	12	11	12	9	7	9	8	14	3	12	4	13	6	8	3	12	7	16	11	4
Diseases of Circulatory System,	20	17	23	19	24	30	20	24	25	23	17	18	22	24	30	30	23	28	31	17	20	13	25	19	23	17
Diseases of Respiratory System, Pneumonia,	6	5	6	10	4	6	5	11	15	12	13	11	16	16	14	15	27	18	11	15	16	10	17	18	20	15
Diseases of Respiratory System, Others, ...	11	6	10	10	20	12	16	17	17	12	18	26	26	29	37	27	32	26	25	29	25	28	42	30	41	44
Diarrhœa, Under 2 years, ...	17	12	11	21	22	27	12	10	8	4	5	4	2	4	6	2	2	2	1	3	2	2	4	4	2	3
Diarrhœa, 2 years & upwards,																				.	.	.	.	1	.	.
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	2	2	.	3	3	1
Violent Deaths, ...	4	5	3	6	6	3	10	4	.	2	1	2	2	3	4	4	8	4	6	2	8	1	4	7	4	2
Number of Uncertified Deaths,	4	3	2	1	3	3	3	6	2	4	1	8	6	7	5	5	3	3	6	4	5	7	7	3	3	2
Mean Temperature of the Air (Phœnix Park)	56·6	57·2	54·8	52·0	50·4	54·2	52·5	48·2	49·1	50·4	43·1	39·6	38·2	42·2	37·0	43·4	45·2	43·5	40·9	37·2	39·0	38·6	45·5	35·9	37·0	46 4
Average Mean Temperature in corresponding week of previous 10 years, ...	56·5	56·1	54·4	53·1	53·8*	53·7	52·2	50·6	48·4	46·2	47·1	45·2	42·7	41·5	42·8	42·4	41·6	41·3*	41·3	42·0	40·0	40·8	40·5	40·3	40·3	39·8
Rainfall in inches, ...	·411	·194	·150	·015	·015	·391	·585	·138	·333	·365	·558	·860	·352	1·206	1·820	1·700	1·172	·183	·130	·336	·345	·153	·034	·000	·011	·582
Mean Humidity of the Air, complete Saturation 1·0, ...	·84	·88	·87	·91	·85	·89	·90	·84	·92	·87	·90	·89	·85	·91	·93	·91	·91	·94	·88	·92	·90	·93	·92	·87	·90	·91

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 18th February, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 18TH FEBRUARY, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	208	57	6	5	36	49	33	22	2	.	.	2	6	6	3	2	22	8	4	3	15	44	3	.	1	2	85	2
	CLASSES. **Deaths in Families of the—**																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	9·0	3	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	87,188	25·7	43	5	2	2	7	10	8	9	1	.	.	1	3	1	1	1	1	2	2	.	2	4	1	.	.	.	23	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	23·1	49	19	.	.	8	10	7	5	.	.	.	1	2	1	2	.	5	2	.	2	3	15	.	.	.	2	14	2
IV.	GENERAL SERVICE CLASS, ...	154,279	23·3	69	30	3	1	13	13	8	1	1	.	.	.	.	4	.	1	12	3	.	1	9	12	2	.	1	.	23	.
V.	INMATES OF WORKHOUSES, ...	6,024	—	44	3	1	2	8	16	8	6	.	.	.	.	1	.	.	.	4	1	2	.	.	13	.	.	.	.	23	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	6·7	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	28·4	12	.	2	.	1	3	2	4	.	.	.	1	.	.	.	.	.	1	.	.	1	1	.	.	.	.	8	.
	6. Clerks and Commercial Assistants, ...	30,432	29·1	17	4	.	2	4	3	3	1	1	.	.	.	3	1	1	.	1	1	1	.	1	2	1	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	21·2	11	1	.	.	2	3	2	3	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	19·2	11	5	.	.	.	3	1	2	.	.	.	.	.	.	2	.	.	1	.	1	.	5	.	.	.	1	1	.
	10. Clothing Trades, ...	23,260	22·4	10	4	.	.	2	1	3	.	.	.	.	.	1	.	.	.	2	1	.	1	.	2	.	.	.	.	3	1
	11. Food Supply Trades, ...	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	32·6	19	6	.	.	6	3	2	2	.	.	.	1	1	.	.	.	3	.	.	.	2	3	.	.	.	1	8	.
	13. Petty Shopkeepers, ...	7,894	33·0	5	3	.	.	.	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.	.	.	.	1	1
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	27·2	7	2	.	.	.	4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.	.	3	.
	15. Domestic Servants, ...	36,603	8·5	6	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	18·1	5	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	29·6	51	22	3	1	10	9	5	1	1	.	.	.	.	4	.	1	9	2	.	1	7	7	1	.	1	.	17	.
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	44	3	1	2	8	16	8	6	.	.	.	.	1	.	.	.	4	1	2	.	.	13	.	.	.	.	23	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1910-11. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa. Children under 2 years.	2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 30,219	Dec. 31,	12·2	.	7	.	.	.	.	.	.	.	—	.	.	.	1	2	.		—	.	.
	Jan. 7,	25·9	1·7	15	.	.	.	.	.	1	.	.	4	1	1	2	2	.	.	.	.	.
	„ 14,	22·4	.	13	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	1
	„ 21,	27·6	1·7	16	.	.	.	.	.	.	1	.	1	1	2	.	3	.	.	.	.	2
	„ 28,	24·2	1·7	14	.	.	.	.	.	1	.	.	2	.	1	.	3	.	.	.	.	1
	Feb. 4,	34·5	3·5	20	1	.	.	.	.	1	.	.	2	.	.	3	1	.	.	.	1	.
	„ 11,	36·2	3·5	21	.	.	.	.	1	.	.	.	.	1	.	1	5	1	.	.	1	.
	„ 18,	24·2	3·5	14	.	.	.	.	.	1	1	.	1	.	.	.	3	.	.	1	.	.
North City, No. 1 (W.) (*Office, Summer hill.*) Pop. in 1911 (Est.) 40,390.	Dec. 31,	20·9	.	16	.	.	.	.	.	.	.	—	6	.	.	2	3	.		—	1	1
	Jan. 7,	21·9	1·3	17	.	.	.	.	.	.	.	.	1	.	.	2	6	1	.	.	.	1
	„ 14,	14·2	1·3	11	.	.	.	.	.	.		.	2	1	.	.	1	1	.	.	1	.
	„ 21,	31·0	1·3	24	.	.	.	.	.	.	.	.	7	1	.	.	4	1	.	.	.	1
	„ 28,	37·4	1·3	29	.	.	.	.	.	1	.	.	3	1	1	2	8	.	.	.	1	1
	Feb. 4,	34·9	3·9	27	1	.	.	.	.	.	.	.	4	.	3	3	4	2	.	.	1	.
	„ 11,	29·7	2·6	23	.	.	.	.	.	1	.	.	3	.	2	1	5	1	.	.	.	.
	„ 18,	36·1	3·9	28	.	.	.	.	1	.	1	.	5	1	.	1	9	1	.	.	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 31,064.	Dec. 31,	18·7	.	11	.	.	.	.	.	.	.	—	.	1	.	.	2	.		—	.	.
	Jan. 7,	31·9	1·7	19	.	.	.	.	.	1	.	.	2	2	1	.	4	.	.	.	.	.
	„ 14,	16·8	.	10	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2	.
	„ 21,	15·1	.	9	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.	.
	„ 28,	35·2	5·0	21	.	.	.	.	.	2	.	.	1	.	.	.	7	1	.	.	.	.
	Feb. 4,	21·8	.	13	.	.	.	.	.	.	.	.	.	.	1	1	3	.	.	1	1	.
	„ 11,	26·9	.	16	.	.	.	.	.	.	.	.	3	2	1	2	2	.	.	.	.	.
	„ 18,	23·5	1·7	14	.	.	.	.	.	.	.	.	3	2	.	.	3	1	.	.	1	.
North City, No. 3. (*Office, Benburb street.*) Pop. in 1911 (Est.) 33,908.	Dec. 31,	10·9	1·6	7	.	.	.	.	1	.	.	—	2	.	1	.	2	.		—	.	.
	Jan. 7,	26·1	7·7	17	.	.	.	.	5	.	.	.	1	.	1	1	.	.	.	.	1	.
	„ 14,	24·6	1·5	16	.	.	.	.	.	1	.	.	2	.	.	.	2	.	.	.	1	.
	„ 21,	20·0	3·1	13	.	.	.	.	.	1	1	.	2	1	1	1	.	.	.	.	.	.
	„ 28,	24·6	4·6	16	.	.	.	.	.	.	1	.	1	1	1	1	3	2	.	.	.	.
	Feb. 4,	16·9	6·2	11	1	.	.	.	.	1	1	.	1	.	.	1	.	1	.	.	.	.
	„ 11,	35·4	3·1	23	.	.	.	.	1	1	.	.	2	.	3	3	7	.	.	.	.	1
	„ 18,	32·3	3·1	21	.	.	.	.	.	1	.	.	3	1	1	2	5	1	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,908.	Dec. 31,	23·9	2·5	19	.	.	.	.	.	2	.	—	4	1	.	2	6	.		—	1	.
	Jan. 7,	22·4	1·2	18	.	.	.	.	.	1	.	.	2	.	.	1	4	.	.	.	.	.
	„ 14,	27·4	3·7	22	.	.	.	.	.	1	2	.	3	1	.	2	3	.	.	.	.	.
	„ 21,	31·1	1·2	25	.	.	.	1	.	.	.	.	7	.	2	1	4	.	.	1	.	.
	„ 28,	27·4	2·5	22	.	.	.	.	1	1	.	.	3	.	.	3	2	.	.	.	1	1
	Feb. 4,	27·4	1·2	22	.	.	.	1	.	.	.	.	1	.	1	1	4	.	.	1	2	1
	„ 11,	36·1	5·0	29	2	.	.	.	1	.	1	.	4	1	.	1	7	.	.	1	.	.
	„ 18,	26·1	7·5	21	2	.	.	.	2	1	.	1	1	.	.	2	2	.	.	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,980.	Dec. 31,	14·4	2·4	6	.	.	.	.	.	1	.	—	.	.	.	.	1	.		—	2	.
	Jan. 7,	21·4	.	9	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.	.	.
	„ 14,	30·8	2·4	13	.	.	.	1	.	.	.	.	1	.	.	2	1	.	.	.	.	.
	„ 21,	7·1	.	3	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
	„ 28,	42·7	2·4	18	1	.	.	.	.	.	.	.	4	1	.	1	4	.	.	.	.	.
	Feb. 4,	28·5	.	12	.	.	.	.	.	.	.	.	3	1	1	2	3	.	.	.	.	.
	„ 11,	38·0	.	16	.	.	.	.	.	.	.	.	4	1	2	1	2	.	.	.	.	.
	„ 18,	33·2	2·4	14	.	.	.	.	1	.	.	.	1	1	.	.	5	.	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,677.	Dec. 31,	19·3	.	16	.	.	.	.	.	.	.	—	3	.	.	1	2	.		—	1	3
	Jan. 7,	23·9	1·2	20	.	.	.	.	.	.	.	.	5	.	.	1	4	1	.	.	.	1
	„ 14,	28·7	2·4	24	1	.	.	.	.	1	.	.	4	2	.	6	4	.	.	1	1	1
	„ 21,	37·0	3·6	31	.	.	.	1	.	2	.	.	3	1	1	3	9	.	.	.	1	1
	„ 28,	22·7	1·2	19	1	.	.	.	.	.	.	.	5	1	1	3	3	.	.	.	.	1
	Feb. 4,	22·7	2·4	19	.	.	.	1	.	.	1	.	3	.	1	2	4	.	.	.	1	.
	„ 11,	28·7	1·2	24	.	.	.	.	1	.	.	.	4	.	.	3	2	.	.	2	1	1
	„ 18,	28·7	3·6	24	.	.	.	2	.	.	1	.	3	.	.	2	5	.	.	.	1	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 36,254.	Dec. 31,	18·9	8·7	13	.	.	.	1	1	3	.	—	1	1	.	1	1	1		—	.	.
	Jan. 7,	20·1	10·1	14	.	.	.	3	.	2	1	.	1	1	1	.	.	1	.	.	.	.
	„ 14,	20·1	5·8	14	.	.	.	2	.	2	.	.	1	1	.	1	2	.	.	.	.	.
	„ 21,	24·5	5·8	17	.	.	.	2	.	1	1	.	.	1	1	1	3	.	.	.	.	.
	„ 28,	28·8	8·6	20	.	.	.	1	.	4	.	.	3	1	.	2	5	1	.	.	.	1
	Feb. 4,	24·5	5·8	17	.	.	.	.	.	1	2	.	3	.	3	1	2	1	.	.	1	.
	„ 11,	33·1	4·3	23	.	.	.	2	.	1	.	.	4	1	2	2	6	.	.	.	.	.
	„ 18,	23·0	4·3	16	.	.	.	.	.	3	.	.	.	1	.	1	2	.	.	.	.	1

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1910-11. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 37,528.	Dec. 31,	23·9	1·4	17	.	.	.	.	.	1	.	—	.	.	.	1	3	.		—	.	1
	Jan. 7,	12·5	.	9	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	1
	„ 14,	9·7	.	7	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1
	„ 21,	18·1	.	13	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.	.
	„ 28,	20·8	1·4	15	.	.	.	.	.	1	.	.	.	.	.	2	3	.	.	.	1	1
	Feb. 4,	25·0	1·4	18	.	.	.	.	.	.	1	.	.	2	1	1	4	.	.	1	.	1
	„ 11,	18·1	.	13	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	.	1	.
	„ 18,	19·5	.	14	.	.	.	.	.	.	.	.	.	.	1	4	2	.	.	.	.	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,368.	Dec. 31,	9·0	.	5	.	.	.	.	.	.	.	—	1	.	.	.	.			—	1	.
	Jan. 7,	10·7	1·8	6	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 14,	21·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.	1	.	.
	„ 21,	21·3	1·8	12	.	.	.	1	.	.	.	.	1	1	2	.	1	.	.	.	.	2
	„ 28,	24·9	.	14	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.
	Feb. 4,	14·2	.	8	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 11,	14·2	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.
	„ 18,	24·9	.	14	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 (Est.) 17,622.	Dec. 31,	23·7	.	8	.	.	.	.	.	.	.	—	1	.	2	2	.			—	.	.
	Jan. 7,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.
	„ 14,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	2
	„ 21,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 28,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Feb. 4,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	1
	„ 11,	17·8	.	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
	„ 18,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Belfast. Pop. in 1911 (Est.) 398,421.	Dec. 31,	12·1	0·3	91	.	.	.	.	1	1	.	—	9	3	5	7	18			—	4	3
	Jan. 7,	16·0	0·4	122	.	.	.	.	1	.	.	.	14	7	7	8	18	1	1	1	6	3
	„ 14,	19·8	0·4	151	.	1	.	.	1	.	.	.	23	7	2	9	24	.	1	.	6	.
	„ 21,	15·4	0·5	118	.	.	.	1	1	1	1	.	17	4	7	7	24	.	.	.	1	1
	„ 28,	15·4	0·4	118	.	.	.	.	.	1	2	.	13	4	11	7	20	.	.	2	2	5
	Feb. 4,	16·8	0·3	128	.	.	.	.	.	1	1	.	10	4	6	7	25	.	.	2	4	2
	„ 11,	19·1	0·4	146	.	.	.	.	1	.	.	.	11	4	5	11	26	1	1	3	4	1
	„ 18,	19·5	.	149	.	.	.	.	.	.	.	.	22	11	5	14	25	.	.	2	.	.
Cork. Pop. (in 1901) 76,122.	Dec. 31,	25·3	1·4	37	.	.	.	.	.	2	.	—	4	1	.	.	5			—	.	4
	Jan. 7,	24·0	2·1	35	.	.	.	.	1	1	1	.	4	1	1	2	6	.	.	.	1	3
	„ 14,	20·5	1·4	30	.	.	.	.	.	2	.	.	2	.	2	1	5	.	.	.	.	3
	„ 21,	27·4	.	36	.	.	.	.	.	.	.	.	3	.	2	1	16	.	.	1	1	1
	„ 28,	25·3	2·7	37	.	.	.	.	.	4	.	.	1	1	.	5	4	.	.	.	.	1
	Feb. 4,	20·5	0·7	30	.	.	.	.	.	1	.	.	6	1	.	3	3	.	.	.	1	2
	„ 11,	27·4	1·4	40	.	.	.	.	1	1	.	.	10	2	5	2	2	.	.	.	1	4
	„ 18,	25·3	.	37	.	.	.	.	.	.	.	.	7	.	.	3	11	.	.	.	.	3
Londonderry. Pop. in 1911 (Est.) 43,900.	Dec. 31,	16·8	4·8	14	.	.	.	.	.	3	.	—	1	.	1	.	1		1	—	.	.
	Jan. 7,	24·9	2·4	21	.	.	.	.	.	1	.	.	2	2	1	1	3	1	.	.	.	.
	„ 14,	15·4	1·2	13	.	.	.	.	.	1	.	.	3	.	1	.	1	.	.	.	.	.
	„ 21,	23·8	4·8	20	.	.	.	.	.	4	.	.	.	.	1	1	4	.	.	.	.	.
	„ 28,	22·6	2·4	19	.	.	.	.	.	2	.	.	2	1	.	4	.	.	.	.	1	1
	Feb. 4,	14·3	3·6	12	.	.	.	.	.	3	.	.	.	.	.	1	3	.	.	.	.	1
	„ 11,	20·2	4·8	17	.	.	.	.	.	4	.	.	2	.	.	.	3	.	.	1	.	1
	„ 18,	29·7	7·1	25	1	.	.	.	.	5	.	.	4	.	2	.	6	.	.	.	.	.
Limerick. Pop. (in 1901) 38,151.	Dec. 31,	28·7	1·4	21	.	.	.	.	.	1	.	—	4	.	.	1	4		.	—	.	5
	Jan. 7,	13·7	.	10	.	.	.	.	.	.	.	.	.	.	1	.	4	.	.	.	.	.
	„ 14,	15·0	1·4	11	1	.	.	.	.	.	.	.	1	.	.	1	2	.	.	1	.	.
	„ 21,	20·5	.	15	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	1
	„ 28,	20·5	.	15	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.	.	2
	Feb. 4,	20·5	2·7	15	2	.	.	.	.	.	.	.	1	.	.	.	4	.	.	1	.	1
	„ 11,	24·6	.	18	.	.	.	.	.	.	.	.	4	.	.	.	7	.	.	.	.	1
	„ 18,	10·9	.	8	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.	2
Waterford. Pop. (in 1901) 26,769.	Dec. 31,	17·5	.	9	.	.	.	.	.	.	.	—	1	1	.	.	4		.	—	.	.
	Jan. 7,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	1
	„ 14,	27·3	.	14	.	.	.	.	.	.	.	.	2	.	2	.	3	.	.	.	1	.
	„ 21,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 28,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2
	Feb. 4,	19·5	.	10	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	.
	„ 11,	33·1	.	17	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	2	.	1
	„ 18,	23·4	.	12	.	.	.	.	.	.	.	.	1	2	1	.	4	.	.	1	.	2

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 18th February, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 25 years.	Ages at Death: 25 and under 45 years.	Ages at Death: 45 and under 65 years.	Ages at Death: 65 years and upwards.	Deaths from: Enteric Fever.	Deaths from: Typhus.	Deaths from: Small-pox.	Deaths from: Measles.	Deaths from: Scarlet Fever.	Deaths from: Whooping-cough.	Deaths from: Diphtheria.	Deaths from: Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa: Of children under 2 years of age.	Diarrhœa: 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	349,180	9	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		9	1	.	.	4	2	2	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	.	.	4	.
Do. 2 do.		19			21	1	3	5	3	3	6	.	.	.	.	.	.	.	.	4	1	.	2	4	.	.	1	.	1	4	.
Do. 3 do.		23			20	6	2	3	4	5	.	.	.	.	.	.	.	.	.	2	2	1	3	2	.	.	.	.	1	3	.
Do. 4 do.		23			14	7	1	.	2	3	1	.	.	.	.	.	.	.	.	1	.	.	3	2	.	.	.	.	1	6	.
Do. 5 do.		15			5	1	.	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	2	.
Do. 6 do.		14			12	2	.	3	4	3	.	.	.	.	.	.	.	.	.	3	2	1	1	2	.	.	.	.	.	3	.
Do. 7 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		3			3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 9 do.		13			5	.	.	.	1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	3	.
Do. 10 do.		23			8	2	.	1	2	2	1	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.
Do. 11 do.		15			10	2	1	2	.	1	4	.	.	.	.	.	.	.	.	3	1	.	.	1	.	.	.	.	.	3	.
Do. 12 do.		35			17	7	1	3	1	3	2	.	.	.	.	.	.	.	.	1	3	1	.	5	.	.	.	.	.	3	.
Do. 13 do.		13			10	.	2	1	2	3	2	.	.	.	.	.	.	.	.	2	1	1	1	3	.	.	.	.	.	2	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		11			15	1	.	3	4	5	2	.	.	.	.	.	.	.	.	2	1	.	2	1	.	.	.	.	.	5	.
Total,	—	216			149	31	10	21	30	32	25	.	.	.	.	.	.	.	.	22	11	5	14	25	.	.	2	.	3	39	.
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	9	16·2	.	4	1	.	.	1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
Do. 2 do.	10,701	11	34·1	.	7	1	1	1	2	2	.	.	.	.	.	.	.	.	.	2	.	.	3	2	.	.	.	.	.	3	.
Do. 3 do.	9,978	9	26·1	.	5	2	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1
Do. 4 do.	8,666	3	12·0	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 5 do.	6,592	5	23·7	.	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Do. 6 do.	10,702	8	14·6	.	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.
Do. 7 do.	16,616	4	40·8	.	13	.	.	1	2	1	9	.	.	.	.	.	.	.	.	4	.	.	.	4	.	.	.	.	.	3	1
Total,	76,122	49	25·3	.	37	4	2	3	6	8	14	.	.	.	.	.	.	.	.	7	.	.	3	11	.	.	.	.	1	11	3

* See note (‡) at foot of first page

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910–11—WEEK ENDING																								
	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.
No. of weeks in Annual Series,	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7
BIRTHS registered, ...	159	219	190	264	194	172	200	205	228	201	183	178	156	181	175	185	167	200	199	241	231	233	188	212	218	216
DEATHS registered, ...	131	121	103	116	122	105	94	122	120	115	108	122	132	134	109	151	133	132	91	122	151	118	118	128	146	149
Annual Death rate per 1,000 of estimated population, ...	17·5	16·1	13·7	15·5	16·3	14·0	12·5	16·3	16·0	15·3	14·4	16·3	17·6	17·9	14·5	20·1	17·7	17·6	12·1	16·0	19·8	15·4	15·4	16·8	19·1	19·5
AGES, Under 1 year, ...	49	30	28	23	29	25	31	27	27	28	24	28	27	24	17	34	20	22	18	21	30	23	26	24	24	31
1—5 years, ...	14	15	14	13	11	14	6	14	16	8	11	6	6	5	8	11	17	12	8	12	11	8	10	10	7	10
5—25 „ ...	68	76	61	80	82	66	57	81	77	79	73	88	99	105	84	106	96	98	65	7	20	16	11	6	11	21
25—45 „ ...																				30	37	17	13	25	27	30
45—65 „ ...																				32	25	21	27	34	34	32
65 and upwards, ...																				20	28	33	31	29	43	25
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	1	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	.	3	1	3	1	1	3	5	.	3	1	.	2	2	3	3	1	.	.	.	1	.	.	.	.
Scarlet Fever, ...	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1	2	1	1	1	1	1	.	.	1	.
Whooping-cough, ...	5	.	1	1	1	3	1	1	.	1	.	.	.	1	.	1	.	1	1	.	.	1	1	1	.	.
Diphtheria, ...	.	.	.	1	.	.	.	2	1	.	.	1	1	.	1	4	.	.	.	.	.	1	2	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	10	11	12	14	11	17	9	17	10	12	14	12	17	17	13	14	12	15	9	14	23	17	13	10	11	22
Tuberculous Disease. Other Forms,	5	9	6	13	6	7	3	8	6	8	2	7	8	4	7	5	7	3	3	7	7	4	4	4	4	11
Cancer, ...	4	5	8	10	8	5	5	7	5	7	9	5	8	9	6	5	8	6	5	7	2	7	11	6	5	5
Diseases of Respiratory System, Pneumonia	10	8	6	7	10	7	5	11	11	7	7	13	11	8	7	13	10	10	7	8	9	7	7	7	11	14
Diseases of Respiratory System, Others, ...	8	9	5	5	8	11	9	16	9	19	11	23	16	25	25	36	22	29	18	18	24	24	20	25	26	25
Diarrhœa, Under 2 years, ...	29	16	13	15	13	7	7	3	8	10	6	4	3	1	1	4	3	1	.	1	.	.	.	.	1	.
Diarrhœa, 2 years & upwards,																				1	1	.	.	.	1	.
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	.	.	2	2	3	2
Violent Deaths, ...	3	2	1	1	5	2	.	.	2	.	3	4	2	5	3	2	6	2	4	6	6	1	2	4	4	.
Number of Uncertified Deaths, ...	.	2	2	2	.	1	1	1	.	.	2	3	.	.	3	4	1	1	3	3	.	1	5	2	1	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,912,054	Feb. 18,	2,275	1,613*b*	17·1	2	.	103	1	36	13	12*a*
Edinburgh, ...	365,253	„ 18,	114	96	13·7	.	.	2	.	1	1	1
Glasgow, ...	897,178	„ 18,	378	357	20·8	2	.	1	.	26	4	5
Calcutta, ...	1,009,008	Jan. 14,	.	525	27·0	106*	.	1	.	3	.	84‡
Bombay, ...	977,822	„ 14,	380	722	38·4	71*	1	24	.	.	.	70‡
Madras, ...	509,346	Dec. 24,	381	395	40·3	86*	5	2	?	?	?	66‡
Cairo, ...	682,953	„ 31,	721	502	38·3	6	1	2	.	.	12†	40*a*
Paris, ...	2,760,000	Jan. 21,	973	1,188	22·5	6	.	7	.	2	3†	18*a*
Brussels, ...	720,030	„ 21,	233	214	15·5	.	.	.	.	.	3†	9*a*
Antwerp, ...	320,640	„ 28,	126	94	15·3	.	.	.	.	.	.	7*a*
Amsterdam, ...	573,984	„ 28,	274	173	15·7	.	.	1	.	2	1†	.
Copenhagen, ...	450,000	„ 28,	236	146	16·9	.	.	.	1	2	3†	4*a*
Stockholm, ..	341,816	„ 21,	143	87	13·2	.	.	.	1	.	.	.
Christiania, ...	240,178	Feb. 4,	113	67	14·5	.	.	2	.	1	1	1
St. Petersburg, ...	1,620,000	Jan. 14,	823	792	25·5	7	6	16	16	2	14	67
Moscow, ...	1,493,600	„ 7,	.	753	26·3	6	6	11	24	3	31†	53
Berlin, ...	2,069,226	„ 21,	778	678	17·1	.	.	3	5	7	17†	22
Hamburg, ...	932,000	„ 28,	.	227	12·7	1	.	.	1	.	9†	7
Breslau, ...	512,510	„ 28,	.	193	19·6	1	.	2	1	.	6	8
Munich, ...	597,000	Feb. 4,	.	211	18·4	1	.	3	.	2	1†	13
Vienna (with suburbs),	2,030,834	Jan. 28,	701	812	20·8	1	.	3	3	2	5†	26*a*
Buda-Pesth, ...	838,950	„ 28,	402	365	22·6	2	.	.	5	.	4†	10*a*
Prague and Faubourgs,	508,310	„ 14,	159	198	20·3	.	.	.	3	1	1†	5*a*
Trieste, ...	224,080	„ 21,	142	114	26·5	.	.	3	.	.	.	1*a*
Rome, ...	589,425	Nov. 19,	216	207	18·3	4	.	1	.	.	1	20‡
Venice, ...	183,224	Jan. 14,	72	83	23·6	1	.	.	1	.	.	5
New York, ...	4,983,385	„ 14,	2,971	1,649	17·2	6	.	7	17	6	22†	37*a*
Philadelphia, ...	1,598,400	Dec. 31,	.	554	18·0	9	1	19	7	1	19†	14*a*
Boston, ...	686,912	Feb. 4,	.	220	16·7	.	.	1	5	4	2	7

* Deaths from "fever," including 11 deaths from enteric fever, and 11 deaths from plague in Calcutta, and 13 from plague in Bombay.

† Including deaths from croup.

‡ Including 21 deaths from cholera in Calcutta, 15 in Bombay, one in Madras, and 4 in Rome.

a Deaths from diarrhœa and from enteritis of children under two years of age.

b Including one death from cerebro-spinal fever.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 18th February, 1911

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) — *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	1	1	.	.	.	2
„ „ 1, West, ...	.	4	.	.	.	.	.	2	.	.	.	2	8
„ „ 2, ...	.	4	.	.	1	.	.	.	1	.	.	.	6
„ „ 3, ...	.	7	.	.	4	.	2	2	.	.	.	1	16
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	.	.	.	.	.	1	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	1	.	.	1	.	.	.	.	.	.	.	2
South City No. 1, ...	.	5	.	.	4	.	1	7	1	.	.	.	18
„ „ 2, ...	.	1	.	.	1	.	.	2	.	.	.	2	6
„ „ 3, ...	.	4	.	.	6	.	.	2	1	.	.	4	17
„ „ 4, ...	.	1	.	.	5	.	.	.	.	.	.	1	7
New Kilmainham, ...	.	4	.	.	2	.	.	.	2	.	.	.	8
Total, ...	.	32	.	.	24	.	4	16	6	.	.	10	92

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 18th February, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 18th February.			
	Jan. 28.	Feb. 4.	Feb. 11.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	1	1	1	.	.	.	1
Measles, ...	25	29	32	12	9	.	35
Scarlet Fever, ...	93	98	116	21	22	4	111*
Typhus, ...	1	1	1	.	1	.	.
Diphtheria, ...	84	76	62	37	16	1	82
Enteric Fever, ...	67	70	71	18	10	1	78
Pneumonia, ...	25	27	38	11	7	.	42

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 18th February, 1911:—

"In the course of this week, the weather fell into a very unsettled state—becoming warm for the time of year, but also windy, cloudy and showery. Sunday dawned fair and frosty: the day changed later on, the wind backing towards S. and temperature rising in the screen from a minimum of 31·9° to a maximum of 48·0°. The grass minimum was 28·2°. On Monday morning the barometer was below 28·6 inches in the north of Iceland, whereas it stood nearly 2 inches higher—above 30·5 inches at the English Channel Stations, and at 30·54 inches at Oxford and Brest. Fresh S.W. winds now raised temperature over the greater part of the British Isles, but on Tuesday morning sharp frost occurred in the S.E. of England, the shade-thermometer falling to 22° at Dungeness and to 26° or 27° at the London stations. During this same day a shallow V.-shaped depression passed south-eastwards from Central Ireland to the Cornish Peninsula. It caused a considerable rainfall in the S. of Ireland, at Holyhead, and in Lancashire and Derbyshire. It was followed by a sudden chill in Ireland, the thermometer falling to 27° at Birr Castle and 35° in Dublin early on Wednesday morning. During the following night a rapid change in atmospheric pressure took place over North-western Europe, a deep depression moving eastwards to Scandinavia from the Faeroe and in its passage causing fresh to strong S.W. to W. gales in many places. The S.W. winds of this cyclonic system sent the thermometer up to 59° at Aberdeen and Colwyn Bay on Thursday. Hardly had this disturbance passed away, when a falling barometer and backing wind on Friday heralded the approach of a new and also a deep depression from the Atlantic—squalls, showers and high temperatures accompanying the system on Saturday. In Dublin the mean height of the barometer was 30·088 inches, pressure ranging from 30·505 inches at 9 a.m. of Wednesday (wind, W.) to 29·268 inches at 5 p.m. of Saturday (wind, W.). The mean temperature was 47·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 47·6°. The screened thermometers fell to 31·9° on Sunday and rose to 57·4° on Saturday. S.W. winds prevailed, blowing a gale on Thursday and Saturday. Rain fell on 6 days to the amount of ·388 inch, the largest measurement in 24 hours being ·212 inch on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·917 inches. The highest reading (30·335) was on Wednesday at 9 a.m., air calm, and the lowest (29·155) on Saturday at 9 p.m., wind W.S.W.

The mean temperature for the week was 46·4°, being 6·6° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Tuesday, on which day the thermometer registered 58·8°, and was lowest on Sunday, the mercury having fallen to 24·3°. The mean of the Dry Bulb for the week was 46·4° and of the Wet Bulb, 45·2°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The rainfall during the week measured 0·582 inch.

At Greenwich the mean temperature for the week was 42·8°, the maximum 55·2°, and the minimum 26·3°; at Glasgow the maximum was 52·2°, the minimum 29·0°, and the mean 44·2°; and at Edinburgh the maximum was 52·5°, the minimum 30·5°, and the mean 43·5°. The rainfall at Greenwich measured 0·12 in.; at Glasgow 3·05 ins., and at Edinburgh 0·69 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, February 12,	30·096	48·9	24·3	36·6	41·1	39·0	·83	·5	1·7	·000	S.W.	S.S.W.
Monday, „ 13,	30·136	51·1	43·6	47·4	45·9	44·6	·91	·6	1·4	·085	S.S.W.	S.W.
Tuesday, „ 14,	30·102	58·8	44·9	51·9	45·9	45·7	·97	·6	0·1	·085	S.W.	W.
Wednesday, „ 15,	30·195	50·7	30·9	40·8	41·5	40·8	·94	·7	7·3	·024	Calm.	S.E.
Thursday, „ 16,	29·755	53·7	44·4	49·1	52·0	50·0	·86	·6	0·0	·118	S.W.	S.W.
Friday, „ 17,	29·845	54·8	45·6	50·2	50·2	49·0	·92	·6	3·4	·000	S.W.	W.S.W.
Saturday, „ 18,	29·290	54·8	43·0	48·9	48·5	47·4	·92	·5	0·0	·270	W.S.W.	W.S.W.
Mean, ...	29·917	53·3	39·5	46·4	46·4	45·2	·91	·6	Total 13·9	Total ·582	Prevailing Wind. S.W.	

Sunday—Day overcast to cloudy; night cloudy. *Monday*—Day cloudy; night cloudy; light rain a.m. *Tuesday*—Day overcast; light rain a.m.; night clear. *Wednesday*—Day cloudy; light rain p.m.; night cloudy; drizzle a.m. *Thursday*—Day overcast; light rain p.m.; night cloudy. *Friday*—Day cloudy to overcast; night cloudy. *Saturday*—Day overcast; drizzle and light rain a.m. and p.m.; night clear; light shower a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, February 18th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, February 12,	43·2	38·0	42·4	49·0	31·5	40·3	0·9	·002
Monday, „ 13,	47·8	39·5	42·2	51·7	45·4	48·6	0·7	·038
Tuesday, „ 14,	48·3	40·7	42·3	51·0	46·3	48·7	—	·064
Wednesday, „ 15,	31·9	41·6	42·4	49·4	36·0	42·7	3·6	·005
Thursday, „ 16,	52·7	42·8	42·6	55·2	44·8	50·0	—	·046
Friday, „ 17,	48·5	43·9	42·9	55·8	46·5	51·7	2·6	—
Saturday, „ 18,	54·8	45·3	43·0	58·0	45·0	51·5	0·3	·193
Weekly Mean, .	46·7	41·7	42·5	52·9	42·2	47·6	Total 8·1	Total ·348

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30166. Wt. P. 489–53/138. 375. 2. 1911 G. III.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & CO., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 25TH FEBRUARY, 1911. [No. 8.

General Register Office, Charlemont House,
Dublin, 27th February, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,163,596.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Feb. 4	Feb. 11	Feb. 18	Feb. 25	Average Rate for 4 weeks.	Towns, &c.	Week ending Feb. 4	Feb. 11	Feb. 18	Feb. 25	Average Rate for 4 weeks.
22 Town Districts, ...	**19·6**	**24·1**	**22·7**	**20·9**	**21·8**	Limerick	20·5	24·6	10·9	9·6	16·4
						Lisburn	9·1	22·7	40·9	22·7	23·8
Armagh	13·7	34·4	6·9	13·7	17·2	Londonderry	14·3	20·2	29·7	22·6	21·7
Ballymena	14·4	38·3	14·4	19·2	21·6	Lurgan	22·1	17·7	48·7	26·6	28·8
Belfast	16·8	19·1	19·5	18·5	18·5	Newry	8·4	25·2	37·8	29·4	25·2
Clonmel	46·2	15·4	61·5	5·1	32·0	Newtownards	17·2	17·2	45·8	11·4	22·9
Cork	20·5	27·4	25·3	24·7	24·5	Portadown	15·5	20·7	10·3	31·0	19·4
Drogheda	8·2	16·3	4·1	28·6	14·3	Queenstown	13·2	33·0	19·8	.	16·5
Dublin Reg. Area ...	24·1	27·4	25·5	23·8	25·2	Sligo	4·8	76·8	28·8	33·6	36·0
Dundalk	23·9	19·9	8·0	23·9	18·9	Tralee	10·6	15·9	10·6	10·6	11·9
Galway	15·5	15·5	15·5	19·4	16·5	Waterford	19·5	33·1	23·4	13·6	22·4
Kilkenny	29·5	29·5	4·9	29·5	23·3	Wexford	9·3	23·3	14·0	18·7	16·3

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in seventeen of the districts to 4·8 in Sligo, the 7 deaths from all causes for that district including one from diarrhœa. Among the 141 deaths from all causes for Belfast are one from scarlet fever and one from whooping-cough. Of the 36 deaths from all causes for Cork one is from whooping-cough, and one death from whooping-cough is also included among the 19 deaths from all causes for Londonderry.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 214—109 boys and 105 girls—and the deaths to 195—106 males and 89 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 23·8 per 1,000 of the population.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœa.

During the eight weeks ending with Saturday last the death-rate averaged 24·3, and was 1·5 below the mean rate for the corresponding portions of the 10 years 1901–10.

The total deaths registered, numbering 195, represent an annual rate of 25·0 per 1,000; the annual rate for the past eight weeks was 25·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·9 per 1,000 of the mean population for all deaths registered.

Included in the total number of deaths from all causes registered there were 2 deaths from enteric fever, 3 from measles, 2 from scarlet fever, 7 from whooping-cough, 2 from diphtheria, 4 from diarrhœa and enteritis of children under 2 years of age, and 7 deaths from influenza. In each of the three preceding weeks, deaths from enteric fever were 3, 2, and 2; deaths from measles were 2, 2, and 2; deaths from scarlet fever were 0, 4, and 6; deaths from whooping-cough were 4, 3, and 6; deaths from diphtheria were 5, 2, and 3; deaths from diarrhœa and enteritis of children under 2 years of age were 7, 5, and 4, and deaths from influenza were 3, 4, and 5.

Deaths from all forms of tuberculous disease which numbered 23, 33, and 30, respectively, in the three weeks preceding, were 25 in the week under notice. The latter figure includes 18 deaths from pulmonary tuberculosis, 3 deaths from tuberculous meningitis, 3 deaths from abdominal tuberculosis, and one death from disseminated tuberculosis.

There were 13 deaths from broncho-pneumonia, one death from epidemic pneumonia, 2 deaths from lobar pneumonia, and 5 from *pneumonia* (type not distinguished).

Six deaths were caused by cancer.

Convulsions was the cause of the deaths of 4 infants.

Diseases of the circulatory system accounted for 21 deaths, and bronchitis for 27 deaths.

There were 3 deaths of prematurely born infants, and 4 deaths from congenital debility.

Of 5 deaths from accident or negligence, 2 were by burns or scalds, one of an infant aged 7 months, and one of a child aged 9 years; there was one death by drowning, and one death of an infant by suffocation in bed.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year of age.

Forty-seven of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 11 were under one month old) and 52 were aged 65 years and upwards, including 42 persons aged 70 and upwards; among the latter were 23 aged 75 and upwards, of whom one (a female) was stated to have been aged 93 years.

Seventy-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse and 13 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·8 per 1,000; the rate in the City was 25·6 (North City Districts, 25·7; South 25·6) and in the Suburbs, 17·8.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·6 per 1,000 inhabitants, the rate for the City being 3·2 (2·9 in the North City Districts, and 3·4 in the South), and for the Suburbs, 0·6.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·0 per 1,000, and include one death from influenza, 2 deaths from tuberculous disease, one death from epidemic pneumonia, one from *pneumonia* (type not distinguished), and 2 deaths from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (25) are equal to an annual rate of 32·3 per 1,000. Among them are one death from scarlet fever, one from diarrhœa of a child under 2 years, 4 from pulmonary tuberculosis, 4 from broncho-pneumonia, 4 from bronchitis, and one accidental death.

No. 2 *North City District* (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 15·1 per 1,000. One death each occurred from enteric fever, measles and influenza; there were 2 deaths from tuberculous disease, 2 from broncho-pneumonia, and one death from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (24) represent an annual rate of 36·9 per 1,000. One death each from enteric fever, scarlet fever, whooping-cough, diphtheria, diarrhœa (of a child under 2 years), and tuberculous disease, and 4 deaths from pneumonia (all forms), 3 deaths from bronchitis, and one accidental death were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 17·8; and Finglas and Glasnevin, part of, 33·5. Among the 4 deaths from all causes for Coolock and Drumcondra, part of, is one from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (28) represent an annual rate of 34·8 per 1,000. There were 2 deaths from measles, one death from whooping-cough, 3 deaths from tuberculous disease, 5 deaths from bronchitis, and 2 accidental deaths.

No. 2 *South City District* (Castle-street).—The deaths (13) are equal to an annual rate of 30·8 per 1,000, and include one death of a child under 2 years of age from diarrhœa, 2 deaths from pulmonary tuberculosis, 3 deaths from bronchitis, and one death from accidental scalds.

No. 3 *South City District* (Peter-street).—The deaths (17) are equal to an annual rate of 20·3 per 1,000. Two deaths from whooping-cough, one from diphtheria, 4 deaths from tuberculous disease, 2 deaths from broncho-pneumonia, one from *pneumonia* (type not distinguished), and 3 deaths from bronchitis were recorded.

No. 4 *South City District* (Grand Canal Street).—The deaths (17) are equivalent to an annual rate of 24·5 per 1,000. There were 2 deaths each from whooping-cough and influenza, 5 deaths from pulmonary tuberculosis, 3 deaths from broncho-pneumonia, and one death from bronchitis.

New Kilmainham District.—There was no death recorded for this district during last week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 22·2; Pembroke, 16·0; Blackrock, 17·4; and Kingstown, 11·8. The only death from any of the principal epidemic diseases* tabulated for these districts was one from whooping-cough for Pembroke. Among the 16 deaths from all causes for Rathmines and Rathgar are one death from influenza, one from pulmonary tuberculosis, one from *pneumonia* (type not distinguished), and one from bronchitis; and the 9 deaths from all causes for Pembroke include 2 deaths from influenza, and 2 from bronchitis.

* See note (‡) on first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 25th February, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Feb. 4,	.	—	—	25	.	.	9	.	.	15	8	.	—	—	1	—	9	—	67
	Feb. 11,	.	—	—	42	.	.	17	.	2	22	16	.	—	—	.	—	18	—	117
	Feb. 18,	.	—	—	32	.	.	24	.	4	16	6	.	—	—	.	—	10	—	92
	Feb. 25,	.	—	—	18	.	.	18	.	1	8	11	.	—	—	.	—	11	—	67
Rathmines and Rathgar Urban District.	Feb. 4,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	—	1
	Feb. 11,	.	—	—	1	.	.	1	.	.	1	1	.	—	—	—	—	—	—	4
	Feb. 18,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Feb. 25,	.	—	—	2	.	.	2	.	.	2	.	.	—	—	—	—	—	—	6
Pembroke Urban District.	Feb. 4,	.	4	.	.	.	.	.	.	1	.	.	.	—	2	.	—	.	—	7
	Feb. 11,	.	1	.	.	.	.	1	.	.	.	.	.	—	8	.	—	.	—	10
	Feb. 18,	.	1	1	.	.	.	.	.	.	.	.	.	—	4	.	—	.	—	6
	Feb. 25,	.	6	1	4	.	.	.	.	.	1	.	.	—	3	.	—	.	—	15
Blackrock Urban District.	Feb. 4,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Feb. 11,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Feb. 18,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Feb. 25,	.	—	—	2	.	.	2	.	.	.	.	.	—	—	.	—	—	—	4
Kingstown Urban District.	Feb. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Feb. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Feb. 18,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	.	—	2
	Feb. 25,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	1	—	4
City of Belfast.	Feb. 4,	.	—	—	11	.	.	3	.	.	1	2	.	—	—	.	—	22	—	39
	Feb. 11,	.	—	—	21	.	.	6	.	.	2	3	.	—	—	.	—	19	—	51
	Feb. 18,	.	—	—	6	.	.	6	.	.	1	3	1	—	—	.	—	21	—	38
	Feb. 25,	.	—	—	16	.	.	7	.	.	.	5	.	—	—	.	—	13	—	41

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 25th February, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

One case of small-pox was discharged from hospital during the week, and no case remained under treatment at its close.

Twenty-five cases of measles were admitted to hospital during the week, 12 were discharged, there were 3 deaths, and 46 cases remained under treatment at the close of the week.

Nineteen cases of scarlet fever were admitted to hospital, 15 were discharged, and 112* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 98, 116, and 108, respectively.

Fifteen cases of diphtheria were admitted to hospital during the week, 6 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 76, 62, and 87, respectively, were 95 at the close of last week.

Fourteen cases of enteric fever were admitted to hospital during the week, 3 were discharged, and 101 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 70, 71, and 90.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 12 were discharged, there was one death, and 36 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 16·3) was equal to an average annual death-rate of 16·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·4 per 1,000, the rate for Glasgow being 17·2 and for Edinburgh 15·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 25th February. From this Report it appears that of a total of 63 cases notified, 27 were scarlet fever, 13 diphtheria, 13 erysipelas, and 10 phthisis. Among the 453 cases of infectious diseases in hospital at the close of the week were 209 cases of scarlet fever, 88 of diphtheria, 61 of phthisis, 49 of measles, 19 of erysipelas, 14 of whooping-cough, 4 of enteric fever, and 2 of chicken pox.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 25th February, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa. Of children under 2 years of age.	Diarrhœa. 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) Week ending 25th February, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 18th February, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 11th February, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
TOTAL OF 22 TOWN DISTRICTS, ...	1,163,596	20·4	26·7	20·9	1·1	596	466	71	131	2	...	...	3	3	10	2	...	48	21	16	39	71	3	2	4	12	21	127	12	...	...	...	...	...	...	...	...	...	...	...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	407,057	29·6	27·4	23·8	2·6	214	186	31	52	2	...	...	3	2	7	2	...	18	6	5	19	27	3	1	1	5	5	63	4	e57·2	30·5	43·4	0·52	e58·8	24·3	46·4	0·58	e46·4	25·9	37·0	0·01
CITY OF DUBLIN,	313,526	39·6	30·3	25·6	3·2	182	154	28	32	2	...	...	3	2	6	2	...	17	6	2	18	24	3	1	1	5	5	59	2	f59·1 g57·8	35·1 32·8	45·9 45·8	0·33 0·51	f57·4 g51·8	31·9 22·4	47·1 45·4	0·39 0·49	f46·4 g46·9	32·8 27·0	39·3 37·4	0·01 0·00
Urban Districts. RATHMINES AND RATHGAR.	37,528	21·9	15·3	22·2	...	11	16	2	12	...	...	...	...	...	...	...	...	1	...	2	1	1	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,368	18·5	17·8	16·0	1·8	10	9	...	6	...	...	...	...	...	1	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,013	8·3	40·5	17·4	...	7	3	1	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,622	12·1	11·8	11·8	...	4	4	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	61	36	46·2	0·29	59	31	47·9	0·17	47	36	40·2	0·02
Urban Districts. BELFAST, ...	398,421	27·1	27·9	18·5	0·3	213	141	21	34	...	...	...	...	1	1	...	...	15	10	8	11	20	...	...	2	4	8	32	...	55·0	33·0	43·3	1·83	54·0	27·5	42·4	0·60	48·5	27·5	39·1	0·12
CORK, ...	76,122	33·6	25·3	24·7	0·7	37	36	5	10	...	...	...	...	..	1	...	...	7	1	1	2	4	...	...	...	2	5	11	1	55	37	45·6	0·90	53	33	45·4	0·82	47	32	40·6	0·17
LONDONDERRY ...	43,900	20·3	33·3	22·6	1·2	28	19	...	8	...	...	...	...	...	1	...	...	...	2	1	1	3	...	...	...	1	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,151	18·1	21·9	9·6	...	16	7	...	3	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	...	...	1	2	1	57·2	29·6	45·9	1·49	56·1	28·2	46·2	0·74	49·9	23·5	38·4	0·08
WATERFORD, ...	26,769	18·7	23·4	13·6	...	12	7	2	1	...	...	...	...	...	...	...	...	1	1	...	...	2	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,426	2·5	19·4	19·4	...	5	5	...	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	3	1	55	32	44	1·47	52	29	44	0·61	48	28	39	0·05
DUNDALK, ...	13,076	9·4	19·9	23·9	...	5	6	1	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,760	8·6	12·3	28·6	...	3	7	2	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	12,405	17·8	8·4	29·4	...	2	7	...	4	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	1	1	...	56·3	33·5	43·6	1·32	52·8	31·8	44·6	0·96	48·0	30·3	38·1	0·12
LURGAN, ...	11,782	13·8	35·4	26·6	...	8	6	...	1	...	...	...	...	...	...	...	...	1	1	...	1	1	...	...	...	...	...	...	...	56·3	33·5	43·6	1·32	52·8	31·8	44·6	0·96	48·0	30·3	38·1	0·12
LISBURN, ...	11,461	10·1	27·3	22·7	...	6	5	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	56·3	33·5	43·6	1·32	52·8	31·8	44·6	0·96	48·0	30·3	38·1	0·12
WEXFORD, ...	11,168	23·2	23·3	18·7	...	5	4	3	1	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA, ...	10,886	8·9	14·4	19·2	...	3	4	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	10,870	3·7	19·2	33·6	4·8	4	7	..	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	1	1	55·9	34·4	44·5	1·86	54·7	27·5	45·2	0·99	47·8	23·4	36·7	0·21
KILKENNY, ...	10,609	11·5	24·6	29·5	...	5	6	1	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2	...	...	...	...	3	...	56	28	44·3	1·05	58	25	45·1	0·99	48	24	41·7	0·14
CLONMEL, ...	10,167	7·8	15·4	5·1	...	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	10,092	13·2	36·2	31·0	...	7	6	2	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	56·3	33·5	43·6	1·32	52·8	31·8	44·6	0·96	48·0	30·3	38·1	0·12
TRALEE, ...	9,867	16·6	37·0	10·6	...	7	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	34·3	11·4	...	6	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	2	...	57	35	44·0	0·86	55	33	45·0	0·65	47	33	39·6	0·12
QUEENSTOWN, ...	7,909	14·4	13·2	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	55	37	45·6	0·90	53	33	45·4	0·82	47	32	40·6	0·17
ARMAGH, ...	7,588	22·2	34·4	13·7	...	5	2	...	...	...	...	...	...	..	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	56·3	33·5	43·6	1·32	52·8	31·8	44·6	0·96	48·0	30·3	38·1	0·12

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1911. (b) See note (‡) at foot of first page. (c) Exclusive of 9 deaths of persons admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 25th of February, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
Enteric Fever,	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.	3	.
Scarlet Fever,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Whooping-cough,	.	.	.	1	.	.	.	1	.	2	2	.	.	1	.	.	7	.
Diphtheria,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	1	.	.	.	.	.	.	.	2	.	1	2	.	.	7	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	1	4	1	.	.	.	.	2	2	2	5	.	1	.	.	.	18	.
Tuberculous Disease. — Other Forms,	1	.	1	1	.	.	.	1	.	2	.	.	.	.	.	.	6	1
Cancer,	.	.	.	1	.	.	.	.	1	.	.	.	2	.	1	.	5	1
Diseases of Nervous System,	2	1	.	.	.	1	2	3	1	.	1	.	4	1	.	.	16	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	2	.	3	.	1	.	4	2	1	1	.	4	1	.	.	20	1
" Respiratory System. — Pneumonia,	2	4	2	4	.	.	.	.	.	3	3	.	1	.	.	.	19	2
" Respiratory System. — Others,	2	4	1	3	1	1	.	5	3	3	1	.	1	2	.	.	27	1
" Digestive System. — Diarrhœa, under 2 years,	.	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	3	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
" Digestive System. — Enteritis, under 2 years,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Others,	.	2	.	2	.	1	.	.	.	.	1	.	.	.	.	2	8	1
" Genito-urinary System,	1	3	.	1	.	.	1	1	.	1	.	.	1	.	.	1	10	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	2	1	1	.	.	2	5	2	1	1	.	1	1	1	1	19	1
Violent Deaths,	.	1	.	1	.	.	.	2	1	.	.	.	.	.	.	.	5	.
Ill-defined, &c. Causes,	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Deaths from All Causes	11	25	9	24	1	4	5	28	13	17	17	.	16	9	3	4	186	9
Annual Rate of Mortality from All Causes in every 1,000 of the population.	19·0	32·3	15·1	36·9	9·6	17·8	33·5	34·8	30·8	20·3	24·5	.	22·2	16·0	17·4	11·8	23·8	.
	25·7							25·6					17·8					
	25·6																	
Ages at Death. — Under 1 year,	.	4	1	8	.	1	2	7	2	2	1	.	2	.	1	.	31	.
1 and under 2 years,	.	3	1	3	.	.	.	1	.	4	3	.	.	1	.	.	16	.
2 " 5 "	1	1	1	1	.	.	.	1	1	3	1	.	.	.	.	.	10	.
5 " 15 "	1	1	1	.	.	.	.	4	.	.	2	.	.	.	.	.	9	1
15 " 25 "	2	2	.	1	.	.	.	.	.	.	1	.	.	.	.	.	6	.
25 " 45 "	3	5	1	4	1	.	1	5	5	1	2	.	2	1	1	1	33	2
45 " 65 "	3	6	2	1	.	1	1	3	4	2	3	.	.	1	.	2	29	6
65 and upwards,	1	3	2	6	.	2	1	7	1	5	4	.	12	6	1	1	52	.
Number of Uncertified Deaths,	.	1	.	1	.	.	.	.	.	.	.	.	2	.	.	.	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	8	1	8	.	.	1	4	1	5	3	.	.	.	1	3	38	9
Workhouse Hospitals,	3	3	2	4	.	.	.	5	4	2	2	.	.	.	.	.	25	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 8th Week of the 10 years 1901–1910.	In the Week ending Saturday, 25th February, 1911.										
													Deaths of Persons of the Ages of									
	Feb. 23, 1901.	Feb. 22, 1902.	Feb. 28, 1903.	Feb. 27, 1904.	Feb. 25, 1905.	Feb. 24, 1906.	Feb. 23, 1907.	Feb. 22, 1908.	Feb. 27, 1909.	Feb. 26, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 37·4	° 40·5	° 40·9	° 42·6	° 36·3	° 36·3	° 39·0	° 45·5	° 41·2	° 39·2	° 39·9	° 43·4										
ALL CAUSES.	232	248	195	206	194	185	209	202	197	228	209·6	195	11	20	16	10	10	6	35	35	29	23
Enteric Fever, ...	4	3	1	2	.	1	2	1	3	1	1·8	2	.	.	.	.	.	1	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	3	1	2	3	.	.	.	1	.	1·0	3	.	2	.	1	.	.	.	.	.	.
Scarlet Fever, ...	.	.	3	1	.	1	.	.	.	1	·6	2	.	.	1	.	1	.	.	.	.	.
Whooping-cough, ...	3	2	5	11	1	1	3	3	7	.	3·6	7	.	.	5	2	.	.	.	.	.	.
Diphtheria, ...	1	1	1	.	.	1	1	.	.	2	·7	2	.	.	1	1	.	.	.	.	.	.
Croup, ...	.	.	.	.	1	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	4	4	8	2	4	1	4	10	4	2	4·3	7	.	.	.	.	1	.	.	2	2	2
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	1	.	.	.	1	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	.	2	.	1	1	.	2	1	·8	2	.	.	.	.	1	.	1	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	19	27	25	20	35	29	18	22	19	23	23·7	18	.	.	1	1	1	3	10	2	.	.
Tuberculous Meningitis, ...	1	1	3	1	8	5	8	5	3	4	3·9	3	.	2	.	.	1	.	.	.	.	.
Abdominal Tuberculosis, ...	5	1	3	4	.	.	1	5	2	1	2·2	3	.	.	1	1	.	.	1	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	6	3	5	9	6	7	7	9	3	8	6·3	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												1	.	.	.	.	.	.	1	.	.	.
Venereal Diseases, ...	.	.	1	.	3	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	1	11	8	11	5	13	7	7	8	14	8·5	6	.	.	.	.	.	.	1	1	3	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	2	.	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	1	.	1	1	.	.	1	2	·6	2	.	.	.	.	1	.	.	1	.	.
Anæmia Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	1	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.
Alcoholism, ...	.	1	.	2	1	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												2	.	1	.	.	1	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												3	.	.	.	.	.	.	1	.	.	2
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												4	.	.	.	.	.	.	.	2	.	2
Epilepsy, ...												2	.	.	.	.	.	1	.	1	.	.
Convulsions (non-puerperal),												4	2	2	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	41	48	49	43	41	39	41	55	48	44	44·9	2	.	.	.	.	.	.	.	.	2	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												1	.	.	.	.	.	.	1	.	.	.
Organic Diseases of the Heart,												18	.	.	.	.	.	.	3	6	7	2
Embolism and Thrombosis (including Cerebral)												1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Circulatory System.												1	.	.	.	.	.	.	1	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	45	56	25	31	22	27	38	24	32	38	33·8	27	1	3	2	2	1	1	2	4	7	4
Broncho-pneumonia, ...	27	22	1	9	7	10	8	7	5	15	17·2	13	1	2	4	1	1	.	3	1	.	.
Lobar-pneumonia, ...			.	2	1	.	2	2	.	2		3	.	.	.	.	.	.	1	1	.	1
Pneumonia (type not distinguished).			4	8	6	3	13	6	7	5		5	.	.	1	1	.	.	.	2	.	1
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	.	4	3	4	3	4	3	2	3	3	2·9	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Respiratory System.												.	.	.	.	.	.	.	.	.	.	.

EIGHTH WEEK ending Saturday, 25th February, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 8th Week of the 10 years 1901–1910.	In the Week ending Saturday, 25th February, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Feb. 23, 1901.	Feb. 22, 1902.	Feb. 28, 1903.	Feb. 27, 1904.	Feb. 25, 1905.	Feb. 24, 1906.	Feb. 23, 1907.	Feb. 22, 1908.	Feb. 27, 1909.	Feb. 26, 1910.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	37·4	40·5	40·9	42·6	36·3	36·3	39·0	45·5	41·2	39·2	39·9	43·4										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	1	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	1	.	.	.	.	.	1	.	.
Diarrhœa of Children under 2 years.	4	2	4	.	1	2	3	.	5	3	2·4	3	1	2	.	.	.	.	.	.	.	.
„ 2 years and upwards,												1	.	.	.	.	.	.	.	1	.	.
Enteritis of Children under 2 years.	.	.	4	.	4	2	2	1	4	4	2·1	1	.	1	.	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	4	.	.	.	.	.	.	.	2	2	.
Cirrhosis of Liver, ...	1	2	.	3	2	.	.	2	1	1	1·6	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Liver, ...			.	1	1	1	.	.	1	.		1	.	.	.	.	.	.	.	.	.	1
Peritonitis (cause unknown),	.	.	.	.	.	2	.	.	2	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	8	5	2	7	1	9	4	4	7	5·2	1	.	.	.	.	.	.	.	1	.	.
Acute Nephritis, ...	9	13	6	5	5	9	6	7	6	12	7·8	4	.	.	.	.	.	.	2	2	.	.
Chronic Bright's Disease, ...												5	.	.	.	.	.	.	1	1	2	1
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												1	.	.	.	.	.	.	1	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	2	.	.	.	.	.	.	.	.	1	·3	1	.	.	.	.	.	.	.	1	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	1	.	.	1
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	5	4	3	3	2	.	4	4	4	3	3·2	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	4	3	1	.	.	.	.	.	.	.	.
Old Age, ...	18	8	3	9	8	6	4	3	3	12	7·4	6	.	.	.	.	.	.	.	.	1	5
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	1	.	1	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	1	.	.	.	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	2	3	2	2	1	2	1	1	1	5	2·0	2	.	1	.	.	1	.	.	.	.	.
By Drowning, ...	.	.	1	.	.	.	1	2	.	.	·4	1	.	.	.	.	.	.	1	.	.	.
By Suffocation in Bed, ...	1	.	.	.	.	.	2	.	.	.	·3	1	.	1	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	3	3	2	2	.	1	1	1	.	.	1·3	1	.	.	.	.	.	.	.	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	1	.	.	.	.	.	.	1	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910–11—WEEK ENDING																									
	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.
No. of weeks in Annual Series,	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8
BIRTHS registered.	228	260	235	292	196	219	161	244	182	211	207	204	182	199	174	232	158	170	203	230	238	232	219	241	192	214
Average Births in corresponding week of previous 10 years, ...	207	232	203	200	252	192	184	209	206	209	202	195	181	207	193	195	177	174	231	208	209	201	241	217	212	209
DEATHS registered, ...	120	141	153	174	164	160	151	174	139	147	141	166	168	176	188	165	178	155	176	179	190	228	200	220	208	195
Annual Death-rate per 1,000, ...	15·5	18·2	19·8	22·5	21·2	20·7	19·5	22·5	18·0	19·0	18·2	21·5	21·7	22·8	24·3	21·4	23·0	20·1	22·5	22·9	24·3	29·2	25·6	28·2	26·6	25·0
Average Deaths in corresponding week of previous 10 years, ...	159	157	154	167	160	158	156	160	156	172	175	179	182	182	182	177	182	177	201	195	195	192	200	198	200	210
Ages, Under 5 years, ...	42	38	59	70	60	58	44	56	40	46	47	57	49	55	53	43	41	47	56	60	62	59	61	47	57	57
5—15 „ ...																			5	10	7	11	6	10	6	10
15—25 „ ...																			9	7	10	11	12	13	5	6
25—45 „ ...	78	103	94	104	104	102	107	118	99	101	94	109	119	121	135	122	137	108	25	24	27	32	32	41	36	35
45—65 „ ...																			45	38	41	55	48	51	49	35
65—75 „ ...																			20	25	28	34	22	39	33	29
75 and upwards, ...																			16	15	15	26	19	19	22	23
Deaths from :—																										
Enteric Fever, ...	1	1	1	1	.	3	1	2	1	1	.	.	2	.	1	2	1	.	.	1	.	2	3	2	2	2
Typhus, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	3	.	1	.	.	.	1	.	1	1	.	2	1	.	1	4	3	6	2	2	2	2	3
Scarlet Fever, ...	1	1	2	.	.	1	.	1	1	3	.	2	1	3	1	1	.	2	7	.	.	1	.	4	6	2
Whooping-cough, ...	4	3	2	1	2	2	2	5	1	1	4	2	6	5	11	1	5	7	6	5	6	10	4	3	6	7
Diphtheria, ...	1	.	2	3	2	2	1	.	4	1	2	3	2	4	.	3	2	.	1	2	4	1	5	2	3	2
Influenza, ...	.	.	1	1	2	1	1	2	1	4	1	.	2	4	2	1	3	1	.	1	1	4	3	4	5	7
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	2	.
Tuberculous Disease, Phthisis, ...	17	23	15	19	18	17	14	23	17	18	16	20	14	16	25	14	19	19	21	19	27	28	19	27	22	18
Tuberculous Disease, Other Forms,	5	13	9	8	11	12	8	8	4	11	11	8	6	7	11	4	7	5	4	6	9	7	4	6	8	7
Cancer, ...	8	9	7	9	11	12	11	12	9	7	9	8	14	3	12	4	13	6	8	3	12	7	16	11	4	6
Diseases of Circulatory System,	17	23	19	24	30	20	24	25	23	17	18	22	24	30	30	23	28	31	17	20	13	25	19	23	17	21
Diseases of Respiratory System, Pneumonia,	5	6	10	4	6	5	11	15	12	13	11	16	16	14	15	27	18	11	15	16	10	17	18	20	15	21
Diseases of Respiratory System, Others, ...	6	10	10	20	12	16	17	17	12	18	26	26	29	37	27	32	26	25	29	25	28	42	30	41	44	28
Diarrhœa, Under 2 years, ...	12	11	21	22	27	12	10	8	4	5	4	2	4	6	2	2	2	1	3	2	2	4	4	2	3	3
Diarrhœa, 2 years & upwards,																			.	.	.	.	1	.	.	1
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	2	2	.	3	3	1	1
Violent Deaths, ...	5	3	6	6	3	10	4	.	2	1	2	2	3	4	4	8	4	6	2	8	1	4	7	4	2	5
Number of Uncertified Deaths,	3	2	1	3	3	3	6	2	4	1	8	6	7	5	5	3	3	6	4	5	7	7	3	3	2	4
Mean Temperature of the Air (Phœnix Park)	57·2	54·8	52·0	50·4	54·2	52·5	48·2	49·1	50·4	43·1	39·6	38·2	42·2	37·0	43·4	45·2	43·5	40·9	37·2	39·0	38·6	45·5	35·9	37·0	46·4	43·4
Average Mean Temperature in corresponding week of previous 10 years, ...	56·1	54·4	53·1	53·8*	53·7	52·2	50·6	48·4	46·2	47·1	45·2	42·7	41·5	42·8	42·4	41·6	41·3*	41·3	42·0	40·0	40·8	40·5	40·3	40·3	39·8	39·9
Rainfall in inches, ...	·194	·150	·015	·015	·391	·585	·138	·333	·365	·558	·860	·352	1·206	1·820	1·700	1·172	·183	·130	·336	·345	·153	·034	·000	·011	·582	·523
Mean Humidity of the Air, complete Saturation 1·0, ...	·88	·87	·91	·85	·89	·90	·84	·92	·87	·90	·89	·85	·91	·93	·91	·91	·94	·88	·92	·90	·93	·92	·87	·90	·91	·91

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 25th February, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 25TH FEBRUARY, 1911.

Class	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	195	57	10	6	35	35	29	23	2	.	.	3	2	7	2	.	18	7	6	4	21	28	3	1	1	5	85	4
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	32·9	11	.	.	.	2	.	4	5	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	8	.
II.	MIDDLE CLASS, ...	87,188	17·3	29	1	2	1	5	8	5	7	.	.	.	.	.	.	.	.	3	1	.	.	2	3	.	.	.	.	20	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	17·9	38	15	2	1	10	4	4	2	1	.	.	1	2	2	.	.	5	2	.	1	6	8	.	1	.	1	8	1
IV.	GENERAL SERVICE CLASS, ...	154,279	31·1	92	40	6	3	11	18	9	5	1	.	.	2	.	5	2	.	7	3	3	3	12	12	3	.	1	4	34	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	25	1	.	1	7	5	7	4	.	.	.	.	.	.	.	.	3	1	1	.	.	5	.	.	.	.	15	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	40·1	6	.	.	.	1	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	5	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	31·2	5	.	.	.	1	.	1	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	18·9	8	.	.	.	1	3	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	6	.
	6. Clerks and Commercial Assistants, ...	30,432	10·3	6	.	.	.	3	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	23·2	12	1	2	1	1	2	.	5	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	.	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	31·7	6	2	1	.	1	1	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.	.	1	2	.
	9. Building and Furnishing Trades, ...	29,801	12·2	7	2	.	.	2	1	1	1	.	.	.	.	.	.	.	.	2	.	.	.	2	3	.	.	.	.	.	.
	10. Clothing Trades, ...	23,260	11·2	5	2	1	.	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.	1	.	.	1	.
	11. Food Supply Trades, ...	9,242	22·6	4	1	.	1	1	.	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	24·1	14	7	.	.	5	1	1	.	.	.	.	.	.	1	.	.	2	1	.	1	4	3	.	.	.	.	2	1
	13. Petty Shopkeepers, ...	7,894	13·2	2	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	15·5	4	.	.	.	1	1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.	.	.	.
	15. Domestic Servants, ...	36,603	12·8	9	3	2	.	1	2	1	.	.	.	.	.	.	1	.	.	.	.	.	1	1	1	.	.	.	.	5	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	10·9	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	44·1	76	36	4	3	9	13	8	3	1	.	.	2	.	4	2	.	6	3	3	2	9	9	3	.	1	3	28	3
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	25	1	.	1	7	5	7	4	.	.	.	.	.	.	.	.	3	1	1	.	.	5	.	.	.	.	15	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 30,219.	Jan. 7,	25·9	1·7	15	.	.	.	.	.	1	.	.	4	1	1	2	2	.	.	.	.	.
	" 14,	22·4	.	13	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	1
	" 21,	27·6	1·7	16	.	.	.	.	.	.	1	.	1	1	2	.	3	.	.	.	.	2
	" 28,	24·2	1·7	14	.	.	.	.	.	1	.	.	2	.	1	.	3	.	.	.	.	1
	Feb. 4,	34·5	3·5	20	1	.	.	.	.	1	.	.	2	.	.	3	1	.	.	.	1	.
	" 11,	36·2	3·5	21	.	.	.	.	1	.	.	.	.	1	.	1	5	1	.	.	1	.
	" 18,	24·2	3·5	14	.	.	.	.	.	1	1	.	1	.	.	.	3	.	.	1	.	.
	" 25,	19·0	.	11	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	.	.
North City, No. 1 (W.) (*Office, Summer hill.*) Pop. in 1911 (Est.) 40,390.	Jan. 7,	21·9	1·3	17	.	.	.	.	.	.	.	.	1	.	.	2	6	1	.	.	.	1
	" 14,	14·2	1·3	11	.	.	.	.	.	.	.	.	2	1	.	.	1	1	.	.	1	.
	" 21,	31·0	1·3	24	.	.	.	.	.	.	.	.	7	1	.	.	4	1	.	.	.	1
	" 28,	37·4	1·3	29	.	.	.	.	.	1	.	.	3	1	1	2	8	.	.	.	1	1
	Feb. 4,	34·9	3·9	27	1	.	.	.	.	.	.	.	4	.	3	3	4	2	.	.	1	.
	" 11,	29·7	2·6	23	.	.	.	.	.	1	.	.	3	.	2	1	5	1	.	.	.	.
	" 18,	36·1	3·9	28	.	.	.	.	1	.	1	.	5	1	.	1	9	1	.	.	.	1
	" 25,	32·3	2·6	25	.	.	.	.	1	.	.	.	4	.	.	4	4	1	.	.	1	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 31,064.	Jan. 7,	31·9	1·7	19	.	.	.	.	.	1	.	.	2	2	1	.	4	.	.	.	.	.
	" 14,	16·8	.	10	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2	.
	" 21,	15·1	.	9	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.	.
	" 28,	35·2	5·0	21	.	.	.	.	.	2	.	.	1	.	.	.	7	1	.	.	.	.
	Feb. 4,	21·8	.	13	.	.	.	.	.	.	.	.	.	.	1	1	3	.	.	1	1	.
	" 11,	26·9	.	16	.	.	.	.	.	.	.	.	3	2	1	2	2	.	.	.	.	.
	" 18,	23·5	1·7	14	.	.	.	.	.	.	.	.	3	2	.	.	3	1	.	.	1	.
	" 25,	15·1	3·4	9	1	.	.	1	.	.	.	.	1	1	.	2	1	.	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 38,908.	Jan. 7,	26·1	7·7	17	.	.	.	.	5	.	.	.	1	.	1	1	.	.	.	.	1	.
	" 14,	24·6	1·5	16	.	.	.	.	.	1	.	.	2	.	.	.	2	.	.	.	1	.
	" 21,	20·0	3·1	13	.	.	.	.	.	1	1	.	2	1	1	1	.	.	.	.	.	.
	" 28,	24·6	4·6	16	.	.	.	.	.	.	1	.	1	1	1	1	3	2	.	.	.	.
	Feb. 4,	16·9	6·2	11	1	.	.	.	.	1	1	.	1	.	.	1	.	1	.	.	.	.
	" 11,	35·4	3·1	23	.	.	.	.	1	1	.	.	2	.	3	3	7	.	.	.	.	1
	" 18,	32·3	3·1	21	.	.	.	.	.	1	.	.	3	1	1	2	5	1	.	.	.	.
	" 25,	36·9	7·7	24	1	.	.	.	1	1	1	.	.	1	1	4	3	1	.	1	1	1
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,908.	Jan. 7,	22·4	1·2	18	.	.	.	.	.	1	.	.	2	.	.	1	4	.	.	.	.	.
	" 14,	27·4	3·7	22	.	.	.	.	.	1	2	.	3	1	.	2	3	.	.	.	.	.
	" 21,	31·1	1·2	25	.	.	.	1	.	.	.	.	7	.	2	1	4	.	.	1	.	.
	" 28,	27·4	2·5	22	.	.	.	.	1	1	.	.	3	.	.	3	2	.	.	.	1	1
	Feb. 4,	27·4	1·2	22	.	.	.	1	.	.	.	.	1	.	1	1	4	.	.	1	2	1
	" 11,	36·1	5·0	29	2	.	.	.	1	.	1	.	4	1	.	1	7	.	.	1	.	.
	" 18,	26·1	7·5	21	2	.	.	.	2	1	.	1	1	.	.	2	2	.	.	.	.	.
	" 25,	34·8	5·0	28	.	.	.	2	.	1	.	.	2	1	.	.	5	.	1	.	2	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,980.	Jan. 7,	21·4	.	9	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.	.	.
	" 14,	30·8	2·4	13	.	.	.	1	.	.	.	.	1	.	.	2	1	.	.	.	.	.
	" 21,	7·1	.	3	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
	" 28,	42·7	2·4	18	1	.	.	.	.	.	.	.	4	1	.	1	4	.	.	.	.	.
	Feb. 4,	28·5	.	12	.	.	.	.	.	.	.	.	3	1	1	2	3	.	.	.	.	.
	" 11,	38·0	.	16	.	.	.	.	.	.	.	.	4	1	2	1	2	.	.	.	.	.
	" 18,	33·2	2·4	14	.	.	.	.	1	.	.	.	1	1	.	.	5	.	.	.	.	.
	" 25,	30·8	2·4	13	.	.	.	.	.	.	.	.	2	.	1	.	3	1	.	.	1	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,677.	Jan. 7,	23·9	1·2	20	.	.	.	.	.	.	.	.	5	.	.	1	4	1	.	.	.	1
	" 14,	28·7	2·4	24	1	.	.	.	.	1	.	.	4	2	.	6	4	.	.	1	1	1
	" 21,	37·0	3·6	31	.	.	.	1	.	2	.	.	3	1	1	3	9	.	.	.	1	1
	" 28,	22·7	1·2	19	1	.	.	.	.	.	.	.	5	1	1	3	3	.	.	.	.	1
	Feb. 4,	22·7	2·4	19	.	.	.	1	.	.	1	.	3	.	1	2	4	.	.	.	1	.
	" 11,	28·7	1·2	24	.	.	.	.	1	.	.	.	4	.	.	3	2	.	.	2	1	1
	" 18,	28·7	3·6	24	.	.	.	2	.	.	1	.	3	.	.	2	5	.	.	.	1	.
	" 25,	20·3	3·6	17	.	.	.	.	.	2	1	.	2	2	.	3	3	.	.	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 36,254.	Jan. 7,	20·1	10·1	14	.	.	.	3	.	2	1	.	1	1	1	.	.	1	.	.	.	.
	" 14,	20·1	5·8	14	.	.	.	2	.	2	.	.	1	1	.	1	2	.	.	.	.	.
	" 21,	24·5	5·8	17	.	.	.	2	.	1	1	.	.	1	1	1	3	.	.	.	.	.
	" 28,	28·8	8·6	20	.	.	.	1	.	4	.	.	3	1	.	2	5	1	.	.	.	1
	Feb. 4,	24·5	5·8	17	.	.	.	.	.	1	2	.	3	.	3	1	2	1	.	.	1	.
	" 11,	33·1	4·3	23	.	.	.	2	.	1	.	.	4	1	2	2	6	.	.	.	.	.
	" 18,	23·0	4·3	16	.	.	.	.	.	3	.	.	.	1	.	1	2	.	.	.	.	1
	" 25,	24·5	2·9	17	.	.	.	.	.	2	.	.	5	.	.	3	1	.	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 37,528.	Jan. 7,	12·5	.	9	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	1
	„ 14,	9·7	.	7	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1
	„ 21,	18·1	.	13	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.	.
	„ 28,	20·8	1·4	15	.	.	.	.	.	1	.	.	.	.	.	2	3	.	.	.	1	1
	Feb. 4,	25·0	1·4	18	.	.	.	.	.	.	1	.	.	2	1	1	4	.	.	1	.	1
	„ 11,	18·1	.	13	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	.	1	.
	„ 18,	19·5	.	14	.	.	.	.	.	.	.	.	.	.	1	4	2	.	.	.	.	.
	„ 25,	22·2	.	16	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.	.	2
Pembroke Urban District. Pop. in 1911 (Est.) 29,368.	Jan. 7,	10·7	1·8	6	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 14,	21·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.	1	.	.
	„ 21,	21·3	1·8	12	.	.	.	1	.	.	.	.	1	1	2	.	1	.	.	.	.	2
	„ 28,	24·9	.	14	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.
	Feb. 4,	14·2	.	8	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 11,	14·2	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.
	„ 18,	24·9	.	14	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	.	.
	„ 25,	16·0	1·8	9	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 (Est.) 17,622.	Jan. 7,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.
	„ 14,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	2
	„ 21,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 28,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Feb. 4,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	1
	„ 11,	17·8	.	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
	„ 18,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 25,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1911 (Est.) 398,421.	Jan. 7,	16·0	0·4	122	.	.	.	.	1	.	.	.	14	7	7	8	18	1	1	1	6	3
	„ 14,	19·8	0·4	151	.	1	.	.	1	.	.	.	23	7	2	9	24	.	1	.	6	.
	„ 21,	15·4	0·5	118	.	.	.	1	1	1	1	.	17	4	7	7	24	.	.	.	1	1
	„ 28,	15·4	0·4	118	.	.	.	.	.	1	2	.	13	4	11	7	20	.	.	2	2	5
	Feb. 4,	16·8	0·3	128	.	.	.	.	.	1	1	.	10	4	6	7	25	.	.	2	4	2
	„ 11,	19·1	0·4	146	.	.	.	.	1	.	.	.	11	4	5	11	26	1	1	3	4	1
	„ 18,	19·5	.	149	.	.	.	.	.	.	.	.	22	11	5	14	25	.	.	2	.	.
	„ 25,	18·5	0·3	141	.	.	.	.	1	1	.	.	15	10	8	11	20	.	.	2	4	.
Cork. Pop. (in 1901) 76,122.	Jan. 7,	24·0	2·1	35	.	.	.	.	1	1	1	.	4	1	1	2	6	.	.	.	1	3
	„ 14,	20·5	1·4	30	.	.	.	.	.	2	.	.	2	.	2	1	5	.	.	.	.	3
	„ 21,	27·4	.	36	.	.	.	.	.	.	.	.	3	.	2	1	16	.	.	1	1	1
	„ 28,	25·3	2·7	37	.	.	.	.	.	4	.	.	1	1	.	5	4	.	.	.	.	1
	Feb. 4,	20·5	0·7	30	.	.	.	.	.	1	.	.	6	1	.	3	3	.	.	.	1	2
	„ 11,	27·4	1·4	40	.	.	.	.	1	1	.	.	10	2	5	2	2	.	.	.	1	4
	„ 18,	25·3	.	37	.	.	.	.	.	.	.	.	7	.	.	3	11	.	.	.	.	3
	„ 25,	24·7	0·7	36	.	.	.	.	.	1	.	.	7	1	1	2	4	.	.	.	2	1
Londonderry. Pop. in 1911 (Est.) 43,900.	Jan. 7,	24·9	2·4	21	.	.	.	.	.	1	.	.	2	2	1	1	3	1	.	.	.	.
	„ 14,	15·4	1·2	13	.	.	.	.	.	1	.	.	3	.	1	.	1	.	.	.	.	.
	„ 21,	23·8	4·8	20	.	.	.	.	.	4	.	.	.	.	1	1	4	.	.	.	.	.
	„ 28,	22·6	2·4	19	.	.	.	.	.	2	.	.	2	1	.	4	.	.	.	.	1	1
	Feb. 4,	14·3	3·6	12	.	.	.	.	.	3	.	.	.	.	.	1	3	.	.	.	.	1
	„ 11,	20·2	4·8	17	.	.	.	.	.	4	.	.	2	.	.	.	3	.	.	1	.	1
	„ 18,	29·7	7·1	25	1	.	.	.	.	5	.	.	4	.	2	.	6	.	.	.	.	.
	„ 25,	22·6	1·2	19	.	.	.	.	.	1	.	.	.	2	1	1	3	.	.	.	1	.
Limerick. Pop. (in 1901) 38,151.	Jan. 7,	13·7	.	10	.	.	.	.	.	.	.	.	.	.	1	.	4	.	.	.	.	.
	„ 14,	15·0	1·4	11	1	.	.	.	.	.	.	.	1	.	.	1	2	.	.	1	.	.
	„ 21,	20·5	.	15	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	1
	„ 28,	20·5	.	15	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.	.	2
	Feb. 4,	20·5	2·7	15	2	.	.	.	.	.	.	.	1	.	.	.	4	.	.	1	.	1
	„ 11,	24·6	.	18	.	.	.	.	.	.	.	.	4	.	.	.	7	.	.	.	.	1
	„ 18,	10·9	.	8	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.	2
	„ 25,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	1
Waterford. Pop. (in 1901) 26,769.	Jan. 7,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	1
	„ 14,	27·3	.	14	.	.	.	.	.	.	.	.	2	.	2	.	3	.	.	.	1	.
	„ 21,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 28,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2
	Feb. 4,	19·5	.	10	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	.
	„ 11,	33·1	.	17	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	2	.	1
	„ 18,	23·4	.	12	.	.	.	.	.	.	.	.	1	2	1	.	4	.	.	1	.	2
	„ 25,	13·6	.	7	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	1	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 25th February, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	349,180	9	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		7	.	.	1	3	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.
Do. 2 do.		25			11	.	1	2	2	2	4	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.	.	4	.
Do. 3 do.		27			21	2	1	2	4	8	4	.	.	.	.	.	1	.	.	.	1	2	3	4	.	.	.	1	1	5	.
Do. 4 do.		22			8	2	1	2	1	1	1	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	1	.	.	.	.
Do. 5 do.		11			7	.	.	.	1	4	2	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	2	.
Do. 6 do.		16			15	1	1	1	6	2	4	.	.	.	.	.	.	.	.	2	2	1	1	1	.	.	.	1	1	3	.
Do. 7 do.		1			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 8 do.		3			2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Do. 9 do.		9			12	2	3	1	2	.	4	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	1	1	1	.
Do. 10 do.		19			11	4	.	2	3	1	1	.	.	.	.	.	.	.	.	4	.	.	.	1	.	.	.	1	2	1	.
Do. 11 do.		25			7	3	.	.	2	.	2	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	.	.	2	.
Do. 12 do.		25			18	4	4	5	.	2	3	.	.	.	.	1	.	.	.	1	4	1	2	2	.	.	1	.	1	6	.
Do. 13 do.		8			8	1	1	.	1	1	4	.	.	.	.	.	.	.	.	.	.	1	1	3	.	.	.	.	1	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		13			13	1	1	1	3	5	2	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	1	4	.
Total,	—	213			141	21	14	17	29	26	34	.	.	.	.	1	1	.	.	15	10	8	11	20	.	.	2	4	8	32	.
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	8	24·3	4·1	6	.	1	.	1	2	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.
Do. 2 do.	10,701	10	19·5	.	4	1	.	1	.	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	.	.
Do. 3 do.	9,978	2	31·4	.	6	2	1	1	1	.	1	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1	1	3	.
Do. 4 do.	8,666	3	24·1	.	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1
Do. 5 do.	6,592	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	10,702	2	29·2	.	6	1	1	.	1	.	3	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	.
Do. 7 do.	16,616	11	31·4	.	10	1	1	1	4	2	1	.	.	.	.	.	.	.	.	4	.	1	1	1	.	.	.	1	1	5	.
Total,	76,122	37	24·7	0·7	36	5	4	3	8	6	10	.	.	.	.	.	1	.	.	7	1	1	2	4	.	.	.	2	5	11	1

* See note (‡) at foot of first page

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910–11—WEEK ENDING																									
	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb 11.	Feb. 18.	Feb. 25.
No. of weeks in Annual Series,	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8
BIRTHS registered, ...	219	190	264	194	172	200	205	228	201	183	178	156	181	175	185	167	200	199	241	231	233	188	212	218	216	213
DEATHS registered, ...	121	103	116	122	105	94	122	120	115	108	122	132	134	109	151	133	132	91	122	151	118	118	128	146	149	141
Annual Death rate per 1,000 of estimated population, ...	16·1	13·7	15·5	16·3	14·0	12·5	16·3	16·0	15·3	14·4	16·3	17·6	17·9	14·5	20·1	17·7	17·6	12·1	16·0	19·8	15·4	15·4	16·8	19·1	19·5	18·5
AGES, Under 1 year, ...	30	28	23	29	25	31	27	27	28	24	28	27	24	17	34	20	22	18	21	30	23	26	24	24	31	21
1—5 years, ...	15	14	13	11	14	6	14	16	8	11	6	6	5	8	11	17	12	8	12	11	8	10	10	7	10	14
5—25 „ ...																			7	20	16	11	6	11	21	17
25—45 „ ...	76	61	80	82	66	57	81	77	79	73	88	99	105	84	106	96	98	65	30	37	17	13	25	27	30	29
45—65 „ ...																			32	25	21	27	34	34	32	26
65 and upwards, ...																			20	28	33	31	29	43	25	34
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	1	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	3	1	3	1	1	3	5	.	3	1	.	2	2	3	3	1	.	.	.	1	.	.	.	.	.
Scarlet Fever, ...	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1	2	1	1	1	1	1	.	.	1	.	1
Whooping-cough, ...	.	1	1	1	3	1	1	.	1	.	.	.	1	.	1	.	1	1	.	.	1	1	1	.	.	1
Diphtheria, ...	.	.	1	.	.	.	2	1	.	.	1	1	.	1	4	.	.	.	.	.	1	2	1	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	11	12	14	11	17	9	17	10	12	14	12	17	17	13	14	12	15	9	14	23	17	13	10	11	22	15
Tuberculous Disease. Other Forms,	9	6	13	6	7	3	8	6	8	2	7	8	4	7	5	7	3	3	7	7	4	4	4	4	11	10
Cancer, ...	5	8	10	8	5	5	7	5	7	9	5	8	9	6	5	8	6	5	7	2	7	11	6	5	5	8
Diseases of Respiratory System, Pneumonia	8	6	7	10	7	5	11	11	7	7	13	11	8	7	13	10	10	7	8	9	7	7	7	11	14	11
Diseases of Respiratory System, Others, ...	9	5	5	8	11	9	16	9	19	11	23	16	25	25	36	22	29	18	18	24	24	20	25	26	25	20
Diarrhœa, Under 2 years, ...	16	13	15	13	7	7	3	8	10	6	4	3	1	1	4	3	1	.	1	.	.	.	.	1	.	.
Diarrhœa, 2 years & upwards,																			1	1	.	.	.	1	.	.
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	.	.	2	2	3	2	2
Violent Deaths, ...	2	1	1	5	2	.	.	2	.	3	4	2	5	3	2	6	2	4	6	6	1	2	4	4	.	4
Number of Uncertified Deaths, ...	2	2	2	.	1	1	1	.	.	2	3	.	.	3	4	1	1	3	3	.	1	5	2	1	.	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,912,054	Feb. 25,	2,071	1,540	16·3	2	.	132	7	29	11	18*a*
Edinburgh, ...	365,253	„ 25,	120	108	15·4	.	.	5	.	3	2	.
Glasgow, ...	897,178	„ 25,	458	295	17·2	2	.	1	4	22	3	4
Calcutta, ...	1,009,008	Jan. 21,	.	471	24·2	84*	1	.	.	4	.	82‡
Bombay, ...	977,822	„ 21,	428	648	34·5	77*	1	22	.	.	.	82‡
Madras, ...	509,346	Dec. 31,	376	355	36·2	—	.	2	?	?	?	28‡
Cairo, ...	689,439	Jan. 7,	640	410	31·0	1	.	3	.	.	12†	36*a*
Paris, ...	2,760,000	„ 28,	921	1,183	22·4	7	.	4	1	7	11†	16*a*
Brussels, ...	720,030	„ 28,	239	203	14·7	1	.	1	1	.	.	5*a*
Antwerp, ...	320,640	Feb. 4,	111	78	12·7	.	.	3	.	.	1†	5*a*
Amsterdam, ...	573,984	„ 4,	286	185	16·8	.	.	4	.	3	3†	3*a*
Copenhagen, ...	450,000	„ 4,	249	147	17·0	1	.	.	1	2	.	5*a*
Stockholm, ...	341,816	Jan. 28,	126	88	13·4	.	.	.	3	1	1†	.
Christiania, ...	240,178	Feb. 11,	121	66	14·3	.	.	2	.	2	1	1
St. Petersburg, ...	1,620,000	Jan. 21,	.	.	.	.	.	.	.	.	.	.
Moscow, ...	1,493,600	„ 14,	.	848	29·6	3	2	13	28	1	40†	57
Berlin, ...	2,070,403	„ 28,	845	642	16·2	.	.	1	5	6	14†	22
Hamburg, ...	932,000	Feb. 4,	.	237	13·2	.	.	.	.	.	9†	7
Breslau, ...	512,510	„ 4,	.	190	19·3	1	.	.	1	1	1	12
Munich, ...	597,000	„ 11,	.	199	17·4	.	.	3	.	1	.	10
Vienna (with suburbs),	2,030,834	„ 4,	854	694	17·8	.	.	8	3	2	3†	17*a*
Buda-Pesth, ...	838,950	„ 4,	397	394	24·4	.	.	.	8	.	4†	11*a*
Prague and Faubourgs,	508,310	Jan. 21,	184	204	20·9	.	.	.	1	.	3†	13*a*
Trieste, ...	224,080	„ 28,	142	120	27·9	1	.	2	.	1	2†	2*a*
Rome, ...	589,425	Nov. 26,	283	214	18·9	7	.	.	.	.	.	13
Venice, ...	183,224	Jan. 21,	82	100	28·5	1	.	.	.	1	.	5
New York, ...	4,983,385	„ 21,	.	.	.	.	.	.	.	.	.	.
Philadelphia, ...	1,598,400	„ 7,	.	520	17·2	.	.	13	4	2	8†	14*a*
Boston, ...	686,912	Feb. 11,	.	260	19·7	1	.	.	2	3	2	4

* Deaths from "fever," including 4 deaths from enteric fever and 10 deaths from plague in Calcutta, and 4 from enteric fever and 21 from plague in Bombay.

† Including deaths from croup.

‡ Including 33 deaths from cholera in Calcutta and 11 in Bombay.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 25th February, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	1	.	.	.	.	1	.	4	.	.	3	9
„ „ 1, West, ...	.	3	.	.	2	.	.	1	.	.	.	.	6
„ „ 2, ...	.	.	.	.	.	.	.	.	3	.	.	2	5
„ „ 3, ...	.	3	.	.	2	.	.	1	.	.	.	3	9
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	1	.	.	.	1	3
Finglas and Glasnevin (part of), ...	.	3	.	.	1	.	.	.	.	.	.	.	4
South City No. 1, ...	.	3	.	.	1	.	.	4	4	.	.	1	13
„ „ 2, ...	.	2	.	.	2	.	.	.	.	.	.	.	4
„ „ 3, ...	.	.	.	.	3	.	.	1	.	.	.	.	4
„ „ 4, ...	.	.	.	.	7	.	.	.	.	.	.	1	8
New Kilmainham, ...	.	2	.	.	.	.	.	.	.	.	.	.	2
Total, ...	.	18	.	.	18	.	1	8	11	.	.	11	67

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 25th February, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 25th February.			
	Feb. 4.	Feb. 11.	Feb. 18.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	1	1	1	.	1	.	.
Measles, ...	29	32	36	25	12	3	46
Scarlet Fever, ...	98	116	108	19	15	.	112*
Typhus, ...	1	1	.	.	.	.	.
Diphtheria, ...	76	62	87	15	6	1	95
Enteric Fever, ...	70	71	90	14	3	.	101
Pneumonia, ...	27	38	43	6	12	1	36

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 25th February, 1911:—

"The atmosphere over the Atlantic Ocean north of the fortieth parallel, in the Icelandic region, and over the Northwest and North of Europe was in a very disturbed and unstable state throughout this week. On several occasions depressions, in the centres of which the barometer was much below 29 inches, passed eastwards from Iceland to Northern Europe. On Wednesday morning 28·39 inches was reported from Seydisfjord on the east coast of Iceland, and on Friday morning the barometer fell to 28·32 inches at Hernösand in Sweden. The previous evening (Thursday) Thorshavn, in the Faeroe, had reported 28·31 inches and Sumburgh Head, in the Shetlands, 28·30 inches. Some idea of the steepness of the baric gradient over Northwestern Europe may be gathered from the fact that both on Wednesday and on Friday the barometer stood above 30·4 inches at Lisbon. The first two days of the week were cool and chiefly fine. At 11 a.m. of Sunday, however, a sharp shower fell in Dublin. The stormy period, which set in after midnight of Monday, was heralded by the appearance of a solar halo on the forenoon of that day. In Tuesday's strong and squally S.W. wind, temperature rose to 59·1° in Dublin and to 58° at Birr Castle; and on Thursday a maximum of 58° was recorded at Colwyn Bay, North Wales. On the other hand, severe frost held in Iceland during most part of the week, and at 7 a.m. of Tuesday the thermometer stood at—24° F. at Haparanda on the Gulf of Bothnia. Rain fell frequently all over the British Isles, although the measurements were not excessive, except perhaps in the N.W. and N. of Scotland. A thunderstorm occurred at Sumburgh Head on Wednesday and thunder was heard at Wick. A solar halo was seen in Dublin for the second time on Friday. In this city the mean height of the barometer was 29·573 inches, the range of pressure being from 30·017 inches at 9 p.m. of Monday (wind, S.W.) to 28·933 inches about 3 p.m. of Thursday (wind, W.S.W.). The mean temperature was 45·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 45·1°. On Monday the screened thermometers sank to 35·1°, on Tuesday they rose to 59·1°. The dominant winds were S.W. and W. Rain fell daily, but to the amount of only ·329 inch, of which ·128 inch was measured on Wednesday. A hail-shower fell at 11 p.m. of Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·404 inches. The highest reading (29·880) was on Monday at 9 a.m., wind W., and the lowest (28·873) on Thursday at 9 a.m., wind S.W.

The mean temperature for the week was 43·4°, being 3·5° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Tuesday, on which day the thermometer registered 57·2°, and was lowest on Sunday, the mercury having fallen to 30·5°. The mean of the Dry Bulb for the week was 43·6° and of the Wet Bulb, 42·3°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The rainfall during the week measured 0·523 inch.

At Greenwich the mean temperature for the week was 45·1°, the maximum 55·0°, and the minimum 33·1°; at Glasgow the maximum was 57·0°, the minimum 33·9°, and the mean 42·7°; and at Edinburgh the maximum was 56·9°. The rainfall at Greenwich measured 0·60 in.; at Glasgow 1·86 ins., and at Edinburgh 1·09 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, February 19,	29·475	47·8	30·5	39·2	35·1	34·4	·94	·6	9·0	·011	W.S.W.	Calm.
Monday, „ 20,	29·862	48·1	31·5	39·8	38·2	36·8	·90	·6	5·7	·025	W.	Calm.
Tuesday, „ 21,	29·274	57·2	34·9	46·1	52·2	51·7	·97	·7	0·0	·105	S.S.W.	S.W.
Wednesday, „ 22,	29·436	53·8	37·6	45·7	42·9	41·4	·89	·7	8·2	·190	W.S.W.	W.S.W.
Thursday, „ 23,	28·934	50·7	32·4	41·6	47·9	45·0	·81	·7	2·1	·016	S.W.	W.S.W.
Friday, „ 24,	29·464	50·0	39·4	44·7	41·6	40·3	·91	·6	6·4	·170	W.S.W.	S.S.W.
Saturday, „ 25,	29·386	53·8	39·6	46·7	47·4	46·3	·93	·4	5·5	·006	S.W.	S.W.
Mean, ...	29·404	51·6	35·1	43·4	43·6	42·3	·91	·6	Total 36·9	Total ·523	Prevailing Wind, W.S.W.	

Sunday—Day cloudy, fine; light rain a.m.; night clear. *Monday*—Day cloudy, fine; night overcast; drizzle a.m. *Tuesday*—Day overcast, light rain p.m.; night cloudy; passing showers a.m. *Wednesday*—Day cloudy, passing showers p.m.; night cloudy; drizzle a.m. *Thursday*—Day cloudy, squally, light rain a.m. and p.m.; night clear; light rain a.m. *Friday*—Day cloudy, drizzle p.m.; night overcast; drizzle a.m. *Saturday*—Day cloudy, light rain a.m.; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, February 25th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, February 19,	41·0	44·8	43·3	47·8	37·7	42·8	6·6	·003
Monday, „ 20,	40·3	42·6	43·7	48·6	35·0	41·8	3·7	·010
Tuesday, „ 21,	53·6	42·5	43·8	59·3	42·1	50·7	0·1	·066
Wednesday, „ 22,	42·6	44·3	44·0	50·6	38·7	44·7	7·5	·110
Thursday, „ 23,	50·0	44·0	44·0	52·2	44·9	48·6	2·5	·020
Friday, „ 24,	44·0	43·6	44·1	50·6	40·1	45·4	5·0	·086
Saturday, „ 25,	51·7	44·0	44·2	54·4	40·8	47·6	4·4	·001
Weekly Mean, .	46·2	43·7	43·9	51·9	39·9	45·9	Total 29·8	Total ·296

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30166. Wt. P. 489–53/138. 375. 2. 1911 G. III.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & CO., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 4TH MARCH, 1911. [No. 9.

General Register Office, Charlemont House, Dublin, 6th March, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,163,596.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Feb. 11	Feb. 18	Feb. 25	Mar. 4	Average Rate for 4 weeks.
22 Town Districts, ...	**24·1**	**22·7**	**20·9**	**20·4**	**22·0**
Armagh	34·4	6·9	13·7	6·9	15·5
Ballymena	38·3	14·4	19·2	19·2	22·8
Belfast	19·1	19·5	18·5	17·4	18·6
Clonmel	15·4	61·5	5·1	20·5	25·6
Cork	27·4	25·3	24·7	17·8	23·8
Drogheda	16·3	4·1	28·6	24·5	18·4
Dublin Reg. Area ...	27·4	25·5	23·8	21·6	24·6
Dundalk	19·9	8·0	23·9	12·0	16·0
Galway	15·5	15·5	19·4	15·5	16·5
Kilkenny	29·5	4·9	29·5	14·7	19·7
Limerick	24·6	10·9	9·6	30·1	18·8
Lisburn	22·7	40·9	22·7	13·6	25·0
Londonderry	20·2	29·7	22·6	28·5	25·2
Lurgan	17·7	48·7	26·6	39·8	33·2
Newry	25·2	37·8	29·4	8·4	25·2
Newtownards	17·2	45·8	11·4	34·3	27·2
Portadown	20·7	10·3	31·0	5·2	16·8
Queenstown	33·0	19·8	.	26·4	19·8
Sligo	76·8	28·8	33·6	48·0	46·8
Tralee	15·9	10·6	10·6	5·3	10·6
Waterford	33·1	23·4	13·6	33·1	25·8
Wexford	23·3	14·0	18·7	14·0	17·5

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·7 per 1,000, the rates varying from 0·0 in fifteen of the districts to 9·6 in Sligo, the 10 deaths from all causes for that district including 2 from whooping-cough. Among the 133 deaths from all causes for Belfast are one from whooping-cough and one from diarrhœa. Of the 26 deaths from all causes for Cork one is from whooping-cough. Included in the 24 deaths from all causes for Londonderry are 6 from whooping-cough. One of the 6 deaths from all causes for Drogheda is from measles, and among the 4 deaths for Queenstown one is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 217—103 boys and 114 girls—and the deaths to 180—97 males and 83 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 21·6 per 1,000 of the population.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœa.

During the nine weeks ending with Saturday last the death-rate averaged 24·0, and was 2·0 below the mean rate for the corresponding portions of the 10 years 1901–10.

The total deaths registered, numbering 180, represent an annual rate of 23·1 per 1,000, the annual rate for the past nine weeks was 25·3 per 1,000, and the average annual rate for the corresponding period of the past ten years was 27·2 per 1,000 of the mean population for all deaths registered.

The total deaths from all causes registered included 4 deaths from enteric fever, 7 deaths from measles, 2 deaths from scarlet fever, 11 deaths from whooping-cough, 2 deaths from diarrhœa and enteritis of children under 2 years of age, and 2 deaths from influenza. In each of the three preceding weeks, deaths from enteric fever were 2, 2, and 2; deaths from measles were 2, 2, and 3; deaths from scarlet fever were 4, 6, and 2; deaths from whooping-cough were 3, 6, and 7; deaths from diarrhœa and enteritis of children under 2 years of age were 5, 4, and 4, and deaths from influenza were 4, 5, and 7.

There were 27 deaths from all forms of tuberculous disease; the total includes 20 deaths from pulmonary tuberculosis, 3 deaths from tuberculous meningitis, 2 deaths from tuberculosis of other organs, and 2 deaths from disseminated tuberculosis. During the three preceding weeks deaths from all forms of tuberculous disease numbered 33, 30, and 25, respectively.

There were 8 deaths from broncho-pneumonia, 2 from lobar pneumonia, and 3 from *pneumonia* (type not distinguished).

Five deaths were caused by cancer.

Of 6 deaths attributed to *convulsions*, 2 were of infants under one month, 2 between one month and one year, one between one year and 2 years, and one was 2 years of age. There were 3 deaths from meningitis.

Diseases of the circulatory system caused 14 deaths, and bronchitis 28 deaths.

There were 6 deaths assigned to congenital debility, and one to prematurity.

The death of one infant was caused by suffocation in bed, and one death was caused by being accidentally buried beneath fallen debris.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under 5 years of age (including 2 infants under one year old) and the deaths of 2 persons aged 65 years and upwards.

Seventy of the persons whose deaths were registered during the week were under 5 years of age (40 being infants under one year, of whom 11 were under one month old) and 27 were aged 65 years and upwards, including 15 persons aged 70 and upwards; among the latter were 8 aged 75 years and upwards.

Seventy-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse and 19 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·6 per 1,000; the rate in the City was 23·8 (North City Districts, 22·4; South 25·2) and in the Suburbs, 14·5.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 3·3 per 1,000 inhabitants, the rate for the City being 4·2 (4·5 in the North City Districts, and 3·7 in the South), and for the Suburbs, 0·6.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (17) are equal to an annual rate of 29·3 per 1,000, and include one death each from enteric fever, measles, whooping-cough, diarrhœa, influenza, pulmonary tuberculosis, and broncho-pneumonia.

No. 1 *North City District, West* (Summer-hill).—The deaths (15) are equal to an annual rate of 19·4 per 1,000. Among them are one death from enteric fever, one from measles, 3 deaths from whooping-cough, one from pulmonary tuberculosis, and one from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (21) are equivalent to an annual rate of 35·2 per 1,000. One death from measles, one from whooping-cough, one death from diarrhœa of a child under 2 years of age, 5 deaths from tuberculous disease, 2 deaths from broncho-pneumonia, 3 deaths from bronchitis, and one death of an infant by suffocation in bed were recorded.

No. 3 *North City District* (Benburb-street).—The deaths (8) represent an annual rate of 12·3 per 1,000. Enteric fever and scarlet fever each caused one death, pulmonary tuberculosis caused 2 deaths, and bronchitis one death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 22·2; and Finglas and Glasnevin, part of, 13·4. Of the 5 deaths from all causes for Coolock and Drumcondra, part of, there was one death each from broncho-pneumonia and bronchitis; and the 2 deaths recorded for Finglas and Glasnevin, part of, include one from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (16) represent an annual rate of 19·9 per 1,000, and include one death from enteric fever, one death from whooping-cough, 3 deaths from pulmonary tuberculosis, one from *pneumonia* (type not distinguished), 2 from bronchitis, and one accidental death.

No. 2 *South City District* (Castle-street).—The deaths (13) are equal to an annual rate of 30·8 per 1,000. One death from measles, one from pulmonary tuberculosis, and 7 deaths from bronchitis were recorded.

No. 3 *South City District* (Peter-street).—The deaths (27) are equal to an annual rate of 32·2 per 1,000. There were 2 deaths from measles, one from scarlet fever, 2 from whooping-cough, 5 from tuberculous disease, one from *pneumonia* (type not distinguished), and 9 deaths from other diseases of the respiratory system.

No. 4 *South City District* (Grand Canal Street).—The deaths (17) are equivalent to an annual rate of 24·5 per 1,000. Among them are one death from measles, 2 deaths from whooping-cough, 3 deaths from tuberculous disease, 3 from broncho-pneumonia, and one death from lobar pneumonia.

New Kilmainham District.—The only death recorded, equivalent to an annual rate of 5·7 per 1,000, is one from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·1; Pembroke, 14·2; Blackrock, 5·8; and Kingstown, 11·8. The only death from any of the principal epidemic diseases* tabulated for these districts is one from whooping-cough for Pembroke. The 13 deaths from all causes for Rathmines and Rathgar include one death each from influenza, pulmonary tuberculosis, and bronchitis; among the 8 deaths from all causes for Pembroke are one from pulmonary tuberculosis, one from *pneumonia* (type not distinguished), and 2 from bronchitis; and of the 4 deaths from all causes for Kingstown one is from broncho-pneumonia.

* See note (‡) on first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 4th March, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Feb. 11,	.	—	—	42	.	.	17	.	2	22	16	.	—	—	.	—	18	—	117
	Feb. 18,	.	—	—	32	.	.	24	.	4	16	6	.	—	—	.	—	10	—	92
	Feb. 25,	.	—	—	18	.	.	18	.	1	8	11	.	—	—	.	—	11	—	67
	Mar. 4,	.	—	—	9	.	.	11	.	2	8	9	1	—	—	.	—	17	—	57
Rathmines and Rathgar Urban District.	Feb. 11,	.	—	—	1	.	.	1	.	.	1	1	.	—	—	—	—	—	—	4
	Feb. 18,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Feb. 25,	.	—	—	2	.	.	2	.	.	2	.	.	—	—	—	—	—	—	6
	Mar. 4,	.	—	—	1	.	.	4	.	.	4	1	.	—	—	—	—	—	—	10
Pembroke Urban District.	Feb. 11,	.	1	.	.	.	.	1	.	.	.	.	.	—	8	.	—	.	—	10
	Feb. 18,	.	1	1	.	.	.	.	.	.	.	.	.	—	4	.	—	.	—	6
	Feb. 25,	.	6	1	4	.	.	.	.	.	1	.	.	—	3	.	—	.	—	15
	Mar. 4,	.	2	.	.	.	.	1	.	1	.	.	.	—	5	.	—	.	—	9
Blackrock Urban District.	Feb. 11,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Feb. 18,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Feb. 25,	.	—	—	2	.	.	2	.	.	.	.	.	—	—	.	—	—	—	4
	Mar. 4,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	Feb. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Feb. 18,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	.	—	2
	Feb. 25,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	1	—	4
	Mar. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Feb. 11,	.	—	—	21	.	.	6	.	.	2	3	.	—	—	.	—	19	—	51
	Feb. 18,	.	—	—	6	.	.	6	.	.	1	3	1	—	—	.	—	21	—	38
	Feb. 25,	.	—	—	16	.	.	7	.	.	.	5	.	—	—	.	—	13	—	41
	Mar. 4,	.	—	—	12	.	.	10	.	.	.	6	.	—	—	.	—	16	—	44

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 4th March, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Seventeen cases of measles were admitted to hospital during the week, 10 were discharged, there was one death, and 52 cases remained under treatment at the close of the week.

Eighteen cases of scarlet fever were admitted to hospital, 10 were discharged, there were 2 deaths, and 118* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 116, 108, and 112, respectively.

Thirteen cases of diphtheria were admitted to hospital during the week, 23 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 62, 87, and 95, respectively, were 84 at the close of last week.

Eight cases of enteric fever were admitted to hospital during the week, 13 were discharged, there were 4 deaths, and 92 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 71, 90, and 101.

In addition to the above-named diseases, 13 cases of pneumonia were admitted to hospital, 10 were discharged, and 39 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 14·8) was equal to an average annual death-rate of 15·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·9 per 1,000, the rate for Glasgow being 18·3 and for Edinburgh 16·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 4th March. From this Report it appears that of a total of 66 cases notified, 21 were scarlet fever, 18 phthisis, 16 diphtheria, 10 erysipelas, and one enteric fever. Among the 436 cases of infectious diseases in hospital at the close of the week were 200 cases of scarlet fever, 85 of diphtheria, 61 of phthisis, 44 of measles, 15 of whooping-cough, 14 of erysipelas, 8 of chicken pox, and 6 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 4th March, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 4th March, 1911. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa. Of children under 2 years of age.	Diarrhœa. 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 4th March, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 25th February, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 18th February, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
TOTAL OF 22 TOWN DISTRICTS, ...	1,163,596	20·4	29·4	20·4	1·7	656	455	92	102	4	...	...	8	2	22	...	...	47	20	14	41	67	2	1	2	6	13	141	23	...	...	...	...	...	...	...	...	...	...	...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c) ...	407,057	29·6	27·8	21·6	3·3	217	169	40	24	4	...	...	7	2	11	...	...	18	5	5	12	29	1	1	1	2	2	61	7	57·5	35·9	46·5	0·68	e57·2	30·5	43·4	0·52	e58·8	24·3	46·4	0·58
CITY OF DUBLIN,	313,526	39·6	30·9	23·8	1·2	186	143	37	15	4	...	...	7	2	10	...	...	16	5	5	10	26	1	1	1	2	2	59	5	f58·0	38·0	47·9	0·56	f59·1	35·1	45·9	0·33	f57·4	31·9	47·1	0·39
Urban Districts. RATHMINES AND RATHGAR.	37,528	21·9	15·3	18·1	...	11	13	1	5	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	1	1	g57·8	36·0	47·1	0·90	g57·8	32·8	45·8	0·51	g51·8	22·4	45·4	0·49
PEMBROKE, ...	29,368	18·5	14·2	14·2	1·8	8	8	...	3	...	...	...	...	...	1	...	...	1	...	...	1	2	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,013	8·3	28·9	5·8	...	5	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,622	12·1	20·7	11·8	...	7	4	1	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	58	39	48·2	0·55	61	36	46·2	0·29	59	31	47·9	0·17
Urban Districts. BELFAST, ...	398,421	27·1	30·4	17·4	0·3	232	133	25	30	...	...	...	...	...	1	...	...	13	10	3	15	20	1	...	1	3	5	33	3	55·0	34·5	45·3	1·23	55·0	33·0	43·3	1·83	54·0	27·5	42·4	0·69
CORK, ...	76,122	33·6	21·2	17·8	0·7	31	26	1	6	...	...	...	...	...	1	...	...	7	1	...	1	3	...	...	...	...	1	14	1	57	40	47·8	0·92	55	37	45·6	0·90	53	33	45·4	0·82
LONDONDERRY..	43,900	20·3	35·6	28·5	7·1	30	24	8	6	...	...	...	...	...	6	...	...	2	...	...	3	1	...	...	...	...	1	2	2	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,151	18·1	51·9	30·1	...	38	22	5	6	...	...	...	...	...	...	...	...	3	...	...	2	5	...	...	...	...	2	5	4	55·6	36	46·8	0·92	57·2	29·6	45·9	1·19	56·1	28·2	46·2	0·71
WATERFORD, ...	26,769	18·7	21·4	33·1	...	11	17	2	8	...	...	...	...	...	...	...	...	...	...	1	2	2	...	...	...	...	...	9	2	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,426	2·5	23·3	15·5	...	6	4	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	...	55	36	47	1·55	55	32	44	1·47	52	29	41	0·61
DUNDALK, ...	13,076	9·4	27·9	12·0	...	7	3	1	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,760	8·6	24·5	24·5	4·1	6	6	1	3	...	...	...	1	...	...	...	...	...	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	12,405	17·8	16·8	8·4	...	4	2	...	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	1	...	57·5	34·8	45·0	1·17	56·3	33·5	43·6	1·32	52·8	31·8	44·6	0·96
LURGAN, ...	11,782	13·8	31·0	39·8	...	7	9	1	4	...	...	...	...	...	...	...	...	1	...	...	1	2	...	...	...	...	...	2	...	57·5	34·8	45·0	1·17	56·3	33·5	43·6	1·32	52·8	31·8	44·6	0·96
LISBURN, ...	11,461	10·1	49·9	13·6	...	9	3	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	57·5	34·8	45·0	1·17	56·3	33·5	43·6	1·32	52·8	31·8	44·6	0·96
WEXFORD, ...	11,168	23·2	28·0	14·0	...	6	3	...	2	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA, ...	10,886	8·9	23·9	19·2	...	5	4	3	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	2	1	56·0	33·8	46·0	1·90	55·9	34·4	44·5	1·86	54·7	27·5	45·2	0·99
SLIGO, ...	10,870	3·7	38·4	48·0	9·6	8	10	1	1	...	...	...	...	...	2	...	...	1	...	...	1	1	...	...	...	...	...	...	1	56	35	47	0·94	56	28	44·3	1·05	58	25	45·1	0·99
KILKENNY, ...	10,609	11·5	29·5	14·7	...	6	3	1	1	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...
CLONMEL, ...	10,167	7·8	41·0	20·5	...	8	4	2	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	1	...	57·5	31·8	45·0	1·17	56·3	33·5	43·6	1·32	52·8	31·8	44·6	0·96
PORTADOWN, ...	10,092	13·2	15·5	5·2	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...
TRALEE, ...	9,867	16·6	31·7	5·3	...	6	1	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	22·9	31·3	...	4	6	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	58	36	45·6	0·75	57	35	44·0	0·86	55	33	45·0	0·65
QUEENSTOWN, ...	7,909	14·4	46·1	26·4	6·6	7	4	...	1	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	1	57	40	47·8	0·92	55	37	45·6	0·90	53	33	45·1	0·82
ARMAGH, ...	7,588	22·2	34·4	6·9	...	5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	57·5	34·8	45·0	1·17	56·3	33·5	43·6	1·32	52·8	31·8	44·6	0·96

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1911. (b) See note (‡) at foot of first page. (c) Exclusive of 11 deaths of persons (including 3 at 65 years or upwards) admitted to hospital from localities outside the Area. (d) If having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 4th of March, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	4	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	1	1	.	.	.	.	.	1	2	1	.	.	.	.	.	7	.
Scarlet Fever,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Whooping-cough,	1	3	1	.	.	.	.	1	.	2	2	.	.	1	.	.	11	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	1	1	2	2	.	.	.	3	1	4	2	.	1	1	.	.	18	2
Tuberculous Disease. { Other Forms,	.	.	3	.	.	.	.	.	.	1	1	.	.	.	.	.	5	2
Cancer,	1	.	1	.	1	.	.	1	.	.	1	.	.	.	.	.	5	.
Diseases of Nervous System,	3	2	1	.	.	.	.	1	1	3	5	.	2	.	1	.	19	2
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	2	.	2	.	.	.	.	1	.	1	1	.	6	1	.	.	14	.
" Respiratory System. { Pneumonia,	1	.	2	.	.	1	.	1	.	1	4	.	.	1	.	1	12	1
" Respiratory System. { Others,	.	1	3	1	.	1	1	2	7	9	.	1	1	2	.	.	29	.
" Digestive System. { Diarrhœa, under 2 years,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. { Diarrhœa, 2 years and upwards,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. { Enteritis, under 2 years,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. { Enteritis, 2 years and upwards,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. { Others,	1	2	1	.	.	1	.	.	.	1	.	.	.	.	.	.	6	1
" Genito-urinary System,	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	3	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	3	2	2	2	.	.	1	3	1	.	.	.	2	2	.	3	21	2
Violent Deaths,	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Ill-defined, &c. Causes,	.	1	.	.	.	2	.	1	1	.	.	.	.	.	.	.	5	.
Deaths from All Causes	17	15	21	8	1	5	2	16	13	27	17	1	13	8	1	4	169	11
Annual Rate of Mortality from All Causes in every 1,000 of the population.	29·3	19·4	35·2	12·3	9·6	22·2	13·4	19·9	30·8	32·2	24·5	5·7	18·1	14·2	5·8	11·8	21·6	.
	22·4							25·2					14·5					
	23·8																	
Ages at Death. Under 1 year,	3	4	7	2	.	2	1	5	5	5	3	.	1	.	1	1	40	.
1 and under 2 years,	.	.	2	.	.	1	.	2	.	4	4	1	.	2	.	.	16	.
2 " 5 "	2	2	1	1	.	.	.	.	1	3	4	.	.	.	.	.	14	.
5 " 15 "	.	1	.	1	.	.	.	.	1	5	.	.	.	.	.	.	8	1
15 " 25 "	.	1	.	.	.	.	.	2	.	2	.	.	.	.	.	.	5	1
25 " 45 "	6	3	4	3	.	.	.	3	1	3	3	.	1	.	.	.	27	5
45 " 65 "	4	2	5	1	.	1	.	2	4	2	3	.	6	3	.	2	35	1
65 and upwards,	2	2	2	.	1	1	1	2	1	3	.	.	5	3	.	1	24	3
Number of Uncertified Deaths,	.	1	.	.	.	.	1	.	.	1	2	.	1	1	.	.	7	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	7	4	6	.	1	.	5	1	7	1	.	1	2	1	1	40	7
Workhouse Hospitals,	2	2	1	1	.	.	.	3	6	4	4	1	.	.	.	.	24	4

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 9th Week of the 10 years 1901–1910.	In the Week ending Saturday, 4th March, 1911.										
													Deaths of Persons of the Ages of									
	Mar. 2, 1901.	Mar. 1, 1902.	Mar. 7, 1903.	Mar. 5, 1904.	Mar. 4, 1905.	Mar. 3, 1906.	Mar. 2, 1907.	Feb. 29, 1908.	Mar. 6, 1909.	Mar. 5, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 42·9	° 46·0	° 41·0	° 36·1	° 39·2	° 40·6	° 41·8	° 40·4	° 32·8	° 44·0	° 40·5	° 46·5										
ALL CAUSES.	320	218	211	201	232	183	228	166	216	208	218·3	180	11	29	16	14	9	6	32	36	19	8
Enteric Fever, ...	3	3	1	3	.	1	.	.	.	2	1·3	4	.	.	.	.	1	1	2	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	1	1	.	3	.	1	1	5	.	1·3	7	.	1	1	5	.	.	.	.	.	.
Scarlet Fever, ...	.	1	2	.	.	.	.	.	1	1	·5	2	.	.	.	2	.	.	.	.	.	.
Whooping-cough, ...	5	5	3	10	.	4	7	3	3	3	4·3	11	.	6	2	2	1	.	.	.	.	.
Diphtheria, ...	1	.	1	.	2	.	.	2	4	.	1·0	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	.	.	2	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	16	5	8	5	8	1	5	9	5	5	6·7	2	.	.	.	.	.	.	.	.	.	2
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	1	.	1	1	1	.	.	.	·5	1	.	.	.	.	.	.	.	.	1	.
Other Epidemic Diseases, ...	.	.	1	1	.	.	1	1	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	.	.	.	.	.	.	3	.	·4	1	.	.	.	.	.	.	1	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	20	33	35	27	36	32	30	24	35	28	30·0	20	.	.	.	.	2	3	11	3	1	.
Tuberculous Meningitis, ...	3	3	5	3	4	2	7	6	8	4	4·5	3	.	2	.	.	1	.	.	.	.	.
Abdominal Tuberculosis, ...	6	1	2	.	1	1	1	4	2	.	1·8	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	5	5	7	5	12	15	10	5	6	6	7·6	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												2	.	1	1	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												2	.	1	.	.	.	1	.	.	.	.
Venereal Diseases, ...	1	1	2	.	3	2	1	.	.	.	1·0	3	1	2	.	.	.	.	.	.	.	.
Cancer, ...	12	6	2	5	5	6	8	6	8	9	6·7	5	.	.	.	.	.	.	1	3	1	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	1	.	.	.	1	.	.	.	·2	1	.	.	.	.	.	.	.	1	.	.
Anæmia Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	1	.	.	.	.	.	.	.	.
Alcoholism, ...	.	.	1	.	.	.	1	2	1	1	·6	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	1	.	.	.
Cerebro-spinal Fever, ...	.	.	.	1	.	.	2	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												3	.	.	1	.	.	.	2	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												5	.	.	.	.	1	.	2	1	1	.
Softening of Brain, ...												1	.	.	.	.	.	.	.	1	.	.
Paralysis, without specified cause.												3	.	.	.	.	.	.	.	2	.	1
Epilepsy, ...												1	.	.	.	.	1	.	.	.	.	.
Convulsions (non-puerperal),												6	2	2	1	1	.	.	.	.	.	.
Other Diseases of Nervous System.	71	33	52	44	66	40	42	33	39	49	46·9	2	.	.	.	.	.	.	.	1	1	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												1	.	.	.	.	.	.	.	1	.	.
Organic Diseases of the Heart,												10	.	.	.	.	.	.	.	8	1	1
Embolism and Thrombosis (including Cerebral)												1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Circulatory System.												2	.	.	.	.	.	.	1	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	1	.	.	.	.	.
Bronchitis, ...	74	54	33	30	30	24	40	16	34	36	37·1	28	2	5	5	1	1	.	2	5	5	2
Broncho-pneumonia, ...	18	18	2	6	15	5	3	8	12	11	15·7	8	.	.	4	2	.	.	1	1	.	.
Lobar-pneumonia, ...			.	.	.	.	3	.	1	2		2	.	.	.	.	.	.	1	1	.	.
Pneumonia (type not distinguished).			3	5	5	11	14	5	6	4		3	.	1	.	.	.	.	.	1	1	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	5	1	2	1	3	4	3	1	5	3	2·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												.	.	.	.	.	.	.	.	.	.	.

NINTH WEEK ending Saturday, 4th March, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 9th Week of the 10 years 1901–1910.	In the Week ending Saturday, 4th March, 1911.										
												Deaths of Persons of the Ages of										
	Mar. 2, 1901.	Mar. 1, 1902.	Mar. 7, 1903.	Mar. 5, 1904.	Mar. 4, 1905.	Mar. 3, 1906.	Mar. 2, 1907.	Feb. 29, 1908.	Mar. 6, 1909.	Mar. 5, 1910.		Mean Temp.	0—5. Under 1 month.	0—5. 1 month and under a year.	0—5. 1—2.	0—5. 2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 42·9	° 46·0	° 41·0	° 36·1	° 39·2	° 40·6	° 41·8	° 40·4	° 32·8	° 44·0	° 40·5	° 46·5										
Diseases of the Pharynx, Tonsillitis.	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	4	.	1	.	.	.	.	2	1	.	.
Diarrhœa of Children under 2 years.	2	4	2	1	3	1	1	1	2	3	2·0	1	1	.	.	.	.	.	.	.	.	.
„ 2 years and upwards,												1	.	.	.	.	.	.	.	.	1	.
Enteritis of Children under 2 years.	.	.	3	4	1	.	2	5	1	3	1·9	1	.	1	.	.	.	.	.	.	.	.
„ 2 years and upwards,												1	.	.	.	1	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	2	.	.	.
Cirrhosis of Liver, ...	3	2	3	3	.	1	1	.	2	3	2·7	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Liver, ...			2	.	1	1	2	.	1	2		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	2	.	1	.	2	.	.	3	·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	7	5	4	3	3	4	5	3	6	3	4·6	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	4	5	2	7	3	5	6	8	4	6	5·0	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...												2	.	.	.	.	.	.	1	1	.	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												2	.	.	.	.	.	.	.	.	1	1
Puerperal Septicæmia, &c., ...	.	.	.	.	1	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	1	.	1	2	.	1	1	.	.	·7	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	1	.	.	.	.	.	.	.	.
Premature Birth, ...	6	4	2	4	5	.	5	6	1	3	3·6	1	1	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	6	4	1	1	.	.	.	.	.	.	.
Old Age, ...	27	8	3	11	2	5	3	3	4	5	7·1	5	.	.	.	.	.	.	.	.	4	1
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	1	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	.	2	1	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	4	3	1	2	3	3	2	.	.	1	1·9	.	.	.	.	.	.	.	.	.	.	.
By Drowning, ...	.	.	1	2	1	3	.	.	.	.	·7	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	.	1	.	.	·1	1	.	1	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	2	2	1	.	1	1	.	3	3	1·4	1	.	.	.	.	.	1	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	5	.	1	.	.	.	.	.	3	1	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910–11—WEEK ENDING																									
	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.
No. of weeks in Annual Series,	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9
BIRTHS registered.	260	235	292	196	219	161	244	182	211	207	204	182	199	174	232	158	170	203	230	238	232	219	241	192	214	217
Average Births in corresponding week of previous 10 years, ...	232	203	200	252	192	184	209	206	209	202	195	181	207	193	195	177	174	231	208	209	201	241	217	212	209	216
DEATHS registered, ...	141	153	174	164	160	151	174	139	147	141	166	168	176	188	165	178	155	176	179	190	228	200	220	208	195	180
Annual Death-rate per 1,000, ...	18·2	19·8	22·5	21·2	20·7	19·5	22·5	18·0	19·0	18·2	21·5	21·7	22·8	24·3	21·4	23·0	20·1	22·5	22·9	24·3	29·2	25·6	28·2	26·6	25·0	23·1
Average Deaths in corresponding week of previous 10 years, ...	157	154	167	160	158	156	160	156	172	175	179	182	182	182	177	182	177	201	195	195	192	200	198	200	210	218
Ages, Under 5 years, ...	38	59	70	60	58	44	56	40	46	47	57	49	55	53	43	41	47	56	60	62	59	61	47	57	57	70
5—15 „ ...																		5	10	7	11	6	10	6	10	9
15—25 „ ...																		9	7	10	11	12	13	5	6	6
25—45 „ ...	103	94	104	104	102	107	118	99	101	94	109	119	121	135	122	137	108	25	24	27	32	32	41	36	35	32
45—65 „ ...																		45	38	41	55	48	51	49	35	36
65—75 „ ...																		20	25	28	34	22	39	33	29	19
75 and upwards, ...																		16	15	15	26	19	19	22	23	8
Deaths from :—																										
Enteric Fever, ...	1	1	1	.	3	1	2	1	1	.	.	2	.	1	2	1	.	.	1	.	2	3	2	2	2	4
Typhus, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	3	.	1	.	.	.	1	.	1	1	.	2	1	.	1	4	3	6	2	2	2	2	3	7
Scarlet Fever, ...	1	2	.	.	1	.	1	1	3	.	2	1	3	1	1	.	2	7	.	.	1	.	4	6	2	2
Whooping-cough, ...	3	2	1	2	2	2	5	1	1	4	2	6	5	11	1	5	7	6	5	6	10	4	3	6	7	11
Diphtheria, ...	.	2	3	2	2	1	.	4	1	2	3	2	4	.	3	2	.	1	2	4	1	5	2	3	2	.
Influenza, ...	.	1	1	2	1	1	2	1	4	1	.	2	4	2	1	3	1	.	1	1	4	3	4	5	7	2
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	2	.	.
Tuberculous Disease, Phthisis, ...	23	15	19	18	17	14	23	17	18	16	20	14	16	25	14	19	19	21	19	27	28	19	27	22	18	20
Tuberculous Disease, Other Forms,	13	9	8	11	12	8	8	4	11	11	8	6	7	11	4	7	5	4	6	9	7	4	6	8	7	7
Cancer, ...	9	7	9	11	12	11	12	9	7	9	8	14	3	12	4	13	6	8	3	12	7	16	11	4	6	5
Diseases of Circulatory System,	23	19	24	30	20	24	25	23	17	18	22	24	30	30	23	28	31	17	20	13	25	19	23	17	21	14
Diseases of Respiratory System, Pneumonia,	6	10	4	6	5	11	15	12	13	11	16	16	14	15	27	18	11	15	16	10	17	18	20	15	21	13
Diseases of Respiratory System, Others, ...	10	10	20	12	16	17	17	12	18	26	26	29	37	27	32	26	25	29	25	28	42	30	41	44	28	29
Diarrhœa, Under 2 years, ...	11	21	22	27	12	10	8	4	5	4	2	4	6	2	2	2	1	3	2	2	4	4	2	3	3	1
Diarrhœa, 2 years & upwards,																		.	.	.	.	1	.	.	1	1
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	2	2	.	3	3	1	1	1
Violent Deaths, ...	3	6	6	3	10	4	.	2	1	2	2	3	4	4	8	4	6	2	8	1	4	7	4	2	5	2
Number of Uncertified Deaths,	2	1	3	3	3	6	2	4	1	8	6	7	5	5	3	3	6	4	5	7	7	3	3	2	4	7
Mean Temperature of the Air (Phœnix Park)	54·8	52·0	50·4	54·2	52·5	48·2	49·1	50·4	43·1	39·6	38·2	42·2	37·0	43·4	45·2	43·5	40·9	37·2	39·0	38·6	45·5	35·9	37·0	46·4	43·4	46·5
Average Mean Temperature in corresponding week of previous 10 years, ...	54·4	53·1	53·8*	53·7	52·2	50·6	48·4	46·2	47·1	45·2	42·7	41·5	42·8	42·4	41·6	41·3*	41·3	42·0	40·0	40·8	40·5	40·3	40·3	39·8	39·9	40·5
Rainfall in inches, ...	·150	·015	·015	·391	·585	·138	·333	·365	·558	·860	·352	1·206	1·820	1·700	1·172	·183	·130	·336	·345	·153	·034	·000	·011	·582	·523	·681
Mean Humidity of the Air, complete Saturation 1·0, ...	·87	·91	·85	·89	·90	·84	·92	·87	·90	·89	·85	·91	·93	·91	·91	·94	·88	·92	·90	·93	·92	·87	·90	·91	·91	·92

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 4th March, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 4TH MARCH, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	180	70	9	6	32	36	19	8	4	.	.	7	2	11	.	.	20	7	5	6	13	29	1	1	1	2	71	7
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	20·9	7	.	.	.	2	3	2	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	4	.
II.	MIDDLE CLASS, ...	87,188	12·6	21	3	3	1	3	6	3	2	1	.	.	.	.	2	.	.	2	1	.	.	.	4	.	.	.	.	11	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	17·5	37	11	2	2	5	7	8	2	1	.	.	1	1	1	.	.	6	.	1	1	3	7	.	1	.	.	14	2
IV.	GENERAL SERVICE CLASS, ...	154,279	29·4	87	53	3	2	13	10	5	1	2	.	.	6	1	8	.	.	7	4	2	5	8	12	1	.	1	2	28	4
V.	INMATES OF WORKHOUSES, ...	6,024	—	28	3	1	1	9	10	1	3	.	.	.	.	.	.	.	.	4	2	1	.	1	6	.	.	.	.	14	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	40·1	6	.	.	.	2	2	2	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	14·2	6	2	.	.	.	3	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	4	1
	6. Clerks and Commercial Assistants, ...	30,432	10·3	6	.	2	1	1	1	.	1	1	.	.	.	.	.	.	.	2	1	.	.	.	2	.	.	.	.	.	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	11·6	6	.	1	.	2	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	5·3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	17·5	10	4	2	.	1	2	.	1	.	.	.	1	1	1	.	.	2	.	1	.	1	1	.	.	.	.	2	1
	10. Clothing Trades, ...	23,260	11·2	5	2	.	1	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	.	.	.	1	1
	11. Food Supply Trades, ...	9,242	16·9	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	30·9	18	4	.	1	4	3	5	1	1	.	.	.	.	.	.	.	2	.	.	1	1	2	.	1	.	.	10	.
	13. Petty Shopkeepers, ...	7,894	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	23·3	6	2	.	.	2	.	1	1	.	.	.	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	3	.
	15. Domestic Servants, ...	36,603	7·1	5	2	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	1
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	43·5	12	9	.	.	1	2	.	.	.	.	.	.	.	3	.	.	1	1	.	1	3	3	.	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	37·1	64	40	3	2	10	6	3	.	2	.	.	5	1	5	.	.	5	3	2	4	5	8	.	.	1	2	21	3
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	28	3	1	1	9	10	1	3	.	.	.	.	.	.	.	.	4	2	1	.	1	6	.	.	.	.	14	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	From Certain Epidemic Diseases*	TOTAL DEATHS.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa. Children under 2 years.	2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 30,219.	Jan. 14,	22·4	.	13	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	1
		„ 21,	27·6	1·7	16	.	.	.	.	.	.	1	.	1	1	2	.	3	.	.	.	.	2
		„ 28,	24·2	1·7	14	.	.	.	.	.	1	.	.	2	.	1	.	3	.	.	.	.	1
		Feb. 4,	34·5	3·5	20	1	.	.	.	.	1	.	.	2	.	.	3	1	.	.	.	1	.
		„ 11,	36·2	3·5	21	.	.	.	.	1	.	.	.	.	1	.	1	5	1	.	.	1	.
		„ 18,	24·2	3·5	14	.	.	.	.	.	1	1	.	1	.	.	.	3	.	.	1	.	.
		„ 25,	19·0	.	11	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	.	.
		Mar. 4,	29·3	6·9	17	1	.	.	1	.	1	.	.	1	.	1	1	.	.	1	.	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 40,390.	Jan. 14,	14·2	1·3	11	.	.	.	.	.	.	.	.	2	1	.	.	1	1	.	.	1	.
		„ 21,	31·0	1·3	24	.	.	.	.	.	.		.	7	1	.	.	4	1	.	.	.	1
		„ 28,	37·4	1·3	29	.	.	.	.	.	1	.	.	3	1	1	2	8	.	.	.	1	1
		Feb. 4,	34·9	3·9	27	1	.	.	.	.	.	.	.	4	.	3	3	4	2	.	.	1	.
		„ 11,	29·7	2·6	23	.	.	.	.	.	1	.	.	3	.	2	1	5	1	.	.	.	.
		„ 18,	36·1	3·9	28	.	.	.	.	1	.	1	.	5	1	.	1	9	1	.	.	.	1
		„ 25,	32·3	2·6	25	.	.	.	.	1	.	.	.	4	.	.	4	4	1	.	.	1	1
		Mar. 4,	19·4	6·5	15	1	.	.	1	.	3	.	.	1	.	.	.	1	.	.	.	.	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 31,064.	Jan. 14,	16·8	.	10	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2	.
		„ 21,	15·1	.	9	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.	.
		„ 28,	35·2	5·0	21	.	.	.	.	.	2	.	.	1	.	.	.	7	1	.	.	.	.
		Feb. 4,	21·8	.	13	.	.	.	.	.	.	.	.	.	.	1	1	3	.	.	1	1	.
		„ 11,	26·9	.	16	.	.	.	.	.	.	.	.	3	2	1	2	2	.	.	.	.	.
		„ 18,	23·5	1·7	14	.	.	.	.	.	.	.	.	3	2	.	.	3	1	.	.	1	.
		„ 25,	15·1	3·4	9	1	.	.	1	.	.	.	.	1	1	.	2	1	.	.	.	.	.
		Mar. 4,	35·2	5·0	21	.	.	.	1	.	1	.	.	2	3	1	2	3	1	.	.	1	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,908.	Jan. 14,	24·6	1·5	16	.	.	.	.	.	1	.	.	2	.	.	.	2	.	.	.	1	.
		„ 21,	20·0	3·1	13	.	.	.	.	.	1	1	.	2	1	1	1	.	.	.	.	.	.
		„ 28,	24·6	4·6	16	.	.	.	.	.	.	1	.	1	1	1	1	3	2	.	.	.	.
		Feb. 4,	16·9	6·2	11	1	.	.	.	.	1	1	.	1	.	.	1	.	1	.	.	.	.
		„ 11,	35·4	3·1	23	.	.	.	.	1	1	.	.	2	.	3	3	7	.	.	.	.	1
		„ 18,	32·3	3·1	21	.	.	.	.	.	1	.	.	3	1	1	2	5	1	.	.	.	.
		„ 25,	36·9	7·7	24	1	.	.	.	1	1	1	.	.	1	1	4	3	1	.	1	1	1
		Mar. 4,	12·3	3·1	8	1	.	.	.	1	.	.	.	2	.	.	.	1	.	.	1	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,908.	Jan. 14,	27·4	3·7	22	.	.	.	.	.	1	2	.	3	1	.	2	3	.	.	.	.	.
		„ 21,	31·1	1·2	25	.	.	.	1	.	.	.	.	7	.	2	1	4	.	.	1	.	.
		„ 28,	27·4	2·5	22	.	.	.	.	1	1	.	.	3	.	.	3	2	.	.	.	1	1
		Feb. 4,	27·4	1·2	22	.	.	.	1	.	.	.	.	1	.	1	1	4	.	.	1	2	1
		„ 11,	36·1	5·0	29	2	.	.	.	1	.	1	.	4	1	.	1	7	.	.	1	.	.
		„ 18,	26·1	7·5	21	2	.	.	.	2	1	.	1	1	.	.	2	2	.	.	.	.	.
		„ 25,	34·8	5·0	28	.	.	.	2	.	1	.	.	2	1	.	.	5	.	1	.	2	.
		Mar. 4,	19·9	2·5	16	1	.	.	.	.	1	.	.	3	.	1	1	2	.	.	.	1	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,980.	Jan. 14,	30·8	2·4	13	.	.	.	1	.	.	.	.	1	.	.	2	1	.	.	.	.	.
		„ 21,	7·1	.	3	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
		„ 28,	42·7	2·4	18	1	.	.	.	.	.	.	.	4	1	.	1	4	.	.	.	.	.
		Feb. 4,	28·5	.	12	.	.	.	.	.	.	.	.	3	1	1	2	3	.	.	.	.	.
		„ 11,	38·0	.	16	.	.	.	.	.	.	.	.	4	1	2	1	2	.	.	.	.	.
		„ 18,	33·2	2·4	14	.	.	.	.	1	.	.	.	1	1	.	.	5	.	.	.	.	.
		„ 25,	30·8	2·4	13	.	.	.	.	.	.	.	.	2	.	1	.	3	1	.	.	1	.
		Mar. 4,	30·8	2·4	13	.	.	.	1	.	.	.	.	1	.	.	.	7	.	.	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,677.	Jan. 14,	28·7	2·4	24	1	.	.	.	.	1	.	.	4	2	.	6	4	.	.	1	1	1
		„ 21,	37·0	3·6	31	.	.	.	1	.	2	.	.	3	1	1	3	9	.	.	.	1	1
		„ 28,	22·7	1·2	19	1	.	.	.	.	.	.	.	5	1	1	3	3	.	.	.	.	1
		Feb. 4,	22·7	2·4	19	.	.	.	1	.	.	1	.	3	.	1	2	4	.	.	.	1	.
		„ 11,	28·7	1·2	24	.	.	.	.	1	.	.	.	4	.	.	3	2	.	.	2	1	1
		„ 18,	28·7	3·6	24	.	.	.	2	.	.	1	.	3	.	.	2	5	.	.	.	1	.
		„ 25,	20·3	3·6	17	.	.	.	.	.	2	1	.	2	2	.	3	3	.	.	.	.	.
		Mar. 4,	32·2	6·0	27	.	.	.	2	1	2	.	.	4	1	.	1	9	.	.	.	.	1
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 36,254.	Jan. 14,	20·1	5·8	14	.	.	.	2	.	2	.	.	1	1	.	1	2	.	.	.	.	.
		„ 21,	24·5	5·8	17	.	.	.	2	.	1	1	.	.	1	1	1	3	.	.	.	.	.
		„ 28,	28·8	8·6	20	.	.	.	1	.	4	.	.	3	1	.	2	5	1	.	.	.	1
		Feb. 4,	24·5	5·8	17	.	.	.	.	.	1	2	.	3	.	3	1	2	1	.	.	1	.
		„ 11,	33·1	4·3	23	.	.	.	2	.	1	.	.	4	1	2	2	6	.	.	.	.	.
		„ 18,	23·0	4·3	16	.	.	.	.	.	3	.	.	.	1	.	1	2	.	.	.	.	1
		„ 25,	24·5	2·9	17	.	.	.	.	.	2	.	.	5	.	.	3	1	.	.	.	.	.
		Mar. 4,	24·5	4·3	17	.	.	.	1	.	2	.	.	2	1	1	4	.	.	.	.	.	2

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa. Children under 2 years.	2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 37,528.	Jan. 14,	9·7	.	7	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1
	„ 21,	18·1	.	13	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.	.
	„ 28,	20·8	1·4	15	.	.	.	.	.	1	.	.	.	.	.	2	3	.	.	.	1	1
	Feb. 4,	25·0	1·4	18	.	.	.	.	.	.	1	.	.	2	1	1	4	.	.	1	.	1
	„ 11,	18·1	.	13	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	.	1	.
	„ 18,	19·5	.	14	.	.	.	.	.	.	.	.	.	.	1	4	2	.	.	.	.	.
	„ 25,	22·2	.	16	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.	.	2
	Mar. 4,	18·1	.	13	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
Pembroke Urban District. Pop. in 1911 (Est.) 29,368.	Jan. 14,	21·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.	1	.	.
	„ 21,	21·3	1·8	12	.	.	.	1	.	.	.	.	1	1	2	.	1	.	.	.	.	2
	„ 28,	24·9	.	14	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.
	Feb. 4,	14·2	.	8	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 11,	14·2	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.
	„ 18,	24·9	.	14	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	.	.
	„ 25,	16·0	1·8	9	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.
	Mar. 4,	14·2	1·8	8	.	.	.	.	.	1	.	.	1	.	.	1	2	.	.	.	.	1
Kingstown Urban District. Pop. in 1911 (Est.) 17,622.	Jan. 14,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	2
	„ 21,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 28,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Feb. 4,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	1
	„ 11,	17·8	.	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
	„ 18,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 25,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Mar. 4,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Belfast. Pop. in 1911 (Est.) 398,421.	Jan. 14,	19·8	0·4	151	.	1	.	.	1	.	.	.	23	7	2	9	24	.	1	.	6	.
	„ 21,	15·4	0·5	118	.	.	.	1	1	1	1	.	17	4	7	7	24	.	.	.	1	1
	„ 28,	15·4	0·4	118	.	.	.	.	.	1	2	.	13	4	11	7	20	.	.	2	2	5
	Feb. 4,	16·8	0·3	128	.	.	.	.	.	1	1	.	10	4	6	7	25	.	.	2	4	2
	„ 11,	19·1	0·4	146	.	.	.	.	1	.	.	.	11	4	5	11	26	1	1	3	4	1
	„ 18,	19·5	.	149	.	.	.	.	.	.	.	.	22	11	5	14	25	.	.	2	.	.
	„ 25,	18·5	0·3	141	.	.	.	.	1	1	.	.	15	10	8	11	20	.	.	2	4	.
	Mar. 4,	17·4	0·3	133	.	.	.	.	.	1	.	.	13	10	3	15	20	1	.	1	3	3
Cork. Pop. (in 1901) 76,122.	Jan. 14,	20·5	1·4	30	.	.	.	.	.	2	.	.	2	.	2	1	5	.	.	.	.	3
	„ 21,	27·4	.	36	.	.	.	.	.	.	.	.	3	.	2	1	16	.	.	1	1	1
	„ 28,	25·3	2·7	37	.	.	.	.	.	4	.	.	1	1	.	5	4	.	.	.	.	1
	Feb. 4,	20·5	0·7	30	.	.	.	.	.	1	.	.	6	1	.	3	3	.	.	.	1	2
	„ 11,	27·4	1·4	40	.	.	.	.	1	1	.	.	10	2	5	2	2	.	.	.	1	4
	„ 18,	25·3	.	37	.	.	.	.	.	.	.	.	7	.	.	3	11	.	.	.	.	3
	„ 25,	24·7	0·7	36	.	.	.	.	.	1	.	.	7	1	1	2	4	.	.	.	2	1
	Mar. 4,	17·8	0·7	26	.	.	.	.	.	1	.	.	7	1	.	1	3	.	.	.	.	1
Londonderry. Pop. in 1911 (Est.) 43,900.	Jan. 14,	15·4	1·2	13	.	.	.	.	.	1	.	.	3	.	1	.	1	.	.	.	.	.
	„ 21,	23·8	4·8	20	.	.	.	.	.	4	.	.	.	.	1	1	4	.	.	.	.	.
	„ 28,	22·6	2·4	19	.	.	.	.	.	2	.	.	2	1	.	4	.	.	.	.	1	1
	Feb. 4,	14·3	3·6	12	.	.	.	.	.	3	.	.	.	.	.	1	3	.	.	.	.	1
	„ 11,	20·2	4·8	17	.	.	.	.	.	4	.	.	2	.	.	.	3	.	.	1	.	1
	„ 18,	29·7	7·1	25	1	.	.	.	.	5	.	.	4	.	2	.	6	.	.	.	.	.
	„ 25,	22·6	1·2	19	.	.	.	.	.	1	.	.	.	2	1	1	3	.	.	.	1	.
	Mar. 4,	28·5	7·1	24	.	.	.	.	.	6	.	.	2	.	.	3	1	.	.	.	.	2
Limerick. Pop. (in 1901) 38,151.	Jan. 14,	15·0	1·4	11	1	.	.	.	.	.	.	.	1	.	.	1	2	.	.	1	.	.
	„ 21,	20·5	.	15	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	1
	„ 28,	20·5	.	15	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.	.	2
	Feb. 4,	20·5	2·7	15	2	.	.	.	.	.	.	.	1	.	.	.	4	.	.	1	.	1
	„ 11,	24·6	.	18	.	.	.	.	.	.	.	.	4	.	.	.	7	.	.	.	.	1
	„ 18,	10·9	.	8	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.	2
	„ 25,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	1
	Mar. 4,	30·1	.	22	.	.	.	.	.	.	.	.	3	.	.	2	5	.	.	.	.	4
Waterford. Pop. (in 1901) 26,769.	Jan. 14,	27·3	.	14	.	.	.	.	.	.	.	.	2	.	2	.	3	.	.	.	1	.
	„ 21,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 28,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2
	Feb. 4,	19·5	.	10	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	.
	„ 11,	33·1	.	17	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	2	.	1
	„ 18,	23·4	.	12	.	.	.	.	.	.	.	.	1	2	1	.	4	.	.	1	.	2
	„ 25,	13·6	.	7	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	1	.	1
	Mar. 4,	33·1	.	17	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.	.	2

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 4th March, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	Annual Rate of Mortality: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa: Of children under 2 years of age.	Diarrhœa: 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.			The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.																												
BELFAST URBAN No. 1 DISTRICT,	349,180	4			4	1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	1	1	.
Do. 2 do.		13			17	2	1	4	1	4	5	.	.	.	.	.	.	.	.	3	1	.	3	1	.	.	.	.	.	6	.
Do. 3 do.		26			14	5	2	2	1	2	2	.	.	.	.	.	.	.	.	1	1	.	.	4	1	.	.	.	1	1	.
Do. 4 do.		32			9	4	.	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	5	.
Do. 5 do.		9			10	4	.	1	2	1	2	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	1	1	6	.
Do. 6 do.		17			12	2	1	1	1	3	4	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.	1	1
Do. 7 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		12			2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.
Do. 9 do.		11			7	.	.	1	3	3	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	1	3	.
Do. 10 do.		17			12	1	3	.	1	5	2	.	.	.	.	.	.	.	.	1	1	1	4	1	.	.	1	.	.	1	.
Do. 11 do.		26			13	.	.	2	.	5	6	.	.	.	.	.	.	.	.	1	1	.	1	4	.	.	.	.	.	1	2
Do. 12 do.		38			14	5	1	3	1	3	1	.	.	.	.	.	.	.	.	.	4	1	2	1	.	.	.	.	.	4	.
Do. 13 do.		10			4	.	.	.	2	1	1	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.
Do. 14 do.		1			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		15			14	1	1	3	3	4	2	.	.	.	.	.	.	.	.	2	2	.	3	.	.	.	.	.	.	4	.
Total,	—	232			133	25	9	18	16	35	30	.	.	.	.	.	1	.	.	13	10	3	15	20	1	.	1	3	5	33	3
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	4	12·2	.	3	.	.	1	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
Do. 2 do.	10,701	6	19·5	.	4	.	1	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	2	.
Do. 3 do.	9,978	5	5·2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 4 do.	8,666	4	6·0	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
Do. 5 do.	6,592	2	31·6	7·9	4	.	1	.	2	1	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	3	.
Do. 6 do.	10,702	5	34·1	.	7	.	.	1	2	3	1	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	5	.
Do. 7 do.	16,616	5	18·8	.	6	1	.	1	.	2	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	1
Total,	76,122	31	17·8	0·7	26	1	3	3	5	8	6	.	.	.	.	.	1	.	.	7	1	.	1	3	.	.	.	.	1	14	1

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910–11—WEEK ENDING																									
	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb 11.	Feb. 18.	Feb. 25.	Mar. 4.
No. of weeks in Annual Series,	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9
BIRTHS registered, ...	190	264	194	172	200	205	228	201	183	178	156	181	175	185	167	200	199	241	231	233	188	212	218	216	213	232
DEATHS registered, ...	103	116	122	105	94	122	120	115	108	122	132	134	109	151	133	132	91	122	151	118	118	128	146	149	141	133
Annual Death rate per 1,000 of estimated population, ...	13·7	15·5	16·3	14·0	12·5	16·3	16·0	15·3	14·4	16·3	17·6	17·9	14·5	20·1	17·7	17·6	12·1	16·0	19·8	15·4	15·4	16·8	19·1	19·5	18·5	17·4
AGES, Under 1 year, ...	28	23	29	25	31	27	27	28	24	28	27	24	17	34	20	22	18	21	30	23	26	24	24	31	21	25
1—5 years, ...	14	13	11	14	6	14	16	8	11	6	6	5	8	11	17	12	8	12	11	8	10	10	7	10	14	9
5—25 „ ...																		7	20	16	11	6	11	21	17	18
25—45 „ ...	61	80	82	66	57	81	77	79	73	88	99	105	84	106	96	98	65	30	37	17	13	25	27	30	29	16
45—65 „ ...																		32	25	21	27	34	34	32	26	35
65 and upwards, ...																		20	28	33	31	29	43	25	34	30
Deaths from :—																										
Enteric Fever, ...	.	.	.	1	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	1	3	1	1	3	5	.	3	1	.	2	2	3	3	1	.	.	.	1	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	.	.	.	1	.	1	.	.	1	.	1	2	1	1	1	1	1	.	.	1	.	1	.
Whooping-cough, ...	1	1	1	3	1	1	.	1	.	.	.	1	.	1	.	1	1	.	.	1	1	1	.	.	1	1
Diphtheria, ...	.	1	.	.	.	2	1	.	.	1	1	.	1	4	.	.	.	.	.	1	2	1	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	12	14	11	17	9	17	10	12	14	12	17	17	13	14	12	15	9	14	23	17	13	10	11	22	15	13
Tuberculous Disease. Other Forms,	6	13	6	7	3	8	6	8	2	7	8	4	7	5	7	3	3	7	7	4	4	4	4	11	10	10
Cancer, ...	8	10	8	5	5	7	5	7	9	5	8	9	6	5	8	6	5	7	2	7	11	6	5	5	8	3
Diseases of Respiratory System. Pneumonia	6	7	10	7	5	11	11	7	7	13	11	8	7	13	10	10	7	8	9	7	7	7	11	14	11	15
Diseases of Respiratory System. Others, ...	5	5	8	11	9	16	9	19	11	23	16	25	25	36	22	29	18	18	24	24	20	25	26	25	20	20
Diarrhœa, Under 2 years, ...	13	15	13	7	7	3	8	10	6	4	3	1	1	4	3	1	.	1	.	.	.	.	1	.	.	1
Diarrhœa, 2 years & upwards,																		1	1	.	.	.	1	.	.	.
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	.	.	2	2	3	2	2	1
Violent Deaths, ...	1	1	5	2	.	.	2	.	3	4	2	5	3	2	6	2	4	6	6	1	2	4	4	.	4	3
Number of Uncertified Deaths, ...	2	2	.	1	1	1	.	.	2	3	.	.	3	4	1	1	3	3	.	1	5	2	1	.	.	3

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,912,054	Mar. 4,	2,243	1,394*b*	14·8	.	1	136	2	27	19	18*a*
Edinburgh, ...	365,253	„ 4,	141	116	16·6	.	.	2	.	3	1	1
Glasgow, ...	897,178	„ 4,	460	315	18·3	1	.	.	3	16	4	9
Calcutta, ...	1,009,008	Jan. 28,	.	466	24·0	85*	1	1	.	.	.	107‡
Bombay, ...	977,822	„ 28,	422	701	37·3	118*	1	32	.	.	.	79‡
Madras, ...	509,346	„ 7,	391	404	41·2	65*	9	6	?	?	?	64
Cairo, ...	689,439	„ 14,	666	431	32·6	3	.	1	.	.	8†	45*a*
Paris, ...	2,760,000	Feb. 4,	983	1,104	20·9	5	.	5	.	2	11†	21*a*
Brussels, ...	720,030	„ 4,	253	222	16·0	1	.	.	.	.	.	10*a*
Antwerp, ...	320,640	„ 11,	121	101	16·4	.	.	1	.	.	1†	6*a*
Amsterdam, ...	574,973	„ 11,	257	184	16·7	1	.	5	.	7	.	1*a*
Copenhagen, ...	450,000	„ 11,	215	118	13·7	.	.	.	3	3	.	2*a*
Stockholm, ...	341,816	„ 4,	142	74	11·3	.	.	.	1	.	1†	2*a*
Christiania, ...	240,178	„ 18,	148	46	9·9	.	.	1	.	3	2	.
St. Petersburg, ...	1,639,161	Jan. 21,	1,039	717	22·8	7	1	9	19	6	16	51
Moscow, ...	1,493,600	„ 21,	.	823	28·7	2	5	12	24	2	35†	69
Berlin, ...	2,071,508	Feb. 4,	796	609	15·3	.	.	2	8	3	16†	19
Hamburg, ...	932,000	„ 11,	.	220	12·3	.	.	.	.	3	10†	9
Breslau, ...	512,510	„ 11,	.	177	18·0	.	.	1	.	.	1	18
Munich, ...	597,000	„ 18,	.	188	16·4	.	.	3	.	2	1†	14
Vienna (with suburbs),	2,030,834	„ 11,	714	686	17·6	.	.	4	2	4	4†	31*a*
Buda-Pesth, ...	838,950	„ 11,	500	345	21·4	3	.	1	4	.	1†	12*a*
Prague and Faubourgs,	508,310	Jan. 28,	174	198	20·3	.	.	.	.	4	2†	15*a*
Trieste, ...	224,080	Feb. 4,	162	123	28·6	1	.	5	.	1	.	.
Rome, ...	589,425	Dec. 3,	298	232	20·5	8	.	.	1	1	4	9‡
Venice, ...	184,325	Jan. 28,	72	84	23·8	2	.	.	.	.	.	1
New York, ...	4,983,385	„ 21,	2,529	1,515	15·9	5	.	11	12	8	36†	31*a*
Philadelphia, ...	1,573,509	„ 14,	.	530	17·5	5	.	10	11	2	12†	12*a*
Boston, ...	686,912	Feb. 18,	.	265	20·1	.	.	2	.	5	2	3

* Deaths from "fever," including 4 deaths from enteric fever and 14 deaths from plague in Calcutta, 4 from enteric fever and 45 from plague in Bombay, and 3 deaths from enteric fever and one death from plague in Madras.

† Including deaths from croup.

‡ Including 57 deaths from cholera in Calcutta, 7 in Bombay, and one in Rome.

a Deaths from diarrhœa and from enteritis of children under two years of age.

b Including one death from cerebro-spinal fever.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 4th March, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	.	2	.	.	.	3
" " 1, West, ...	.	2	.	.	3	.	.	1	1	.	.	.	7
" " 2, ...	.	.	.	.	1	.	.	1	.	.	.	2	4
" " 3, ...	.	2	.	.	3	.	.	.	1	.	.	6	12
Clontarf and Howth No. 1 (part of),	.	.	.	.	2	.	.	.	.	.	.	.	2
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	2	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	1	.	.	1
South City No. 1, ...	.	1	.	.	1	.	1	4	5	.	.	3	15
" " 2, ...	.	1	.	.	.	.	1	.	.	.	.	1	3
" " 3, ...	.	1	.	.	.	.	.	.	.	.	.	4	5
" " 4, ...	.	1	.	.	.	.	.	.	.	.	.	1	2
New Kilmainham, ...	.	.	.	.	1	.	.	.	.	.	.	.	1
Total, ...	.	9	.	.	11	.	2	8	9	1	.	17	57

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 4th March, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 4th March.			
	Feb. 11.	Feb. 18.	Feb. 25.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	1	1	.	.	.	.	.
Measles, ...	32	36	46	17	10	1	52
Scarlet Fever, ...	116	108	112	18	10	2	118*
Typhus, ...	1	.	.	.	.	.	.
Diphtheria, ...	62	87	95	13	23	1	84
Enteric Fever, ...	71	90	101	8	13	4	92
Pneumonia, ...	38	43	36	13	10	.	39

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 4th March, 1911:—

"Weather of a 'westerly' type—changeable, mild, windy, and showery prevailed. The distribution of atmospheric pressure, on which these conditions depended, was much the same as in the previous week. An anticyclone stretched from France and the Peninsula across the Atlantic Ocean to the Azores, whereas a succession of baric depressions—more or less deep—travelled from the Greenland-Iceland region across the Norwegian Sea to Northern Europe, their 'secondaries' traversing the British Isles in an easterly or north-easterly direction, so keeping the weather in a very unsettled and changeable state. Sunday was a fine day, but increasing cirrus cloud and a solar halo gave warning of the approach of a disturbance, secondary to a deep depression over Iceland, which produced strong S.W. winds, rain or showers in the course of Monday. On that day the thermometer in the screen touched 58° in Dublin, while rain fell for 14 or 15 hours in London, the measurement being ·39 inch at Kew Observatory and also at Camden Square. On Tuesday another 'secondary' crossed Ireland to England, causing squalls and showers. March opened 'like a lamb' on Wednesday, the sky being cloudless in the forenoon. But the fine weather lasted only a few hours, and rain and wind again prevailed at night. The next two days were chiefly favourable in Dublin, although a very deep depression in which the barometer sank below 28·4 inches was central over Iceland on Friday morning. At the same time Biarritz reported a reading of 30·69 inches, so that the baric gradient was very steep over North-western Europe. Early on Saturday morning a secondary V.-shaped depression passed over Dublin, rain fell heavily and temperature gave way quickly as the wind veered to N. In this City the mean height of the barometer was 29·952 inches, pressure ranging between 29·218 inches at 9 a.m. of Tuesday (wind, S.W.) and 30·332 inches at 9 p.m. of Thursday (wind, W.). The corrected mean temperature was 47·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 47·2°. The screened thermometers fell to 38·0° on Sunday and again on Wednesday, but rose to 58·0° on Monday. S.W. and W. winds prevailed. The rainfall was ·564 inch on six days, ·198 inch being recorded on Friday. Auroral light was observed on Saturday evening."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·789 inches. The highest reading (30·145) was on Thursday at 9 p.m., wind W.S.W., and the lowest (29·049) on Tuesday at 9 a.m., wind S.W.

The mean temperature for the week was 46·5°, being 6·0° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Monday, on which day the thermometer registered 57·5°, and was lowest on Sunday and Saturday, the mercury having fallen to 35·9°. The mean of the Dry Bulb for the week was 45·9° and of the Wet Bulb, 44·8°. The mean humidity of the air was ·92, complete saturation being represented by 1·0. The rainfall during the week measured 0·681 inch.

At Greenwich the mean temperature for the week was 46·3°, the maximum 59·3°, and the minimum 34·3°; at Glasgow the maximum was 52·1°, the minimum 33·0°, and the mean 44·4°; and at Edinburgh the maximum was 52·8°, the minimum 34·5°, and the mean 43·2°. The rainfall at Greenwich measured 0·62 in.; at Glasgow 0·83 in., and at Edinburgh 0·28 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, February 26,	29·876	47·2	35·9	41·6	39·2	38·1	·91	·7	4·6	·160	W.S.W.	Calm.
Monday, „ 27,	29·368	57·5	37·7	47·6	52·6	51·5	·92	·5	1·4	·085	S.W.	S.W.
Tuesday, „ 28,	29·241	53·8	36·7	45·3	43·5	41·7	·87	·5	3·1	·020	S.W.	W.
Wednesday, March 1,	29·874	52·0	36·2	44·1	44·9	43·8	·93	·6	8·6	·135	S.W.	W.S.W.
Thursday, „ 2,	30·089	56·6	47·9	52·3	51·3	50·2	·93	·5	1·3	·000	W.S.W.	W.S.W.
Friday, „ 3,	30·120	53·7	48·3	51·0	50·8	49·7	·92	·6	0·3	·270	S.W.	S.W.
Saturday, „ 4,	29·953	51·7	35·9	43·8	38·9	38·3	·94	·6	4·0	·011	N.	Calm.
Mean, ...	29·789	53·2	39·8	46·5	45·9	44·8	·92	·6	Total 23·3	Total ·681	Prevailing Wind, S.W.	

Sunday—Day cloudy to overcast; night overcast; drizzle and heavy rain a.m. *Monday*—Day cloudy to overcast; rain p.m.; night clear; rain a.m. *Tuesday*—Day cloudy to overcast; rain p.m.; night clear. *Wednesday*—Day fine, cloudy; heavy rain p.m.; night overcast; drizzle a.m. *Thursday*—Day cloudy; night clear. *Friday*—Day overcast, p.m.; night overcast; drizzle and heavy rain a.m. *Saturday*—Day overcast to cloudy; rain a.m.; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, March 4th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, February 26,	42·2	43·9	44·5	48·5	38·0	43·3	3·8	·149
Monday, „ 27,	52·0	43·3	44·4	59·1	41·0	50·1	0·3	·065
Tuesday, „ 28,	51·2	44·2	44·5	55·0	39·0	47·0	3·0	·031
Wednesday, March 1,	42·0	44·9	44·7	53·0	38·0	45·5	6·6	·090
Thursday, „ 2,	52·5	45·3	44·8	57·5	49·0	53·3	1·1	—
Friday, „ 3,	53·7	46·5	44·8	56·0	49·3	52·7	1·2	·222
Saturday, „ 4,	42·5	47·2	44·9	53·1	39·4	46·3	3·1	·004
Weekly Mean, .	48·0	45·0	44·7	54·6	42·0	48·3	Total 19·1	Total ·561

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30281. Wt. P. 489–53/138. 375. 2. 1911. G. III. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & Co., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 11TH MARCH, 1911. [No. 10.

General Register Office, Charlemont House, Dublin, 13th March, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,163,596.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Feb. 18	Feb. 25	Mar. 4	Mar. 11	Average Rate for 4 weeks.
22 Town Districts, ...	**22·7**	**20·9**	**20·4**	**19·3**	**20·8**
Armagh	6·9	13·7	6·9	27·5	13·8
Ballymena	14·4	19·2	19·2	14·4	16·8
Belfast	19·5	18·5	17·4	15·4	17·7
Clonmel	61·5	5·1	20·5	30·8	29·5
Cork	25·3	24·7	17·8	27·4	23·8
Drogheda	4·1	28·6	24·5	16·3	18·4
Dublin Reg. Area ...	25·5	23·8	21·6	21·0	23·0
Dundalk	8·0	23·9	12·0	19·9	16·0
Galway	15·5	19·4	15·5	15·5	16·5
Kilkenny	4·9	29·5	14·7	29·5	19·7
Limerick	10·9	9·6	30·1	24·6	18·8
Lisburn	40·9	22·7	13·6	22·7	25·0
Londonderry	29·7	22·6	28·5	15·4	24·0
Lurgan	48·7	26·6	39·8	22·1	34·3
Newry	37·8	29·4	8·4	21·0	24·1
Newtownards	45·8	11·4	34·3	17·2	27·2
Portadown	10·3	31·0	5·2	15·5	15·5
Queenstown	19·8	.	26·4	46·1	23·1
Sligo	28·8	33·6	48·0	9·6	30·0
Tralee	10·6	10·6	5·3	26·4	13·2
Waterford	23·4	13·6	33·1	17·5	21·9
Wexford	14·0	18·7	14·0	9·3	14·0

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in fourteen of the districts to 11·4 in Newtownards, the 3 deaths from all causes for that district including 2 from whooping-cough. Among the 118 deaths from all causes for Belfast are one from whooping-cough and one from diarrhœa. Of the 40 deaths from all causes for Cork one is from whooping-cough. Included in the 13 deaths from all causes for Londonderry are one from whooping-cough and one from diarrhœa. Of the 4 deaths from all causes for Drogheda one is from measles. One of the 2 deaths for Sligo is from whooping-cough, and the 7 deaths from all causes for Queenstown include one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 238—133 boys and 105 girls—and the deaths to 174—96 males and 78 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 21·0 per 1,000 of the population.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœa.

During the ten weeks ending with Saturday last the death-rate averaged 23·7, and was 2·5 below the mean rate for the corresponding portions of the 10 years 1901–10.

The total deaths registered, numbering 174, represent an annual rate of 22·3 per 1,000, the annual rate for the past ten weeks was 25·0 per 1,000, and the average annual rate for the corresponding period of the past ten years was 27·3 per 1,000 of the mean population for all deaths registered.

Among the 174 deaths registered are 3 from enteric fever, 7 from measles, 4* from whooping-cough, 2 from diphtheria, 3 deaths from diarrhœa and enteritis of children under 2 years of age, and 2 deaths from influenza. Deaths from these diseases in the three preceding weeks were as follows:—from enteric fever, 2, 2, and 4 deaths; from measles, 2, 3, and 7 deaths; from whooping-cough, 6, 7, and 11 deaths; from diphtheria, 3, 2, and 0; from diarrhœa and enteritis of children under 2 years of age, 4, 4, and 2 deaths; and from influenza 5, 7, and 2 deaths, respectively.

All forms of tuberculous disease caused 25 deaths, including 17 deaths from pulmonary tuberculosis, 2 from tuberculous meningitis, one from abdominal tuberculosis, one from tuberculosis of a joint, and 4 from disseminated tuberculosis. Deaths from all forms of the disease in the three preceding weeks numbered 30, 25, and 27, respectively.

There were 10 deaths from broncho-pneumonia, 3 from lobar pneumonia, and 3 from *pneumonia* (type not distinguished).

Eight deaths were caused by cancer.

The deaths of 2 children under 2 years of age were attributed to *convulsions*.

There were 13 deaths from diseases of the circulatory system, and 24 from bronchitis.

Of 4 deaths ascribed to accident, 3 were caused by burns or scalds (2 of the latter being those of children aged 2 and 4 years, respectively), and one, that of an infant under one year of age, by asphyxia.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under 5 years of age (including 2 infants under one year old) and the deaths of 4 persons aged 65 years and upwards.

Fifty-nine of the persons whose deaths were registered during the week were under 5 years of age (33 being infants under one year, of whom 13 were under one month old) and 36 were aged 65 years and upwards including 23 persons aged 70 and upwards; among the latter were 17 aged 75 and upwards, of whom one (a female) was stated to have been aged 90 years.

Sixty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse and 19 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·0 per 1,000; the rate in the City was 23·4 (North City Districts, 19·8; South 27·3) and in the Suburbs, 12·8.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·0 per 1,000 inhabitants, the rate for the City being 2·2 (1·9 in the North City Districts, and 2·4 in the South), and for the Suburbs, 1·7.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·0 per 1,000. Among them are one from influenza, one from lobar pneumonia, one from bronchitis, and one from scalds.

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 21·9 per 1,000. There were 2 deaths from measles, one from diphtheria, 4 from pulmonary tuberculosis, one from broncho-pneumonia, and one from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 23·5 per 1,000, and include one death from pulmonary tuberculosis, 2 deaths from broncho-pneumonia, one from *pneumonia* (type not distinguished), 3 deaths from bronchitis, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (12) represent an annual rate of 18·5 per 1,000. Whooping-cough and diphtheria each caused one death, and pulmonary tuberculosis caused 4 deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 22·2 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 13·4. Of the 5 deaths from all causes for Coolock and Drumcondra, part of, there was one death each from enteric fever, influenza, lobar pneumonia and bronchitis.

No. 1 South City District (South Earl-street).—The deaths (20) represent an annual rate of 24·9 per 1,000. Among them are one from measles, 2 from tuberculous disease, and 9 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 21·4 per 1,000. There was one death from measles, lobar pneumonia, and bronchitis.

No. 3 South City District (Peter-street).—The deaths (24) are equal to an annual rate of 28·7 per 1,000. Three deaths were caused by measles, 4 by tuberculous disease, 3 by broncho pneumonia, one by *pneumonia* (type not distinguished), and 2 by bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (27) are equivalent to an annual rate of 38·8 per 1,000, and include one death from whooping-cough, one death from diarrhœa of a child under 2 years, 6 deaths from tuberculous disease, one death from broncho-pneumonia, 2 deaths from bronchitis, and 2 deaths caused by burns or scalds.

New Kilmainham District.—There were no deaths recorded for this district.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 15·3; Pembroke, 10·7; Blackrock, 5·8; and Kingstown, 14·8. The deaths from the principal epidemic diseases† tabulated for these districts include one death from enteric fever, and one death from whooping-cough for Rathmines and Rathgar, and one death from enteric fever for Pembroke. Among the 11 deaths from all causes for Rathmines and Rathgar are 3 deaths from broncho-pneumonia, one from *pneumonia* (type not distinguished), and one from bronchitis; the 6 deaths from all causes for Pembroke include one from bronchitis; and of the 5 deaths from all causes for Kingstown one is from pulmonary tuberculosis, and one from bronchitis.

* See note (*c*) Table II. † See note (‡) on first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 11th March, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Feb. 18,	.	—	—	32	.	.	24	.	4	16	6	.	—	—	.	—	10	—	92
	Feb. 25,	.	—	—	18	.	.	18	.	1	8	11	.	—	—	.	—	11	—	67
	Mar. 4,	.	—	—	9	.	.	11	.	2	8	9	1	—	—	.	—	17	—	57
	Mar. 11,	.	—	—	17	.	.	10	.	.	13	7	.	—	—	.	—	16	—	63
Rathmines and Rathgar Urban District.	Feb. 18,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Feb. 25,	.	—	—	2	.	.	2	.	.	2	.	.	—	—	—	—	—	—	6
	Mar. 4,	.	—	—	1	.	.	4	.	.	4	1	.	—	—	—	—	—	—	10
	Mar. 11,	.	—	—	2	.	.	5	.	.	.	.	.	—	—	—	—	—	—	7
Pembroke Urban District.	Feb. 18,	.	1	1	.	.	.	.	.	.	.	.	.	—	4	.	—	.	—	6
	Feb. 25,	.	6	1	4	.	.	.	.	.	1	.	.	—	3	.	—	.	—	15
	Mar. 4,	.	2	.	.	.	.	1	.	1	.	.	.	—	5	.	—	.	—	9
	Mar. 11,	.	7	.	1	.	.	1	.	.	.	.	.	—	10	.	—	.	—	19
Blackrock Urban District.	Feb. 18,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Feb. 25,	.	—	—	2	.	.	2	.	.	.	.	.	—	—	.	—	—	—	4
	Mar. 4,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
	Mar. 11,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	Feb. 18,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	.	—	2
	Feb. 25,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	1	—	4
	Mar. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Mar. 11,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	Feb. 18,	.	—	—	6	.	.	6	.	.	1	3	1	—	—	.	—	21	—	38
	Feb. 25,	.	—	—	16	.	.	7	.	.	.	5	.	—	—	.	—	13	—	41
	Mar. 4,	.	—	—	12	.	.	10	.	.	.	6	.	—	—	.	—	16	—	44
	Mar. 11,	.	—	—	12	.	.	8	.	.	1	7	.	—	—	.	—	10	—	38

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 11th March, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Fourteen cases of measles were admitted to hospital during the week, 20 were discharged, and 46 cases remained under treatment at the close of the week.

Twenty cases of scarlet fever were admitted to hospital, 14 were discharged, and 124* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 108, 112, and 118, respectively.

Ten cases of diphtheria were admitted to hospital during the week, 29 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 87, 95, and 84, respectively, were 64 at the close of last week.

Fourteen cases of enteric fever were admitted to hospital during the week, 19 were discharged, there were 2 deaths, and 85 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 90, 101, and 92.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 8 were discharged, there was one death, and 33 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 14·8) was equal to an average annual death-rate of 14·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 15·9 per 1,000, the rate for Glasgow being 15·6 and for Edinburgh 14·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 11th March. From this Report it appears that of a total of 55 cases notified, 23 were phthisis, 17 scarlet fever, 10 diphtheria, 4 erysipelas, and one puerperal fever. Among the 431 cases of infectious diseases in hospital at the close of the week were 190 cases of scarlet fever, 79 of diphtheria, 61 of phthisis, 52 of measles, 16 of whooping-cough, 16 of erysipelas, 8 of chicken pox, and 6 of enteric fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 11th March, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Urban Districts. Towns and Districts.	Census Statistics of Districts. Population. Total.(a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.(b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa. Of children under 2 years of age.	Diarrhœa. 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology.(d) Week ending 11th March, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 4th March, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 25th February, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
TOTAL OF 22 TOWN DISTRICTS, ...	1,163,596	20·4	28·1	19·3	1·2	627	431	79	103	3	...	...	8	...	10	2	...	58	20	16	35	65	2	1	4	7	15	133	19	...	...	...	...	...	...	...	...	...	...	...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c) ...	407,057	29·6	30·5	21·0	2·0	238	164	31	36	3	...	...	7	...	3	2	...	17	5	7	16	23	1	...	2	4	4	54	8	e51·1	27·7	41·1	0·32	e57·5	35·9	46·5	0·68	e57·2	30·5	43·4	0·52
CITY OF DUBLIN.	313,526	39·6	36·3	23·4	2·2	218	141	26	26	1	...	...	7	...	2	2	...	16	5	6	12	20	1	...	1	4	4	49	6	f51·2 g54·5	32·9 30·6	42·3 42·7	0·25 0·30	f58·0 g57·8	38·0 36·0	47·9 47·1	0·56 0·90	f59·1 g57·8	35·1 32·8	45·9 45·8	0·33 0·51
Urban Districts. RATHMINES AND RATHGAR.	37,528	21·9	13·9	15·3	2·8	10	11	1	6	1	...	...	...	...	1	...	...	...	...	1	4	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE ...	29,368	18·5	8·9	10·7	1·8	5	6	1	3	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,013	8·3	5·8	5·8	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ..	17,622	12·1	11·8	11·8	...	4	5	3	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	1	...	...	1	1	52	31	42·9	0·24	58	39	48·2	0·55	61	36	46·2	0·29
Urban Districts. BELFAST ...	398,421	27·1	25·3	15·4	0·3	193	118	20	27	...	...	...	...	...	1	...	...	19	7	6	10	20	...	1	...	2	7	31	2	52·0	30·0	42·1	0·37	55·0	34·5	45·3	1·23	55·0	33·0	43·3	1·83
CORK, ...	76,122	33·6	32·9	27·4	0·7	48	40	6	12	...	...	...	...	...	1	...	...	9	3	1	1	3	...	...	1	1	2	20	...	51	36	42·5	1·27	57	40	47·8	0·92	55	37	45·6	0·90
LONDONDERRY ..	13,900	20·3	36·8	15·4	2·4	31	13	4	3	...	...	...	...	...	1	...	...	1	...	1	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK. ...	38,151	18·1	21·9	24·6	...	16	18	3	3	...	...	...	...	...	...	...	...	1	...	1	1	4	...	...	...	...	...	6	2	52·1	28·2	41·8	0·85	55·6	36	46·8	0·92	57·2	29·6	45·9	1·19
WATERFORD, ...	26,769	18·7	21·4	17·5	...	11	9	2	3	...	...	...	...	...	...	...	...	1	1	...	...	3	...	...	...	...	1	3	1	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,426	2·5	38·8	15·5	...	10	4	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	3	...	50	30	42	0·51	55	36	47	1·55	55	32	44	1·47
DUNDALK, ...	13,076	9·4	12·0	19·9	...	3	5	1	2	...	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,760	8·6	16·3	16·3	4·1	4	4	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	12,405	17·8	42·0	21·0	...	10	5	1	1	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	...	...	...	...	51·0	29·3	41·1	0·17	57·5	34·8	45·0	1·17	56·3	33·5	43·6	1·32
LURGAN, ...	11,782	13·8	31·0	22·1	...	7	5	1	1	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	1	...	...	51·0	29·3	41·1	0·17	57·5	34·8	45·0	1·17	56·3	33·5	43·6	1·32
LISBURN, ...	11,461	10·1	13·6	22·7	...	3	5	1	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	2	...	51·0	29·3	41·1	0·17	57·5	34·8	45·0	1·17	56·3	33·5	43·6	1·32
WEXFORD, ...	11,168	23·2	37·4	9·3	...	8	2	1	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA, ...	10,886	8·9	4·8	11·4	...	1	3	1	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	10,870	3·7	28·8	9·6	4·8	6	2	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	1	51·2	26·6	40·9	0·73	56·0	33·8	46·0	1·90	55·9	34·1	44·5	1·86
KILKENNY, ...	10,609	11·5	31·3	29·5	...	7	6	...	5	...	...	...	...	...	...	...	...	...	...	...	1	4	...	...	...	...	...	3	1	51	29	41·1	0·82	56	35	47	0·94	56	28	44·3	1·05
CLONMEL, ...	10,167	7·8	51·3	30·8	...	10	6	...	1	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	10,092	13·2	31·0	15·5	...	6	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	51·0	29·3	41·1	0·17	57·5	34·8	45·0	1·17	56·3	33·5	43·6	1·32
TRALEE, ...	9,867	16·6	15·9	26·4	...	3	5	3	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	34·3	17·2	11·4	6	3	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	52	32	41·7	0·22	58	36	45·6	0·75	57	35	44·0	0·86
QUEENSTOWN, ...	7,909	11·4	33·0	46·1	6·6	5	7	2	2	...	...	...	...	...	1	...	...	1	1	...	...	...	...	...	...	...	...	1	...	51	36	42·5	1·27	57	40	47·8	0·92	55	37	45·6	0·90
ARMAGH, ...	7,588	22·2	6·9	27·5	...	1	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	3	51·0	29·3	41·1	0·17	57·5	34·8	45·0	1·17	56·3	33·5	43·6	1·32

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1911. (b) See note (‡) at foot of first page. (c) Exclusive of 10 deaths of persons (including 2 under one year old), admitted to hospital from localities outside the Area; of the 10 deaths one was from whooping-cough. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 11th of March, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	3	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	2	.	.	.	.	.	1	1	3	.	.	.	.	.	.	7	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	1	.	.	.	.	.	.	1	.	1	.	.	.	3	1
Diphtheria,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Pulmonary Tuberculosis,	.	4	1	4	.	.	.	.	.	2	5	.	.	.	.	1	17	.
Tuberculous Disease. Other Forms,	.	.	.	.	.	.	.	2	.	2	1	.	.	.	.	.	5	3
Cancer,	1	1	.	.	.	.	.	1	.	3	.	.	1	.	.	.	7	1
Diseases of Nervous System,	2	1	2	1	.	.	.	4	.	3	3	.	1	1	.	.	18	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	1	.	2	.	.	1	1	.	2	3	.	1	1	.	.	13	.
" Respiratory System. Pneumonia,	1	1	3	.	.	1	.	.	1	4	1	.	4	.	.	.	16	.
" Respiratory System. Others,	1	1	3	.	.	1	.	9	1	2	2	.	1	1	.	1	23	2
" Digestive System. Diarrhœa, under 2 years,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
" Digestive System. Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. Enteritis, under 2 years,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.
" Digestive System. Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2	.
" Digestive System. Others,	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	3	1
" Genito-urinary System,	.	1	1	.	.	.	.	.	1	.	1	.	.	1	1	.	6	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	3	1	3	2	.	.	1	2	2	2	6	.	1	1	.	2	26	1
Violent Deaths,	1	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	4	.
Ill-defined, &c. Causes,	.	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	3	.
Deaths from All Causes	11	17	14	12	.	5	2	20	9	24	27	.	11	6	1	5	164	10
Annual Rate of Mortality from All Causes in every 1,000 of the population.	19·0	21·9	23·5	18·5	.	22·2	13·4	21·9	21·4	28·7	38·8	.	15·3	10·7	5·8	14·8	21·0	.
	19·8							27·3					12·8					
	23·4																	
Ages at Death. Under 1 year,	2	1	5	2	.	.	1	4	1	3	7	.	1	1	.	3	31	2
1 and under 2 years,	1	3	.	2	.	.	.	1	1	4	2	.	.	.	.	.	14	1
2 " 5 "	1	.	.	1	.	.	.	2	.	4	1	.	2	.	.	.	11	.
5 " 15 "	.	1	1	.	.	1	.	.	1	3	3	.	1	.	.	.	11	1
15 " 25 "	.	1	.	.	.	1	.	1	.	1	.	.	1	.	.	.	5	2
25 " 45 "	1	4	3	4	.	1	1	1	.	.	6	.	.	1	.	1	23	1
45 " 65 "	3	2	5	3	.	1	.	4	5	5	3	.	.	1	1	.	33	3
65 and upwards,	3	5	.	.	.	1	.	7	1	4	5	.	6	3	.	1	36	.
Number of Uncertified Deaths,	1	2	.	.	.	.	.	.	1	.	2	.	.	1	.	1	8	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	4	.	4	.	1	.	4	1	3	4	.	2	1	1	1	28	7
Workhouse Hospitals,	1	2	3	4	.	.	.	4	3	3	6	.	.	.	.	.	26	3

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 10th Week of the 10 years 1901–1910.	In the Week ending Saturday, 11th March, 1911.										
													Deaths of Persons of the Ages of									
	Mar. 9, 1901.	Mar. 8, 1902.	Mar. 14, 1903.	Mar. 12, 1904.	Mar. 11, 1905.	Mar. 10, 1906.	Mar. 9, 1907.	Mar. 7, 1908.	Mar. 13, 1909.	Mar. 12, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 41·5	° 44·3	° 41·8	° 38·0	° 42·4	° 46·3	° 43·1	° 37·3	° 38·2	° 43·6	° 41·7	° 41·1										
ALL CAUSES.	276	222	200	213	189	187	194	193	223	204	210·1	174	13	20	15	11	12	7	24	36	19	17
Enteric Fever, ...	1	2	3	3	1	.	.	2	3	.	1·5	3	.	.	.	.	.	2	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	6	1	.	1	.	1	.	5	.	1·4	7	.	1	5	1	.	.	.	.	.	.
Scarlet Fever.	.	1	1	1	.	.	.	1	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	10	.	2	6	.	1	7	2	5	2	3·5	4	.	2	1	1	.	.	.	.	.	.
Diphtheria, ...	.	3	2	.	.	2	1	3	2	1	1·4	2	.	.	.	1	1	.	.	.	.	.
Croup, ...	.	1	1	.	1	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	16	2	1	6	4	3	.	7	5	6	5·0	2	.	.	.	.	.	.	1	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	1	.	.	.	3	.	.	.	1	·6	1	.	.	1	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	3	1	.	1	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	2	.	.	.	1	2	1	.	·7	1	.	.	1	.	.	.	.	.	.	.
Tetanus, ...	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	25	38	32	30	25	30	21	24	20	26	27·1	17	.	.	.	1	1	1	10	3	.	1
Tuberculous Meningitis, ...	7	3	3	6	5	3	4	4	2	3	4·0	2	.	.	.	.	2	.	.	.	.	.
Abdominal Tuberculosis, ...	3	.	3	1	1	.	2	2	.	1	1·3	1	.	.	.	.	.	1	.	.	.	.
Tuberculosis of the Vertebral Column.	8	3	10	11	5	6	7	7	13	8	7·8	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...												1	.	.	.	1	.	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												4	.	.	.	1	1	2	.	.	.	.
Venereal Diseases, ...	2	1	.	2	1	1	2	2	.	2	1·3	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	9	7	7	7	3	6	7	6	6	13	7·1	8	.	.	.	.	.	.	1	3	3	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.
Rheumatic Fever, ...	.	.	1	.	.	.	2	.	1	.	·4	1	.	.	.	.	1	.	.	.	.	.
Diabetes, ...	.	.	.	3	.	2	1	.	1	2	·9	.	.	.	.	.	.	.	.	.	.	.
Anæmia Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	1	.	.	.	3	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	4	1	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*												7	.	1	.	.	.	.	1	3	1	1
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												3	.	.	.	.	.	.	.	2	.	1
Epilepsy, ...												1	.	.	.	.	.	.	.	1	.	.
Convulsions (non-puerperal),												2	.	.	2	.	.	.	.	.	.	.
Other Diseases of Nervous System.	57	42	47	55	41	40	43	49	57	37	46·8	6	.	.	.	1	.	.	1	3	1	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,												1	.	.	.	.	.	.	1	.	.	.
Embolism and Thrombosis (including Cerebral)												11	.	.	.	.	1	.	4	3	2	1
Other Diseases of Circulatory System.												.	.	.	.	.	.	.	.	.	.	.
												1	.	.	.	.	1	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	54	43	21	28	34	24	29	28	32	34	32·7	24	1	4	1	.	1	.	1	5	6	5
Broncho-pneumonia, ...	20	16	3	10	8	8	4	5	12	16	16·5	10	1	3	2	2	.	.	.	1	.	1
Lobar-pneumonia, ...			.	.	2	.	1	.	.	2		3	.	1	.	.	1	.	.	1	.	.
Pneumonia (type not distinguished).			11	4	8	10	13	5	5	2		3	.	1	.	.	1	.	.	1	.	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	2	5	3	2	3	4	2	2	2	1	2·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												1	.	.	.	.	.	.	.	1	.	.

TENTH WEEK ending Saturday, 11th March, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 10th Week of the 10 years 1901–1910.	In the Week ending Saturday, 11th March, 1911.										
												Deaths of Persons of the Ages of										
												Mean Temp.	0—5.									
	Mar. 9, 1901.	Mar. 8, 1902.	Mar. 14, 1903.	Mar. 12, 1904.	Mar. 11, 1905	Mar. 10, 1906	Mar. 9, 1907.	Mar. 7, 1908.	Mar. 13, 1909.	Mar. 12, 1910.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 41·5	° 44·3	° 41·8	° 38·0	° 42·4	° 46·3	° 43·1	° 37·3	° 38·2	° 43·6	° 41·7	° 41·1										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	1	1	.
Diarrhœa of Children under 2 years.	1	1	1	1	.	3	1	2	1	4	1·5	1	.	.	1	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	.	1	.	3	3	1	1	1	4	6	2·0	2	.	1	1	.	.	.	.	.	.	.
„ 2 years and upwards,												2	.	.	.	.	.	.	1	1	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	1	.	1
Cirrhosis of Liver, ...	4	.	1	1	1	2	1	.	.	.	2·3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...			.	1	5	1	2	2	.	2		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	3	1	.	.	.	.	2	.	2	.	·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	4	2	5	7	4	8	7	4	7	5	5·3	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	9	3	4	4	4	8	3	5	8	5	5·3	1	.	.	.	.	1	.	.	.	.	.
Chronic Bright's Disease, ...												4	.	.	.	.	.	.	2	2	.	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												1	.	.	.	.	.	.	.	1	.	.
Puerperal Septicæmia, &c., ...	.	.	2	1	.	1	1	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	2	.	.	1	.	.	2	.	·5	1	.	.	.	.	.	1	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	2	1	1	.	.	.	.	.	.	.	.
Premature Birth, ...	4	5	1	1	5	4	5	6	3	3	3·7	9	8	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	3	1	2	.	.	.	.	.	.	.	.
Old Age, ...	19	16	4	3	5	6	5	4	6	5	7·3	7	.	.	.	.	.	.	.	.	2	5
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	.	1	.	1	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	.	1	4	.	.	.	1	2	.	1	·9	3	.	.	.	2	.	.	.	.	1	.
By Drowning, ...	2	.	2	.	.	.	.	2	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	2	1	3	2	.	.	2	1	1	1·4	1	.	1	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	1	.	.	.	.	.	.	1	1	·3	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	1	1	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Execution.	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	.	.	.	.	2	1	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910–11—WEEK ENDING																									
	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.
No. of weeks in Annual Series,	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10
BIRTHS registered.	235	292	196	219	161	244	182	211	207	204	182	199	174	232	158	170	203	230	238	232	219	241	192	214	217	238
Average Births in corresponding week of previous 10 years, ...	203	200	252	192	184	209	206	209	202	195	181	207	193	195	177	174	231	208	209	201	241	217	212	209	216	223
DEATHS registered, ...	153	174	164	160	151	174	139	147	141	166	168	176	188	165	178	155	176	179	190	228	200	220	208	195	180	174
Annual Death-rate per 1,000, ...	19·8	22·5	21·2	20·7	19·5	22·5	18·0	19·0	18·2	21·5	21·7	22·8	24·3	21·4	23·0	20·1	22·5	22·9	24·3	29·2	25·6	28·2	26·6	25·0	23·1	22·3
Average Deaths in corresponding week of previous 10 years, ...	154	167	160	158	156	160	156	172	175	179	182	182	182	177	182	177	201	195	195	192	200	198	200	210	218	210
Ages, Under 5 years, ...	59	70	60	58	44	56	40	46	47	57	49	55	53	43	41	47	56	60	62	59	61	47	57	57	70	59
5—15 „ ...																	5	10	7	11	6	10	6	10	9	12
15—25 „ ...																	9	7	10	11	12	13	5	6	6	7
25—45 „ ...	94	104	104	102	107	118	99	101	94	109	119	121	135	122	137	108	25	24	27	32	32	41	36	35	32	24
45—65 „ ...																	45	38	41	55	48	51	49	35	36	36
65—75 „ ...																	20	25	28	34	22	39	33	29	19	19
75 and upwards, ...																	16	15	15	26	19	19	22	23	8	17
Deaths from :—																										
Enteric Fever, ...	1	1	.	3	1	2	1	1	.	.	2	.	1	2	1	.	.	1	.	2	3	2	2	2	4	3
Typhus, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	3	.	1	.	.	.	1	.	1	1	.	2	1	.	1	4	3	6	2	2	2	2	3	7	7
Scarlet Fever, ...	2	.	.	1	.	1	1	3	.	2	1	3	1	1	.	2	7	.	.	1	.	4	6	2	2	.
Whooping-cough, ...	2	1	2	2	2	5	1	1	4	2	6	5	11	1	5	7	6	5	6	10	4	3	6	7	11	4
Diphtheria, ...	2	3	2	2	1	.	4	1	2	3	2	4	.	3	2	.	1	2	4	1	5	2	3	2	.	2
Influenza, ...	1	1	2	1	1	2	1	4	1	.	2	4	2	1	3	1	.	1	1	4	3	4	5	7	2	2
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	2	.	.	.
Tuberculous Disease, Phthisis, ...	15	19	18	17	14	23	17	18	16	20	14	16	25	14	19	19	21	19	27	28	19	27	22	18	20	17
Tuberculous Disease, Other Forms,	9	8	11	12	8	8	4	11	11	8	6	7	11	4	7	5	4	6	9	7	4	6	8	7	7	8
Cancer, ...	7	9	11	12	11	12	9	7	9	8	14	3	12	4	13	6	8	3	12	7	16	11	4	6	5	8
Diseases of Circulatory System,	19	24	30	20	24	25	23	17	18	22	24	30	30	23	28	31	17	20	13	25	19	23	17	21	14	13
Diseases of Respiratory System, Pneumonia,	10	4	6	5	11	15	12	13	11	16	16	14	15	27	18	11	15	16	10	17	18	20	15	21	13	16
Diseases of Respiratory System, Others, ...	10	20	12	16	17	17	12	18	26	26	29	37	27	32	26	25	29	25	28	42	30	41	44	28	29	25
Diarrhœa, Under 2 years, ...	21	22	27	12	10	8	4	5	4	2	4	6	2	2	2	1	3	2	2	4	4	2	3	3	1	1
Diarrhœa, 2 years & upwards,																	.	.	.	.	1	.	.	1	1	.
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	2	2	.	3	3	1	1	1	2
Violent Deaths, ...	6	6	3	10	4	.	2	1	2	2	3	4	4	8	4	6	2	8	1	4	7	4	2	5	2	4
Number of Uncertified Deaths,	1	3	3	3	6	2	4	1	8	6	7	5	5	3	3	6	4	5	7	7	3	3	2	4	7	8
Mean Temperature of the Air (Phœnix Park)	52·0	50·4	54·2	52·5	48·2	49·1	50·4	43·1	39·6	38·2	42·2	37·0	43·4	45·2	43·5	40·9	37·2	39·0	38·6	45·5	35·9	37·0	46·4	43·4	46·5	41·1
Average Mean Temperature in corresponding week of previous 10 years, ...	53·1	53·8*	53·7	52·2	50·6	48·4	46·2	47·1	45·2	42·7	41·5	42·8	42·4	41·6	41·3*	41·3	42·0	40·0	40·8	40·5	40·3	40·3	39·8	39·9	40·5	41·7
Rainfall in inches, ...	·015	·015	·391	·585	·138	·333	·365	·558	·860	·352	1·206	1·820	1·700	1·172	·183	·130	·336	·345	·153	·034	·000	·011	·582	·523	·681	·316
Mean Humidity of the Air, complete Saturation 1·0, ...	·91	·85	·89	·90	·84	·92	·87	·90	·89	·85	·91	·93	·91	·91	·94	·88	·92	·90	·93	·92	·87	·90	·91	·91	·92	·91

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 11th March 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 11TH MARCH, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards	Enteritis of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	174	59	12	7	24	36	19	17	3	.	.	7	.	4	2	.	17	8	8	2	16	25	1	.	2	4	75	8
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	12·0	4	1	.	.	.	.	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	15·0	25	10	2	3	2	2	1	5	.	.	.	2	.	1	.	.	1	3	1	.	3	3	.	.	1	.	10	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	19·8	42	13	4	.	5	10	6	4	.	.	.	1	.	1	1	.	5	1	2	.	4	3	.	.	.	1	23	5
IV.	GENERAL SERVICE CLASS, ...	154,279	25·0	74	31	5	4	12	12	6	4	3	.	.	4	.	1	1	.	5	2	5	2	8	13	1	.	1	3	25	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	29	4	1	.	5	12	5	2	.	.	.	.	.	1	.	.	5	2	.	.	1	6	.	.	.	.	14	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	7·1	3	1	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	6. Clerks and Commercial Assistants, ...	30,432	17·1	10	8	.	1	.	.	.	1	.	.	.	1	.	1	.	.	.	1		.	.	1	.	.	1	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	17·4	9	1	2	2	.	1	1	2	.	.	.	.	.	.	.	.	.	2	1	.	2	1	.	.	.	.	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	3	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	2
	9. Building and Furnishing Trades, ...	29,801	26·2	15	5	3	.	2	3	2	.	.	.	.	1	.	1	1	.	2	.	1	.	1	1	.	.	.	.	7	1
	10. Clothing Trades, ...	23,260	15·7	7	1	1	.	1		3	1	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.	.	3	1
	11. Food Supply Trades, ...	9,242	22·6	4	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	18·9	11	4	.	.	2	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	7	1
	13. Petty Shopkeepers, ...	7,894	6·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	23·3	6	1	.	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	1	.	1	.
	15. Domestic Servants, ...	36,603	8·5	6	.	.	2	3	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	25·4	7	3	.	.	3	1	.	.	1	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	31·9	55	27	5	2	6	10	4	1	2	.	.	4	.	1	1	.	3	2	4	2	5	9	1	.	.	3	18	3
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	29	4	1	.	5	12	5	2	.	.	.	.	.	1	.	.	5	2	.	.	1	6	.	.	.	.	14	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 30,219.	Jan. 21,	27·6	1·7	16	.	.	.	.	.	.	1	.	1	1	2	.	3	.	.	.	.	2
	„ 28,	24·2	1·7	14	.	.	.	.	.	1	.	.	2	.	1	.	3	.	.	.	.	1
	Feb. 4,	34·5	3·5	20	1	.	.	.	.	1	.	.	2	.	.	3	1	.	.	.	1	.
	„ 11,	36·2	3·5	21	.	.	.	.	1	.	.	.	.	1	.	1	5	1	.	.	1	.
	„ 18,	24·2	3·5	14	.	.	.	.	.	1	1	.	1	.	.	.	3	.	.	1	.	.
	„ 25,	19·0	.	11	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	.	.
	Mar. 4,	29·3	6·9	17	1	.	.	1	.	1	.	.	1	.	1	1	.	.	1	.	.	.
	„ 11,	19·0	.	11	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	1
North City, No. 1 (W.) (*Office, Summer hill.*) Pop. in 1911 (Est.) 40,390.	Jan. 21,	31·0	1·3	24	.	.	.	.	.	.	.	.	7	1	.	.	4	1	.	.	.	1
	„ 28,	37·4	1·3	29	.	.	.	.	.	1	.	.	3	1	1	2	8	.	.	.	1	1
	Feb. 4,	34·9	3·9	27	1	.	.	.	.	.	.	.	4	.	3	3	4	2	.	.	1	.
	„ 11,	29·7	2·6	23	.	.	.	.	.	1	.	.	3	.	2	1	5	1	.	.	.	.
	„ 18,	36·1	3·9	28	.	.	.	.	1	.	1	.	5	1	.	1	9	1	.	.	.	1
	„ 25,	32·3	2·6	25	.	.	.	.	1	.	.	.	4	.	.	4	4	1	.	.	1	1
	Mar. 4,	19·4	6·5	15	1	.	.	1	.	3	.	.	1	.	.	.	1	.	.	.	.	1
	„ 11,	21·9	3·9	17	.	.	.	2	.	.	1	.	4	.	1	1	1	.	.	.	.	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 31,064.	Jan. 21,	15·1	.	9	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.	.
	„ 28,	35·2	5·0	21	.	.	.	.	.	2	.	.	1	.	.	.	7	1	.	.	.	.
	Feb. 4,	21·8	.	13	.	.	.	.	.	.	.	.	.	.	1	1	3	.	.	1	1	.
	„ 11,	26·9	.	16	.	.	.	.	.	.	.	.	3	2	1	2	2	.	.	.	.	.
	„ 18,	23·5	1·7	14	.	.	.	.	.	.	.	.	3	2	.	.	3	1	.	.	1	.
	„ 25,	15·1	3·4	9	1	.	.	1	.	.	.	.	1	1	.	2	1	.	.	.	.	.
	Mar. 4,	35·2	5·0	21	.	.	.	1	.	1	.	.	2	3	1	2	3	1	.	.	1	.
	„ 11,	23·5	.	14	.	.	.	.	.	.	.	.	1	.	.	3	3	.	.	.	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,908.	Jan. 21,	20·0	3·1	13	.	.	.	.	.	1	1	.	2	1	1	1	.	.	.	.	.	.
	„ 28,	24·6	4·6	16	.	.	.	.	.	.	1	.	1	1	1	1	3	2	.	.	.	.
	Feb. 4,	16·9	6·2	11	1	.	.	.	.	1	1	.	1	.	.	1	.	1	.	.	.	.
	„ 11,	35·4	3·1	23	.	.	.	.	1	1	.	.	2	.	3	3	7	.	.	.	.	1
	„ 18,	32·3	3·1	21	.	.	.	.	.	1	.	.	3	1	1	2	5	1	.	.	.	.
	„ 25,	36·9	7·7	24	1	.	.	.	1	1	1	.	.	1	1	4	3	1	.	1	1	1
	Mar. 4,	12·3	3·1	8	1	.	.	.	1	.	.	.	2	.	.	.	1	.	.	1	.	.
	„ 11,	18·5	3·1	12	.	.	.	.	.	1	1	.	4	.	.	.	.	.	.	1	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,908.	Jan. 21,	31·1	1·2	25	.	.	.	1	.	.	.	.	7	.	2	1	4	.	.	1	.	.
	„ 28,	27·4	2·5	22	.	.	.	.	1	1	.	.	3	.	.	3	2	.	.	.	1	1
	Feb. 4,	27·4	1·2	22	.	.	.	1	.	.	.	.	1	.	1	1	4	.	.	1	2	1
	„ 11,	36·1	5·0	29	2	.	.	.	1	.	1	.	4	1	.	1	7	.	.	1	.	.
	„ 18,	26·1	7·5	21	2	.	.	.	2	1	.	1	1	.	.	2	2	.	.	.	.	.
	„ 25,	34·8	5·0	28	.	.	.	2	.	1	.	.	2	1	.	.	5	.	1	.	2	.
	Mar. 4,	19·9	2·5	16	1	.	.	.	.	1	.	.	3	.	1	1	2	.	.	.	1	.
	„ 11,	24·9	1·2	20	.	.	.	1	.	.	.	.	.	2	1	.	9	.	.	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,980.	Jan. 21,	7·1	.	3	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
	„ 28,	42·7	2·4	18	1	.	.	.	.	.	.	.	4	1	.	1	4	.	.	.	.	.
	Feb. 4,	28·5	.	12	.	.	.	.	.	.	.	.	3	1	1	2	3	.	.	.	.	.
	„ 11,	38·0	.	16	.	.	.	.	.	.	.	.	4	1	2	1	2	.	.	.	.	.
	„ 18,	33·2	2·4	14	.	.	.	.	1	.	.	.	1	1	.	.	5	.	.	.	.	.
	„ 25,	30·8	2·4	13	.	.	.	.	.	.	.	.	2	.	1	.	3	1	.	.	1	.
	Mar. 4,	30·8	2·4	13	.	.	.	1	.	.	.	.	1	.	.	.	7	.	.	.	.	.
	„ 11,	21·4	2·4	9	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,677.	Jan. 21,	37·0	3·6	31	.	.	.	1	.	2	.	.	3	1	1	3	9	.	.	.	1	1
	„ 28,	22·7	1·2	19	1	.	.	.	.	.	.	.	5	1	1	3	3	.	.	.	.	1
	Feb. 4,	22·7	2·4	19	.	.	.	1	.	.	1	.	3	.	1	2	4	.	.	.	1	.
	„ 11,	28·7	1·2	24	.	.	.	.	1	.	.	.	4	.	.	3	2	.	.	2	1	1
	„ 18,	28·7	3·6	24	.	.	.	2	.	.	1	.	3	.	.	2	5	.	.	.	1	.
	„ 25,	20·3	3·6	17	.	.	.	.	.	2	1	.	2	2	.	3	3	.	.	.	.	.
	Mar. 4,	32·2	6·0	27	.	.	.	2	1	2	.	.	4	1	.	1	9	.	.	.	.	1
	„ 11,	28·7	3·6	24	.	.	.	3	.	.	.	.	2	2	3	4	2	.	.	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 36,254.	Jan. 21,	24·5	5·8	17	.	.	.	2	.	1	1	.	.	1	1	1	3	.	.	.	.	.
	„ 28,	28·8	8·6	20	.	.	.	1	.	4	.	.	3	1	.	2	5	1	.	.	.	1
	Feb. 4,	24·5	5·8	17	.	.	.	.	.	1	2	.	3	.	3	1	2	1	.	.	1	.
	„ 11,	33·1	4·3	23	.	.	.	2	.	1	.	.	4	1	2	2	6	.	.	.	.	.
	„ 18,	23·0	4·3	16	.	.	.	.	.	3	.	.	.	1	.	1	2	.	.	.	.	1
	„ 25,	24·5	2·9	17	.	.	.	.	.	2	.	.	5	.	.	3	1	.	.	.	.	.
	Mar. 4,	24·.	4·3	17	.	.	.	1	.	2	.	.	2	1	1	4	.	.	.	.	.	2
	„ 11,	38·8	2·9	27	.	.	.	.	1	.	.	.	5	1	.	1	2	1	.	.	2	2

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 37,528.	Jan. 21,	18·1	.	13	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.	.
	„ 28,	20·8	1·4	15	.	.	.	.	.	1	.	.	.	.	.	2	3	.	.	.	1	1
	Feb. 4,	25·0	1·4	18	.	.	.	.	.	.	1	.	.	2	1	1	4	.	.	1	.	1
	„ 11,	18·1	.	13	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	.	1	.
	„ 18,	19·5	.	14	.	.	.	.	.	.	.	.	.	.	1	4	2	.	.	.	.	.
	„ 25,	22·2	.	16	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.	.	2
	Mar. 4,	18·1	.	13	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 11,	15·3	2·8	11	1	.	.	.	.	1	.	.	.	.	1	4	1	.	.	.	.	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,368.	Jan. 21,	21·3	1·8	12	.	.	.	1	.	.	.	.	1	1	2	.	1	.	.	.	.	2
	„ 28,	24·9	.	14	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.
	Feb. 4,	14·2	.	8	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 11,	14·2	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.
	„ 18,	24·9	.	14	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	.	.
	„ 25,	16·0	1·8	9	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.
	Mar. 4,	14·2	1·8	8	.	.	.	.	.	1	.	.	1	.	.	1	2	.	.	.	.	1
	„ 11,	10·7	1·8	6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Kingstown Urban District. Pop. in 1911 (Est.) 17,622.	Jan. 21,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 28,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Feb. 4,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	1
	„ 11,	17·8	.	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
	„ 18,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 25,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Mar. 4,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 11,	14·8	.	5	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
Belfast. Pop. in 1911 (Est.) 398,421.	Jan. 21,	15·4	0·5	118	.	.	.	1	1	1	1	.	17	4	7	7	24	.	.	.	1	1
	„ 28,	15·4	0·4	118	.	.	.	.	.	1	2	.	13	4	11	7	20	.	.	2	2	5
	Feb. 4,	16·8	0·3	128	.	.	.	.	.	1	1	.	10	4	6	7	25	.	.	2	4	2
	„ 11,	19·1	0·4	146	.	.	.	.	1	.	.	.	11	4	5	11	26	1	1	3	4	1
	„ 18,	19·5	.	149	.	.	.	.	.	.	.	.	22	11	5	14	25	.	.	2	.	.
	„ 25,	18·5	0·3	141	.	.	.	.	1	1	.	.	15	10	8	11	20	.	.	2	4	.
	Mar. 4,	17·4	0·3	133	.	.	.	.	.	1	.	.	13	10	3	15	20	1	.	1	3	3
	„ 11,	15·4	0·3	118	.	.	.	.	.	1	.	.	19	7	6	10	20	.	1	.	2	2
Cork. Pop. (in 1901) 76,122.	Jan. 21,	27·4	.	36	.	.	.	.	.	.	.	.	3	.	2	1	16	.	.	1	1	1
	„ 28,	25·3	2·7	37	.	.	.	.	.	4	.	.	1	1	.	5	4	.	.	.	.	1
	Feb. 4,	20·5	0·7	30	.	.	.	.	.	1	.	.	6	1	.	3	3	.	.	.	1	2
	„ 11,	27·4	1·4	40	.	.	.	.	1	1	.	.	10	2	5	2	2	.	.	.	1	4
	„ 18,	25·3	.	37	.	.	.	.	.	.	.	.	7	.	.	3	11	.	.	.	.	3
	„ 25,	24·7	0·7	36	.	.	.	.	.	1	.	.	7	1	1	2	4	.	.	.	2	1
	Mar. 4,	17·8	0·7	26	.	.	.	.	.	1	.	.	7	1	.	1	3	.	.	.	.	1
	„ 11,	27·4	0·7	40	.	.	.	.	.	1	.	.	9	3	1	1	3	.	.	1	1	.
Londonderry. Pop. in 1911 (Est.) 43,900.	Jan. 21,	23·8	4·8	20	.	.	.	.	.	4	.	.	.	.	1	1	4	.	.	.	.	.
	„ 28,	22·6	2·4	19	.	.	.	.	.	2	.	.	2	1	.	4	.	.	.	.	1	1
	Feb. 4,	14·3	3·6	12	.	.	.	.	.	3	.	.	.	.	.	1	3	.	.	.	.	1
	„ 11,	20·2	4·8	17	.	.	.	.	.	4	.	.	2	.	.	.	3	.	.	1	.	1
	„ 18,	29·7	7·1	25	1	.	.	.	.	5	.	.	4	.	2	.	6	.	.	.	.	.
	„ 25,	22·6	1·2	19	.	.	.	.	.	1	.	.	.	2	1	1	3	.	.	.	1	.
	Mar. 4,	28·5	7·1	24	.	.	.	.	.	6	.	.	2	.	.	3	1	.	.	.	.	2
	„ 11,	15·4	2·4	13	.	.	.	.	.	1	.	.	1	.	1	.	4	1	.	1	.	.
Limerick. Pop. (in 1901) 38,151.	Jan. 21,	20·5	.	15	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	1
	„ 28,	20·5	.	15	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.	.	2
	Feb. 4,	20·5	2·7	15	2	.	.	.	.	.	.	.	1	.	.	.	4	.	.	1	.	1
	„ 11,	24·6	.	18	.	.	.	.	.	.	.	.	4	.	.	.	7	.	.	.	.	1
	„ 18,	10·9	.	8	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.	2
	„ 25,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	1
	Mar. 4,	30·1	.	22	.	.	.	.	.	.	.	.	3	.	.	2	5	.	.	.	.	4
	„ 11,	24·6	.	18	.	.	.	.	.	.	.	.	1	.	1	1	4	.	.	.	.	2
Waterford. Pop. (in 1901) 26,769.	Jan. 21,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 28,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2
	Feb. 4,	19·5	.	10	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	.
	„ 11,	33·1	.	17	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	2	.	1
	„ 18,	23·4	.	12	.	.	.	.	.	.	.	.	1	2	1	.	4	.	.	1	.	2
	„ 25,	13·6	.	7	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	1	.	1
	Mar. 4,	33·1	.	17	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.	.	2
	„ 11,	17·5	.	9	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 11th March, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	349,180	10	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		7	.	3	.	1	1	2	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.	.	3	1
Do. 2 do.		16			17	2	.	.	6	5	4	.	.	.	.	.	.	.	.	4	.	1	3	5	.	.	.	1	2	6	.
Do. 3 do.		28			8	2	.	1	1	3	1	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	2	1
Do. 4 do.		23			11	4	1	.	2	1	3	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	.	.	2	4	.
Do. 5 do.		6			5	1	.	.	2	1	1	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	.	5	.
Do. 6 do.		20			12	.	.	1	3	6	2	.	.	.	.	.	.	.	.	4	.	1	1	2	.	.	.	.	1	1	.
Do. 7 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		2			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		10			6	.	.	.	2	1	3	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	3	.
Do. 10 do.		18			6	1	1	1	1	.	2	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	1	.
Do. 11 do.		10			10	2	1	3	1	1	2	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	1	2	1	.
Do 12 do.		26			13	3	2	2	2	2	2	.	.	.	.	.	.	.	.	.	4	1	.	4	.	1	.	.	.	.	.
Do. 13 do.		6			8	1	.	.	2	3	2	.	.	.	.	.	.	.	.	2	.	2	1	.	.	.	.	.	.	2	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 15 do.		17			14	4	2	1	.	5	2	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	3	.
Total,	—	193			118	20	10	9	23	29	27	.	.	.	.	.	1	.	.	19	7	6	10	20	.	1	.	2	7	31	2
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	3	20·3	.	5	.	.	1	1	2	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	2	.
Do. 2 do.	10,701	8	4·9	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 3 do.	9,978	10	15·7	.	3	.	.	2	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1	3	.
Do. 4 do.	8,666	9	24·1	.	4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	.
Do. 5 do.	6,592	.	55·4	.	7	.	.	1	3	.	3	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.	1	4	.
Do. 6 do.	10,702	11	48·7	.	10	4	.	.	3	.	3	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	1	.	.	5	.
Do. 7 do.	16,616	7	31·4	3·1	10	.	1	2	3	1	3	.	.	.	.	.	1	.	.	1	2	1	.	.	.	.	.	.	.	5	.
Total,	76,122	48	27·4	0·7	40	6	1	7	10	4	12	.	.	.	.	.	1	.	.	9	3	1	1	3	.	.	1	1	2	20	.

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910–11—WEEK ENDING																									
	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.
No. of weeks in Annual Series,	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10
BIRTHS registered, ...	264	194	172	200	205	228	201	183	178	156	181	175	185	167	200	199	241	231	233	188	212	218	216	213	232	193
DEATHS registered, ...	116	122	105	94	122	120	115	108	122	132	134	109	151	133	132	91	122	151	118	118	128	146	149	141	133	118
Annual Death rate per 1,000 of estimated population. ...	15·5	16·3	14·0	12·5	16·3	16·0	15·3	14·4	16·3	17·6	17·9	14·5	20·1	17·7	17·6	12·1	16·0	19·8	15·4	15·4	16·8	19·1	19·5	18·5	17·4	15·4
AGES, Under 1 year, ...	23	29	25	31	27	27	28	24	28	27	24	17	34	20	22	18	21	30	23	26	24	24	31	21	25	20
1—5 years, ...	13	11	14	6	14	16	8	11	6	6	5	8	11	17	12	8	12	11	8	10	10	7	10	14	9	10
5—25 „ ...	80	82	66	57	81	77	79	73	88	99	105	84	106	96	98	65	7	20	16	11	6	11	21	17	18	9
25—45 „ ...																	30	37	17	13	25	27	30	29	16	23
45—65 „ ...																	32	25	21	27	34	34	32	26	35	29
65 and upwards, ...																	20	28	33	31	29	43	25	34	30	27
Deaths from :—																										
Enteric Fever, ...	.	.	1	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	3	1	1	3	5	.	3	1	.	2	2	3	3	1	.	.	.	1	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	.	.	1	.	1	.		1	.	1	2	1	1	1	1	1	.	.	1	.	1	.	.
Whooping-cough, ...	1	1	3	1	1	.	1	.	.	.	1	.	1	.	1	1	.	.	1	1	1	.	.	1	1	1
Diphtheria, ...	1	.	.	.	2	1	.	.	1	1	.	1	4	.	.	.	.	.	1	2	1	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	14	11	17	9	17	10	12	14	12	17	17	13	14	12	15	9	14	23	17	13	10	11	22	15	13	19
Tuberculous Disease. Other Forms,	13	6	7	3	8	6	8	2	7	8	4	7	5	7	3	3	7	7	4	4	4	4	11	10	10	7
Cancer, ...	10	8	5	5	7	5	7	9	5	8	9	6	5	8	6	5	7	2	7	11	6	5	5	8	3	6
Diseases of Respiratory System, Pneumonia	7	10	7	5	11	11	7	7	13	11	8	7	13	10	10	7	8	9	7	7	7	11	14	11	15	10
Diseases of Respiratory System, Others, ...	5	8	11	9	16	9	19	11	23	16	25	25	36	22	29	18	18	24	24	20	25	26	25	20	20	20
Diarrhœa, Under 2 years, ...	15	13	7	7	3	8	10	6	4	3	1	1	4	3	1	.	1	.	.	.	.	1	.	.	1	.
Diarrhœa, 2 years & upwards,																	1	1	.	.	.	1	.	.	.	1
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	.	.	2	2	3	2	2	1	.
Violent Deaths, ...	1	5	2	.	.	2	.	3	4	2	5	3	2	6	2	4	6	6	1	2	4	4	.	4	3	2
Number of Uncertified Deaths, ...	2	.	1	1	1	.	.	2	3	.	.	3	4	1	1	3	3	.	1	5	2	1	.	.	3	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,912,054	Mar. 11,	2,274	1,391	14·8	1	6	175	3	23	11	16*a*
Edinburgh, ...	365,253	„ 11,	126	102	14·6	.	.	2	2	2	2	.
Glasgow, ...	897,178	„ 11,	460	269	15·6	2	.	3	.	19	1	3
Calcutta, ...	1,009,008	Feb. 4,	.	508	26·1	81*	1	.	.	1	.	102‡
Bombay, ...	977,822	„ 4,	427	814	43·3	115*	4	47	.	.	.	80‡
Madras, ...	509,346	Jan. 14,	282	346	35·3	66*	9	4	?	?	?	63‡
Cairo, ...	689,439	„ 21,	678	416	31·5	1	1	.	1	.	5†	46*a*
Paris, ...	2,760,000	Feb. 11,	945	1,075	20·4	8	.	8	3	6	9†	23*a*
Brussels, ...	720,030	„ 11,	260	213	15·4	3	.	.	.	.	2†	6*a*
Antwerp, ...	320,640	„ 18,	120	85	13·8	.	.	2	.	.	1†	9*a*
Amsterdam, ...	574,973	„ 18,	300	203	18·4	.	.	12	.	3	3†	2*a*
Copenhagen, ...	459,000	„ 18,	249	129	14·7	.	.	.	1	.	1†	1*a*
Stockholm, ...	341,816	„ 11,	139	124	18·9	.	.	.	3	.	2†	5*a*
Christiania, ...	240,178	„ 25,	124	64	13·9	.	.	.	.	4	.	.
St. Petersburg, ...	1,639,161	Jan. 28,	889	620	20·2	4	7	14	13	.	10	55
Moscow, ...	1,493,600	„ 28,	.	766	26·7	2	4	13	36	8	29†	51
Berlin, ...	2,071,015	Feb. 11,	844	609	15·3	.	.	4	6	6	10†	20
Hamburg, ...	932,000	„ 18,	.	296	16·5	.	.	1	1	4	10†	11
Breslau, ...	514,144	„ 18,	.	204	20·7	1	.	2	.	.	1	15
Munich, ...	597,000	„ 25,	.	214	18·7	1	.	6	.	3	1†	14
Vienna (with suburbs),	2,030,834	„ 18,	813	652	16·7	1	.	3	2	2	7†	20*a*
Buda-Pesth, ...	838,950	„ 18,	477	357	22·1	.	.	.	14	1	1†	16*a*
Prague and Faubourgs,	508,310	„ 4,	201	187	19·1	.	.	.	1	2	1†	11*a*
Trieste, ...	224,080	„ 11,	143	142	33·1	.	.	6	.	.	1†	.
Rome, ...	589,425	Dec. 10,	282	221	19·6	3	.	.	.	1	1	5
Venice, ...	184,325	Feb. 4,	73	93	26·3	1	.	.	.	.	.	2
New York, ...	4,983,385	Jan. 28,	2,970	1,461	15·3	5	.	7	13	6	32†	37*a*
Philadelphia, ...	1,573,509	„ 21,	.	561	18·5	7	.	17	8	2	9	9*a*
Boston, ...	685,912	Feb. 25,	.	280	21·2	1	.	.	3	4	5	4

* Deaths from "fever," including 3 deaths from enteric fever and 13 deaths from plague in Calcutta, and 2 from enteric fever and 53 from plague in Bombay.

† Including deaths from croup.

‡ Including 60 deaths from cholera in Calcutta, 8 in Bombay, and one in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 11th March, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	1	.	.	1	.	.	.	1	.	.	.	3
" " 1, West, ...	.	6	.	.	1	.	.	.	.	.	.	2	9
" " 2, ...	.	.	.	.	.	.	.	2	.	.	.	3	5
" " 3, ...	.	.	.	.	.	.	.	1	1	.	.	3	5
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	1	.	.	2	.	.	1	.	.	.	.	4
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	3	.	.	2	.	.	4	3	.	.	7	19
" " 2, ...	.	.	.	.	.	.	.	3	.	.	.	.	3
" " 3, ...	.	3	.	.	.	.	.	1	.	.	.	1	5
" " 4, ...	.	.	.	.	2	.	.	.	1	.	.	.	3
New Kilmainham, ...	.	1	.	.	2	.	.	1	1	.	.	.	5
Total.	.	17	.	.	10	.	.	13	7	.	.	16	63

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 11th March, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 11th March.			
	Feb. 18.	Feb. 25.	Mar. 4.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	1	.	.	.	.	.	.
Measles, ...	36	46	52	14	20	.	46
Scarlet Fever, ...	108	112	118	20	14	.	124*
Typhus, ...	.	.	.	.	.	.	.
Diphtheria, ...	87	95	84	10	29	1	64
Enteric Fever, ...	90	101	92	14	19	2	85
Pneumonia, ...	43	36	39	3	8	1	33

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 11th March, 1911:—

"Waves of high, and troughs of low, atmospheric pressure continued to pass eastwards from Greenland across Iceland and the Norwegian Sea to Scandinavia and Northern Russia. V.-shaped secondary depressions also crossed the British Isles on Monday, Wednesday night, and Friday. On the other hand, an area of high atmospheric pressure stretched from the Azores to the Bay of Biscay and France, as in the previous week. With these conditions the weather was kept in a changeable state all over Western and Northern Europe—temperature being extremely unsteady, and clouds and showers alternating with fine, bright, cold spells. The week opened with a splendid sky-colouring at sunrise on Sunday, the clouds being all aglow with rosy and golden light. Another beautiful sunrise was observed on Friday, the sun shining on the undersurface of a sheet of cirriform cloud, which was overspreading the sky in front of a baric depression. On Monday and Tuesday the ranges of the Dublin and Wicklow Mountains above 2,200 feet appeared snow-capped. At 2 p.m. of Monday a hail-shower fell in Dublin. Solar halos appeared on Sunday and Friday, and a partial lunar halo was seen on Tuesday evening. On the morning of the last-named day sharp frost occurred in the North of Scotland and Central Ireland, the thermometer falling to 26° in the screen at Birr Castle. On the mornings of Wednesday and Friday also frosts were reported from Bath and from stations in the southeast of England, including London. A thunderstorm occurred at Liverpool on Thursday afternoon. Saturday was fair, bright generally, cool and dry. In Dublin the mean height of the barometer was 30·023 inches, the range being from 30·320 inches at 9 a.m. of Tuesday (wind, W.) to 29·559 inches at 4 p.m. of Friday (wind, S.W.) The corrected mean temperature was 42·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 41·3°. On Tuesday the screened thermometers fell to 32·9°, on Friday they rose to 51·2°. The dominant wind was W.N.W. Rain fell on 5 days to the amount of ·246 inch, of which ·098 inch was measured on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·852 inches. The highest reading (30·151) was on Tuesday at 9 a.m., air calm, and the lowest (29·531) on Friday at 9 p.m., wind N.W.

The mean temperature for the week was 41·1°, being 0·6° below the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Wednesday, on which day the thermometer registered 51·1°, and was lowest on Tuesday, the mercury having fallen to 27·7°. The mean of the Dry Bulb for the week was 39·8° and of the Wet Bulb, 38·7°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The rainfall during the week measured 0·316 inch.

At Greenwich the mean temperature for the week was 40·4°, the maximum 51·0°, and the minimum 29·1°; and at Edinburgh the maximum was 47·6°, the minimum 32·9°, and the mean 39·8°. The rainfall at Greenwich measured 0·42 in., and at Edinburgh 0·17 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, March 5,	29·931	45·8	31·9	38·9	39·8	38·8	·92	·6	0·9	·120	Calm.	S.W.
Monday, „ 6,	29·918	45·1	35·8	40·5	38·7	37·5	·90	·5	3·2	·016	W.N.W.	N.W.
Tuesday, „ 7,	30·080	48·8	27·7	38·3	36·7	35·4	·90	·5	9·4	·022	Calm.	Calm.
Wednesday, „ 8,	29·761	51·1	36·8	44·0	41·8	41·5	·98	·6	2·0	·090	S.W.	W.
Thursday, „ 9,	29·899	48·8	32·9	40·9	37·9	36·9	·92	·6	9·7	·000	W.S.W.	W.S.W.
Friday, „ 10,	29·582	50·6	35·7	43·2	43·0	41·6	·89	·6	2·2	·008	S.S.W.	N.W.
Saturday, „ 11,	29·793	49·1	35·4	42·3	40·9	39·3	·88	·6	6·2	·060	W.	W.S.W.
Mean, ...	29·852	48·5	33·7	41·1	39·8	38·7	·91	·6	Total 33·6	Total ·316	Prevailing Wind. W.S.W.	

Sunday—Day cloudy to overcast; light rain p.m.; night cloudy, passing showers. *Monday*—Day cloudy; rain a.m. and p.m.; night clear. *Tuesday*—Fine bright day; night overcast; drizzle a.m. *Wednesday*—Day cloudy; rain p.m.; night cloudy. *Thursday*—Day cloudy; fine; night clear. *Friday*—Day overcast to cloudy; rain p.m.; night cloudy. *Saturday*—Day cloudy; night cloudy; drizzle a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, March 11th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, March 5,	41·9	45·1	45·2	47·1	35·9	41·5	0·2	·092
Monday, „ 6,	42·3	44·5	45·5	45·9	38·0	42·0	2·1	·004
Tuesday, „ 7,	37·5	43·0	45·5	46·4	32·8	39·6	6·0	·040
Wednesday, „ 8,	45·2	42·8	45·4	51·8	40·0	45·9	0·4	·047
Thursday, „ 9,	40·0	43·0	45·3	49·4	35·2	42·3	8·3	—
Friday, „ 10,	44·3	42·5	45·1	51·4	38·5	45·0	1·2	—
Saturday, „ 11,	42·9	43·2	45·1	48·9	37·5	43·2	4·8	·040
Weekly Mean, .	42·0	43·4	45·3	48·7	36·8	42·8	Total 23·0	Total ·223

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30281. Wt. P. 489–53/138. 375. 2. 1911. G. III. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & Co., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 18TH MARCH, 1911. [No. 11.

General Register Office, Charlemont House,
Dublin, 20th March, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,163,596.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Feb. 25	Mar. 4	Mar. 11	Mar. 18	Average Rate for 4 weeks.	Towns, &c.	Week ending Feb. 25	Mar. 4	Mar. 11	Mar. 18	Average Rate for 4 weeks.
22 Town Districts, ...	**20·9**	**20·4**	**19·3**	**17·4**	**19·5**	Limerick	9·6	30·1	24·6	15·0	19·8
						Lisburn	22·7	13·6	22·7	13·6	18·2
Armagh	13·7	6·9	27·5	13·7	15·5	Londonderry	22·6	28·5	15·4	10·7	19·3
Ballymena	19·2	19·2	14·4	33·5	21·6	Lurgan	26·6	39·8	22·1	22·1	27·6
Belfast	18·5	17·4	15·4	15·4	16·7	Newry	29·4	8·4	21·0	33·6	23·1
Clonmel	5·1	20·5	30·8	5·1	15·4	Newtownards	11·4	34·3	17·2	11·4	18·6
Cork	24·7	17·8	27·4	16·4	21·6	Portadown	31·0	5·2	15·5	31·0	20·7
Drogheda	28·6	24·5	16·3	8·2	19·4	Queenstown	.	26·4	46·1	26·4	24·7
Dublin Reg. Area ...	23·8	21·6	21·0	20·8	21·8	Sligo	33·6	48·0	9·6	.	22·8
Dundalk	23·9	12·0	19·9	12·0	17·0	Tralee	10·6	5·3	26·4	21·1	15·9
Galway	19·4	15·5	15·5	7·8	14·6	Waterford	13·6	33·1	17·5	15·6	19·9
Kilkenny	29·5	14·7	29·5	24·6	24·6	Wexford	18·7	14·0	9·3	14·0	14·0

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 0·9 per 1,000, the rates varying from 0·0 in nineteen of the districts to 4·1 in Drogheda, one of the 2 deaths recorded for that district being from measles. Among the 118 deaths from all causes for Belfast are one from each of scarlet fever, whooping-cough and diarrhœa.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 203—107 boys and 96 girls—and the deaths to 170—78 males and 92 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·8 per 1,000 of the population. During the eleven weeks ending with Saturday last the death-rate averaged 23·5, and was 2·6 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœa.

The total deaths registered, numbering 170, represent an annual rate of 21·8 per 1,000; the annual rate for the past eleven weeks was 24·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 27·2 per 1,000 of the mean population for all deaths registered.

The deaths registered include one death from enteric fever, 7 deaths from measles, 4 from whooping-cough, 3 deaths from diarrhœa and enteritis of children under 2 years of age, and 2 deaths from influenza. In the three preceding weeks deaths from enteric fever were 2, 4, and 3; deaths from measles were 3, 7, and 7; deaths from whooping-cough were 7, 11, and 4; deaths from diarrhœa and enteritis of children under 2 years were 4, 2, and 3; and deaths from influenza were 7, 2, and 2, respectively.

Deaths from all forms of tuberculous disease, which in the three preceding weeks numbered 25, 27, and 25, respectively, rose to 36 last week; of the 36 deaths, 28 were from pulmonary tuberculosis, 5 from tuberculous meningitis, one from abdominal tuberculosis, one from tuberculosis of other organs, and one from disseminated tuberculosis.

Five deaths were caused by broncho-pneumonia, 2 by lobar pneumonia, and 7 by *pneumonia* (type not distinguished).

There were 6 deaths from cancer.

The 16 deaths from diseases of the brain and nervous system include 2 deaths of infants under one year of age from *convulsions*.

Diseases of the circulatory system caused 24 deaths, and bronchitis 20 deaths.

Two deaths were ascribed to prematurity and one to congenital debility.

There were 5 deaths ascribed to accidental causes, including one death caused by burns, one by drowning, one death of an infant by suffocation in bed, one death of an infant attributed to inattention at birth, and one death by a fall.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year of age and the deaths of 2 persons aged 65 years and upwards.

Thirty-nine of the persons whose deaths were registered during the week were under 5 years of age (20 being infants under one year, of whom 6 were under one month old) and 49 were aged 65 years and upwards; including 39 persons aged 70 and upwards; among the latter were 21 aged 75 and upwards, of whom one (a female) was stated to have been aged 92 years.

Sixty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse and 20 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·8 per 1,000; the rate in the City was 22·5 (North City Districts, 22·4; South 22·5) and in the Suburbs, 15·1.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·2 per 1,000 inhabitants, the rate for the City being 2·8 (3·2 in the North City Districts, and 2·4 in the South), and for the Suburbs, 0·0.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (22) are equal to an annual rate of 38·0 per 1,000, and include one death each from measles and influenza, 4 deaths from pulmonary tuberculosis, one death from broncho-pneumonia, and 3 deaths from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (16) are equal to an annual rate of 20·7 per 1,000. There were 2 deaths from measles, one death from whooping-cough, one death from diarrhœa, 2 deaths from tuberculous disease, one death from broncho-pneumonia, and 3 deaths from other diseases of the respiratory system.

No. 2 *North City District* (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 20·1 per 1,000. One death from diarrhœa of a child under 2 years of age, 3 deaths from pulmonary tuberculosis, and one death from broncho-pneumonia were recorded.

No. 3 *North City District* (Benburb-street).—The deaths (9) represent an annual rate of 13·8 per 1,000. Among them are 2 deaths from measles, one from whooping-cough, one death from diarrhœa of a child under 2 years of age, and one death from pulmonary tuberculosis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·2 per 1,000 inhabitants; Coolock and Drumcondra, part of, 22·2, and Finglas and Glasnevin, part of, 20·1. Among the 5 deaths from all causes for Coolock and Drumcondra, part of, one was from influenza and one from pulmonary tuberculosis; and the 3 deaths recorded for Finglas and Glasnevin, part of, were caused by tuberculous disease.

No. 1 *South City District* (South Earl-street).—The deaths (18) represent an annual rate of 22·4 per 1,000, and include one death from whooping-cough, 2 deaths from diarrhœa, 5 deaths from tuberculous disease, one death from *pneumonia* (type not distinguished), and 4 deaths from other diseases of the respiratory system.

No. 2 *South City District* (Castle-street).—The deaths (6) are equal to an annual rate of 14·2 per 1,000. Three deaths were caused by tuberculous disease, one by bronchitis, and one by an accidental fall.

No. 3 *South City District* (Peter-street).—The deaths (26) are equal to an annual rate of 31·0 per 1,000. Among them are one death each from enteric fever and whooping-cough, 5 deaths from tuberculous disease, one death from broncho-pneumonia, 2 deaths from *pneumonia* (type not distinguished), and 6 deaths from other diseases of the respiratory system.

No. 4 *South City District* (Grand Canal Street).—The deaths (12) are equivalent to an annual rate of 17·3 per 1,000. There were 2 deaths from measles, 2 from tuberculous disease, 3 from *pneumonia* (type not distinguished), one from bronchitis, and 2 accidental deaths.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 22·7 per 1000. Pulmonary tuberculosis caused one death.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·5; Pembroke, 12·4; Blackrock, 11·6; and Kingstown, 26·6. There was no death from any of the principal epidemic diseases* tabulated for these districts. The 9 deaths from all causes for Rathmines and Rathgar include one from pulmonary tuberculosis and 2 from bronchitis; among the 7 deaths from all causes for Pembroke are 2 from pulmonary tuberculosis, one from broncho-pneumonia, one from *pneumonia* (type not distinguished), and one accidental death; of the 2 deaths recorded for Blackrock one is from bronchitis; and of the 9 deaths from all causes for Kingstown there were 2 deaths from bronchitis and one death from *pneumonia* (type not distinguished).

* See note (‡) on first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 18th March, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Feb. 25,	.	—	—	18	.	.	18	.	1	8	11	.	—	—	.	—	11	—	67
	Mar. 4,	.	—	—	9	.	.	11	.	2	8	9	1	—	—	.	—	17	—	57
	Mar. 11,	.	—	—	17	.	.	10	.	.	13	7	.	—	—	.	—	16	—	63
	Mar. 18,	.	—	—	13	.	.	6	.	3	7	7	.	—	—	.	—	12	—	48
Rathmines and Rathgar Urban District.	Feb. 25,	.	—	—	2	.	.	2	.	.	2	.	.	—	—	—	—	—	—	6
	Mar. 4,	.	—	—	1	.	.	4	.	.	4	1	.	—	—	—	—	—	—	10
	Mar. 11,	.	—	—	2	.	.	5	.	.	.	.	.	—	—	—	—	—	—	7
	Mar. 18,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	Feb. 25,	.	6	1	4	.	.	.	.	.	1	.	.	—	3	.	—	.	—	15
	Mar. 4,	.	2	.	.	.	.	1	.	1	.	.	.	—	5	.	—	.	—	9
	Mar. 11,	.	7	.	1	.	.	1	.	.	.	.	.	—	10	.	—	.	—	19
	Mar. 18,	.	7	.	2	.	.	2	.	.	.	.	.	—	.	.	—	.	—	11
Blackrock Urban District.	Feb. 25,	.	—	—	2	.	.	2	.	.	.	.	.	—	—	.	—	—	—	4
	Mar. 4,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
	Mar. 11,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	.	—	—	—	2
	Mar. 18,	.	—	—	6	.	.	.	.	.	.	.	.	—	—	.	—	—	—	6
Kingstown Urban District.	Feb. 25,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	1	—	4
	Mar. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Mar. 11,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Mar. 18,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
City of Belfast.	Feb. 25,	.	—	—	16	.	.	7	.	.	.	5	.	—	—	.	—	13	—	41
	Mar. 4,	.	—	—	12	.	.	10	.	.	.	6	.	—	—	.	—	16	—	44
	Mar. 11,	.	—	—	12	.	.	8	.	.	1	7	.	—	—	.	—	10	—	38
	Mar. 18,	.	—	—	13	.	.	3	.	.	.	5	.	—	—	.	—	6	—	27

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 18th March, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Eleven cases of measles were admitted to hospital during the week, 19 were discharged, there was one death, and 37 cases remained under treatment at the close of the week.

Thirty-nine cases of scarlet fever were admitted to hospital, 25 were discharged, and 138* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 112, 118, and 124, respectively.

Eighteen cases of diphtheria were admitted to hospital during the week, and 18 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 95, 84, and 64, respectively, were 64 at the close of last week.

Sixteen cases of enteric fever were admitted to hospital during the week, 17 were discharged, there were 2 deaths, and 82 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 101, 92, and 85.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 8 were discharged, and 28 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 15·1) was equal to an average annual death-rate of 15·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·8 per 1,000, the rate for Glasgow being 16·3 and for Edinburgh 16·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 18th March. From this Report it appears that of a total of 55 cases notified, 18 were phthisis, 18 scarlet fever, 15 diphtheria, 3 erysipelas, and one puerperal fever. Among the 428 cases of infectious diseases in hospital at the close of the week were 176 cases of scarlet fever, 77 of diphtheria, 61 of phthisis, 60 of measles, 17 of whooping-cough, 13 of erysipelas, 11 of chicken pox, 4 of enteric fever, and one of puerperal fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 18th March, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 18th March, 1911. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa. Of children under 2 years of age.	Diarrhœa. 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 18th March, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 11th March, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 4th March, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
TOTAL OF 22 TOWN DISTRICTS, ...	1,163,596	20·4	27·4	17·4	0·9	612	389	68	108	1	...	...	8	1	5	...	...	51	20	20	32	58	3	3	2	9	14	105	13	° ...	° ...	° ...	...	° ...	° ...	° ...	...	...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	407,057	29·6	26·0	20·8	2·2	203	162	20	47	1	...	...	7	...	4	...	...	25	8	6	13	23	2	3	1	5	6	57	7	e46·8	23·9	38·0	0·21	e51·1	27·7	41·1	0·32	e57·5	35·9	46·5	0·68
CITY OF DUBLIN,	313,526	39·6	30·6	22·5	2·8	184	135	16	33	1	...	...	7	...	4	...	...	22	8	5	10	18	2	3	1	4	6	55	4	f47·1 g47·9	31·6 26·0	39·7 38·7	0·17 0·25	f51·2 g54·5	32·9 30·6	42·3 42·7	0·25 0·30	f58·0 g57·8	38·0 36·0	47·9 47·1	0·56 0·90
Urban Districts. RATHMINES AND RATHGAR.	37,528	21·9	4·2	12·5	...	3	9	...	5	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. PEMBROKE, ...	29,368	18·5	12·4	12·4	...	7	7	2	2	...	...	...	...	...	...	...	...	2	...	...	2	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BLACKROCK, ...	9,013	8·3	5·8	11·6	...	1	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. KINGSTOWN, ...	17,622	12·1	23·7	26·6	...	8	9	1	6	...	...	...	...	...	...	...	...	...	...	1	1	2	...	...	...	...	...	...	2	47	33	40·2	0·10	52	34	42·9	0·24	58	39	48·2	0·55
Urban Districts. BELFAST, ...	398,421	27·1	28·8	15·4	0·4	220	118	33	28	...	...	...	...	1	1	...	...	7	8	11	10	14	1	...	...	1	5	22	1	49·0	31·5	40·0	0·12	52·0	30·0	42·1	0·37	55·0	34·5	45·3	1·23
Urban Districts. CORK, ...	76,122	33·6	26·7	16·4	...	39	24	2	6	...	...	...	...	...	...	...	...	4	...	2	...	8	...	...	...	2	2	8	...	49	36	42·1	1·46	51	36	42·5	1·27	57	40	47·8	0·92
Urban Districts. LONDONDERRY...	43,900	20·3	30·9	10·7	...	26	9	1	1	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. LIMERICK, ...	38,151	18·1	19·1	15·0	...	14	11	3	4	...	...	...	...	...	...	...	...	3	...	...	2	1	...	...	...	...	...	4	1	48·7	26·8	39·6	0·46	52·1	28·2	41·8	0·85	55·6	36	46·8	0·92
Urban Districts. WATERFORD, ...	26,769	18·7	35·1	15·6	...	18	8	1	3	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. GALWAY, ...	13,426	2·5	19·4	7·8	...	5	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	50	30	42	0·17	50	30	42	0·51	55	36	47	1·55
Urban Districts. DUNDALK, ...	13,076	9·4	59·8	12·0	...	15	3	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. DROGHEDA, ...	12,760	8·6	12·3	8·2	4·1	3	2	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	50·9	28·8	39·3	0·10	51·0	29·3	41·1	0·17	57·5	34·8	45·0	1·17
Urban Districts. NEWRY, ...	12,405	17·8	63·1	33·6	...	15	8	4	2	...	...	...	...	...	...	...	...	...	...	...	2	2	...	...	...	...	...	3	1	50·9	28·8	39·3	0·10	51·0	29·3	41·1	0·17	57·5	34·8	45·0	1·17
Urban Districts. LURGAN, ...	11,782	13·8	39·8	22·1	...	9	5	1	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	1	50·9	28·8	39·3	0·10	51·0	29·3	41·1	0·17	57·5	34·8	45·0	1·17
Urban Districts. LISBURN, ...	11,461	10·1	22·7	13·6	...	5	3	1	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	50·9	28·8	39·3	0·10	51·0	29·3	41·1	0·17	57·5	34·8	45·0	1·17
Urban Districts. WEXFORD, ...	11,168	23·2	14·0	14·0	...	3	3	...	2	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BALLYMENA, ...	10,886	8·9	23·9	33·5	...	5	7	1	1	...	...	...	...	...	...	...	...	3	...	...	1	1	...	...	...	...	...	1	...	49·2	25·0	39·4	0·13	51·2	26·6	40·9	0·73	56·0	33·8	46·0	1·90
Urban Districts. SLIGO, ...	10,870	3·7	24·0	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	47	28	39·3	0·24	51	29	41·1	0·82	56	35	47	0·94
Urban Districts. KILKENNY, ...	10,609	11·5	44·2	24·6	...	9	5	...	2	...	...	...	...	...	...	...	...	...	...	...	1	4	...	...	...	...	...	2	...	50·9	28·8	39·3	0·10	51·0	29·3	41·1	0·17	57·5	34·8	45·0	1·17
Urban Districts. CLONMEL, ...	10,167	7·8	5·1	5·1	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. PORTADOWN, ...	10,092	13·2	15·5	31·0	...	3	6	...	2	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	1	...	...	49·2	25·0	39·4	0·13	51·2	26·6	40·9	0·73	56·0	33·8	46·0	1·90
Urban Districts. TRALEE, ...	9,867	16·6	5·3	21·1	...	1	4	...	...	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	...	...	1	...	47	35	41·6	0·03	52	32	41·7	0·22	58	36	45·6	0·75
Urban Districts. NEWTOWNARDS,	9,110	18·9	40·1	11·4	...	7	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	49	36	42·1	1·46	51	36	42·5	1·27	57	40	47·8	0·92
Urban Districts. QUEENSTOWN, ...	7,909	14·4	19·8	26·4	...	3	4	...	1	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...	1	...	50·9	28·8	39·3	0·10	51·0	29·3	41·1	0·17	57·5	34·8	45·0	1·17
Urban Districts. ARMAGH, ...	7,588	22·2	20·6	13·7	...	3	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...													

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1911. (b) See note (‡) at foot of first page. (c) Exclusive of 8 deaths of persons (including 2 at 65 years or upwards) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 18th of March, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	2	.	2	.	.	.	.	.	.	2	.	.	.	.	.	7	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	1	.	1	.	.	.	1	.	1	.	.	.	.	.	.	4	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	4	1	3	1	.	1	2	3	2	4	.	1	1	2	.	.	25	3
Tuberculous Disease. { Other Forms,	.	1	.	.	.	.	1	2	1	1	2	.	.	.	.	.	8	.
Cancer,	.	1	2	.	.	.	.	.	.	1	1	.	.	.	.	1	6	.
Diseases of Nervous System,	3	.	.	2	.	.	.	2	.	2	.	1	3	1	1	.	15	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	3	2	2	.	.	1	.	3	1	5	.	1	2	1	.	2	23	1
" Respiratory System. { Pneumonia,	1	1	1	.	.	.	.	1	.	3	3	.	.	2	.	1	13	1
" Respiratory System. { Others,	3	3	.	.	.	.	.	4	1	6	1	.	2	.	1	2	23	.
" Digestive System. { Diarrhœa, under 2 years,	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3	.
" Digestive System. { Enteritis, under 2 years,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
" Genito-urinary System,	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	4	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	3	1	1	2	1	2	.	.	.	1	1	1	.	.	.	3	16	1
Violent Deaths,	.	.	.	.	1	.	.	.	1	.	2	.	.	1	.	.	5	.
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Deaths from All Causes	22	16	12	9	2	5	3	18	6	26	12	4	9	7	2	9	162	8
Annual Rate of Mortality from All Causes in every 1,000 of the population.	38·0	20·7	20·1	13·8	19·2	22·2	20·1	22·4	14·2	31·0	17·3	22·7	12·5	12·4	11·6	26·6	20·8	.
	22·4							22·5					15·1					
	22·5																	
Ages at Death. { Under 1 year,	4	1	1	3	.	.	.	3	.	3	1	.	.	2	1	1	20	.
Ages at Death. { 1 and under 2 years,	2	2	1	1	.	.	.	.	.	3	2	.	.	.	.	1	12	.
Ages at Death. { 2 " 5 "	.	2	.	1	.	.	.	.	1	1	1	.	.	1	.	.	7	.
Ages at Death. { 5 " 15 "	.	2	.	.	.	1	.	2	.	1	1	2	.	.	.	.	9	.
Ages at Death. { 15 " 25 "	2	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	5	2
Ages at Death. { 25 " 45 "	4	2	3	.	.	.	3	3	1	1	2	1	1	1	.	.	22	2
Ages at Death. { 45 " 65 "	6	4	3	2	2	2	.	5	2	7	3	.	3	.	.	1	40	2
Ages at Death. { 65 and upwards,	4	3	4	2	.	2	.	4	2	9	2	1	5	2	1	6	47	2
Number of Uncertified Deaths,	.	2	.	.	.	.	.	2	.	.	.	.	.	.	1	2	7	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	4	1	3	3	.	2	.	4	1	1	3	.	1	1	.	.	24	8
Workhouse Hospitals,	3	4	3	3	.	.	.	7	1	7	4	1	.	.	.	.	33	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 11th Week of the 10 years 1901–1910.	In the Week ending Saturday, 18th March, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Mar. 16, 1901.	Mar. 15, 1902.	Mar. 21, 1903.	Mar. 19, 1904.	Mar. 18, 1905.	Mar. 17, 1906.	Mar. 16, 1907.	Mar. 14, 1908.	Mar. 20, 1909.	Mar. 19, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 43·6	° 44·9	° 45·3	° 42 6	° 43·5	° 43·3	° 43·8	° 41·0	° 39·6	° 39·8	° 42·7	° 38·0										
ALL CAUSES.	234	154	212	213	182	173	203	191	232	149	194·3	170	6	14	12	7	9	7	24	42	28	21
Enteric Fever, ...	1	1	2	1	1	3	1	1	3	1	1·5	1	.	.	.	.	.	1	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	4	1	4	4	.	5	.	5	.	2·3	7	.	1	2	3	1	.	.	.	.	.
Scarlet Fever, ...	.	3	.	.	1	.	1	.	.	1	·6	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	11	.	2	13	.	2	5	.	4	1	3·8	4	.	1	2	1	.	.	.	.	.	.
Diphtheria, ...	2	.	3	1	1	2	1	2	1	1	1·4	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	14	5	1	5	5	1	4	7	5	7	5·4	2	.	.	.	.	.	.	.	.	1	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	2	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	1	.	1	.	1	2	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	1	2	.	.	1	.	2	.	·6	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	23	17	20	26	27	23	28	29	35	15	24·3	28	.	.	.	.	2	4	13	9	.	.
Tuberculous Meningitis, ...	4	3	13	5	4	5	6	2	2	7	5·1	5	.	1	1	1	2	.	.	.	.	.
Abdominal Tuberculosis, ...	9	.	3	2	.	1	1	2	5	.	2·3	1	.	.	.	.	.	.	1	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	7	3	11	4	8	6	7	3	4	3	5·6	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												1	.	.	.	.	1	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												1	.	.	.	1	.	.	.	.	.	.
Venereal Diseases, ...	1	1	2	2	3	1	5	.	1	.	1·6	1	1	.	.	.	.	.	.	.	.	.
Cancer, ...	9	4	7	5	6	6	8	11	11	5	7·2	6	.	.	.	.	.	.	2	3	1	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	1	.	.	.	.	.
Diabetes, ...	.	.	1	1	1	1	.	.	1	1	·6	.	.	.	.	.	.	.	.	.	.	.
Anæmia Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	2	.	.
Alcoholism, ...	.	.	.	.	1	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												1	.	.	.	.	1	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*												5	.	.	.	.	.	.	.	1	1	3
Softening of Brain, ...												1	.	.	.	.	.	.	.	1	.	.
Paralysis, without specified cause.												4	.	.	.	.	.	.	.	1	1	2
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												2	1	1	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	46	33	49	39	48	49	34	41	39	37	41·5	3	.	.	.	.	.	1	1	1	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												2	.	.	1	.	.	1	.	.	.	.
Organic Diseases of the Heart,												20	.	.	.	.	1	.	3	6	6	4
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												2	.	.	.	.	.	.	.	1	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	37	21	28	36	13	20	30	23	43	23	27·4	20	.	3	1	.	.	.	.	5	8	3
Broncho-pneumonia, ...			6	4	6	5	4	7	13	7		5	.	1	4	.	.	.	.	.	.	.
Lobar-pneumonia, ...	14	17	.	1	1	1	1	1	3	1	14·5	2	.	.	1	.	.	.	.	1	.	.
Pneumonia (type not distinguished).			11	8	2	4	6	8	10	4		7	.	.	.	1	.	.	1	3	1	1
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	4	3	1	1	2	1	3	2	5	3	2·5	1	.	1	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												2	.	.	.	.	.	.	.	1	1	.

ELEVENTH WEEK ending Saturday, 18th March, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 11th Week of the 10 years 1901–1910.	In the Week ending Saturday, 18th March, 1911.										
													Deaths of Persons of the Ages of									
	Mar. 16, 1901.	Mar. 15, 1902.	Mar. 21, 1903.	Mar. 19, 1904.	Mar. 18, 1905	Mar. 17, 1906	Mar. 16, 1907.	Mar. 14, 1908.	Mar. 20, 1909.	Mar. 19, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 43·6	° 44·9	° 45·3	° 42·6	° 43·5	° 43·3	° 43·8	° 41·0	° 39·6	° 39·8	° 42·7	° 38·0										
Diseases of the Pharynx, Tonsillitis.	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	1	.	.	.	.	.	1	.	.
Diarrhœa of Children under 2 years.	.	1	1	1	1	3	4	1	1	2	1·5	2	.	2	.	.	.	.	.	.	.	.
„ 2 years and upwards,												3	.	.	.	.	.	.	.	2	.	1
Enteritis of Children under 2 years.	1	.	.	.	3	1	1	1	3	2	1·2	1	.	1	.	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	1	3	1	1	2	1	.	1	.	.	1·9	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...			.	5	.	1	.	1	2	.		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	2	2	1	.	.	1	.	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	3	9	4	6	7	6	7	1	2	5·0	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...												.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...												5	.	.	.	.	.	.	2	2	1	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	4	7	4	5	6	8	7	5	7	4	5·7	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	1	1	1	.	.	.	.	1	·4	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	5	1	3	9	3	5	6	3	1	8	4·4	2	2	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	1	.	.	.	.	.	.	.	.
Old Age, ...	15	4	8	6	10	3	3	4	8	2	6·3	10	.	.	.	.	.	.	.	.	4	6
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	1	.	1	.	.	.	.	1	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	.	.	1	1	1	.	.	1	1	.	·5	1	.	.	.	.	.	.	.	1	.	.
By Drowning, ...	1	.	1	.	.	1	1	1	.	1	·6	1	.	.	.	.	.	.	.	1	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	.	1	.	.	·1	1	1	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	3	2	1	2	1	.	3	4	1	.	1·7	2	1	.	.	.	.	.	.	.	1	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910–11—WEEK ENDING																									
	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.
No. of weeks in Annual Series,	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11
BIRTHS registered.	292	196	219	161	244	182	211	207	204	182	199	174	232	158	170	203	230	238	232	219	241	192	214	217	238	203
Average Births in corresponding week of previous 10 years, ...	200	252	192	184	209	206	209	202	195	181	207	193	195	177	174	231	208	209	201	241	217	212	209	216	223	212
DEATHS registered, ...	174	164	160	151	174	139	147	141	166	168	176	188	165	178	155	176	179	190	228	200	220	208	195	180	174	170
Annual Death-rate per 1,000, ...	22·5	21·2	20·7	19·5	22·5	18·0	19·0	18·2	21·5	21·7	22·8	24·3	21·4	23·0	20·1	22·5	22·9	24·3	29·2	25·6	28·2	26·6	25·0	23·1	22·3	21·8
Average Deaths in corresponding week of previous 10 years, ...	167	160	158	156	160	156	172	175	179	182	182	182	177	182	177	201	195	195	192	200	198	200	210	218	210	194
Ages, Under 5 years, ...	70	60	58	44	56	40	46	47	57	49	55	53	43	41	47	56	60	62	59	61	47	57	57	70	59	39
5—15 „ ...																5	10	7	11	6	10	6	10	9	12	9
15—25 „ ...																9	7	10	11	12	13	5	6	6	7	7
25—45 „ ...	104	104	102	107	118	99	101	94	109	119	121	135	122	137	108	25	24	27	32	32	41	36	35	32	24	24
45—65 „ ...																45	38	41	55	48	51	49	35	36	36	42
65—75 „ ...																20	25	28	34	22	39	33	29	19	19	28
75 and upwards, ...																16	15	15	26	19	19	22	23	8	17	21
Deaths from :—																										
Enteric Fever, ...	1	.	3	1	2	1	1	.	.	2	.	1	2	1	.	.	1	.	2	3	2	2	2	4	3	1
Typhus, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	.	1	.	.	.	1	.	1	1	.	2	1	.	1	4	3	6	2	2	2	2	3	7	7	7
Scarlet Fever, ...	.	.	1	.	1	1	3	.	2	1	3	1	1	.	2	7	.	.	1	.	4	6	2	2	.	.
Whooping-cough, ...	1	2	2	2	5	1	1	4	2	6	5	11	1	5	7	6	5	6	10	4	3	6	7	11	4	4
Diphtheria, ...	3	2	2	1	.	4	1	2	3	2	4	.	3	2	.	1	2	4	1	5	2	3	2	.	2	.
Influenza, ...	1	2	1	1	2	1	4	1	.	2	4	2	1	3	1	.	1	1	4	3	4	5	7	2	2	2
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	2	.	.	.	.
Tuberculous Disease, Phthisis, ...	19	18	17	14	23	17	18	16	20	14	16	25	14	19	19	21	19	27	28	19	27	22	18	20	17	28
Tuberculous Disease, Other Forms,	8	11	12	8	8	4	11	11	8	6	7	11	4	7	5	4	6	9	7	4	6	8	7	7	8	8
Cancer, ...	9	11	12	11	12	9	7	9	8	14	3	12	4	13	6	8	3	12	7	16	11	4	6	5	8	6
Diseases of Circulatory System,	24	30	20	24	25	23	17	18	22	24	30	30	23	28	31	17	20	13	25	19	23	17	21	14	13	24
Diseases of Respiratory System, Pneumonia,	4	6	5	11	15	12	13	11	16	16	14	15	27	18	11	15	16	10	17	18	20	15	21	13	16	14
Diseases of Respiratory System, Others, ...	20	12	16	17	17	12	18	26	26	29	37	27	32	26	25	29	25	28	42	30	41	44	28	29	25	23
Diarrhœa, Under 2 years, ...	22	27	12	10	8	4	5	4	2	4	6	2	2	2	1	3	2	2	4	4	2	3	3	1	1	2
Diarrhœa, 2 years & upwards,																.	.	.	.	1	.	.	1	1	.	3
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	2	2	.	3	3	1	1	1	2	1
Violent Deaths, ...	6	3	10	4	.	2	1	2	2	3	4	4	8	4	6	2	8	1	4	7	4	2	5	2	4	5
Number of Uncertified Deaths,	3	3	3	6	2	4	1	8	6	7	5	5	3	3	6	4	5	7	7	3	3	2	4	7	8	7
Mean Temperature of the Air (Phœnix Park)	50·4	54·2	52·5	48·2	49·1	50·4	43·1	39·6	38·2	42·2	37·0	43·4	45·2	43·5	40·9	37·2	39·0	38·6	45·5	35·9	37·0	46·4	43·4	46·5	41·1	38·0
Average Mean Temperature in corresponding week of previous 10 years, ...	53·8*	53·7	52·2	50·6	48·4	46·2	47·1	45·2	42·7	41·5	42·8	42·4	41·6	41·3*	41·3	42·0	40·0	40·8	40·5	40·3	40·3	39·8	39·9	40·5	41·7	42·7
Rainfall in inches, ...	·015	·391	·585	·138	·333	·365	·558	·860	·352	1·206	1·820	1·700	1·172	·183	·130	·336	·345	·153	·034	·000	·011	·582	·523	·681	·316	·206
Mean Humidity of the Air, complete Saturation 1·0, ...	·85	·89	·90	·84	·92	·87	·90	·89	·85	·91	·93	·91	·91	·94	·88	·92	·90	·93	·92	·87	·90	·91	·91	·92	·91	·89

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 18th March 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 18th March, 1911. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	170	39	9	7	24	42	28	21	1	.	.	7	.	4	.	.	28	8	6	2	14	23	2	3	1	5	66	7
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	9·0	3	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.
II.	MIDDLE CLASS, ...	87,188	16·7	28	3	3	1	5	5	6	5	.	.	.	.	.	.	.	.	3	2	1	.	3	3	.	.	.	1	15	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	17·9	38	9	2	1	10	10	2	4	.	.	.	1	.	1	.	.	10	2	.	1	3	5	.	1	1	.	13	2
IV.	GENERAL SERVICE CLASS, ...	154,279	23·0	68	23	3	3	6	12	13	8	1	.	.	6	.	3	.	.	8	1	2	1	4	8	1	2	.	3	28	5
V.	INMATES OF WORKHOUSES, ...	6,024	—	33	4	1	2	2	14	7	3	.	.	.	.	.	.	.	.	6	3	3	.	3	7	1	.	.	1	9	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	23·7	10	2	.	.	2	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	1	6	.
	6. Clerks and Commercial Assistants, ...	30,432	8·6	5	1	1	.	1	1	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	21·2	11	.	2	1	.	1	5	2	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	17·5	10	3	.	1	1	4	.	1	.	.	.	.	.	.	.	.	3	.	.	1	1	.	.	.	1	.	4	1
	10. Clothing Trades, ...	23,260	9·0	4	2	.	.	.	1	.	1	.	.	.	1	.	1	.	.	1	.	.	.	.	1	.	.	.	.	.	.
	11. Food Supply Trades, ...	9,242	16·9	3	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	25·8	15	2	.	.	6	3	2	2	.	.	.	.	.	.	.	.	4	.	.	.	2	2	.	1	.	.	6	.
	13. Petty Shopkeepers, ...	7,894	26·4	4	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	3	1
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	27·2	7	3	.	.	.	1	2	1	.	.	.	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	4	.
	15. Domestic Servants, ...	36,603	12·8	9	3	.	1	1	1	2	1	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	1	5	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	32·6	9	3	.	1	.	2	2	1	1	.	.	1	.	.	.	.	.	.	.	.	2	2	.	1	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	25·0	43	14	3	1	5	8	7	5	.	.	.	3	.	2	.	.	7	.	2	1	2	5	1	1	.	2	17	5
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	6,024	—	33	4	1	2	2	14	7	3	.	.	.	.	.	.	.	.	6	3	3	.	3	7	1	.	.	1	9	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (Office, Clarence-st. Nth.) Pop. in 1911 (Est.) 30,219.	Jan. 28,	24·2	1·7	14	.	.	.	.	.	1	.	.	2	.	1	.	3	.	.	.	.	1
	Feb. 4,	34·5	3·5	20	1	.	.	.	.	1	.	.	2	.	.	3	1	.	.	.	1	.
	„ 11,	36·2	3·5	21	.	.	.	.	1	.	.	.	.	1	.	1	5	1	.	.	1	.
	„ 18,	24·2	3·5	14	.	.	.	.	.	1	1	.	1	.	.	.	3	.	.	1	.	.
	„ 25,	19·0	.	11	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	.	.
	Mar. 4,	29·3	6·9	17	1	.	.	1	.	1	.	.	1	.	1	1	.	.	1	.	.	.
	„ 11,	19·0	.	11	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	1
	„ 18,	38·0	1·7	22	.	.	.	1	.	.	.	.	4	.	.	1	3	.	.	1	.	.
North City, No. 1 (W.) (Office, Summer hill.) Pop. in 1911 (Est.) 40,390.	Jan. 28,	37·4	1·3	29	.	.	.	.	.	1	.	.	3	1	1	2	8	.	.	.	1	1
	Feb. 4,	34·9	3·9	27	1	.	.	.	.	.	.	.	4	.	3	3	4	2	.	.	1	.
	„ 11,	29·7	2·6	23	.	.	.	.	.	1	.	.	3	.	2	1	5	1	.	.	.	.
	„ 18,	36·1	3·9	28	.	.	.	.	1	.	1	.	5	1	.	1	9	1	.	.	.	1
	„ 25,	32·3	2·6	25	.	.	.	.	1	.	.	.	4	.	.	4	4	1	.	.	1	1
	Mar. 4,	19·4	6·5	15	1	.	.	1	.	3	.	.	1	.	.	.	1	.	.	.	.	1
	„ 11,	21·9	3·9	17	.	.	.	2	.	.	1	.	4	.	1	1	1	.	.	.	.	2
	„ 18,	20·7	5·2	16	.	.	.	2	.	1	.	.	1	1	1	1	3	.	1	.	.	2
North City, No. 2. (Office, Lisburn-street.) Pop. in 1911 (Est.) 31,064.	Jan. 28,	35·2	5·0	21	.	.	.	.	.	2	.	.	1	.	.	.	7	1	.	.	.	.
	Feb. 4,	21·8	.	13	.	.	.	.	.	.	.	.	.	.	1	1	3	.	.	1	1	.
	„ 11,	26·9	.	16	.	.	.	.	.	.	.	.	3	2	1	2	2	.	.	.	.	.
	„ 18,	23·5	1·7	14	.	.	.	.	.	.	.	.	3	2	.	.	3	1	.	.	1	.
	„ 25,	15·1	3·4	9	1	.	.	1	.	.	.	.	1	1	.	2	1	.	.	.	.	.
	Mar. 4,	35·2	5·0	21	.	.	.	1	.	1	.	.	2	3	1	2	3	1	.	.	1	.
	„ 11,	23·5	.	14	.	.	.	.	.	.	.	.	1	.	.	3	3	.	.	.	1	.
	„ 18,	20·1	1·7	12	.	.	.	.	.	.	.	.	3	.	2	1	.	1	.	.	.	.
North City, No. 3. (Office, Benburb-street.) Pop. in 1911 (Est.) 33,908.	Jan. 28,	24·6	4·6	16	.	.	.	.	.	.	1	.	1	1	1	1	3	2	.	.	.	.
	Feb. 4,	16·9	6·2	11	1	.	.	.	.	1	1	.	1	.	.	1	.	1	.	.	.	.
	„ 11,	35·4	3·1	23	.	.	.	.	1	1	.	.	2	.	3	3	7	.	.	.	.	1
	„ 18,	32·3	3·1	21	.	.	.	.	.	1	.	.	3	1	1	2	5	1	.	.	.	.
	„ 25,	36·9	7·7	24	1	.	.	.	1	1	1	.	.	1	1	4	3	1	.	1	1	1
	Mar. 4,	12·3	3·1	8	1	.	.	.	1	.	.	.	2	.	.	.	1	.	.	1	.	.
	„ 11,	18·5	3·1	12	.	.	.	.	.	1	1	.	4	.	.	.	.	.	.	1	.	.
	„ 18,	13·8	6·2	9	.	.	.	2	.	1	.	.	1	.	.	.	.	1	.	.	.	.
South City, No. 1. (Office, Sth. Earl-street.) Pop. in 1911. (Est.) 41,908.	Jan. 28,	27·4	2·5	22	.	.	.	.	1	1	.	.	3	.	.	3	2	.	.	.	1	1
	Feb. 4,	27·4	1·2	22	.	.	.	1	.	.	.	.	1	.	1	1	4	.	.	1	2	1
	„ 11,	36·1	5·0	29	2	.	.	.	1	.	1	.	4	1	.	1	7	.	.	1	.	.
	„ 18,	26·1	7·5	21	2	.	.	.	2	1	.	1	1	.	.	2	2	.	.	.	.	.
	„ 25,	34·8	5·0	28	.	.	.	2	.	1	.	.	2	1	.	.	5	.	1	.	2	.
	Mar. 4,	19·9	2·5	16	1	.	.	.	.	1	.	.	3	.	1	1	2	.	.	.	1	.
	„ 11,	24·9	1·2	20	.	.	.	1	.	.	.	.	.	2	1	.	9	.	.	.	.	.
	„ 18,	22·4	3·7	18	.	.	.	.	.	1	.	.	3	2	.	1	4	.	2	.	.	2
South City, No. 2. (Office, Castle-street.) Pop. in 1911 (Est.) 21,980.	Jan. 28,	42·7	2·4	18	1	.	.	.	.	.	.	.	4	1	.	1	4	.	.	.	.	.
	Feb. 4,	28·5	.	12	.	.	.	.	.	.	.	.	3	1	1	2	3	.	.	.	.	.
	„ 11,	38·0	.	16	.	.	.	.	.	.	.	.	4	1	2	1	2	.	.	.	.	.
	„ 18,	33·2	2 4	14	.	.	.	.	1	.	.	.	1	1	.	.	5	.	.	.	.	.
	„ 25,	30·8	2·4	13	.	.	.	.	.	.	.	.	2	.	1	.	3	1	.	.	1	.
	Mar. 4,	30·8	2·4	13	.	.	.	1	.	.	.	.	1	.	.	.	7	.	.	.	.	.
	„ 11,	21·4	2·4	9	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	1
	„ 18,	14·2	.	6	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	1	.
South City, No. 3. (Office, Peter-street.) Pop. in 1911 (Est.) 43,677.	Jan. 28,	22·7	1·2	19	1	.	.	.	.	.	.	.	5	1	1	3	3	.	.	.	.	1
	Feb. 4,	22·7	2·4	19	.	.	.	1	.	.	1	.	3	.	1	2	4	.	.	.	1	.
	„ 11,	28·7	1·2	24	.	.	.	.	1	.	.	.	4	.	.	3	2	.	.	2	1	1
	„ 18,	28·7	3·6	24	.	.	.	2	.	.	1	.	3	.	.	2	5	.	.	.	1	.
	„ 25,	20·3	3·6	17	.	.	.	.	.	2	1	.	2	2	.	3	3	.	.	.	.	.
	Mar. 4,	32·2	6·0	27	.	.	.	2	1	2	.	.	4	1	.	1	9	.	.	.	.	1
	„ 11,	28·7	3·6	24	.	.	.	3	.	.	.	.	2	2	3	4	2	.	.	.	.	.
	„ 18,	31·0	2·4	26	1	.	.	.	.	1	.	.	4	1	1	3	6	.	.	.	.	.
South City, No. 4. (Office, Grand Canal-st.) Pop. in 1911 (Est.) 36,254.	Jan. 28,	28·8	8·6	20	.	.	.	1	.	4	.	.	3	1	.	2	5	1	.	.	.	1
	Feb. 4,	24·5	5·8	17	.	.	.	.	.	1	2	.	3	.	3	1	2	1	.	.	1	.
	„ 11,	33·1	4·3	23	.	.	.	2	.	1	.	.	4	1	2	2	6	.	.	.	.	.
	„ 18,	23·0	4·3	16	.	.	.	.	.	3	.	.	.	1	.	1	2	.	.	.	.	1
	„ 25,	24·5	2·9	17	.	.	.	.	.	2	.	.	5	.	.	3	1	.	.	.	.	.
	Mar. 4,	24·5	4·3	17	.	.	.	1	.	2	.	.	2	1	1	4	.	.	.	.	.	2
	„ 11,	38·8	2·9	27	.	.	.	.	1	.	.	.	5	1	.	1	2	1	.	.	2	2
	„ 18,	17·3	2·9	12	.	.	.	2	.	.	.	.	.	2	1	3	1	.	.	.	2	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes.	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa: Children under 2 years.	Diarrhœa: 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 37,528.	Jan. 28,	20·8	1·4	15	.	.	.	.	.	1	.	.	.	.	.	2	3	.	.	.	1	1
	Feb. 4,	25·0	1·4	18	.	.	.	.	.	.	1	.	.	2	1	1	4	.	.	1	.	1
	„ 11,	18·1	.	13	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	.	1	.
	„ 18,	19·5	.	14	.	.	.	.	.	.	.	.	.	.	1	4	2	.	.	.	.	.
	„ 25,	22·2	.	16	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.	.	2
	Mar. 4,	18·1	.	13	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 11,	15·3	2·8	11	1	.	.	.	.	1	.	.	.	.	1	4	1	.	.	.	.	.
	„ 18,	12·5	.	9	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,368.	Jan. 28,	24·9	.	14	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.
	Feb. 4,	14·2	.	8	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 11,	14·2	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.
	„ 18,	24·9	.	14	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	.	.
	„ 25,	16·0	1·8	9	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.
	Mar. 4,	14·2	1·8	8	.	.	.	.	.	1	.	.	1	.	.	1	2	.	.	.	.	1
	„ 11,	10·7	1·8	6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	„ 18,	12·4	.	7	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	1	.
Kingstown Urban District. Pop. in 1911 (Est.) 17,622.	Jan. 28,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Feb. 4,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	1
	„ 11,	17·8	.	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
	„ 18,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 25,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Mar. 4,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 11,	14·8	.	5	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 18,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	2
Belfast. Pop. in 1911 (Est.) 398,421.	Jan. 28,	15·4	0·4	118	.	.	.	.	.	1	2	.	13	4	11	7	20	.	.	2	2	5
	Feb. 4,	16·8	0·3	128	.	.	.	.	.	1	1	.	10	4	6	7	25	.	.	2	4	2
	„ 11,	19·1	0·4	146	.	.	.	.	1	.	.	.	11	4	5	11	26	1	1	3	4	1
	„ 18,	19·5	.	149	.	.	.	.	.	.	.	.	22	11	5	14	25	.	.	2	.	.
	„ 25,	18·5	0·3	141	.	.	.	.	1	1	.	.	15	10	8	11	20	.	.	2	4	.
	Mar. 4,	17·4	0·3	133	.	.	.	.	.	1	.	.	13	10	3	15	20	1	.	1	3	3
	„ 11,	15·4	0·3	118	.	.	.	.	.	1	.	.	19	7	6	10	20	.	1	.	2	2
	„ 18,	15·4	0·4	118	.	.	.	.	1	1	.	.	7	8	11	10	14	1	.	.	1	1
Cork. Pop. (in 1901) 76,122.	Jan. 28,	25·3	2·7	37	.	.	.	.	.	4	.	.	1	1	.	5	4	.	.	.	.	1
	Feb. 4,	20·5	0·7	30	.	.	.	.	.	1	.	.	6	1	.	3	3	.	.	.	1	2
	„ 11,	27·4	1·4	40	.	.	.	.	1	1	.	.	10	2	5	2	2	.	.	.	1	4
	„ 18,	25·3	.	37	.	.	.	.	.	.	.	.	7	.	.	3	11	.	.	.	.	3
	„ 25,	24·7	0·7	36	.	.	.	.	.	1	.	.	7	1	1	2	4	.	.	.	2	1
	Mar. 4,	17·8	0·7	26	.	.	.	.	.	1	.	.	7	1	.	1	3	.	.	.	.	1
	„ 11,	27·4	0·7	40	.	.	.	.	.	1	.	.	9	3	1	1	3	.	.	1	1	.
	„ 18,	16·4	.	24	.	.	.	.	.	.	.	.	4	.	2	.	8	.	.	.	2	.
Londonderry. Pop. in 1911 (Est.) 43,900.	Jan. 28,	22·6	2·4	19	.	.	.	.	.	2	.	.	2	1	.	4	.	.	.	.	1	1
	Feb. 4,	14·3	3·6	12	.	.	.	.	.	3	.	.	.	.	.	1	3	.	.	.	.	1
	„ 11,	20·2	4·8	17	.	.	.	.	.	4	.	.	2	.	.	.	3	.	.	1	.	1
	„ 18,	29·7	7·1	25	1	.	.	.	.	5	.	.	4	.	2	.	6	.	.	.	.	.
	„ 25,	22·6	1·2	19	.	.	.	.	.	1	.	.	.	2	1	1	3	.	.	.	1	.
	Mar. 4,	28·5	7·1	24	.	.	.	.	.	6	.	.	2	.	.	3	1	.	.	.	.	2
	„ 11,	15·4	2·4	13	.	.	.	.	.	1	.	.	1	.	1	.	4	1	.	1	.	.
	„ 18,	10·7	.	9	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.
Limerick. Pop. (in 1901) 38,151.	Jan. 28,	20·5	.	15	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.	.	2
	Feb. 4,	20·5	2·7	15	2	.	.	.	.	.	.	.	1	.	.	.	4	.	.	1	.	1
	„ 11,	24·6	.	18	.	.	.	.	.	.	.	.	4	.	.	.	7	.	.	.	.	1
	„ 18,	10·9	.	8	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.	2
	„ 25,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	1
	Mar. 4,	30·1	.	22	.	.	.	.	.	.	.	.	3	.	.	2	5	.	.	.	.	4
	„ 11,	24·6	.	18	.	.	.	.	.	.	.	.	1	.	1	1	4	.	.	.	.	2
	„ 18,	15·0	.	11	.	.	.	.	.	.	.	.	3	.	.	2	1	.	.	.	.	1
Waterford. Pop. (in 1901) 26,769.	Jan. 28,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2
	Feb. 4,	19·5	.	10	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	.
	„ 11,	33·1	.	17	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	2	.	1
	„ 18,	23·4	.	12	.	.	.	.	.	.	.	.	1	2	1	.	4	.	.	1	.	2
	„ 25,	13·6	.	7	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	1	.	1
	Mar. 4,	33·1	.	17	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.	.	2
	„ 11,	17·5	.	9	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	1
	„ 18,	15·6	.	8	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 18th March, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOUS DISEASE. Phthisis.	Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	Other.	DIARRHŒA. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT, .	349,180	9	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		8	1	.	1	.	5	1	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	1	2	.
Do. 2 do. .		19			14	4	.	3	3	1	3	.	.	.	.	.	.	.	.	3	.	1	1	1	.	.	.	.	.	3	.
Do. 3 do. .		25			12	4	1	1	.	1	5	.	.	.	.	.	.	.	.	.	2	1	4	2	.	.	.	.	.	2	.
Do. 4 do. .		33			13	4	.	.	1	5	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	4	.
Do. 5 do. .		9			6	1	1	1	2	.	1	.	.	.	.	.	1	.	.	1	.	1	1	1	.	.	.	.	.	1	.
Do. 6 do. .		16			11	5	.	3	.	1	2	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.	2	1	1
Do. 7 do. .		3			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do. .		8			2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
Do. 9 do. .		10			8	5	.	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	3	.	1	.	.	.	.	.	.
Do. 10 do. .		15			9	.	2	1	2	4	.	.	.	.	.	.	.	.	.	1	3	1	.	2	.	.	.	.	.	.	.
Do. 11 do. .		23			11	3	1	.	1	4	2	.	.	.	.	1	.	.	.	.	1	2	.	2	.	.	.	.	1	2	.
Do 12 do. .		33			9	2	.	.	3	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
Do. 13 do. .		12			3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 14 do. .		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do. .		5			12	3	1	.	1	2	5	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	4	.
Total, . .	—	220			118	33	6	10	14	27	28	.	.	.	.	1	1	.	.	7	8	11	10	14	1	.	.	1	5	22	1
City of Cork.																															
CORK URBAN No. 1 DISTRICT, .	12,867	7	16·2	.	4	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 2 do. .	10,701	11	24·4	.	5	1	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	2	2	.
Do. 3 do. .	9,978	3	15·7	.	3	.	1	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.
Do. 4 do. .	8,666	2	12·0	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
Do. 5 do. .	6,592	2	23·7	.	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 6 do. .	10,702	4	14·6	.	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	2	.
Do. 7 do. .	16,616	10	12·6	.	4	1	.	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.	.	1	.
Total, . . .	76,122	39	16·4	.	24	2	2	4	7	3	6	.	.	.	.	.	.	.	.	4	.	2	.	8	.	.	.	2	2	8	.

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910–11—WEEK ENDING																									
	Sept. 24.	Oct. 1.	Oct. 8.	Oct 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.
No. of weeks in Annual Series,	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11
BIRTHS registered, ...	194	172	200	205	228	201	183	178	156	181	175	185	167	200	199	241	231	233	188	212	218	216	213	232	193	220
DEATHS registered, ...	122	105	94	122	120	115	108	122	132	134	109	151	133	132	91	122	151	118	118	128	146	149	141	133	118	118
Annual Death rate per 1,000 of estimated population, ...	16·3	14·0	12·5	16·3	16·0	15·3	14·4	16·3	17·6	17·9	14·5	20·1	17·7	17·6	12·1	16·0	19·8	15·4	15·4	16·8	19·1	19·5	18·5	17·4	15·4	15·4
AGES, Under 1 year, ...	29	25	31	27	27	28	24	28	27	24	17	34	20	22	18	21	30	23	26	24	24	31	21	25	20	33
1—5 years, ...	11	14	6	14	16	8	11	6	6	5	8	11	17	12	8	12	11	8	10	10	7	10	14	9	10	6
5—25 ,, ...	82	66	57	81	77	79	73	88	99	105	84	106	96	98	65	7	20	16	11	6	11	21	17	18	9	10
25—45 ,, ...																30	37	17	13	25	27	30	29	16	23	14
45—65 ,, ...																32	25	21	27	34	34	32	26	35	29	27
65 and upwards, ...																20	28	33	31	29	43	25	34	30	27	28
Deaths from :—																										
Enteric Fever, ...	.	1	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	1	1	3	5	.	3	1	.	2	2	3	3	1	.	.	.	1	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	.	1	.	1	.	.	1	.	1	2	1	1	1	1	1	.	.	1	.	1	.	.	1
Whooping-cough, ...	1	3	1	1	.	1	.	.	.	1	.	1	.	1	1	.	.	1	1	1	.	.	1	1	1	1
Diphtheria, ...	.	.	.	2	1	.	.	1	1	.	1	4	.	.	.	.	.	1	2	1	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	11	17	9	17	10	12	14	12	17	17	13	14	12	15	9	14	23	17	13	10	11	22	15	13	19	7
Tuberculous Disease. Other Forms,	6	7	3	8	6	8	2	7	8	4	7	5	7	3	3	7	7	4	4	4	4	11	10	10	7	8
Cancer, ...	8	5	5	7	5	7	9	5	8	9	6	5	8	6	5	7	2	7	11	6	5	5	8	3	6	11
Diseases of Respiratory System, Pneumonia	10	7	5	11	11	7	7	13	11	8	7	13	10	10	7	8	9	7	7	7	11	14	11	15	10	10
Diseases of Respiratory System, Others, ...	8	11	9	16	9	19	11	23	16	25	25	36	22	29	18	18	24	24	20	25	26	25	20	20	20	14
Diarrhœa, Under 2 years, ...	13	7	7	3	8	10	6	4	3	1	1	4	3	1	.	1	.	.	.	.	1	.	.	1	.	1
Diarrhœa, 2 years & upwards,																1	1	.	.	.	1	.	.	.	1	.
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	.	.	2	2	3	2	2	1	.	.
Violent Deaths, ...	5	2	.	.	2	.	3	4	2	5	3	2	6	2	4	6	6	1	2	4	4	.	4	3	2	1
Number of Uncertified Deaths, ...	.	1	1	1	.	.	2	3	.	.	3	4	1	1	3	3	.	1	5	2	1	.	.	3	2	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,912,054	Mar. 18,	2,060	1,419	15·1	2	1	197	4	34	9	9*a*
Edinburgh, ...	365,253	„ 18,	125	118	16·9	.	.	2	1	5	4	.
Glasgow, ...	897,178	„ 18,	471	281	16·3	.	.	2	2	15	3	5
Calcutta, ...	1,009,008	Feb. 11,	.	487	25·0	101*	2	3	.	2	2	73‡
Bombay, ...	977,822	„ 11,	360	790	42·0	129*	6	30	.	.	.	71‡
Madras, ...	509,346	Jan. 21,	460	401	40·9	75*	13	1	?	?	?	81‡
Cairo, ...	689,439	„ 28,	643	426	32·2	.	1	.	.	.	10†	36*a*
Paris, ...	2,760,000	Feb. 18,	1,015	1,045	19·8	6	.	12	1	6	1†	22*a*
Brussels, ...	720,030	„ 18,	238	246	17·8	1	.	3	2	2	1†	6*a*
Antwerp, ...	320,640	„ 25,	121	71	11·5	.	.	.	.	.	1†	9*a*
Amsterdam, ...	574,973	„ 25,	280	156	14·2	.	.	11	.	1	1†	1*a*
Copenhagen, ...	459,000	„ 25,	191	182	20·7	.	.	.	1	3	3†	2*a*
Stockholm, ...	341,816	„ 18,	151	86	13·1	.	.	.	2	1	1†	2
Christiania, ...	240,178	Mar. 4,	94	70	15·2	.	.	2	1	3	.	1
St. Petersburg, ...	1,639,161	Feb. 4,	699	639	20·3	4	5	10	14	2	9	46
Moscow, ...	1,493,600	„ 4,	.	749	26·1	1	3	10	17	2	30†	45
Berlin, ...	2,072,684	„ 18,	927	637	16·0	1	.	7	7	8	11†	21
Hamburg, ...	932,000	„ 25,	.	297	16·6	2	.	1	.	1	14†	20*a*
Breslau, ...	514,144	„ 25,	.	174	17·6	2	.	1	1	1	1	12
Munich, ...	597,000	Mar. 4,	.	186	16·2	.	.	3	.	1	2†	11
Vienna (with suburbs),	2,030,834	Feb. 25,	769	743	19·0	.	.	5	4	5	3†	31*a*
Buda-Pesth, ...	891,585	„ 25,	475	370	22·9	2	.	3	7	.	4†	11*a*
Prague and Faubourgs,	508,310	„ 11,	182	178	18·2	.	.	.	1	1	1†	12*a*
Trieste, ...	224,080	„ 18,	135	146	34·0	1	.	1	.	1	3†	1*a*
Rome, ...	589,425	Dec. 17,	282	200	17·7	3	.	1	.	1	.	7‡
Venice, ...	184,325	Feb. 11,	101	101	28·6	1	.	.	.	.	.	2
New York, ...	4,983,385	„ 4,	2,814	1,464	15·3	6	.	15	19	5	27†	36*a*
Philadelphia, ...	1,573,509	Jan. 28,	.	.	.	.	.	.	.	.	.	.
Boston, ...	688,912	Mar. 4,	.	220	16·7	2	.	1	4	5	5	2

* Deaths from "fever," including 6 deaths from enteric fever and 13 deaths from plague in Calcutta, 57 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 46 deaths from cholera in Calcutta, one in Bombay, one in Madras and one in Rome.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 18th March, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	1	.	.	.	.	1	2
„ „ 1, West, ...	.	6	.	.	.	.	1	.	1	.	.	2	10
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 3, ...	.	1	.	.	.	.	1	1	.	.	.	3	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	1	.	.	.	.	3
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	1	.	.	1	.	.	3	3	.	.	2	10
„ „ 2, ...	.	.	.	.	2	.	.	.	1	.	.	1	4
„ „ 3, ...	.	1	.	.	1	.	.	.	1	.	.	1	4
„ „ 4, ...	.	1	.	.	2	.	.	2	1	.	.	2	8
New Kilmainham, ...	.	1	.	.	.	.	.	.	.	.	.	.	1
Total, ...	.	13	.	.	6	.	3	7	7	.	.	12	48

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 18th March, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 18th March.			
	Feb. 25.	Mar. 4.	Mar. 11.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	46	52	46	11	19	1	37
Scarlet Fever, ...	112	118	124	39	25	.	138*
Typhus, ...	.	.	.	.	.	.	.
Diphtheria, ...	95	84	64	18	18	.	64
Enteric Fever, ...	101	92	85	16	17	2	82
Pneumonia, ...	36	39	33	3	8	.	28

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 18th March, 1911:—

"Severely cold weather held throughout this week, a polar air-current passing over all the western countries of Europe either directly or in a diverted course from S.W. or S. On Sunday morning a main, or primary, atmospheric depression was centred between Shetland and Norway. It had travelled south-eastwards from the east coast of Iceland. At the same time a secondary depression was approaching the west of Ireland from the Atlantic. The latter system caused dull, rainy weather in Dublin, the rainfall lasting until 2 p.m. of Sunday. At 3 p.m. the wind veered from S.W. to N.W. and the weather improved. A heavy hail shower fell at 5.20 p.m. The evening was clear and cold. The primary depression remained nearly stationary over the South of Norway, while the secondary grew steadily deeper and moved along a curved path, its centre reaching Belgium on Monday morning and the mouth of the Elbe on Tuesday morning, when the barometer reading at Cuxhaven was as low as 29·06 inches. By this time the northern primary system had disappeared, having seemingly become merged in the southern secondary disturbance. Very inclement weather was reported from Great Britain, snow, sleet and hail falling generally; but in Ireland conditions were finer with some sharp night frosts and passing hail showers by day. On Tuesday night the depression changed its course, moving slowly westward over the North Sea towards Great Britain. It was followed by another system, which appeared over Schleswig on Thursday morning; and on Friday and Saturday a piercing easterly wind swept over the British Isles as the barometer rose in the N. and fell in the S.W. On Saturday the upper clouds (cirrus) were observed to be travelling in a higher current from S.W., whereas the lower clouds (cumulus) came with the wind from E. In Dublin a fresh gale prevailed on this last day of the week. The mean height of the barometer in this city was 29·779 inches, pressure ranging between 29·582 inches at 3 p.m. of Sunday (wind, W.) and 29·960 inches at 9 a.m. of Tuesday (wind, N.W.). The corrected mean temperature was 39·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 38·7°. The screened thermometers rose to 47·1° on Wednesday and fell to 31·6° on Friday. The prevailing wind was N.N.W. Rain fell on 4 days to the amount of ·171 inch, of which ·112 inch was measured on Sunday. Hail fell on Sunday, Monday and Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·608 inches. The highest reading (29·794) was on Tuesday at 9 a.m., wind N.W., and the lowest (29·467) on Sunday at 9 p.m., wind N.N.W.

The mean temperature for the week was 38·0°, being 4·7° below the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Wednesday, on which day the thermometer registered 46·8°, and was lowest on Friday, the mercury having fallen to 23·9°. The mean of the Dry Bulb for the week was 37·4° and of the Wet Bulb, 36·0°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The rainfall during the week measured 0·206 inch.

At Greenwich the mean temperature for the week was 38·1°, the maximum 47·1°, and the minimum 29·1°; at Glasgow the maximum was 45·9°, the minimum 32·8°, and the mean 39·6°; and at Edinburgh the maximum was 43·5°, the minimum 30·7°, and the mean 37·2°. The rainfall at Greenwich measured 0·77 in.; at Glasgow 0·15 in., and at Edinburgh 0·46 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, March 12,	29·495	45·2	34·1	39·7	37·9	37·0	·91	·5	1·4	·122	S.W.	N.N.W.
Monday, „ 13,	29·667	44·8	30·5	37·7	35·8	34·5	·88	·5	6·5	·008	W.N.W.	N.W.
Tuesday, „ 14,	29·738	46·6	29·7	38·2	38·5	36·1	·83	·8	3·8	·000	N.W.	N.W.
Wednesday, „ 15,	29·529	46·8	30·5	38·7	38·4	36·9	·88	·7	8·0	·000	N.W.	N.
Thursday, „ 16,	29·574	45·0	28·7	36·9	33·4	32·6	·92	·5	4·4	·020	N.W.	Calm.
Friday, „ 17,	29·568	44·0	23·9	34·0	37·6	36·3	·89	·6	3·2	·050	Calm.	E.
Saturday, „ 18,	29·686	43·2	38·5	40·9	40·4	38·9	·89	·7	0·2	·006	E.N.E.	E.
Mean, ...	29·608	45·1	30·8	38·0	37·4	36·0	·89	·6	Total 27·5	Total ·206	Prevailing Wind, N.W.	

Sunday—Day overcast to cloudy; rain a.m. and p.m.; night clear. *Monday*—Day cloudy; hail p.m.; night clear to cloudy. *Tuesday*—Day cloudy; night clear. *Wednesday*—Day cloudy; fine; night clear. *Thursday*—Day overcast to cloudy; rain a.m.; night cloudy; rain a.m. *Friday*—Day overcast to cloudy; rain a.m.; night overcast. *Saturday*—Day overcast; drizzle p.m.; night overcast.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, March 18th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, March 12,	42·2	43·1	45·0	46·1	36·4	41·3	0·7	·115
Monday, „ 13,	38·9	41·8	44·9	45·2	32·9	39·1	4·0	·001
Tuesday, „ 14,	40·0	41·0	44·9	46·9	32·0	39·5	0·9	—
Wednesday, „ 15,	40·0	40·7	44·9	47·9	32·5	40·2	6·2	—
Thursday, „ 16,	37·7	40·8	44·6	42·0	32·8	37·4	3·1	·001
Friday, „ 17,	36·5	40·5	44·5	44·9	32·3	38·6	3·4	·026
Saturday, „ 18,	41·3	41·1	44·3	44·6	39·7	42·1	0·3	—
Weekly Mean, .	39·5	41·3	44·7	45·4	34·1	39·7	Total 18·6	Total ·143

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30281. Wt. P. 489–53/138. 375. 2. 1911. G. III. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & Co., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 25TH MARCH, 1911. [No. 12.

General Register Office, Charlemont House,
Dublin, 27th March, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,163,596.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Mar. 4	Mar. 11	Mar. 18	Mar. 25	Average Rate for 4 weeks.
22 Town Districts, ...	**20·4**	**19·3**	**17·4**	**21·2**	**19·6**
Armagh	6·9	27·5	13·7	13·7	15·5
Ballymena	19·2	14·4	33·5	19·2	21·6
Belfast	17·4	15·4	15·4	19·2	16·9
Clonmel	20·5	30·8	5·1	15·4	18·0
Cork	17·8	27·4	16·4	21·9	20·9
Drogheda	24·5	16·3	8·2	4·1	13·3
Dublin Reg. Area ...	21·6	21·0	20·8	25·1	22·1
Dundalk	12·0	19·9	12·0	16·0	15·0
Galway	15·5	15·5	7·8	19·4	14·6
Kilkenny	14·7	29·5	24·6	34·3	25·8
Limerick	30·1	24·6	15·0	26·0	23·9
Lisburn	13·6	22·7	13·6	18·2	17·0
Londonderry	28·5	15·4	10·7	20·2	18·7
Lurgan	39·8	22·1	22·1	13·3	24·3
Newry	8·4	21·0	33·6	16·8	19·9
Newtownards	34·3	17·2	11·4	5·7	17·2
Portadown	5·2	15·5	31·0	5·2	14·2
Queenstown	26·4	46·1	26·4	13·2	28·0
Sligo	48·0	9·6	.	19·2	19·2
Tralee	5·3	26·4	21·1	37·0	22·4
Waterford	33·1	17·5	15·6	13·6	19·9
Wexford	14·0	9·3	14·0	9·3	11·7

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·0 per 1,000, the rates varying from 0·0 in nineteen of the districts to 4·1 in Drogheda, the only death for that district being one from measles. Among the 147 deaths from all causes for Belfast are one from scarlet fever, one from diphtheria, and 3 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 276—154 boys and 122 girls—and the deaths to 214—114 males and 100 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 18) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 25·1 per 1,000 of the population. During the twelve weeks ending with Saturday last the death-rate averaged 23·6, and was 2·5 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœa.

The total deaths registered, numbering 214, represent an annual rate of 27·4 per 1,000; the annual rate for the past twelve weeks was 24·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 27·2 per 1,000 of the mean population for all deaths registered.

Included in the total deaths from all causes registered were 2* deaths from enteric fever, 3 deaths from measles, one death from scarlet fever, 6 deaths from whooping-cough, one death from diphtheria, 8 deaths from diarrhœa and enteritis of children under 2 years of age, and one death from influenza. In each of the three preceding weeks deaths from enteric fever were 4, 3, and one; deaths from measles were 7, 7, and 7; deaths from scarlet fever were 2, 0, and 0; deaths from whooping-cough were 11, 4, and 4; deaths from diphtheria were 0, 2, and 0; deaths from diarrhœa and enteritis of children under 2 years were 2, 3, and 3; and deaths from influenza were 2, 2, and 2.

The deaths from all forms of tuberculous disease amounted to 47; this figure includes 32 deaths from pulmonary tuberculosis, 6 deaths from tuberculous meningitis, 2 deaths from abdominal tuberculosis, one death from tuberculosis of joints, 3 deaths from tuberculosis of other organs, and 3 deaths from disseminated tuberculosis. In each of the three preceding weeks deaths from all forms of tuberculous disease were 27, 25, and 36.

There were 5 deaths from broncho-pneumonia, and 8 deaths from *pneumonia* (type not distinguished).

Ten deaths were caused by cancer.

Diseases of the brain and nervous system caused 23 deaths; this figure includes 2 deaths of children under two years of age from meningitis, and 3 deaths of infants under one year from *convulsions*.

There were 27 deaths from diseases of the heart and blood vessels, and 24 deaths from bronchitis.

The deaths of 7 infants were attributed as follows:—one to congenital malformation, 3 to premature birth, and 3 to congenital debility. Of 5 deaths from accident or negligence one was by a bicycle accident, 2 were by burns, one being that of a child aged 2 years, and one was that of an infant by suffocation in bed. There was one death by suicide.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year of age.

Fifty-six of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 11 were under one month old) and 52 were aged 65 years and upwards; including 34 persons aged 70 years and upwards; among the latter were 20 aged 75 years and upwards, of whom 3 (a male and 2 females) were stated to have been aged 92, 90, and 97 years, respectively.

One hundred and eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 19 took place in the North Dublin Union Workhouse, 29 in the South Dublin Union Workhouse, and 5 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 25·1 per 1,000; the rate in the City was 26·1 (North City Districts, 25·3; South 26·9) and in the Suburbs, 21·7.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·2 per 1,000 inhabitants, the rate for the City being 2·5 (2·9 in the North City Districts, and 2·0 in the South), and for the Suburbs, 1·1.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (21) are equal to an annual rate of 36·2 per 1,000. Among them are one death from whooping-cough, 2 deaths from diarrhœa of children under 2 years of age, 5 deaths from tuberculous disease, one death each from broncho-pneumonia and *pneumonia* (type not distinguished), and 3 accidental deaths.

No. 1 *North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 24·5 per 1,000. One death from diarrhœa of a child under 2 years of age, one death from influenza, 2 deaths from pulmonary tuberculosis, and 5 deaths from diseases of the respiratory system were recorded.

No. 2 *North City District* (Lisburn-street).—The deaths (7) are equivalent to an annual rate of 11·7 per 1,000. One of the deaths was from measles and one from pulmonary tuberculosis.

No. 3 *North City District* (Benburb-street).—The deaths (27) represent an annual rate of 41·5 per 1,000. There were 2 deaths from diarrhœa of children under 2 years of age, 9 deaths from tuberculous disease, one death each from broncho-pneumonia and *pneumonia* (type not distinguished), and 5 deaths from other diseases of the respiratory system.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 8·9, and Finglas and Glasnevin, part of, 6·7. Of the 2 deaths recorded for Coolock and Drumcondra, part of, one was from scarlet fever and one from diphtheria; and the only death recorded for Finglas and Glasnevin, part of, was one from broncho-pneumonia.

No. 1 *South City District* (South Earl-street).—The deaths (24) represent an annual rate of 29·9 per 1,000, and include one death from whooping-cough, 6 from tuberculous disease, one from broncho-pneumonia, 3 from *pneumonia* (type not distinguished), and 3 from other diseases of the respiratory system.

No. 2 *South City District* (Castle-street).—The deaths (15) are equal to an annual rate of 35·6 per 1,000. There were 2 deaths from whooping-cough, 3 from tuberculous disease, 2 from *pneumonia* (type not distinguished), one from bronchitis and one death by burns.

No. 3 *South City District* (Peter-street).—The deaths (17) are equal to an annual rate of 20·3 per 1,000. Nine of the deaths were caused by tuberculous disease and 2 by bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (20) are equivalent to an annual rate of 28·8 per 1,000. Among them are one from measles, 2 from whooping-cough, 4 from tuberculous disease, one from broncho-pneumonia, and 3 from bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·1 per 1000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 19·5; Pembroke, 24·9; Blackrock, 17·4; and Kingstown, 23·7. The deaths from the principal epidemic diseases† tabulated for these districts comprise one death from enteric fever and one from measles for Pembroke. Among the 14 deaths from all causes for Rathmines and Rathgar are 2 from tuberculous meningitis and 4 from bronchitis; the 14 deaths from all causes for Pembroke include 3 from pulmonary tuberculosis, and 2 from bronchitis, and of the 8 deaths from all causes for Kingstown one was from pulmonary tuberculosis.

* See note (*c*) Table II. † See note (‡) on first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 25th March, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Varicella.	Whooping cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Mar. 4,	.	—	—	9	.	.	11	.	2	8	9	1	—	—	.	—	17	—	57
	Mar. 11,	.	—	—	17	.	.	10	.	.	13	7	.	—	—	.	—	16	—	63
	Mar. 18,	.	—	—	13	.	.	6	.	3	7	7	.	—	—	.	—	12	—	48
	Mar. 25,	.	—	—	14	1	.	8	.	3	13	9	.	—	—	.	—	10	—	58
Rathmines and Rathgar Urban District.	Mar. 4,	.	—	—	1	.	.	4	.	.	4	1	.	—	—	—	—	—	—	10
	Mar. 11,	.	—	—	2	.	.	5	.	.	.	.	.	—	—	—	—	—	—	7
	Mar. 18,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	Mar. 25,	.	—	—	.	.	.	2	.	.	1	.	.	—	—	—	—	—	—	3
Pembroke Urban District.	Mar. 4,	.	2	.	.	.	.	1	.	1	.	.	.	—	5	.	—	.	—	9
	Mar. 11,	.	7	.	1	.	.	1	.	.	.	.	.	—	10	.	—	.	—	19
	Mar. 18,	.	7	.	2	.	.	2	.	.	.	.	.	—	.	.	—	.	—	11
	Mar. 25,	.	4	.	.	.	.	.	.	.	.	.	.	—	8	.	—	.	—	12
Blackrock Urban District.	Mar. 4,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
	Mar. 11,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	.	—	—	—	2
	Mar. 18,	.	—	—	6	.	.	.	.	.	.	.	.	—	—	.	—	—	—	6
	Mar. 25,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
Kingstown Urban District.	Mar. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Mar. 11,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Mar. 18,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
	Mar. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Mar. 4,	.	—	—	12	.	.	10	.	.	.	6	.	—	—	.	—	16	—	44
	Mar. 11,	.	—	—	12	.	.	8	.	.	1	7	.	—	—	.	—	10	—	38
	Mar. 18,	.	—	—	13	.	.	3	.	.	.	5	.	—	—	.	—	6	—	27
	Mar. 25,	.	—	—	6	.	.	3	1	.	.	2	.	—	—	.	—	11	—	23

The Registrar of Belfast Urban No. 15 District reports :—"One case of epidemic cerebro-spinal meningitis."

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 25th March, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Twenty-three cases of measles were admitted to hospital during the week, 19 were discharged, and 41 cases remained under treatment at the close of the week.

Nine cases of scarlet fever were admitted to hospital, 34 were discharged, there was one death, and 112* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 118, 124, and 138, respectively.

One case of typhus was admitted to hospital during the week and remained under treatment at its close.

Fourteen cases of diphtheria were admitted to hospital during the week, and 15 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 84, 64, and 64, respectively, were 63 at the close of last week.

Nine cases of enteric fever were admitted to hospital during the week, 10 were discharged, there were 2 deaths, and 79 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 92, 85, and 82.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 9 were discharged, and 23 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 15·7) was equal to an average annual death-rate of 15·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·2 per 1,000, the rate for Glasgow being 17·4 and for Edinburgh 13·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 25th March. From this Report it appears that of a total of 62 cases notified, 22 were scarlet fever, 18 phthisis, 17 diphtheria, 3 erysipelas, and 2 enteric fever. Among the 419 cases of infectious diseases in hospital at the close of the week were 165 cases of scarlet fever, 75 of diphtheria, 60 of phthisis, 57 of measles, 23 of whooping-cough, 15 of erysipelas, 12 of chicken pox, 3 of enteric fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 25th March, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 25th March, 1911. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Phthisis.	Other Forms.	Cancer.	Pneumonia.	Other.	Diseases of the Respiratory System. Of children under 2 years of age.	Diarrhœa. 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 25th March, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 18th March, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 11th March, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
Total of 22 Town Districts, ...	1,163,596	20·4	30·2	21·2	1·0	674	472	67	111	1	...	...	4	2	6	2	...	75	33	22	33	61	5	3	7	9	14	156	9	...	° ...	° ...	...	° ...	° ...	° ...	...	...	...	...	...
Dublin Registration Area:— Total, (c.) ...	407,057	29·6	35·4	25·1	2·2	276	196	28	45	1	...	...	3	1	6	1	...	31	14	7	12	25	5	...	3	4	2	90	2	e48·5	34·2	41·7	0·00	e46·8	23·9	38·0	0·21	e51·1	27·7	41·1	0·32
City of Dublin,	313,526	39·6	40·1	26·1	2·5	241	157	24	31	...	...	...	2	1	6	1	...	27	12	5	12	19	5	...	3	4	2	74	1	f49·9 g48·3	39·2 37·0	43·4 42·5	0·00 0·00	f47·1 g47·9	31·6 26·0	39·7 38·7	0·17 0·25	f51·2 g51·5	32·9 30·6	42·3 42·7	0·25 0·30
Urban Districts. Rathmines and Rathgar.	37,528	21·9	19·5	19·5	...	14	14	2	4	...	...	...	...	...	...	...	...	...	2	...	...	4	...	...	...	...	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,368	18·5	17·8	24·9	3·6	10	14	1	3	1	...	...	1	...	...	...	...	3	...	2	...	2	...	...	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,013	8·3	5·8	17·4	...	1	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,622	12·1	29·6	23·7	...	10	8	1	4	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	5	1	49	39	42·9	0·00	47	33	40·2	0·10	52	34	42·9	0·24
Urban Districts. Belfast, ...	398,421	27·1	28·5	19·2	0·7	218	147	23	30	...	...	...	...	1	...	1	...	22	9	8	14	16	...	3	3	3	10	36	...	48·0	34·0	41·1	0·00	49·0	31·5	40·0	0·12	52·0	30·0	42·1	0·37
Cork, ...	76,122	33·6	28·1	21·9	...	41	32	3	7	...	...	...	...	...	...	...	...	10	4	1	1	5	...	...	...	...	...	10	1	50	37	43·5	0·31	49	36	42·1	1·46	51	36	42·5	1·27
Londonderry...	43,900	20·3	24·9	20·2	...	21	17	4	4	...	...	...	...	...	...	...	...	4	1	...	2	...	...	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,151	18·1	27·3	26·0	...	20	19	...	3	...	...	...	...	...	...	...	...	3	1	2	1	5	...	...	...	...	...	6	...	52·2	34·2	43·8	0·00	48·7	26·8	39·6	0·46	52·1	28·2	41·8	0·85
Waterford, ...	26,769	18·7	23·4	13·6	...	12	7	1	1	...	...	...	...	...	...	...	...	2	...	...	...	2	...	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,426	2·5	27·2	19·4	...	7	5	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	48	30	41	0·00	50	30	42	0·17	50	30	42	0·51
Dundalk, ...	13,076	9·4	16·0	16·0	...	4	4	1	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,760	8·6	36·8	4·1	4·1	9	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	12,405	17·8	29·4	16·8	...	7	4	2	...	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	...	...	...	...	47·7	32·0	40·4	0·00	50·9	28·8	39·3	0·10	51·0	29·3	41·1	0·17
Lurgan, ...	11,782	13·8	62·0	13·3	...	14	3	1	2	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	47·7	32·0	40·4	0·00	50·9	28·8	39·3	0·10	51·0	29·3	41·1	0·17
Lisburn, ...	11,461	10·1	13·6	18·2	...	3	4	...	1	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	1	1	1	...	47·7	32·0	40·4	0·00	50·9	28·8	39·3	0·10	51·0	29·3	41·1	0·17
Wexford, ...	11,168	23·2	18·7	9·3	...	4	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena, ...	10,886	8·9	14·4	19·2	...	3	4	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	10,870	3·7	14·4	19·2	...	3	4	1	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	51·0	29·6	41·6	0·00	49·2	25·0	39·4	0·13	51·2	26·6	40·9	0·73
Kilkenny, ...	10,609	11·5	4·9	34·3	...	1	7	2	1	...	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	1	53	35	43	0·05	47	28	39·3	0·24	51	29	41·1	0·82
Clonmel, ...	10,167	7·8	30·8	15·4	...	6	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	10,092	13·2	36·2	5·2	...	7	1	...	1	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	2	3	47·7	32·0	40·4	0·00	50·9	28·8	39·3	0·10	51·0	29·3	41·1	0·17
Tralee, ...	9,867	16·6	52·8	37·0	...	10	7	...	4	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	22·9	5·7	...	4	1	...	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	48	37	41·7	0·00	47	35	41·6	0·03	52	32	41·7	0·22
Queenstown, ...	7,909	14·4	6·6	13·2	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	50	37	43·5	0·31	49	36	42·1	1·46	51	36	42·5	1·27
Armagh, ...	7,588	22·2	20·6	13·7	...	3	2	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	1	2	...	47·7	32·0	40·4	0·00	50·9	28·8	39·3	0·10	51·0	29·3	41·1	0·17

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1911. (b) See note (‡) at foot of first page. (c) Exclusive of 18 deaths of persons (including 7 at 65 years or upwards), admitted to hospital from localities outside the Area; of the 18 deaths one was from enteric fever. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 25th of March, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	3	.
Scarlet Fever,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	1	.	.	.	.	.	.	1	2	.	2	.	.	.	.	.	6	.
Diphtheria,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Croup,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Influenza,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	3	2	1	7	.	.	.	3	1	7	3	.	.	3	.	1	31	1
Tuberculous Disease. — Other Forms,	2	.	.	2	.	.	.	3	2	2	1	.	2	.	.	.	14	1
Cancer,	.	1	1	1	.	.	.	1	.	1	.	.	.	2	.	.	7	3
Diseases of Nervous System,	2	2	2	2	.	.	.	.	2	1	4	1	.	1	2	3	22	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	4	2	1	1	1	.	.	4	1	1	1	1	1	2	1	2	23	4
" Respiratory System. — Pneumonia,	2	.	.	2	.	.	1	4	2	.	1	.	.	.	.	.	12	1
" Respiratory System. — Others,	.	5	.	5	.	.	.	3	1	2	3	.	4	2	.	.	25	2
" Digestive System. — Diarrhœa, under 2 years,	2	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	5	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Enteritis, under 2 years,	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
" Digestive System. — Others,	.	2	1	1	.	.	.	.	.	.	.	.	1	1	.	.	6	.
" Genito-urinary System,	.	1	.	1	.	.	.	1	.	.	1	.	1	.	.	.	5	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Other specified Causes,	1	2	.	2	.	.	.	2	1	2	3	1	4	1	.	1	20	.
Violent Deaths,	3	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	4	1
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2	.
Deaths from All Causes	21	19	7	27	1	2	1	24	15	17	20	3	14	14	3	8	196	18
Annual Rate of Mortality from All Causes in every 1,000 of the population.	36·2	24·5	11·7	41·5	9·6	8·9	6·7	29·9	35·6	20·3	28·8	17·1	19·5	24·9	17·4	23·7	25·1	.
	25·3							26·9					21·7					
	26·1																	
Ages at Death. — Under 1 year,	5	3	.	5	.	.	1	2	4	.	3	1	2	1	.	1	28	.
1 and under 2 years,	2	.	1	2	.	.	.	4	.	1	4	.	2	2	.	1	19	.
2 " 5 "	1	2	.	2	.	.	.	.	3	1	.	.	.	.	.	.	9	.
5 " 15 "	1	.	.	.	.	2	.	3	.	.	1	.	.	.	.	.	7	.
15 " 25 "	1	1	1	1	.	.	.	2	1	2	1	.	1	1	.	.	12	1
25 " 45 "	3	3	1	7	.	.	.	4	3	6	4	.	2	3	.	1	37	5
45 " 65 "	5	4	.	6	.	.	.	5	3	3	3	2	3	4	.	1	39	5
65 and upwards,	3	6	4	4	1	.	.	4	1	4	4	.	4	3	3	4	45	7
Number of Uncertified Deaths,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	6	1	5	.	.	.	8	2	3	3	.	6	5	.	.	42	13
Workhouse Hospitals,	5	3	1	7	.	1	.	7	5	8	6	.	.	.	.	5	48	5

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 12th Week of the 10 years 1901–1910.	In the Week ending Saturday, 25th March, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Mar. 23, 1901.	Mar. 22, 1902.	Mar. 28, 1903.	Mar. 26, 1904.	Mar. 25, 1905.	Mar. 24, 1906.	Mar. 23, 1907.	Mar. 21, 1908.	Mar. 27, 1909.	Mar. 26, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 39·3	° 44·4	° 46·0	° 43·6	° 43·8	° 40·3	° 43·9	° 37·7	° 43·5	° 43·4	° 42·6	° 41·7										
ALL CAUSES.	253	167	225	235	169	193	174	193	216	185	201·0	214	11	17	19	9	7	13	42	44	32	20
Enteric Fever, ...	1	1	3	.	1	.	.	1	1	1	·9	2	.	.	.	.	.	.	2	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	2	5	4	.	3	1	6	1	2·3	3	.	.	3	.	.	.	.	.	.	.
Scarlet Fever, ...	.	1	4	.	.	.	.	1	.	.	·6	1	.	.	.	.	1	.	.	.	.	.
Whooping-cough, ...	7	1	6	5	1	.	7	1	2	2	3·2	6	.	1	3	1	1	.	.	.	.	.
Diphtheria, ...	1	1	2	2	.	1	1	.	1	1	1·0	1	.	.	.	.	1	.	.	.	.	.
Croup, ...	.	.	.	.	.	2	.	.	.	.	·2	1	.	1	.	.	.	.	.	.	.	.
Influenza, ...	12	2	1	4	4	1	4	8	4	6	4·6	1	.	.	.	.	.	.	.	.	.	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	2	.	.	1	.	.	1	1	·5	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	5	1	.	.	2	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	2	2	.	.	.	2	.	.	·7	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	27	36	30	36	37	32	24	26	22	26	29·6	32	.	.	1	.	.	8	19	4	.	.
Tuberculous Meningitis, ...	5	4	10	4	1	5	5	6	3	4	4·7	6	.	1	1	2	.	.	2	.	.	.
Abdominal Tuberculosis, ...	4	1	.	1	1	2	1	.	1	2	1·3	2	.	.	1	.	.	1	.	.	.	.
Tuberculosis of the Vertebral Column.	7	6	9	4	3	4	7	6	3	4	5·3	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...												1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of other Organs,												3	.	.	.	1	1	1	.	.	.	.
Scrofula												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												3	.	.	1	.	.	.	2	.	.	.
Venereal Diseases, ...	2	1	.	2	2	1	2	.	.	1	1·1	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	8	4	6	10	8	11	6	8	9	6	7·6	10	.	.	.	.	.	.	1	4	3	2
Tumour, situation undefined.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	.	.	2	.	.	.	.	2	·5	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	1	2	.	1	.	.	2	·6	.	.	.	.	.	.	.	.	.	.	.
Anæmia Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	1	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.
Alcoholism, ...	.	2	2	1	.	1	1	.	.	1	·7	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	2	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												2	.	.	2	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												13	.	.	.	.	.	.	2	2	7	2
Softening of Brain, ...												1	.	.	.	.	.	.	.	1	.	.
Paralysis, without specified cause.												4	.	.	.	.	.	.	1	2	1	.
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												3	1	2	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	58	32	56	47	37	49	28	46	49	32	43·4	.	.	.	.	.	.	.	.	.	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												1	.	.	.	1	.	.	.	.	.	.
Organic Diseases of the Heart,												24	.	.	.	.	.	.	4	11	6	3
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												2	.	.	.	.	.	.	.	1	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	39	16	22	29	17	31	28	22	44	32	28·0	24	.	2	3	2	.	.	.	5	8	4
Broncho-pneumonia, ...			5	6	5	6	12	8	9	6		5	.	1	2	.	.	1	1	.	.	.
Lobar-pneumonia, ...	15	12	.	2	1	.	2	.	5	1	15·1	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).			8	2	4	7	8	9	11	7		8	.	.	1	.	.	1	2	3	1	.
Pleurisy, ...												1	.	.	.	.	.	.	.	1	.	.
Pulmonary Congestion, Pulmonary Apoplexy	4	2	4	5	4	1	2	2	1	4	2·9	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												2	.	.	.	.	1	.	.	1	.	.

TWELFTH WEEK ending Saturday, 25th March, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 12th Week of the 10 years 1901–1910.	In the Week ending Saturday, 25th March, 1911.											
													Deaths of Persons of the Ages of										
													0—5.										
	Mar. 23, 1901.	Mar. 22, 1902.	Mar. 28, 1903.	Mar. 26, 1904.	Mar. 25, 1905.	Mar. 24, 1906.	Mar. 23, 1907.	Mar. 21, 1908.	Mar. 27, 1909.	Mar. 26, 1910.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 39·3	° 44·4	° 46·0	° 43·6	° 43·8	° 40·3	° 43·9	° 37·7	° 43·5	° 43·4	° 42·6	° 41·7											
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	1	.	.	.	.	1	.
Diarrhœa of Children under 2 years.	5	1	3	1	1	5	1	.	1	3	2·1	5	1	4	.	.	.	.	.	.	.	.
.. 2 years and upwards.												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	.	1	1	1	.	1	3	3	4	.	1·4	3	.	2	1	.	.	.	.	.	.	.
„ 2 years and upwards,												1	.	.	.	.	.	.	.	1	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	1	1	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	1	1	.
Cirrhosis of Liver, ...	4	5	.	.	2	1	.	1	.	1	2·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...			2	1	1	2	.	2	1	3		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	3	1	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	1	6	10	5	7	5	5	4	11	5·9	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...												.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...												5	.	.	.	.	.	.	1	3	.	1
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	6	7	6	11	5	5	2	7	12	6	6·7	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												1	.	.	.	.	.	.	.	1	.	.
Puerperal Septicæmia, &c., ...	.	.	1	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	1	.	1	1	1	.	2	.	.	·6	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	1	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	.	1	1
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	3	5	6	4	2	4	2	1	3	3·3	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	3	1	2	.	.	.	.	.	.	.	.
Old Age, ...	17	.	6	11	4	3	2	8	2	5	5·8	7	.	.	.	.	.	.	.	1	.	6
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	2	2	.	.	.	.	.	.	.	.	.
ACCIDENTS:																							
By Railways, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	1	1	.	1	.	1	.	.	.	.	·4	1	.	.	.	.	.	.	1	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	2	4	1	1	1	1	.	.	.	1	1·1	2	.	.	.	1	1	.	.	.	.	.
By Drowning, ...	1	.	1	2	1	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	1	1	.	.	.	·2	1	1	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	1	.	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	3	5	1	.	.	3	.	2	.	1·5	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																							
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	1	.	.	.	.	1	·2	1	.	.	.	.	.	.	1	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	2	1	.	.	.	.	1	.	.	.	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910–11—WEEK ENDING																									
	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.
No. of weeks in Annual Series,	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12
BIRTHS registered.	196	219	161	244	182	211	207	204	182	199	174	232	158	170	203	230	238	232	219	241	192	214	217	238	203	276
Average Births in corresponding week of previous 10 years, ...	252	192	184	209	206	209	202	195	181	207	193	195	177	174	231	208	209	201	241	217	212	209	216	223	212	212
DEATHS registered.	164	160	151	174	139	147	141	166	168	176	188	165	178	155	176	179	190	228	200	220	208	195	180	174	170	214
Annual Death-rate per 1,000, ...	21·2	20·7	19·5	22·5	18·0	19·0	18·2	21·5	21·7	22·8	24·3	21·4	23·0	20·1	22·5	22·9	24·3	29·2	25·6	28·2	26·6	25·0	23·1	22·3	21·8	27·4
Average Deaths in corresponding week of previous 10 years, ...	160	158	156	160	156	172	175	179	182	182	182	177	182	177	201	195	195	192	200	198	200	210	218	210	194	201
Ages. Under 5 years, ...	60	58	44	56	40	46	47	57	49	55	53	43	41	47	56	60	62	59	61	47	57	57	70	59	39	56
5—15 „ ...															5	10	7	11	6	10	6	10	9	12	9	7
15—25 „ ...															9	7	10	11	12	13	5	6	6	7	7	13
25—45 „ ...	104	102	107	118	99	101	94	109	119	121	135	122	137	108	25	24	27	32	32	41	36	35	32	24	24	42
45—65 „ ...															45	38	41	55	48	51	49	35	36	36	42	44
65—75 „ ...															20	25	28	34	22	39	33	29	19	19	28	32
75 and upwards, ...															16	15	15	26	19	19	22	23	8	17	21	20
Deaths from :—																										
Enteric Fever, ...	.	3	1	2	1	1	.	.	2	.	1	2	1	.	.	1	.	2	3	2	2	2	4	3	1	2
Typhus, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	.	.	.	1	.	1	1	.	2	1	.	1	4	3	6	2	2	2	2	3	7	7	7	3
Scarlet Fever, ...	.	1	.	1	1	3	.	2	1	3	1	1	.	2	7	.	.	1	.	4	6	2	2	.	.	1
Whooping-cough, ...	2	2	2	5	1	1	4	2	6	5	11	1	5	7	6	5	6	10	4	3	6	7	11	4	4	6
Diphtheria, ...	2	2	1	.	4	1	2	3	2	4	.	3	2	.	1	2	4	1	5	2	3	2	.	2	.	1
Influenza, ...	2	1	1	2	1	4	1	.	2	4	2	1	3	1	.	1	1	4	3	4	5	7	2	2	2	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	2	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	18	17	14	23	17	18	16	20	14	16	25	14	19	19	21	19	27	28	19	27	22	18	20	17	28	32
Tuberculous Disease, Other Forms,	11	12	8	8	4	11	11	8	6	7	11	4	7	5	4	6	9	7	4	6	8	7	7	8	8	15
Cancer, ...	11	12	11	12	9	7	9	8	14	3	12	4	13	6	8	3	12	7	16	11	4	6	5	8	6	10
Diseases of Circulatory System,	30	20	24	25	23	17	18	22	24	30	30	23	28	31	17	20	13	25	19	23	17	21	14	13	24	27
Diseases of Respiratory System, Pneumonia,	6	5	11	15	12	13	11	16	16	14	15	27	18	11	15	16	10	17	18	20	15	21	13	16	14	13
Diseases of Respiratory System, Others, ...	12	16	17	17	12	18	26	26	29	37	27	32	26	25	29	25	28	42	30	41	44	28	29	25	23	27
Diarrhœa, Under 2 years, ...	27	12	10	8	4	5	4	2	4	6	2	2	2	1	3	2	2	4	4	2	3	3	1	1	2	5
Diarrhœa, 2 years & upwards,															.	.	.	.	1	.	.	1	1	.	3	.
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	2	2	.	3	3	1	1	1	2	1	3
Violent Deaths, ...	3	10	4	.	2	1	2	2	3	4	4	8	4	6	2	8	1	4	7	4	2	5	2	4	5	5
Number of Uncertified Deaths,	3	3	6	2	4	1	8	6	7	5	5	3	3	6	4	5	7	7	3	3	2	4	7	8	7	2
Mean Temperature of the Air (Phœnix Park)	54·2	52·5	48·2	49·1	50·4	43·1	39·6	38·2	42·2	37·0	43·4	45·2	43·5	40·9	37·2	39·0	38·6	45·5	35·9	37·0	46·4	43·4	46·5	41·1	38·0	41·7
Average Mean Temperature in corresponding week of previous 10 years, ...	53·7	52·2	50·6	48·4	46·2	47·1	45·2	42·7	41·5	42·8	42·4	41·6	41·3*	41·3	42·0	40·0	40·8	40·5	40·3	40·3	39·8	39·9	40·5	41·7	42·7	42·6
Rainfall in inches, ...	·391	·585	·138	·333	·365	·558	·860	·352	1·206	1·820	1·700	1·172	·183	·130	·336	·345	·153	·034	·000	·011	·582	·523	·681	·316	·206	·000
Mean Humidity of the Air, complete Saturation 1·0, ...	·89	·90	·84	·92	·87	·90	·89	·85	·91	·93	·91	·91	·94	·88	·92	·90	·93	·92	·87	·90	·91	·91	·92	·91	·89	·87

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 25th March, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 25TH MARCH, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	214	56	7	13	42	44	32	20	2	.	.	3	1	6	1	.	32	15	10	3	13	27	5	.	3	5	88	2
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	32·9	11	.	.	1	1	4	2	3	.	.	.	.	.	.	.	.	1	.	4	.	.	.	.	.	.	1	5	1
II.	MIDDLE CLASS, ...	87,188	15·0	25	4	.	1	6	7	3	4	.	.	.	1	.	.	.	.	2	2	.	.	4	1	.	.	.	.	15	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	24·1	51	14	1	4	14	9	7	2	1	.	.	.	.	.	1	.	13	5	1	.	5	6	1	.	1	.	17	.
IV.	GENERAL SERVICE CLASS, ...	154,279	25·0	74	28	5	6	9	12	6	8	1	.	.	2	1	6	.	.	7	4	2	3	3	10	.	.	.	4	31	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	53	10	1	1	12	12	14	3	.	.	.	.	.	.	.	.	9	4	3	.	1	10	4	.	2	.	20	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	60·2	9	.	.	1	1	2	2	3	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.	.	1	4	1
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	11·8	5	2	.	.	2	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	2	.
	6. Clerks and Commercial Assistants, ...	30,432	18·8	11	2	.	1	4	3	1	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.	7	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	11·6	6	.	.	.	.	2	1	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	42·2	8	4	1	1	1	.	.	1	.	.	.	.	.	.	1	.	1	1	.	.	1	.	1	.	.	.	3	.
	9. Building and Furnishing Trades, ...	29,801	22·7	13	1	.	.	5	4	3	.	1	.	.	.	.	.	.	.	2	.	.	.	2	3	.	.	.	.	5	.
	10. Clothing Trades, ...	23,260	9·0	4	1	.	1	.	.	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.	.	.	.	.	.
	11. Food Supply Trades, ...	9,242	16·9	3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	37·8	22	6	.	2	7	5	2	.	.	.	.	.	.	.	.	.	8	2	1	.	2	1	.	.	1	.	7	.
	13. Petty Shopkeepers, ...	7,894	6·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	27·2	7	1	.	.	1	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	6	.
	15. Domestic Servants, ...	36,603	5·7	4	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	29·0	8	3	1	.	1	1	1	1	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	1	3	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	31·9	55	24	4	5	7	5	4	6	1	.	.	2	1	6	.	.	6	4	2	2	.	9	.	.	.	3	19	1
	INMATES OF WORKHOUSES.																														
V.	18. Workhouse Inmates, ...	6,024	—	53	10	1	1	12	12	14	3	.	.	.	.	.	.	.	.	9	4	3	.	1	10	4	.	2	.	20	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa. Children under 2 years.	2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (Office, Clarence-st. Nth.) Pop. in 1911 (Est.) 30,219.	Feb. 4,	34·5	3·5	20	1	.	.	.	.	1	.	.	2	.	.	3	1	.	.	.	1	.
		„ 11,	36·2	3·5	21	.	.	.	.	1	.	.	.	.	1	.	1	5	1	.	.	1	.
		„ 18,	24·2	3·5	14	.	.	.	.	.	1	1	.	1	.	.	.	3	.	.	1	.	.
		„ 25,	19·0	.	11	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	.	.
		Mar. 4,	29·3	6·9	17	1	.	.	1	.	1	.	.	1	.	1	1	.	.	1	.	.	.
		„ 11,	19·0	.	11	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	1
		„ 18,	38·0	1·7	22	.	.	.	1	.	.	.	.	4	.	.	1	3	.	.	1	.	.
		„ 25,	36·2	5·2	21	.	.	.	.	.	1	.	.	3	2	.	2	.	2	.	1	3	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1911 (Est.) 40,390.	Feb. 4,	34·9	3·9	27	1	.	.	.	.	.	.	.	4	.	3	3	4	2	.	.	1	.
		„ 11,	29·7	2·6	23	.	.	.	.	.	1	.	.	3	.	2	1	5	1	.	.	.	.
		„ 18,	36·1	3·9	28	.	.	.	.	1	.	1	.	5	1	.	1	9	1	.	.	.	1
		„ 25,	32·3	2·6	25	.	.	.	.	1	.	.	.	4	.	.	4	4	1	.	.	1	1
		Mar. 4,	19·4	6·5	15	1	.	.	1	.	3	.	.	1	.	.	.	1	.	.	.	.	1
		„ 11,	21·9	3·9	17	.	.	.	2	.	.	1	.	4	.	1	1	1	.	.	.	.	2
		„ 18,	20·7	5·2	16	.	.	.	2	.	1	.	.	1	1	1	1	3	.	1	.	.	2
		„ 25,	24·5	1·3	19	.	.	.	.	.	.	.	.	2	.	1	.	5	1	.	.	.	1
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1911 (Est.) 31,064.	Feb. 4,	21·8	.	13	.	.	.	.	.	.	.	.	.	.	1	1	3	.	.	1	1	.
		„ 11,	26·9	.	16	.	.	.	.	.	.	.	.	3	2	1	2	2	.	.	.	.	.
		„ 18,	23·5	1·7	14	.	.	.	.	.	.	.	.	3	2	.	.	3	1	.	.	1	.
		„ 25,	15·1	3·4	9	1	.	.	1	.	.	.	.	1	1	.	2	1	.	.	.	.	.
		Mar. 4,	35·2	5·0	21	.	.	.	1	.	1	.	.	2	3	1	2	3	1	.	.	1	.
		„ 11,	23·5	.	14	.	.	.	.	.	.	.	.	1	.	.	3	3	.	.	.	1	.
		„ 18,	20·1	1·7	12	.	.	.	.	.	.	.	.	3	.	2	1	.	1	.	.	.	.
		„ 25,	11·7	1·7	7	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.
	North City, No. 3. (Office, Benburb-street.) Pop. in 1911 (Est.) 33,908.	Feb. 4,	16·9	6·2	11	1	.	.	.	.	1	1	.	1	.	.	1	.	1	.	.	.	.
		„ 11,	35·4	3·1	23	.	.	.	.	1	1	.	.	2	.	3	3	7	.	.	.	.	1
		„ 18,	32·3	3·1	21	.	.	.	.	.	1	.	.	3	1	1	2	5	1	.	.	.	.
		„ 25,	36·9	7·7	24	1	.	.	.	1	1	1	.	.	1	1	4	3	1	.	1	1	1
		Mar. 4,	12·3	3·1	8	1	.	.	.	1	.	.	.	2	.	.	.	1	.	.	1	.	.
		„ 11,	18·5	3·1	12	.	.	.	.	.	1	1	.	4	.	.	.	.	.	.	1	.	.
		„ 18,	13·8	6·2	9	.	.	.	2	.	1	.	.	1	.	.	.	.	1	.	.	.	.
		„ 25,	41·5	3·1	27	.	.	.	.	.	.	.	.	7	2	1	2	5	2	.	.	.	.
	South City, No. 1. (Office, Sth. Earl-street.) Pop. in 1911. (Est.) 41,908.	Feb. 4,	27·4	1·2	22	.	.	.	1	.	.	.	.	1	.	1	1	4	.	.	1	2	1
		„ 11,	36·1	5·0	29	2	.	.	.	1	.	1	.	4	1	.	1	7	.	.	1	.	.
		„ 18,	26·1	7·5	21	2	.	.	.	2	1	.	1	1	.	.	2	2	.	.	.	.	.
		„ 25,	34·8	5·0	28	.	.	.	2	.	1	.	.	2	1	.	.	5	.	1	.	2	.
		Mar. 4,	19·9	2·5	16	1	.	.	.	.	1	.	.	3	.	1	1	2	.	.	.	1	.
		„ 11,	24·9	1·2	20	.	.	.	1	.	.	.	.	.	2	1	.	9	.	.	.	.	.
		„ 18,	22·4	3·7	18	.	.	.	.	.	1	.	.	3	2	.	1	4	.	2	.	.	2
		„ 25,	29·9	1·2	24	.	.	.	.	.	1	.	.	3	3	1	4	3	.	.	2	.	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1911 (Est.) 21,980.	Feb. 4,	28·5	.	12	.	.	.	.	.	.	.	.	3	1	1	2	3	.	.	.	.	.
		„ 11,	38·0	.	16	.	.	.	.	.	.	.	.	4	1	2	1	2	.	.	.	.	.
		„ 18,	33·2	2·4	14	.	.	.	.	1	.	.	.	1	1	.	.	5	.	.	.	.	.
		„ 25,	30·8	2·4	13	.	.	.	.	.	.	.	.	2	.	1	.	3	1	.	.	1	.
		Mar. 4,	30·8	2·4	13	.	.	.	1	.	.	.	.	1	.	.	.	7	.	.	.	.	.
		„ 11,	21·4	2·4	9	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	1
		„ 18,	14·2	.	6	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	1	.
		„ 25,	35·6	4·7	15	.	.	.	.	.	2	.	.	1	2	.	2	1	.	.	.	1	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1911 (Est.) 43,677.	Feb. 4,	22·7	2·4	19	.	.	.	1	.	.	1	.	3	.	1	2	4	.	.	.	1	.
		„ 11,	28·7	1·2	24	.	.	.	.	1	.	.	.	4	.	.	3	2	.	.	2	1	1
		„ 18,	28·7	3·6	24	.	.	.	2	.	.	1	.	3	.	.	2	5	.	.	.	1	.
		„ 25,	20·3	3·6	17	.	.	.	.	.	2	1	.	2	2	.	3	3	.	.	.	.	.
		Mar. 4,	32·2	6·0	27	.	.	.	2	1	2	.	.	4	1	.	1	9	.	.	.	.	1
		„ 11,	28·7	3·6	24	.	.	.	3	.	.	.	.	2	2	3	4	2	.	.	.	.	.
		„ 18,	31·0	2·4	26	1	.	.	.	.	1	.	.	4	1	1	3	6	.	.	.	.	.
		„ 25,	20·3	.	17	.	.	.	.	.	.	.	.	7	2	1	.	2	.	.	.	.	.
	South City, No. 4. (Office, Grand Canal-st.) Pop. in 1911 (Est.) 36,254.	Feb. 4,	24·5	5·8	17	.	.	.	.	.	1	2	.	3	.	3	1	2	1	.	.	1	.
		„ 11,	33·1	4·3	23	.	.	.	2	.	1	.	.	4	1	2	2	6	.	.	.	.	.
		„ 18,	23·0	4·3	16	.	.	.	.	.	3	.	.	.	1	.	1	2	.	.	.	.	1
		„ 25,	24·5	2·9	17	.	.	.	.	.	2	.	.	5	.	.	3	1	.	.	.	.	.
		Mar. 4,	24·5	4·3	17	.	.	.	1	.	2	.	.	2	1	1	4	.	.	.	.	.	2
		„ 11,	38·8	2·9	27	.	.	.	.	1	.	.	.	5	1	.	1	2	1	.	.	2	2
		„ 18,	17·3	2·9	12	.	.	.	2	.	.	.	.	.	2	1	3	1	.	.	.	2	.
		„ 25,	28·8	4·3	20	.	.	.	1	.	2	.	.	3	1	.	1	3	.	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 37,528.	Feb. 4,	25·0	1·4	18	.	.	.	.	.	.	1	.	.	2	1	1	4	.	.	1	.	1
	„ 11,	18·1	.	13	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	.	1	.
	„ 18,	19·5	.	14	.	.	.	.	.	.	.	.	.	.	1	4	2	.	.	.	.	.
	„ 25,	22·2	.	16	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.	.	2
	Mar. 4,	18·1	.	13	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 11,	15·3	2·8	11	1	.	.	.	.	1	.	.	.	.	1	4	1	.	.	.	.	.
	„ 18,	12·5	.	9	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.
	„ 25,	19·5	.	14	.	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,368.	Feb. 4,	14·2	.	8	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 11,	14·2	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.
	„ 18,	24·9	.	14	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	.	.
	„ 25,	16·0	1·8	9	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.
	Mar. 4,	14·2	1·8	8	.	.	.	.	.	1	.	.	1	.	.	1	2	.	.	.	.	1
	„ 11,	10·7	1·8	6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	„ 18,	12·4	.	7	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	1	.
	„ 25,	24·9	3·6	14	1	.	.	1	.	.	.	.	3	.	2	.	2	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 (Est.) 17,622.	Feb. 4,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	1
	„ 11,	17·8	.	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
	„ 18,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 25,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Mar. 4,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 11,	14·8	.	5	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 18,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	2
	„ 25,	23·7	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Belfast. Pop. in 1911 (Est.) 398,421.	Feb. 4,	16·8	0·3	128	.	.	.	.	.	1	1	.	10	4	6	7	25	.	.	2	4	2
	„ 11,	19·1	0·4	146	.	.	.	.	1	.	.	.	11	4	5	11	26	1	1	3	4	1
	„ 18,	19·5	.	149	.	.	.	.	.	.	.	.	22	11	5	14	25	.	.	2	.	.
	„ 25,	18·5	0·3	141	.	.	.	.	1	1	.	.	15	10	8	11	20	.	.	2	4	.
	Mar. 4,	17·4	0·3	133	.	.	.	.	.	1	.	.	13	10	3	15	20	1	.	1	3	3
	„ 11,	15·4	0·3	118	.	.	.	.	.	1	.	.	19	7	6	10	20	.	1	.	2	2
	„ 18,	15·4	0·4	118	.	.	.	.	1	1	.	.	7	8	11	10	14	1	.	.	1	1
	„ 25,	19·2	0·7	147	.	.	.	.	1	.	1	.	22	9	8	14	16	.	3	3	3	.
Cork. Pop. (in 1901) 76,122.	Feb. 4,	20·5	0·7	30	.	.	.	.	.	1	.	.	6	1	.	3	3	.	.	.	1	2
	„ 11,	27·4	1·4	40	.	.	.	.	1	1	.	.	10	2	5	2	2	.	.	.	1	4
	„ 18,	25·3	.	37	.	.	.	.	.	.	.	.	7	.	.	3	11	.	.	.	.	3
	„ 25,	24·7	0·7	36	.	.	.	.	.	1	.	.	7	1	1	2	4	.	.	.	2	1
	Mar. 4,	17·8	0·7	26	.	.	.	.	.	1	.	.	7	1	.	1	3	.	.	.	.	1
	„ 11,	27·4	0·7	40	.	.	.	.	.	1	.	.	9	3	1	1	3	.	.	1	1	.
	„ 18,	16·4	.	24	.	.	.	.	.	.	.	.	4	.	2	.	8	.	.	.	2	.
	„ 25,	21·9	.	32	.	.	.	.	.	.	.	.	10	4	1	1	5	.	.	.	.	1
Londonderry. Pop. in 1911 (Est.) 43,900.	Feb. 4,	14·3	3·6	12	.	.	.	.	.	3	.	.	.	.	.	1	3	.	.	.	.	1
	„ 11,	20·2	4·8	17	.	.	.	.	.	4	.	.	2	.	.	.	3	.	.	1	.	1
	„ 18,	29·7	7·1	25	1	.	.	.	.	5	.	.	4	.	2	.	6	.	.	.	.	.
	„ 25,	22·6	1·2	19	.	.	.	.	.	1	.	.	.	2	1	1	3	.	.	.	1	.
	Mar. 4,	28·5	7·1	24	.	.	.	.	.	6	.	.	2	.	.	3	1	.	.	.	.	2
	„ 11,	15·4	2·4	13	.	.	.	.	.	1	.	.	1	.	1	.	4	1	.	1	.	.
	„ 18,	10·7	.	9	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.
	„ 25,	20·2	.	17	.	.	.	.	.	.	.	.	4	1	.	2	.	.	.	1	1	.
Limerick. Pop. (in 1901) 38,151.	Feb. 4,	20·5	2·7	15	2	.	.	.	.	.	.	.	1	.	.	.	4	.	.	1	.	1
	„ 11,	24·6	.	18	.	.	.	.	.	.	.	.	4	.	.	.	7	.	.	.	.	1
	„ 18,	10·9	.	8	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.	2
	„ 25,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	1
	Mar. 4,	30·1	.	22	.	.	.	.	.	.	.	.	3	.	.	2	5	.	.	.	.	4
	„ 11,	24·6	.	18	.	.	.	.	.	.	.	.	1	.	1	1	4	.	.	.	.	2
	„ 18,	15·0	.	11	.	.	.	.	.	.	.	.	3	.	.	2	1	.	.	.	.	1
	„ 25,	26·0	.	19	.	.	.	.	.	.	.	.	3	1	2	1	5	.	.	.	.	.
Waterford. Pop. (in 1901) 26,769.	Feb. 4,	19·5	.	10	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	.
	„ 11,	33·1	.	17	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	2	.	1
	„ 18,	23·4	.	12	.	.	.	.	.	.	.	.	1	2	1	.	4	.	.	1	.	2
	„ 25,	13·6	.	7	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	1	.	1
	Mar. 4,	33·1	.	17	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.	.	2
	„ 11,	17·5	.	9	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	1
	„ 18,	15·6	.	8	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	.	.
	„ 25,	13·6	.	7	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 25th March, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 25 years.	Ages at Death: 25 and under 45 years.	Ages at Death: 45 and under 65 years.	Ages at Death: 65 years and upwards.	Deaths from: Enteric Fever.	Deaths from: Typhus.	Deaths from: Small-pox.	Deaths from: Measles.	Deaths from: Scarlet Fever.	Deaths from: Whooping-cough.	Deaths from: Diphtheria.	Deaths from: Dysentery.	Deaths from: Tuberculous Disease: Phthisis.	Deaths from: Tuberculous Disease: Other Forms.	Deaths from: Cancer.	Deaths from: Diseases of the Respiratory System: Pneumonia.	Deaths from: Diseases of the Respiratory System: Other.	Deaths from: Diarrhœa: Of children under 2 years of age.	Deaths from: Diarrhœa: 2 years of age and upwards.	Deaths from: Enteritis of children under 2 years.	Deaths from: Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	349,180	6	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Do. 2 do.		23			13	1	2	2	2	3	3	.	.	.	.	.	.	.	.	3	.	.	1	1	.	.	.	1	2	4	.
Do. 3 do.		30			20	2	4	3	3	4	4	.	.	.	.	1	.	.	.	2	2	1	2	2	.	.	.	2	2	4	.
Do. 4 do.		23			13	3	.	1	3	4	2	.	.	.	.	.	.	.	.	4	.	.	1	1	.	1	.	.	2	7	.
Do. 5 do.		12			5	.	.	1	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	3	.
Do. 6 do.		11			12	.	4	3	1	.	4	.	.	.	.	.	.	1	.	1	.	.	2	1	.	.	.	.	.	2	.
Do. 7 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		.			2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
Do. 9 do.		10			4	1	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
Do. 10 do.		18			11	2	2	1	3	1	2	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	1	3	.
Do. 11 do.		23			25	5	1	3	3	8	5	.	.	.	.	.	.	.	.	5	1	4	2	5	.	1	.	.	.	3	.
Do. 12 do.		39			16	3	1	1	4	3	4	.	.	.	.	.	.	.	.	2	4	1	1	1	.	.	.	.	1	5	.
Do. 13 do.		11			5	.	1	1	1	1	1	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	.	1	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		11			18	5	1	2	4	3	3	.	.	.	.	.	.	.	.	.	.	1	3	.	.	1	2	.	2	2	.
Total,	—	218			147	23	17	19	28	30	30	.	.	.	.	1	.	1	.	22	9	8	14	16	.	3	3	3	10	36	.
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	11	24·3	.	6	1	1	.	1	2	1	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	.	.	4	.
Do. 2 do.	10,701	5	19·5	.	4	.	.	1	1	.	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.
Do. 3 do.	9,978	7	31·4	.	6	1	2	.	1	.	2	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	.	2	.
Do. 4 do.	8,666	3	12·0	.	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Do. 5 do.	6,592	.	31·6	.	4	.	.	.	3	.	1	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	2	.
Do. 6 do.	10,702	9	14·6	.	3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.
Do. 7 do.	16,616	6	22·0	.	7	.	1	2	1	2	1	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	1	1
Total,	76,122	41	21·9	.	32	3	5	4	8	5	7	.	.	.	.	.	.	.	.	10	4	1	1	5	.	.	.	.	.	10	1

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910–11—WEEK ENDING																								
	Oct. 1.	Oct. 8.	Oct 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.
No. of weeks in Annual Series,	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12
BIRTHS registered, ...	172	200	205	228	201	183	178	156	181	175	185	167	200	199	241	231	233	188	212	218	216	213	232	193	220	218
DEATHS registered, ...	105	94	122	120	115	108	122	132	134	109	151	133	132	91	122	151	118	118	128	146	149	141	133	118	118	147
Annual Death rate per 1,000 of estimated population, ...	14·0	12·5	16·3	16·0	15·3	14·4	16·3	17·6	17·9	14·5	20·1	17·7	17·6	12·1	16·0	19·8	15·4	15·4	16·8	19·1	19·5	18·5	17·4	15·4	15·4	19·2
AGES, Under 1 year, ...	25	31	27	27	28	24	28	27	24	17	34	20	22	18	21	30	23	26	24	24	31	21	25	20	33	23
1—5 years, ...	14	6	14	16	8	11	6	6	5	8	11	17	12	8	12	11	8	10	10	7	10	14	9	10	6	17
5—25 „ ...															7	20	16	11	6	11	21	17	18	9	10	19
25—45 „ ...	66	57	81	77	79	73	88	99	105	84	106	96	98	65	30	37	17	13	25	27	30	29	16	23	14	28
45—65 „ ...															32	25	21	27	34	34	32	26	35	29	27	30
65 and upwards, ...															20	28	33	31	29	43	25	34	30	27	28	30
Deaths from :—																										
Enteric Fever, ...	1	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	1	3	5	.	3	1	.	2	2	3	3	1	.	.	.	1	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	1	.	1	.	.	1	.	1	2	1	1	1	1	1	.	.	1	.	1	.	.	1	1
Whooping-cough, ...	3	1	1	.	1	.	.	.	1	.	1	.	1	1	.	.	1	1	1	.	.	1	1	1	1	.
Diphtheria, ...	.	.	2	1	.	.	1	1	.	1	4	.	.	.	.	.	1	2	1	.	.	.	.	.	.	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	17	9	17	10	12	14	12	17	17	13	14	12	15	9	14	23	17	13	10	11	22	15	13	19	7	22
Tuberculous Disease. Other Forms,	7	3	8	6	8	2	7	8	4	7	5	7	3	3	7	7	4	4	4	4	11	10	10	7	8	9
Cancer, ...	5	5	7	5	7	9	5	8	9	6	5	8	6	5	7	2	7	11	6	5	5	8	3	6	11	8
Diseases of Respiratory System, Pneumonia	7	5	11	11	7	7	13	11	8	7	13	10	10	7	8	9	7	7	7	11	14	11	15	10	10	14
Diseases of Respiratory System, Others, ...	11	9	16	9	19	11	23	16	25	25	36	22	29	18	18	24	24	20	25	26	25	20	20	20	14	16
Diarrhœa, Under 2 years, ...	7	7	3	8	10	6	4	3	1	1	4	3	1	.	1	.	.	.	.	1	.	.	1	.	1	.
Diarrhœa, 2 years & upwards,															1	1	.	.	.	1	.	.	.	1	.	3
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	.	.	2	2	3	2	2	1	.	.	3
Violent Deaths, ...	2	.	.	2	.	3	4	2	5	3	2	6	2	4	6	6	1	2	4	4	.	4	3	2	1	3
Number of Uncertified Deaths, ...	1	1	1	.	.	2	3	.	.	3	4	1	1	3	3	.	1	5	2	1	.	.	3	2	1	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,912,054	Mar. 25,	2,354	1,475*b*	15·7	.	.	182	3	51	10	11*a*
Edinburgh, ...	365,253	„ 25,	151	94	13·4	.	.	.	1	2	1	3
Glasgow, ...	897,178	„ 25,	457	299	17·4	1	.	2	1	19	4	6
Calcutta, ...	1,009,008	Feb. 18,	.	462	23·8	71*	.	4	.	1	1	63‡
Bombay, ...	977,822	„ 18,	413	801	42·6	151*	10	35	.	.	.	67
Madras, ...	509,346	Jan. 28,	382	414	42·2	88*	9	9	?	?	?	82‡
Cairo, ...	689,439	Feb. 4,	599	438	33·1	2	.	.	.	.	6†	38*a*
Paris, ...	2,760,000	„ 25,	959	941	17·8	8	.	17	3	9	2†	17*a*
Brussels, ...	720,030	„ 25,	241	249	18·0	1	.	4	.	.	1†	12*a*
Antwerp, ...	320,640	Mar. 4,	119	95	15·4	.	.	2	.	.	1†	6*a*
Amsterdam, ...	574,973	„ 4,	256	163	14·8	.	.	9	.	5	.	5*a*
Copenhagen, ...	459,000	„ 4,	247	134	15·2	.	.	.	3	3	2†	2*a*
Stockholm, ...	341,816	Feb. 25,	164	101	15·4	1	.	.	.	1	1†	.
Christiania, ...	240,178	Mar. 11,	113	59	12·8	.	.	.	.	4	1†	.
St. Petersburg, ...	1,599,139	Feb. 11,	756	683	22·3	7	6	11	26	2	8	55
Moscow, ...	1,493,600	„ 11,	.	884	30·9	4	4	12	32	4	31†	78
Berlin, ...	2,073,606	„ 25,	813	665	16·7	1	.	5	5	2	18†	25
Hamburg, ...	932,000	Mar. 4,	.	284	15·8	1	.	2	1	2	7†	16
Breslau, ...	514,144	„ 4,	.	167	16·9	.	.	.	.	1	2	12
Munich, ...	597,000	„ 11,	.	207	18·1	.	.	3	.	2	3†	14
Vienna (with suburbs),	2,030,834	„ 4,	878	673	17·2	.	.	6	2	4	10†	20*a*
Buda-Pesth, ...	891,585	„ 4,	467	352	20·5	1	.	1	5	.	4†	13*a*
Prague and Faubourgs,	508,310	Feb. 18,	189	220	22·5	1	.	1	1	3	4†	11*a*
Trieste.	226,423	„ 25,	146	162	37·3	.	.	3	.	1	.	2*a*
Rome, ...	589,425	Dec. 24,	269	207	18·3	7	.	.	.	.	1	15
Venice, ...	184,325	Feb. 18,	98	101	28·6	1	.	.	1	.	.	5
New York, ...	4,983,385	„ 11,	2,540	1,566	16·4	7	.	13	16	7	32†	40*a*
Philadelphia, ...	1,573,509	Jan. 28,	.	.	.	.	.	.	.	.	.	.
Boston, ...	686,912	Mar. 11,	.	249	18·9	.	.	.	6	3	6	7

* Deaths from "fever," including 6 deaths from enteric fever and 12 deaths from plague in Calcutta, 2 deaths from enteric fever and 86 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 30 deaths from cholera in Calcutta, and 4 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

b Including one death from cerebro-spinal fever.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 25th March, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West, ...	.	1	.	.	1	.	.	1	1	.	.	.	4
" " 2, ...	.	.	.	.	.	.	.	3	2	.	.	2	7
" " 3, ...	.	1	.	.	.	.	2	2	.	.	.	2	7
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	3	.	.	1	.	.	.	.	.	.	.	4
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	2	.	.	4	.	1	2	4	.	.	4	17
" " 2, ...	.	.	1	.	.	.	.	.	.	.	.	.	1
" " 3, ...	.	1	.	.	.	.	.	5	.	.	.	1	7
" " 4, ...	.	2	.	.	.	.	.	.	1	.	.	1	4
New Kilmainham, ...	.	3	.	.	2	.	.	.	1	.	.	.	6
Total, ...	.	14	1	.	8	.	3	13	9	.	.	10	58

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 25th March, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 25th March.			
	Mar. 4.	Mar. 11.	Mar. 18.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	52	46	37	23	19	.	41
Scarlet Fever, ...	118	124	138	9	34	1	112*
Typhus, ...	.	.	.	1	.	.	1
Diphtheria, ...	84	64	64	14	15	.	63
Enteric Fever, ...	92	85	82	9	10	2	79
Pneumonia, ...	39	33	28	4	9	.	23

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 25th March, 1911:—

"A cold, dull spell of weather was experienced in Ireland up to Friday, when the sky cleared and the week drew to a close with two days of bright sunshine. But the chief feature of the period was the persistent prevalence of strong, keen north-easterly winds, which reached gale force at exposed coastal stations both in England and in Ireland on Sunday. At 7 a.m. of that day an energetic atmospheric depression had arrived off the extreme N.W. of Spain from the northwestward—the barometer marking 29·27 inches at Corunna, whereas it stood at 30·4 inches or slightly more over the S. of Scandinavia. Gradients for E. to N.E. winds were accordingly steep in the British Isles, and the wind blew strongly from these points, with a cloudy sky and a low temperature. In Dublin the clouds broke at 2 p.m. of Sunday and cirrus cloud was observed to be travelling in an upper air-current at 6 p.m. During the following four days the Spanish depression moved slowly northeastwards across the Bay of Biscay, gradually filling up as it travelled. The force of the easterly wind over the British Isles consequently moderated, but the sky remained densely clouded, and rain fell from time to time in many parts of England. On Wednesday thunderstorms occurred over the S.E. of that country and at Bath. A local area of sharp cold was observed over the N. of Scotland, lasting throughout the week. The minima at Nairn were 31°, 32°, 26°, 24°, 28°, 27°, and 28°. In the course of Thursday night a new cyclonic system advanced to the Bay of Biscay from the Azores. This disturbance passed eastwards across France to Switzerland, the result being a general increase in the force of the N.E. winds blowing over the British Isles and a fresh decrease of temperature. Fortunately, however, the cloud-canopy broke up in Ireland, and warm sunshine tempered the chilling 'north-easter' which prevailed. In Dublin the mean height of the barometer was 30·016 inches, the range of pressure being from 29·800 inches at 4 p.m. of Monday (wind, N.E.) to 30·400 inches at 9 p.m. of Saturday (wind, also N.E.). The corrected mean temperature was 43·4°, the mean dry bulb temperature at 9 a.m. and 9 p.m. being 42·6°. The screened thermometers fell to 39·2° on Tuesday and rose to 49·9° on Wednesday. The wind was persistently E.N.E. or N.E. Only a few drops of rain fell in Dublin on Wednesday and Friday. The thermometer rose to 62° in the shade on Tuesday at Greenwich and Margate."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·848 inches. The highest reading (30·231) was on Saturday at 9 p.m., wind N.E., and the lowest (29·661) on Monday at 9 a.m., wind E.N.E.

The mean temperature for the week was 41·7°, being 0·9° below the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Wednesday, on which day the thermometer registered 48·5°, and was lowest on Saturday, the mercury having fallen to 34·2°. The mean of the Dry Bulb for the week was 41·0° and of the Wet Bulb, 39·3°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. There was no rainfall during the week.

At Greenwich the mean temperature for the week was 42·8°, the maximum 61·8°, and the minimum 33·2°; at Glasgow the maximum was 49·4°, the minimum 33·0°, and the mean 39·1°; and at Edinburgh the maximum was 45·0°, the minimum 31·7°, and the mean 36·9°. The rainfall at Greenwich measured 0·13 in. There was no rainfall recorded at Glasgow or at Edinburgh.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, March 19,	29·685	43·1	39·1	41·1	39·9	39·1	·93	·6	0·3	·000	E.	E.
Monday, „ 20,	29·666	45·7	38·7	42·2	41·8	41·1	·95	·3	0·0	·000	E.N.E.	E.N.E.
Tuesday, „ 21,	29·677	44·2	37·5	40·9	41·8	40·4	·89	·6	0·1	·000	E.N.E.	N.E.
Wednesday, „ 22,	29·822	48·5	41·2	44·9	43·4	42·1	·90	·5	0·6	·000	E.N.E.	E.N.E.
Thursday, „ 23,	29·949	45·1	40·9	43·0	42·3	40·1	·84	·6	0·0	·000	E.N.E.	E.N.E.
Friday, „ 24,	29·958	45·6	34·9	40·3	38·7	36·7	·84	·5	7·2	·000	E.N.E.	N.E.
Saturday, „ 25,	30·177	44·7	34·2	39·5	39·3	35·9	·74	·6	8·3	·000	N.E.	N.E.
Mean, ...	29·848	45·3	38·1	41·7	41·0	39·3	·87	·5	Total 16·5	Total ·000	Prevailing Wind, E.N.E.	

Sunday—Day overcast; night overcast. *Monday*—Day overcast; night cloudy. *Tuesday*—Day overcast; night overcast. *Wednesday*—Day overcast; night overcast. *Thursday*—Day overcast; night overcast. *Friday*—Day overcast to cloudy; night clear to cloudy. *Saturday*—Day cloudy, fine; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, March 25th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, March 19,	41·2	41·4	44·2	43·8	40·0	41·9	—	—
Monday, „ 20,	42·1	41·7	44·1	46·3	39·9	43·1	—	—
Tuesday, „ 21,	41·1	41·8	44·0	46·7	38·9	42·8	—	—
Wednesday, „ 22,	43·4	42·3	44·0	49·0	41·9	45·4	—	—
Thursday, „ 23,	42·9	43·5	44·0	47·5	41·2	44·3	—	—
Friday, „ 24,	42·6	42·8	44·0	46·5	40·5	44·0	7·1	—
Saturday, „ 25,	42·5	43·1	44·0	46·1	39·9	43·0	5·8	—
Weekly Mean, .	42·2	42·4	44·0	46·5	40·3	43·5	Total 12·9	—

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30281. Wt. P. 489–53/138. 375. 2. 1911. G. III. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & CO., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 1ST APRIL, 1911. [No. 13.

General Register Office, Charlemont House, Dublin, 3rd April, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,163,596.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Mar. 11	Mar. 18	Mar. 25	April 1	Average Rate for 4 weeks.
22 Town Districts, ...	**19·3**	**17·4**	**21·2**	**20·7**	**19·6**
Armagh	27·5	13·7	13·7	.	13·7
Ballymena	14·4	33·5	19·2	28·7	23·9
Belfast	15·4	15·4	19·2	18·1	17·0
Clonmel	30·8	5·1	15·4	25·6	19·2
Cork	27·4	16·4	21·9	19·2	21·2
Drogheda	16·3	8·2	4·1	32·7	15·3
Dublin Reg. Area ...	21·0	20·8	25·1	21·5	22·1
Dundalk	19·9	12·0	16·0	.	12·0
Galway	15·5	7·8	19·4	42·7	21·3
Kilkenny	29·5	24·6	34·3	39·3	31·9
Limerick	24·6	15·0	26·0	31·4	24·2
Lisburn	22·7	13·6	18·2	22·7	19·3
Londonderry	15·4	10·7	20·2	22·6	17·2
Lurgan	22·1	22·1	13·3	22·1	19·9
Newry	21·0	33·6	16·8	16·8	22·0
Newtownards	17·2	11·4	5·7	17·2	12·9
Portadown	15·5	31·0	5·2	10·3	15·5
Queenstown	46·1	26·4	13·2	.	21·4
Sligo	9·6	.	19·2	24·0	13·2
Tralee	26·4	21·1	37·0	47·6	33·0
Waterford	17·5	15·6	13·6	23·4	17·5
Wexford	9·3	14·0	9·3	9·3	10·5

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 0·9 per 1,000, the rates varying from 0·0 in seventeen of the districts to 12·3 in Drogheda, the 8 deaths from all causes for that district including 3 from measles. The 138 deaths from all causes for Belfast include one from diphtheria and one from diarrhœa. Among the 19 deaths from all causes for Londonderry are 3 from whooping-cough, and one from diphtheria, and included in the 11 deaths from all causes for Galway is one from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 230—128 boys and 102 girls—and the deaths to 177—93 males and 84 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 21·5 per 1,000 of the population. During the thirteen weeks ending with Saturday last the death-rate averaged 23·4, and was 2·7 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœa.

The total deaths registered, numbering 177, represent an annual rate of 22·7 per 1,000; the annual rate for the past thirteen weeks was 24·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 27·2 per 1,000 of the mean population for all deaths registered.

The total deaths from all causes included one death from enteric fever, 2 deaths from measles, 5 deaths from whooping-cough, one death from diphtheria, 2 deaths from diarrhœa and enteritis of children under 2 years of age, and 2 deaths from influenza. In each of the three preceding weeks deaths from enteric fever were 3, one, and 2; deaths from measles were 7, 7, and 3; deaths from whooping-cough were 4, 4, and 6; deaths from diphtheria were 2, 0, and one; deaths from diarrhœa and enteritis of children under 2 years were 3, 3, and 8; and deaths from influenza were 2, 2, and one.

Pneumonia (all forms) caused 13 deaths, including 11 deaths from broncho-pneumonia, one death from lobar pneumonia, and one death from *pneumonia* (type not distinguished).

The deaths of 29 persons were caused by tuberculous disease; the total includes 16 deaths from pulmonary tuberculosis, 7 deaths from tuberculous meningitis, 4 deaths from abdominal tuberculosis, one death from tuberculosis of the vertebral column, and one death from disseminated tuberculosis. The deaths from all forms of tuberculous disease in the three preceding weeks numbered 25, 36, and 47, respectively.

There were 13 deaths from cancer.

Of 22 deaths attributed to diseases of the brain and nervous system, 4 were caused by meningitis, and 5 by *convulsions*, 3 of the latter figure being deaths of infants under one year of age, and 2 between the ages of one year and 2 years.

Diseases of the heart and blood vessels accounted for the deaths of 22 persons, and there were 21 deaths from bronchitis.

The deaths of 3 infants were assigned to premature birth, and congenital debility was the cause of death of 3 infants.

Of 5 deaths from accidental causes, there were 2 deaths by burning of children, one aged 3 years and one 5 years, and there was one death by drowning.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year of age, and the deaths of 2 persons aged 65 years and upwards.

Forty-eight of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 8 were under one month old) and 52 were aged 65 years and upwards; including 40 persons aged 70 years and upwards; among the latter were 23 aged 75 years and upwards, of whom one (a female) was stated to have been aged 98 years.

Seventy-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse, and 22 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·5 per 1,000; the rate in the City was 22·5 (North City Districts, 23·4; South, 21·5) and in the Suburbs, 18·4.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·2 (0·6 in the North City Districts, and 1·7 in the South), and for the Suburbs, 2·2.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (16) are equal to an annual rate of 27·6 per 1,000. Influenza caused one death; there were 3 deaths from tuberculous disease, 2 deaths from broncho-pneumonia, one death from *pneumonia* (type not distinguished), one death from bronchitis, and one death by burns.

No. 1 *North City District, West* (Summer-hill).—The deaths (12) are equal to an annual rate of 15·5 per 1,000, and include one death from broncho-pneumonia, one death from bronchitis, and one death by burning.

No. 2 *North City District* (Lisburn-street).—The deaths (22) are equivalent to an annual rate of 36·9 per 1,000. The deaths include 4 from tuberculous disease, 2 from broncho-pneumonia, and 2 from bronchitis

No. 3 *North City District* (Benburb-street).—The deaths (14) represent an annual rate of 21·5 per 1,000. Enteric fever and measles each caused one death; there were 4 deaths from pulmonary tuberculosis, one from broncho-pneumonia, and one from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 28·8 per 1,000 inhabitants; Coolock and Drumcondra, part of, 8·9, and Finglas and Glasnevin, part of, 20·1. One of the 2 deaths for Coolock and Drumcondra, part of, is from pulmonary tuberculosis, and of the 3 deaths from all causes for Finglas and Glasnevin, part of, one was also from pulmonary tuberculosis, and there was one from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (12) represent an annual rate of 14·9 per 1,000. Whooping-cough caused 2 deaths and bronchitis 5 deaths.

No. 2 *South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 26·1 per 1,000, and include one death from measles, 3 deaths from tuberculous disease, one death from broncho-pneumonia, and 3 deaths from diseases of the respiratory system (exclusive of pneumonia).

No. 3 *South City District* (Peter-street).—The deaths (23) are equal to an annual rate of 27·5 per 1,000. Tuberculous disease caused 5 deaths, *pneumonia* (type not distinguished) one death, and diseases of the respiratory system (exclusive of pneumonia) 2 deaths.

No. 4 *South City District* (Grand Canal Street).—The deaths (11) are equivalent to an annual rate of 15·8 per 1,000, and include one death from diarrhœa, one death from pulmonary tuberculosis, 2 deaths from broncho-pneumonia, one death from bronchitis, and one death by drowning.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 34·1 per 1000. Among the deaths were one from diphtheria, one from abdominal tuberculosis, and one from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 19·5; Pembroke, 10·7; Blackrock, 40·5; and Kingstown, 17·8. The deaths from the principal epidemic diseases tabulated for these districts include one from whooping-cough for Rathmines and Rathgar, 2 from whooping-cough for Blackrock, and one from diarrhœa for Kingstown. Of the 14 deaths from all causes for Rathmines and Rathgar one was from influenza, one from pulmonary tuberculosis and 4 from bronchitis. The 6 deaths from all causes for Pembroke include one from tuberculous meningitis, one from broncho-pneumonia, and one from bronchitis. The 7 deaths from all causes for Blackrock include one death from pulmonary tuberculosis, and the 6 deaths for Kingstown include one from pulmonary tuberculosis, and one from accidental violence.

* See note (‡) on first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 1st April, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Mar. 11,	.	—	—	17	.	.	10	.	.	13	7	.	—	—	.	—	16	—	63
	Mar. 18,	.	—	—	13	.	.	6	.	3	7	7	.	—	—	.	—	12	—	48
	Mar. 25,	.	—	—	14	1	.	8	.	3	13	9	.	—	—	.	—	10	—	58
	Apr. 1,	.	—	—	6	1	.	7	.	.	12	8	.	—	—	.	—	17	—	51
Rathmines and Rathgar Urban District.	Mar. 11,	.	—	—	2	.	.	5	.	.	.	.	.	—	—	—	—	—	—	7
	Mar. 18,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	Mar. 25,	.	—	—	.	.	.	2	.	.	1	.	.	—	—	—	—	—	—	3
	Apr. 1,	.	—	—	3	.	.	5	.	.	4	3	.	—	—	—	—	—	—	15
Pembroke Urban District.	Mar. 11,	.	7	.	1	.	.	1	.	.	.	.	.	—	10	.	—	.	—	19
	Mar. 18,	.	7	.	2	.	.	2	.	.	.	.	.	—	.	.	—	.	—	11
	Mar. 25,	.	4	.	.	.	.	.	.	.	.	.	.	—	8	.	—	.	—	12
	Apr. 1,	.	7	.	1	.	.	1	.	.	.	.	.	—	10	.	—	.	—	19
Blackrock Urban District.	Mar. 11,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	.	—	—	—	2
	Mar. 18,	.	—	—	6	.	.	.	.	.	.	.	.	—	—	.	—	—	—	6
	Mar. 25,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
	Apr. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Mar. 11,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Mar. 18,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
	Mar. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Apr. 1,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	Mar. 11,	.	—	—	12	.	.	8	.	.	1	7	.	—	—	.	—	10	—	38
	Mar. 18,	.	—	—	13	.	.	3	.	.	.	5	.	—	—	.	—	6	—	27
	Mar. 25,	.	—	—	6	.	.	3	1	.	.	2	.	—	—	.	—	11	—	23
	Apr. 1,	.	—	—	9	.	.	10	.	1	2	3	.	—	—	.	—	16	—	41

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 1st April, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Nineteen cases of measles were admitted to hospital during the week, 11 were discharged, and 49 cases remained under treatment at the close of the week.

Eighteen cases of scarlet fever were admitted to hospital, 12 were discharged, and 118* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 124, 138, and 112, respectively.

One case of typhus was admitted to hospital during the week, and 2 cases remained under treatment at its close.

Fourteen cases of diphtheria were admitted to hospital during the week, 7 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 64, 64, and 63, respectively, were 69 at the close of last week.

Thirteen cases of enteric fever were admitted to hospital during the week, 14 were discharged, there were 3 deaths, and 75 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 85, 82, and 79.

In addition to the above-named diseases, 12 cases of pneumonia were admitted to hospital, 7 were discharged, and 28 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 15·8) was equal to an average annual death-rate of 15·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 15·6 per 1,000, the rate for Glasgow being 16·0 and for Edinburgh 15·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 1st April. From this Report it appears that of a total of 52 cases notified, 24 were phthisis, 21 scarlet fever, 4 diphtheria, 2 erysipelas, and one cerebro-spinal fever. Among the 370 cases of infectious diseases in hospital at the close of the week were 144 cases of scarlet fever, 65 of diphtheria, 56 of phthisis, 51 of measles, 24 of whooping-cough, 10 of erysipelas, 10 of chicken-pox, 4 of enteric fever, and one of cerebro-spinal fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 1st April, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 1st April, 1911. Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 1st April, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 25th March, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 18th March, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
TOTAL OF 22 TOWN DISTRICTS, ...	1,163,596	20·4	32·4	20·7	0·9	724	461	86	127	2	...	...	5	...	8	3	...	58	26	21	33	69	1	2	4	9	10	136	12	°	°	°			°	°		°	°	
DUBLIN REGISTRATION AREA:— TOTAL. (c.) ...	407,057	29·6	29·5	21·5	1·4	230	168	30	48	1	...	...	2	...	5	1	...	15	13	11	12	23	1	1	1	4	1	65	5	...	...	...	...	...	...	...	...	...	...	...	...
CITY OF DUBLIN.	313,526	39·6	32·9	22·5	1·2	198	135	27	34	1	...	...	2	...	2	1	...	12	12	10	11	18	1	...	1	3	1	59	4	e51·8	29·5	42·7	0·77	e48·5	34·2	41·7	0·00	e46·8	23·9	38·0	0·21
Urban Districts. RATHMINES AND RATHGAR.	37,528	21·9	16·7	19·5	1·4	12	14	2	8	...	...	...	...	...	1	...	...	1	...	...	...	4	...	...	...	...	...	3	1	f52·1 g52·9	36·4 33·0	44·5 42·9	0·96 0·92	f49·9 g48·3	39·2 37·0	43·4 42·5	0·00 0·00	f47·1 g47·9	31·6 26·0	39·7 38·7	0·17 0·25
PEMBROKE, ...	29,368	18·5	24·9	10·7	..	14	6	1	3	...	...	...	...	...	...	...	...	...	1	1	1	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,013	8·3	17·4	40·5	11·6	3	7	...	2	...	...	...	...	...	2	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,622	12·1	8·9	17·8	3·0	3	6	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	1	...	...	...	51	38	43·4	0·84	49	39	42·9	0·00	47	33	40·2	0·10
Urban Districts. BELFAST, ...	398,421	27·1	30·4	18·1	0·3	232	138	26	29	...	...	...	...	...	...	1	...	24	8	4	16	19	...	1	2	4	6	32	1	49·8	30·2	42·3	0·41	48·0	34·0	41·1	0·00	49·0	31·5	40·0	0·12
CORK, ...	76,122	33·6	36·3	19·2	...	53	28	5	9	...	...	...	...	...	...	...	...	4	2	2	3	3	...	...	...	...	1	8	1	53	32	43·5	0·53	50	37	43·5	0·31	49	36	42·1	1·46
LONDONDERRY...	43,900	20·3	22·6	22·6	4·8	19	19	3	7	...	...	...	...	...	3	1	...	1	...	1	1	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,151	18·1	82·0	31·4	...	60	23	2	8	...	...	...	...	...	...	...	...	5	...	...	3	6	...	...	...	...	...	11	...	56·8	28	41·6	0·17	52·2	34·2	43·8	0·00	48·7	26·8	39·6	0·46
WATERFORD, ...	26,769	18·7	21·4	23·4	...	11	12	2	6	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	1	1	2	5	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,426	2·5	46·6	42·7	3·9	12	11	4	6	1	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	...	...	1	4	57	30	43·5	0·20	48	30	41	0·00	50	30	42	0·17
DUNDALK, ...	13,076	9·4	31·9	...	...	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,760	8·6	24·5	32·7	12·3	6	8	1	1	...	...	...	3	...	...	...	...	1	...	...	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	12,405	17·8	16·8	16·8	...	4	4	1	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	52·0	26·1	42·3	0·13	47·7	32·0	40·4	0·00	50·9	28·8	39·3	0·10
LURGAN, ...	11,782	13·8	35·4	22·1	...	8	5	1	2	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	...	1	...	52·0	26·1	42·3	0·13	47·7	32·0	40·4	0·00	50·9	28·8	39·3	0·10
LISBURN, ...	11,461	10·1	40·9	22·7	...	9	5	2	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	52·0	26·1	42·3	0·13	47·7	32·0	40·4	0·00	50·9	28·8	39·3	0·10
WEXFORD, ...	11,168	23·2	28·0	9·3	...	6	2	1	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA, ...	10,886	8·9	14·4	28·7	...	3	6	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	10,870	3·7	24·0	24·0	...	5	5	...	2	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	...	...	...	3	...	54·7	22·3	42·9	0·42	51·0	29·6	41·6	0·00	49·2	25·0	39·4	0·13
KILKENNY, ...	10,609	11·5	19·7	39·3	...	4	8	1	1	...	...	...	...	...	...	...	...	...	1	...	1	3	...	...	...	...	...	2	...	58	28	45·4	0·28	53	35	43	0·05	47	28	39·3	0·24
CLONMEL, ...	10,167	7·8	66·7	25·6	...	13	5	2	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	10,092	13·2	46·5	10·3	...	9	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	52·0	26·1	42·3	0·13	47·7	32·0	40·4	0·00	50·9	28·8	39·3	0·10
TRALEE, ...	9,867	16·6	95·1	47·6	...	18	9	3	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	45·8	17·2	...	8	3	1	1	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	1	...	49	37	42·9	0·29	48	37	41·7	0·00	47	35	41·6	0·03
QUEENSTOWN, ...	7,909	14·4	19·8	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	53	32	43·5	0·53	50	37	43·5	0·31	49	36	42·1	1·46
ARMAGH, ...	7,588	22·2	20·6	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	52·0	26·1	42·3	0·13	47·7	32·0	40·4	0·00	50·9	28·8	39·3	0·10

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1911. (b) See note (‡) at foot of first page. (c) Exclusive of 9 deaths of persons (including one under 1 year old and 4 at 65 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 1st of April, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	2	.	.	.	.	1	.	2	.	5	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	1	.	1	4	.	1	1	.	1	2	1	.	1	.	1	1	15	1
Tuberculous Disease. — Other Forms,	2	.	3	.	1	.	.	.	2	3	.	1	.	1	.	.	13	.
Cancer,	.	1	3	.	.	1	.	1	1	2	1	.	.	1	.	.	11	2
Diseases of Nervous System,	3	4	5	1	2	.	.	.	.	3	1	.	2	.	.	1	22	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	.	3	3	.	.	1	1	.	4	.	2	.	1	3	2	21	1
" Respiratory System. — Pneumonia,	3	1	2	1	.	.	.	.	1	1	2	.	.	1	.	.	12	1
" Respiratory System. — Others,	1	1	2	1	.	.	1	5	3	2	1	1	4	1	.	.	23	1
" Digestive System. — Diarrhœa, under 2 years,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
" Digestive System. — Enteritis, under 2 years,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Others,	1	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	3	1
" Genito-urinary System,	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	2	2	2	.	.	.	2	1	4	1	.	2	1	1	.	20	1
Violent Deaths,	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	4	1
Ill-defined, &c. Causes,	.	2	.	.	.	.	.	.	1	.	1	.	3	.	.	.	7	.
Deaths from All Causes	16	12	22	14	3	2	3	12	11	23	11	6	14	6	7	6	158	9
Annual Rate of Mortality from All Causes in every 1,000 of the population.	27·6	15·5	36·9	21·5	28·8	8·9	20·1	14·9	26·1	27·5	15·8	34·1	19·5	10·7	40·5	17·8	21·5	.
	23·4							21·5					18·4					
	22·5																	
Ages at Death. — Under 1 year,	3	4	3	1	.	.	.	4	2	3	5	2	2	1	.	.	30	1
1 and under 2 years,	1	1	2	1	.	.	.	1	1	.	.	.	1	2	2	.	12	.
2 " 5 "	1	.	1	1	.	.	.	.	.	2	.	.	.	.	.	.	5	.
5 " 15 "	1	1	2	.	.	.	.	.	.	2	2	1	1	.	1	2	13	1
15 " 25 "	1	.	.	2	.	.	.	.	1	3	.	.	.	.	.	1	8	.
25 " 45 "	1	.	2	6	2	1	1	.	2	1	.	.	.	.	.	1	17	2
45 " 65 "	2	2	6	2	.	.	2	4	2	7	1	2	2	.	2	1	35	1
65 and upwards,	6	4	6	1	1	1	.	3	3	5	3	1	8	3	2	1	48	4
Number of Uncertified Deaths,	.	2	.	.	.	.	.	.	.	1	1	.	1	.	.	.	5	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	2	4	5	1	.	.	1	.	6	1	1	2	1	1	.	28	8
Workhouse Hospitals,	3	2	6	3	.	1	1	4	7	7	.	1	1	1	.	.	37	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 13th Week of the 10 years 1901–1910.	In the Week ending Saturday, 1st April, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Mar. 30, 1901.	Mar. 29, 1902.	Apr. 4, 1903.	Apr. 2, 1904.	Apr. 1, 1905.	Mar. 31, 1906.	Mar. 30, 1907.	Mar. 28, 1908.	Apr. 3, 1909.	Apr. 2, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 34·0	° 43·5	° 45·1	° 42·1	° 44·8	° 39·4	° 47·2	° 43·9	° 43·8	° 39·7	° 42·4	° 42·7										
ALL CAUSES.	234	211	204	219	192	198	189	211	204	168	203·0	177	8	23	12	5	14	8	19	36	29	23
Enteric Fever, ...	1	2	2	2	1	3	.	.	.	4	1·5	1	.	.	.	.	.	1	.	.	.	.
Typhus, ...	.	.	.	.	.	.	2	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	1	.	4	4	.	4	.	9	.	2·3	2	.	.	1	1	.	.	.	.	.	.
Scarlet Fever, ...	.	2	2	1	1	.	.	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	11	2	2	11	.	2	4	3	6	1	4·2	5	.	3	2	.	.	.	.	.	.	.
Diphtheria, ...	.	.	6	.	1	3	1	1	4	.	1·6	1	.	1	.	.	.	.	.	.	.	.
Croup, ...	.	1	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	8	2	2	2	4	2	2	14	2	6	4·4	2	.	.	.	.	.	.	.	.	.	2
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	4	.	.	1	1	.	.	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	1	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	1	.	.	1	.	.	.	·2	2	.	.	.	.	.	1	1	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	39	37	27	27	45	25	27	27	29	14	29·7	16	.	.	.	.	1	4	7	4	.	.
Tuberculous Meningitis, ...	.	2	4	7	4	5	2	3	2	2	3·1	7	.	1	1	2	3	.	.	.	.	.
Abdominal Tuberculosis, ...	2	3	2	4	2	1	2	2	.	.	1·8	4	.	2	.	.	1	.	1	.	.	.
Tuberculosis of the Vertebral Column.												1	.	.	.	.	.	.	1	.	.	.
Tuberculosis of Joints, ...												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	7	4	9	6	7	9	7	4	12	2	6·7	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												1	.	.	.	.	.	1	.	.	.	.
Venereal Diseases, ...	2	.	3	.	1	3	.	1	1	2	1·3	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	12	5	9	3	4	4	8	7	4	14	7·0	13	.	.	.	.	.	.	1	4	5	3
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	2	.	1	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	2	.	1	1	1	.	1	2	·8	.	.	.	.	.	.	.	.	.	.	.
Anæmia Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	4	.	.	.	.	.	.	1	1	2	.
Alcoholism, ...	.	2	.	1	.	1	2	.	1	.	·7	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												4	.	2	.	.	2	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												6	.	.	.	.	.	.	1	1	2	2
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												2	.	.	.	.	.	.	.	.	2	.
Epilepsy, ...												2	.	.	.	.	1	.	.	.	1	.
Convulsions (non-puerperal),												5	2	1	2	.	.	.	.	.	.	.
Other Diseases of Nervous System.	45	49	43	38	37	47	29	46	44	37	41·5	3	.	.	.	.	.	.	1	2	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												2	.	.	1	.	.	.	.	1	.	.
Organic Diseases of the Heart,												18	.	.	.	.	1	1	1	11	1	3
Embolism and Thrombosis (including Cerebral)												1	.	.	.	.	1	.	.	.	.	.
Other Diseases of Circulatory System.												1	.	.	.	.	.	.	.	.	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	37	37	26	31	22	25	27	35	23	22	28·5	21	.	.	1	.	.	.	1	9	9	1
Broncho-pneumonia, ...			3	9	4	2	13	9	8	6		11	1	5	2	.	.	.	1	1	.	1
Lobar-pneumonia, ...	18	14	1	3	1	3	5	1	2	1	15·9	1	.	.	1	.	.	.	.	.	.	.
Pneumonia (type not distinguished).			7	11	7	5	6	7	6	7		1	.	.	.	1	.	.	.	.	.	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	2	1	4	3	2	2	4	3	2	1	2·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												3	.	.	.	.	.	.	1	1	1	.

THIRTEENTH WEEK ending Saturday, 1st April, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 13th Week of the 10 years 1901–1910.	In the Week ending Saturday, 1st April, 1911.										
													Deaths of Persons of the Ages of									
	Mar. 30, 1901.	Mar. 29, 1902.	Apr. 4, 1903.	Apr. 2, 1904.	Apr. 1, 1905.	Mar. 31, 1906.	Mar. 30, 1907.	Mar. 28, 1908.	Apr. 3, 1909.	Apr. 2, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 34·0	° 43·5	° 45·1	° 42·1	° 44·8	° 39·4	° 47·2	° 43·9	° 43·8	° 39·7	° 42·4	° 42·7										
Diseases of the Pharynx, Tonsillitis.	1	.	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	2	.	.	.	.	.	.	.	.
Diarrhœa of Children under 2 years.	1	.	2	2	2	2	1	1	2	.	1·3	1	.	1	.	.	.	.	.	.	.	.
,, 2 years and upwards,												1	.	.	.	.	.	.	.	.	.	1
Enteritis of Children under 2 years.	2	1	3	.	4	2	3	1	6	.	2·2	1	.	1	.	.	.	.	.	.	.	.
,, 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	.	1	.	1	.	.	.	2	.	1	1·7	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...			2	3	2	1	1	1	.	2		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	1	3	.	.	.	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	5	1	13	4	15	6	3	5	4	6·1	1	.	.	.	.	.	.	.	.	1	.
Acute Nephritis, ...	8	7	2	6	5	3	2	11	10	8	6·2	1	.	.	.	.	1	.	.	.	.	.
Chronic Bright's Disease, ...												1	.	.	.	.	.	.	.	.	1	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	1	.	1	.	1	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	2	2	.	.	1	2	1	1	2	1·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	.	1
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	4	1	3	3	3	2	6	4	7	3·6	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	2	1	.	.	.	.	.	.	.
Old Age, ...	8	8	6	8	7	3	4	5	4	6	5·9	7	.	.	.	.	.	.	.	.	2	5
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	2	1	1	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	1	.	1	.	.	1	.	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	2	.	2	.	1	.	3	2	1	1	1·2	2	.	.	.	1	1	.	.	.	.	.
By Drowning, ...	1	.	1	2	1	.	.	.	.	.	·5	1	.	.	.	.	1	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	1	.	1	.	1	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	.	1	3	1	.	3	1	.	.	3	1·2	2	.	.	.	.	1	.	1	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	7	1	1	.	.	.	.	.	.	1	4

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910–11—WEEK ENDING																									
	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.
No. of weeks in Annual Series,	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13
BIRTHS registered,	219	161	244	182	211	207	204	182	199	174	232	158	170	203	230	238	232	219	241	192	214	217	238	203	276	230
Average Births in corresponding week of previous 10 years, ...	192	184	209	206	209	202	195	181	207	193	195	177	174	231	208	209	201	241	217	212	209	216	223	212	212	233
DEATHS registered, ...	160	151	174	139	147	141	166	168	176	188	165	178	155	176	179	190	228	200	220	208	195	180	174	170	214	177
Annual Death-rate per 1,000, ...	20·7	19·5	22·5	18·0	19·0	18·2	21·5	21·7	22·8	24·3	21·4	23·0	20·1	22·5	22·9	24·3	29·2	25·6	28·2	26·6	25·0	23·1	22·3	21·8	27·4	22·7
Average Deaths in corresponding week of previous 10 years, ...	158	156	160	156	172	175	179	182	182	182	177	182	177	201	195	195	192	200	198	200	210	218	210	194	201	203
Ages, Under 5 years, ...	58	44	56	40	46	47	57	49	55	53	43	41	47	56	60	62	59	61	47	57	57	70	59	39	56	48
5—15 „ ...	102	107	118	99	101	94	109	119	121	135	122	137	108	5	10	7	11	6	10	6	10	9	12	9	7	14
15—25 „ ...														9	7	10	11	12	13	5	6	6	7	7	13	8
25—45 „ ...														25	24	27	32	32	41	36	35	32	24	24	42	19
45—65 „ ...														45	38	41	55	48	51	49	35	36	36	42	44	36
65—75 „ ...														20	25	28	34	22	39	33	29	19	19	28	32	29
75 and upwards, ...														16	15	15	26	19	19	22	23	8	17	21	20	23
Deaths from :—																										
Enteric Fever, ...	3	1	2	1	1	.	.	2	.	1	2	1	.	.	1	.	2	3	2	2	2	4	3	1	2	1
Typhus, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	.	1	.	1	1	.	2	1	.	1	4	3	6	2	2	2	2	3	7	7	7	3	2
Scarlet Fever, ...	1	.	1	1	3	.	2	1	3	1	1	.	2	7	.	.	1	.	4	6	2	2	.	.	1	.
Whooping-cough, ...	2	2	5	1	1	4	2	6	5	11	1	5	7	6	5	6	10	4	3	6	7	11	4	4	6	5
Diphtheria, ...	2	1	.	4	1	2	3	2	4	.	3	2	.	1	2	4	1	5	2	3	2	.	2	.	1	1
Influenza, ...	1	1	2	1	4	1	.	2	4	2	1	3	1	.	1	1	4	3	4	5	7	2	2	2	1	2
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	2	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	17	14	23	17	18	16	20	14	16	25	14	19	19	21	19	27	28	19	27	22	18	20	17	28	32	16
Tuberculous Disease, Other Forms,	12	8	8	4	11	11	8	6	7	11	4	7	5	4	6	9	7	4	6	8	7	7	8	8	15	13
Cancer, ...	12	11	12	9	7	9	8	14	3	12	4	13	6	8	3	12	7	16	11	4	6	5	8	6	10	13
Diseases of Circulatory System,	20	24	25	23	17	18	22	24	30	30	23	28	31	17	20	13	25	19	23	17	21	14	13	24	27	22
Diseases of Respiratory System, Pneumonia	5	11	15	12	13	11	16	16	14	15	27	18	11	15	16	10	17	18	20	15	21	13	16	14	13	13
Diseases of Respiratory System, Others, ...	16	17	17	12	18	26	26	29	37	27	32	26	25	29	25	28	42	30	41	44	28	29	25	23	27	24
Diarrhœa, Under 2 years, ...	12	10	8	4	5	4	2	4	6	2	2	2	1	3	2	2	4	4	2	3	3	1	1	2	5	1
Diarrhœa, 2 years & upwards,														.	.	.	.	1	.	.	1	1	.	3	.	1
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	.	2	2	.	3	3	1	1	1	2	1	3	1
Violent Deaths, ...	10	4	.	2	1	2	2	3	4	4	8	4	6	2	8	1	4	7	4	2	5	2	4	5	5	5
Number of Uncertified Deaths,	3	6	2	4	1	8	6	7	5	5	3	3	6	4	5	7	7	3	3	2	4	7	8	7	2	5
Mean Temperature of the Air (Phœnix Park)	52·5	48·2	49·1	50·4	43·1	39·6	38·2	42·2	37·0	43·4	45·2	43·5	40·9	37·2	39·0	38·6	45·5	35·9	37·0	46·4	43·4	46·5	41·1	38·0	41·7	42·7
Average Mean Temperature in corresponding week of previous 10 years, ...	52·2	50·6	48·4	46·2	47·1	45·2	42·7	41·5	42·8	42·4	41·6	41·3*	41·3	42·0	40·0	40·8	40·5	40·3	40·3	39·8	39·9	40·5	41·7	42·7	42·6	42·4
Rainfall in inches, ...	·585	·138	·333	·365	·558	·860	·352	1·206	1·820	1·700	1·172	·183	·130	·336	·345	·153	·034	·000	·011	·582	·523	·681	·316	·206	·000	·770
Mean Humidity of the Air, complete Saturation 1·0, ...	·90	·84	·92	·87	·90	·89	·85	·91	·93	·91	·91	·94	·88	·92	·90	·93	·92	·87	·90	·91	·91	·92	·91	·89	·87	·90

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 1st April 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 1ST APRIL, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	177	48	14	8	19	36	29	23	1	.	.	2	.	5	1	.	16	13	13	5	13	24	1	1	1	5	76	5
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	26·9	9	1	.	.	1	1	3	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	6	.
II.	MIDDLE CLASS, ...	87,188	13·2	22	2	2	4	4	2	4	4	.	.	.	.	.	.	.	.	6	2	1	.	2	3	.	.	.	1	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	16·5	35	8	.	2	3	12	5	5	.	.	.	.	.	3	.	.	1	.	5	.	3	4	.	.	.	.	19	.
IV.	GENERAL SERVICE CLASS, ...	154,279	24·7	73	34	10	1	5	10	6	7	1	.	.	2	.	2	1	.	6	5	4	5	6	5	1	.	1	4	30	5
V.	INMATES OF WORKHOUSES, ...	6,024	—	38	3	2	1	6	11	11	4	.	.	.	.	.	.	.	.	3	5	3	.	2	11	.	.	.	.	14	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	53·5	8	1	.	.	1	1	3	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	5	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	11·8	5	1	.	1	1	1	1	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	2	.
	6. Clerks and Commercial Assistants, ...	30,432	17·1	10	1	1	3	2	1	1	1	.	.	.	.	.	.	.	.	3	1	.	.	1	1	.	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	13·5	7	.	1	.	1	.	2	3	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	1	1	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	26·4	5	1	.	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	3	.
	9. Building and Furnishing Trades, ...	29,801	10·5	6	1	.	1	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	4	.
	10. Clothing Trades, ...	23,260	2·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	11. Food Supply Trades, ...	9,242	22·6	4	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	27·5	16	6	.	1	1	4	3	1	.	.	.	.	.	3	.	.	1	.	1	.	1	.	.	.	.	.	10	.
	13. Petty Shopkeepers, ...	7,894	19·8	3	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	19·4	5	1	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	2	.
	15. Domestic Servants, ...	36,603	4·3	3	.	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	2
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	25·4	7	4	.	.	.	2	.	1	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	4	1
	17. Hawkers, Porters, Labourers, &c., ...	89,861	33·7	58	29	8	1	5	7	4	4	1	.	.	2	.	2	1	.	5	4	3	4	5	4	1	.	1	4	21	2
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	38	3	2	1	6	11	11	4	.	.	.	.	.	.	.	.	3	5	3	.	2	11	.	.	.	.	14	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),																						
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 30,219.	Feb. 11,	36·2	3·5	21	.	.	.	.	1	.	.	.	.	1	.	1	5	1	.	.	1	.
	„ 18,	24·2	3·5	14	.	.	.	.	.	1	1	.	1	.	.	.	3	.	.	1	.	.
	„ 25,	19·0	.	11	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	.	.
	Mar. 4,	29·3	6·9	17	1	.	.	1	.	1	.	.	1	.	1	1	.	.	1	.	.	.
	„ 11,	19·0	.	11	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	1
	„ 18,	38·0	1·7	22	.	.	.	1	.	.	.	.	4	.	.	1	3	.	.	1	.	.
	„ 25,	36·2	5·2	21	.	.	.	.	.	1	.	.	3	2	.	2	.	2	.	1	3	.
	April 1,	27·6	.	16	.	.	.	.	.	.	.	.	1	2	.	3	1	.	.	.	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 40,390.	Feb. 11,	29·7	2·6	23	.	.	.	.	.	1	.	.	3	.	2	1	5	1	.	.	.	.
	„ 18,	36·1	3·9	28	.	.	.	.	1	.	1	.	5	1	.	1	9	1	.	.	.	1
	„ 25,	32·3	2·6	25	.	.	.	.	1	.	.	.	4	.	.	4	4	1	.	.	1	1
	Mar. 4,	19·4	6·5	15	1	.	.	1	.	3	.	.	1	.	.	.	1	.	.	.	.	1
	„ 11,	21·9	3·9	17	.	.	.	2	.	.	1	.	4	.	1	1	1	.	.	.	.	2
	„ 18,	20·7	5·2	16	.	.	.	2	.	1	.	.	1	1	1	1	3	.	1	.	.	2
	„ 25,	24·5	1·3	19	.	.	.	.	.	.	.	.	2	.	1	.	5	1	.	.	.	1
	April 1,	15·5	.	12	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 31,064.	Feb. 11,	26·9	.	16	.	.	.	.	.	.	.	.	3	2	1	2	2	.	.	.	.	.
	„ 18,	23·5	1·7	14	.	.	.	.	.	.	.	.	3	2	.	.	3	1	.	.	1	.
	„ 25,	15·1	3·4	9	1	.	.	1	.	.	.	.	1	1	.	2	1	.	.	.	.	.
	Mar. 4,	35·2	5·0	21	.	.	.	1	.	1	.	.	2	3	1	2	3	1	.	.	1	.
	„ 11,	23·5	.	14	.	.	.	.	.	.	.	.	1	.	.	3	3	.	.	.	1	.
	„ 18,	20·1	1·7	12	.	.	.	.	.	.	.	.	3	.	2	1	.	1	.	.	.	.
	„ 25,	11·7	1·7	7	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.
	April 1,	36·9	.	22	.	.	.	.	.	.	.	.	1	3	3	2	2	.	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,908.	Feb. 11,	35·4	3·1	23	.	.	.	.	1	1	.	.	2	.	3	3	7	.	.	.	.	1
	„ 18,	32·3	3·1	21	.	.	.	.	.	1	.	.	3	1	1	2	5	1	.	.	.	.
	„ 25,	36·9	7·7	24	1	.	.	.	1	1	1	.	.	1	1	4	3	1	.	1	1	1
	Mar. 4,	12·3	3·1	8	1	.	.	.	1	.	.	.	2	.	.	.	1	.	.	1	.	.
	„ 11,	18·5	3·1	12	.	.	.	.	.	1	1	.	4	.	.	.	.	.	.	1	.	.
	„ 18,	13·8	6·2	9	.	.	.	2	.	1	.	.	1	.	.	.	.	1	.	.	.	.
	„ 25,	41·5	3·1	27	.	.	.	.	.	.	.	.	7	2	1	2	5	2	.	.	.	.
	April 1,	21·5	3·1	14	1	.	.	1	.	.	.	.	4	.	.	1	1	.	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,908.	Feb. 11,	36·1	5·0	29	2	.	.	.	1	.	1	.	4	1	.	1	7	.	.	1	.	.
	„ 18,	26·1	7·5	21	2	.	.	.	2	1	.	1	1	.	.	2	2	.	.	.	.	.
	„ 25,	34·8	5·0	28	.	.	.	2	.	1	.	.	2	1	.	.	5	.	1	.	2	.
	Mar. 4,	19·9	2·5	16	1	.	.	.	.	1	.	.	3	.	1	1	2	.	.	.	1	.
	„ 11,	24·9	1·2	20	.	.	.	1	.	.	.	.	.	2	1	.	9	.	.	.	.	.
	„ 18,	22·4	3·7	18	.	.	.	.	.	1	.	.	3	2	.	1	4	.	2	.	.	2
	„ 25,	29·9	1·2	24	.	.	.	.	.	1	.	.	3	3	1	4	3	.	.	2	.	.
	April 1,	14·9	2·5	12	.	.	.	.	.	2	.	.	.	.	1	.	5	.	.	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,980.	Feb. 11,	38·0	.	16	.	.	.	.	.	.	.	.	4	1	2	1	2	.	.	.	.	.
	„ 18,	33·2	2·4	14	.	.	.	.	1	.	.	.	1	1	.	.	5	.	.	.	.	.
	„ 25,	30·8	2·4	13	.	.	.	.	.	.	.	.	2	.	1	.	3	1	.	.	1	.
	Mar. 4,	30·8	2·4	13	.	.	.	1	.	.	.	.	1	.	.	.	7	.	.	.	.	.
	„ 11,	21·4	2·4	9	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	1
	„ 18,	14·2	.	6	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	1	.
	„ 25,	35·6	4·7	15	.	.	.	.	.	2	.	.	1	2	.	2	1	.	.	.	1	.
	April 1,	26·1	2·4	11	.	.	.	1	.	.	.	.	1	2	1	1	3	.	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,677.	Feb. 11,	28·7	1·2	24	.	.	.	.	1	.	.	.	4	.	.	3	2	.	.	2	1	1
	„ 18,	28·7	3·6	24	.	.	.	2	.	.	1	.	3	.	.	2	5	.	.	.	1	.
	„ 25,	20·3	3·6	17	.	.	.	.	.	2	1	.	2	2	.	3	3	.	.	.	.	.
	Mar. 4,	32·2	6·0	27	.	.	.	2	1	2	.	.	4	1	.	1	9	.	.	.	.	1
	„ 11,	28·7	3·6	24	.	.	.	3	.	.	.	.	2	2	3	4	2	.	.	.	.	.
	„ 18,	31·0	2·4	26	1	.	.	.	.	1	.	.	4	1	1	3	6	.	.	.	.	.
	„ 25,	20·3	.	17	.	.	.	.	.	.	.	.	7	2	1	.	2	.	.	.	.	.
	April 1,	27·5	.	23	.	.	.	.	.	.	.	.	2	3	2	1	2	.	.	.	.	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 36,254.	Feb. 11,	33·1	4·3	23	.	.	.	2	.	1	.	.	4	1	2	2	6	.	.	.	.	.
	„ 18,	23·0	4·3	16	.	.	.	.	.	3	.	.	.	1	.	1	2	.	.	.	.	1
	„ 25,	24·5	2·9	17	.	.	.	.	.	2	.	.	5	.	.	3	1	.	.	.	.	.
	Mar. 4,	24·5	4·3	17	.	.	.	1	.	2	.	.	2	1	1	4	.	.	.	.	.	2
	„ 11,	38·8	2·9	27	.	.	.	.	1	.	.	.	5	1	.	1	2	1	.	.	2	2
	„ 18,	17·3	2·9	12	.	.	.	2	.	.	.	.	.	2	1	3	1	.	.	.	2	.
	„ 25,	28·8	4·3	20	.	.	.	1	.	2	.	.	3	1	.	1	3	.	.	.	.	.
	April 1,	15·8	1·4	11	.	.	.	.	.	.	.	.	1	.	1	2	1	1	.	.	1	1

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

Districts.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 37,528.	Feb. 11,	18·1	.	13	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	.	1	.
	„ 18,	19·5	.	14	.	.	.	.	.	.	.	.	.	.	1	4	2	.	.	.	.	.
	„ 25,	22·2	.	16	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.	.	2
	Mar. 4,	18·1	.	13	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 11,	15·3	2·8	11	1	.	.	.	.	1	.	.	.	.	1	4	1	.	.	.	.	.
	„ 18,	12·5	.	9	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.
	„ 25,	19·5	.	14	.	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.	.
	April 1,	19·5	1·4	14	.	.	.	.	.	1	.	.	1	.	.	.	4	.	.	.	.	1
Pembroke Urban District. Pop. in 1911 (Est.) 29,368.	Feb. 11,	14·2	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.
	„ 18,	24·9	.	14	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	.	.
	„ 25,	16·0	1·8	9	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.
	Mar. 4,	14·2	1·8	8	.	.	.	.	.	1	.	.	1	.	.	1	2	.	.	.	.	1
	„ 11,	10·7	1·8	6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	„ 18,	12·4	.	7	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	1	.
	„ 25,	24·9	3·6	14	1	.	.	1	.	.	.	.	3	.	2	.	2	.	.	.	.	.
	April 1,	10·7	.	6	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 (Est.) 17,622.	Feb. 11,	17·8	.	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
	„ 18,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 25,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Mar. 4,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 11,	14·8	.	5	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 18,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	2
	„ 25,	23·7	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
	April 1,	17·8	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.
Belfast. Pop. in 1911 (Est.) 398,421.	Feb. 11,	19·1	0·4	146	.	.	.	.	1	.	.	.	11	4	5	11	26	1	1	3	4	1
	„ 18,	19·5	.	149	.	.	.	.	.	.	.	.	22	11	5	14	25	.	.	2	.	.
	„ 25,	18·5	0·3	141	.	.	.	.	1	1	.	.	15	10	8	11	20	.	.	2	4	.
	Mar. 4,	17·4	0·3	133	.	.	.	.	.	1	.	.	13	10	3	15	20	1	.	1	3	3
	„ 11,	15·4	0·3	118	.	.	.	.	.	1	.	.	19	7	6	10	20	.	1	.	2	2
	„ 18,	15·4	0·4	118	.	.	.	.	1	1	.	.	7	8	11	10	14	1	.	.	1	1
	„ 25,	19·2	0·7	147	.	.	.	.	1	.	1	.	22	9	8	14	16	.	3	3	3	.
	April 1,	18·1	0·3	138	.	.	.	.	.	.	1	.	24	8	4	16	19	.	1	2	4	1
Cork. Pop. (in 1901) 76,122.	Feb. 11,	27·4	1·4	40	.	.	.	.	1	1	.	.	10	2	5	2	2	.	.	.	1	4
	„ 18,	25·3	.	37	.	.	.	.	.	.	.	.	7	.	.	3	11	.	.	.	.	3
	„ 25,	24·7	0·7	36	.	.	.	.	.	1	.	.	7	1	1	2	4	.	.	.	2	1
	Mar. 4,	17·8	0·7	26	.	.	.	.	.	1	.	.	7	1	.	1	3	.	.	.	.	1
	„ 11,	27·4	0·7	40	.	.	.	.	.	1	.	.	9	3	1	1	3	.	.	1	1	.
	„ 18,	16·4	.	24	.	.	.	.	.	.	.	.	4	.	2	.	8	.	.	.	2	.
	„ 25,	21·9	.	32	.	.	.	.	.	.	.	.	10	4	1	1	5	.	.	.	.	1
	April 1,	19·2	.	28	.	.	.	.	.	.	.	.	4	2	2	3	3	.	.	.	.	1
Londonderry. Pop. in 1911 (Est.) 43,900.	Feb. 11,	20·2	4·8	17	.	.	.	.	.	4	.	.	2	.	.	.	3	.	.	1	.	1
	„ 18,	29·7	7·1	25	1	.	.	.	.	5	.	.	4	.	2	.	6	.	.	.	.	.
	„ 25,	22·6	1·2	19	.	.	.	.	.	1	.	.	.	2	1	1	3	.	.	.	1	.
	Mar. 4,	28·5	7·1	24	.	.	.	.	.	6	.	.	2	.	.	3	1	.	.	.	.	2
	„ 11,	15·4	2·4	13	.	.	.	.	.	1	.	.	1	.	1	.	4	1	.	1	.	.
	„ 18,	10·7	.	9	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.
	„ 25,	20·2	.	17	.	.	.	.	.	.	.	.	4	1	.	2	.	.	.	1	1	.
	April 1,	22·6	4·8	19	.	.	.	.	.	3	1	.	1	.	1	1	5	.	.	.	.	.
Limerick. Pop. (in 1901) 38,151.	Feb. 11,	24·6	.	18	.	.	.	.	.	.	.	.	4	.	.	.	7	.	.	.	.	1
	„ 18,	10·9	.	8	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.	2
	„ 25,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	1
	Mar. 4,	30·1	.	22	.	.	.	.	.	.	.	.	3	.	.	2	5	.	.	.	.	4
	„ 11,	24·6	.	18	.	.	.	.	.	.	.	.	1	.	1	1	4	.	.	.	.	2
	„ 18,	15·0	.	11	.	.	.	.	.	.	.	.	3	.	.	2	1	.	.	.	.	1
	„ 25,	26·0	.	19	.	.	.	.	.	.	.	.	3	1	2	1	5	.	.	.	.	.
	April 1,	31·4	.	23	.	.	.	.	.	.	.	.	5	.	.	3	6	.	.	.	.	.
Waterford. Pop. (in 1901) 26,769.	Feb. 11,	33·1	.	17	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	2	.	1
	„ 18,	23·4	.	12	.	.	.	.	.	.	.	.	1	2	1	.	4	.	.	1	.	2
	„ 25,	13·6	.	7	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	1	.	1
	Mar. 4,	33·1	.	17	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.	.	2
	„ 11,	17·5	.	9	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	1
	„ 18,	15·6	.	8	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	.	.
	„ 25,	13·6	.	7	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	.
	April 1,	23·4	.	12	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	1	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 1st April, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa: Of children under 2 years of age.	Diarrhœa: 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	349,180	3	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.
Do. 2 do.		53			13	3	3	.	2	4	1	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	.	.	2	.
Do. 3 do.		31			29	4	4	2	4	8	7	.	.	.	.	.	.	.	.	4	2	1	6	5	.	.	1	.	.	5	.
Do. 4 do.		24			15	4	.	.	2	4	5	.	.	.	.	.	.	.	.	4	.	1	1	1	.	.	.	1	1	6	.
Do. 5 do.		7			12	3	.	.	2	5	2	.	.	.	.	.	.	.	.	2	1	.	1	3	.	.	.	.	.	2	.
Do. 6 do.		21			13	3	.	2	1	3	4	.	.	.	.	.	.	.	.	1	1	1	1	1	.	.	.	1	2	3	.
Do. 7 do.		.			2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 8 do.		2			1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		14			9	2	.	.	1	3	3	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.	.	1	.
Do. 10 do.		18			6	2	1	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.	.	1	.
Do. 11 do.		20			14	2	.	2	6	1	3	.	.	.	.	.	.	.	.	6	.	.	1	1	.	.	.	.	.	2	1
Do. 12 do.		20			7	.	1	.	2	2	2	.	.	.	.	.	.	.	.	2	1	.	1	2	.	.	.	.	.	3	.
Do. 13 do.		7			9	1	1	2	1	2	2	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	1	2	4	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		12			6	2	.	1	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1	1	.	.	1	.
Total,	—	232			138	26	11	11	23	38	29	.	.	.	.	.	.	1	.	24	8	4	16	19	.	1	2	4	6	32	1
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	11	8·1	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 2 do.	10,701	6	34·1	.	7	1	.	1	1	2	2	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	1
Do. 3 do.	9,978	5	20·9	.	4	1	.	1	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Do. 4 do.	8,666	4	12·0	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.
Do. 5 do.	6,592	4	15·8	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 6 do.	10,702	16	34·1	.	7	2	.	1	3	1	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	1	3	.
Do. 7 do.	16,616	7	12·6	.	4	1	.	1	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Total,	76,122	53	19·2	.	28	5	.	4	4	6	9	.	.	.	.	.	.	.	.	4	2	2	3	3	.	.	.	.	1	8	1

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910–11—WEEK ENDING																									
	Oct. 8.	Oct 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.
No. of weeks in Annual Series,	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13
BIRTHS registered, ...	200	205	228	201	183	178	156	181	175	185	167	200	199	241	231	233	188	212	218	216	213	232	193	220	218	232
DEATHS registered, ...	94	122	120	115	108	122	132	134	109	151	133	132	91	122	151	118	118	128	146	149	141	133	118	118	147	138
Annual Death rate per 1,000 of estimated population, ...	12·5	16·3	16·0	15·3	14·4	16·3	17·6	17·9	14·5	20·1	17·7	17·6	12·1	16·0	19·8	15·4	15·4	16·8	19·1	19·5	18·5	17·4	15·4	15·4	19·2	18·1
AGES, Under 1 year, ...	31	27	27	28	24	28	27	24	17	34	20	22	18	21	30	23	26	24	24	31	21	25	20	33	23	26
1—5 years, ...	6	14	16	8	11	6	6	5	8	11	17	12	8	12	11	8	10	10	7	10	14	9	10	6	17	11
5—25 „ ...	57	81	77	79	73	88	99	105	84	106	96	98	65	7	20	16	11	6	11	21	17	18	9	10	19	11
25—45 „ ...														30	37	17	13	25	27	30	29	16	23	14	28	23
45—65 „ ...														32	25	21	27	34	34	32	26	35	29	27	30	38
65 and upwards, ...														20	28	33	31	29	43	25	34	30	27	28	30	29
Deaths from :—																										
Enteric Fever, ...	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	3	5	.	3	1	.	2	2	3	3	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	1	.	1	.	.	1	.	1	2	1	1	1	1	1	.	.	1	.	1	.	.	1	1	.
Whooping-cough, ...	1	1	.	1	.	.	.	1	.	1	.	1	1	.	.	1	1	1	.	.	1	1	1	1	.	.
Diphtheria, ...	.	2	1	.	.	1	1	.	1	4	.	.	.	.	.	1	2	1	.	.	.	.	.	.	1	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	9	17	10	12	14	12	17	17	13	14	12	15	9	14	23	17	13	10	11	22	15	13	19	7	22	24
Tuberculous Disease. Other Forms,	3	8	6	8	2	7	8	4	7	5	7	3	3	7	7	4	4	4	4	11	10	10	7	8	9	8
Cancer, ...	5	7	5	7	9	5	8	9	6	5	8	6	5	7	2	7	11	6	5	5	8	3	6	11	8	4
Diseases of Respiratory System, Pneumonia	5	11	11	7	7	13	11	8	7	13	10	10	7	8	9	7	7	7	11	14	11	15	10	10	14	16
Diseases of Respiratory System, Others, ...	9	16	9	19	11	23	16	25	25	36	22	29	18	18	24	24	20	25	26	25	20	20	20	14	16	19
Diarrhœa, Under 2 years, ...	7	3	8	10	6	4	3	1	1	4	3	1	.	1	.	.	.	.	1	.	.	1	.	1	.	.
Diarrhœa, 2 years & upwards,														1	1	.	.	.	1	.	.	.	1	.	3	1
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	1	.	.	2	2	3	2	2	1	.	.	3	2
Violent Deaths, ...	.	.	2	.	3	4	2	5	3	2	6	2	4	6	6	1	2	4	4	.	4	3	2	1	3	4
Number of Uncertified Deaths, ...	1	1	.	.	2	3	.	.	3	4	1	1	3	3	.	1	5	2	1	.	.	3	2	1	.	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,912,054	Apr. 1,	2,299	1,488	15·8	.	.	153	3	50	12	15*a*
Edinburgh, ...	365,253	„ 1,	137	109	15·6	.	.	.	1	1	.	.
Glasgow, ...	897,178	„ 1,	462	275	16·0	.	.	.	1	16	3	4
Calcutta, ...	1,009,008	Feb. 25,	.	428	22·0	80*	.	2	.	.	.	74‡
Bombay, ...	977,822	„ 25,	392	903	48·0	218*	16	46	.	.	.	60‡
Madras, ...	509,346	„ 4,	352	419	42·7	69*	18	13	?	?	?	104‡
Cairo, ...	689,439	„ 11,	601	450	34·0	2	.	.	.	.	3†	54*a*
Paris, ...	2,760,000	Mar. 4,	1,001	943	17·9	5	.	13	1	3	4†	17*a*
Brussels, ...	720,030	„ 4,	237	243	17·5	1	.	4	.	.	1†	7*a*
Antwerp, ...	320,640	„ 11,	115	94	15·3	1	.	5	.	.	.	7*a*
Amsterdam, ...	575,872	„ 11,	282	162	14·7	.	.	8	.	3	.	3*a*
Copenhagen, ...	459,000	„ 11,	217	130	14·8	.	.	1	.	5	.	4*a*
Stockholm, ...	341,816	„ 4,	164	105	16·0	.	.	.	.	.	.	1
Christiania, ...	240,178	„ 18,	117	75	16·5	1	.	3	1	7	2†	.
St. Petersburg, ...	1,639,266	Feb. 18,	887	728	23·2	6	6	9	15	4	9	53
Moscow, ...	1,493,600	„ 18,	.	850	29·7	4	5	22	22	3	30†	76
Berlin, ...	2,074,068	Mar. 4,	743	588	14·8	2	.	6	3	7	16†	25
Hamburg, ...	932,000	„ 11,	.	264	14·7	.	.	3	.	4	12†	11
Breslau, ...	514,144	„ 11,	.	174	17·6	.	.	1	.	1	1	7
Munich, ...	597,000	„ 18,	.	203	17·7	.	.	5	.	.	5†	17
Vienna (with suburbs),	2,030,834	„ 11,	787	666	17·1	1	.	7	5	5	4†	32*a*
Buda-Pesth, ...	891,585	„ 11,	481	363	21·2	.	.	1	8	1	5†	13*a*
Prague and Faubourgs,	508,310	Feb. 25,	198	234	23·9	1	.	.	6	2	4†	11*a*
Trieste, ...	226,423	Mar. 4,	132	131	30·2	.	.	.	.	.	.	1*a*
Rome, ...	589,425	Dec. 31,	253	232	20·5	2	.	.	1	1	5	7
Venice, ...	184,325	Feb. 25,	79	116	32·8	1	.	.	.	.	1†	2
New York, ...	4,983,385	„ 18,	2,367	1,644	17·2	8	.	17	26	10	33†	37*a*
Philadelphia, ...	1,573,509	Jan. 28,	.	.	.	.	.	.	.	.	.	.
Boston, ...	686,912	Mar. 18,	.	.	.	.	.	.	.	.	.	.

* Deaths from "fever," including 4 deaths from enteric fever and 14 deaths from plague in Calcutta, and 2 deaths from enteric fever and 145 from plague in Bombay.

† Including deaths from croup.

‡ Including 35 deaths from cholera in Calcutta, one in Bombay, and 3 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 1st April, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	1	.	.	.	.	1
„ „ 1, West, ...	.	.	.	.	3	.	.	1	2	.	.	2	8
„ „ 2, ...	.	.	.	.	1	.	.	.	.	.	.	6	7
„ „ 3, ...	.	.	.	.	.	.	.	3	1	.	.	2	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	1	.	.	1	.	.	.	.	3
Finglas and Glasnevin (part of), ...	.	2	.	.	1	.	.	.	.	.	.	.	3
South City No. 1, ...	.	.		.	.	.	.	3	5	.	.	3	11
„ „ 2, ...	.	1	.	.	.	.	.	2	.	.	.	2	5
„ „ 3, ...	.	1	.	.	.	.	.	1	.	.	.	1	3
„ „ 4, ...	.	.	1	.	.	.	.	.	.	.	.	1	2
New Kilmainham, ...	.	1	.	.	1	.	.	.	.	.	.	.	2
Total, ...	.	6	1	.	7	.	.	12	8	.	.	17	51

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 1st April, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 1st April.			
	Mar. 11.	Mar. 18.	Mar. 25.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	46	37	41	19	11	.	49
Scarlet Fever, ...	124	138	112	18	12	.	118*
Typhus, ...	.	.	1	1	.	.	2
Diphtheria, ...	64	64	63	14	7	1	69
Enteric Fever, ...	85	82	79	13	14	3	75
Pneumonia, ...	33	28	23	12	7	.	28

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 1st April, 1911:—

"Although opening and closing with fair weather in the Dublin district, this week was for the most part unsettled, cold, and rainy. On Sunday morning the barometer stood as high as 30·35 inches in the Hebrides, as low as 29·41 inches at Munich. The day was fine, dry and cold in Ireland, with a moderate N.E. wind. In the S.E. of England it blew a gale from the same point. The Continental depression travelled north-westwards to the English Channel, over which it was central on Monday morning. It caused a steepening of the baric gradient over the British Isles, the easterly wind consequently freshened in Ireland, and a gale from E. or N.E. was felt along the east coast on Tuesday morning, when also showers fell at intervals. During the following days shallow depressions continued to travel slowly westwards from Central Europe. In their wake a S.W. wind passed over Germany, and this together with bright sunshine sent the thermometer up to 73° at both Berlin and Frankfurt on Thursday. In Dublin the air became damp on Tuesday night and rain fell heavily before morning (·210 inch). In the afternoon of Wednesday the sky cleared in part, but at night there was again a copious rainfall (·182 inch). Much the same thing occurred for the third time in the course of Thursday night, when the rainfall was ·272 inch. Friday was foggy, gloomy and wet throughout, the rainfall to 9 p.m. being ·269 inch, but on Saturday morning the sky cleared and a genial springlike day ushered in the month of April. The wind, however, remained easterly. A remarkable and fatal migratory flight of birds was reported from the south-eastern counties of Ireland on Wednesday night, which was damp and foggy. In Dublin the mean height of the barometer was 29·941 inches, pressure ranging between 30·337 inches at 9 a.m. of Sunday (wind, N.E.) and 29·696 inches at 9 p.m. of Thursday (wind likewise N.E.). The corrected mean temperature was 44·5°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 43·7°. On Sunday the screened thermometers fell to 36·4°, on Saturday they rose to 52·1°. N.E. and E. winds prevailed throughout. The rainfall was ·956 inch on 6 days, ·272 inch being recorded on Thursday and ·269 inch on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·766 inches. The highest reading (30·164) was on Sunday at 9 a.m., wind N.E., and the lowest (29·531) on Thursday at 9 p.m., wind N.E.

The mean temperature for the week was 42·7°, being 0·3° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Saturday, on which day the thermometer registered 51·8°, and was lowest on Sunday, the mercury having fallen to 29·5°. The mean of the Dry Bulb for the week was 42·6° and of the Wet Bulb, 41·3°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The rainfall during the week measured 0·770 inch.

At Greenwich the mean temperature for the week was 42·8°, the maximum 56·0°, and the minimum 33·1°; at Glasgow the maximum was 50·0°, the minimum 32·5°, and the mean 40·6°; and at Edinburgh the maximum was 42·1°, the minimum 35·6°, and the mean 38·4°. The rainfall at Greenwich measured 0·31 in.; at Glasgow 0·08 in.; and at Edinburgh 0·05 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, March 26,	30·107	45·9	29·5	37·7	39·7	36·8	·77	·6	4·5	·000	N.E.	N.E.
Monday, „ 27,	29·892	47·2	34·9	41·1	41·4	38·8	·81	·6	10·0	·070	N.E	N.E.
Tuesday, „ 28,	29·670	47·6	37·5	42·6	42·1	40·5	·88	·0	0·0	·080	E.N.E.	E.S.E.
Wednesday, „ 29,	29·666	47·4	37·3	42·4	41·0	40·6	·97	·1	0·0	·125	Calm.	Calm.
Thursday, „ 30,	29·547	49·1	37·9	43·5	44·4	43·8	·95	·6	3·0	·210	N.E.	N.E.
Friday, „ 31,	29·678	46·6	43·1	44·9	44·4	44·2	·96	·3	0·0	·255	E.	E.N.E.
Saturday, April 1,	29·804	51·8	42·0	46·9	45·3	44·4	·94	·6	6·7	·030	E.N.E.	Calm.
Mean, ...	29·766	47·9	37·5	42·7	42·6	41·3	·90	·4	Total 24·2	Total ·770	Prevailing Wind, N.E.	

Sunday—Day cloudy; night clear. *Monday*—Day cloudy to bright; night cloudy; showers of hail and sleet a.m. *Tuesday*—Day overcast; rain a.m. and p.m.; night overcast; drizzle and heavy rain a.m. *Wednesday*—Day overcast; night overcast; drizzle and heavy rain a.m. *Thursday*—Day overcast to cloudy; night overcast; drizzle a.m. *Friday*—Day overcast; rain and drizzle; night overcast. *Saturday*—Day cloudy, fine; night cloudy; light rain a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, April 1st, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, March 26,	41·6	42·9	44·0	49·7	37·1	43·4	4·5	—
Monday, „ 27,	43·9	43·0	44·0	50·0	36·2	43·1	0·1	—
Tuesday, „ 28,	41·2	42·9	44·1	45·4	38·9	42·1	0·5	·19
Wednesday, „ 29,	44·4	42·9	44·2	47·9	41·5	44·7	—	·20
Thursday, „ 30,	44·3	43·7	44·2	49·8	44·7	47·2	2·1	·23
Friday, „ 31,	45·0	44·8	44·3	47·9	41·8	44·8	?	·28
Saturday, April 1,	44·8	45·0	44·7	51·0	31·3	41·1	?	·03
Weekly Mean, .	43·6	43·6	44·2	48·8	38·8	43·8	Total ?	Total ·93

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30281. Wt. P. 489–53/138. 375. 2. 1911. G. III. c. 7.

FOR OFFICIAL USE.

Quarterly Summary of the Weekly Returns

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & CO. LIMITED, ABBEY-STREET. *Price* 1½*d.*

VOL. XLVIII.] QUARTER ENDING SATURDAY, 1ST APRIL, 1911. [No. 13A.

DUBLIN REGISTRATION AREA.—Births.—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,759 statute acres, and the population, estimated to the middle of 1911, 407,057, there were registered during the thirteen weeks ended on Saturday, 1st April, 1911, 2,933 births—1,535 boys and 1,398 girls—being equal to an annual ratio of 1 in 34·7, or 28·8 in every 1,000 of the population.

The number of births registered in the city was 2,528, equivalent to an annual rate of 32·3 in every 1,000 of the population; and in the urban districts named above, 405, equal to an annual rate of 17·3 in every 1,000 of the population.

There were registered in London during the same period 29,305 births—being equal to an annual birth-rate of 23·9 in every 1,000 of the estimated population; in Glasgow there were registered 5,627, being equal to 25·1 per 1,000; and in Edinburgh, 1,692—a number affording an annual birth-rate of 18·5 in every 1,000 of the estimated population.

Deaths.—Omitting the deaths (132) of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 2,379, are equivalent to an annual rate of 23·4 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 26·0. The total number of deaths registered in the Dublin Registration Area during the quarter was 2,511—1,242 males and 1,269 females—affording an annual ratio of 1 in 40·5, or 24·7 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the first quarter of the ten years, 1901-1910, in the Dublin Registration Area as then constituted, was 27·1 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the North City districts registered last quarter was 987, representing an annual mortality of 24·6 in every 1,000 of the population; and the number in the South City districts was 986, equivalent to a rate of 25·8 per 1,000. In the urban districts the number of deaths registered was 406, being equal to an annual death-rate of 17·4 in every 1,000.

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective Districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted. † See note (*), p. 208*h*.

The number of deaths registered in London during the same period was 19,381 —a number equal to an annual rate of mortality of 15·8 in every 1,000 of the inhabitants; in Glasgow the number was 3,844, equal to 17·1 in every 1,000; and in Edinburgh, 1,401, affording an annual death-rate of 15·3 in every 1,000 of the estimated population.

Diseases.—The number of deaths from the principal epidemic diseases† registered in the Dublin Registration Area during last quarter was 259, and the annual rate per 1,000 of the population represented by the deaths from these diseases was 2·55.

The following tabular statement shows the mortality from some of the principal epidemic diseases in the period under notice, and the average number of deaths from these diseases which occurred in the corresponding period of the 10 years, 1901-1910 :—

Names of Diseases.	No. of Deaths in March Quarter, 1911.	Average No. of Deaths in March Quarters, 1901–1910.
Enteric Fever, ...	23	20
Typhus, ...	–	1
Small-pox, ...	–	–
Measles, ...	50	24
Scarlet Fever, ...	23	9
Whooping Cough, ...	77	47
Diphtheria, ...	24	15

Enteric Fever.—Of the 23 deaths registered as being caused by enteric fever, 10 appertained to the city districts of North Dublin union, 9 to the city districts of South Dublin union, one to the urban district of Rathmines and Rathgar, and 2 to the urban district of Pembroke; there was also one death from enteric fever of a person admitted to hospital from outside the Registration Area. The deaths which correspond to an annual rate of 0·23 per 1,000 are slightly over the average (20); deaths from enteric fever in each of the 3 preceding quarters were 11, 11, and 14. It may be seen in Table I. that 36 cases of enteric fever were under treatment in hospital at the close of the December quarter; 185 cases were admitted during the quarter under review; 125 were discharged; 21 deaths occurred in hospitals, and 75 cases remained under treatment at the end of the period.

Typhus.—Three cases of typhus were admitted to hospital during the quarter, one was discharged, and 2 cases remained under treatment at the close of the period

Small-pox.—There was no mortality from small-pox recorded during the period under notice. One case of the disease was notified in the urban district of Pembroke in the week ending the 21st of January, but no case occurred subsequently. In Table I. it appears that one case of small-pox was admitted to hospital and subsequently discharged.

Measles.—Deaths from measles, which numbered 2, 6, and 8 in each of the three preceding quarterly periods, rose to 50 in the period under notice; this figure corresponds to an annual rate of 0·49 per 1,000 of the population of the Dublin Registration Area estimated to the middle of the year 1911. The deaths (50) are more than double the average for the corresponding March quarterly period of the 10 years, 1901-1910. Of the total deaths, 13 appertained to the city districts of North Dublin union, 32 to the city districts of South Dublin union, 3 to Pembroke urban district, and 2 deaths were of persons admitted to institutions from localities outside the Area. From Table I. it appears that 13 deaths from measles occurred in Dublin Hospitals during the period.

Scarlet Fever.—The mortality from scarlet fever increased from 16 deaths in December quarter to 23 in the period under notice, there having been, respectively, 5 and 16 deaths in the June and September quarters of 1910. The deaths (23) are equal to an annual rate of 0·23 per 1,000, and are 14 above the average for the corresponding period of the previous 10 years. From Table I. it appears that 122 cases of scarlet fever were in hospital at the close of the preceding quarter; 268 cases were admitted during the quarter under notice; 252 were discharged; there were 20 deaths in hospitals, and 118 cases were under treatment at the end of the quarter, exclusive of 20 patients in Beneavin, the Convalescent Home of Cork Street Fever Hospital. Of the 23 deaths, 21 appertained to the city districts of Dublin (12 to the North city and 9 to the South city districts), and 2 were of persons admitted from without the Registration Area.

Whooping-Cough.—The rate represented by the total deaths (77) from whooping-cough was 0·76 per 1,000 of the estimated population of the Area. The deaths from whooping-cough were over the average by 30; the numbers of deaths from this disease were 23, 22, and 52 in each of the three preceding quarters. Of the 77 deaths, 26 belonged to the city districts of North Dublin union, 42 to the city districts of South Dublin union, 8 to the urban districts (exclusive of Kingstown, in which no death from whooping-cough was registered), and one was that of a person admitted to hospital from outside the Area.

Diphtheria.—The number of deaths from diphtheria was 24, the average for the corresponding quarter of the preceding 10 years being 15 deaths, and the numbers registered in the three preceding quarters 4, 23, and 24, respectively. The rate represented by the 24 deaths is 0·24 per 1,000 of the estimated population of the Area. According to the figures in Table I. it appears that there were 66 cases of diphtheria under treatment in hospital at the close of the preceding quarter, 243 cases were admitted during the period under review, 221 cases were discharged, there were 19 deaths in hospitals, and 69 patients remained under treatment at the close of the quarter. Of the 24 deaths, 11 appertained, respectively, to the North city and South city districts, there was one death belonging to the urban district of Rathmines and Rathgar, and one death was that of a person admitted to hospital from outside the Area.

Diarrhœal Diseases.—In the aggregate the deaths from diarrhœal diseases numbered 62, and include 53 deaths from diarrhœa and enteritis of children under 2 years of age, and 2 deaths from dysentery. The total (62) corresponds to an annual rate of 0·61 per 1,000 of the estimated population.

Influenza.—There were 34 deaths from influenza, as against the average (53); deaths from influenza in the three preceding quarters were 23, 7 and 23, respectively.

Cerebro-spinal Fever.—There was one death registered from this disease.

Pneumonia.—The deaths from pneumonia (all forms) numbered 201, equal to an annual rate of 1·98 per 1,000; the total comprises 116 deaths from broncho-pneumonia, 21 deaths from lobar pneumonia, and 64 deaths from *pneumonia* (type not distinguished).

Tuberculous Disease.—The deaths from all forms of tuberculous disease amounted to 396, as compared with 406 deaths registered in the March quarter of 1910. The total (396) corresponds to an annual death-rate of 3·89 per 1,000 of the estimated population of the Area. Of the total deaths, 294 were caused by pulmonary tuberculosis, 42 by tuberculous meningitis, 21 by abdominal tuberculosis, 3 by tuberculosis of the vertebral column, 6 by tuberculosis of joints, 7 by tuberculosis of other organs, and 23 by disseminated tuberculosis. In Table II. it appears that the number of deaths from tuberculosis (all forms) in the North city districts was 160, corresponding to an annual rate of 3·99 per 1,000; the number in the South city districts was 180, and the rate was 4·71 per 1,000; there were 12 deaths for the urban district of Rathmines and Rathgar, the rate being 1·28 per 1,000; also 12 deaths in the urban district of Pembroke, with a rate of 1·63 per 1,000; in Blackrock 3 deaths, with a rate 1·33 per 1,000, were registered, and 4 deaths in Kingstown urban district, corresponding to an annual rate of 0·91 per 1,000.

Cancer.—Under the heading of cancer there were classified 109 deaths; the total includes deaths registered as from carcinoma, sarcoma, and cancer (malignant disease). The total is equal to an annual death-rate of 1·07 per 1,000 of the population of the Area estimated to the middle of the year 1911.

Diseases of the Brain and Nervous System.—The total deaths (275) from the causes included under this heading correspond to an annual rate of 2·70 per 1,000 of the population and include the deaths of 50 children under 5 years of age from *convulsions.*

Diseases of the Circulatory System.—There were 255 deaths from diseases of the organs of circulation; the total corresponds to an annual rate of 2·51 per 1,000 of the estimated population.

Bronchitis.—The number of deaths which were registered as being caused by bronchitis was 368; this figure is equal to an annual rate of 3·62 per 1,000 of the population of the Area.

Premature Birth, Congenital Debility.—Of 98 deaths of infants from these causes, 44 were attributed to prematurity and 54 to congenital debility.

Accidental Violence.—There were 48 deaths assigned to accident or negligence; the total includes 19 deaths by burns, scalds, or explosions (of this figure 10 were deaths of children under 5 years), 6 deaths by drowning, 4 deaths by suffocation in bed of infants, 3 deaths by vehicles, including one caused by a motor car, and one death by poison.

Homicide.—There was one homicidal death returned.

Suicide.—The deaths of 5 persons were by suicide.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 1st April, 1911.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Small-pox, ...	–	1	1	–	–
Measles, ...	22	177	137	13	49
Scarlet Fever, ...	122	268	252	20	118*
Typhus, ...	–	3	1	–	2
Diphtheria, ...	66	243	221	19	69
Enteric Fever, ...	36	185	125	21	75
Pneumonia, ...	21	102	89	6	28

* Exclusive of 20 patients in Beneavin, the convalescent home of Cork-street Fever Hospital.

In 64 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 64 cases, 36 (or 56·3 per cent.) were deaths of children under 5 years of age; these 36 deaths form 4·9 per cent. of the total number of deaths of children of that age-period. Of the deaths of 134 infants under one month old registered, there were 17 (or 12·7 per cent.) regarding which the cause was uncertified.

From Table II., on page 208*f*, it will be seen that, excluding 132 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,379, equal to an annual rate of 23·4 per 1,000 of the estimated population, and that 231 of these deaths, representing an annual rate of 2·3 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 25·2 per 1,000, and for the urban districts 17·4 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was

† See note (*) page 208*h*.

2·7, and in the urban districts 0·7, the rate for the several districts varying from 0·0 in Clontarf and Howth, No. 1, part of, to 4·9 in South City, No. 4, the 225 deaths from all causes for that district including 14 from measles, 21 from whooping-cough, 4 from diphtheria, and 5 from diarrhœa.

Occupations.—Table III., on page 208*g*, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 18·4 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 16·1 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 20·5; and in the "General Service Class" it was 27·3.

Ages.—Of the 2,511 persons whose deaths were registered in the Dublin Registration Area during the quarter, 731 were under 5 years of age, including 422 infants under one year of age, the latter representing a rate of 143·9 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 76·6 in every 1,000 children at that age (according to the Census of 1901); 116 were between the ages of 5 and 15, representing an annual rate of 6·9 per 1,000 persons of that age-period; 114 were between the ages of 15 and 25, an annual rate of 5·5 per 1,000; the total number under 25 years being equal to an annual mortality of 20·3 per 1,000 of the population at that age-period (according to the Census of 1901); 393, or 13·7 per 1,000 persons, were between 25 and 45; 556, or 38·7 per 1,000, between 45 and 65; 357, or 136·9 per 1,000, between 65 and 75; and 244, or 244·7 per 1,000, were aged 75 and upwards, including 23 persons aged 90 and upwards.

Public Institutions.—Of the 2,511 deaths recorded during the quarter, 1,052, or 41·9 per cent., occurred in public institutions, viz., 591 in the various hospitals, prisons, and lunatic asylums; 197 in the North Dublin Union Workhouse; 256 in the South Dublin Union Workhouse; and 8 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 41·0°. At Greenwich, for the quarter, it was 40·3°; and at Glasgow, 40·4°.

The rainfall at Dublin during the thirteen weeks measured 3·957 inches; at Greenwich, 4·33 inches; at Glasgow, 8·21 inches; and at Edinburgh, 3·51 inches.

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 1st April, 1911,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

QUARTER (13 WEEKS) ENDED 1ST APRIL, 1911.

REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1911.†	ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS. FROM ALL CAUSES	FROM DISEASES IN COLS. 13-20, 26-8.	TOTAL DEATHS.	DEATHS. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa. Children under 2 years.	2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
North City.																														
NORTH CITY, No. 1, E.,	30,219	27·9	2·6	211	44	11	12	8	10	37	47	42	2	.	.	2	1	6	2	.	21	9	6	16	25	3	1	3	7	5
,, 1, W.,	40,390	26·0	2·7	263	41	18	15	10	9	38	77	55	2	.	.	5	2	6	2	.	37	5	10	16	52	9	1	.	5	13
,, 2,	31,064	24·1	1·7	187	39	11	6	6	7	29	46	43	1	.	.	3	.	4	.	.	20	13	11	14	32	4	.	1	6	.
,, 3,	33,908	24·9	4·6	211	41	22	17	9	8	40	47	27	4	.	.	3	8	8	5	.	30	6	9	16	27	8	.	3	3	2
CLONTARF AND HOWTH, No. 1, part of.	5,437	12·5	.	17	1	.	.	1	.	5	4	6	.	.	.	.	.	.	.	.	1	1	3	.	1	.	.	.	1	.
COOLOCK AND DRUMCONDRA, part of,	11,743	20·8	2·7	61	7	3	1	5	4	10	18	13	1	.	.	.	1	1	2	.	9	2	3	5	7	2	1	.	.	2
FINGLAS AND GLASNEVIN, part of,	7,773	19·0	0·5	37	6	1	1	.	2	7	10	10	.	.	.	.	.	1	.	.	5	1	.	3	5	.	.	.	1	1
South City.																														
SOUTH CITY, No. 1,	41,908	26·4	3·4	277	55	19	8	20	16	42	50	67	5	.	.	5	4	10	3	1	32	10	7	17	54	.	3	5	6	4
,, 2,	21,980	27·7	1·6	152	26	10	9	7	4	29	37	30	1	.	.	4	1	2	.	.	24	9	5	14	31	1	.	.	3	1
,, 3,	43,677	27·0	2·7	295	48	24	29	14	23	39	56	62	3	.	.	9	2	8	3	.	48	15	10	32	55	1	.	3	5	7
,, 4,	36,254	24·8	4·9	225	40	31	19	12	7	38	40	38	.	.	.	14	.	21	4	.	28	11	10	22	28	5	.	.	6	7
NEW KILMAINHAM,	9,173	16·1	2·2	37	5	3	2	3	1	7	9	7	.	.	.	.	2	1	1	.	2	1	1	2	5	.	.	1	1	.
Urban Districts.																														
RATHMINES AND RATHGAR,	37,528	17·7	0·6	166	24	4	4	5	5	13	31	80	1	.	.	.	.	3	1	.	6	6	6	18	27	.	.	1	2	8
PEMBROKE,	29,368	16·9	1·1	124	18	9	5	3	3	15	22	49	2	.	.	3	.	2	.	.	10	2	6	8	23	.	.	1	1	4
BLACKROCK,	9,013	15·1	1·3	34	5	3	.	2	1	2	6	15	.	.	.	.	.	3	.	.	3	.	3	.	4	.	.	.	1	2
KINGSTOWN,	17,622	18·6	0·5	82	16	3	2	3	1	8	19	30	.	.	.	.	.	.	.	.	4	.	4	9	7	.	1	1	2	8
Total City. North,	160,534	24·6	2·7	987	179	66	52	39	40	166	249	196	10	.	.	13	12	26	11	.	123	37	42	70	149	26	3	7	23	23
Total City. South,	152,992	25·8	3·2	986	174	87	67	56	51	155	192	204	9	.	.	32	9	42	11	1	134	46	33	87	173	7	3	9	21	19
Total City. North and South,	313,526	25·2	2·9	1,973	353	153	119	95	91	321	441	400	19	.	.	45	21	68	22	1	257	83	75	157	322	33	6	16	44	42
Total Urban Districts,	93,531	17·4	0·8	406	63	19	11	13	10	38	78	174	3	.	.	3	.	8	1	.	23	8	19	35	61	.	1	3	6	22
Total Registration Area,	407,057	23·4	2·5	2,379	416	172	130	108	101	359	519	574	22	.	.	48	21	76	23	1	280	91	94	192	383	33	7	19	50	64
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				132	6	4	3	8	13	34	37	27	1	.	.	2	2	1	1	1	14	11	15	9	12	.	.	1	4	.

* See note (*) on page 208*h*.

† See note (*) on page 208*i*.

TABLE III.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) **ending Saturday, 1st April, 1911;** the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDING SATURDAY, 1ST APRIL, 1911.																													
			Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES.							CAUSES OF DEATH.																				
					Under 5 Years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa. Of children under 2 years of age.	Diarrhœa. 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS, ...	375,350	—	2,511	731	116	114	393	556	357	244	23	.	.	50	23	77	24	2	294	102	109	51	201	395	33	7	20	54	1,046	64
	CLASSES.																															
	Deaths in Families of the—																															
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	18·4	80	4	.	2	10	20	18	26	.	.	.	.	.	.	.	.	5	1	8	.	6	9	.	1	1	2	47	1
II.	MIDDLE CLASS, ...	87,188	16·1	351	56	22	25	53	79	57	59	3	.	.	4	4	11	3	1	31	18	18	2	25	37	5	1	2	6	180	5
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	20·5	565	173	20	29	99	126	72	46	8	.	.	10	10	14	10	.	82	19	26	12	51	85	5	3	2	10	218	17
IV.	GENERAL SERVICE CLASS, ...	154,279	27·3	1,054	449	65	40	142	185	108	65	12	.	.	36	8	51	11	1	103	39	35	37	105	151	12	2	10	34	407	41
V.	INMATES OF WORKHOUSES, ...	6,024	—	461	49	9	18	89	146	102	48	.	.	.	.	1	1	.	.	73	25	22	.	14	113	11	.	5	2	194	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																															
	1. Clerical, Medical, Legal and Other Professions: Naval and Military Officers, and Heads of Public Departments, ...	7,799	30·3	59	4	.	2	9	14	13	17	.	.	.	.	.	.	.	.	5	1	5	.	4	5	.	1	1	2	35	1
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	10·0	21	.	.	.	1	6	5	9	.	.	.	.	.	..	.	.	.	.	3	.	2	4	.	.	.	.	12	.
II.	MIDDLE CLASS.																															
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·0	25	1	.	.	6	4	6	8	.	.	.	.	.	.	.	.	3	1	1	.	1	3	.	.	.	.	16	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	16·7	92	15	5	4	12	24	16	16	.	.	.	3	.	1	.	.	8	4	1	1	9	13	1	.	1	2	48	1
	6. Clerks and Commercial Assistants, ...	30,432	15·2	116	32	6	12	21	24	13	8	3	.	.	1	4	7	2	.	11	7	5	1	8	10	2	1	1	2	51	2
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above, ...	27,028	17·5	118	8	11	9	14	27	22	27	.	.	.	.	.	3	1	1	9	6	11	.	7	11	2	.	.	2	65	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																															
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	25·1	62	27	3	2	9	12	5	4	.	.	.	.	2	1	2	.	7	3	3	.	8	7	2	.	.	1	26	2
	9. Building and Furnishing Trades, ...	29,801	19·7	147	51	7	7	18	33	22	9	2	.	.	4	1	5	5	.	21	2	3	6	15	24	2	.	1	5	51	3
	10. Clothing Trades, ...	23,260	11·3	66	13	3	6	8	15	13	8	1	.	.	1	2	1	.	.	13	3	3	2	.	15	.	1	.	.	24	4
	11. Food Supply Trades, ...	9,242	18·2	42	8	2	3	6	14	6	3	1	.	.	.	.	1	.	.	5	3	3	.	4	9	.	.	.	.	16	1
	12. Other Trades and Callings ranking with Trades, ...	30,352	27·8	211	60	4	9	50	48	24	16	3	.	.	2	5	4	3	.	32	7	12	4	20	24	.	2	1	3	89	5
	13. Petty Shopkeepers, ...	7,894	18·7	37	14	1	2	8	4	2	6	1	.	.	3	.	2	.	.	4	1	2	.	4	6	1	.	.	1	12	2
IV.	GENERAL SERVICE CLASS.																															
	14. Army, Police, Postal Delivery, and Prison Services, &c.	13,425	25·3	85	15	1	3	11	19	25	11	.	.	.	2	.	2	.	.	9	3	5	2	7	15	1	.	1	3	35	4
	15. Domestic Servants, ...	36,603	11·1	102	27	7	9	20	20	11	8	.	.	.	2	1	2	3	.	9	3	2	2	5	12	1	.	.	2	58	4
	16. Coach and Car Drivers, Vanmen, &c., ...	14,380	29·5	106	47	2	3	20	21	9	4	2	.	.	1	1	5	.	.	11	4	2	4	18	14	.	1	1	4	38	3
	17. Hawkers, Porters, Labourers, &c., ...	89,861	33·9	761	360	55	25	91	125	63	42	10	.	.	31	6	42	8	1	74	29	26	29	75	110	10	1	8	25	276	30
V.	INMATES OF WORKHOUSES.																															
	18. Workhouse Inmates, ...	6,024	—	461	49	9	18	89	146	102	48	.	.	.	.	1	1	.	.	73	25	22	.	14	113	11	.	5	2	194	.

Twenty-two Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-one of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 20·4 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—Wexford, 14·7; Dundalk, 15·6; Armagh, 16·9; Drogheda, 16·9; Galway, 17·3; Belfast. 17·3; Portadown, 18·6; Clonmel, 18·9; Newry, 19·3; Lisburn, 19·5; Waterford 19·7; Newtownards, 19·8; Limerick, 20·1; Queenstown, 20·2; Tralee, 20·3; Ballymena, 20·6; Londonderry, 20·8; Cork, 22·6; Dublin Registration Area, 23·4; Sligo, 23·9; Lurgan, 25·1; Kilkenny, 27·5.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 22 districts is 1·4 per 1,000 of the population, the rates varying from 0·0 in five of the districts to 3·5 in Londonderry, the 228 deaths from all causes for that district including one from enteric fever, 31 from whooping-cough, one from diphtheria, and 5 from diarrhœal diseases.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-one provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter :—

Enteric Fever.—Of 6 deaths, 3 belonged to Limerick and one to each of Londonderry, Galway, and Sligo.

Typhus.—There was one death from typhus in Belfast and one in Galway.

Small-pox.—No death from small-pox was recorded for any of the 21 urban districts.

Measles.—In Drogheda there were 7 deaths, in Lurgan 4, and in Belfast one death.

Scarlet Fever.—There were 7 deaths in Belfast, 2 in Cork, and one death in Portadown.

Whooping-Cough.—The total (59) deaths comprise 31 deaths in Londonderry, 12 in Cork, 7 in Belfast, and 3 deaths in each of Sligo, Newtownards, and Queenstown.

Diphtheria.—Deaths from diphtheria, which numbered 17, were returned as follows :—in Dundalk 7; in Belfast 6; and in each of Cork, Londonderry, Lisburn, and Armagh one death.

Diarrhœal Diseases.—There were 30 deaths in Belfast; 8 in Waterford; 5 in Londonderry; 2 in each of Cork and Limerick; and one death in each of Lurgan, Sligo and Kilkenny.

Phthisis.—The annual death-rate from phthisis for the 22 towns in the aggregate was 2·4 per 1,000 of the population; for the Dublin Registration Area it was 2·8 per 1,000, for Belfast County Borough 2·1 per 1,000, and for the Urban Districts collectively (exclusive of Belfast and Dublin Registration Area), it was 2·4 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ending Saturday, 1st April, 1911,** in the Dublin Registration Area, and in each of the undermentioned Twenty-one Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other localities), with the number of Deaths from some of the principal causes; also the number of Uncertified Deaths.

Towns and Districts.	Census Statistics of Districts.* Population. Total.	Population. Persons to an Acre.	Annual Rate per 1,000 persons Represented by: Births.	Deaths. From all Causes.	Deaths. From Diseases in Cols. 10-17, 23-5.	Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 Year of Age.	Deaths. At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.*	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa. Of children under 2 years of age.	Diarrhœa. 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
Total of 22 Town Districts, ...	1,163,596	20·4	28·2	20·4	1·4	8,195	5,939	1,022	1,527	28	2	...	60	31	135	40	1	709	258	242	459	945	40	16	53	113	199	1,829	204
Dublin Registration Area:—																													
Total	407,057	29·6	28·8	23·4	2·5	2,933	2,379†	416	574	22	...	...	48	21	76	23	1	280	91	94	192	383	33	7	19	50	50	920	64
City of Dublin, ...	313,526	39·6	32·3	25·2	2·9	2,528	1,973	353	400	19	...	...	45	21	68	22	1	257	83	75	157	322	33	6	16	44	45	819	42
Urban Districts. Rathmines and Rathgar, ...	37,528	21·9	14·4	17·7	0·6	135	166	24	80	1	...	...	...	...	3	1	...	6	6	6	18	27	...	...	1	2	2	38	8
Urban Districts. Pembroke, ...	29,368	18·5	19·3	16·9	1·1	142	124	18	49	2	...	...	3	...	2	...	...	10	2	6	8	23	...	...	1	1	1	36	4
Urban Districts. Blackrock, ...	9,013	8·3	15·1	15·1	1·3	34	34	5	15	...	...	...	...	...	3	...	...	3	...	3	...	4	...	...	...	1	1	9	2
Urban Districts. Kingstown, ...	17,622	12·1	21·3	18·6	0·5	94	82	16	30	...	...	...	...	...	...	...	...	4	..	4	9	7	...	1	1	2	1	18	8
Urban Districts. Belfast, ...	398,421	27·1	28·6	17·3	0·5	2,847	1,727	327	387	...	1	...	1	7	7	6	...	210	93	83	139	271	4	8	18	40	92	431	19
Urban Districts. Cork, ...	76,122	33·6	26·8	22·6	0·9	510	431	54	113	...	...	...	...	2	12	1	...	74	16	17	25	73	...	...	2	9	21	160	21
Urban Districts. Londonderry, ...	43,900	20·3	26·3	20·8	3·5	289	228	46	62	1	...	...	...	...	31	1	...	22	7	8	14	34	2	...	3	3	4	14	5
Urban Districts. Limerick, ...	38,151	18·1	29·3	20·1	0·5	279	192	29	54	3	...	...	...	...	...	...	...	25	3	5	12	47	...	...	2	...	5	65	15
Urban Districts. Waterford, ...	26,769	18·7	27·3	19·7	1·2	186	132	26	46	...	...	...	...	...	...	...	...	13	5	5	6	23	...	...	8	2	6	48	10
Urban Districts. Galway, ...	13,426	2·5	27·4	17·3	0·6	92	58	8	29	1	1	...	...	...	...	...	...	6	3	2	1	1	...	..	...	4	5	24	12
Urban Districts. Dundalk, ...	13,076	9·4	23·6	15·6	2·1	77	51	9	20	...	...	...	...	...	...	7	...	2	4	2	2	6	...	...	...	3	1	15	3
Urban Districts. Drogheda, ...	12,760	8·6	23·8	16·9	2·2	76	54	7	19	...	...	...	7	...	...	...	...	2	3	2	4	3	...	...	...	...	...	14	5
Urban Districts. Newry, ...	12,405	17·8	22·3	19·3	...	69	60	12	16	...	...	...	...	...	...	...	...	8	2	1	13	11	...	...	...	...	2	10	1
Urban Districts. Lurgan, ...	11,782	13·8	32·6	25·1	1·7	96	74	11	23	...	...	...	4	...	...	...	...	8	5	3	5	10	...	...	1	...	1	10	4
Urban Districts. Lisburn, ...	11,461	10·1	27·9	19·5	0·3	80	56	7	16	...	...	...	...	...	...	1	...	11	1	2	4	5	...	...	...	1	2	14	1
Urban Districts. Wexford, ...	11,168	23·2	27·6	14·7	...	77	41	8	15	...	...	...	...	...	...	...	...	5	6	2	8	6	...	...	...	...	...	5	2
Urban Districts. Ballymena, ...	10,886	8·9	30·9	20·6	...	84	56	12	18	...	...	...	...	...	...	...	...	6	2	2	4	12	...	...	...	...	...	8	5
Urban Districts. Sligo, ...	10,870	3·7	22·1	23·9	1·8	60	65	5	22	1	...	...	...	...	3	...	...	4	2	2	4	12	...	1	...	...	...	21	10
Urban Districts. Kilkenny, ...	10,609	11·5	23·0	27·5	0·4	61	73	7	29	...	...	...	...	...	...	...	...	3	2	2	10	28	1	...	...	...	1	20	6
Urban Districts. Clonmel, ...	10,167	7·8	22·8	18·9	...	58	48	6	17	...	...	...	...	...	...	...	...	4	...	2	2	1	...	...	...	...	4	21	...
Urban Districts. Portadown, ...	10,092	13·2	31·3	18·6	0·4	79	47	6	20	...	...	...	...	1	...	...	...	5	1	1	1	6	...	...	...	1	2	...	1
Urban Districts. Tralee, ...	9,867	16·6	36·5	20·3	...	90	50	7	12	...	...	...	...	...	...	...	...	9	...	3	3	2	...	...	...	...	...	17	5
Urban Districts. Newtownards, ...	9,110	18·9	27·7	19·8	1·3	63	45	6	21	...	...	...	...	...	3	...	...	5	3	2	1	5	...	...	...	...	...	5	2
Urban Districts. Queenstown, ...	7,909	14·4	24·3	20·2	1·5	48	40	8	7	...	...	...	...	...	3	...	...	5	6	2	7	1	...	...	...	...	1	3	3
Urban Districts. Armagh, ...	7,588	22·2	21·6	16·9	0·5	41	32	5	7	...	...	...	...	...	...	1	...	2	3	...	2	5	...	...	...	...	2	4	10

* The Population given for the Dublin Registration Area and its component parts, and the cities of Belfast and Londonderry, is that estimated to the middle of the year 1911: that for each of the other districts is the Population according to the Census of 1901.

† Including one death from cerebro-spinal fever (see text on page 208c.)

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) **ended 1st April, 1911,** Deaths in Public Institutions of persons *admitted from without each City being omitted,* and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population according to the Census of 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at certain AGE-PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	Annual Rate of Mortality: Diseases in Cols. 12-19, 25-7.	Total Number of DEATHS.	DEATHS. Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	349,180	109	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		82	9	4	7	23	22	17	.	.	.	.	.	.	1	.	12	2	2	2	12	.	.	1	2	3	31	2
Do. 2 do.		318			189	28	17	24	31	43	46	.	.	.	.	1	1	.	.	29	2	7	17	35	.	.	1	3	9	55	3
Do. 3 do.		367			226	41	20	23	37	52	53	.	.	.	.	1	3	.	.	22	14	14	24	38	1	.	1	9	13	40	3
Do. 4 do.		325			140	43	9	7	21	28	32	.	.	.	1	1	.	1	.	17	2	3	11	18	.	2	2	3	9	62	.
Do. 5 do.		132			100	22	6	10	27	19	16	.	1	.	.	.	1	1	.	13	7	3	9	19	.	.	1	5	6	46	.
Do. 6 do.		181			163	18	12	20	29	33	51	.	.	.	.	.	1	1	.	19	6	11	10	23	.	.	.	5	10	27	4
Do. 7 do.		17			6	.	2	.	1	2	1	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	3	.
Do. 8 do.		52			19	4	3	1	3	4	4	.	.	.	.	.	.	1	.	3	.	1	.	2	.	.	1	2	2	2	.
Do. 9 do.		159			98	20	5	4	16	23	30	.	.	.	.	.	.	.	.	11	4	3	10	14	2	.	.	4	7	20	.
Do. 10 do.		243			120	25	12	13	27	26	17	.	.	.	.	.	.	.	.	22	5	6	11	18	1	1	1	2	8	19	2
Do. 11 do.		263			178	30	14	23	31	34	46	.	.	.	.	2	.	1	.	30	11	12	16	27	.	1	.	3	8	30	5
Do. 12 do.		380			174	42	18	23	30	35	26	.	.	.	.	2	.	.	.	11	29	8	6	37	.	2	2	.	7	40	.
Do. 13 do.		131			77	9	5	9	12	22	20	.	.	.	.	.	.	.	.	9	7	9	6	13	.	.	1	1	3	16	.
Do. 14 do.		1			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		169			154	36	8	12	24	47	27	.	.	.	.	.	1	.	.	11	4	3	17	14	.	2	7	1	7	40	.
Total,		2,847			1,727	327	135	176	312	390	387	.	1	.	1	7	7	6	.	210	93	83	139	271	4	8	18	40	92	431	19
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	77	21·1	1·6	68	9	6	7	13	15	18	.	.	.	.	.	5	.	.	7	.	4	4	9	.	.	.	.	1	35	2
Do. 2 do.	10,701	93	22·4	0·7	60	9	5	10	10	13	13	.	.	.	.	1	.	1	.	9	2	1	10	7	.	.	.	2	4	14	4
Do. 3 do.	9,978	73	21·6	.	54	11	8	7	6	8	14	.	.	.	.	.	.	.	.	10	2	1	.	17	.	.	.	5	5	13	2
Do. 4 do.	8,666	52	17·5	.	38	3	1	6	6	17	5	.	.	.	.	.	.	.	.	4	2	.	1	15	.	.	.	.	5	9	3
Do. 5 do.	6,592	27	20·0	0·6	33	.	1	2	11	8	11	.	.	.	.	.	1	.	.	11	.	2	1	2	.	.	.	.	2	15	1
Do. 6 do.	10,702	81	25·4	0·7	68	9	7	6	15	15	16	.	.	.	.	1	.	.	.	11	3	4	4	10	.	.	1	.	1	33	2
Do. 7 do.	16,616	107	26·5	1·7	110	13	10	12	22	17	36	.	.	.	.	.	6	.	.	22	7	5	5	13	.	.	1	2	3	41	7
Total,	76,122	510	22·6	0·9	431	54	38	50	83	93	113	.	.	.	.	2	12	1	.	74	16	17	25	73	.	.	2	9	21	160	21

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
8th May, 1911.

WILLIAM J. THOMPSON,
Registrar-General.

30501. Printed by A. THOM & Co. (Ltd.) Wt. P. 489-53/138. 375. 2. 1911. Sch. C. 9.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & CO., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 8TH APRIL, 1911. [No. 14.

General Register Office, Charlemont House, Dublin, 10*th April,* 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,163,596.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Mar. 18	Mar. 25	April 1	April 8	Average Rate for 4 weeks.
22 Town Districts, ...	**17·4**	**21·2**	**20·7**	**22·4**	**20·4**
Armagh	13·7	13·7	.	6·9	8·6
Ballymena	33·5	19·2	28·7	19·2	25·1
Belfast	15·4	19·2	18·1	22·5	18·8
Clonmel	5·1	15·4	25·6	10·3	14·1
Cork	16·4	21·9	19·2	30·8	22·1
Drogheda	8·2	4·1	32·7	20·4	16·4
Dublin Reg. Area ...	20·8	25·1	21·5	23·2	22·6
Dundalk	12·0	16·0	.	16·0	11·0
Galway	7·8	19·4	42·7	15·5	21·3
Kilkenny	24·6	34·3	39·3	19·7	29·5
Limerick	15·0	26·0	31·4	17·8	22·5
Lisburn	13·6	18·2	22·7	18·2	18·2
Londonderry	10·7	20·2	22·6	35·6	22·3
Lurgan	22·1	13·3	22·1	13·3	17·7
Newry	33·6	16·8	16·8	12·6	20·0
Newtownards	11·4	5·7	17·2	17·2	12·9
Portadown	31·0	5·2	10·3	5·2	12·9
Queenstown	26·4	13·2	.	6·6	11·6
Sligo	.	19·2	24·0	14·4	14·4
Tralee	21·1	37·0	47·6	26·4	33·0
Waterford	15·6	13·6	23·4	11·7	16·1
Wexford	14·0	9·3	9·3	23·3	14·0

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in fourteen of the districts to 5·7 in Newtownards, the 3 deaths from all causes for that district including one from whooping-cough. Among the 172 deaths from all causes for Belfast are one from enteric fever, one from scarlet fever, one from diarrhœa, and one from cerebro-spinal fever. Included in the 45 deaths from all causes for Cork is one from whooping-cough. Of the 30 deaths from all causes for Londonderry 2 are from whooping-cough. One death from diphtheria is included among the 4 deaths from all causes for Galway. Among the 5 deaths from all causes for Drogheda is one from measles, and one death from whooping-cough is included among the 3 deaths from all causes for Sligo.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 198—107 boys and 91 girls—and the deaths to 191—102 males and 89 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 23·2 per 1,000 of the population. During the fourteen weeks ending with Saturday last the death-rate averaged 23·4, and was 2·7 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœa.

The total deaths registered, numbering 191, represent an annual rate of 24·5 per 1,000; the annual rate for the past fourteen weeks was 24·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 27·2 per 1,000 of the mean population for all deaths registered.

Among the total deaths from all causes registered were 3 from enteric fever, one from each of measles and scarlet fever, 3 from whooping-cough, 4 from diphtheria, 6 from diarrhœa and enteritis of children under 2 years of age, and 2 from influenza. In each of the three preceding weeks deaths from enteric fever were one, 2, and one; deaths from measles were 7, 3, and 2; deaths from scarlet fever were 0, one, and 0, deaths from whooping-cough were 4, 6, and 5, deaths from diphtheria were 0, one, and one; deaths from diarrhœa and enteritis of children under 2 years of age were 3, 8, and 2; and deaths from influenza were 2, one, and 2. There was one death from tetanus registered.

Deaths from all forms of tuberculous disease were 39 in number, having been 36, 47, and 29, respectively, in the three preceding weeks. The 39 deaths registered in the week under notice include 31 deaths from pulmonary tuberculosis, 2 from tuberculous meningitis, 4 deaths from abdominal tuberculosis, and 4 deaths from disseminated tuberculosis.

Broncho-pneumonia caused 9 deaths, lobar pneumonia 2 deaths, and *pneumonia* (type not distinguished) 7 deaths.

There were 11 deaths attributable to cancer.

Of 14 deaths from diseases of the brain and nervous system, 2 were of infants under one year of age from *convulsions*.

Twenty-three deaths were caused by diseases of the heart and blood vessels, and 21 deaths were caused by bronchitis.

Three deaths of infants were assigned to prematurity, and 2 to congenital debility.

Of 6 deaths attributed to accident or negligence 3 were of children under 5 years of age from burning, one was by drowning, and one was by suffocation in bed of an infant.

In one instance the cause of death was "uncertified," there having been no medical attendant during the last illness; this case was that of a person aged 74 years.

Fifty-four of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 8 were under one month old) and 33 were aged 65 years and upwards; including 17 persons aged 70 years and upwards; among the latter were 6 aged 75 years and upwards, of whom one (a male) was stated to have been aged 90 years.

Ninety-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the North Dublin Union Workhouse and 21 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·2 per 1,000; the rate in the City was 25·8 (North City Districts, 24·4; South, 27·3) and in the Suburbs, 14·5.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·9 per 1,000 inhabitants, the rate for the City being 2·3 (3·2 in the North City Districts, and 1·4 in the South), and for the Suburbs, 0·6.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 20·7 per 1,000, and included one death from influenza, 3 deaths from tuberculous disease, and 2 deaths from broncho-pneumonia.

No. 1 North City District, West (Summer-hill).—The deaths (20) are equal to an annual rate of 25·8 per 1,000. Whooping-cough caused one death and diarrhœa one death; there were 3 deaths from pulmonary tuberculosis, one death from *pneumonia* (type not distinguished), 4 deaths from bronchitis, and one death of a child by burning.

No. 2 North City District (Lisburn-street).—The deaths (20) are equivalent to an annual rate of 33·6 per 1,000. There was one death from diphtheria and 2 deaths from diarrhœa; there was one death from tuberculous meningitis; there were 2 deaths from broncho-pneumonia, one from *pneumonia* (type not distinguished), and 3 from bronchitis.

No. 3 North City District (Berburb-street).—The deaths (17) represent an annual rate of 26·1 per 1,000. Among the deaths were 2 from whooping-cough, one from enteric fever, one from each of scarlet fever and diphtheria, one from pulmonary tuberculosis, 2 from broncho-pneumonia, and 3 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 17·8 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0, and Finglas and Glasnevin, part of, 13·4. Of the 4 deaths from all causes for Coolock and Drumcondra, part of, 2 were from pulmonary tuberculosis, and one of the 2 deaths for Finglas and Glasnevin, part of, was from broncho-pneumonia.

No. 1 South City District (South Earl-street).—The deaths (19) represent an annual rate of 23·6 per 1,000. Pulmonary tuberculosis caused 3 deaths, bronchitis caused 4 deaths, and there was one death of a child from burning.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 19·0 per 1,000. There were 4 deaths from pulmonary tuberculosis, and one death from *pneumonia* (type not distinguished).

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 26·3 per 1,000. Enteric fever and measles each caused one death; there were 6 deaths from tuberculous disease, one death from broncho-pneumonia, and 5 deaths from diseases of the respiratory system.

No. 4 South City District (Grand Canal Street).—The deaths (27) are equivalent to an annual rate of 38·8 per 1,000. Diphtheria and influenza each caused one death; there were 8 deaths from tuberculous disease; there were 4 deaths from pneumonia (all forms), one death from bronchitis, and 3 accidental deaths, namely:—one by burning of a child, one by drowning, and one by suffocation in bed of an infant.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 22·7 per 1000. Of the total deaths one was from diphtheria.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·7; Pembroke, 14·2; Blackrock, 5·8; and Kingstown, 14·8. The only death from any of the principal epidemic diseases tabulated for these districts was one from enteric fever for Rathmines and Rathgar. Of the 12 deaths from all causes for that district 3 were from pulmonary tuberculosis, one from lobar pneumonia, one from *pneumonia* (type not distinguished), and one accidental death. Of the 8 deaths from all causes for Pembroke one was from pulmonary tuberculosis, one from *pneumonia* (type not distinguished), and one from bronchitis, and the 5 deaths from all causes for Kingstown include one from pulmonary tuberculosis and one from bronchitis.

* See note (‡) on first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz. :—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 8th April, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Varicella.	Whooping cough.	Cerebro-spinal Fever.	Diarrhœal Diseases	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Mar. 18,	.	—	—	13	.	.	6	.	3	7	7	.	—	—	.	—	12	—	48
	Mar. 25,	.	—	—	14	1	.	8	.	3	13	9	.	—	—	.	—	10	—	58
	Apr. 1,	.	—	—	6	1	.	7	.	.	12	8	.	—	—	.	—	17	—	51
	Apr. 8,	.	—	—	16	.	.	15	.	1	10	3	.	—	—	.	—	7	—	52
Rathmines and Rathgar Urban District.	Mar. 18,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	Mar. 25,	.	—	—	.	.	.	2	.	.	1	.	.	—	—	—	—	—	—	3
	Apr. 1,	.	—	—	3	.	.	5	.	.	4	3	.	—	—	—	—	—	—	15
	Apr. 8,	.	—	—	1	.	.	3	.	.	1	.	.	—	—	—	—	—	—	5
Pembroke Urban District.	Mar. 18,	.	7	.	2	.	.	2	.	.	.	.	.	—	.	.	—	.	—	11
	Mar. 25,	.	4	.	.	.	.	.	.	.	.	.	.	—	8	.	—	.	—	12
	Apr. 1,	.	7	.	1	.	.	1	.	.	.	.	.	—	10	.	—	.	—	19
	Apr. 8,	.	16	.	.	.	.	.	.	.	.	.	.	—	12	.	—	.	—	28
Blackrock Urban District.	Mar. 18,	.	—	—	6	.	.	.	.	.	.	.	.	—	—	.	—	—	—	6
	Mar. 25,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
	Apr. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Apr. 8,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	Mar. 18,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
	Mar. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Apr. 1,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Apr. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Mar. 18,	.	—	—	13	.	.	3	.	.	.	5	.	—	—	.	—	6	—	27
	Mar. 25,	.	—	—	6	.	.	3	1	.	.	2	.	—	—	.	—	11	—	23
	Apr. 1,	.	—	—	9	.	.	10	.	1	2	3	.	—	—	.	—	16	—	41
	Apr. 8,	.	—	—	9	.	.	1	.	.	2	6	.	—	—	.	—	11	—	29

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th April, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Twenty-four cases of measles were admitted to hospital during the week, 15 were discharged, and 58 cases remained under treatment at the close of the week.

Twenty-two cases of scarlet fever were admitted to hospital, 25 were discharged, there were 3 deaths, and 112* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 138, 112, and 118, respectively.

Two cases of typhus remained under treatment in hospital at the close of the week.

Thirteen cases of diphtheria were admitted to hospital during the week, 14 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 64, 63, and 69, respectively, were 66 at the close of last week.

Nine cases of enteric fever were admitted to hospital during the week, 13 were discharged, there was one death, and 70 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 82, 79, and 75.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, 2 were discharged, and 37 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 14·9) was equal to an average annual death-rate of 15·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·3 per 1,000, the rate for Glasgow being 16·9 and for Edinburgh 18·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 8th April. From this Report it appears that of a total of 60 cases notified, 29 were phthisis, 15 scarlet fever, 12 diphtheria, 3 erysipelas, and one puerperal fever. Among the 355 cases of infectious diseases in hospital at the close of the week were 136 cases of scarlet fever, 60 of diphtheria, 57 of measles, 53 of phthisis, 24 of whooping-cough, 11 of erysipelas, 6 of chicken-pox, 4 of enteric fever, one of puerperal fever, and one of cerebro-spinal fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 8th April, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Urban Districts.	Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 8th April, 1911. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 8th April, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st April, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 25th March, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
	Total of 22 Town Districts, ...	1,163,596	20·4	28·0	22·4	1·1	624	499	90	118	4	...	...	2	2	8	5	...	60	22	20	46	75	4	...	5	17	19	156	14	°	°	°		°	°	°		°	°	°	
	Dublin Registration Area:— Total, (c.) ...	407,057	29·6	25·4	23·2	1·9	198	181	30	32	3	...	...	1	1	3	4	...	26	10	10	18	23	3	...	3	6	2	81	1	e51·7	29·2	39·4	0·13	e51·8	29·5	42·7	0·77	e48·5	34·2	41·7	0·00
	City of Dublin,	313,526	39·6	27·6	25·8	2·3	166	15	28	24	2	...	...	1	1	3	4	...	21	10	9	15	21	3	...	3	5	2	70	1	f51·2 g51·9	31·8 28·6	40·9 39·6	0·08 0·15	f52·1 g52·9	36·4 33·0	44·5 42·9	0·96 0·92	f49·9 g48·3	39·2 37·0	43·4 42·5	0·00 0·00
Urban Districts.	Rathmines and Rathgar.	37,528	21·9	22·2	16·7	1·4	16	12	1	5	1	...	...	...	...	...	...	...	3	...	...	2	...	...	...	...	1	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...
	Pembroke, ...	29,368	18·5	12·4	14·2	..	7	8	1	1	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	...		...	...	...	...	...	...	...	...	...	...	...	...	...
	Blackrock, ...	9,013	8·3	...	5·8	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...
	Kingstown, ...	17,622	12·1	26·6	14·8	...	9	5	...	1	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	...	...	...	1		49	34	41	0·02	51	38	43·4	0·84	49	39	42·9	0·00
	Belfast, ...	398,421	27·1	30·4	22·5	0·4	232	172	36	34	1	...	...	...	1	...	...	...	26	8	5	13	26	1	...	1	8	15	41	3	50·5	32·2	42·2	0·00	49·8	30·2	42·3	0·41	48·0	34·0	41·1	0·00
	Cork, ...	76,122	33·6	21·9	30·8	0·7	32	45	5	14	...	...	...	...	...	1	...	...	1	1	1	3	3	...	...	...	1	1	21	2	51	30	41·3	0·51	53	32	43·5	0·53	50	37	43·5	0·31
	Londonderry...	43,900	20·3	30·9	35·6	2·4	26	30	7	12	...	...	...	...	...	2	...	...	1	...	1	5	8	...	...	...	1	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...
	Limerick, ...	38,151	18·1	15·0	17·8	...	11	13	3	2	...	...	...	...	...	...	...	...	3	...	...	2	3	...	...	...	...	...	2	2	56·6	25·1	39·7	0·26	56·8	28	41·6	0·17	52·2	34·2	43·8	0·00
	Waterford, ...	26,769	18·7	25·3	11·7	...	13	6	1	3	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Galway, ...	13,426	2·5	19·4	15·5	3·9	5	4	1	3	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	1	1	55	26	41	0·00	57	30	43·5	0·20	48	30	41	0·00
	Dundalk, ...	13,076	9·4	8·0	16·0	...	2	4	...	2	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Drogheda, ...	12,760	8·6	32·7	20·4	4·1	8	5	...	1	...	...	...	1	...	...	...	...	1	...	...	2	2	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
	Newry, ...	12,405	17·8	8·4	12·6	...	2	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	1	1	...	...	51·9	23·3	38·3	0·03	52·0	26·1	42·3	0·13	47·7	32·0	40·4	0·00
	Lurgan, ...	11,782	13·8	26·6	13·3	...	6	3	...	2	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	51·9	23·3	38·3	0·03	52·0	26·1	42·3	0·13	47·7	32·0	40·4	0·00
	Lisburn, ...	11,461	10·1	36·4	18·2	...	8	4	...	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	...	51·9	23·3	38·3	0·03	52·0	26·1	42·3	0·13	47·7	32·0	40·4	0·00
	Wexford, ...	11,168	23·2	32·7	23·3	...	7	5	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	51·9	23·3	38·3	0·03	52·0	26·1	42·3	0·13	47·7	32·0	40·4	0·00
	Ballymena, ...	10,886	8·9	148·5	19·2	...	31	4	...	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
	Sligo, ...	10,870	3·7	19·2	14·4	4·8	4	3	2	1	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Kilkenny, ...	10,609	11·5	19·7	19·7	...	4	4	1	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	1	52·3	21·5	39·0	0·00	54·7	22·3	42·9	0·42	51·0	29·6	41·6	0·00
	Clonmel, ...	10,167	7·8	51·3	10·3	...	10	2	2	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	53	28	39·3	0·09	58	28	45·4	0·28	53	35	43	0·05
	Portadown, ...	10,092	13·2	25·8	5·2	...	5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Tralee, ...	9,867	16·6	58·1	26·4	...	11	5	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	51·9	23·3	38·3	0·03	52·0	26·1	42·3	0·13	47·7	32·0	40·4	0·00
	Newtownards,	9,110	18·9	45·8	17·2	5·7	8	3	...	2	...	...	...	...	...	1	...	...	...	1	1	...	2	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
	Queenstown, ...	7,909	14·4	...	6·6	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	48	35	40·8	0·03	49	37	42·9	0·29	48	37	41·7	0·00
	Armagh, ...	7,588	22·2	6·9	6·9	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	51·9	23·3	38·3	0·03	52·0	26·1	42·3	0·13	47·7	32·0	40·4	0·00

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1911. (b) See note (‡) at foot of first page. (c) Exclusive of 10 deaths of persons (including one under 1 year old and one at 65 years), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 8th of April, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA. CITY OF DUBLIN. REGISTRATION DISTRICTS IN: Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.					URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	1	.	.	.	.	.	1	.	.	1	.	.	.	3	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Diphtheria,	.	.	1	1	.	.	.	.	.	.	1	1	.	.	.	.	4	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Pulmonary Tuberculosis,	1	3	.	1	.	2	.	3	4	4	3	.	3	1	.	1	26	3
Tuberculous Disease. Other Forms,	2	.	1	.	.	.	.	.	.	2	5	.	.	.	.	.	10	.
Cancer,	.	.	3	1	.	.	.	2	1	1	1	.	.	.	.	1	10	1
Diseases of Nervous System,	1	2	1	.	.	.	.	2	.	.	2	1	1	2	.	.	12	2
" Organs of Special Sense,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Circulatory System,	1	3	4	1	.	1	.	4	1	1	1	.	1	2	1	2	23	.
" Respiratory System. Pneumonia,	2	1	3	2	.	.	1	.	1	1	4	.	2	1	.	.	18	.
" Respiratory System. Others,	.	4	3	3	.	.	.	4	.	5	1	1	.	1	.	1	23	1
" Digestive System. Diarrhœa, under 2 years,	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
" Digestive System. Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. Enteritis, under 2 years,	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	.	3	.
" Digestive System. Enteritis, 2 years and upwards,	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	3	.
" Digestive System. Others,	.	.	2	.	.	.	.	.	1	.	2	.	.	.	.	.	5	.
" Genito-urinary System,	.	.	.	.	.	1	.	.	.	.	1	.	1	1	.	.	4	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	3	2	.	3	.	.	.	2	.	4	1	1	2	.	.	.	18	1
Violent Deaths,	.	1	.	.	.	.	.	1	.	.	3	.	1	.	.	.	6	.
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Deaths from All Causes	12	20	20	17	.	4	2	19	8	22	27	4	12	8	1	5	181	10
Annual Rate of Mortality from All Causes in every 1,000 of the population.	20·7	25·8	33·6	26·1	.	17·8	13·4	23·6	19·0	26·3	38·8	22·7	16·7	14·2	5·8	14·8	23·2	.
	24·4							27·3					14·5					
	25·8																	
Ages at Death. Under 1 year,	4	4	3	4	.	1	.	3	.	4	4	1	1	1	.	.	30	1
1 and under 2 years,	.	2	2	2	.	.	1	3	.	1	1	.	.	.	.	.	12	.
2 " 5 "	3	1	2	2	.	.	.	.	.	2	1	.	.	.	.	.	11	.
5 " 15 "	.	.	1	1	.	.	1	2	.	1	6	2	1	1	.	1	17	.
15 " 25 "	.	1	.	.	.	.	.	1	2	2	.	.	2	.	.	.	8	2
25 " 45 "	1	4	3	1	.	3	.	1	3	3	6	.	1	3	.	2	31	2
45 " 65 "	2	5	9	5	.	.	.	2	2	3	7	.	2	2	.	1	40	4
65 and upwards,	2	3	.	2	.	.	.	7	1	6	2	1	5	1	1	1	32	1
Number of Uncertified Deaths,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	4	3	7	.	.	.	4	1	2	11	1	5	4	.	.	44	9
Workhouse Hospitals,	2	5	6	2	.	.	.	4	4	9	3	.	1	.	.	1	37	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 14th Week of the 10 years 1901–1910.	In the Week ending Saturday, 8th April, 1911.										
													Deaths of Persons of the Ages of									
	Apr. 6, 1901.	Apr. 5, 1902.	Apr. 11, 1903.	Apr. 9, 1904.	Apr. 8, 1905.	Apr. 7, 1906.	Apr. 6, 1907.	Apr. 4, 1908.	Apr. 10, 1909.	Apr. 9, 1910.		Mean Temp.	Under 1 month.	0—5. 1 month and under 1 year.	0—5. 1—2.	0—5. 2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 43·1	° 43·5	° 48·0	° 45·9	° 44·2	° 42·9	° 42·1	° 44·7	° 44·5	° 41·7	° 44·1	° 39·4										
ALL CAUSES.	224	203	174	226	190	159	219	207	205	186	199·3	191	8	23	12	11	17	10	33	44	27	6
Enteric Fever, ...	3	1	4	3	1	.	.	1	2	1	1·6	3	.	.	.	.	.	2	.	1	.	.
Typhus, ...	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	3	4	.	1	3	1	6	.	1·9	1	.	.	.	1	.	.	.	.	.	.
Scarlet Fever, ...	.	1	1	.	1	.	.	1	.	.	·4	1	.	.	.	.	1	.	.	.	.	.
Whooping-cough, ...	5	.	2	8	1	2	8	1	7	.	3·4	3	.	.	2	1	.	.	.	.	.	.
Diphtheria, ...	2	2	2	2	1	.	3	.	1	1	1·4	4	.	1	1	.	2	.	.	.	.	.
Croup, ...	1	.	1	.	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	10	3	3	5	2	2	5	7	3	3	4·3	2	.	.	.	.	.	.	.	1	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	2	.	.	.	.	.	.	.	.	·2	1	.	.	.	.	.	.	.	1	.	.
Other Epidemic Diseases, ...	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	1	.	.	.	.	.	·1	1	.	.	.	.	.	.	.	1	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	33	27	19	34	31	23	29	30	24	21	27·1	29	.	.	.	1	3	7	16	1	1	.
Tuberculous Meningitis, ...	4	5	4	2	3	3	8	7	5	1	4·2	2	.	.	.	1	1	.	.	.	.	.
Abdominal Tuberculosis, ...	7	1	.	3	4	2	1	6	6	.	3·0	4	.	1	.	2	1	.	.	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	5	8	6	9	11	10	13	5	7	9	8·3	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												4	.	1	1	.	2	.	.	.	.	.
Venereal Diseases, ...	1	1	1	3	2	3	.	.	2	2	1·5	1	1	.	.	.	.	.	.	.	.	.
Cancer, ...	5	8	2	11	10	4	5	13	10	7	7·5	11	.	.	.	.	1	.	2	6	2	.
Tumour, situation undefined.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	3	1	3	3	.	.	1	.	1·2	1	.	.	.	.	.	.	.	.	1	.
Anæmia Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	2	.	.
Alcoholism, ...	.	.	1	2	1	.	.	2	2	1	·9	1	.	.	.	.	.	.	1	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	1	.	.	3	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												2	.	.	.	.	2	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												7	1	.	.	.	.	.	1	3	2	.
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												2	.	.	.	.	.	.	.	1	1	.
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												2	1	1	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	44	45	40	38	46	40	49	43	32	46	42·3	1	.	.	.	.	1	.	.	.	.	.
Pericarditis, ...												1	.	.	.	.	.	.	.	.	1	.
Acute Endocarditis, ...												2	.	.	.	.	.	.	1	1	.	.
Organic Diseases of the Heart,												18	.	.	.	.	.	.	4	7	4	3
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												2	.	.	.	.	.	.	.	.	1	1
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	1	.	.	.	.	.	.	.	.
Bronchitis, ...	36	29	32	29	23	22	29	24	31	32	28·7	21	.	4	1	.	.	.	1	9	6	.
Broncho-pneumonia, ...			3	5	8	4	10	3	10	8		9	1	3	3	1	.	.	.	.	1	.
Lobar-pneumonia, ...	13	16	1	1	.	1	2	1	.	1	14·2	2	.	.	.	.	.	.	1	.	1	.
Pneumonia (type not distinguished).			5	10	3	3	5	11	10	8		7	.	1	1	.	2	1	.	2	.	.
Pleurisy, ...												2	.	.	.	.	.	.	2	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	4	5	2	2	1	4	1	2	6	2·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												.	.	.	.	.	.	.	.	.	.	.

FOURTEENTH WEEK ending Saturday, 8th April, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 14th Week of the 10 years 1901–1910.	In the Week ending Saturday, 8th April, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Apr. 6, 1901.	Apr. 5, 1902.	Apr. 11, 1903.	Apr. 9, 1904.	Apr. 8, 1905.	Apr. 7, 1906.	Apr. 6, 1907.	Apr. 4, 1908.	Apr. 10, 1909.	Apr. 9, 1910.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 43·1	° 43·5	° 48·0	° 45·9	° 44·2	° 42·9	° 42·1	° 44·7	° 44·5	° 41·7	° 44·1	° 39·4										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	1	.	.	.	.	.	1	.	.
Diarrhœa of Children under 2 years.	2	1	3	2	2	1	.	3	2	4	2·0	3	.	2	1	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	1	2	2	.	2	1	3	3	1	3	1·8	3	.	3	.	.	.	.	.	.	.	.
„ 2 years and upwards,												3	.	.	.	1	1	.	.	1	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	2	4	.	1	.	1	1	1	1	1	2·2	2	.	.	.	.	.	.	1	1	.	.
Other Diseases of Liver, ...			.	3	2	3	.	1	.	1		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	4	5	3	16	9	6	6	7	3	2	6·1	1	.	.	.	.	.	.	.	1	.	.
Acute Nephritis, ...	6	5	2	6	4	5	6	9	8	4	5·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...												3	.	.	.	.	.	.	1	2	.	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												2	.	1	.	.	.	.	.	1	.	.
Puerperal Septicæmia, &c., ...	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	2	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	1	1	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth. ...	2	1	2	5	1	.	3	4	3	3	2·4	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	2	.	.	.	.	.	.	.	.
Old Age, ...	12	9	4	3	5	2	5	5	4	3	5·2	6	.	.	.	.	.	.	.	.	4	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	2	1	.	.	1	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	3	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations. ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	4	.	1	1	.	.	.	.	2	1	·9	3	.	.	1	2	.	.	.	.	.	.
By Drowning, ...	.	.	1	.	.	1	1	.	1	1	·5	1	.	.	.	.	.	.	1	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	.	1	.	.	·1	1	.	1	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	.	1	1	2	.	2	.	1	2	1·0	1	.	.	.	.	.	.	.	.	1	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	1	.	.	.	1	1	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	1	.	.	.	.	.	.	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910–11—WEEK ENDING																									
	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.
No. of weeks in Annual Series,	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14
BIRTHS registered.	161	244	182	211	207	204	182	199	174	232	158	170	203	230	238	232	219	241	192	214	217	238	203	276	230	198
Average Births in corresponding week of previous 10 years, ...	184	209	206	209	202	195	181	207	193	195	177	174	231	208	209	201	241	217	212	209	216	223	212	212	233	202
DEATHS registered, ...	151	174	139	147	141	166	168	176	188	165	178	155	176	179	190	228	200	220	208	195	180	174	170	214	177	191
Annual Death-rate per 1,000, ...	19·5	22·5	18·0	19·0	18·2	21·5	21·7	22·8	24·3	21·4	23·0	20·1	22·5	22·9	24·3	29·2	25·6	28·2	26·6	25·0	23·1	22·3	21·8	27·4	22·7	24·5
Average Deaths in corresponding week of previous 10 years, ...	156	160	156	172	175	179	182	182	182	177	182	177	201	195	195	192	200	198	200	210	218	210	194	201	203	199
Ages, Under 5 years, ...	44	56	40	46	47	57	49	55	53	43	41	47	56	60	62	59	61	47	57	57	70	59	39	56	48	54
5—15 „ ...													5	10	7	11	6	10	6	10	9	12	9	7	14	17
15—25 „ ...													9	7	10	11	12	13	5	6	6	7	7	13	8	10
25—45 „ ...	107	118	99	101	94	109	119	121	135	122	137	108	25	24	27	32	32	41	36	35	32	24	24	42	19	33
45—65 „ ...													45	38	41	55	48	51	49	35	36	36	42	44	36	44
65—75 „ ...													20	25	28	34	22	39	33	29	19	19	28	32	29	27
75 and upwards, ...													16	15	15	26	19	19	22	23	8	17	21	20	23	6
Deaths from :—																										
Enteric Fever, ...	1	2	1	1	.	.	2	.	1	2	1	.	.	1	.	2	3	2	2	2	4	3	1	2	1	3
Typhus, ...	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	1	.	1	1	.	2	1	.	1	4	3	6	2	2	2	2	3	7	7	7	3	2	1
Scarlet Fever, ...	.	1	1	3	.	2	1	3	1	1	.	2	7	.	.	1	.	4	6	2	2	.	.	1	.	1
Whooping-cough, ...	2	5	1	1	4	2	6	5	11	1	5	7	6	5	6	0	4	3	6	7	11	4	4	6	5	3
Diphtheria, ...	1	.	4	1	2	3	2	4	.	3	2	.	1	2	4		5	2	3	2	.	2	.	1	1	4
Influenza, ...	1	2	1	4	1	.	2	4	2	1	3	1	.	1	1	4	3	4	5	7	2	2	2	1	2	2
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	2	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	14	23	17	18	16	20	14	16	25	14	19	19	21	19	27	28	19	27	22	18	20	17	28	32	16	29
Tuberculous Disease, Other Forms,	8	8	4	11	11	8	6	7	11	4	7	5	4	6	9	7	4	6	8	7	7	8	8	15	13	10
Cancer, ...	11	12	9	7	9	8	14	3	12	4	13	6	8	3	12	7	16	11	4	6	5	8	6	10	13	11
Diseases of Circulatory System,	24	25	23	17	18	22	24	30	30	23	28	31	17	20	13	25	19	23	17	21	14	13	24	27	22	23
Diseases of Respiratory System, Pneumonia,	11	15	12	13	11	16	16	14	15	27	18	11	15	16	10	17	18	20	15	21	13	16	14	13	13	18
Diseases of Respiratory System, Others, ...	17	17	12	18	26	26	29	37	27	32	26	25	29	25	28	42	30	41	44	28	29	25	23	27	24	24
Diarrhœa, Under 2 years, ...	10	8	4	5	4	2	4	6	2	2	2	1	3	2	2	4	4	2	3	3	1	1	2	5	1	3
Diarrhœa, 2 years & upwards,													.	.	.	.	1	.	.	1	1	.	3	.	1	.
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	.	2	2	.	3	3	1	1	1	2	1	3	1	3
Violent Deaths, ...	4	.	2	1	2	2	3	4	4	8	4	6	2	8	1	4	7	4	2	5	2	4	5	5	5	6
Number of Uncertified Deaths,	6	2	4	1	8	6	7	5	5	3	3	6	4	5	7	7	3	3	2	4	7	8	7	2	5	1
Mean Temperature of the Air (Phœnix Park)	48·2	49·1	50·4	43·1	39·6	38·2	42·2	37·0	43·4	45·2	43·5	40·9	37·2	39·0	38·6	45·5	35·9	37·0	46·4	43·4	46·5	41·1	38·0	41·7	42·7	39·4
Average Mean Temperature in corresponding week of previous 10 years, ...	50·6	48·4	46·2	47·1	45·2	42·7	41·5	42·8	42·4	41·6	41·3*	41·3	42·0	40·0	40·8	40·5	40·3	40·3	39·8	39·9	40·5	41·7	42·7	42·6	42·4	44·1
Rainfall in inches, ...	·138	·333	·365	·558	·860	·352	1·206	1·820	1·700	1·172	·183	·130	·336	·345	·153	·034	·000	·011	·582	·523	·681	·316	·206	·000	·770	·131
Mean Humidity of the Air, complete Saturation 1·0, ...	·84	·92	·87	·90	·89	·85	·91	·93	·91	·91	·94	·88	·92	·90	·93	·92	·87	·90	·91	·91	·92	·91	·89	·87	·90	·86

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 8th April 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 8TH APRIL, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	191	54	17	10	33	44	27	6	3	.	.	1	1	3	4	.	29	10	11	2	18	24	3	.	3	6	73	1
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	17·9	6	.	.	.	1	2	3	.	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	87,188	19·1	32	3	6	1	6	10	6	.	.	.	.	.	1	.	1	.	6	1	1	.	2	2	.	.	.	1	17	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	16·1	34	4	4	1	10	7	4	4	2	.	.	.	.	.	2	.	6	2	2	.	3	2	.	.	1	.	14	.
IV.	GENERAL SERVICE CLASS, ...	154,279	27·4	81	41	6	7	8	9	9	1	1	.	.	1	.	3	1	.	10	5	5	2	11	12	1	.	1	5	23	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	38	6	1	1	8	16	5	1	.	.	.	.	.	.	.	.	6	2	2	.	1	7	2	.	1	.	17	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	18·7	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	28·4	12	2	.	.	3	5	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	1	8	.
	6. Clerks and Commercial Assistants, ...	30,432	20·6	12	1	4	1	3	3	.	.	.	.	.	.	.	.	.	.	4	1	1	.	.	1	.	.	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	13·5	7	.	1	.	.	2	4	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	26·4	5	1	1	.	2	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	3	.
	9. Building and Furnishing Trades, ...	29,801	14·0	8	2	.	.	2	2	2	.	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	.	1	.	2	.
	10. Clothing Trades, ...	23,260	17·9	8	1	1	1	2	1	.	2	1	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	4	.
	11. Food Supply Trades, ...	9,242	11·3	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	15·5	9	.	1	.	2	2	2	2	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	.	.	5	.
	13. Petty Shopkeepers, ...	7,894	13·2	2	.	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	15·5	4	1	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.
	15. Domestic Servants, ...	36,603	4·3	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	.	.	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	21·7	6	3	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	1	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	39·5	68	37	6	5	6	9	5	.	1	.	.	1	.	3	1	.	8	4	5	2	9	10	1	.	.	3	20	1
	INMATES OF WORKHOUSES.																														
V.	18. Workhouse Inmates, ...	6,024	—	38	6	1	1	8	16	5	1	.	.	.	.	.	.	.	.	6	2	2	.	1	7	2	.	1	.	17	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa. Children under 2 years.	2 years and upwards.	Entertis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 30,219.	Feb. 18,	24·2	3·5	14	.	.	.	.	.	1	1	.	1	.	.	.	3	.	.	1	.	.
	„ 25,	19·0	.	11	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	.	.
	Mar. 4,	29·3	6·9	17	1	.	.	1	.	1	.	.	1	.	1	1	.	.	1	.	.	.
	„ 11,	19·0	.	11	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	1
	„ 18,	38·0	1·7	22	.	.	.	1	.	.	.	.	4	.	.	1	3	.	.	1	.	.
	„ 25,	36·2	5·2	21	.	.	.	.	.	1	.	.	3	2	.	2	.	2	.	1	3	.
	April 1,	27·6	.	16	.	.	.	.	.	.	.	.	1	2	.	3	1	.	.	.	1	.
	„ 8,	20·7	.	12	.	.	.	.	.	.	.	.	1	2	.	2	.	.	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 40,390.	Feb. 18,	36·1	3·9	28	.	.	.	.	1	.	1	.	5	1	.	1	9	1	.	.	.	1
	„ 25,	32·3	2·6	25	.	.	.	.	1	.	.	.	4	.	.	4	4	1	.	.	1	1
	Mar. 4,	19·4	6·5	15	1	.	.	1	.	3	.	.	1	.	.	.	1	.	.	.	.	1
	„ 11,	21·9	3·9	17	.	.	.	2	.	.	1	.	4	.	1	1	1	.	.	.	.	2
	„ 18,	20·7	5·2	16	.	.	.	2	.	1	.	.	1	1	1	1	3	.	1	.	.	2
	„ 25,	24·5	1·3	19	.	.	.	.	.	.	.	.	2	.	1	.	5	1	.	.	.	1
	April 1,	15·5	.	12	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	2
	„ 8,	25·8	2·6	20	.	.	.	.	.	1	.	.	3	.	.	1	4	1	.	1	1	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 31,064.	Feb. 18,	23·5	1·7	14	.	.	.	.	.	.	.	.	3	2	.	.	3	1	.	.	1	.
	„ 25,	15·1	3·4	9	1	.	.	1	.	.	.	.	1	1	.	2	1	.	.	.	.	.
	Mar. 4,	35·2	5·0	21	.	.	.	1	.	1	.	.	2	3	1	2	3	1	.	.	1	.
	„ 11,	23·5	.	14	.	.	.	.	.	.	.	.	1	.	.	3	3	.	.	.	1	.
	„ 18,	20·1	1·7	12	.	.	.	.	.	.	.	.	3	.	2	1	.	1	.	.	.	.
	„ 25,	11·7	1·7	7	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.
	April 1,	36·9	.	22	.	.	.	.	.	.	.	.	1	3	3	2	2	.	.	.	.	.
	„ 8,	33·6	5·0	20	.	.	.	.	.	.	1	.	.	1	3	3	3	2	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,908.	Feb. 18,	32·3	3·1	21	.	.	.	.	.	1	.	.	3	1	1	2	5	1	.	.	.	.
	„ 25,	36·9	7·7	24	1	.	.	.	1	1	1	.	.	1	1	4	3	1	.	1	1	1
	Mar. 4,	12·3	3·1	8	1	.	.	.	1	.	.	.	2	.	.	.	1	.	.	1	.	.
	„ 11,	18·5	3·1	12	.	.	.	.	.	1	1	.	4	.	.	.	.	.	.	1	.	.
	„ 18,	13·8	6·2	9	.	.	.	2	.	1	.	.	1	.	.	.	.	1	.	.	.	.
	„ 25,	41·5	3·1	27	.	.	.	.	.	.	.	.	7	2	1	2	5	2	.	.	.	.
	April 1,	21·5	3·1	14	1	.	.	1	.	.	.	.	4	.	.	1	1	.	.	.	.	.
	„ 8,	26·1	7·7	17	1	.	.	.	1	2	1	.	1	.	1	2	3	.	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,908.	Feb. 18,	26·1	7·5	21	2	.	.	.	2	1	.	1	1	.	.	2	2	.	.	.	.	.
	„ 25,	34·8	5·0	28	.	.	.	2	.	1	.	.	2	1	.	.	5	.	1	.	2	.
	Mar. 4,	19·9	2·5	16	1	.	.	.	.	1	.	.	3	.	1	1	2	.	.	.	1	.
	„ 11,	24·9	1·2	20	.	.	.	1	.	.	.	.	.	2	1	.	9	.	.	.	.	.
	„ 18,	22·4	3·7	18	.	.	.	.	.	1	.	.	3	2	.	1	4	.	2	.	.	2
	„ 25,	29·9	1·2	24	.	.	.	.	.	1	.	.	3	3	1	4	3	.	.	2	.	.
	April 1,	14·9	2·5	12	.	.	.	.	.	2	.	.	.	.	1	.	5	.	.	.	.	.
	„ 8,	23·6	.	19	.	.	.	.	.	.	.	.	3	.	2	.	4	.	.	.	1	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,980.	Feb. 18,	33·2	2·4	14	.	.	.	.	1	.	.	.	1	1	.	.	5	.	.	.	.	.
	„ 25,	30·8	2·4	13	.	.	.	.	.	.	.	.	2	.	1	.	3	1	.	.	1	.
	Mar. 4,	30·8	2·4	13	.	.	.	1	.	.	.	.	1	.	.	.	7	.	.	.	.	.
	„ 11,	21·4	2·4	9	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	1
	„ 18,	14·2	.	6	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	1	.
	„ 25,	35·6	4·7	15	.	.	.	.	.	2	.	.	1	2	.	2	1	.	.	.	1	.
	April 1,	26·1	2·4	11	.	.	.	1	.	.	.	.	1	2	1	1	3	.	.	.	.	.
	„ 8,	19·0	.	8	.	.	.	.	.	.	.	.	4	.	1	1	.	.	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,677.	Feb. 18,	28·7	3·6	24	.	.	.	2	.	.	1	.	3	.	.	2	5	.	.	.	1	.
	„ 25,	20·3	3·6	17	.	.	.	.	.	2	1	.	2	2	.	3	3	.	.	.	.	.
	Mar. 4,	32·2	6·0	27	.	.	.	2	1	2	.	.	4	1	.	1	9	.	.	.	.	1
	„ 11,	28·7	3·6	24	.	.	.	3	.	.	.	.	2	2	3	4	2	.	.	.	.	.
	„ 18,	31·0	2·4	26	1	.	.	.	.	1	.	.	4	1	1	3	6	.	.	.	.	.
	„ 25,	20·3	.	17	.	.	.	.	.	.	.	.	7	2	1	.	2	.	.	.	.	.
	April 1,	27·5	.	23	.	.	.	.	.	.	.	.	2	3	2	1	2	.	.	.	.	1
	„ 8,	26·3	2·4	22	1	.	.	1	.	.	.	.	4	2	1	1	5	.	.	2	.	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 36,254.	Feb. 18,	23·0	4·3	16	.	.	.	.	.	3	.	.	.	1	.	1	2	.	.	.	.	1
	„ 25,	24·5	2·9	17	.	.	.	.	.	2	.	.	5	.	.	3	1	.	.	.	.	.
	Mar. 4,	24·5	4·3	17	.	.	.	1	.	2	.	.	2	1	1	4	.	.	.	.	.	2
	„ 11,	38·8	2·9	27	.	.	.	.	1	.	.	.	5	1	.	1	2	1	.	.	2	2
	„ 18,	17·3	2·9	12	.	.	.	2	.	.	.	.	.	2	1	3	1	.	.	.	2	.
	„ 25,	28·8	4·3	20	.	.	.	1	.	2	.	.	3	1	.	1	3	.	.	.	.	.
	April 1,	15·8	1·4	11	.	.	.	.	.	.	.	.	1	.	1	2	1	1	.	.	1	1
	„ 8,	38·8	1·4	27	.	.	.	.	.	.	1	.	3	5	1	4	1	.	.	.	3	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa. Children under 2 years.	2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 37,528.	Feb. 18,	19·5	.	14	.	.	.	.	.	.	.	.	.	.	1	4	2	.	.	.	.	.
	„ 25,	22·2	.	16	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.	.	2
	Mar. 4,	18·1	.	13	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 11,	15·3	2·8	11	1	.	.	.	.	1	.	.	.	.	1	4	1	.	.	.	.	.
	„ 18,	12·5	.	9	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.
	„ 25,	19·5	.	14	.	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.	.
	April 1,	19·5	1·4	14	.	.	.	.	.	1	.	.	1	.	.	.	4	.	.	.	.	1
	„ 8,	16·7	1·4	12	1	.	.	.	.	.	.	.	3	.	.	2	.	.	.	.	1	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,368.	Feb. 18,	24·9	.	14	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	.	.
	„ 25,	16·0	1·8	9	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.
	Mar. 4,	14·2	1·8	8	.	.	.	.	.	1	.	.	1	.	.	1	2	.	.	.	.	1
	„ 11,	10·7	1·8	6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	„ 18,	12·4	.	7	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	1	.
	„ 25,	24·9	3·6	14	1	.	.	1	.	.	.	.	3	.	2	.	2	.	.	.	.	.
	April 1,	10·7	.	6	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.
	„ 8,	14·2	.	8	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 (Est.) 17,622.	Feb. 18,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 25,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Mar. 4,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 11,	14·8	.	5	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 18,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	2
	„ 25,	23·7	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
	April 1,	17·8	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.
	„ 8,	14·8	.	5	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.
Belfast. Pop. in 1911 (Est.) 398,421.	Feb. 18,	19·5	.	149	.	.	.	.	.	.	.	.	22	11	5	14	25	.	.	2	.	.
	„ 25,	18·5	0·3	141	.	.	.	.	1	1	.	.	15	10	8	11	20	.	.	2	4	.
	Mar. 4,	17·4	0·3	133	.	.	.	.	.	1	.	.	13	10	3	15	20	1	.	1	3	3
	„ 11,	15·4	0·3	118	.	.	.	.	.	1	.	.	19	7	6	10	20	.	1	.	2	2
	„ 18,	15·4	0·4	118	.	.	.	.	1	1	.	.	7	8	11	10	14	1	.	.	1	1
	„ 25,	19·2	0·7	147	.	.	.	.	1	.	1	.	22	9	8	14	16	.	3	3	3	.
	April 1,	18·1	0·3	138	.	.	.	.	.	.	1	.	24	8	4	16	19	.	1	2	4	1
	„ 8,	22·5	0·4	172	1	.	.	.	1	.	.	.	26	8	5	13	26	1	.	1	8	3
Cork. Pop. (in 1901) 76,122.	Feb. 18,	25·3	.	37	.	.	.	.	.	.	.	.	7	.	.	3	11	.	.	.	.	3
	„ 25,	24·7	0·7	36	.	.	.	.	.	1	.	.	7	1	1	2	4	.	.	.	2	1
	Mar. 4,	17·8	0·7	26	.	.	.	.	.	1	.	.	7	1	.	1	3	.	.	.	.	1
	„ 11,	27·4	0·7	40	.	.	.	.	.	1	.	.	9	3	1	1	3	.	.	1	1	.
	„ 18,	16·4	.	24	.	.	.	.	.	.	.	.	4	.	2	.	8	.	.	.	2	.
	„ 25,	21·9	.	32	.	.	.	.	.	.	.	.	10	4	1	1	5	.	.	.	.	1
	April 1,	19·2	.	28	.	.	.	.	.	.	.	.	4	2	2	3	3	.	.	.	.	1
	„ 8,	30·8	0·7	45	.	.	.	.	.	1	.	.	1	1	1	3	3	.	.	.	1	2
Londonderry. Pop. in 1911 (Est.) 43,900.	Feb. 18,	29·7	7·1	25	1	.	.	.	.	5	.	.	4	.	2	.	6	.	.	.	.	.
	„ 25,	22·6	1·2	19	.	.	.	.	.	1	.	.	.	2	1	1	3	.	.	.	1	.
	Mar. 4,	28·5	7·1	24	.	.	.	.	.	6	.	.	2	.	.	3	1	.	.	.	.	2
	„ 11,	15·4	2·4	13	.	.	.	.	.	1	.	.	1	.	1	.	4	1	.	1	.	.
	„ 18,	10·7	.	9	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.
	„ 25,	20·2	.	17	.	.	.	.	.	.	.	.	4	1	.	2	.	.	.	1	1	.
	April 1,	22·6	4·8	19	.	.	.	.	.	3	1	.	1	.	1	1	5	.	.	.	.	.
	„ 8,	35·6	2·4	30	.	.	.	.	.	2	.	.	1	.	1	5	8	.	.	.	1	.
Limerick. Pop. (in 1901) 38,151.	Feb. 18,	10·9	.	8	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.	2
	„ 25,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	1
	Mar. 4,	30·1	.	22	.	.	.	.	.	.	.	.	3	.	.	2	5	.	.	.	.	4
	„ 11,	24·6	.	18	.	.	.	.	.	.	.	.	1	.	1	1	4	.	.	.	.	2
	„ 18,	15·0	.	11	.	.	.	.	.	.	.	.	3	.	.	2	1	.	.	.	.	1
	„ 25,	26·0	.	19	.	.	.	.	.	.	.	.	3	1	2	1	5	.	.	.	.	.
	April 1,	31·4	.	23	.	.	.	.	.	.	.	.	5	.	.	3	6	.	.	.	.	.
	„ 8,	17·8	.	13	.	.	.	.	.	.	.	.	3	.	.	2	3	.	.	.	.	2
Waterford. Pop. (in 1901) 26,769.	Feb. 18,	23·4	.	12	.	.	.	.	.	.	.	.	1	2	1	.	4	.	.	1	.	2
	„ 25,	13·6	.	7	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	1	.	1
	Mar. 4,	33·1	.	17	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.	.	2
	„ 11,	17·5	.	9	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	1
	„ 18,	15·6	.	8	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	.	.
	„ 25,	13·6	.	7	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	.
	April 1,	23·4	.	12	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	1	.
	„ 8,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 8th April, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 25 years.	Ages at Death: 25 and under 45 years.	Ages at Death: 45 and under 65 years.	Ages at Death: 65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa: Of children under 2 years of age.	Diarrhœa: 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	349,180	5	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		5	1	.	.	2	1	1	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	2	.
Do. 2 do.		27			21	6	.	2	4	8	1	.	.	.	.	.	.	.	.	4	.	.	1	3	.	.	.	.	4	8	.
Do. 3 do.		37			30	6	1	4	5	6	8	.	.	.	.	.	.	.	.	3	.	1	5	4	.	.	.	2	2	5	.
Do. 4 do.		31			15	1	.	1	5	5	3	.	.	.	.	.	.	.	.	1	1	.	1	5	.	.	1	3	3	3	.
Do. 5 do.		25			11	4	1	1	.	3	2	1	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	2	2	4	.
Do. 6 do.		16			15	.	.	.	2	4	9	.	.	.	.	.	.	.	.	2	.	.	.	4	.	.	.	.	.	4	1
Do. 7 do.		2			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Do. 8 do.		2			4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 9 do.		13			12	4	1	2	3	1	1	.	.	.	.	1	.	.	.	3	1	.	.	1	1	.	.	.	1	2	.
Do. 10 do.		14			16	3	1	2	2	4	4	.	.	.	.	.	.	.	.	3	1	1	2	2	.	.	.	.	2	2	1
Do. 11 do.		16			15	3	1	1	5	4	1	.	.	.	.	.	.	.	.	3	1	.	1	1	.	.	.	1	1	5	1
Do 12 do.		29			10	3	1	.	4	1	1	.	.	.	.	.	.	.	.	1	1	1	.	4	.	.	.	.	.	1	.
Do. 13 do.		5			4	.	.	1	1	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.
Do. 14 do.		..			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		10			13	5	1	.	1	5	1	.	.	.	.	.	.	.	.	1	1	.	3	1	.	.	.	.	.	2	.
Total,	—	232			172	36	7	14	36	45	34	1	.	.	.	1	.	.	.	26	8	5	13	26	1	.	1	8	15	41	3
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	6	40·5	.	10	.	.	2	1	4	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	7	.
Do. 2 do.	10,701	4	24·4	.	5	.	.	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 3 do.	9,978	4	10·5	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
Do. 4 do.	8,666	6	18·1	.	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 5 do.	6,592	1	47·5	.	6	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	3	.
Do. 6 do.	10,702	2	63·3	4·9	13	4	1	.	1	4	3	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	6	1
Do. 7 do.	16,616	9	18·8	.	6	1	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1
Total,	76,122	32	30·8	0·7	45	5	3	4	6	13	14	.	.	.	.	.	1	.	.	1	1	1	3	3	.	.	.	1	1	21	2

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910–11—WEEK ENDING																									
	Oct 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.
No. of weeks in Annual Series,	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14
BIRTHS registered, ...	205	228	201	183	178	156	181	175	185	167	200	199	241	231	233	188	212	218	216	213	232	193	220	218	232	232
DEATHS registered, ...	122	120	115	108	122	132	134	109	151	133	132	91	122	151	118	118	128	146	149	141	133	118	118	147	138	172
Annual Death rate per 1,000 of estimated population, ...	16·3	16·0	15·3	14·4	16·3	17·6	17·9	14·5	20·1	17·7	17·6	12·1	16·0	19·8	15·4	15·4	16·8	19·1	19·5	18·5	17·4	15·4	15·4	19·2	18·1	22·5
AGES, Under 1 year, ...	27	27	28	24	28	27	24	17	34	20	22	18	21	30	23	26	24	24	31	21	25	20	33	23	26	36
AGES, 1—5 years, ...	14	16	8	11	6	6	5	8	11	17	12	8	12	11	8	10	10	7	10	14	9	10	6	17	11	7
AGES, 5—25 „ ...	81	77	79	73	88	99	105	84	106	96	98	65	7	20	16	11	6	11	21	17	18	9	10	19	11	14
AGES, 25—45 „ ...													30	37	17	13	25	27	30	29	16	23	14	28	23	36
AGES, 45—65 „ ...													32	25	21	27	34	34	32	26	35	29	27	30	38	45
AGES, 65 and upwards, ...													20	28	33	31	29	43	25	34	30	27	28	30	29	34
Deaths from :—																										
Enteric Fever, ...	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	5	.	3	1	.	2	2	3	3	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	1	.	1	.	.	1	.	1	2	1	1	1	1	1	.	.	1	.	1	.	.	1	1	.	1
Whooping-cough, ...	1	.	1	.	.	.	1	.	1	.	1	1	.	.	1	1	1	.	.	1	1	1	1	.	.	.
Diphtheria, ...	2	1	.	.	1	1	.	1	4	.	.	.	.	.	1	2	1	.	.	.	.	.	.	1	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	17	10	12	14	12	17	17	13	14	12	15	9	14	23	17	13	10	11	22	15	13	19	7	22	24	26
Tuberculous Disease. Other Forms,	8	6	8	2	7	8	4	7	5	7	3	3	7	7	4	4	4	4	11	10	10	7	8	9	8	8
Cancer, ...	7	5	7	9	5	8	9	6	5	8	6	5	7	2	7	11	6	5	5	8	3	6	11	8	4	5
Diseases of Respiratory System, Pneumonia	11	11	7	7	13	11	8	7	13	10	10	7	8	9	7	7	7	11	14	11	15	10	10	14	16	13
Diseases of Respiratory System, Others, ...	16	9	19	11	23	16	25	25	36	22	29	18	18	24	24	20	25	26	25	20	20	20	14	16	19	26
Diarrhœa, Under 2 years, ...	3	8	10	6	4	3	1	1	4	3	1	.	1	.	.	.	.	1	.	.	1	.	1	.	.	1
Diarrhœa, 2 years & upwards,													1	1	.	.	.	1	.	.	.	1	.	3	1	.
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	—	1	.	.	2	2	3	2	2	1	.	.	3	2	1
Violent Deaths, ...	.	2	.	3	4	2	5	3	2	6	2	4	6	6	1	2	4	4	.	4	3	2	1	3	4	8
Number of Uncertified Deaths, ...	1	.	.	2	3	.	.	3	4	1	1	3	3	.	1	5	2	1	.	.	3	2	1	.	1	3

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,912,054	Apr. 8,	2,044	1,407	14·9	2	.	131	3	35	11	9a
Edinburgh, ...	365,253	„ 8,	148	129	18·4	.	.	2	2	3	.	1
Glasgow, ...	897,178	„ 8,	433	290	16·9	1	.	3	2	23	4	4
Calcutta, ...	1,009,008	Mar. 4,	.	441	22·7	103*	1	2	.	1	.	58‡
Bombay, ...	977,822	„ 4,	390	896	47·7	237*	22	46	.	.	.	49
Madras, ...	509,346	Feb. 11,	368	422	43·0	74*	9	4	?	?	?	103
Cairo, ...	689,439	„ 18,	638	458	34·6	2	.	.	1	.	6†	40a
Paris, ...	2,760,000	Mar. 11,	951	896	17·0	4	.	18	.	5	4†	13a
Brussels, ...	720,030	„ 11,	259	231	16·7	1	.	2	.	.	2†	3a
Antwerp, ...	320,640	„ 18,	112	91	14·8	1	.	4	.	2	.	7a
Amsterdam, ...	575,872	„ 18,	244	147	13·3	1	.	3	.	5	.	1a
Copenhagen, ...	459,000	„ 18,	261	160	18·2	.	.	3	4	2	.	3a
Stockholm, ...	341,816	„ 11,	124	85	12·9	.	.	.	.	1	.	1a
Christiania, ...	240,178	„ 25,	105	65	14·1	.	.	.	.	5	.	.
St. Petersburg, ...	1,639,266	Feb. 25,	849	644	20·5	3	4	4	16	4	15	33
Moscow, ...	1,493,600	„ 25,	.	783	27·3	3	2	8	28	4	30†	52
Berlin, ...	2,074,068	Mar. 11,	841	579	14·6	1	.	3	5	6	23†	36
Hamburg, ...	932,166	„ 18,	.	255	14·2	1	.	8	2	1	12†	9
Breslau, ...	515,171	„ 18,	.	210	21·3	.	2	2	.	.	1	18
Munich, ...	597,000	„ 25,	.	197	17·2	1	.	1	.	1	5†	7
Vienna (with suburbs),	2,030,834	„ 18,	844	718	18·4	.	.	7	5	2	3†	19a
Buda-Pesth, ...	891,585	„ 18,	433	331	19·3	1	.	1	10	1	2†	10a
Prague and Faubourgs,	508,310	„ 4,	196	206	21·1	.	.	.	2	.	4†	7a
Trieste, ...	226,423	„ 11,	139	133	30·6	.	.	4	.	1	.	1a
Rome, ...	593,110	Jan. 7,	326	311	27·3	7	.	.	.	.	3	18
Venice, ...	184,325	Mar. 4,	89	94	26·6	.	.	.	.	1	.	2
New York, ...	4,983,385	Feb. 25,	3,027	1,670	17·5	4	.	13	21	5	32†	55a
Philadelphia, ...	1,573,509	Jan. 28,	.	510	16·9	5	1	11	6	2	12	17a
		Feb. 4,	.	526	17·4	3	.	10	7	2	17	12a
Boston, ...	686,912	Mar. 18,	.	275	20·8	.	.	1	6	4	2	7

* Deaths from "fever," including 2 deaths from enteric fever and 32 deaths from plague in Calcutta, 3 deaths from enteric fever and 174 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 30 deaths from cholera in Calcutta.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th April, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	1	1	.	.	.	2
„ „ 1, West, ...	.	1	.	.	1	.	.	.	.	.	.	1	3
„ „ 2, ...	.	2	.	.	.	.	.	.	.	.	.	2	4
„ „ 3, ...	.	2	.	.	7	.	1	3	1	.	.	3	17
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	3	.	.	.	.	.	.	.	4
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	4	.	.	1	.	.	5	1	.	.	.	11
„ „ 2, ...	.	.	.	.	1	.	.	.	.	.	.	.	1
„ „ 3, ...	.	2	.	.	.	.	.	1	.	.	.	1	4
„ „ 4, ...	.	2	.	.	1	.	.	.	.	.	.	.	3
New Kilmainham, ...	.	2	.	.	1	.	.	.	.	.	.	.	3
Total, ...	.	16	.	.	15	.	1	10	3	.	.	7	52

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th April, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 8th April.			
	Mar. 18.	Mar. 25.	April 1.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	37	41	49	24	15	.	58
Scarlet Fever, ...	138	112	118	22	25	3	112*
Typhus, ...	.	1	2	.	.	.	2
Diphtheria, ...	64	63	69	13	14	2	66
Enteric Fever, ...	82	79	75	9	13	1	70
Pneumonia, ...	28	23	28	11	2	.	37

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 8th April, 1911:—

"This first week of April was in many respects the most severe of any week during the past winter. The whole of Europe was under the chilling influence of a strong polar air-current, which brought falls of snow and hail to nearly all districts and attendant or subsequent freezing temperatures. Already on Sunday morning a large primary atmospheric depression had begun to move southwards from Lapland, and its subsidiary depressions to travel in a like direction down the North Sea and across the British Isles. One of the latter systems caused an extremely heavy rainfall in the London area—1·09 inches of rain being measured at Kew Observatory in the 48 hours ending 7 a.m. of Monday. At that time, the primary disturbance was central over the Island of Gothland in the Baltic, the barometer reading 29·17 inches at Wisby, whereas it stood as high as 30·63 inches at Seydisfjord on the east coast of Iceland. The gradient for N. winds was therefore very steep, and so a biting blast from N. or N.E. swept over the British Isles and Western Europe in general. In Dublin the thermometer fell to 37·1° on Monday forenoon and there was a frost in the succeeding night. Inland, at Birr Castle, the thermometer sank to 23° in the screen. The severe weather culminated on Wednesday, when a snowstorm of exceptional violence occurred in Kent, and snow blizzards swept over the greater part of the British Isles and France. On Thursday baric gradients became less steep and the weather moderated, as the N.E. wind lessened in force. The air at the same time became moister and softer, apparently from an admixture of warmer Atlantic air, which had been passing over Iceland for some days—at 7 a.m. of Thursday the thermometer read 46° at the Icelandic stations, while it was as low as 30° at Kew Observatory. The N.E. wind continued to the close of the week. In Dublin the mean height of the barometer was 30·333 inches, pressure ranging from 30·023 inches at 9 a.m. of Sunday (wind, N.E.) and 30·472 inches at 9 p.m. of Saturday (wind also N.E.). The corrected mean temperature was 40·9°, which was also the mean dry bulb reading at 9 a.m. and 9 p.m. The wind was almost constantly from N.E. Hail and snow fell on Tuesday and Wednesday. The rainfall was ·081 inch on 3 days, ·030 inch being measured on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·154 inches. The highest reading (30·297) was on Saturday at 9 p.m., wind N.E., and the lowest (29·843) on Sunday at 9 a.m., air calm.

The mean temperature for the week was 39·4°, being 4·7° below the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Sunday, on which day the thermometer registered 51·7°, and was lowest on Saturday, the mercury having fallen to 29·2°. The mean of the Dry Bulb for the week was 39·2° and of the Wet Bulb, 37·4°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The rainfall during the week measured 0·131 inch.

At Greenwich the mean temperature for the week was 36·3°, the maximum 50·6°, and the minimum 26·7°; at Glasgow the maximum was 53·0°, the minimum 31·0°, and the mean 40·1°; and at Edinburgh the maximum was 49·0°, the minimum 30·6°, and the mean 38·0°. The rainfall at Greenwich measured 0·91 in.; and at Edinburgh 0·07 in. There was no rainfall recorded at Glasgow.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, April 2,	29·875	51·7	38·9	45·3	41·9	40·8	·92	·6	0·7	·060	Calm.	Calm.
Monday, „ 3,	30·143	41·5	32·8	37·2	35·3	34·0	·88	·5	4·4	·008	N.E.	N.E.
Tuesday, „ 4,	30·197	41·1	32·7	36·9	36·9	35·4	·88	·6	0·0	·005	Calm.	N.
Wednesday, „ 5,	30·211	40·7	32·7	36·7	37·4	33·7	·70	·6	8·0	·016	N.E.	E.N.E.
Thursday, „ 6,	30·234	43·9	33·9	38·9	38·7	36·3	·81	·5	10·5	·032	N.E.	E.N.E.
Friday, „ 7,	30·133	46·5	39·7	43·1	41·3	40·4	·94	·5	1·7	·010	N.E.	N.E.
Saturday, „ 8,	30·285	45·7	29·2	37·5	42·8	41·1	·86	·6	0·4	·000	N.E.	N.E.
Mean, ...	30·154	44·4	34·3	39·4	39·2	37·4	·86	·6	Total 25·7	Total ·131	Prevailing Wind, N.E.	

Sunday—Day overcast to cloudy; night cloudy. *Monday*—Day overcast to cloudy; light rain 7 a.m.; night clear. *Tuesday*—Day overcast; night clear to cloudy; showers of sleet a.m. *Wednesday*—Day cloudy, passing showers of snow at p.m.; night cloudy. *Thursday*—Day cloudy; night cloudy. *Friday*—Day cloudy; light rain 7 a.m. to 10.20 a.m. *Saturday*—Day overcast; night overcast.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, April 8th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, April 2,	44·9	44·8	44·7	51·2	43·2	47·2	4·6	·035
Monday, „ 3,	37·8	40·1	44·0	51·2	37·5	44·4	3·1	·001
Tuesday, „ 4,	39·5	43·1	45·0	49·0	38·2	43·6	—	—
Wednesday, „ 5,	40·0	42·8	45·6	45·0	33·5	39·3	7·8	·024
Thursday, „ 6,	39·0	42·3	45·1	44·6	35·7	40·2	7·2	·150
Friday, „ 7,	42·9	42·6	45·0	48·4	39·6	44·0	1·8	·024
Saturday, „ 8,	43·6	42·8	45·0	42·1	34·1	38·1	0·5	—
Weekly Mean, .	41·1	42·6	44·9	47·4	37·4	42·4	Total 25·0	Total ·234

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30467. Wt. P. 489–53/138. 375. 4. 1911. G. III. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & CO., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 15TH APRIL, 1911. [No. 15.

General Register Office, Charlemont House, Dublin, 18*th April,* 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,163,596.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Mar. 25	April 1	April 8	April 15	Average Rate for 4 weeks.
22 Town Districts, ...	**21·2**	**20·7**	**22·4**	**20·3**	**21·1**
Armagh	13·7	.	6·9	6·9	6·9
Ballymena	19·2	28·7	19·2	23·9	22·7
Belfast	19·2	18·1	22·5	21·1	20·2
Clonmel	15·4	25·6	10·3	15·4	16·7
Cork	21·9	19·2	30·8	27·4	24·8
Drogheda	4·1	32·7	20·4	4·1	15·3
Dublin Reg. Area ...	25·1	21·5	23·2	21·1	22·7
Dundalk	16·0	.	16·0	.	8·0
Galway	19·4	42·7	15·5	7·8	21·3
Kilkenny	34·3	39·3	19·7	44·2	34·4
Limerick	26·0	31·4	17·8	17·8	23·2
Lisburn	18·2	22·7	18·2	13·6	18·2
Londonderry	20·2	22·6	35·6	26·1	26·1
Lurgan	13·3	22·1	13·3	8·9	14·4
Newry	16·8	16·8	12·6	4·2	12·6
Newtownards	5·7	17·2	17·2	28·6	17·2
Portadown	5·2	10·3	5·2	10·3	7·8
Queenstown	13·2	.	6·6	13·2	8·3
Sligo	19·2	24·0	14·4	9·6	16·8
Tralee	37·0	47·6	26·4	5·3	29·1
Waterford	13·6	23·4	11·7	13·6	15·6
Wexford	9·3	9·3	23·3	23·3	16·3

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in sixteen of the districts to 4·9 in Kilkenny, the 9 deaths from all causes for that district including one from diphtheria. Among the 161 deaths from all causes for Belfast are one from measles, 3 from whooping-cough, 2 from diphtheria, and one from diarrhœa. Included in the 40 deaths from all causes for Cork is one from enteric fever. Among the 22 deaths from all causes for Londonderry are 4 from whooping-cough, and one of the 13 deaths from all causes for Limerick is from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 171—92 boys and 79 girls—and the deaths to 174—82 males and 92 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 21·1 per 1,000 of the population. During the fifteen weeks ending with Saturday last the death-rate averaged 23·3, and was 2·7 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœa

The total deaths registered, numbering 174, represent an annual rate of 22·3 per 1,000; the annual rate for the past fifteen weeks was 24·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 27·1 per 1,000 of the mean population for all deaths registered.

The deaths from all causes included one death from enteric fever, 7 deaths from measles, 4 deaths from scarlet fever, 6 deaths from whooping-cough, 3* deaths from diphtheria, one* death from dysentery, and 5 deaths from diarrhœa and enteritis of children under 2 years of age.

In the three weeks preceding deaths from enteric fever were 2, one and 3; deaths from measles were 3, 2, and one; deaths from scarlet fever were one, 0, and one; deaths from whooping-cough were 6, 5, and 3; deaths from diphtheria were one, one, and 4; and deaths from diarrhœa and enteritis of children under 2 years of age were 8, 2, and 6.

Deaths from all forms of tuberculous disease, which numbered 47, 29, and 39 in each of the three preceding weeks, declined to 24 in the period under notice; the latter figure comprises 21 deaths from pulmonary tuberculosis, and one death from each of tuberculous meningitis, abdominal tuberculosis, and disseminated tuberculosis.

Broncho-pneumonia caused 12 deaths, lobar pneumonia 2 deaths, and *pneumonia* (type not distinguished) 5 deaths.

There were 8 deaths from cancer.

The deaths (18) from diseases of the brain and nervous system include the death of one infant from *convulsions*.

Diseases of the heart and blood vessels caused the deaths of 14 persons, and there were 22 deaths from bronchitis.

Prematurity and congenital debility caused the deaths of 7 infants, 2 being assigned to the former cause and 5 to the latter.

There was one death from accidental violence, namely that caused by collapse of a house.

In one instance the cause of death was "uncertified," there having been no medical attendant during the last illness.

Sixty-three of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 9 were under one month old) and 29 were aged 65 years and upwards; including 23 persons aged 70 years and upwards; among the latter were 10 aged 75 years and upwards.

Seventy-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death rate for the entire Registration Area was 21·1 per 1,000; the rate in the City was 22·0 (North City Districts, 21·4; South, 22·5) and in the Suburbs, 18·4.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·8 per 1,000 inhabitants, the rate for the City being 3·3 (3·2 in the North City Districts, and 3·4 in the South), and for the Suburbs, 1·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (4) are equal to an annual rate of 6·9 per 1,000. Diphtheria caused one death, there was one death from pulmonary tuberculosis; also one death from broncho-pneumonia.

No. 1 *North City District, West* (Summer-hill).—The deaths (26) are equal to an annual rate of 33·6 per 1,000, and included 3 deaths from measles, one death from diarrhœa, 3 deaths from pulmonary tuberculosis, one death from broncho-pneumonia, one death from *pneumonia* (type not distinguished), and 5 deaths from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 26·9 per 1,000. Scarlet fever and whooping-cough each caused one death, there were 2 deaths from pulmonary tuberculosis, 2 deaths from broncho-pneumonia, one death from lobar pneumonia, 2 deaths from bronchitis, and one accidental death.

No. 3 *North City District* (Benburb-street).—The deaths (13) represent an annual rate of 20·0 per 1,000. Scarlet fever caused one death, there were 2 deaths from whooping-cough, one death from pulmonary tuberculosis, and one death from broncho-pneumonia.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 22·2 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0, and Finglas and Glasnevin, part of, 13·4. Of the 5 deaths from all causes for Coolock and Drumcondra, part of, 2 were from tuberculous disease and one from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (25) represent an annual rate of 31·1 per 1,000. Measles and scarlet fever each caused one death, there were 4 deaths from tuberculous disease, and 5 deaths from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 23·7 per 1,000, and include one death from pulmonary tuberculosis, and 2 deaths from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (12) are equal to an annual rate of 14·3 per 1,000. Enteric fever, measles, and whooping-cough each caused one death, and there were 2 deaths from broncho-pneumonia.

No. 4 *South City District* (Grand Canal Street).—The deaths (15) are equivalent to an annual rate of 21·6 per 1,000. Two deaths from measles, one from scarlet fever, 2 from whooping-cough, one from pulmonary tuberculosis, one from broncho-pneumonia, one from *pneumonia* (type not distinguished), and 2 from bronchitis are included in the total deaths.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 22·7 per 1000, and comprise one death from pulmonary tuberculosis, one death from broncho-pneumonia, and 2 deaths from diseases of the respiratory system.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·9; Pembroke, 24·9; Blackrock, 17·4; and Kingstown, 17·8. The deaths from the principal epidemic diseases tabulated for these districts include one from diphtheria for Blackrock and one from diarrhœa for Pembroke. Of the 10 deaths from all causes for Rathmines and Rathgar 2 were from pulmonary tuberculosis, one from broncho-pneumonia, and 2 from bronchitis. The 14 deaths from all causes for Pembroke included 2 from pulmonary tuberculosis, 4 from pneumonia (all forms), and 3 from diseases of the respiratory system. Of the 3 deaths for Blackrock one was from bronchitis, and among the 6 deaths from all causes for Kingstown 2 were from pulmonary tuberculosis.

* See note (c) Table II. † See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 15th April, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Mar. 25,	.	—	—	14	1	.	8	.	3	13	9	.	—	—	.	—	10	—	58
	Apr. 1,	.	—	—	6	1	.	7	.	.	12	8	.	—	—	.	—	17	—	51
	Apr. 8,	.	—	—	16	.	.	15	.	1	10	3	.	—	—	.	—	7	—	52
	Apr. 15,	.	—	—	9	.	.	15	.	1	10	7	.	—	—	.	—	7	—	49
Rathmines and Rathgar Urban District.	Mar. 25,	.	—	—	.	.	.	2	.	.	1	.	.	—	—	—	—	—	—	3
	Apr. 1,	.	—	—	3	.	.	5	.	.	4	3	.	—	—	—	—	—	—	15
	Apr. 8,	.	—	—	1	.	.	3	.	.	1	.	.	—	—	—	—	—	—	5
	Apr. 15,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	—	3
Pembroke Urban District.	Mar. 25,	.	4	.	.	.	.	.	.	.	.	.	.	—	8	.	—	.	—	12
	Apr. 1,	.	7	.	1	.	.	1	.	.	.	.	.	—	10	.	—	.	—	19
	Apr. 8,	.	16	.	.	.	.	.	.	.	.	.	.	—	12	.	—	.	—	28
	Apr. 15,	.	3	.	.	.	.	.	.	.	1	.	.	—	3	.	—	.	—	7
Blackrock Urban District.	Mar. 25,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
	Apr. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Apr. 8,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Apr. 15,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	.	—	—	—	3
Kingstown Urban District.	Mar. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Apr. 1,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Apr. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Apr. 15,	.	—	—	1	.	.	.	.	.	.	2	.	—	—	—	—	.	—	3
City of Belfast.	Mar. 25,	.	—	—	6	.	.	3	1	.	.	2	.	—	—	.	—	11	—	23
	Apr. 1,	.	—	—	9	.	.	10	.	1	2	3	.	—	—	.	—	16	—	41
	Apr. 8,	.	—	—	9	.	.	1	.	.	2	6	.	—	—	.	—	11	—	29
	Apr. 15,	.	—	—	11	.	.	6	.	.	4	5	.	—	—	.	—	8	—	34

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th April, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Twenty-nine cases of measles were admitted to hospital during the week, 15 were discharged, there were 4 deaths, and 68 cases remained under treatment at the close of the week.

Seventeen cases of scarlet fever were admitted to hospital, 15 were discharged, there were 4 deaths, and 110* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 112, 118, and 112, respectively.

One case of typhus was discharged from hospital during the week, and one case remained under treatment at its close.

Seventeen cases of diphtheria were admitted to hospital during the week, 21 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 63, 69, and 66, respectively, were 60 at the close of last week.

Four cases of enteric fever were admitted to hospital during the week, 14 were discharged, and 60 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 79, 75, and 70.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 8 were discharged, there was one death, and 34 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 14·4) was equal to an average annual death-rate of 15·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·0 per 1,000, the rate for Glasgow being 17·7 and for Edinburgh 16·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 15th April. From this Report it appears that of a total of 56 cases notified, 22 were phthisis, 20 scarlet fever, 13 diphtheria, and one enteric fever. Among the 358 cases of infectious diseases in hospital at the close of the week were 137 cases of scarlet fever, 62 of diphtheria, 56 of phthisis, 50 of measles, 32 of whooping-cough, 6 of erysipelas, 5 of chicken-pox, 3 of enteric fever, 2 of cerebro-spinal fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 15th April, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 15th April, 1911. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 15th April, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th April, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st April, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
Total of 22 Town Districts, ...	1,163,596	20·4	23·7	20·3	1·6	529	452	68	112	3	...	...	8	4	13	5	...	63	6	17	45	75	2	1	5	6	14	160	9	...	...	...	...	...	...	...	...	...	...	...	...
Dublin Registration Area:—Total, (c) ...	407,057	29·6	21·9	21·1	2·8	171	165	31	29	1	...	...	7	4	6	2	...	20	2	7	17	26	2	...	3	1	4	69	1	f60·4	25·9	43·7	0·00	e51·7	29·2	39·4	0·13	e51·8	29·5	42·7	0·77
City of Dublin,	313,526	39·6	24·9	22·0	3·3	150	132	29	16	1	...	...	7	4	6	1	...	14	2	4	12	20	1	...	3	1	4	62	1	f60·4 g60·8	33·9 29·0	46·2 45·0	0·01 0·00	f51·2 g51·9	31·8 28·6	40·9 39·6	0·08 0·15	f52·1 g52·9	36·4 33·0	44·5 42·9	0·96 0·92
Urban Districts. Rathmines and Rathgar.	37,528	21·9	11·1	13·9	...	8	10	...	5	...	...	...	...	...	...	...	...	2	...	...	1	2	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,368	18·5	14·2	24·9	1·8	8	14	2	5	...	...	...	...	...	...	...	...	2	...	2	4	3	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,013	8·3	23·1	17·4	5.8	4	3	...	1	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,622	12·1	3·0	17·8	...	1	6	...	2	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	...	...	2	...	61	34	46·5	0·02	49	34	41	0·02	51	38	43·4	0·84
Belfast, ...	398,421	27·1	26·7	21·1	0·9	204	161	24	41	...	...	...	1	...	3	2	...	25	1	5	19	29	...	1	2	2	6	51	2	55·0	32·8	45·3	0·00	50·5	32·2	42·2	0·00	49·8	30·2	42·3	0·41
Cork, ...	76,122	33·6	26·0	27·4	0·7	38	40	4	11	1	...	...	...	...	...	...	...	6	...	3	3	4	...	...	...	...	...	20	1	56	34	44·5	0·00	51	30	41·3	0·51	53	32	43·5	0·53
Londonderry, ...	43,900	20·3	16·6	26·4	4·8	14	22	2	7	...	...	...	...	...	4	...	...	3	...	...	2	6	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,151	18·1	16·4	17·8	1·4	12	13	1	4	1	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	...	6	3	61·6	25	44·8	0·00	56·6	25·1	39·7	0·26	56·8	28	41·6	0·17
Waterford, ...	26,769	18·7	29·2	13·6	...	15	7	1	2	...	...	...	...	...	...	...	...	3	...	...	...	2	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,426	2·5	...	7·8	...	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	...	60	32	46	0·00	55	26	41	0·00	57	30	43·5	0·20
Dundalk, ...	13,076	9·1	12·0	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,760	8·6	36·8	4·1	...	9	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	12,405	17·8	25·2	4·2	...	6	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	62·9	32·6	40·8	0·15	51·9	23·3	38·3	0·03	52·0	26·1	42·3	0·13
Lurgan, ...	11,782	13·8	22·1	8·9	...	5	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	62·9	32·6	40·8	0·15	51·9	23·3	38·3	0·03	52·0	26·1	42·3	0·13
Lisburn, ...	11,461	10·1	10·9	13·6	...	9	3	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Wexford, ...	11,168	23·2	18·7	23·3	...	4	5	...	4	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena, ...	10,886	8·9	14·1	23·9	...	3	5	...	1	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	1	...	...	1	...	58·3	26·8	41·1	0·14	52·3	21·5	39·0	0·00	51·7	22·3	42·9	0·42
Sligo, ...	10,870	3·7	11·1	9·6	...	3	2	...	1	...	...	...	...	...	...	1	...	2	...	...	1	2	...	...	...	...	1	4	...	63	30	45·9	0·00	53	28	39·3	0·09	58	28	45·4	0·28
Kilkenny, ...	10,609	11·5	24·6	14·2	4·9	5	9	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Clonmel, ...	10,167	7·8	5·1	15·4	...	1	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	62·9	32·6	40·8	0·15	51·9	23·3	38·3	0·03	52·0	26·1	42·3	0·13
Portadown, ...	10,092	13·2	41·3	10·3	...	8	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Tralee, ...	9,867	16·6	31·7	5·3	...	6	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	40·1	28·6	...	7	5	1	2	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	...	...	...	2	...	58	37	45·4	0·04	48	35	40·8	0·03	49	37	42·9	0·29
Queenstown, ...	7,909	14·4	19·8	13·2	...	3	2	...	2	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	56	34	44·5	0·00	51	30	41·3	0·51	53	32	43·5	0·53
Armagh, ...	7,588	22·2	20·6	6·9	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	62·9	32·6	40·8	0·15	51·9	23·3	38·3	0·03	52·0	26·1	42·3	0·13

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1911. (b) See note (‡) at foot of first page. (c) Exclusive of 9 deaths of persons admitted to hospital from localities outside the Area; the 9 deaths include one from diphtheria and one from dysentery. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 15th of April, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	3	.	.	.	.	.	1	.	1	2	.	.	.	.	.	7	.
Scarlet Fever,	.	.	1	1	.	.	.	1	.	.	1	.	.	.	.	.	4	.
Whooping-cough,	.	.	1	2	.	.	.	.	.	1	2	.	.	.	.	.	6	.
Diphtheria,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Tuberculous Disease. — Pulmonary Tuberculosis,	1	3	2	1	.	1	.	3	1	.	1	1	2	2	.	2	20	1
Tuberculous Disease. — Other Forms,	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	2	1
Cancer,	.	.	.	1	.	1	.	1	1	.	.	.	.	2	.	1	7	1
Diseases of Nervous System,	.	6	2	.	.	1	.	1	1	1	2	.	2	.	.	1	17	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	1	.	2	.	.	1	2	1	4	.	.	2	.	.	.	14	.
" Respiratory System. — Pneumonia,	1	2	3	1	.	.	.	.	.	2	2	1	1	4	.	.	17	2
" Respiratory System. — Others,	.	5	2	1	.	1	.	5	2	.	2	2	2	3	1	.	26	.
" Digestive System. — Diarrhœa, under 2 years,	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Enteritis, under 2 years,	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	3	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
" Digestive System. — Others,	.	1	2	1	.	.	.	2	.	.	.	.	.	1	1	1	9	1
" Genito-urinary System,	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	2	2	3	.	.	.	5	4	1	3	.	.	1	.	1	22	.
Violent Deaths,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Deaths from All Causes	4	26	16	13	.	5	2	25	10	12	15	4	10	14	3	6	165	9
Annual Rate of Mortality from All Causes in every 1,000 of the population.	6·9	33·6	26·9	20·0	.	22·2	13·4	31·1	23·7	14·3	21·6	22·7	13·9	24·9	17·4	17·8	21·1	.
	21·4							22·5					18·4					
	22·0																	
Ages at Death. — Under 1 year,	.	6	3	2	.	.	1	5	3	3	5	1	.	2	.	.	31	.
1 and under 2 years,	2	1	3	2	.	2	.	1	.	.	4	1	1	1	.	.	18	.
2 " 5 "	.	3	1	1	.	.	1	4	.	1	.	.	.	.	1	1	13	1
5 " 15 "	.	1	.	1	.	.	.	1	.	.	.	.	1	.	.	.	4	.
15 " 25 "	.	2	1	.	.	.	.	2	1	.	.	.	1	2	.	.	9	1
25 " 45 "	1	2	3	3	.	1	.	3	.	3	2	1	.	1	1	1	22	3
45 " 65 "	1	5	4	3	.	2	.	8	1	3	4	1	2	3	.	2	39	4
65 and upwards,	.	6	1	1	.	.	.	1	5	2	.	.	5	5	1	2	29	.
Number of Uncertified Deaths,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	6	6	4	.	3	.	8	2	3	3	.	2	1	1	2	43	7
Workhouse Hospitals,	.	4	4	3	.	.	.	6	3	3	2	.	.	1	.	.	26	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Year

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 15th Week of the 10 years 1901–1910.	In the Week ending Saturday, 15th April, 1911.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Apr. 13, 1901.	Apr. 12, 1902.	Apr. 18, 1903.	Apr. 16, 1904.	Apr. 15, 1905.	Apr. 14, 1906.	Apr. 13, 1907.	Apr. 11, 1908.	Apr. 17, 1909.	Apr. 16, 1910.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 44·3	° 38·4	° 37·3	° 47·3	° 43·1	° 44·2	° 42·7	° 41·6	° 48·6	° 43·0	° 43·1	° 43·7										
ALL CAUSES.	242	206	186	186	167	174	207	178	220	183	194·9	174	9	22	18	14	4	10	25	43	19	10
Enteric Fever, ...	2	2	3	.	1	1	1	.	1	1	1·2	1	.	.	.	.	.	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	2	·2	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	3	.	4	4	1	7	4	6	.	2·9	7	.	1	2	4	.	.	.	.	.	.
Scarlet Fever, ...	2	.	3	.	1	.	.	1	1	.	·8	4	.	.	1	3	.	.	.	.	.	.
Whooping-cough, ...	8	2	1	11	3	3	7	1	11	2	4·9	6	.	3	3	.	.	.	.	.	.	.
Diphtheria, ...	.	1	.	1	1	.	2	.	2	.	·7	3	.	.	1	2	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	14	1	2	4	2	.	5	5	4	5	4·2	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	1	.	.	.
Erysipelas, ...	.	1	1	1	.	1	.	.	.	1	·5	1	1	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	1	1	.	1	2	.	.	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	3	1	.	.	.	.	1	.	·6	1	.	.	.	.	.	.	.	1	.	.
Tetanus, ...	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	36	27	32	19	21	27	21	24	22	22	25·1	21	.	.	.	1	2	8	5	5	.	.
Tuberculous Meningitis, ...	1	5	5	4	1	1	2	4	5	5	3·3	1	.	.	.	1	.	.	.	.	.	.
Abdominal Tuberculosis, ...	7	2	4	5	3	1	1	2	2	.	2·7	1	.	.	1	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	4	7	7	11	3	6	7	4	14	4	6·7	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												1	.	.	.	.	.	.	1	.	.	.
Venereal Diseases, ...	2	1	2	.	1	2	1	.	1	1	1·1	2	1	1	.	.	.	.	.	.	.	.
Cancer, ...	11	6	8	6	9	9	7	7	11	10	8·4	8	.	.	.	.	.	.	1	4	3	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	.	1	.	1	2	.	.	.	·5	2	.	.	.	.	.	.	2	.	.	.
Anæmia Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	.	.	.	1	2	.	.
Alcoholism, ...	1	1	1	1	1	.	.	1	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	1	.	.	.	.	1	1	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												3	.	1	1	1	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												7	.	.	.	.	.	.	.	4	1	2
Softening of Brain, ...												1	.	.	.	.	.	.	.	.	1	.
Paralysis, without specified cause.												3	.	.	.	.	.	.	.	3	.	.
Epilepsy, ...												1	.	.	.	.	.	.	1	.	.	.
Convulsions (non-puerperal),												1	1	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	46	35	42	37	40	40	49	31	44	37	40·1	2	.	.	.	.	.	.	1	1	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												1	.	.	.	.	.	.	1	.	.	.
Organic Diseases of the Heart,												12	.	.	.	1	.	.	1	5	3	2
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												1	.	.	.	.	.	.	1	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	1	.	.	.	.	.	.	.
Bronchitis, ...	39	27	17	23	15	28	31	29	30	39	27·8	22	.	3	3	1	.	.	1	5	6	3
Broncho-pneumonia, ...	21	3	2	3	1	6	10	7	9	7	16·2	12	.	4	4	.	.	.	.	3	1	.
Lobar-pneumonia, ...		.	.	.	1	.	1	3	.	3		2	.	.	.	.	.	.	1	.	.	1
Pneumonia (type not distinguished).		11	12	5	9	16	6	9	14	3		5	.	.	.	.	.	1	1	3	.	.
Pleurisy, ...												1	.	.	.	.	1	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	3	3	4	7	1	3	2	2	.	2·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												2	.	.	.	.	.	.	.	2	.	.

FIFTEENTH WEEK ending Saturday, 15th April, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 15th Week of the 10 years 1901–1910.	In the Week ending Saturday, 15th April, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Apr. 13, 1901.	Apr. 12, 1902.	Apr. 18, 1903.	Apr. 16, 1904.	Apr. 15, 1905.	Apr. 14, 1906.	Apr. 13, 1907.	Apr. 11, 1908.	Apr. 17, 1909.	Apr. 16, 1910.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 44·3	° 38·4	° 37·3	° 47·3	° 43·1	° 44·2	° 42·7	° 41·6	° 48·6	° 43·0	° 43·1	° 43·7										
Diseases of the Pharynx, Tonsillitis.	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	6	.	1	.	.	1	1	1	2	.	.
Diarrhœa of Children under 2 years.	3	4	.	.	1	1	2	3	2	2	1·8	2	.	1	1	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	.	1	2	2	2	1	.	1	2	2	1·3	3	.	3	.	.	.	.	.	.	.	.
„ 2 years and upwards,												1	.	.	.	.	.	.	.	.	1	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	1	.	.	.
Cirrhosis of Liver, ...	2	.	2	1	.	2	1	1	2	.	2·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...		6	1	1	.	1	1	3	.	1		1	.	.	.	.	.	.	.	.	1	.
Peritonitis (cause unknown),	2	.	1	.	1	.	.	.	1	2	·7	2	.	.	.	.	.	.	1	1	.	.
Other Diseases of Digestive System.	4	9	1	2	8	3	5	6	2	6	4·6	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...												.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...												3	.	.	.	.	.	.	1	2	.	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	2	6	6	9	8	2	8	5	5	3	5·4	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	2	.	.	1	.	.	.	1	1	·6	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	5	1	1	7	5	3	5	3	4	4	3·8	2	2	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	5	2	3	.	.	.	.	.	.	.	.
Old Age, ...	11	7	1	6	5	6	4	3	4	7	5·4	4	.	.	.	.	.	.	.	.	2	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	2	2	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	.	2	2	.	.	.	1	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	1	.	.	.	.	.	.	2	.	·3	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	1	1	1	1	.	2	.	1	.	2	·9	.	.	.	.	.	.	.	.	.	.	.
By Drowning, ...	1	.	.	.	.	.	1	1	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	3	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	2	2	1	2	1	1	2	.	1	1·3	1	.	.	.	.	.	.	1	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	1	.	.	.	.	.	.	.	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910–11—WEEK ENDING																									
	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec 3	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.
No. of weeks in Annual Series,	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BIRTHS registered.	244	182	211	207	204	182	199	174	232	158	170	203	230	238	232	219	241	192	214	217	238	203	276	230	198	171
Average Births in corresponding week of previous 10 years, ...	209	206	209	202	195	181	207	193	195	177	174	231	208	209	201	241	217	212	209	216	223	212	212	233	202	210
DEATHS registered, ...	174	139	147	141	166	168	176	188	165	178	155	176	179	190	228	200	220	208	195	180	174	170	214	177	191	174
Annual Death-rate per 1,000, ...	22·5	18·0	19·0	18·2	21·5	21·7	22·8	24·3	21·4	23·0	20·1	22 5	22·9	24·3	29·2	25·6	28·2	26·6	25·0	23·1	22·3	21·8	27·4	22·7	24·5	22·3
Average Deaths in corresponding week of previous 10 years, ...	160	156	172	175	179	182	182	182	177	182	177	201	195	195	192	200	198	200	210	218	210	194	201	203	199	195
Ages, Under 5 years, ...	56	40	46	47	57	49	55	53	43	41	47	56	60	62	59	61	47	57	57	70	59	39	56	48	54	63
5—15 „ ...												5	10	7	11	6	10	6	10	9	12	9	7	14	17	4
15—25 „ ...												9	7	10	11	12	13	5	6	6	7	7	13	8	10	10
25—45 „ ...	118	99	101	94	109	119	121	135	122	137	108	25	24	27	32	32	41	36	35	32	24	24	42	19	33	25
45—65 „ ...												45	38	41	55	48	51	49	35	36	36	42	44	36	44	43
65—75 „ ...												20	25	28	34	22	39	33	29	19	19	28	32	29	27	19
75 and upwards, ...												16	15	15	26	19	19	22	23	8	17	21	20	23	6	10
Deaths from :—																										
Enteric Fever, ...	2	1	1	.	.	2	.	1	2	1	.	.	1	.	2	3	2	2	2	4	3	1	2	1	3	1
Typhus, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	1	.	1	1	.	2	1	.	1	4	3	6	2	2	2	2	3	7	7	7	3	2	1	7
Scarlet Fever, ...	1	1	3	.	2	1	3	1	1	.	2	7	.	.	1	.	4	6	2	2	.	.	1	.	1	4
Whooping-cough, ...	5	1	1	4	2	6	5	11	1	5	7	6	5	6	0	4	3	6	7	11	4	4	6	5	3	6
Diphtheria, ...	.	4	1	2	3	2	4	.	3	2	.	1	2	4		5	2	3	2	.	2	.	1	1	4	3
Influenza, ...	2	1	4	1	.	2	4	2	1	3	1	.	1	1	4	3	4	5	7	2	2	2	1	2	2	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1
Tuberculous Disease, Phthisis, ...	23	17	18	16	20	14	16	25	14	19	19	21	19	27	28	19	27	22	18	20	17	28	32	16	29	21
Tuberculous Disease, Other Forms,	8	4	11	11	8	6	7	11	4	7	5	4	6	9	7	4	6	8	7	7	8	8	15	13	10	3
Cancer, ...	12	9	7	9	8	14	3	12	4	13	6	8	3	12	7	16	11	4	6	5	8	6	10	13	11	8
Diseases of Circulatory System,	25	23	17	18	22	24	30	30	23	28	31	17	20	13	25	19	23	17	21	14	13	24	27	22	23	14
Diseases of Respiratory System, Pneumonia,	15	12	13	11	16	16	14	15	27	18	11	15	16	10	17	18	20	15	21	13	16	14	13	13	18	19
Diseases of Respiratory System, Others, ...	17	12	18	26	26	29	37	27	32	26	25	29	25	28	42	30	41	44	28	29	25	23	27	24	24	26
Diarrhœa, Under 2 years, ...	8	4	5	4	2	4	6	2	2	2	1	3	2	2	4	4	2	3	3	1	1	2	5	1	3	2
Diarrhœa, 2 years & upwards,												.	.	.	.	1	.	.	1	1	.	3	.	1	.	.
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	.	2	2	.	3	3	1	1	1	2	1	3	1	3	3
Violent Deaths, ...	.	2	1	2	2	3	4	4	8	4	6	2	8	1	4	7	4	2	5	2	4	5	5	5	6	1
Number of Uncertified Deaths,	2	4	1	8	6	7	5	5	3	3	6	4	5	7	7	3	3	2	4	7	8	7	2	5	1	1
Mean Temperature of the Air (Phœnix Park)	49·1	50·4	43·1	39·6	38·2	42·2	37·0	43·4	45·2	43·5	40·9	37·2	39·0	38·6	45·5	35·9	37·0	46·4	43·4	46·5	41·1	38·0	41·7	42·7	39·4	43·7
Average Mean Temperature in corresponding week of previous 10 years, ...	48·4	46·2	47·1	45·2	42·7	41·5	42·8	42·4	41·6	41·3*	41·3	42·0	40·0	40·8	40·5	40·3	40·3	39·8	39·9	40·5	41·7	42·7	42·6	42·4	44·1	43·1
Rainfall in inches, ...	·333	·365	·558	·860	·352	1·206	1·820	1·700	1·172	·183	·130	·336	·345	·153	·034	·000	·011	·582	·523	·681	·316	·206	·000	·770	·131	·000
Mean Humidity of the Air, complete Saturation 1·0, ...	·92	·87	·90	·89	·85	·91	·93	·91	·91	·94	·88	·92	·90	·93	·92	·87	·90	·91	·91	·92	·91	·89	·87	·90	·86	·86

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 15th April, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 15th April, 1911. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	174	63	4	10	25	43	19	10	1	.	.	7	4	6	3	1	21	3	8	1	19	26	2	.	3	1	68	1
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	12·0	4	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	18·5	31	8	2	4	5	5	5	2	.	.	.	1	.	.	1	.	6	1	3	.	5	.	1	.	1	.	12	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	16·5	35	14	.	1	2	10	5	3	.	.	.	1	.	1	1	.	2	.	1	.	4	8	.	.	.	.	17	1
IV.	GENERAL SERVICE CLASS, ...	154,279	25·7	76	37	2	3	13	17	1	3	.	.	.	5	4	5	1	1	9	1	2	1	8	12	1	.	1	1	24	.
V.	INMATES OF WORKHOUSES, ...	6,024	—	28	4	.	2	5	10	5	2	1	.	.	.	.	.	.	.	4	1	2	.	1	6	.	.	1	.	12	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	40·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	21·3	9	2	.	.	2	1	3	1	.	.	.	.	.	.	1	.	.	1	1	.	2	.	.	.	.	.	4	.
	6. Clerks and Commercial Assistants, ...	30,432	20·6	12	4	.	4	2	1	1	.	.	.	.	1	.	.	.	.	4	.	1	.	1	.	.	.	1	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	15·4	8	.	2	.	1	3	1	1	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	5·3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	21·0	12	5	.	1	1	2	2	1	.	.	.	1	.	1	.	.	1	.	1	.	1	3	.	.	.	.	4	.
	10. Clothing Trades, ...	23,260	11·2	5	.	.	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4	1
	11 Food Supply Trades, ...	9,242	11·3	2	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.
	12 Other Trades and Callings ranking with Trades, ...	30,352	18·9	11	5	.	.	.	5	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	3	.	.	.	.	6	.
	13 Petty Shopkeepers, ...	7,894	26·4	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																														
	14 Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	7·8	2	1	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	15 Domestic Servants, ...	36,603	11·4	8	.	.	.	2	4	.	2	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	25·4	7	5	.	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	6	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	34·2	59	31	2	3	10	11	1	1	.	.	.	5	3	4	1	1	7	1	2	1	7	11	1	.	1	1	13	.
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	28	4	.	2	5	10	5	2	1	.	.	.	.	.	.	.	4	1	2	.	1	6	.	.	1	.	12	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of). DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa. Children under 2 years.	2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 30,219.	Feb. 25,	19·0	.	11	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	.	.
	Mar. 4,	29·3	6·9	17	1	.	.	1	.	1	.	.	1	.	1	1	.	.	1	.	.	.
	„ 11,	19·0	.	11	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	1
	„ 18,	38·0	1·7	22	.	.	.	1	.	.	.	.	4	.	.	1	3	.	.	1	.	.
	„ 25,	36·2	5·2	21	.	.	.	.	.	1	.	.	3	2	.	2	.	2	.	1	3	.
	April 1,	27·6	.	16	.	.	.	.	.	.	.	.	1	2	.	3	1	.	.	.	1	.
	„ 8,	20·7	.	12	.	.	.	.	.	.	.	.	1	2	.	2	.	.	.	.	.	.
	„ 15,	6·9	1·7	4	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 40,390.	Feb. 25,	32·3	2·6	25	.	.	.	.	1	.	.	.	4	.	.	4	4	1	.	.	1	1
	Mar. 4,	19·4	6·5	15	1	.	.	1	.	3	.	.	1	.	.	.	1	.	.	.	.	1
	„ 11,	21·9	3·9	17	.	.	.	2	.	.	1	.	4	.	1	1	1	.	.	.	.	2
	„ 18,	20·7	5·2	16	.	.	.	2	.	1	.	.	1	1	1	1	3	.	1	.	.	2
	„ 25,	24·5	1·3	19	.	.	.	.	.	.	.	.	2	.	1	.	5	1	.	.	.	1
	April 1,	15·5	.	12	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	2
	„ 8,	25·8	2·6	20	.	.	.	.	.	1	.	.	3	.	.	1	4	1	.	1	1	.
	„ 15,	33·6	5·2	26	.	.	.	3	.	.	.	.	3	.	.	2	5	1	.	.	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 31,064.	Feb. 25,	15·1	3·4	9	1	.	.	1	.	.	.	.	1	1	.	2	1	.	.	.	.	.
	Mar. 4,	35·2	5·0	21	.	.	.	1	.	1	.	.	2	3	1	2	3	1	.	.	1	.
	„ 11,	23·5	.	14	.	.	.	.	.	.	.	.	1	.	.	3	3	.	.	.	1	.
	„ 18,	20·1	1·7	12	.	.	.	.	.	.	.	.	3	.	2	1	.	1	.	.	.	.
	„ 25,	11·7	1·7	7	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.
	April 1,	36·9	.	22	.	.	.	.	.	.	.	.	1	3	3	2	2	.	.	.	.	.
	„ 8,	33·6	5·0	20	.	.	.	.	.	.	1	.	.	1	3	3	3	2	.	.	.	.
	„ 15,	26·9	3·4	16	.	.	.	.	1	1	.	.	2	.	.	3	2	.	.	.	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,908.	Feb. 25,	36·9	7·7	24	1	.	.	.	1	1	1	.	.	1	1	4	3	1	.	1	1	1
	Mar. 4,	12·3	3·1	8	1	.	.	.	1	.	.	.	2	.	.	.	1	.	.	1	.	.
	„ 11,	18·5	3·1	12	.	.	.	.	.	1	1	.	4	.	.	.	.	.	.	1	.	.
	„ 18,	13·8	6·2	9	.	.	.	2	.	1	.	.	1	.	.	.	.	1	.	.	.	.
	„ 25,	41·5	3·1	27	.	.	.	.	.	.	.	.	7	2	1	2	5	2	.	.	.	.
	April 1,	21·5	3·1	14	1	.	.	1	.	.	.	.	4	.	.	1	1	.	.	.	.	.
	„ 8,	26·1	7·7	17	1	.	.	.	1	2	1	.	1	.	1	2	3	.	.	.	.	.
	„ 15,	20·0	4·6	13	.	.	.	.	1	2	.	.	1	.	1	1	1	.	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,908.	Feb. 25,	34·8	5·0	28	.	.	.	2	.	1	.	.	2	1	.	.	5	.	1	.	2	.
	Mar. 4,	19·9	2·5	16	1	.	.	.	.	1	.	.	3	.	1	1	2	.	.	.	1	.
	„ 11,	24·9	1·2	20	.	.	.	1	.	.	.	.	.	2	1	.	9	.	.	.	.	.
	„ 18,	22·4	3·7	18	.	.	.	.	.	1	.	.	3	2	.	1	4	.	2	.	.	2
	„ 25,	29·9	1·2	24	.	.	.	.	.	1	.	.	3	3	1	4	3	.	.	2	.	.
	April 1,	14·9	2·5	12	.	.	.	.	.	2	.	.	.	.	1	.	5	.	.	.	.	.
	„ 8,	23·6	.	19	.	.	.	.	.	.	.	.	3	.	2	.	4	.	.	.	1	.
	„ 15,	31·1	2·5	25	.	.	.	1	1	.	.	.	3	1	1	.	5	.	.	1	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,980.	Feb. 25,	30·8	2·4	13	.	.	.	.	.	.	.	.	2	.	1	.	3	1	.	.	1	.
	Mar. 4,	30·8	2·4	13	.	.	.	1	.	.	.	.	1	.	.	.	7	.	.	.	.	.
	„ 11,	21·4	2·4	9	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	1
	„ 18,	14·2	.	6	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	1	.
	„ 25,	35·6	4·7	15	.	.	.	.	.	2	.	.	1	2	.	2	1	.	.	.	1	.
	April 1,	26·1	2·4	11	.	.	.	1	.	.	.	.	1	2	1	1	3	.	.	.	.	.
	„ 8,	19·0	.	8	.	.	.	.	.	.	.	.	4	.	1	1	.	.	.	.	.	.
	„ 15,	23·7	.	10	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,677.	Feb. 25,	20·3	3·6	17	.	.	.	.	.	2	1	.	2	2	.	3	3	.	.	.	.	.
	Mar. 4,	32·2	6·0	27	.	.	.	2	1	2	.	.	4	1	.	1	9	.	.	.	.	1
	„ 11,	28·7	3·6	24	.	.	.	3	.	.	.	.	2	2	3	4	2	.	.	.	.	.
	„ 18,	31·0	2·4	26	1	.	.	.	.	1	.	.	4	1	1	3	6	.	.	.	.	.
	„ 25,	20·3	.	17	.	.	.	.	.	.	.	.	7	2	1	.	2	.	.	.	.	.
	April 1,	27·5	.	23	.	.	.	.	.	.	.	.	2	3	2	1	2	.	.	.	.	1
	„ 8,	26·3	2·4	22	1	.	.	1	.	.	.	.	4	2	1	1	5	.	.	2	.	1
	„ 15,	14·3	3·6	12	1	.	.	1	.	1	.	.	.	.	.	2	.	.	.	1	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 36,254.	Feb. 25,	24·5	2·9	17	.	.	.	.	.	2	.	.	5	.	.	3	1	.	.	.	.	.
	Mar. 4,	24·5	4·3	17	.	.	.	1	.	2	.	.	2	1	1	4	.	.	.	.	.	2
	„ 11,	38·8	2·9	27	.	.	.	.	1	.	.	.	5	1	.	1	2	1	.	.	2	2
	„ 18,	17·3	2·9	12	.	.	.	2	.	.	.	.	.	2	1	3	1	.	.	.	2	.
	„ 25,	28·8	4·3	20	.	.	.	1	.	2	.	.	3	1	.	1	3	.	.	.	.	.
	April 1,	15·8	1·4	11	.	.	.	.	.	.	.	.	1	.	1	2	1	1	.	.	1	1
	„ 8,	38·8	1·4	27	.	.	.	.	.	.	1	.	3	5	1	4	1	.	.	.	3	.
	„ 15,	21·6	7·2	15	.	.	.	2	1	2	.	.	1	.	.	2	2	.	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Feb. 25,	22·2	.	16	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.	.	2
	Mar. 4,	18·1	.	13	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 11,	15·3	2·8	11	1	.	.	.	.	1	.	.	.	.	1	4	1	.	.	.	.	.
	„ 18,	12·5	.	9	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.
	„ 25,	19·5	.	14	.	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.	.
Pop. in 1911 (Est.) 37,528.	April 1,	19·5	1·4	14	.	.	.	.	.	1	.	.	1	.	.	.	4	.	.	.	.	1
	„ 8,	16·7	1·4	12	1	.	.	.	.	.	.	.	3	.	.	2	.	.	.	.	1	.
	„ 15,	13·9	.	10	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.	.
Pembroke Urban District.	Feb. 25,	16·0	1·8	9	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.
	Mar. 4,	14·2	1·8	8	.	.	.	.	.	1	.	.	1	.	.	1	2	.	.	.	.	1
	„ 11,	10·7	1·8	6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	„ 18,	12·4	.	7	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	1	.
	„ 25,	24·9	3·6	14	1	.	.	1	.	.	.	.	3	.	2	.	2	.	.	.	.	.
Pop. in 1911 (Est.) 29,368.	April 1,	10·7	.	6	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.
	„ 8,	14·2	.	8	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.
	„ 15,	24·9	1·8	14	.	.	.	.	.	.	.	.	2	.	2	4	3	1	.	.	.	.
Kingstown Urban District.	Feb. 25,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Mar. 4,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 11,	14·8	.	5	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 18,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	2
	„ 25,	23·7	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Pop. in 1911 (Est.) 17,622.	April 1,	17·8	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.
	„ 8,	14·8	.	5	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.
	„ 15,	17·8	.	6	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.
Belfast.	Feb. 25,	18·5	0·3	141	.	.	.	.	1	1	.	.	15	10	8	11	20	.	.	2	4	.
	Mar. 4,	17·4	0·3	133	.	.	.	.	.	1	.	.	13	10	3	15	20	1	.	1	3	3
	„ 11,	15·4	0·3	118	.	.	.	.	.	1	.	.	19	7	6	10	20	.	1	.	2	2
	„ 18,	15·4	0·4	118	.	.	.	.	1	1	.	.	7	8	11	10	14	1	.	.	1	1
Pop. in 1911 (Est.) 398,421.	„ 25,	19·2	0·7	147	.	.	.	.	1	.	1	.	22	9	8	14	16	.	3	3	3	.
	April 1,	18·1	0·3	138	.	.	.	.	.	.	1	.	24	8	4	16	19	.	1	2	4	1
	„ 8,	22·5	0·4	172	1	.	.	.	1	.	.	.	26	8	5	13	26	1	.	1	8	3
	„ 15,	21·1	0·9	161	.	.	.	1	.	3	2	.	25	4	5	19	29	.	1	2	2	2
Cork.	Feb. 25,	24·7	0·7	36	.	.	.	.	.	1	.	.	7	1	1	2	4	.	.	.	2	1
	Mar. 4,	17·8	0·7	26	.	.	.	.	.	1	.	.	7	1	.	1	3	.	.	.	.	1
	„ 11,	27·4	0·7	40	.	.	.	.	.	1	.	.	9	3	1	1	3	.	.	1	1	.
	„ 18,	16·4	.	24	.	.	.	.	.	.	.	.	4	.	2	.	8	.	.	.	2	.
Pop. (in 1901) 76,122.	„ 25,	21·9	.	32	.	.	.	.	.	.	.	.	10	4	1	1	5	.	.	.	.	1
	April 1,	19·2	.	28	.	.	.	.	.	.	.	.	4	2	2	3	3	.	.	.	.	1
	„ 8,	30·8	0·7	45	.	.	.	.	.	1	.	.	1	1	1	3	3	.	.	.	1	2
	„ 15,	27·4	0·7	40	1	.	.	.	.	.	.	.	6	.	3	3	4	.	.	.	.	1
Londonderry.	Feb. 25,	22·6	1·2	19	.	.	.	.	.	1	.	.	.	2	1	1	3	.	.	.	1	.
	Mar. 4,	28·5	7·1	24	.	.	.	.	.	6	.	.	2	.	.	3	1	.	.	.	.	2
	„ 11,	15·4	2·4	13	.	.	.	.	.	1	.	.	1	.	1	.	4	1	.	1	.	.
	„ 18,	10·7	.	9	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.
Pop. in 1911 (Est.) 43,900.	„ 25,	20·2	.	17	.	.	.	.	.	.	.	.	4	1	.	2	.	.	.	1	1	.
	April 1,	22·6	4·8	19	.	.	.	.	.	3	1	.	1	.	1	1	5	.	.	.	.	.
	„ 8,	35·6	2·4	30	.	.	.	.	.	2	.	.	1	.	1	5	8	.	.	.	1	.
	„ 15,	26·1	4·8	22	.	.	.	.	.	4	.	.	3	.	.	2	6	.	.	.	1	.
Limerick.	Feb. 25,	9·6	.	7	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	1
	Mar. 4,	30·1	.	22	.	.	.	.	.	.	.	.	3	.	.	2	5	.	.	.	.	4
	„ 11,	24·6	.	18	.	.	.	.	.	.	.	.	1	.	1	1	4	.	.	.	.	2
	„ 18,	15·0	.	11	.	.	.	.	.	.	.	.	3	.	.	2	1	.	.	.	.	1
Pop. (in 1901) 38,151.	„ 25,	26·0	.	19	.	.	.	.	.	.	.	.	3	1	2	1	5	.	.	.	.	.
	April 1,	31·4	.	23	.	.	.	.	.	.	.	.	5	.	.	3	6	.	.	.	.	.
	„ 8,	17·8	.	13	.	.	.	.	.	.	.	.	3	.	.	2	3	.	.	.	.	2
	„ 15,	17·8	1·4	13	1	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	3
Waterford.	Feb. 25,	13·6	.	7	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	1	.	1
	Mar. 4,	33·1	.	17	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.	.	2
	„ 11,	17·5	.	9	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	1
	„ 18,	15·6	.	8	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	.	.
Pop. (in 1901) 26,769.	„ 25,	13·6	.	7	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	.
	April 1,	23·4	.	12	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	1	.
	„ 8,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 15,	13·6	.	7	.	.	.	.	.	.	.	.	3	.	.	.	2	.	.	.	.	1

* See note (‡) at foot of first page

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 15th April, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,		12	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		10	2	.	1	1	3	3	.	.	.	.	.	.	.	.	1	.	.	2	3	.	.	.	.	.	4	.
Do. 2 do.		19			22	2	1	2	3	4	10	.	.	.	1	.	.	.	.	4	.	1	2	5	.	.	.	.	.	10	.
Do. 3 do.		26			20	5	2	5	1	6	1	.	.	.	.	.	1	1	.	6	1	.	3	5	.	.	.	.	1	4	.
Do. 4 do.		31			18	5	2	1	3	3	4	.	.	.	.	.	1	.	.	2	.	.	2	1	.	.	2	.	.	6	.
Do. 5 do.		7			9	1	.	2	1	3	2	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	1	1	6	.
Do. 6 do.		20			14	1	.	1	2	2	8	.	.	.	.	.	.	.	.	3	.	2	.	1	.	.	.	.	1	.	.
Do. 7 do.		1			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Do. 8 do.	349,180	6			3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.
Do. 9 do.		12			6	2	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	4	.
Do. 10 do.		13			12	3	.	.	5	4	.	.	.	.	.	.	.	.	.	4	.	.	2	3	.	.	.	.	.	2	.
Do. 11 do.		13			10	2	.	1	4	1	2	.	.	.	.	.	.	.	.	1	1	1	.	5	.	.	.	.	.	1	.
Do 12 do.		21			12	.	.	2	4	4	2	.	.	.	.	.	.	.	.	.	1	.	2	2	.	.	.	.	1	5	.
Do. 13 do.		14			7	1	.	.	2	2	2	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	1	1
Do. 14 do.		.			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		9			16	.	5	1	3	4	3	.	.	.	.	.	1	1	.	1	.	.	2	.	.	1	.	1	2	8	.
Total, . .	—	204			161	24	10	17	32	37	41	.	.	.	1	.	3	2	.	25	4	5	19	29	.	1	2	2	6	51	2
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	5	40·5	.	10	1	.	1	3	2	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	7	.
Do. 2 do.	10,701	8	19·5	4·9	4	.	1	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.
Do. 3 do.	9,978	6	36·6	.	7	.	.	2	1	2	2	.	.	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.	.	2	.
Do. 4 do.	8,666	4	36·1	.	6	1	1	.	1	1	2	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.
Do. 5 do.	6,592	2	7·9	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	10,702	6	39·0	.	8	.	.	.	4	1	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	7	1
Do. 7 do.	16,616	7	12·6	.	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	2	.
Total, . . .	76,122	38	27·4	0·7	40	4	2	3	12	8	11	1	.	.	.	.	.	.	.	6	.	3	3	4	.	.	.	.	.	20	1

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910–11—WEEK ENDING																									
	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.
No. of weeks in Annual Series,	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BIRTHS registered, ...	228	201	183	178	156	181	175	185	167	200	199	241	231	233	188	212	218	216	213	232	193	220	218	232	232	204
DEATHS registered, ...	120	115	108	122	132	134	109	151	133	132	91	122	151	118	118	128	146	149	141	133	118	118	147	138	172	161
Annual Death rate per 1,000 of estimated population. ...	16·0	15·3	14·4	16·3	17·6	17·9	14·5	20·1	17·7	17·6	12·1	16·0	19·8	15·4	15·4	16·8	19·1	19·5	18·5	17·4	15·4	15·4	19·2	18·1	22·5	21·1
AGES. Under 1 year, ...	27	28	24	28	27	24	17	34	20	22	18	21	30	23	26	24	24	31	21	25	20	33	23	26	36	24
1—5 years, ...	16	8	11	6	6	5	8	11	17	12	8	12	11	8	10	10	7	10	14	9	10	6	17	11	7	10
5—25 „ ...	77	79	73	88	99	105	84	106	96	98	65	7	20	16	11	6	11	21	17	18	9	10	19	11	14	17
25—45 „ ...												30	37	17	13	25	27	30	29	16	23	14	28	23	36	32
45—65 „ ...												32	25	21	27	34	34	32	26	35	29	27	30	38	45	37
65 and upwards, ...												20	28	33	31	29	43	25	34	30	27	28	30	29	34	41
Deaths from :—																										
Enteric Fever, ...	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	5	.	3	1	.	2	2	3	3	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever, ...	1	.	1	.	.	1	.	1	2	1	1	1	1	1	.	.	1	.	1	.	.	1	1	.	1	.
Whooping-cough, ...	.	1	.	.	.	1	.	1	.	1	1	.	.	1	1	1	.	.	1	1	1	1	.	.	.	3
Diphtheria, ...	1	.	.	1	1	.	1	4	.	.	.	.	.	1	2	1	.	.	.	.	.	.	1	1	.	2
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	10	12	14	12	17	17	13	14	12	15	9	14	23	17	13	10	11	22	15	13	19	7	22	24	26	25
Tuberculous Disease. Other Forms,	6	8	2	7	8	4	7	5	7	3	3	7	7	4	4	4	4	11	10	10	7	8	9	8	8	4
Cancer, ...	5	7	9	5	8	9	6	5	8	6	5	7	2	7	11	6	5	5	8	3	6	11	8	4	5	5
Diseases of Respiratory System, Pneumonia,	11	7	7	13	11	8	7	13	10	10	7	8	9	7	7	7	11	14	11	15	10	10	14	16	13	19
Diseases of Respiratory System, Others, ...	9	19	11	23	16	25	25	36	22	29	18	18	24	24	20	25	26	25	20	20	20	14	16	19	26	29
Diarrhœa, Under 2 years, ...	8	10	6	4	3	1	1	4	3	1	.	1	.	.	.	.	1	.	.	1	.	1	.	.	1	.
Diarrhœa, 2 years & upwards												1	1	.	.	.	1	.	.	.	1	.	3	1	.	1
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	2	2	3	2	2	1	.	.	3	2	1	2
Violent Deaths, ...	2	.	3	4	2	5	3	2	6	2	4	6	6	1	2	4	4	.	4	3	2	1	3	4	8	2
Number of Uncertified Deaths, ...	.	.	2	3	.	.	3	4	1	1	3	3	.	1	5	2	1	.	.	3	2	1	.	1	3	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,912,054	Apr. 15,	2,032	1,359	14·4	1	1	110	3	35	10	10*a*
Edinburgh, ...	365,253	„ 15,	127	114	16·3	.	.	2	.	2	2	1
Glasgow, ...	897,178	„ 15,	422	305	17·7	1	.	9	1	27	2	7
Calcutta, ...	1,009,008	Mar. 11,	.	420	25·7	85*	2	3	.	1	1	66‡
Bombay, ...	977,822	„ 11,	368	880	46·8	231*	26	37	.	.	.	64‡
Madras, ...	509,346	Feb. 18,	339	416	42·4	70*	20	6	?	?	?	87‡
Cairo, ...	689,439	„ 25,	609	468	35·4	.	.	6	.	.	4†	37*a*
Paris, ...	2,760,000	Mar. 18,	1,002	937	17·8	5	.	19	.	5	7†	17*a*
Brussels, ...	720,030	„ 18,	252	195	14·1	1	.	6	1	.	.	10*a*
Antwerp, ...	320,640	„ 25,	119	85	12·2	.	.	4	.	1	.	7*a*
Amsterdam, ...	575,872	„ 25,	263	157	14·2	.	.	10	.	3	1	3*a*
Copenhagen, ...	459,000	„ 25,	245	150	17·0	.	.	.	2	2	1	5*a*
Stockholm, ...	341,816	„ 18,	141	100	15·2	.	.	.	1	.	3†	1*a*
Christiania, ...	240,178	Apr. 1,	109	67	14·5	.	.	1	.	8	1	.
St. Petersburg, ...	1,639,266	Mar. 4,	1,078	639	20·3	4	6	6	15	4	10	34
Moscow, ...	1,493,600	„ 4,	.	768	26·8	1	.	17	25	2	24†	41
Berlin, ...	2,674,068	„ 18,	.	.	.	.	.	.	.	.	.	.
Hamburg, ...	932,166	„ 25,	.	278	15·5	.	.	3	2	.	20†	7
Breslau, ...	515,171	„ 25,	.	181	18·3	.	.	1	.	.	1	6
Munich, ...	597,000	Apr. 1,	.	189	16·5	.	.	2	1	1	.	14
Vienna (with suburbs),	2,030,834	Mar. 25,	845	739	18·9	1	.	8	4	2	4†	22*a*
Buda-Pesth, ...	891,585	„ 25,	450	341	19·9	.	.	8	4	.	3†	7*a*
Prague and Faubourgs,	508,310	„ 11,	185	240	24·6	.	.	.	3	6	2†	16*a*
Trieste, ...	226,423	„ 18,	139	126	29·0	1	.	4	.	2	.	1*a*
Rome, ...	593,110	Jan. 14,	334	273	24·0	3	.	.	.	2	1	21
Venice, ...	184,325	Mar. 11,	73	77	20·3	1	.	.	.	2	.	2
New York, ...	4,983,385	„ 1,	2,637	1,663	17·4	2	.	6	27	10	32†	61
Philadelphia, ...	1,573,509	Feb. 11,	.	583	19·3	6	.	13	8	3	19	10*a*
		„ 18,	.	587	19·4	3	.	8	6	1	21	21*a*
Boston, ...	688,912	Mar. 25,	.	272	20·6	.	.	.	3	1	3	15

* Deaths from "fever," including 5 deaths from enteric fever and 23 deaths from plague in Calcutta, 2 deaths from enteric fever and 176 from plague in Bombay, and one death from enteric fever in Madras.

† Including deaths from croup.

‡ Including 40 deaths from cholera in Calcutta, 2 in Bombay, and 2 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 15th April, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	2	.	.	.	.	.	.	.	2
„ „ 1, West, ...	.	1	.	.	1	.	.	.	1	.	.	1	4
„ „ 2, ...	.	.	.	.	.	.	.	3	.	.	.	.	3
„ „ 3, ...	.	2	.	.	2	.	.	1	.	.	.	1	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	1	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	3	.	.	2	.	1	3	4	.	.	2	15
„ „ 2, ...	.	2	.	.	.	.	.	1	1	.	.	2	6
„ „ 3, ...	.	.	.	.	1	.	.	2	.	.	.	.	3
„ „ 4, ...	.	1	.	.	2	.	.	.	1	.	.	.	4
New Kilmainham, ...	.	.	.	.	4	.	.	.	.	.	.	1	5
Total, ...	.	9	.	.	15	.	1	10	7	.	.	7	49

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th April, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 15th April.			
	Mar. 25.	April 1.	April 8.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	41	49	58	29	15	4	68
Scarlet Fever, ...	112	118	112	17	15	4	110*
Typhus, ...	1	2	2	.	1	.	1
Diphtheria, ...	63	69	66	17	21	2	60
Enteric Fever, ...	79	75	70	4	14	.	60
Pneumonia, ...	23	28	37	6	8	1	34

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 15th April, 1911:—

"This week witnessed a gradual dying out of the cold polar air-current of previous weeks and the substitution therefor after Thursday of a brisk oceanic westerly wind. At the beginning a large anticyclone lay upon the Atlantic outside the western shores of the British Isles, over which the northerly winds of the system continued to pass, but with lessening strength. On Monday morning this anticyclone was central over the Hebrides, the barometer standing as high as 30·52 inches at Stornoway. In the Dublin district the weather was at that time cold but dry, and the sun shone brightly in the afternoons of Monday and Tuesday. Over the eastern half of Great Britain, however, cloudy skies and passing showers prevailed on the first two days of the week, and it was not until Wednesday that temperature began to rise. On that day the thermometer rose to 60° in parts of London and at Oxford and Bath. At this time the anticyclone was moving southwards, and its softer westerly winds were already passing over Scotland. As the centre of high pressure arrived over Ireland the diurnal range of temperature became very large—at Birr Castle the thermometer fell from 58° on Wednesday afternoon to a minimum of 27° during the following night, and even in Dublin—a coastal station—the range was about 20° on Wednesday and on each of the two succeeding days. Good Friday was brilliant after a cloudy morning, and in the afternoon the thermometer rose in Dublin to 60·4°—the highest reading recorded in this City since October 5, 1910. On Saturday the barometer fell below 30 inches for the first time in this week, as a large depression spread southwards and eastwards from the Icelandic region, and slight showers fell in the evening. In Dublin the mean height of the barometer was 30·322 inches, pressure ranging from 30·503 inches at 9 a.m. of Sunday (wind, N.E.), to 29·939 inches at 9 p.m. of Saturday (wind, W.). The corrected mean temperature was 46·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 45·6°. On Wednesday the screened thermometers fell to 33·9°, on Friday they rose to 60·4°. The prevailing winds were at first N.E., afterwards W. The rainfall was only ·010 inch, entered to Saturday—the single rain-day of the period. The planets Venus and Mercury were seen in the western sky on several evenings."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·143 inches. The highest reading (30·328) was on Sunday at 9 a.m., wind E.N.E., and the lowest (29·765) on Saturday at 9 p.m., wind W.S.W.

The mean temperature for the week was 43·7°, being 0·6° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Friday, on which day the thermometer registered 60·4°, and was lowest on Wednesday, the mercury having fallen to 25·9°. The mean of the Dry Bulb for the week was 43·6° and of the Wet Bulb, 41·7°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. There was no rainfall during the week.

At Greenwich the mean temperature for the week was 45·0°, the maximum 66·9°, and the minimum 30·3°; at Glasgow the maximum was 62·0°, the minimum 28·8°, and the mean 46·7°; and at Edinburgh the maximum was 60·9°, the minimum 36·7°, and the mean 46·0°. The rainfall at Greenwich measured 0·04 in.; at Glasgow 0·21 in.; and at Edinburgh 0·17 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, April 9,	30·260	52·0	39·8	45·9	43·6	41·7	·85	·5	5·0	·000	E.N.E.	N.N.W.
Monday, „ 10,	30·145	45·5	37·9	41·7	41·4	39·0	·82	·5	5·4	·000	N.E.	N.E.
Tuesday, „ 11,	30·183	46·3	29·9	38·1	36·9	35·6	·86	·4	7·5	·000	N.E.	Calm.
Wednesday, „ 12,	30·176	55·3	25·9	40·6	44·3	42·6	·88	·4	5·2	·000	Calm.	Calm.
Thursday, „ 13,	30·230	58·0	30·9	44·5	44·8	43·3	·89	·4	12·4	·000	Calm.	Calm.
Friday, „ 14,	30·155	60·4	35·9	48·2	46·5	44·6	·87	·6	9·8	·000	W.	S.W.
Saturday, „ 15,	29·851	54·5	39·9	47·2	47·4	45·4	·86	·5	1·4	·000	W.S.W.	W.S.W.
Mean.	30·143	53·1	34·3	43·7	43·6	41·7	·86	·5	Total 46·7	Total ·000	—	

Sunday—Day overcast to cloudy; night cloudy. *Monday*—Day cloudy; night cloudy. *Tuesday*—Day overcast to cloudy; night clear. *Wednesday*—Day cloudy; night clear. *Thursday*—Fine bright day; night clear. *Friday*—Cloudy a.m., bright p.m.; night cloudy. *Saturday*—Day overcast to cloudy; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, April 15th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder), read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, April 9,	45·1	43·4	44·8	52·0	40·5	47·3	4·0	—
Monday, „ 10,	42·1	44·5	44·7	51·2	41·0	46·1	4·5	—
Tuesday, „ 11,	43·1	44·2	44·9	52·1	39·0	45·6	6·0	—
Wednesday, „ 12,	42·4	44·1	45·0	52·7	33·5	43·1	3·7	—
Thursday, „ 13,	52·8	44·8	45·0	51·2	38·5	44·9	10·3	—
Friday, „ 14,	47·2	47·0	44·6	61·0	38·4	49·7	9·0	—
Saturday, „ 15,	49·0	47·0	45·2	60·2	30·1	45·2	1·0	—
Weekly Mean, .	46·0	45·0	44·9	54·3	37·3	46·0	Total 38·5	Total —

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30467. Wt. P. 489–53/138. 375. 4. 1911. G. III. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & CO., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 22ND APRIL, 1911. [No. 16.

General Register Office, Charlemont House, Dublin, 24th April, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,163,596.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending April 1	April 8	April 15	April 22	Average Rate for 4 weeks.	Towns, &c.	Week ending April 1	April 8	April 15	April 22	Average Rate for 4 weeks.
22 Town Districts, ...	**20·7**	**22·4**	**20·3**	**22·0**	**21·3**	Limerick	31·4	17·8	17·8	28·7	23·9
						Lisburn	22·7	18·2	13·6	22·7	19·3
Armagh	.	6·9	6·9	13·7	6·9	Londonderry	22·6	35·6	26·1	17·8	25·5
Ballymena	28·7	19·2	23·9	23·9	23·9	Lurgan	22·1	13·3	8·9	17·7	15·5
Belfast	18·1	22·5	21·1	20·2	20·5	Newry	16·8	12·6	4·2	37·8	17·9
Clonmel	25·6	10·3	15·4	25·6	19·2	Newtownards	17·2	17·2	28·6	28·6	22·9
Cork	19·2	30·8	27·4	21·2	24·6	Portadown	10·3	5·2	10·3	20·7	11·6
Drogheda	32·7	20·4	4·1	12·3	17·4	Queenstown	.	6·6	13·2	33·0	13·2
Dublin Reg. Area ...	21·5	23·2	21·1	23·3	22·3	Sligo	24·0	14·4	9·6	14·4	15·6
Dundalk	.	16·0	.	27·9	11·0	Tralee	47·6	26·4	5·3	21·1	25·1
Galway	42·7	15·5	7·8	19·4	21·3	Waterford	23·4	11·7	13·6	31·2	20·0
Kilkenny	39·3	19·7	44·2	19·7	30·7	Wexford	9·3	23·3	23·3	4·7	15·2

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in eighteen of the districts to 5·9 in Londonderry, the 15 deaths from all causes for that district including 4 from whooping-cough, and one from diarrhœa. Among the 154 deaths from all causes for Belfast are 2 from whooping cough, and one from diphtheria, and included in the 5 deaths from all causes for Clonmel is one from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 174—83 boys and 91 girls—and the deaths to 196—95 males and 101 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 23·3 per 1,000 of the population. During the sixteen weeks ending with Saturday last the death-rate averaged 23·3, and was 2·7 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœa.

The total deaths registered, numbering 196, represent an annual rate of 25·1 per 1,000, the annual rate for the past sixteen weeks was 24·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 27·1 per 1,000 of the mean population for all deaths registered.

Included in the total deaths from all causes were 11 deaths from measles, one death from scarlet fever, 4* deaths from diphtheria, 3 deaths from diarrhœa and enteritis of children under 2 years of age, and 3 deaths from influenza.

In each of the three weeks preceding, deaths from measles were 2, one, and 7; deaths from scarlet fever were 0, one, and 4; deaths from diphtheria were one, 4, and 3; deaths from diarrhœa and enteritis of children under 2 years of age were 2, 6, and 5; and deaths from influenza were 2, 2, and 0.

Of 41 deaths from tuberculous disease, 33 were caused by pulmonary tuberculosis, 2 by tuberculous meningitis, 2 by abdominal tuberculosis, and 4 by disseminated tuberculosis. Deaths from all forms of tuberculosis in the three preceding weeks were 29, 39, and 24 respectively.

There were 7 deaths from broncho-pneumonia, 2 deaths from lobar pneumonia, and 7 deaths from *pneumonia* (type not distinguished).

The deaths of 7 persons were due to cancer.

Of 16 deaths from diseases of the brain and nervous system, 3 were attributed to *convulsions*, one of an infant under one month, one between the ages of one year and 2 years, and one child aged 12 years.

Diseases of the heart and blood vessels accounted for the deaths of 15 persons, and there were 26 deaths from bronchitis.

Of 6 deaths due to accident or negligence, one was by a fall from a horse, and 3 were by burns, one of the latter being that of an infant under one year of age.

There was one homicidal death.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year old.

Fifty-four of the persons whose deaths were registered during the week were under 5 years of age (21 being infants under one year, of whom 6 were under one month old) and 47 were aged 65 years and upwards; including 33 persons aged 70 years and upwards; among the latter were 18 aged 75 years and upwards, of whom one (a female) was stated to have been aged 93 years.

Ninety-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse, 20 in the South Dublin Union Workhouse, and 7 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·3 per 1,000; the rate in the City was 24·1 (North City Districts, 19·5; South, 29·0) and in the Suburbs, 20·6.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·2 per 1,000 inhabitants, the rate for the City being 2·3 (1·9 in the North City Districts, and 2·7 in the South), and for the Suburbs, 1·7 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (7) are equal to an annual rate of 12·1 per 1,000, and include one death from each of influenza, pulmonary tuberculosis, and bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (13) are equal to an annual rate of 16·8 per 1,000. Measles caused 2 deaths; there was one death from diphtheria, and pulmonary tuberculosis caused 3 deaths.

No. 2 *North City District* (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 15·1 per 1,000. Measles caused one death, and 3 deaths were caused by bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (23) represent an annual rate of 35·4 per 1,000. There were 2 deaths from measles, 2 deaths from tuberculous disease, one death from each of broncho-pneumonia and lobar pneumonia, 2 deaths from *pneumonia* (type not distinguished), one accidental death, and one homicidal death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 26·6; and Finglas and Glasnevin, part of, 6·7. The only death for Clontarf and Howth, No. 1, part of, was from bronchitis, and among the 6 deaths from all causes for Coolock and Drumcondra, part of, was one from each of pulmonary tuberculosis and bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (22) represent an annual rate of 27·4 per 1,000. Enteric fever, measles, and diphtheria each caused one death; there were 5 deaths from pulmonary tuberculosis, one death from *pneumonia* (type not distinguished), and 3 deaths from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 28·5 per 1,000. Measles and diphtheria each caused one death; there were 5 deaths from tuberculous disease, and one death from broncho-pneumonia.

No. 3 *South City District* (Peter-street).—The deaths (24) are equal to an annual rate of 28·7 per 1,000. Measles and influenza each caused one death; there were 2 deaths from pulmonary tuberculosis, one death from each of broncho-pneumonia and *pneumonia* (type not distinguished), and 6 deaths from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (21) are equivalent to an annual rate of 30·2 per 1,000, and include one death from scarlet fever, 8 deaths from tuberculous disease, one death from each of broncho-pneumonia and *pneumonia* (not distinguished), 3 deaths from bronchitis, and 2 accidental deaths.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 34·1 per 1000. There was one death from diarrhœa, one from pulmonary tuberculosis, and one death from broncho-pneumonia included in the total.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 15·3; Pembroke, 8·9; Blackrock, 34·7; and Kingstown, 44·4. The deaths from the principal epidemic diseases tabulated for these districts include one from measles for each of Rathmines and Rathgar, Pembroke, and Kingstown. Among the 11 deaths from all causes for the first-named dstrict 2 were from tuberculous disease, 3 from pneumonia (all forms), and one from bronchitis. Of the 5 deaths from all causes for Pembroke one was from influenza, and 2 were from bronchitis. Included in the 6 deaths for Blackrock were 2 from pulmonary tuberculosis, and one from *pneumonia* (type not distinguished), and of the 15 deaths from all causes for Kingstown 4 were from pulmonary tuberculosis, and one from bronchitis.

* See note (c) Table II. † See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron. Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 22nd April, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Apr. 1,	.	—	—	6	1	.	7	.	.	12	8	.	—	—	.	—	17	—	51
	Apr. 8,	.	—	—	16	.	.	15	.	1	10	3	.	—	—	.	—	7	—	52
	Apr. 15,	.	—	—	9	.	.	15	.	1	10	7	.	—	—	.	—	7	—	49
	Apr. 22,	.	—	—	5	1	.	13	.	1	6	8	.	—	—	.	—	15	—	49
Rathmines and Rathgar Urban District.	Apr. 1,	.	—	—	3	.	.	5	.	.	4	3	.	—	—	—	—	—	—	15
	Apr. 8,	.	—	—	1	.	.	3	.	.	1	.	.	—	—	—	—	—	—	5
	Apr. 15,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	—	3
	Apr. 22,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
Pembroke Urban District.	Apr. 1,	.	7	.	1	.	.	1	.	.	.	.	.	—	10	.	—	.	—	19
	Apr. 8,	.	16	.	.	.	.	.	.	.	.	.	.	—	12	.	—	.	—	28
	Apr. 15,	.	3	.	.	.	.	.	.	.	1	.	.	—	3	.	—	.	—	7
	Apr. 22,	.	21	.	1	.	.	.	.	.	.	.	.	—	7	.	—	.	—	29
Blackrock Urban District.	Apr. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Apr. 8,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Apr. 15,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	.	—	—	—	3
	Apr. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Apr. 1,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Apr. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Apr. 15,	.	—	—	1	.	.	.	.	.	.	2	.	—	—	—	—	.	—	3
	Apr. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Apr. 1,	.	—	—	9	.	.	10	.	1	2	3	.	—	—	.	—	16	—	41
	Apr. 8,	.	—	—	9	.	.	1	.	.	2	6	.	—	—	.	—	11	—	29
	Apr. 15,	.	—	—	11	.	.	6	.	.	4	5	.	—	—	.	—	8	—	34
	Apr. 22,	.	—	—	8	.	.	4	.	.	1	.	.	—	—	.	—	9	—	22

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 22nd April, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Nineteen cases of measles were admitted to hospital during the week, 22 were discharged, there were 4 deaths, and 61 cases remained under treatment at the close of the week.

Fifteen cases of scarlet fever were admitted to hospital, 20 were discharged, there was one death, and 104* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 118, 112, and 110, respectively.

One case of typhus was admitted to hospital during the week, and 2 cases remained under treatment at its close.

Eighteen cases of diphtheria were admitted to hospital during the week, 19 were discharged, and there were 4 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 69, 66, and 60, respectively, were 55 at the close of last week.

Four cases of enteric fever were admitted to hospital during the week, 3 were discharged, there was one death, and 60 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 75, 70, and 60.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, 4 were discharged, and 40 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 15·8) was equal to an average annual death-rate of 15·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·7 per 1,000, the rate for Glasgow being 16·2 and for Edinburgh 16·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 22nd April. From this Report it appears that of a total of 51 cases notified, 16 were phthisis, 16 scarlet fever, 11 diphtheria, 7 erysipelas, and one enteric fever. Among the 345 cases of infectious diseases in hospital at the close of the week were 132 cases of scarlet fever, 59 of phthisis, 55 of diphtheria, 49 of measles, 32 of whooping-cough, 6 of erysipelas, 4 of chicken-pox, 3 of enteric fever, 2 of cerebro-spinal fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 22nd April, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 22nd April, 1911. Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 22nd April, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 15th April, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th April, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
Total of 22 Town Districts, ...	1,163,596	20·4	24·5	22·0	1·2	547	490	64	128	1	...	...	11	1	6	5	...	70	24	16	48	88	2	...	4	12	13	150	10	° ...	° ...	° ...	...	...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:—Total, (c.) ...	407,057	29·6	22·3	23·3	2·2	174	182	20	45	1	...	...	11	1	...	3	...	31	5	6	15	25	1	...	2	4	1	81	2	e62·3	39·0	50·5	0·50	e60·4	25·9	43·7	0·00	e51·7	29·2	39·4	0·13
City of Dublin,	313,526	39·6	23·6	24·1	2·3	142	145	19	35	1	...	...	8	1	...	3	...	24	4	5	11	21	1	...	2	4	1	69	2	f63·5 g62·6	40·9 40·0	51·8 51·1	0·97 0·74	f60·4 g60·8	33·9 29·0	46·2 45·0	0·01 0·00	f51·2 g51·9	31·8 28·6	40·9 39·6	0·08 0·15
Urban Districts. Rathmines and Rathgar.	37,528	21·9	18·1	15·3	1·4	13	11	1	1	...	...	...	1	...	...	...	...	1	1	...	3	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke ...	29,368	18·5	19·5	8·9	1·8	11	5	...	2	...	...	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,013	8·3	17·4	34·7	...	3	6	...	1	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,622	12·1	14·8	44·4	3·0	5	15	...	6	...	...	...	1	...	...	...	...	4	...	1	...	1	...	...	...	...	...	6	...	64	42	51·6	0·84	61	34	46·5	0·02	49	31	41	0·02
Urban Districts. Belfast, ...	398,421	27·1	24·7	20·2	0·4	189	154	23	39	...	...	...	...	...	2	1	...	14	11	6	23	34	...	...	2	3	3	27	..	57·0	38·5	47·2	0·58	55·0	32·8	45·3	0·00	50·5	32·2	42·2	0·00
Cork, ...	76,122	33·6	25·3	21·2	...	37	31	7	8	...	...	...	...	...	...	...	...	6	3	...	1	2	...	...	...	3	4	14	...	55	41	48·0	1·17	56	34	44·5	0·00	51	30	41·3	0·51
Londonderry ...	43,900	20·3	32·1	17·8	5·9	27	15	6	3	...	...	...	...	...	4	...	...	...	...	1	...	3	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,151	18·1	17·8	28·7	...	13	21	2	4	...	...	...	...	...	...	...	...	2	1	1	2	9	...	...	...	...	1	7	1	62·4	38·5	50·4	0·58	61·6	25	44·8	0·00	56·6	25·1	39·7	0·26
Waterford, ...	26,769	18·7	37·0	31·2	...	19	16	1	4	...	...	...	...	...	...	...	...	2	2	...	2	5	...	...	...	...	1	7	1	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,426	2·5	31·1	19·4	...	8	5	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	56	38	49	0·79	60	32	46	0·00	55	26	41	0·00
Dundalk, ...	13,076	9·4	19·9	27·9	...	5	7	1	1	...	...	...	...	...	...	...	...	1	...	...	1	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,760	8·6	12·3	12·3	...	3	3	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	12,405	17·8	21·0	37·8	...	5	9	...	2	...	...	...	...	...	...	...	...	4	...	1	...	...	...	...	...	...	...	2	...	60·6	37·8	48·9	0·98	62·9	32·6	40·8	0·15	51·9	23·3	38·3	0·03
Lurgan, ...	11,782	13·8	31·0	17·7	...	7	4	...	...	...	...	...	...	...	...	...	...	2	1	1	...	...	...	...	...	...	...	4	...	60·6	37·8	48·9	0·98	62·9	32·6	40·8	0·15	51·9	23·3	38·3	0·03
Lisburn, ...	11,461	10·1	18·2	22·7	...	4	5	...	2	...	...	...	...	...	...	...	...	1	...	...	2	1	...	...	...	...	...	2	1	60·6	37·8	48·9	0·98	62·9	32·6	40·8	0·15	51·9	23·3	38·3	0·03
Wexford. ...	11,168	23·2	18·7	4·7	...	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena, ...	10,886	8·9	14·4	23·9	...	3	5	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	10,870	3·7	24·0	14·4	...	5	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	..	1	59·2	38·9	49·4	1·22	58·3	26·8	41·1	0·14	52·3	21·5	39·0	0·00
Kilkenny, ...	10,609	11·5	24·6	19·7	...	5	4	...	2	...	...	...	...	...	...	...	...	...	1	...	...	3	...	...	...	...	...	...	...	61	39	50·9	1·15	63	30	45·9	0·00	53	28	39·3	0·09
Clonmel, ...	10,167	7·8	10·3	25·6	5·1	2	5	1	1	...	...	...	...	...	...	1	...	3	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Portadown. ...	10,092	13·2	98·2	20·7	...	19	4	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	60·6	37·8	48·9	0·98	62·9	32·6	40·8	0·15	51·9	23·3	38·3	0·03
Tralee, ...	9,867	16·6	26·4	21·1	...	5	4	...	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	34·3	28·6	...	6	5	1	2	...	...	...	...	...	...	...	...	1	...	...	...	3	...	...	...	1	1	1	...	59	40	47·9	0·67	58	37	45·4	0·04	48	35	40·8	0·03
Queenstown, ...	7,909	14·4	26·4	33·0	...	4	5	...	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	55	41	48·0	1·17	56	34	44·5	0·00	51	30	41·3	0·51
Armagh. ...	7,588	22·2	20·6	13·7	...	3	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	60·6	37·8	48·9	0·98	62·9	32·6	40·8	0·15	51·9	23·3	38·3	0·03

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1911. (b) See note (‡) at foot of first page. (c) Exclusive of 14 deaths of persons (including one under one year old and 2 at 65 years or upwards), admitted to hospital from localities outside the Area; of the 14 deaths one was from diphtheria. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 22nd of April, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	2	1	2	.	.	.	1	1	1	.	.	1	1	.	1	11	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	1	.	.	.	.	.	1	1	.	.	.	.	.	.	.	3	1
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	3	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	1	3	.	1	.	1	.	5	4	2	6	1	1	.	2	4	31	2
Tuberculous Disease. { Other Forms,	.	.	.	1	.	.	.	.	1	.	2	.	1	.	.	.	5	3
Cancer,	.	.	1	.	.	1	.	1	1	.	1	.	.	.	.	1	6	1
Diseases of Nervous System,	1	1	.	3	.	2	.	2	.	3	1	.	.	.	1	2	16	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	.	1	.	.	.	1	3	1	1	.	1	2	.	1	3	15	.
" Respiratory System. { Pneumonia,	.	.	.	4	.	.	.	1	1	2	2	1	3	.	1	.	15	1
" Respiratory System. { Others,	1	.	3	3	1	1	.	3	.	6	3	.	1	2	.	1	25	1
" Digestive System. { Diarrhœa, under 2 years,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Enteritis, under 2 years,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	.	1	.	2	.	.	.	1	.	1	.	.	.	.	.	1	6	.
" Genito-urinary System,	1	.	.	2	.	1	.	1	.	2	1	.	.	.	.	.	8	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" " Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	4	3	2	.	.	.	1	2	5	2	2	2	1	1	2	28	1
Violent Deaths,	.	.	.	2	.	.	.	.	.	.	2	.	.	.	.	.	4	3
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Deaths from All Causes	7	13	9	23	1	6	1	22	12	24	21	6	11	5	6	15	182	14
Annual Rate of Mortality from All Causes in every 1,000 of the population.	12·1	16·8	15·1	35·4	9·6	26·6	6·7	27·4	28·5	28·7	30·2	34·1	15·3	8·9	34·7	44·4	23·3	.
	19·5							29·0					20·6					
	24·1																	
Ages at Death. { Under 1 year,	.	3	2	2	.	.	.	3	2	5	1	1	1	.	.	.	20	1
1 and under 2 years,	1	1	.	3	.	.	.	3	1	6	4	.	.	1	.	1	21	.
2 " 5 "	.	2	.	2	.	.	.	2	2	.	1	.	1	1	.	.	11	1
5 " 15 "	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3
15 " 25 "	.	1	.	1	.	.	.	.	2	1	2	1	1	.	.	3	12	2
25 " 45 "	1	1	1	5	.	1	.	3	2	1	6	.	3	.	1	3	28	3
45 " 65 "	2	2	5	5	1	1	.	4	3	6	3	.	4	1	4	2	43	2
65 and upwards,	2	2	1	5	.	4	1	7	.	5	4	4	1	2	1	6	45	2
Number of Uncertified Deaths,	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	5	1	10	1	.	.	9	4	4	4	.	1	1	1	2	45	12
Workhouse Hospitals,	2	2	.	6	.	.	.	7	3	3	3	3	.	.	3	4	36	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 16th Week of the 10 years 1901–1910.	In the Week ending Saturday, 22nd April, 1911.										
													Deaths of Persons of the Ages of									
														0—5.								
	Apr. 20, 1901.	Apr. 19, 1902.	Apr. 25, 1903.	Apr. 23, 1904.	Apr. 22, 1905.	Apr. 21, 1906.	Apr. 20, 1907.	Apr. 18, 1908.	Apr. 24, 1909.	Apr. 23, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 46·8	° 45·9	° 40·0	° 46·0	° 44·0	° 44·3	° 42·5	° 42·6	° 48·9	° 49·6	° 45·1	° 50·5										
ALL CAUSES.	241	174	189	178	179	215	215	183	194	200	196·8	196	6	15	21	12	5	14	31	45	29	18
Enteric Fever, ...	4	.	1	.	.	2	.	.	1	.	·8	1	.	.	.	.	.	.	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	2	1	3	4	3	10	3	3	.	2·9	11	.	1	5	4	.	1	.	.	.	.
Scarlet Fever, ...	2	2	2	.	.	.	.	2	.	.	·8	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	9	1	1	5	4	.	7	3	6	5	4·1	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	.	1	2	1	1	.	.	.	.	2	·7	4	.	.	1	3	.	.	.	.	.	.
Croup, ...	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	7	2	3	.	3	3	5	5	9	2	3·9	3	.	.	.	.	.	1	.	.	.	2
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	1	1	1	.	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	.	.	1	1	2	.	.	.	·5	2	.	.	1	.	.	.	.	1	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	34	25	27	26	31	18	30	22	20	31	26·4	33	.	2	.	1	2	6	17	5	.	.
Tuberculous Meningitis, ...	3	4	6	3	3	5	5	6	1	5	4·1	2	.	.	.	.	1	1	.	.	.	.
Abdominal Tuberculosis, ...	6	3	1	.	.	4	4	.	1	2	2·1	2	.	.	.	.	.	.	2	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	5	8	8	8	8	2	7	10	7	11	7·4	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												4	.	1	2	.	.	.	1	.	.	.
Venereal Diseases, ...	3	.	1	1	.	2	.	.	2	.	·9	3	1	.	2	.	.	.	.	.	.	.
Cancer, ...	3	6	9	7	4	13	10	9	10	11	8·2	7	.	.	.	.	.	.	3	2	2	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	1	.	1	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	1	1	.	.	.	.	.	·2	1	.	.	.	.	.	1	.	.	.	.
Anæmia Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	9	.	.	1	.	.	2	.	3	3	.
Alcoholism, ...	1	.	2	.	.	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	1	.	3	1	2	.	·7	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												1	.	.	1	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*												6	.	.	.	.	.	.	.	2	2	2
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												2	.	.	.	.	.	.	.	.	2	.
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												3	1	.	1	.	1	.	.	.	.	.
Other Diseases of Nervous System.	44	45	43	38	39	55	45	50	35	49	44·3	4	.	.	.	.	.	.	.	2	2	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,												12	.	.	.	.	.	.	1	7	3	1
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												3	.	.	.	.	.	.	.	1	.	2
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	31	18	28	24	22	36	29	16	22	21	24·7	26	.	3	1	1	.	.	3	10	2	6
Broncho-pneumonia, ...		6	1	7	6	7	12	2	5	10		7	.	.	2	1	.	.	.	2	2	.
Lobar-pneumonia, ...	15	.	.	1	1	3	3	2	3	.	16·9	2	.	.	.	.	.	.	1	1	.	.
Pneumonia (type not distinguished)		4	4	12	3	16	8	12	16	10		7	.	.	2	.	.	.	1	1	3	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	2	5	5	3	.	7	2	.	3	1	2·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												.	.	.	.	.	.	.	.	.	.	.

SIXTEENTH WEEK ending Saturday, 22nd April, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 16th Week of the 10 years 1901–1910.	In the Week ending Saturday, 22nd April, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Apr. 20, 1901.	Apr. 19, 1902.	Apr. 25, 1903.	Apr. 23, 1904.	Apr. 22, 1905.	Apr. 21, 1906.	Apr. 20, 1907.	Apr. 18, 1908.	Apr. 24, 1909.	Apr. 23, 1910.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 46·8	° 45·9	° 40·0	° 46·0	° 44·0	° 44·3	° 42·5	° 42·6	° 48·9	° 49·6	° 45·1	° 50·5										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	1	1	.	.	.	.	.	.
Diarrhœa of Children under 2 years.	4	4	.	1	3	1	1	—	1	2	1·7	1	.	1	.	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	1	1	1	3	1	3	2	2	3	3	2·0	2	.	2	.	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	.	1
Cirrhosis of Liver, ...	2	1	.	1	3	2	.	1	1	.	2·1	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...		.	.	1	2	2	1	1	2	1		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	2	.	.	1	.	1	.	.	.	.	·4	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Digestive System.	7	4	6	6	8	5	6	2	5	3	5·2	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	16	8	5	5	8	3	3	7	9	3	6·7	5	.	1	1	.	.	.	.	2	1	.
Chronic Bright's Disease, ...												3	.	.	.	.	.	.	.	1	1	1
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	1	.	1	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	1	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	5	3	4	3	3	2	3	5	6	5	3·9	2	2	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	3	2	1	.	.	.	.	.	.	.	.
Old Age, ...	11	2	8	3	5	6	5	7	4	4	5·5	7	.	.	.	.	.	.	.	.	5	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	1	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	.	.	.	1	.	.	.	.	1	·2	1	.	.	.	.	.	.	.	1	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	2	.	.	.	1	.	1	.	.	.	·4	3	.	1	.	.	1	1	.	.	.	.
By Drowning, ...	1	1	1	.	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	1	1	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	3	.	2	2	1	4	1	3	.	.	1·6	2	.	.	.	.	.	.	1	.	.	1
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
Suicide, ...	.	.	1	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910–11—WEEK ENDING																									
	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec 3	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.
No. of weeks in Annual Series,	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
BIRTHS registered.	182	211	207	204	182	199	174	232	158	170	203	230	238	232	219	241	192	214	217	238	203	276	230	198	171	174
Average Births in corresponding week of previous 10 years, ...	206	209	202	195	181	207	193	195	177	174	231	208	209	201	241	217	212	209	216	223	212	212	233	202	210	223
DEATHS registered, ...	139	147	141	166	168	176	188	165	178	155	176	179	190	228	200	220	208	195	180	174	170	214	177	191	174	196
Annual Death-rate per 1,000, ...	18·0	19·0	18·2	21·5	21·7	22·8	24·3	21·4	23·0	20·1	22 5	22·9	24·3	29·2	25·6	28·2	26·6	25·0	23·1	22·3	21·8	27·4	22·7	24·5	22·3	25·1
Average Deaths in corresponding week of previous 10 years, ...	156	172	175	179	182	182	182	177	182	177	201	195	195	192	200	198	200	210	218	210	194	201	203	199	195	197
Ages, Under 5 years, ...	40	46	47	57	49	55	53	43	41	47	56	60	62	59	61	47	57	57	70	59	39	56	48	54	63	54
5—15 „ ...											5	10	7	11	6	10	6	10	9	12	9	7	14	17	4	5
15—25 „ ...											9	7	10	11	12	13	5	6	6	7	7	13	8	10	10	14
25—45 „ ...	99	101	94	109	119	121	135	122	137	108	25	24	27	32	32	41	36	35	32	24	24	42	19	33	25	31
45—65 „ ...											45	38	41	55	48	51	49	35	36	36	42	44	36	44	43	45
65—75 „ ...											20	25	28	34	22	39	33	29	19	19	28	32	29	27	19	29
75 and upwards, ...											16	15	15	26	19	19	22	23	8	17	21	20	23	6	10	18
Deaths from :—																										
Enteric Fever, ...	1	1	.	.	2	.	1	2	1	.	.	1	.	2	3	2	2	2	4	3	1	2	1	3	1	1
Typhus, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	.	1	1	.	2	1	.	1	4	3	6	2	2	2	2	3	7	7	7	3	2	1	7	11
Scarlet Fever, ...	1	3	.	2	1	3	1	1	.	2	7	.	.	1	.	4	6	2	2	.	.	1	.	1	4	1
Whooping-cough, ...	1	1	4	2	6	5	11	1	5	7	6	5	6	10	4	3	6	7	11	4	4	6	5	3	6	.
Diphtheria, ...	4	1	2	3	2	4	.	3	2	.	1	2	4	1	5	2	3	2	.	2	.	1	1	4	3	4
Influenza, ...	1	4	1	.	2	4	2	1	3	1	.	1	1	4	3	4	5	7	2	2	2	1	2	2	.	3
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.
Tuberculous Disease, Phthisis, ...	17	18	16	20	14	16	25	14	19	19	21	19	27	28	19	27	22	18	20	17	28	32	16	29	21	33
Tuberculous Disease, Other Forms,	4	11	11	8	6	7	11	4	7	5	4	6	9	7	4	6	8	7	7	8	8	15	13	10	3	8
Cancer, ...	9	7	9	8	14	3	12	4	13	6	8	3	12	7	16	11	4	6	5	8	6	10	13	11	8	7
Diseases of Circulatory System,	23	17	18	22	24	30	30	23	28	31	17	20	13	25	19	23	17	21	14	13	24	27	22	23	14	15
Diseases of Respiratory System, Pneumonia,	12	13	11	16	16	14	15	27	18	11	15	16	10	17	18	20	15	21	13	16	14	13	13	18	19	16
Diseases of Respiratory System, Others, ...	12	18	26	26	29	37	27	32	26	25	29	25	28	42	30	41	44	28	29	25	23	27	24	24	26	26
Diarrhœa, Under 2 years, ...	4	5	4	2	4	6	2	2	2	1	3	2	2	4	4	2	3	3	1	1	2	5	1	3	2	1
Diarrhœa, 2 years & upwards,											.	.	.	.	1	.	.	1	1	.	3	.	1	.	.	.
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	.	2	2	.	3	3	1	1	1	2	1	3	1	3	3	2
Violent Deaths, ...	2	1	2	2	3	4	4	8	4	6	2	8	1	4	7	4	2	5	2	4	5	5	5	6	1	7
Number of Uncertified Deaths,	4	1	8	6	7	5	5	3	3	6	4	5	7	7	3	3	2	4	7	8	7	2	5	1	1	2
Mean Temperature of the Air (Phœnix Park)	50·4	43·1	39·6	38·2	42·2	37·0	43·4	45·2	43·5	40·9	37·2	39·0	38·6	45·5	35·9	37·0	46·4	43·4	46·5	41·1	38·0	41·7	42·7	39·4	43·7	50·5
Average Mean Temperature in corresponding week of previous 10 years, ...	46·2	47·1	45·2	42·7	41·5	42·8	42·4	41·6	41·3*	41·3	42·0	40·0	40·8	40·5	40·3	40·3	39·8	39·9	40·5	41·7	42·7	42·6	42·4	44·1	43·1	45·1
Rainfall in inches, ...	·365	·558	·860	·352	1·206	1·820	1·700	1·172	·183	·130	·336	·345	·153	·034	·000	·011	·582	·523	·681	·316	·206	·000	·770	·131	·000	·501
Mean Humidity of the Air, complete Saturation 1·0, ...	·87	·90	·89	·85	·91	·93	·91	·91	·94	·88	·92	·90	·93	·92	·87	·90	·91	·91	·92	·91	·89	·87	·90	·86	·86	·89

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 22nd April, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 22ND APRIL, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	196	54	5	14	31	45	29	18	1	.	.	11	1	.	4	.	33	8	7	3	16	26	1	.	2	7	76	2
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	44·9	15	.	.	2	.	6	3	4	.	.	.	1	.	.	.	.	.	.	.	.	2	1	.	.	.	2	9	.
II.	MIDDLE CLASS, ...	87,188	13·2	22	5	.	3	4	6	2	2	.	.	.	2	.	.	1	.	5	1	1	.	2	2	.	.	.	1	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	17·9	38	15	1	2	6	9	3	2	.	.	.	3	.	.	1	.	5	1	2	1	6	1	1	.	.	1	16	.
IV.	GENERAL SERVICE CLASS, ...	154,279	28·1	83	26	4	5	14	17	11	6	1	.	.	5	1	.	1	.	15	3	3	1	5	16	.	.	2	3	27	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	38	8	.	2	7	7	10	4	.	.	.	.	.	.	1	.	8	3	1	1	1	6	.	.	.	.	17	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	66·9	10	.	.	.	.	6	3	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	6	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	31·2	5	.	.	2	.	.	.	3	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	11·8	5	3	.	.	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	1	1	.
	6. Clerks and Commercial Assistants, ...	30,432	12·0	7	2	.	2	1	2	.	.	.	.	.	2	.	.	.	.	3	.	.	.	.	.	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	15·4	8	.	.	1	2	2	2	1	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	3	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	17·5	10	5	.	.	4	1	.	.	.	.	.	.	.	.	1	.	1	1	1	.	3	.	.	.	.	.	3	.
	10. Clothing Trades, ...	23,260	4·5	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.
	11 Food Supply Trades, ...	9,242	11·3	2	1	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	30·9	18	4	1	2	1	6	3	1	.	.	.	1	.	.	.	.	3	.	1	.	2	.	.	.	.	.	11	.
	13 Petty Shopkeepers, ...	7,894	13·2	2	1	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14 Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	19·4	5	1	.	.	2	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	3	.
	15 Domestic Servants, ...	36,603	17·1	12	2	.	2	3	1	3	1	.	.	.	1	.	.	.	.	4	.	1	.	.	3	.	.	.	1	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	39·9	11	1	.	2	2	4	1	1	.	.	.	.	.	.	.	.	3	.	1	.	1	1	.	.	.	.	5	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	31·9	55	22	4	1	7	11	6	4	1	.	.	4	1	.	1	.	7	2	1	1	4	12	.	.	2	2	17	2
	INMATES OF WORKHOUSES.																														
V.	18. Workhouse Inmates, ...	6,024	—	38	8	.	2	7	7	10	4	.	.	.	.	.	.	1	.	8	3	1	1	1	6	.	.	.	.	17	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 30,219.	Mar. 4,	29·3	6·9	17	1	.	.	1	.	1	.	.	1	.	1	1	.	.	1	.	.	.
		„ 11,	19·0	.	11	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	1
		„ 18,	38·0	1·7	22	.	.	.	1	.	.	.	.	4	.	.	1	3	.	.	1	.	.
		„ 25,	36·2	5·2	21	.	.	.	.	.	1	.	.	3	2	.	2	.	2	.	1	3	.
		April 1,	27·6	.	16	.	.	.	.	.	.	.	.	1	2	.	3	1	.	.	.	1	.
		„ 8,	20·7	.	12	.	.	.	.	.	.	.	.	1	2	.	2	.	.	.	.	.	.
		„ 15,	6·9	1·7	4	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	.
		„ 22,	12·1	.	7	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 40,390.	Mar. 4,	19·4	6·5	15	1	.	.	1	.	3	.	.	1	.	.	.	1	.	.	.	.	1
		„ 11,	21·9	3·9	17	.	.	.	2	.	.	1	.	4	.	1	1	1	.	.	.	.	2
		„ 18,	20·7	5·2	16	.	.	.	2	.	1	.	.	1	1	1	1	3	.	1	.	.	2
		„ 25,	24·5	1·3	19	.	.	.	.	.	.	.	.	2	.	1	.	5	1	.	.	.	1
		April 1,	15·5	.	12	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	2
		„ 8,	25·8	2·6	20	.	.	.	.	.	1	.	.	3	.	.	1	4	1	.	1	1	.
		„ 15,	33·6	5·2	26	.	.	.	3	.	.	.	.	3	.	.	2	5	1	.	.	.	.
		„ 22,	16·8	3.9	13	.	.	.	2	.	.	1	.	3	.	.	.	.	.	.	1	.	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 31,064.	Mar. 4,	35·2	5·0	21	.	.	.	1	.	1	.	.	2	3	1	2	3	1	.	.	1	.
		„ 11,	23·5	.	14	.	.	.	.	.	.	.	.	1	.	.	3	3	.	.	.	1	.
		„ 18,	20·1	1·7	12	.	.	.	.	.	.	.	.	3	.	2	1	.	1	.	.	.	.
		„ 25,	11·7	1·7	7	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.
		April 1,	36·9	.	22	.	.	.	.	.	.	.	.	1	3	3	2	2	.	.	.	.	.
		„ 8,	33·6	5·0	20	.	.	.	.	.	.	1	.	.	1	3	3	3	2	.	.	.	.
		„ 15,	26·9	3·4	16	.	.	.	.	1	1	.	.	2	.	.	3	2	.	.	.	1	.
		„ 22,	15·1	1·7	9	.	.	.	1	.	.	.	.	.	.	1	.	3	.	.	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,908.	Mar. 4,	12·3	3·1	8	1	.	.	.	1	.	.	.	2	.	.	.	1	.	.	1	.	.
		„ 11,	18·5	3·1	12	.	.	.	.	.	1	1	.	4	.	.	.	.	.	.	1	.	.
		„ 18,	13·8	6·2	9	.	.	.	2	.	1	.	.	1	.	.	.	.	1	.	.	.	.
		„ 25,	41·5	3·1	27	.	.	.	.	.	.	.	.	7	2	1	2	5	2	.	.	.	.
		April 1,	21·5	3·1	14	1	.	.	1	.	.	.	.	4	.	.	1	1	.	.	.	.	.
		„ 8,	26·1	7·7	17	1	.	.	.	1	2	1	.	1	.	1	2	3	.	.	.	.	.
		„ 15,	20·0	4·6	13	.	.	.	.	1	2	.	.	1	.	1	1	1	.	.	.	.	.
		„ 22,	35·4	3·1	23	.	.	.	2	.	.	.	.	1	1	.	4	3	.	.	.	2	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,908.	Mar. 4,	19·9	2·5	16	1	.	.	.	.	1	.	.	3	.	1	1	2	.	.	.	1	.
		„ 11,	24·9	1·2	20	.	.	.	1	.	.	.	.	.	2	1	.	9	.	.	.	.	.
		„ 18,	22·4	3·7	18	.	.	.	.	.	1	.	.	3	2	.	1	4	.	2	.	.	2
		„ 25,	29·9	1·2	24	.	.	.	.	.	1	.	.	3	3	1	4	3	.	.	2	.	.
		April 1,	14·9	2·5	12	.	.	.	.	.	2	.	.	.	.	1	.	5	.	.	.	.	.
		„ 8,	23·6	.	19	.	.	.	.	.	.	.	.	3	.	2	.	4	.	.	.	1	.
		„ 15,	31·1	2·5	25	.	.	.	1	1	.	.	.	3	1	1	.	5	.	.	1	.	1
		„ 22,	27·4	3·7	22	1	.	.	1	.	.	1	.	5	.	1	1	3	.	.	1	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,980.	Mar. 4,	30·8	2·4	13	.	.	.	1	.	.	.	.	1	.	.	.	7	.	.	.	.	.
		„ 11,	21·4	2·4	9	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	1
		„ 18,	14·2	.	6	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	1	.
		„ 25,	35·6	4·7	15	.	.	.	.	.	2	.	.	1	2	.	2	1	.	.	.	1	.
		April 1,	26·1	2·4	11	.	.	.	1	.	.	.	.	1	2	1	1	3	.	.	.	.	.
		„ 8,	19·0	.	8	.	.	.	.	.	.	.	.	4	.	1	1	.	.	.	.	.	.
		„ 15,	23·7	.	10	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.
		„ 22,	28·5	4·7	12	.	.	.	1	.	.	1	.	4	1	1	1	.	.	.	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,677.	Mar. 4,	32·2	6·0	27	.	.	.	2	1	2	.	.	4	1	.	1	9	.	.	.	.	1
		„ 11,	28·7	3·6	24	.	.	.	3	.	.	.	.	2	2	3	4	2	.	.	.	.	.
		„ 18,	31·0	2·4	26	1	.	.	.	.	1	.	.	4	1	1	3	6	.	.	.	.	.
		„ 25,	20·3	.	17	.	.	.	.	.	.	.	.	7	2	1	.	2	.	.	.	.	.
		April 1,	27·5	.	23	.	.	.	.	.	.	.	.	2	3	2	1	2	.	.	.	.	1
		„ 8,	26·3	2·4	22	1	.	.	1	.	.	.	.	4	2	1	1	5	.	.	2	.	1
		„ 15,	14·3	3·6	12	1	.	.	1	.	1	.	.	.	.	.	2	.	.	.	1	.	.
		„ 22,	28·7	1·2	24	.	.	.	1	.	.	.	.	2	.	.	2	6	.	.	.	.	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 36,254.	Mar. 4,	24·7	4·3	17	.	.	.	1	.	2	.	.	2	1	1	4	.	.	.	.	.	2
		„ 11,	38·8	2·9	27	.	.	.	.	1	.	.	.	5	1	.	1	2	1	.	.	2	2
		„ 18,	17·3	2·9	12	.	.	.	2	.	.	.	.	.	2	1	3	1	.	.	.	2	.
		„ 25,	28·8	4·3	20	.	.	.	1	.	2	.	.	3	1	.	1	3	.	.	.	.	.
		April 1,	15·8	1·4	11	.	.	.	.	.	.	.	.	1	.	1	2	1	1	.	.	1	1
		„ 8,	38·8	1·4	27	.	.	.	.	.	.	1	.	3	5	1	4	1	.	.	.	3	.
		„ 15,	21·6	7·2	15	.	.	.	2	1	2	.	.	1	.	.	2	2	.	.	.	.	.
		„ 22,	30·2	1·4	21	.	.	.	.	1	.	.	.	6	2	1	2	3	.	.	.	2	.

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa. Children under 2 years.	2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 37,528.	Mar. 4,	18·1	.	13	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 11,	15·3	2·8	11	1	.	.	.	.	1	.	.	.	.	1	4	1	.	.	.	.	.
	„ 18,	12·5	.	9	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.
	„ 25,	19·5	.	14	.	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.	.
	April 1,	19·5	1·4	14	.	.	.	.	.	1	.	.	1	.	.	.	4	.	.	.	.	1
	„ 8,	16·7	1·4	12	1	.	.	.	.	.	.	.	3	.	.	2	.	.	.	.	1	.
	„ 15,	13·9	.	10	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.	.
	„ 22,	15·3	1·4	11	.	.	.	1	.	.	.	.	1	1	.	3	1	.	.	.	.	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,368.	Mar. 4,	14·2	1·8	8	.	.	.	.	.	1	.	.	1	.	.	1	2	.	.	.	.	1
	„ 11,	10·7	1·8	6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	„ 18,	12·4	.	7	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	1	.
	„ 25,	24·9	3·6	14	1	.	.	1	.	.	.	.	3	.	2	.	2	.	.	.	.	.
	April 1,	10·7	.	6	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.
	„ 8,	14·2	.	8	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.
	„ 15,	24·9	1·8	14	.	.	.	.	.	.	.	.	2	.	2	4	3	1	.	.	.	.
	„ 22,	8·9	1·8	5	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 (Est.) 17,622.	Mar. 4,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.		.
	„ 11,	14·8	.	5	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 18,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	2
	„ 25,	23·7	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
	April 1,	17·8	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.
	„ 8,	14·8	.	5	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.
	„ 15,	17·8	.	6	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.
	„ 22,	44·4	3·0	15	.	.	.	1	.	.	.	.	4	.	1	.	1	.	.	.	.	.
Belfast. Pop. in 1911 (Est.) 398,421.	Mar. 4,	17·4	0·3	133	.	.	.	.	.	1	.	.	13	10	3	15	20	1	.	1	3	3
	„ 11,	15·4	0·3	118	.	.	.	.	.	1	.	.	19	7	6	10	20	.	1	.	2	2
	„ 18,	15·4	0·4	118	.	.	.	.	1	1	.	.	7	8	11	10	14	1	.	.	1	1
	„ 25,	19·2	0·7	147	.	.	.	.	1	.	1	.	22	9	8	14	16	.	3	3	3	.
	April 1,	18·1	0·3	138	.	.	.	.	.	.	1	.	24	8	4	16	19	.	1	2	4	1
	„ 8,	22·5	0·4	172	1	.	.	.	1	.	.	.	26	8	5	13	26	1	.	1	8	3
	„ 15,	21·1	0·9	161	.	.	.	1	.	3	2	.	25	4	5	19	29	.	1	2	2	2
	„ 22,	20·2	0·4	154	.	.	.	.	.	2	1	.	14	11	6	23	34	.	.	2	3	.
Cork. Pop. (in 1901) 76,122.	Mar. 4,	17·8	0·7	26	.	.	.	.	.	1	.	.	7	1	.	1	3	.	.	.	.	1
	„ 11,	27·4	0·7	40	.	.	.	.	.	1	.	.	9	3	1	1	3	.	.	1	1	.
	„ 18,	16·4	.	24	.	.	.	.	.	.	.	.	4	.	2	.	8	.	.	.	2	.
	„ 25,	21·9	.	32	.	.	.	.	.	.	.	.	10	4	1	1	5	.	.	.	.	1
	April 1,	19·2	.	28	.	.	.	.	.	.	.	.	4	2	2	3	3	.	.	.	.	1
	„ 8,	30·8	0·7	45	.	.	.	.	.	1	.	.	1	1	1	3	3	.	.	.	1	2
	„ 15,	27·4	0·7	40	1	.	.	.	.	.	.	.	6	.	3	3	4	.	.	.	.	1
	„ 22,	21·2	.	31	.	.	.	.	.	.	.	.	6	3	.	1	2	.	.	.	3	.
Londonderry. Pop. in 1911 (Est.) 43,900.	Mar. 4,	28·5	7·1	24	.	.	.	.	.	6	.	.	2	.	.	3	1	.	.	.	.	2
	„ 11,	15·4	2·4	13	.	.	.	.	.	1	.	.	1	.	1	.	4	1	.	1	.	.
	„ 18,	10·7	.	9	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.
	„ 25,	20·2	.	17	.	.	.	.	.	.	.	.	4	1	.	2	.	.	.	1	1	.
	April 1,	22·6	4·8	19	.	.	.	.	.	3	1	.	1	.	1	1	5	.	.	.	.	.
	„ 8,	35·6	2·4	30	.	.	.	.	.	2	.	.	1	.	1	5	8	.	.	.	1	.
	„ 15,	26·1	4·8	22	.	.	.	.	.	4	.	.	3	.	.	2	6	.	.	.	1	.
	„ 22,	17·8	5·9	15	.	.	.	.	.	4	.	.	.	.	1	.	3	1	.	.	.	.
Limerick. Pop. (in 1901) 38,151.	Mar. 4,	30·1	.	22	.	.	.	.	.	.	.	.	3	.	.	2	5	.	.	.	.	4
	„ 11,	24·6	.	18	.	.	.	.	.	.	.	.	1	.	1	1	4	.	.	.	.	2
	„ 18,	15·0	.	11	.	.	.	.	.	.	.	.	3	.	.	2	1	.	.	.	.	1
	„ 25,	26·0	.	19	.	.	.	.	.	.	.	.	3	1	2	1	5	.	.	.	.	.
	April 1,	31·4	.	23	.	.	.	.	.	.	.	.	5	.	.	3	6	.	.	.	.	.
	„ 8,	17·8	.	13	.	.	.	.	.	.	.	.	3	.	.	2	3	.	.	.	.	2
	„ 15,	17·8	1·4	13	1	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	3
	„ 22,	28·7	.	21	.	.	.	.	.	.	.	.	2	1	1	2	9	.	.	.	.	1
Waterford. Pop. (in 1901) 26,769.	Mar. 4,	33·1	.	17	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.	.	2
	„ 11,	17·5	.	9	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	1
	„ 18,	15·6	.	8	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	.	.
	„ 25,	13·6	.	7	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	.
	April 1,	23·4	.	12	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	1	.
	„ 8,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 15,	13·6	.	7	.	.	.	.	.	.	.	.	3	.	.	.	2	.	.	.	.	1
	„ 22,	31·2	.	16	.	.	.	.	.	.	.	.	2	2	.	2	5	.	.	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 22nd April, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	349,180	8	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		6	2	.	1	2	1	.	.	.	.	.	.	.	.	.	1	.	.	3	1	.	.	.	.	.	3	.
Do. 2 do.		19			14	3	1	.	2	2	6	.	.	.	.	.	.	.	.	.	1	.	2	5	.	.	.	.	.	3	.
Do. 3 do.		25			22	4	4	1	5	6	2	.	.	.	.	.	2	.	.	2	2	.	5	3	.	.	.	.	.	2	.
Do. 4 do.		15			14	4	2	.	1	6	1	.	.	.	.	.	.	.	.	.	.	1	4	5	.	.	.	.	.	5	.
Do. 5 do.		12			11	3	2	.	3	2	1	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	1	1	1	1	.
Do. 6 do.		5			15	1	.	.	1	5	8	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	.	.	3	.
Do. 7 do.		1			2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
Do. 8 do.		.			2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		17			8	.	.	2	1	2	3	.	.	.	.	.	.	.	.	3	.	.	2	1	.	.	.	.	.	1	.
Do. 10 do.		18			11	.	2	1	.	3	5	.	.	.	.	.	.	.	.	2	.	1	2	3	.	.	.	.	.	1	.
Do. 11 do.		27			13	1	.	2	3	4	3	.	.	.	.	.	.	.	.	2	.	2	.	4	.	.	.	1	1	.	.
Do. 12 do.		26			18	3	1	2	7	1	4	.	.	.	.	.	.	.	.	1	3	1	1	6	.	.	1	1	1	3	.
Do. 13 do.		7			6	.	.	1	.	1	4	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	1	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		9			12	2	1	1	1	6	1	.	.	.	.	.	.	1	.	1	2	.	.	.	.	.	.	.	.	3	.
Total,	—	189			154	23	14	13	26	39	39	.	.	.	.	.	2	1	.	14	11	6	23	34	.	.	2	3	3	27	.
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	4	28·4	.	7	2	.	.	.	1	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	4	.
Do. 2 do.	10,701	4	19·5	.	4	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 3 do.	9,978	6	26·1	.	5	1	1	2	1	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.	.	2	.
Do. 4 do.	8,666	8	36·1	.	6		1	3	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1	2	3	.
Do. 5 do.	6,592	.	15·8	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.
Do. 6 do.	10,702	4	9·7	.	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Do. 7 do.	16,616	11	15·7	.	5	2	.	1	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	1	1	.
Total,	76,122	37	21·2	.	31	7	2	6	4	4	8	.	.	.	.	.	.	.	.	6	3	.	1	2	.	.	.	3	4	14	.

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910–11—WEEK ENDING																									
	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.
No. of weeks in Annual Series,	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
BIRTHS registered, ...	201	183	178	156	181	175	185	167	200	199	241	231	233	188	212	218	216	213	232	193	220	218	232	232	204	189
DEATHS registered, ...	115	108	122	132	134	109	151	133	132	91	122	151	118	118	128	146	149	141	133	118	118	147	138	172	161	154
Annual Death rate per 1,000 of estimated population, ...	15·3	14·4	16·3	17·6	17·9	14·5	20·1	17·7	17·6	12·1	16·0	19·8	15·4	15·4	16·8	19·1	19·5	18·5	17·4	15·4	15·4	19·2	18·1	22·5	21·1	20·2
AGES, Under 1 year, ...	28	24	28	27	24	17	34	20	22	18	21	30	23	26	24	24	31	21	25	20	33	23	26	36	24	23
AGES, 1—5 years, ...	8	11	6	6	5	8	11	17	12	8	12	11	8	10	10	7	10	14	9	10	6	17	11	7	10	14
AGES, 5—25 „ ...	79	73	88	99	105	84	106	96	98	65	7	20	16	11	6	11	21	17	18	9	10	19	11	14	17	13
AGES, 25—45 „ ...											30	37	17	13	25	27	30	29	16	23	14	28	23	36	32	26
AGES, 45—65 „ ...											32	25	21	27	34	34	32	26	35	29	27	30	38	45	37	39
AGES, 65 and upwards, ...											20	28	33	31	29	43	25	34	30	27	28	30	29	34	41	39
Deaths from :—																										
Enteric Fever, ...	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	3	1	.	2	2	3	3	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever, ...	.	1	.	.	1	.	1	2	1	1	1	1	1	.	.	1	.	1	.	.	1	1	.	1	.	.
Whooping-cough, ...	1	.	.	.	1	.	1	.	1	1	.	.	1	1	1	.	.	1	1	1	1	.	.	.	3	2
Diphtheria, ...	.	.	1	1	.	1	4	.	.	.	.	.	1	2	1	.	.	.	.	.	.	1	1	.	2	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	12	14	12	17	17	13	14	12	15	9	14	23	17	13	10	11	22	15	13	19	7	22	24	26	25	14
Tuberculous Disease. Other Forms,	8	2	7	8	4	7	5	7	3	3	7	7	4	4	4	4	11	10	10	7	8	9	8	8	4	11
Cancer, ...	7	9	5	8	9	6	5	8	6	5	7	2	7	11	6	5	5	8	3	6	11	8	4	5	5	6
Diseases of Respiratory System, Pneumonia,	7	7	13	11	8	7	13	10	10	7	8	9	7	7	7	11	14	11	15	10	10	14	16	13	19	23
Diseases of Respiratory System, Others, ...	19	11	23	16	25	25	36	22	29	18	18	24	24	20	25	26	25	20	20	20	14	16	19	26	29	34
Diarrhœa, Under 2 years, ...	10	6	4	3	1	1	4	3	1	.	1	.	.	.	.	1	.	.	1	.	1	.	.	1	.	.
Diarrhœa, 2 years & upwards											1	1	.	.	.	1	.	.	.	1	.	3	1	.	1	.
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	—	1	.	.	2	2	3	2	2	1	.	.	3	2	1	2	2
Violent Deaths, ...	.	3	4	2	5	3	2	6	2	4	6	6	1	2	4	4	.	4	3	2	1	3	4	8	2	3
Number of Uncertified Deaths, ...	.	2	3	.	.	3	4	1	1	3	3	.	1	5	2	1	.	.	3	2	1	.	1	3	2	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,912,054	Apr. 22,	2,133	1,487	15·8	.	.	77	4	53	15	25*a*
Edinburgh, ...	365,253	„ 22,	150	116	16·6	.	.	2	.	8	3	1
Glasgow, ...	897,178	„ 22,	432	278	16·2	.	.	3	1	28	3	6
Calcutta, ...	1,009,008	Mar. 18,	.	467	28·6	114*	2	.	.	1	1	82‡
Bombay, ...	977,822	„ 18,	380	817	43·4	213*	19	42	.	.	.	56‡
Madras, ...	509,346	Feb. 25,	366	458	46·7	88*	13	9	?	?	?	102
Cairo, ...	689,439	Mar. 4,	603	440	33·3	3	1	1	3	.	5†	36*a*
Paris, ...	2,760,000	„ 25,	941	950	18·0	7	.	15	.	6	3†	15*a*
Brussels, ...	720,030	„ 25,	232	197	14·2	1	.	3	1	.	2†	7*a*
Antwerp, ...	320,640	April 1,	116	80	13·0	1	.	4	.	.	.	6*a*
Amsterdam, ...	575,873	„ 1,	263	136	12·3	1	.	5	.	2	1†	3*a*
Copenhagen, ...	459,000	„ 1,	244	144	16·4	.	.	3	.	6	.	.
Stockholm, ...	341,816	Mar. 25,	162	99	15·1	.	.	.	.	.	2†	1*a*
Christiania, ...	240,178	Apr. 8,	110	72	15·6	.	.	1	.	10	1†	2
St. Petersburg, ...	1,639,266	Mar. 11,	649	635	20·2	3	3	9	11	1	4	48
Moscow, ...	1,493,600	„ 11,	.	754	26·3	.	3	11	29	7	21†	50
Berlin, ...	2,074,068	„ 18,	811	592	14·9	.	.	1	5	6	11	17
Hamburg, ...	932,166	Apr. 1,	.	277	15·5	.	.	1	3	3	13†	16
Breslau, ...	515,171	„ 1,	.	213	21·6	.	.	1	1	1	1	12
Munich, ...	597,000	„ 8,	.	179	15·6	.	.	.	.	.	1†	5
Vienna (with suburbs),	2,031,498	„ 1,	742	714	18·3	1	.	2	2	4	3†	39*a*
Buda-Pesth, ...	891,585	„ 1,	451	340	19·8	1	.	5	2	1	4†	17*a*
Prague and Faubourgs,	508,310	Mar. 18,	209	226	23·1	.	.	.	4	7	2†	9*a*
Trieste, ...	226,423	„ 25,	128	124	28·6	.	.	1	.	1	1†	3*a*
Rome, ...	593,110	Jan. 21,	315	274	24·1	1	.	.	.	1	5	14
Venice, ...	184,325	Mar. 18,	79	90	25·5	.	.	.	.	.	.	5
New York, ...	4,983,385	„ 11,	2,692	1,605	16·8	5	.	14	28	8	41†	57
Philadelphia, ...	1,573,509	Feb. 25,	.	552	18·2	4	.	13	4	4	16	5*a*
Boston, ...	686,912	Apr. 1,	.	233	17·6	.	.	1	2	3	4	8

* Deaths from "fever," including 8 deaths from enteric fever and 48 deaths from plague in Calcutta, one death from enteric fever and 145 from plague in Bombay, and one death from enteric fever in Madras.

† Including deaths from croup.

‡ Including 47 deaths from cholera in Calcutta, and one in Bombay.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending April 22nd, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 1, West, ...	.	.	.	.	1	.	1	.	.	.	.	.	2
„ „ 2, ...	.	.	.	.	1	.	.	.	.	.	.	3	4
„ „ 3, ...	.	.	1	.	6	.	.	3	2	.	.	1	13
Clontarf and Howth No. 1 (part of),	.	.	.	.	1	.	.	1	.	.	.	.	2
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	2	.	.	.	.	.	.	.	2
South City No. 1, ...	.	.	.	.	.	.	.	.	6	.	.	5	11
„ „ 2, ...	.	1	.	.	1	.	.	.	.	.	.	4	6
„ „ 3, ...	.	2	.	.	.	.	.	2	.	.	.	1	5
„ „ 4, ...	.	.	.	.	1	.	.	.	.	.	.	.	1
New Kilmainham, ...	.	2	.	.	.	.	.	.	.	.	.	1	3
Total, ...	.	5	1	.	13	.	1	6	8	.	.	15	49

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 22nd April, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 22nd April.			
	April 1.	April 8.	April 15.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	49	58	68	19	22	4	61
Scarlet Fever, ...	118	112	110	15	20	1	104*
Typhus, ...	2	2	1	1	.	.	2
Diphtheria, ...	69	66	60	18	19	4	55
Enteric Fever, ...	75	70	60	4	3	1	60
Pneumonia, ...	28	37	34	10	4	.	40

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 22nd April, 1911:—

Changeable, but springlike, "growing" weather prevailed throughout this week. The British Isles, but Ireland in particular, were under the influence of a strong equatorial air-current, which set northwards in a series of more or less deep barometric depressions. Of these the most energetic was central over Connaught on Wednesday morning, when the barometer stood as low as 28·72 inches at Blacksod Point, Co. Mayo, and 28·73 inches at Birr Castle, King's Co. Up to the time named severe frost for the time of year held in Iceland, the thermometer at 7 a m. on Easter morning standing at 15° at Isafjord, 16° at Seydisfjord, 17° at Akureyri, and 20° at Reykjavik, the capital. These low temperatures were connected with a prevalence of strong northerly winds, whereas mild westerly and south-westerly winds blew over the British Isles and Western Europe in general. In the Dublin district the weather, while mild and breezy, remained dry until Tuesday, when the wind freshened to a gale, with heavy rain in the afternoon and at night—in the City of Dublin ·80 inch was measured on Wednesday morning—at Coolagad, Greystones, Co. Wicklow, the measurement was 1·02 inches. As Wednesday's deep depression travelled away to the northward it decreased in intensity, and the barometer rose so rapidly in Ireland that the change in 24 hours exceeded an inch in most parts of this country: in Dublin the reading was 29·853 inches at 9 a.m. of Thursday compared with 28·871 inches at 9 a.m of Wednesday. A temporary dip in temperature on Thursday followed Wednesday's storm, but warm sunshine and balmy S.W. winds on Friday and Saturday forced vegetation in a most striking way. In Dublin the mean height of the barometer was 29·690 inches, pressure ranging from 28·800 inches at 4.30 a.m. of Wednesday (wind, S.), to 30·125 inches at 9 p.m. of Friday (wind, S.W.). The corrected mean temperature was 51·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 50·9°. On Thursday the screened thermometers fell to 40·9°, on Saturday they rose to 63·5°. S. and S.W. winds prevailed. The rainfall was ·972 inch on five days, ·802 inch being measured on Tuesday. Hail fell on Thursday. Lightning was seen in the south of Ireland, and at Scilly and Yarmouth on Tuesday night.

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·516 inches. The highest reading (29·953) was on Friday at 9 p.m., wind S.W., and the lowest (28·698) on Wednesday at 9 a.m., wind S.

The mean temperature for the week was 50·5°, being 5·4° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Saturday, on which day the thermometer registered 62·3°, and was lowest on Thursday, the mercury having fallen to 39·0°. The mean of the Dry Bulb for the week was 49·9° and of the Wet Bulb, 48·2°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The rainfall during the week measured 0·501 inch.

At Greenwich the mean temperature for the week was 51·2°, the maximum 67·3°, and the minimum 37·4°; and at Glasgow the maximum was 62·2°, the minimum 34·7°, and the mean 47·4°. The rainfall at Glasgow measured 0·79 in. There was no rainfall recorded at Greenwich.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, April 16,	29·695	58·4	44·9	51·7	47·6	45·9	·88	·6	4·8	·006	W.S.W.	Calm.
Monday, „ 17,	29·456	55·5	40·7	48·1	50·4	48·1	·85	·5	1·8	·000	S.W.	S.W.
Tuesday, „ 18,	28·983	56·2	43·8	50·0	48·6	46·7	·87	·6	0·5	·270	S.W.	S.S.W.
Wednesday, „ 19,	28·905	55·8	42·4	49·1	48·5	47·2	·92	·6	5·0	·085	S.	S.W.
Thursday, „ 20,	29·774	51·9	39·0	45·5	46·0	44·1	·87	·6	8·4	·068	W.S.W.	S.W.
Friday, „ 21,	29·908	61·4	44·0	52·7	54·2	53·2	·93	·4	1·2	·052	S.W.	S.W.
Saturday, „ 22,	29·890	62·3	50·6	56·5	54·0	52·4	·90	·6	7·0	·020	S.W.	S.W.
Mean, ...	29·516	57·4	43·6	50·5	49·9	48·2	·89	·6	Total 28·7	Total ·501	Prevailing Wind, S.W.	

Sunday—Day cloudy; night overcast, drizzle a.m. *Monday*—Day cloudy; night cloudy. *Tuesday*—Day overcast, passing showers; night overcast, drizzle and heavy rain a.m. *Wednesday*—Day cloudy, passing showers; night clear. *Thursday*—Day cloudy, passing showers; night overcast, drizzle a.m. *Friday*—Day overcast to cloudy; night overcast, drizzle a.m. *Saturday*—Day cloudy, light rain p.m.; night cloudy, light rain a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, April 22nd, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, April 16,	49·7	47·5	45·3	60·3	45·3	52·8	5·1	—
Monday, „ 17,	51·8	47·9	45·6	59·0	46·1	52·5	2·8	·001
Tuesday, „ 18,	52·1	49·5	46·1	59·0	33·7	46·3	0·1	·750
Wednesday, „ 19,	46·8	48·0	46·0	58·7	33·4	46·0	2·5	—
Thursday, „ 20,	48·2	48·1	46·4	55·1	39·5	47·3	9·4	—
Friday, „ 21,	55·2	51·1	47·0	62·9	40·0	51·4	4·3	·08
Saturday, „ 22,	53·8	50·9	46·8	63·9	40·0	51·9	5·8	—
Weekly Mean, .	51·1	49·0	46·2	59·8	39·7	49·7	Total 30·0	Total ·831

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30467. Wt. P. 1–60/138. 375. 4. 1911. Sch C. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & Co., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 29TH APRIL, 1911. [No. 17.

General Register Office, Charlemont House, Dublin, 1st May, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,163,596.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending April 8	Week ending April 15	Week ending April 22	Week ending April 29	Average Rate for 4 weeks.
22 Town Districts, ...	**22·4**	**20·3**	**22·0**	**20·8**	**21·4**
Armagh	6·9	6·9	13·7	13·7	10·3
Ballymena	19·2	23·9	23·9	14·4	20·4
Belfast	22·5	21·1	20·2	20·9	21·2
Clonmel	10·3	15·4	25·6	25·6	19·2
Cork	30·8	27·4	21·2	24·0	25·8
Drogheda	20·4	4·1	12·3	4·1	10·2
Dublin Reg. Area ...	23·2	21·1	23·3	22·4	22·5
Dundalk	16·0	.	27·9	35·9	20·0
Galway	15·5	7·8	19·4	35·0	19·4
Kilkenny	19·7	44·2	19·7	14·7	24·6
Limerick	17·8	17·8	28·7	10·9	18·8
Lisburn	18·2	13·6	22·7	18·2	18·2
Londonderry	35·6	26·1	17·8	14·3	23·4
Lurgan	13·3	8·9	17·7	22·1	15·5
Newry	12·6	4·2	37·8	37·8	23·1
Newtownards	17·2	28·6	28·6	11·4	21·4
Portadown	5·2	10·3	20·7	20·7	14·2
Queenstown	6·6	13·2	33·0	6·6	14·9
Sligo	14·4	9·6	14·4	9·6	12·0
Tralee	26·4	5·3	21·1	15·9	17·2
Waterford	11·7	13·6	31·2	13·6	17·5
Wexford	23·3	23·3	4·7	28·0	19·8

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in fourteen of the districts to 8·0 in Dundalk, the 9 deaths from all causes for that district including 2 from diphtheria. Among the 160 deaths from all causes for Belfast are one from each of enteric fever and whooping-cough. Included in the 35 deaths from all causes for Cork are 2 from whooping-cough. Of the 12 deaths from all causes for Londonderry 3 are from whooping-cough. One death from diphtheria is included among the 8 deaths from all causes for Limerick, and of the 9 deaths from all causes for Galway 2 are from diarrhœa.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 259—137 boys and 122 girls—and the deaths to 181—83 males and 98 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 22·4 per 1,000 of the population. During the seventeen weeks ending with Saturday last the death-rate averaged 23·2, and was 2·7 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœa.

The total deaths registered, numbering 181, represent an annual rate of 23·2 per 1,000; the annual rate for the past seventeen weeks was 24·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 27·0 per 1,000 of the mean population for all deaths registered.

The deaths from all causes included 5 from measles, 2 from whooping-cough, one death from diphtheria, and 4 deaths from diarrhœa and enteritis of children under 2 years of age. In the three weeks preceding, deaths from measles were one, 7, and 11; deaths from whooping-cough were 3, 6, and 0; deaths from diphtheria were 4, 3, and 4; and deaths from diarrhœa and enteritis of children under 2 years of age were 6, 5, and 3, respectively.

Deaths from all forms of tuberculous disease numbered 32; in each of the three preceding weeks such deaths were 39, 24, and 41. The 32 deaths included 22 from pulmonary tuberculosis, 5 from tuberculous meningitis, 3 from abdominal tuberculosis, one death from tuberculosis of the vertebral column, and one death from disseminated tuberculosis.

Of 18 deaths from pneumonia (all forms), 7 were attributed to broncho-pneumonia, one to lobar pneumonia, and 10 to *pneumonia* (type not distinguished).

There were 9 deaths from cancer.

Diseases of the brain and nervous system caused the deaths of 20 persons; of these 11 were caused by *convulsions*, namely, 5 of infants under one month, 3 of infants between the ages of one month and one year, 2 between the ages of one year and 2 years, and one child aged 3 years.

Twenty-four deaths resulted from diseases of the heart and blood vessels, and bronchitis caused the deaths of 15 persons.

The deaths of 5 infants were attributed to premature birth, and 2 infants died from congenital debility.

Of 8 deaths from accident or negligence, 2 were of infants by suffocation in bed, one was by burning, and one was by drowning.

There was one death from homicide in a lunatic asylum.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 infants under one year of age.

Fifty of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 15 were under one month old) and 45 were aged 65 years and upwards; including 35 persons aged 70 years and upwards; among the latter were 20 aged 75 years and upwards, of whom one (a female) was stated to have been aged 93 years.

Seventy-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·4 per 1,000; the rate in the City was 24·4 (North City Districts, 25·7; South, 23·2) and in the Suburbs, 15·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·7 (1·9 in the North City Districts, and 1·4 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (9) are equal to an annual rate of 15.5 per 1,000 There were 4 deaths from tuberculous disease, 2 deaths from broncho-pneumonia, and one death from *pneumonia* (type not distinguished).

No. 1 *North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 24·5 per 1,000, and include one death from measles, 3 deaths from pulmonary tuberculosis, one death from broncho-pneumonia, and 5 deaths from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (28) are equivalent to an annual rate of 47·0 per 1,000. There were 2 deaths from diarrhœa, tuberculous disease caused 7 deaths, broncho-pneumonia, and *pneumonia* (type not distinguished), each caused one death, and there were 4 deaths from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (13) represent an annual rate of 20·0 per 1,000. Measles caused 2 deaths, there was one death from each of diarrhœa, pulmonary tuberculosis, broncho-pneumonia, *pneumonia* (type not distinguished), and bronchitis; there was one accidental death and one homicidal death in a lunatic asylum.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·2 per 1,000 inhabitants; Coolock and Drumcondra, part of, 13·3; and Finglas and Glasnevin, part of, 33·5. One of the deaths for Clontarf and Howth, No. 1, part of, was from tuberculous disease. Among the 3 deaths for Coolock and Drumcondra, part of, was one from each of pulmonary tuberculosis and bronchitis, and included in the 5 deaths from all causes for Finglas and Glasnevin, part of, are 2 from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (10) represent an annual rate of 12·4 per 1,000. *Pneumonia* (type not distinguished) and bronchitis each caused one death, and there was one accidental death.

No. 2 *South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 28·5 per 1,000. Tuberculous disease caused 4 deaths and there was one death from *pneumonia* (type not distinguished).

No. 3 *South City District* (Peter-street).—The deaths (27) are equal to an annual rate of 32·2 per 1,000. Measles caused 2 deaths, whooping-cough and diphtheria each caused one death, tuberculous disease caused 2 deaths, there was one death from lobar pneumonia, and one death from *pneumonia* (type not distinguished), 2 deaths from bronchitis and 3 accidental deaths.

No. 4 *South City District* (Grand Canal Street).—The deaths (15) are equivalent to an annual rate of 21·6 per 1,000. Pulmonary tuberculosis caused 2 deaths and there were 3 accidental deaths.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 22·7 per 1000. There was one death from broncho-pneumonia, and one death from *pneumonia* (type not distinguished).

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·5; Pembroke, 16·0; Blackrock, 17·4; and Kingstown, 20.7. The only death from any of the principal epidemic diseases tabulated for these districts was one from whooping-cough for Pembroke. One of the 9 deaths from all causes for Rathmines and Rathgar was from broncho-pneumonia. Included in the 9 deaths from all causes for Pembroke were 2 from tuberculous disease. Of the 3 deaths for Blackrock one was from tuberculous meningitis, and among the 7 deaths from all causes for Kingstown were 2 from tuberculous disease, and one from *pneumonia* (type not distinguished).

* See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 29th April, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Apr. 8,	.	—	—	16	.	.	15	.	1	10	3	.	—	—	.	—	7	—	52
	Apr. 15,	.	—	—	9	.	.	15	.	1	10	7	.	—	—	.	—	7	—	49
	Apr. 22,	.	—	—	5	1	.	13	.	1	6	8	.	—	—	.	—	15	—	49
	Apr. 29,	.	—	—	8	.	.	22	.	2	10	5	.	—	—	.	—	13	—	60
Rathmines and Rathgar Urban District.	Apr. 8,	.	—	—	1	.	.	3	.	.	1	.	.	—	—	—	—	—	—	5
	Apr. 15,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	—	3
	Apr. 22,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
	Apr. 29,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	—	4
Pembroke Urban District.	Apr. 8,	.	16	.	.	.	.	.	.	.	.	.	.	—	12	.	—	.	—	28
	Apr. 15,	.	3	.	.	.	.	.	.	.	1	.	.	—	3	.	—	.	—	7
	Apr. 22,	.	21	.	1	.	.	.	.	.	.	.	.	—	7	.	—	.	—	29
	Apr. 29,	.	26	.	1	.	.	.	.	.	.	.	.	—	2	.	—	.	—	29
Blackrock Urban District.	Apr. 8,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Apr. 15,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	.	—	—	—	3
	Apr. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Apr. 29,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Apr. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Apr. 15,	.	—	—	1	.	.	.	.	.	.	2	.	—	—	—	—	.	—	3
	Apr. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Apr. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Apr. 8,	.	—	—	9	.	.	1	.	.	2	6	.	—	—	.	—	11	—	29
	Apr. 15,	.	—	—	11	.	.	6	.	.	4	5	.	—	—	.	—	8	—	34
	Apr. 22,	.	—	—	8	.	.	4	.	.	1	.	.	—	—	.	—	9	—	22
	Apr. 29,	.	—	—	9	.	.	2	.	.	.	7	.	—	—	.	—	12	—	30

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 29th April, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Forty-five cases of measles were admitted to hospital during the week, 25 were discharged, and 81 cases remained under treatment at the close of the week.

Thirteen cases of scarlet fever were admitted to hospital, 31 were discharged, and 86* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 112, 110, and 104, respectively.

Two cases of typhus remained under treatment in hospital at the close of the week.

Sixteen cases of diphtheria were admitted to hospital during the week, and 8 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 66, 60, and 55, respectively, were 63 at the close of last week.

Fourteen cases of enteric fever were admitted to hospital during the week, 20 were discharged, and 54 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 70, 60, and 60.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, 14 were discharged, there was one death, and 35 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 13·6) was equal to an average annual death-rate of 14·3 per 1,000 persons living.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 29th April. From this Report it appears that of a total of 52 cases notified, 19 were scarlet fever, 17 phthisis, 11 diphtheria, 4 erysipelas, and one enteric fever. Among the 357 cases of infectious diseases in hospital at the close of the week were 130 cases of scarlet fever, 61 of phthisis, 59 of diphtheria, 56 of measles, 34 of whooping-cough, 5 of erysipelas, 5 of chicken-pox, and 3 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 29th April, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa. Of children under 2 years of age.	Diarrhœa. 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) Week ending 29th April, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd April, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 15th April, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
TOTAL OF 22 TOWN DISTRICTS, ...	1,163,596	20·4	30·8	20·8	1·1	687	465	74	122	1	...	...	5	...	8	4	...	58	33	26	37	50	4	2	4	13	20	144	25	° ...	° ...	° ...	...	° ...	° ...	° ...	...	...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	407,057	29·6	33·2	22·4	1·4	259	175	30	43	...	...	...	5	...	2	1	...	22	10	8	16	15	2	1	2	9	9	73	8	e59·7	38·5	50·5	0·61	e62·3	39·0	50·5	0·50	e60·4	25·9	43·7	0·00
CITY OF DUBLIN,	313,526	39·6	37·4	24·4	1·7	225	147	28	33	...	...	...	5	...	1	1	...	19	8	7	14	14	2	1	2	9	9	67	8	f61·0 g59·8	40·8 39·0	51·4 50·8	0·33 0·60	f63·5 g62·6	40·9 40·0	51·8 51·1	0·97 0·74	f60·4 g60·8	33·9 29·0	46·2 45·0	0·01 0·00
Urban Districts. RATHMINES AND RATHGAR,	37,528	21·9	23·6	12·5	...	17	9	1	4	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,368	18·5	19·5	16·0	1·8	11	9	...	4	...	...	...	...	...	1	...	...	1	1	1	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,013	8·3	5·8	17·4	...	1	3	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,622	12·1	14·8	20·7	...	5	7	1	1	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	...	...	2	...	61	42	52·4	0·20	61	42	51·6	0·84	61	34	46·5	0·02
Urban Districts. BELFAST, ...	398,421	27·1	30·8	20·9	0·3	235	160	23	30	1	...	...	...	...	1	...	...	17	15	12	18	16	...	...	1	3	9	41	1	62·0	41·5	51·4	1·65	57·0	38·5	47·2	0·58	55·0	32·8	45·3	0·00
CORK, ...	76,122	33·6	32·9	24·0	1·4	48	35	8	12	...	...	...	...	...	2	...	...	7	3	1	2	3	...	...	...	...	1	11	7	57	41	49·3	1·11	55	41	48·0	1·17	56	34	44·5	0·00
LONDONDERRY...	43,900	20·3	22·6	14·3	3·6	19	12	3	3	...	...	...	...	...	3	...	...	2	2	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,151	18·1	60·1	10·9	1·4	44	8	...	2	...	...	...	...	...	...	1	...	..	..	...	...	3	...	...	1	...	...	2	3	58·5	35·2	48·2	0·92	62·4	38·5	50·4	0·58	61·6	25	44·8	0·00
WATERFORD, ...	26,769	18·7	21·4	13·6	...	11	7	2	2	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,426	2·5	23·3	35·0	7·8	6	9	2	4	...	...	...	...	...	...	...	...	1	...	...	...	...	2	...	...	1	...	2	1	58	38	49·7	1·05	56	38	49	0·79	60	32	46	0·00
DUNDALK, ...	13,076	9·4	12·0	35·9	8·0	3	9	...	6	...	...	...	...	...	...	2	...	1	...	1	...	1	...	...	...	...	...	6	1	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,760	8·6	8·2	4·1	...	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	12,405	17·8	8·4	37·8	...	2	9	...	3	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	3	...	58·8	38·7	48·7	1·18	60·6	37·8	48·9	0·98	62·9	32·6	40·8	0·15
LURGAN, ...	11,782	13·8	22·1	22·1	...	5	5	1	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	2	...	58·8	38·7	48·7	1·18	60·6	37·8	48·9	0·98	62·9	32·6	40·8	0·15
LISBURN, ...	11,461	10·1	31·8	18·2	...	7	4	...	2	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	...	1	...	58·8	38·7	48·7	1·18	60·6	37·8	48·9	0·98	62·9	32·6	40·8	0·15
WEXFORD, ...	11,168	23·2	28·0	28·0	...	6	6	3	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	..	..	..	...	2	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA, ...	10,886	8·9	.	14·4	4·8	...	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	10,870	3·7	14·4	9·6	...	3	2	...	1	..	...	...	...	...	...	...	...	...	..	..	...	3	...	...	...	..	..	...	...	58·5	37·5	48·2	1·38	59·2	38·9	49·4	1·22	58·3	26·8	41·1	0·14
KILKENNY, ...	10,609	11·5	34·3	14·7	...	7	3	...	3	...	...	...	...	...	...	...	...	...	...	..	...	1	...	...	...	...	...	...	...	61	35	49·6	1·36	61	39	50·9	1·15	63	30	45·9	0·00
CLONMEL, ...	10,167	7·8	10·3	25·6	...	2	5	...	4	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	10,092	13·2	41·3	20·7	...	8	4	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	58·8	38·7	48·7	1·18	60·6	37·8	48·9	0·98	62·9	32·6	40·8	0·15
TRALEE, ...	9,867	16·6	26·4	15·9	...	5	3	...	...	...	...	...	...	...	...	...	...	1	...	..	...	1	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	68·7	11·4	...	12	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	57	41	48·7	1·93	59	40	47·9	0·67	58	37	45·4	0·04
QUEENSTOWN, ...	7,909	14·4	.	6·6	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	57	41	49·3	1·11	55	41	48·0	1·17	56	34	44·5	0·00
ARMAGH, ...	7,588	22·2	20·6	13·7	...	3	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	58·8	38·7	48·7	1·18	60·6	37·8	48·9	0·98	62·9	32·6	40·8	0·15

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1911. (b) See note (‡) at foot of first page. (c) Exclusive of 6 deaths of persons (including 2 at 65 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 29th of April, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	2	.	.	.	.	.	2	.	.	.	.	.	.	5	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Pulmonary Tuberculosis,	2	3	4	1	.	1	2	.	3	1	2	.	.	1	.	2	22	.
Tuberculous Disease. Other Forms,	2	.	3	.	1	.	.	.	1	1	.	.	.	1	1	.	10	.
Cancer,	.	.	2	.	1	.	1	1	2	.	.	.	.	1	.	.	8	1
Diseases of Nervous System,	.	2	2	.	.	1	1	4	1	3	3	.	1	2	.	.	20	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	2	3	1	.	.	1	.	.	7	.	.	5	2	1	1	24	.
" Respiratory System. Pneumonia,	3	1	2	2	.	.	.	1	1	2	.	2	1	.	.	1	16	2
" Respiratory System. Others,	.	5	4	1	.	1	.	1	.	2	.	.	.	1	.	.	15	1
" Digestive System. Diarrhœa, under 2 years,	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
" Digestive System. Diarrhœa, 2 years and upwards,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. Enteritis, under 2 years,	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
" Digestive System. Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. Others,	.	.	3	.	.	.	.	1	.	.	1	1	.	.	.	1	7	1
" Genito-urinary System,	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	5	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Other specified Causes,	.	4	2	2	.	.	.	1	2	1	4	1	1	.	1	.	19	.
Violent Deaths,	.	.	.	2	.	.	.	1	.	3	3	.	.	.	.	.	9	.
Ill-defined, &c. Causes,	.	1	.	1	.	.	.	.	1	1	2	.	.	.	.	.	6	.
Deaths from All Causes	9	19	28	13	2	3	5	10	12	27	15	4	9	9	3	7	175	6
Annual Rate of Mortality from All Causes in every 1,000 of the population.	15·5	24·5	47·0	20·0	19·2	13·3	33·5	12·4	28·5	32·2	21·6	22·7	12·5	16·0	17·4	20·7	22·4	.
	25·7							23·2					15·6					
	24·4																	
Ages at Death. Under 1 year,	2	3	5	2	.	1	.	4	2	6	3	.	1	.	.	1	30	.
1 and under 2 years,	1	1	3	3	.	.	.	.	1	3	1	.	.	.	.	.	13	.
2 " 5 "	.	1	1	1	.	.	.	.	.	2	.	.	.	2	.	.	7	.
5 " 15 "	.	.	3	1	.	.	1	.	.	1	1	.	.	.	1	2	10	1
15 " 25 "	1	.	2	.	.	.	.	.	.	1	1	.	.	2	.	.	7	.
25 " 45 "	5	3	5	3	1	.	2	2	3	2	1	.	1	.	1	2	31	2
45 " 65 "	.	5	5	2	1	2	1	1	1	6	3	2	3	1	.	1	34	1
65 and upwards,	.	6	4	1	.	.	1	3	5	6	5	2	4	4	1	1	43	2
Number of Uncertified Deaths,	.	3	.	.	.	2	.	1	.	1	1	.	.	.	.	.	8	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	4	6	6	.	.	1	2	3	5	9	.	1	1	.	2	43	5
Workhouse Hospitals,	.	3	10	1	.	.	.	1	5	5	3	.	1	1	.	.	30	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 17th Week of the 10 years 1901–1910.	In the Week ending Saturday, 29th April, 1911.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Apr. 27, 1901.	Apr. 26, 1902.	May 2, 1903.	Apr. 30, 1904.	Apr. 29, 1905.	Apr. 28, 1906.	Apr. 27, 1907.	Apr. 25, 1908.	May 1, 1909.	Apr. 30, 1910.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 49·1	° 49·8	° 47·1	° 48·9	° 46·8	° 41·9	° 49·8	° 39·0	° 45·6	° 43·6	° 46·2	° 50·5										
ALL CAUSES.	202	199	201	158	165	174	262	168	179	193	190·1	181	15	15	13	7	11	7	33	35	25	20
Enteric Fever, ...	1	4	2	1	1	1	1	.	.	2	1·3	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	3	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	2	1	2	2	1	10	3	2	.	2·3	5	.	1	2	1	1	.	.	.	.	.
Scarlet Fever, ...	2	.	2	.	.	.	.	1	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	8	3	1	3	1	2	15	2	13	4	5·2	2	.	.	.	1	1	.	.	.	.	.
Diphtheria, ...	.	.	.	1	.	2	1	.	.	.	·4	1	.	.	.	1	.	.	.	.	.	.
Croup, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	10	6	2	2	1	1	5	3	3	3	3·6	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	3	1	.	.	1	1	.	.	1	·7	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	1	.	.	1	2	.	1	1	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	1	2	1	1	.	.	.	.	2	·8	1	.	.	.	.	.	.	.	.	1	.
Tetanus, ...	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	32	20	23	19	21	22	34	27	27	25	25·0	22	.	.	.	.	1	2	16	3	.	.
Tuberculous Meningitis, ...	3	4	1	4	2	2	4	3	1	6	3·0	5	.	2	1	.	1	.	1	.	.	.
Abdominal Tuberculosis, ...	3	1	1	1	1	.	6	.	2	.	1·5	3	.	.	1	1	1	.	.	.	.	.
Tuberculosis of the Vertebral Column.												1	.	.	.	.	.	.	1	.	.	.
Tuberculosis of Joints, ...	5	3	10	9	7	8	10	9	3	6	7·0	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												1	.	.	.	.	1	.	.	.	.	.
Venereal Diseases, ...	1	1	1	1	2	3	1	.	1	2	1·3	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	2	9	10	6	5	10	5	8	7	11	7·3	9	.	.	.	.	.	1	2	3	3	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	.	1	.	2	.	1	.	2	·7	.	.	.	.	.	.	.	.	.	.	.
Anæmia Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	2	.	.	.	1	.	.	.	2	2	·7	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	2	2	2	.	·6	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												1	.	.	.	.	1	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												2	.	.	.	.	.	.	.	1	.	1
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												3	.	.	.	.	.	.	.	.	3	.
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												11	5	3	2	1	.	.	.	.	.	.
Other Diseases of Nervous System.	42	47	41	28	51	36	55	42	34	42	41·8	3	.	.	.	.	.	.	2	1	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												1	.	.	.	.	1	.	.	.	.	.
Organic Diseases of the Heart,												22	.	.	.	.	1	1	1	5	6	8
Embolism and Thrombosis (including Cerebral)												1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Circulatory System.												.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	18	24	27	23	18	21	31	19	25	22	22·8	15	.	2	.	.	.	.	.	7	3	3
Broncho-pneumonia, ...	21	7	5	5	7	2	5	4	3	6	14·9	7	.	.	4	.	.	.	2	.	.	1
Lobar-pneumonia, ...		.	2	.	.	3	1	1	2	3		1	.	.	.	.	.	.	1	.	.	.
Pneumonia (type not distinguished)		6	8	12	7	12	6	4	9	8		10	.	1	.	.	.	.	2	3	4	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	3	3	4	.	2	2	3	3	3	2·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												1	.	.	.	.	.	.	.	.	1	.

SEVENTEENTH WEEK ending Saturday, 29th April, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 17th Week of the 10 years 1901–1910.	In the Week ending Saturday, 29th April, 1911.											
													Deaths of Persons of the Ages of										
	Apr. 27, 1901.	Apr. 26, 1902.	May 2, 1903.	Apr. 30, 1904.	Apr. 29, 1905.	Apr. 28, 1906.	Apr. 27, 1907.	Apr. 25, 1908.	May 1, 1909.	Apr. 30, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 49·1	° 49·8	° 47·1	° 48·9	° 46·8	° 41·9	° 49·8	° 39·0	° 45·6	° 43·6	° 46·2	° 50·5											
Diseases of the Pharynx, Tonsillitis.	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	5	1	2	.	.	1	.	.	1	.	.	.
Diarrhœa of Children under 2 years.	.	1	1	1	3	4	1	2	.	1	1·4	2	.	2	.	.	.	.	.	.	.	.	.
„ 2 years and upwards,												1	.	.	.	1	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	.	1	2	.	3	4	4	.	.	3	1·7	2	.	.	2	.	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	1	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	3	1	3	3	.	.	1	1	2	4	2·6	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...		1	1	.	1	.	1	2	2	.		1	.	.	.	.	.	.	.	1	.	.	.
Peritonitis (cause unknown),	1	.	.	.	.	.	.	1	.	1	·3	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	3	8	11	2	3	6	9	7	5	6	6·0	1	.	.	.	.	.	.	1	.	.	.	.
Acute Nephritis, ...												.	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...												6	.	.	.	.	.	.	2	4	.	.	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	7	9	8	7	4	8	4	6	7	5	6·5	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	1	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	1	.	1	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	1	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	2	1	.	.	.	.	1	.	.	.	.	.
Premature Birth, ...	3	4	3	4	1	1	9	1	7	5	3·8	5	5	.	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	3	2	.	.	1	.	.	.	.	.	.	.
Old Age, ...	11	8	7	1	4	5	9	2	3	4	5·4	7	.	.	.	.	.	.	.	.	2	5	.
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.	.
ACCIDENTS:																							
By Railways, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	.	.	1	1	.	2	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	1	.	.	1	.	.	3	1	1	1	·8	1	.	.	.	.	.	.	.	1	.	.	.
By Drowning, ...	1	.	1	.	.	.	1	.	1	2	·6	1	.	.	.	.	.	.	1	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	3	2	.	3	1	1	1	1	1	1·5	4	.	.	.	.	.	1	.	3	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																							
Homicide, ...	.	.	.	.	.	.	.	.	1	.	·1	1	.	.	.	.	.	.	1	.	.	.	.
Suicide, ...	.	1	.	.	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	6	.		1	.	.	.	.	2	1	2	

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910–11—WEEK ENDING																									
	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec 3	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.
No. of weeks in Annual Series,	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
BIRTHS registered.	211	207	204	182	199	174	232	158	170	203	230	238	232	219	241	192	214	217	238	203	276	230	198	171	174	259
Average Births in corresponding week of previous 10 *years*, ...	209	202	195	181	207	193	195	177	174	231	208	209	201	241	217	212	209	216	223	212	212	233	202	210	223	199
DEATHS registered, ...	147	141	166	168	176	188	165	178	155	176	179	190	228	200	220	208	195	180	174	170	214	177	191	174	196	181
Annual Death-rate per 1,000, ...	19·0	18·2	21·5	21·7	22·8	24·3	21·4	23·0	20·1	22 5	22·9	24·3	29·2	25·6	28·2	26·6	25·0	23·1	22·3	21·8	27·4	22·7	24·5	22·3	25·1	23·2
Average Deaths in corresponding week of previous 10 *years*, ...	172	175	179	182	182	182	177	182	177	201	195	195	192	200	198	200	210	218	210	194	201	203	199	195	197	190
Ages, Under 5 years, ...	46	47	57	49	55	53	43	41	47	56	60	62	59	61	47	57	57	70	59	39	56	48	54	63	54	50
5—15 „ ...										5	10	7	11	6	10	6	10	9	12	9	7	14	17	4	5	11
15—25 „ ...										9	7	10	11	12	13	5	6	6	7	7	13	8	10	10	14	7
25—45 „ ...	101	94	109	119	121	135	122	137	108	25	24	27	32	32	41	36	35	32	24	24	42	19	33	25	31	33
45—65 „ ...										45	38	41	55	48	51	49	35	36	36	42	44	36	44	43	45	35
65—75 „ ...										20	25	28	34	22	39	33	29	19	19	28	32	29	27	19	29	25
75 and upwards, ...										16	15	15	26	19	19	22	23	8	17	21	20	23	6	10	18	20
Deaths from :—																										
Enteric Fever, ...	1	.	.	2	.	1	2	1	.	.	1	.	2	3	2	2	2	4	3	1	2	1	3	1	1	.
Typhus, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	1	1	.	2	1	.	1	4	3	6	2	2	2	2	3	7	7	7	3	2	1	7	11	5
Scarlet Fever, ...	3	.	2	1	3	1	1	.	2	7	.	.	1	.	4	6	2	2	.	.	1	.	1	4	1	.
Whooping-cough, ...	1	4	2	6	5	11	1	5	7	6	5	6	10	4	3	6	7	11	4	4	6	5	3	6	.	2
Diphtheria, ...	1	2	3	2	4	.	3	2	.	1	2	4	1	5	2	3	2	.	2	.	1	1	4	3	4	1
Influenza, ...	4	1	.	2	4	2	1	3	1	.	1	1	4	3	4	5	7	2	2	2	1	2	2	.	3	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.	.
Tuberculous Disease, Phthisis, ...	18	16	20	14	16	25	14	19	19	21	19	27	28	19	27	22	18	20	17	28	32	16	29	21	33	22
Tuberculous Disease, Other Forms,	11	11	8	6	7	11	4	7	5	4	6	9	7	4	6	8	7	7	8	8	15	13	10	3	8	10
Cancer, ...	7	9	8	14	3	12	4	13	6	8	3	12	7	16	11	4	6	5	8	6	10	13	11	8	7	9
Diseases of Circulatory System,	17	18	22	24	30	30	23	28	31	17	20	13	25	19	23	17	21	14	13	24	27	22	23	14	15	24
Diseases of Respiratory System, Pneumonia,	13	11	16	16	14	15	27	18	11	15	16	10	17	18	20	15	21	13	16	14	13	13	18	19	16	18
Diseases of Respiratory System, Others, ...	18	26	26	29	37	27	32	26	25	29	25	28	42	30	41	44	28	29	25	23	27	24	24	26	26	16
Diarrhœa, Under 2 years, ...	5	4	2	4	6	2	2	2	1	3	2	2	4	4	2	3	3	1	1	2	5	1	3	2	1	2
Diarrhœa, 2 years & upwards,										.	.	.	.	1	.	.	1	1	.	3	.	1	.	.	.	1
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	.	2	2	.	3	3	1	1	1	2	1	3	1	3	3	2	2
Violent Deaths, ...	1	2	2	3	4	4	8	4	6	2	8	1	4	7	4	2	5	2	4	5	5	5	6	1	7	9
Number of Uncertified Deaths,	1	8	6	7	5	5	3	3	6	4	5	7	7	3	3	2	4	7	8	7	2	5	1	1	2	8
Mean Temperature of the Air (Phœnix Park)	43·1	39·6	38·2	42·2	37·0	43·4	45·2	43·5	40·9	37·2	39·0	38·6	45·5	35·9	37·0	46·4	43·4	46·5	41·1	38·0	41·7	42·7	39·4	43·7	50·5	50·5
Average Mean Temperature in corresponding week of previous 10 *years*, ...	47·1	45·2	42·7	41·5	42·8	42·4	41·6	41·3*	41·3	42·0	40·0	40·8	40·5	40·3	40·3	39·8	39·9	40·5	41·7	42·7	42·6	42·4	44·1	43·1	45·1	46·2
Rainfall in inches, ...	·558	·860	·352	1·206	1·820	1·700	1·172	·183	·130	·336	·345	·153	·034	·000	·011	·582	·523	·681	·316	·206	·000	·770	·131	·000	·501	·606
Mean Humidity of the Air, complete Saturation 1·0, ...	·90	·89	·85	·91	·93	·91	·91	·94	·88	·92	·90	·93	·92	·87	·90	·91	·91	·92	·91	·89	·87	·90	·86	·86	·89	·91

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 29th April, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 29TH APRIL, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	181	50	11	7	33	35	25	20	.	.	.	5	.	2	1	.	22	10	9	11	18	16	2	1	2	9	73	8
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	12·0	4	.	.	.	1	.	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	19·7	33	5	3	1	7	7	3	7	.	.	.	.	.	.	.	.	4	4	4	.	1	1	.	.	.	1	18	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	19·8	42	17	4	2	4	8	6	1	.	.	.	2	.	.	1	.	3	1	1	6	3	3	.	.	.	1	21	6
IV.	GENERAL SERVICE CLASS, ...	154,279	24·0	71	25	3	2	14	14	7	6	.	.	.	3	.	2	.	.	7	5	2	5	11	6	1	.	1	7	21	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	31	3	1	2	7	6	8	4	.	.	.	.	.	.	.	.	7	.	2	.	3	6	1	1	1	.	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,277		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	35·5	15	3	1	.	.	6	1	4	.	.	.	.	.	.	.	.	1	1	1	.	1	1	.	.	.	.	10	.
	6. Clerks and Commercial Assistants, ...	30,432	18·8	11	2	1	.	6	.	1	1	.	.	.	.	.	.	.	.	3	3	1	.	.	.	.	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	11·6	6	.	1	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1
	9. Building and Furnishing Trades, ...	29,801	26·2	15	9	1	1	.	4	.	.	.	.	.	.	.	.	1	.	.	1	.	4	.	2	.	.	.	1	6	2
	10. Clothing Trades, ...	23,260	11·2	5	2	1	.	1	.	1	.	.	.	.	1	.	.	.	.	1	.	.	1	1	.	.	.	.	.	1	.
	11 Food Supply Trades, ...	9,242	11·3	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
	12. Other Trades and Callings ranking with Trades, ...	30,352	22·3	13	1	1	1	3	4	3	.	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	.	.	8	1
	13 Petty Shopkeepers, ...	7,894	33·0	5	2	.	.	.	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	1
IV	GENERAL SERVICE CLASS.																														
	14 Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	23·3	6	1	.	.	2	1	1	1	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	2	1
	15 Domestic Servants, ...	36,603	10·0	7	.	.	.	4	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	1	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	36·2	10	4	1	.	3	2	.	.	.	.	.	1	.	.	.	.	1	3	.	.	.	.	.	.	.	1	4	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	27·9	48	20	2	2	5	11	5	3	.	.	.	2	.	2	.	.	5	2	1	4	7	5	1	.	1	5	13	1
	INMATES OF WORKHOUSES.																														
V.	18. Workhouse Inmates, ...	6,024	—	31	3	1	2	7	6	8	4	.	.	.	.	.	.	.	.	7	.	2	.	3	6	1	1	1	.	10	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 30,219.	Mar. 11,	19·0	.	11	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	1
		„ 18,	38·0	1·7	22	.	.	.	1	.	.	.	.	4	.	.	1	3	.	.	1	.	.
		„ 25,	36·2	5·2	21	.	.	.	.	.	1	.	.	3	2	.	2	.	2	.	1	3	.
		April 1,	27·6	.	16	.	.	.	.	.	.	.	.	1	2	.	3	1	.	.	.	1	.
		„ 8,	20·7	.	12	.	.	.	.	.	.	.	.	1	2	.	2	.	.	.	.	.	.
		„ 15,	6·9	1·7	4	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	.
		„ 22,	12·1	.	7	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
		„ 29,	15·5	.	9	.	.	.	.	.	.	.	.	2	2	.	3	.	.	.	.	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 40,390.	Mar. 11,	21·9	3·9	17	.	.	.	2	.	.	1	.	4	.	1	1	1	.	.	.	.	2
		„ 18,	20·7	5·2	16	.	.	.	2	.	1	.	.	1	1	1	1	3	.	1	.	.	2
		„ 25,	24·5	1·3	19	.	.	.	.	.	.	.	.	2	.	1	.	5	1	.	.	.	1
		April 1,	15·5	.	12	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	2
		„ 8,	25·8	2·6	20	.	.	.	.	.	1	.	.	3	.	.	1	4	1	.	1	1	.
		„ 15,	33·6	5·2	26	.	.	.	3	.	.	.	.	3	.	.	2	5	1	.	.	.	.
		„ 22,	16·8	3.9	13	.	.	.	2	.	.	1	.	3	.	.	.	.	.	.	1	.	1
		„ 29,	24·5	1·3	19	.	.	.	1	.	.	.	.	3	.	.	1	5	.	.	.	.	3
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 31,064.	Mar. 11,	23·5	.	14	.	.	.	.	.	.	.	.	1	.	.	3	3	.	.	.	1	.
		„ 18,	20·1	1·7	12	.	.	.	.	.	.	.	.	3	.	2	1	.	1	.	.	.	.
		„ 25,	11·7	1·7	7	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.
		April 1,	36·9	.	22	.	.	.	.	.	.	.	.	1	3	3	2	2	.	.	.	.	.
		„ 8,	33·6	5·0	20	.	.	.	.	.	.	1	.	.	1	3	3	3	2	.	.	.	.
		„ 15,	26·9	3·4	16	.	.	.	.	1	1	.	.	2	.	.	3	2	.	.	.	1	.
		„ 22,	15·1	1·7	9	.	.	.	1	.	.	.	.	.	.	1	.	3	.	.	.	.	.
		„ 29,	47·0	3·4	28	.	.	.	.	.	.	.	.	4	3	2	2	4	2	.	1	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,908.	Mar. 11,	18·5	3·1	12	.	.	.	.	.	1	1	.	4	.	.	.	.	.	.	1	.	.
		„ 18,	13·8	6·2	9	.	.	.	2	.	1	.	.	1	.	.	.	.	1	.	.	.	.
		„ 25,	41·5	3·1	27	.	.	.	.	.	.	.	.	7	2	1	2	5	2	.	.	.	.
		April 1,	21·5	3·1	14	1	.	.	1	.	.	.	.	4	.	.	1	1	.	.	.	.	.
		„ 8,	26·1	7·7	17	1	.	.	.	1	2	1	.	1	.	1	2	3	.	.	.	.	.
		„ 15,	20·0	4·6	13	.	.	.	.	1	2	.	.	1	.	1	1	1	.	.	.	.	.
		„ 22,	35·4	3·1	23	.	.	.	2	.	.	.	.	1	1	.	4	3	.	.	.	2	.
		„ 29,	20·0	4·6	13	.	.	.	2	.	.	.	.	1	.	.	2	1	.	1	.	2	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,908.	Mar. 11,	24·9	1·2	20	.	.	.	1	.	.	.	.	.	2	1	.	9	.	.	.	.	.
		„ 18,	22·4	3·7	18	.	.	.	.	.	1	.	.	3	2	.	1	4	.	2	.	.	2
		„ 25,	29·9	1·2	24	.	.	.	.	.	1	.	.	3	3	1	4	3	.	.	2	.	.
		April 1,	14·9	2·5	12	.	.	.	.	.	2	.	.	.	.	1	.	5	.	.	.	.	.
		„ 8,	23·6	.	19	.	.	.	.	.	.	.	.	3	.	2	.	4	.	.	.	1	.
		„ 15,	31·1	2·5	25	.	.	.	1	1	.	.	.	3	1	1	.	5	.	.	1	.	1
		„ 22,	27·4	3·7	22	1	.	.	1	.	.	1	.	5	.	1	1	3	.	.	1	.	.
		„ 22,	12·4	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	1
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,980.	Mar. 11,	21·4	2·4	9	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	1
		„ 18,	14·2	.	6	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	1	.
		„ 25,	35·6	4·7	15	.	.	.	.	.	2	.	.	1	2	.	2	1	.	.	.	1	.
		April 1,	26·1	2·4	11	.	.	.	1	.	.	.	.	1	2	1	1	3	.	.	.	.	.
		„ 8,	19·0	.	8	.	.	.	.	.	.	.	.	4	.	1	1	.	.	.	.	.	.
		„ 15,	23·7	.	10	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.
		„ 22,	28·5	4·7	12	.	.	.	1	.	.	1	.	4	1	1	1	.	.	.	.	.	.
		„ 29,	28·5	.	12	.	.	.	.	.	.	.	.	3	1	2	1	.	.	.	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,677.	Mar. 11,	28·7	3·6	24	.	.	.	3	.	.	.	.	2	2	3	4	2	.	.	.	.	.
		„ 18,	31·0	2·4	26	1	.	.	.	.	1	.	.	4	1	1	3	6	.	.	.	.	.
		„ 25,	20·3	.	17	.	.	.	.	.	.	.	.	7	2	1	.	2	.	.	.	.	.
		April 1,	27·5	.	23	.	.	.	.	.	.	.	.	2	3	2	1	2	.	.	.	.	1
		„ 8,	26·3	2·4	22	1	.	.	1	.	.	.	.	4	2	1	1	5	.	.	2	.	1
		„ 15,	14·3	3·6	12	1	.	.	1	.	1	.	.	.	.	.	2	.	.	.	1	.	.
		„ 22,	28·7	1·2	24	.	.	.	1	.	.	.	.	2	.	.	2	6	.	.	.	.	.
		„ 29,	32·2	4·8	27	.	.	.	2	.	1	1	.	1	1	.	2	2	.	.	1	3	1
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 36,254.	Mar. 11,	38·8	2·9	27	.	.	.	.	1	.	.	.	5	1	.	1	2	1	.	.	2	2
		„ 18,	17·3	2·9	12	.	.	.	2	.	.	.	.	.	2	1	3	1	.	.	.	2	.
		„ 25,	28·8	4·3	20	.	.	.	1	.	2	.	.	3	1	.	1	3	.	.	.	.	.
		April 1,	15·8	1·4	11	.	.	.	.	.	.	.	.	1	.	1	2	1	1	.	.	1	1
		„ 8,	38·8	1·4	27	.	.	.	.	.	.	1	.	3	5	1	4	1	.	.	.	3	.
		„ 15,	21·6	7·2	15	.	.	.	2	1	2	.	.	1	.	.	2	2	.	.	.	.	.
		„ 22,	30·2	1·4	21	.	.	.	.	1	.	.	.	6	2	1	2	3	.	.	.	2	.
		„ 29,	21·6	.	15	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	3	1

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 37,528.	Mar. 11,	15·3	2·8	11	1	.	.	.	.	1	.	.	.	.	1	4	1	.	.	.	.	.
	„ 18,	12·5	.	9	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.
	„ 25,	19·5	.	14	.	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.	.
	April 1.	19·5	1·4	14	.	.	.	.	.	1	.	.	1	.	.	.	4	.	.	.	.	1
	„ 8,	16·7	1·4	12	1	.	.	.	.	.	.	.	3	.	.	2	.	.	.	.	1	.
	„ 15,	13·9	.	10	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.	.
	„ 22,	15·3	1·4	11	.	.	.	1	.	.	.	.	1	1	.	3	1	.	.	.	.	.
	„ 29,	12·5	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,368.	Mar. 11,	10·7	1·8	6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	„ 18,	12·4	.	7	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	1	.
	„ 25,	24·9	3·6	14	1	.	.	1	.	.	.	.	3	.	2	.	2	.	.	.	.	.
	April 1,	10·7	.	6	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.
	„ 8,	14·2	.	8	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.
	„ 15,	24·9	1·8	14	.	.	.	.	.	.	.	.	2	.	2	4	3	1	.	.	.	.
	„ 22,	8·9	1·8	5	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 29,	16.0	1·8	9	.	.	.	.	.	1	.	.	1	1	1	.	1	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 (Est.) 17,622.	Mar. 11,	14·8	.	5	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 18,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	2
	„ 25,	23·7	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
	April 1,	17·8	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.
	„ 8,	14·8	.	5	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.
	„ 15,	17·8	.	6	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.
	„ 22,	44·4	3·0	15	.	.	.	1	.	.	.	.	4	.	1	.	1	.	.	.	.	.
	„ 29,	20·7	.	7	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.
Belfast. Pop. in 1911 (Est.) 398,421.	Mar. 11,	15·4	0·3	118	.	.	.	.	.	1	.	.	19	7	6	10	20	.	1	.	2	2
	„ 18,	15·4	0·4	118	.	.	.	.	1	1	.	.	7	8	11	10	14	1	.	.	1	1
	„ 25,	19·2	0·7	147	.	.	.	.	1	.	1	.	22	9	8	14	16	.	3	3	3	.
	April 1,	18·1	0·3	138	.	.	.	.	.	.	1	.	24	8	4	16	19	.	1	2	4	1
	„ 8,	22·5	0·4	172	1	.	.	.	1	.	.	.	26	8	5	13	26	1	.	1	8	3
	„ 15,	21·1	0·9	161	.	.	.	1	.	3	2	.	25	4	5	19	29	.	1	2	2	2
	„ 22,	20·2	0·4	154	.	.	.	.	.	2	1	.	14	11	6	23	34	.	.	2	3	.
	„ 29,	20·9	0·3	160	1	.	.	.	.	1	.	.	17	15	12	18	16	.	.	1	3	1
Cork. Pop. (in 1901) 76,122.	Mar. 11,	27·4	0·7	40	.	.	.	.	.	1	.	.	9	3	1	1	3	.	.	1	1	.
	„ 18,	16·4	.	24	.	.	.	.	.	.	.	.	4	.	2	.	8	.	.	.	2	.
	„ 25,	21·9	.	32	.	.	.	.	.	.	.	.	10	4	1	1	5	.	.	.	.	1
	April 1,	19·2	.	28	.	.	.	.	.	.	.	.	4	2	2	3	3	.	.	.	.	1
	„ 8,	30·8	0·7	45	.	.	.	.	.	1	.	.	1	1	1	3	3	.	.	.	1	2
	„ 15,	27·4	0·7	40	1	.	.	.	.	.	.	.	6	.	3	3	4	.	.	.	.	1
	„ 22,	21·2	.	31	.	.	.	.	.	.	.	.	6	3	.	1	2	.	.	.	3	.
	„ 29,	24·0	1·4	35	.	.	.	.	.	2	.	.	7	3	1	2	3	.	.	.	.	7
Londonderry. Pop. in 1911 (Est.) 43,900.	Mar. 11,	15·4	2·4	13	.	.	.	.	.	1	.	.	1	.	1	.	4	1	.	1	.	.
	„ 18,	10·7	.	9	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.
	„ 25,	20·2	.	17	.	.	.	.	.	.	.	.	4	1	.	2	.	.	.	1	1	.
	April 1,	22·6	4·8	19	.	.	.	.	.	3	1	.	1	.	1	1	5	.	.	.	.	.
	„ 8,	35·6	2·4	30	.	.	.	.	.	2	.	.	1	.	1	5	8	.	.	.	1	.
	„ 15,	26·1	4·8	22	.	.	.	.	.	4	.	.	3	.	.	2	6	.	.	.	1	.
	„ 22,	17·8	5·9	15	.	.	.	.	.	4	.	.	.	.	1	.	3	1	.	.	.	.
	„ 29,	14·3	3·6	12	.	.	.	.	.	3	.	.	2	2	2	.	1	.	.	.	.	.
Limerick. Pop. (in 1901) 38,151.	Mar. 11,	24·6	.	18	.	.	.	.	.	.	.	.	1	.	1	1	4	.	.	.	.	2
	„ 18,	15·0	.	11	.	.	.	.	.	.	.	.	3	.	.	2	1	.	.	.	.	1
	„ 25,	26·0	.	19	.	.	.	.	.	.	.	.	3	1	2	1	5	.	.	.	.	.
	April 1,	31·4	.	23	.	.	.	.	.	.	.	.	5	.	.	3	6	.	.	.	.	.
	„ 8,	17·8	.	13	.	.	.	.	.	.	.	.	3	.	.	2	3	.	.	.	.	2
	„ 15,	17·8	1·4	13	1	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	3
	„ 22,	28·7	.	21	.	.	.	.	.	.	.	.	2	1	1	2	9	.	.	.	.	1
	„ 29,	10·9	1·4	8	.	.	.	.	.	.	1	.	.	.	.	.	3	.	.	1	.	3
Waterford. Pop. (in 1901) 26,769.	Mar. 11,	17·5	.	9	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	1
	„ 18,	15·6	.	8	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	.	.
	„ 25,	13·6	.	7	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	.
	April 1,	23·4	.	12	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	1	.
	„ 8,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 15,	13·6	.	7	.	.	.	.	.	.	.	.	3	.	.	.	2	.	.	.	.	1
	„ 22,	31·2	.	16	.	.	.	.	.	.	.	.	2	2	.	2	5	.	.	.	.	1
	„ 29,	13·6	.	7	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 29th April, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901,** represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	349,180	9	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
Do. 2 do.		33			27	2	3	2	6	9	5	1	.	.	.	.	.	.	.	4	1	2	4	4	.	.	.	.	.	10	.
Do. 3 do.		28			33	6	.	5	5	13	4	.	.	.	.	.	1	.	.	4	6	.	3	1	.	.	.	.	.	7	.
Do. 4 do.		33			8	3	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	5	.
Do. 5 do.		8			11	.	3	.	1	2	5	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	3	3	4	.
Do. 6 do.		12			10	.	1	2	2	2	3	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.	.	1	2	.
Do. 7 do.		2			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		1			2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 9 do.		20			9	1	.	3	1	3	1	.	.	.	.	.	.	.	.	2	1	.	2	1	.	.	.	.	.	3	.
Do. 10 do.		15			8	1	.	2	1	1	3	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	1	.
Do. 11 do.		21			14	1	2	1	2	5	3	.	.	.	.	.	.	.	.	2	2	2	1	1	.	.	.	.	.	3	.
Do 12 do.		20			15	2	3	4	3	2	1	.	.	.	.	.	.	.	.	.	3	2	2	3	.	.	.	.	3	2	.
Do. 13 do.		18			10	5	.	.	2	.	3	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.	.	1
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		15			10	2	.	1	3	4	.	.	.	.	.	.	.	.	.	.	1	3	.	1	.	.	.	.	1	4	.
Total,	—	235			160	23	13	21	27	46	30	1	.	.	.	.	1	.	.	17	15	12	18	16	.	.	1	3	9	41	1
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	9	32·4	4·1	8	3	.	.	.	1	4	.	.	.	.	.	1	.	.	.	1	.	2	.	.	.	.	.	.	3	.
Do. 2 do.	10,701	4	4·9	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Do. 3 do.	9,978	12	15·7	.	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	2	.
Do. 4 do.	8,666	2	12·0	6·0	2	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Do. 5 do.	6,592	2	15·8	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.
Do. 6 do.	10,702	8	63·3	.	13	1	1	3	2	2	4	.	.	.	.	.	.	.	.	3	1	1	.	.	.	.	.	.	.	4	5
Do. 7 do.	16,616	11	18·8	.	6	2	.	.	.	.	4	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	1	2
Total,	76,122	48	24·0	1·4	35	8	2	5	3	5	12	.	.	.	.	.	2	.	.	7	3	1	2	3	.	.	.	.	1	11	7

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910–11—WEEK ENDING																									
	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.
No. of weeks in Annual Series,	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
BIRTHS registered, ...	183	178	156	181	175	185	167	200	199	241	231	233	188	212	218	216	213	232	193	220	218	232	232	204	189	235
DEATHS registered, ...	108	122	132	134	109	151	133	132	91	122	151	118	118	128	146	149	141	133	118	118	147	138	172	161	154	160
Annual Death rate per 1,000 of estimated population, ...	14·4	16·3	17·6	17·9	14·5	20·1	17·7	17·6	12·1	16·0	19·8	15·4	15·4	16·8	19·1	19·5	18·5	17·4	15·4	15·4	19·2	18·1	22·5	21·1	20·2	20·9
AGES, Under 1 year, ...	24	28	27	24	17	34	20	22	18	21	30	23	26	24	24	31	21	25	20	33	23	26	36	24	23	23
1—5 years, ...	11	6	6	5	8	11	17	12	8	12	11	8	10	10	7	10	14	9	10	6	17	11	7	10	14	13
5—25 „ ...	73	88	99	105	84	106	96	98	65	7	20	16	11	6	11	21	17	18	9	10	19	11	14	17	13	21
25—45 „ ...										30	37	17	13	25	27	30	29	16	23	14	28	23	36	32	26	27
45—65 „ ...										32	25	21	27	34	34	32	26	35	29	27	30	38	45	37	39	46
65 and upwards, ...										20	28	33	31	29	43	25	34	30	27	28	30	29	34	41	39	30
Deaths from :—																										
Enteric Fever, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	1	.	2	2	3	3	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	.	.	1	.	1	2	1	1	1	1	1	.	.	1	.	1	.	.	1	1	.	.	1	.	.
Whooping-cough, ...	.	.	.	1	.	1	.	1	1	.	.	1	1	1	.	.	1	1	1	1	.	.	1	.	.	.
Diphtheria, ...	.	1	1	.	1	4	.	.	.	.	.	1	2	1	.	.	.	.	.	.	1	1	.	3	2	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.
Tuberculous Disease. Phthisis, ...	14	12	17	17	13	14	12	15	9	14	23	17	13	10	11	22	15	13	19	7	22	24	26	25	14	17
Tuberculous Disease. Other Forms,	2	7	8	4	7	5	7	3	3	7	7	4	4	4	4	11	10	10	7	8	9	8	8	4	11	15
Cancer, ...	9	5	8	9	6	5	8	6	5	7	2	7	11	6	5	5	8	3	6	11	8	4	5	5	6	12
Diseases of Respiratory System, Pneumonia,	7	13	11	8	7	13	10	10	7	8	9	7	7	7	11	14	11	15	10	10	14	16	13	19	23	18
Diseases of Respiratory System, Others, ...	11	23	16	25	25	36	22	29	18	18	24	24	20	25	26	25	20	20	20	14	16	19	26	29	34	16
Diarrhœa, Under 2 years, ...	6	4	3	1	1	4	3	1	.	1	.	.	.	.	1	.	.	1	.	1	.	.	1	.	.	.
Diarrhœa, 2 years & upwards										1	1	.	.	.	1	.	.	.	1	.	3	1	.	1	.	.
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	—	1	.	.	2	2	3	2	2	1	.	.	3	2	1	2	2	1
Violent Deaths, ...	3	4	2	5	3	2	6	2	4	6	6	1	2	4	4	.	4	3	2	1	3	4	8	2	3	3
Number of Uncertified Deaths, ...	2	3	.	.	3	4	1	1	3	3	.	1	5	2	1	.	.	3	2	1	.	1	3	2	.	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,912,054	Apr. 29,	2,309	1,280	13·6	1	.	63	2	38	10	16*a*
Edinburgh, ...	—	„ 29,	130	121	—	.	.	3	.	3	1	.
Glasgow, ...	—	„ 29,	487	281	—	1	.	6	.	24	4	5
Calcutta, ...	1,009,008	Mar. 25,	.	485	29·7	109*	.	7	.	.	1	100‡
Bombay, ...	977,822	„ 25,	403	909	48·3	261*	26	49	.	.	.	54
Madras, ...	509,346	„ 4,	325	435	44·4	88*	25	10	?	?	?	91
Cairo, ...	689,439	„ 11,	650	442	33·4	1	.	4	4	.	6†	43*a*
Paris, ...	2,760,000	April 1,	1,097	1,001	19·0	5	.	27	2	8	6†	17*a*
Brussels, ...	720,030	„ 1,	284	212	15·3	1	.	5	.	.	.	11
Antwerp, ...	320,640	„ 8,	109	77	12·5	1	.	4	.	.	.	3*a*
Amsterdam, ...	576,260	„ 8,	232	138	12·5	.	.	9	.	1	2†	2*a*
Copenhagen, ...	459,000	„ 8,	206	164	18·6	.	.	2	1	4	2†	2
Stockholm, ...	341,816	„ 1,	144	77	11·7	.	.	.	.	1	.	4*a*
Christiania, ...	240,178	„ 15,	113	85	18·4	.	.	2	1	8	1†	1
St. Petersburg, ...	1,639,266	Mar. 18,	1,229	656	20·9	4	4	9	11	5	11	45
Moscow, ...	1,493,600	„ 18,	.	695	24·3	2	4	7	14	4	28†	59
Berlin, ...	2,073,834	„ 25,	788	606	15·2	2	.	2	8	2	15†	22
Hamburg, ...	932,166	Apr. 8,	.	276	15·4	1	.	3	1	4	6†	12
Breslau, ...	515,171	„ 8,	.	185	18·7	1	.	5	.	1	3	14
Munich, ...	597,000	„ 15,	.	189	16·5	.	.	3	3	.	3†	16
Vienna (with suburbs),	2,031,498	„ 8,	774	653	16·7	1	.	4	5	5	3†	36*a*
Buda-Pesth, ...	891,585	„ 8,	467	317	18·5	.	.	5	5	1	3†	11*a*
Prague and Faubourgs,	508,310	Mar. 25,	207	210	21·5	.	.	1	.	5	3†	8*a*
Trieste, ...	226,423	Apr. 1,	123	103	23·7	.	.	3	.	3	.	1*a*
Rome, ...	593,110	Jan. 28,	329	268	23·6	1	.	1	.	.	1	13
Venice, ...	184,325	Mar. 25,	87	77	21·8	.	.	.	1	.	.	7
New York, ...	4,983,385	„ 18,	2,713	1,633	17·1	4	.	17	31	5	34†	65*a*
Philadelphia, ...	1,573,509	„ 4,	.	571	18·9	3	.	15	4	5	16	20*a*
Boston, ...	688,912	Apr. 18,	.	290	22·0	.	.	1	2	5	7	15

* Deaths from "fever," including 10 deaths from enteric fever and 61 deaths from plague in Calcutta, 5 deaths from enteric fever and 206 from plague in Bombay, and 2 deaths from enteric fever in Madras.

† Including deaths from croup.

‡ Including 60 deaths from cholera in Calcutta.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending April 29th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	3	.	1	4	1	.	.	1	10
" " 1, West, ...	.	.	.	.	1	.	1	.	1	.	.	1	4
" " 2, ...	.	1	.	.	2	.	.	1	.	.	.	2	6
" " 3, ...	.	1	.	.	6	.	.	3	1	.	.	1	12
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	2	.	.	.	.	.	.	.	3
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	.	.	.	.	.	1
South City No. 1, ...	.	2	.	.	2	.	.	2	1	.	.	2	9
" " 2, ...	.	.	.	.	.	.	.	.	1	.	.	3	4
" " 3, ...	.	3	.	.	3	.	.	.	.	.	.	1	7
" " 4, ...	.	.	.	.	.	.	.	.	.	.	.	2	2
New Kilmainham, ...	.	.	.	.	2	.	.	.	.	.	.	.	2
Total, ...	.	8	.	.	22	.	2	10	5	.	.	13	60

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 29th April, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 29th April.			
	April 8.	April 15.	April 22.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	58	68	61	45	25	.	81
Scarlet Fever, ...	112	110	104	13	31	.	86*
Typhus, ...	2	1	2	.	.	.	2
Diphtheria, ...	66	60	55	16	8	.	63
Enteric Fever, ...	70	60	60	14	20	.	54
Pneumonia, ...	37	34	40	10	14	1	35

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 29th April, 1911:—

Changeable, showery, windy weather prevailed for the most part, but on each day there were fine, bright intervals—in a word, it was a period of April weather—sunshine and showers. The atmosphere over the Atlantic and the North-west of Europe was in a state of very unstable equilibrium, and depressions of greater or less intensity passed in succession across the ocean outside the Irish and British coasts to Scandinavia. In the course of Tuesday night and Wednesday a V-shaped secondary disturbance travelled eastwards from the South of Ireland to the South of England, thence north-eastwards to Denmark. This secondry system brought rain to the London District for the first time since April 10th—a rainless period of 15 days. In Dublin Sunday and Monday were fine, but the sky was chiefly overcast throughout the latter day, and rain fell at night. Tuesday was cloudy at first, then fine and warm, and finally showery. Wednesday was breezy, and the air was dry, the relative humidity being only 40 per cent. at 4 p.m. A solar halo at 5 p.m. foreboded rain, which fell during the following night. Thursday was squally, almost stormy, and there were passing showers. Friday was cool and unsettled, rain falling rather heavily for a time between 5 and 6 p.m. The sky cleared in the evening, and a cold night ushered in a bright morning on Saturday. In the afternoon of this day an easterly sea-breeze along the coast displaced the prevalent westerly winds of the week for the time being, but in the evening the wind backed to N. after a slight shower had fallen. In Dublin the mean height of the barometer was 29·607 inches, the range of pressure being from 29·990 inches at 9 p.m. of Sunday (wind, W.N.W.) to 29·224 inches at 4 p.m. of Thursday (wind, W.S.W.). The corrected mean temperature was 51·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 50·4°. On Monday the screened thermometers rose to 61·0°, on Saturday they fell to 40·8°. Westerly winds prevailed. Rain fell on 5 days to the amount of ·334 inch, of which ·098 inch was recorded on Tuesday.

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·446 inches. The highest reading (29·821) was on Sunday at 9 p.m., wind W., and the lowest (29·103) on Friday at 9 p.m., wind W.S.W.

The mean temperature for the week was 50·5°, being 4·3° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Tuesday, on which day the thermometer registered 59·7°, and was lowest on Saturday, the mercury having fallen to 38·5°. The mean of the Dry Bulb for the week was 49·0° and of the Wet Bulb, 47·7°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The rainfall during the week measured 0·606 inch.

At Greenwich the mean temperature for the week was 51·3°, the maximum 66·0°, and the minimum 42·0°; at Glasgow the maximum was 56.2°, the minimum 35·7°, and the mean 48·0°; and at Edinburgh the maximum was 55·4°, the minimum 38·7, and the mean 47·0°. The rainfall at Greenwich measured 0·60 in.; at Glasgow 1·17 ins.; and at Edinburgh 0·37 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.)	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, April 23,	29·806	58·4	45·5	52·0	49·7	47·9	·88	·6	9·2	·000	W.S.W.	W.
Monday, „ 24,	29·728	58·8	42·1	50·5	51·3	50·2	·93	·6	0·8	·045	S.W.	W.S.W.
Tuesday, „ 25,	29·461	59·7	49·9	54·8	51·8	51·1	·95	·7	1·1	·275	S.W.	W.
Wednesday, „ 26,	29·572	55·9	39·9	47·9	47·2	45·3	·88	·7	11·2	·122	W.	S.W.
Thursday, „ 27,	29·152	56·8	46·9	51·9	50·7	49·6	·92	·4	3·7	·050	W.S.W.	W.
Friday, „ 28,	29·214	56·3	40·7	48·5	46·6	45·0	·89	·6	5·8	·062	W.S.W.	W.S.W.
Saturday, „ 29,	29·190	56·8	38·5	47·7	46·0	44·8	·92	·6	11·4	·052	W.S.W.	W.S.W.
Mean, ...	29·446	57·5	43·4	50·5	49·0	47·7	·91	·6	Total 43·2	Total ·606	Prevailing Wind, W.S.W.	

Sunday—Day cloudy; night clear. *Monday*—Day overcast to cloudy, passing showers p.m.; night cloudy, light rain a.m. *Tuesday*—Day overcast to cloudy, passing showers; night clear. *Wednesday*—Day cloudy, drizzle p.m.; night overcast, drizzle and heavy rain a.m. *Thursday*—Day cloudy, passing showers; night cloudy. *Friday*—Day cloudy to overcast, passing showers; night clear. *Saturday*—Day cloudy, hail and rain p.m.; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, April 29th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, April 23,	58·3	48·8	46·5	59·4	49·9	54·7	8·5	—
Monday, „ 24,	51·4	50·8	47·1	60·9	43·8	52·4	0·6	·061
Tuesday, „ 25,	54·9	51·0	47·5	60·1	49·1	54·6	1·1	·130
Wednesday, „ 26,	48·8	51·0	47·9	57·1	41·2	49·2	10·9	·100
Thursday, „ 27,	53·8	51·0	48·0	59·6	42·2	50·9	4·8	·010
Friday, „ 28,	52·0	51·2	48·2	57·3	42·9	50·1	4·7	·078
Saturday, „ 29,	48·6	50·3	48·4	57·2	40·0	48·6	9·9	—
Weekly Mean, .	52·5	50·6	47·7	58·8	44·2	51·5	Total 40·5	Total ·379

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30532. Wt. P. 1–60/138. 375. 4. 1911. Sch. C 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & Co., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 6TH MAY, 1911. [No. 18.

General Register Office, Charlemont House,
Dublin, 8th May, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,163,596.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending April 15	Week ending April 22	Week ending April 29	Week ending May 6	Average Rate for 4 weeks.	Towns, &c.	Week ending April 15	Week ending April 22	Week ending April 29	Week ending May 6	Average Rate for 4 weeks.
22 Town Districts, ...	**20·3**	**22·0**	**20·8**	**18·2**	**20·3**	Limerick	17·8	28·7	10·9	13·7	17·8
						Lisburn	13·6	22·7	18·2	22·7	19·3
Armagh	6·9	13·7	13·7	13·7	12·0	Londonderry	26·1	17·8	14·3	19·0	19·3
Ballymena	23·9	23·9	14·4	33·5	23·9	Lurgan	8·9	17·7	22·1	35·4	21·0
Belfast	21·1	20·2	20·9	14·3	19·1	Newry	4·2	37·8	37·8	21·0	25·2
Clonmel	15·4	25·6	25·6	20·5	21·8	Newtownards	28·6	28·6	11·4	11·4	20·0
Cork	27·4	21·2	24·0	23·3	24·0	Portadown	10·3	20·7	20·7	.	12·9
Drogheda	4·1	12·3	4·1	8·2	7·2	Queenstown	13·2	33·0	6·6	19·8	18·2
Dublin Reg. Area ...	21·1	23·3	22·4	21·3	22·0	Sligo	9·6	14·4	9·6	33·6	16·8
Dundalk	.	27·9	35·9	12·0	19·0	Tralee	5·3	21·1	15·9	26·4	17·2
Galway	7·8	19·4	35·0	11·7	18·5	Waterford	13·6	31·2	13·6	17·5	19·0
Kilkenny	44·2	19·7	14·7	19·7	24·6	Wexford	23·3	4·7	28·0	14·0	17·5

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in fifteen of the districts to 10·3 in Clonmel, the 4 deaths from all causes for that district including one from each of typhus and diarrhœa. Among the 109 deaths from all causes for Belfast are one from enteric fever and one from *enteritis* of a child under 2 years of age. Included in the 34 deaths from all causes for Cork are one from enteric fever, one from whooping-cough, and 3 from diarrhœa; and of the 16 deaths from all causes for Londonderry 2 are from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 260—142 boys and 118 girls—and the deaths to 176—81 males and 95 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 21·3 per 1,000 of the population. During the eighteen weeks ending with Saturday last the death-rate averaged 23·1, and was 2·6 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 176, represent an annual rate of 22·5 per 1,000; the annual rate for the past eighteen weeks was 24·4 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·8 per 1,000 of the mean population for all deaths registered.

Among the deaths from all causes registered there was one death from enteric fever, 8 deaths from measles, one death from scarlet fever, 3 from whooping-cough, 2* from diphtheria, 4 from diarrhœa and *enteritis* of children under 2 years of age, and 3 deaths from influenza. In each of the three preceding weeks, deaths from enteric fever were one, one, and 0; deaths from measles were 7, 11, and 5; deaths from scarlet fever were 4, one, and 0; deaths from whooping-cough were 6, 0, and 2; deaths from diphtheria were 3, 4, and one; and deaths from influenza were 0, 3, and 0.

The total deaths from all forms of tuberculous disease numbered 27, and include 21 deaths from pulmonary tuberculosis, 4 deaths from tuberculous meningitis, one death from tuberculous disease of the joints, and one death from disseminated tuberculosis. In the three preceding weeks deaths from all forms of tuberculous disease were 24, 41, and 32, respectively.

There were 6 deaths from broncho-pneumonia, and 16 deaths from *pneumonia* (type not distinguished).

Cancer caused the deaths of 6 persons.

Of 12 deaths attributed to diseases of the brain and nervous system, 4 were caused by *convulsions*, namely, one of an infant under one month, 2 between the ages of one month and one year, and one aged one year.

There were 16 deaths from organic heart diseases, and 31 deaths from bronchitis.

Two deaths of infants were from prematurity, and 6 deaths were assigned to congenital debility.

Of 3 deaths from accidental causes, 2 were by burns, one of a child aged 4 years, and one aged 9 years.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 children under 5 years of age (including one infant under one year old), and the death of one person aged 66 years.

Fifty-six of the persons whose deaths were registered during the week were under 5 years of age (22 being infants under one year, of whom 6 were under one month old) and 55 were aged 65 years and upwards, including 43 persons aged 70 years and upwards; among the latter were 21 aged 75 years and upwards, of whom 2 (a male and a female) were stated to have been aged 90 and 96 years, respectively.

Seventy-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse, and 22 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·3 per 1,000; the rate in the City was 21·3 (North City Districts, 19·8; South, 22·8) and in the Suburbs, 21·2.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·6 per 1,000 inhabitants, the rate for the City being 2·8 (3·9 in the North City Districts, and 1·7 in the South), and for the Suburbs, 1·7 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·0 per 1,000, and include one death from measles, 3 deaths from pulmonary tuberculosis, one death from broncho-pneumonia, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 21·9 per 1,000. There were 2 deaths from measles, one death from influenza, one death from broncho-pneumonia, 3 deaths from *pneumonia* (type not distinguished), and 4 deaths from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 23·5 per 1,000. There was one death from diphtheria, and one from diarrhœa; pulmonary tuberculosis caused 2 deaths, broncho-pneumonia and *pneumonia* (type not distinguished) each caused one death, and bronchitis 5 deaths.

No. 3 North City District (Benburb-street).—The deaths (16) represent an annual rate of 24·6 per 1,000. Measles caused 4 deaths, and diarrhœa 3 deaths; there were 3 deaths from tuberculous disease, 3 deaths from *pneumonia* (type not distinguished), and one death from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 8·9 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 6·7. The only death for Finglas and Glasnevin, part of, was from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (24) represent an annual rate of 29·9 per 1,000. The deaths included one from measles, one from influenza, one from *enteritis* of a child under 2 years, 5 from pulmonary tuberculosis, and 4 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 23·7 per 1,000. There was one death from whooping-cough; there were 2 deaths from tuberculous disease, 2 deaths from *pneumonia* (type not distinguished), and one death from bronchitis.

No. 3 South City District (Peter-street).—The deaths (17) are equal to an annual rate of 20·3 per 1,000, and include one death from enteric fever, one from whooping-cough, 2 deaths from tuberculous disease, one death from broncho-pneumonia, one death from *pneumonia* (type not distinguished), 4 deaths from bronchitis, and one accidental death.

No. 4 South City District (Grand Canal Street).—The deaths (15) are equivalent to an annual rate of 21·6 per 1,000. Of the total, one death was caused by influenza, 5 deaths by pulmonary tuberculosis, and 4 deaths by bronchitis.

New Kilmainham District.—The only death recorded, equal to an annual rate of 5·7 per 1000, was from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 23·6; Pembroke, 21·3; Blackrock, 17·4; and Kingstown, 17·8. The deaths from the principal epidemic diseases tabulated for these districts include one of a child under 2 years of age from *enteritis* for Rathmines and Rathgar, and one from each of scarlet fever and whooping-cough for Pembroke. Among the 17 deaths from all causes for Rathmines and Rathgar one was from each of tuberculous meningitis, broncho pneumonia, and *pneumonia* (type not distinguished), 2 deaths from bronchitis, and one accidental death. Included in the 12 deaths for Pembroke one was from pulmonary tuberculosis, 3 from *pneumonia* (type not distinguished), and one from bronchitis. Of the 3 deaths for Blackrock one was from each of *pneumonia* (type not distinguished) and bronchitis, and among the 6 deaths from all causes for Kingstown one was from each of *pneumonia* (type not distinguished) and bronchitis.

* See note (*c*) Table II. † See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 6th May, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Apr. 15,	.	—	—	9	.	.	15	.	1	10	7	.	—	—	.	—	7	—	49
	Apr. 22,	.	—	—	5	1	.	13	.	1	6	8	.	—	—	.	—	15	—	49
	Apr. 29,	.	—	—	8	.	.	22	.	2	10	5	.	—	—	.	—	13	—	60
	May 6,	.	—	—	16	.	.	8	.	.	3	2	.	—	—	.	—	15	—	44
Rathmines and Rathgar Urban District.	Apr. 15,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	—	3
	Apr. 22,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
	Apr. 29,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	—	4
	May 6,	.	—	—	2	.	.	2	.	.	2	.	.	—	—	—	—	—	—	6
Pembroke Urban District.	Apr. 15,	.	3	.	.	.	.	.	.	.	1	.	.	—	3	.	—	.	—	7
	Apr. 22,	.	21	.	1	.	.	.	.	.	.	.	.	—	7	.	—	.	—	29
	Apr. 29,	.	26	.	1	.	.	.	.	.	.	.	.	—	2	.	—	.	—	29
	May 6,	.	16	.	.	.	.	.	.	.	1	.	.	—	1	.	—	.	—	18
Blackrock Urban District.	Apr. 15,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	.	—	—	—	3
	Apr. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Apr. 29,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	May 6,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	.	—	—	—	2
Kingstown Urban District.	Apr. 15,	.	—	—	1	.	.	.	.	.	.	2	.	—	—	—	—	.	—	3
	Apr. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Apr. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	May 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Apr. 15,	.	—	—	11	.	.	6	.	.	4	5	.	—	—	.	—	8	—	34
	Apr. 22,	.	—	—	8	.	.	4	.	.	1	.	.	—	—	.	—	9	—	22
	Apr. 29,	.	—	—	9	.	.	2	.	.	.	7	.	—	—	.	—	12	—	30
	May 6,	.	—	—	13	.	.	4	.	.	.	1	.	—	—	.	—	17	—	35

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 6th May, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Thirty-seven cases of measles were admitted to hospital during the week, 21 were discharged, there were 8 deaths, and 89 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 68, 61, and 81, respectively.

Thirteen cases of scarlet fever were admitted to hospital, 20 were discharged, there was one death, and 78* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 110, 104, and 86, respectively.

Two cases of typhus remained under treatment in hospital at the close of the week.

Twenty-three cases of diphtheria were admitted to hospital during the week, 23 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 60, 55, and 63, respectively, were 61 at the close of last week.

Four cases of enteric fever were admitted to hospital during the week, 10 were discharged, and 48 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 60, 60, and 54.

In addition to the above-named diseases, 13 cases of pneumonia were admitted to hospital, 7 were discharged, there were 3 deaths, and 38 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 12·7) was equal to an average annual death-rate of 13·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·3 per 1,000, the rate for Glasgow being 17·9 and for Edinburgh 17·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 6th May. From this Report it appears that of a total of 59 cases notified, 23 were phthisis, 16 scarlet fever, 12 diphtheria, and 8 erysipelas. Among the 344 cases of infectious diseases in hospital at the close of the week were 129 cases of scarlet fever, 62 of phthisis, 55 of diphtheria, 48 of measles, 31 of whooping-cough, 7 of erysipelas, 6 of chicken-pox, and 3 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 6th May, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 6th May, 1911. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 6th May, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 29th April, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd April, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
																														°	°			°	°	°		°	°	°	
TOTAL OF 22 TOWN DISTRICTS, ...	1,163,596	20·4	30·7	18·2	1·5	686	407	55	110	3	1	...	8	1	6	1	...	59	23	14	42	63	5	3	5	6	5	132	12	...	...	...	...	...	...	...	...	...	...	...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	407,057	29·6	33·3	21·3	2·6	260	166	22	51	1	...	...	8	1	3	1	...	20	4	4	21	33	2	2	2	3	...	67	4	e65·7	37·9	49·6	0·78	e59·7	38·5	50·5	0·61	e62·3	39·0	50·5	0·50
CITY OF DUBLIN,	313,526	39·6	38·6	21·3	2·8	232	128	16	33	1	...	...	8	...	2	1	...	19	3	3	14	28	2	2	1	2	...	56	3	f61·1 g62·8	41·1 38·0	50·5 48·7	0·62 0·67	f61·0 g59·8	40·8 39·0	51·4 50·8	0·33 0·60	f63·5 g62·6	40·9 40·0	51·8 51·1	0·97 0·74
Urban Districts. RATHMINES AND RATHGAR.	37,528	21·9	16·7	23·6	1·4	12	17	3	8	...	...	...	...	...	...	...	...	...	1	...	2	2	...	...	1	1	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,368	18·5	10·7	21·3	3·6	6	12	2	5	...	...	...	...	1	1	...	...	1	...	...	3	1	...	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,013	8·3	23·1	17·4	...	4	3	1	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,622	12·1	17·8	17·8	...	6	6	...	4	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	1	60	42	51·0	0·37	61	42	52·4	0·20	64	42	51·6	0·84
BELFAST. ...	398,421	27·1	33·2	14·3	0·3	254	109	19	20	1	...	...	...	...	...	...	...	16	12	3	10	20	...	...	1	3	4	28	2	58·0	38·0	54·9	0·76	62·0	41·5	51·4	1·65	57·0	38·5	47·2	0·58
CORK, ...	76,122	33·6	24·0	23·3	3·4	35	34	3	9	1	...	...	...	...	1	...	...	4	2	1	2	2	2	1	...	...	1	15	1	57	41	49·3	1·14	57	41	49·3	1·11	55	41	48·0	1·17
LONDONDERRY...	43,900	20·3	30·9	19·0	2·4	26	16	2	3	...	...	...	...	...	2	...	...	3	1	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,151	18·1	16·4	13·7	1·4	12	10	3	2	...	...	...	...	...	...	...	...	..	1	...	...	...	...	...	1	...	...	1	2	64	36·5	50·5	1·01	58·5	35·2	48·2	0·92	62·4	38·5	50·4	0·58
WATERFORD, ...	26,769	18·7	21·4	17·5	...	11	9	1	2	...	...	...	...	...	...	...	...	5	1	...	...	1	...	...	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY. ...	13,426	2·5	27·2	11·7	...	1	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	60	38	49	1·16	58	38	49·7	1·05	56	38	49	0·79
DUNDALK, ...	13,076	9·4	23·9	12·0	...	6	3	1	1	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,760	8·6	16·3	8·2	...	4	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY. ...	12,405	17·8	42·0	21·0	...	10	5	1	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	57·0	38·6	47·6	0·82	58·8	38·7	48·7	1·18	60·6	37·8	48·9	0·98
LURGAN, ...	11,782	13·8	13·3	35·4	...	3	8	1	3	...	...	...	...	...	...	...	...	4	...	...	1	1	...	...	...	...	...	4	...	57·0	38·6	47·6	0·82	58·8	38·7	48·7	1·18	60·6	37·8	48·9	0·98
LISBURN, ...	11,461	10·1	27·3	22·7	...	6	5	...	...	...	...	...	...	...	...	...	...	3	...	...	1	1	...	...	...	...	...	2	...	57·0	38·6	47·6	0·82	58·8	38·7	48·7	1·18	60·6	37·8	48·9	0·98
WEXFORD. ...	11,168	23·2	46·7	14·0	...	10	3	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	..	...	1	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA, ...	10,886	8·9	14·4	33·5	...	3	7	...	2	...	...	...	...	...	...	...	...	1	1	1	3	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO. ...	10,870	3·7	19·2	33·6	...	4	7	...	4	..	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	...	5	2	59·8	36·2	47·3	1·14	58·5	37·5	48·2	1·38	59·2	38·9	49·4	1·22
KILKENNY, ...	10,609	11·5	24·6	19·7	...	5	4	...	1	...	...	...	...	...	...	...	...	1	..	..	1	...	...	...	...	...	...	...	...	60	39	50·4	0·90	61	35	49·6	1·36	61	39	50·9	1·15
CLONMEL, ...	10,167	7·8	35·9	20·5	10·3	7	4	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	10,092	13·2	36·2	...	...	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	57·0	38·6	47·6	0·82	58·8	38·7	48·7	1·18	60·6	37·8	48·9	0·98
TRALEE, ...	9,867	16·6	15·9	26·4	5·3	3	5	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	34·3	11·4	...	6	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	58	38	47·7	0·61	57	41	48·7	1·93	59	40	47·9	0·67
QUEENSTOWN, ...	7,909	14·4	19·8	19·8	...	3	3	...	1	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	57	41	49·3	1·14	57	41	49·3	1·11	55	41	48·0	1·17
ARMAGH. ...	7,588	22·2	27·5	13·7	...	4	2	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	57·0	38·6	47·6	0·82	58·8	38·7	48·7	1·18	60·6	37·8	48·9	0·98

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1911. (b) See note (‡) at foot of first page. (c) Exclusive of 10 deaths of persons (including 4 at 65 years or upwards), admitted to hospital from localities outside the Area; of the 10 deaths one was from diphtheria. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 6th of May, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	2	.	4	.	.	.	1	.	.	.	.	.	.	.	.	8	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Whooping-cough,	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	3	.
Diphtheria,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	.	.	.	.	.	1	.	.	1	.	.	.	.	.	3	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	3	.	2	2	.	.	.	5	1	1	5	.	.	1	.	.	20	1
Tuberculous Disease. { Other Forms,	.	.	.	1	.	.	.	.	1	1	.	.	1	.	.	.	4	2
Cancer,	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	1	4	2
Diseases of Nervous System,	2	2	1	.	.	.	.	.	.	1	1	.	2	1	.	1	11	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
" Circulatory System,	1	.	1	.	.	1	.	6	1	1	1	.	3	1	.	1	17	.
" Respiratory System. { Pneumonia,	1	4	2	3	.	.	.	.	2	2	.	.	2	3	1	1	21	1
" Respiratory System. { Others,	.	4	5	2	.	.	1	4	2	5	4	1	2	1	1	1	33	1
" Digestive System. { Diarrhœa, under 2 years,	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.
" Digestive System. { *Enteritis*, under 2 years,	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
" Digestive System. { Enteritis, 2 years and upwards,	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
" Digestive System. { Others,	.	1	.	.	.	.	.	.	.	1	1	.	.	1	.	.	4	.
" Genito-urinary System,	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other specified Causes,	1	1	.	1	.	.	.	5	1	1	.	.	3	1	.	1	15	1
Violent Deaths,	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	3	.
Ill-defined, &c. Causes,	.	.	.	.	.	1	.	.	.	.	1	.	1	.	1	.	4	.
Deaths from All Causes	11	17	14	16	.	2	1	24	10	17	15	1	17	12	3	6	166	10
Annual Rate of Mortality from All Causes in every 1,000 of the population.	19·0	21·9	23·5	24·6	.	8·9	6·7	29·9	23·7	20·3	21·6	5·7	23·6	21·3	17·4	17·8	21·3	.
	19·8							22·8					21·2					
	21·3																	
Ages at Death. Under 1 year,	3	1	3	3	.	.	.	3	2	1	.	.	3	2	1	.	22	.
1 and under 2 years,	2	5	3	3	.	.	.	3	1	.	.	.	.	1	.	.	18	.
2 " 5 "	1	1	1	5	.	.	.	1	1	1	2	.	1	1	.	.	15	1
5 " 15 "	2	1	2	1	.	.	.	.	1	3	1	.	1	.	.	.	12	2
15 " 25 "	.	.	2	.	.	.	.	2	.	.	2	.	.	.	.	.	6	.
25 " 45 "	2	.	1	2	.	.	.	4	1	.	1	.	3	.	.	.	14	1
45 " 65 "	1	3	.	2	.	.	.	3	2	5	5	.	1	3	1	2	28	2
65 and upwards,	.	6	2	.	.	2	1	8	2	7	4	1	8	5	1	4	51	4
Number of Uncertified Deaths,	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	1	3	7	.	1	.	2	2	6	2	.	4	4	1	.	35	5
Workhouse Hospitals,	1	2	3	5	.	.	.	7	3	6	3	.	2	.	.	.	32	5

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 18th Week of the 10 years 1901–1910.	In the Week ending Saturday, 6th May, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	May 4, 1901.	May 3, 1902.	May 9, 1903.	May 7, 1904.	May 6, 1905.	May 5, 1906.	May 4, 1907.	May 2, 1908.	May 8, 1909.	May 7, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 46·3	° 46·9	° 47·0	° 46·7	° 46·4	° 44·3	° 44·1	° 48·5	° 50·4	° 46·1	° 46·7	° 49·6										
ALL CAUSES.	183	191	192	178	164	191	205	175	153	136	176·8	176	6	16	18	16	14	6	15	30	34	21
Enteric Fever, ...	2	1	3	2	3	1	.	1	.	1	1·4	1	.	.	.	.	.	.	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	4	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	3	.	4	3	.	3	1	2	.	1·6	8	.	2	6	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	2	.	.	.	.	.	.	.	·2	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	9	3	4	11	1	1	10	3	4	1	4·7	3	.	1	1	1	.	.	.	.	.	.
Diphtheria, ...	1	2	1	.	.	.	.	2	.	.	·6	2	.	.	.	1	1	.	.	.	.	.
Croup, ...	2	1	2	.	.	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	5	2	3	1	2	2	2	2	3	1	2·3	3	.	.	.	.	.	.	1	.	1	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	1	1	1	1	1	.	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	2	.	.	.	3	.	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	29	25	27	22	25	36	39	16	23	14	25·6	21	.	.	.	.	2	6	10	2	.	1
Tuberculous Meningitis, ...	3	3	3	2	2	3	3	3	3	4	2·9	4	.	.	.	.	3	.	.	.	1	.
Abdominal Tuberculosis, ...	4	4	1	3	3	2	1	3	.	2	2·3	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	6	3	6	7	6	10	10	8	3	5	6·4	1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												1	.	.	.	1	.	.	.	.	.	.
Venereal Diseases, ...	.	2	1	1	2	2	2	4	.	.	1·4	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	8	7	6	4	8	6	3	6	8	6	6·2	6	.	.	.	.	.	.	.	2	2	2
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	1	.	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	2	.	1	.	.	.	2	.	2	·7	.	.	.	.	.	.	.	.	.	.	.
Anæmia Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	.	.	.	.	2	1	.
Alcoholism, ...	.	1	2	.	2	.	1	.	.	1	·7	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												2	.	.	.	1	1	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												4	.	.	.	.	.	.	.	1	2	1
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												1	.	.	.	.	.	.	.	.	1	.
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												4	1	2	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	36	49	48	45	35	33	41	35	30	33	38·5	1	.	.	.	.	.	.	.	.	1	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												1	.	.	.	.	.	.	.	1	.	.
Organic Diseases of the Heart,												16	.	.	.	.	2	.	1	5	6	2
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	1	.	.	.	.	.	.
Bronchitis, ...	25	14	16	15	16	33	16	22	13	17	18·7	31	1	3	2	2	1	.	.	3	13	6
Broncho-pneumonia, ...		2	2	8	4	11	5	10	9	3		6	.	1	2	1	1	.	.	.	1	.
Lobar-pneumonia, ...	11	1	1	1	.	2	1	3	2	1	15·0	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)		10	10	8	8	8	9	9	7	4		16	.	2	2	1	1	.	2	5	2	1
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	2	4	4	2	4	3	3	2	.	.	2·4	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System.												1	.	.	.	.	.	.	.	1	.	.

EIGHTEENTH WEEK ending Saturday, 6th May, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 18th Week of the 10 years 1901–1910.	In the Week ending Saturday, 6th May, 1911.										
													Deaths of Persons of the Ages of									
	May 4, 1901.	May 3, 1902.	May 9, 1903.	May 7, 1904.	May 6, 1905.	May 5, 1906.	May 4, 1907.	May 2, 1908.	May 8, 1909.	May 7, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 46·3	° 46·9	° 47·0	° 46·7	° 46·4	° 44·3	° 44·1	° 48·5	° 50·4	° 46·1	° 46·7	° 49·6										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	2	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	.	.	.	.	1	1	1
Diarrhœa of Children under 2 years.	2	1	1	1	1	.	1	3	2	2	1·4	2	.	1	1	.	.	.	.	.	.	.
„ 2 years and upwards,												2	.	.	.	2	.	.	.	.	.	.
Enteritis of Children under 2 years.	.	2	1	2	1	.	6	2	.	5	1·9	2	.	2	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												2	.	.	.	1	.	.	.	1	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	5	.	1	.	2	4	2	1	1	2	3·7	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...		3	3	2	1	2	1	1	2	4		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	1	2	.	1	.	.	.	2	·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	6	9	5	3	4	5	4	6	8	1	5·1	1	.	.	.	.	.	.	.	1	.	.
Acute Nephritis, ...	6	4	6	7	3	8	8	6	7	5	6·0	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...												2	.	.	.	.	.	.	1	1	.	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												1	.	.	.	.	.	.	.	.	1	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	1	.	2	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	1	.	.	1	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	3	4	5	2	2	3	3	6	2	3·3	2	2	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	6	1	2	2	1	.	.	.	.	.	.
Old Age, ...	5	8	3	5	3	5	5	3	2	3	4·2	4	.	.	.	.	.	.	.	.	1	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	.	1
ACCIDENTS:																						
By Railways, ...	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	.	.	.	1	.	2	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	.	2	1	1	.	1	1	2	2	2	1·2	2	.	.	.	1	1	.	.	.	.	.
By Drowning, ...	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	2	1	2	.	2	3	1	2	3	1·7	1	.	.	.	.	.	.	.	.	.	1
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	4	.	.	.	1	.	.	.	2	.	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910–11—WEEK ENDING																									
	Nov. 12.	Nov. 19.	Nov. 26.	Dec 3	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May. 6.
No. of weeks in Annual Series,	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
BIRTHS registered.	207	204	182	199	174	232	158	170	203	230	238	232	219	241	192	214	217	238	203	276	230	198	171	174	259	260
Average Births in corresponding week of previous 10 *years*, ...	202	195	181	207	193	195	177	174	231	208	209	201	241	217	212	209	216	223	212	212	233	202	210	223	199	268
DEATHS registered, ...	141	166	168	176	188	165	178	155	176	179	190	228	200	220	208	195	180	174	170	214	177	191	174	196	181	176
Annual Death-rate per 1,000, ...	18·2	21·5	21·7	22·8	24·3	21·4	23·0	20·1	22 5	22·9	24·3	29·2	25·6	28·2	26·6	25·0	23·1	22·3	21·8	27·4	22·7	24·5	22·3	25·1	23·2	22·5
Average Deaths in corresponding week of previous 10 *years*, ...	175	179	182	182	182	177	182	177	201	195	195	192	200	198	200	210	218	210	194	201	203	199	195	197	190	177
Ages, Under 5 years, ...	47	57	49	55	53	43	41	47	56	60	62	59	61	47	57	57	70	59	39	56	48	54	63	54	50	56
5—15 „ ...									5	10	7	11	6	10	6	10	9	12	9	7	14	17	4	5	11	14
15—25 „ ...									9	7	10	11	12	13	5	6	6	7	7	13	8	10	10	14	7	6
25—45 „ ...	94	109	119	121	135	122	137	108	25	24	27	32	32	41	36	35	32	24	24	42	19	33	25	31	33	15
45—65 „ ...									45	38	41	55	48	51	49	35	36	36	42	44	36	44	43	45	35	30
65—75 „ ...									20	25	28	34	22	39	33	29	19	19	28	32	29	27	19	29	25	34
75 and upwards, ...									16	15	15	26	19	19	22	23	8	17	21	20	23	6	10	18	20	21
Deaths from :—																										
Enteric Fever, ...	.	.	2	.	1	2	1	.	.	1	.	2	3	2	2	2	4	3	1	2	1	3	1	1	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	1	.	2	1	.	1	4	3	6	2	2	2	2	3	7	7	7	3	2	1	7	11	5	8
Scarlet Fever, ...	.	2	1	3	1	1	.	2	7	.	.	1	.	4	6	2	2	.	.	1	.	1	4	1	.	1
Whooping-cough, ...	4	2	6	5	11	1	5	7	6	5	6	10	4	3	6	7	11	4	4	6	5	3	6	.	2	3
Diphtheria, ...	2	3	2	4	.	3	2	.	1	2	4	1	5	2	3	2	.	2	.	1	1	4	3	4	1	2
Influenza, ...	1	.	2	4	2	1	3	1	.	1	1	4	3	4	5	7	2	2	2	1	2	2	.	3	.	3
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.
Tuberculous Disease, Phthisis, ...	16	20	14	16	25	14	19	19	21	19	27	28	19	27	22	18	20	17	28	32	16	29	21	33	22	21
Tuberculous Disease, Other Forms,	11	8	6	7	11	4	7	5	4	6	9	7	4	6	8	7	7	8	8	15	13	10	3	8	10	6
Cancer, ...	9	8	14	3	12	4	13	6	8	3	12	7	16	11	4	6	5	8	6	10	13	11	8	7	9	6
Diseases of Circulatory System,	18	22	24	30	30	23	28	31	17	20	13	25	19	23	17	21	14	13	24	27	22	23	14	15	24	17
Diseases of Respiratory System, Pneumonia,	11	16	16	14	15	27	18	11	15	16	10	17	18	20	15	21	13	16	14	13	13	18	19	16	18	22
Diseases of Respiratory System, Others, ...	26	26	29	37	27	32	26	25	29	25	28	42	30	41	44	28	29	25	23	27	24	24	26	26	16	34
Diarrhœa, Under 2 years, ...	4	2	4	6	2	2	2	1	3	2	2	4	4	2	3	3	1	1	2	5	1	3	2	1	2	2
Diarrhœa, 2 years & upwards,									.	.	.	.	1	.	.	1	1	.	3	.	1	.	.	.	1	2
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	.	2	2	.	3	3	1	1	1	2	1	3	1	3	3	2	2	2
Violent Deaths, ...	2	2	3	4	4	8	4	6	2	8	1	4	7	4	2	5	2	4	5	5	5	6	1	7	9	3
Number of Uncertified Deaths,	8	6	7	5	5	3	3	6	4	5	7	7	3	3	2	4	7	8	7	2	5	1	1	2	8	4
Mean Temperature of the Air (Phœnix Park)	39·6	38·2	42·2	37·0	43·4	45·2	43·5	40·9	37·2	39·0	38·6	45·5	35·9	37·0	46·4	43·4	46·5	41·1	38·0	41·7	42·7	39·4	43·7	50·5	50·5	49·6
Average Mean Temperature in corresponding week of previous 10 *years*, ...	45·2	42·7	41·5	42·8	42·4	41·6	41·3*	41·3	42·0	40·0	40·8	40·5	40·3	40·3	39·8	39·9	40·5	41·7	42·7	42·6	42·4	44·1	43·1	45·1	46·2	46·7
Rainfall in inches, ...	·860	·352	1·206	1·820	1·700	1·172	·183	·130	·336	·345	·153	·034	·000	·011	·582	·523	·681	·316	·206	·000	·770	·131	·000	·501	·606	·780
Mean Humidity of the Air, complete Saturation 1·0, ...	·89	·85	·91	·93	·91	·91	·94	·88	·92	·90	·93	·92	·87	·90	·91	·91	·92	·91	·89	·87	·90	·86	·86	·89	·91	·93

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 6th May, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 6TH MAY, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	176	56	14	6	15	30	34	21	1	.	.	8	1	3	2	.	21	6	6	4	22	34	2	2	2	3	59	4
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	15·0	5	.	.	.	.	.	3	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	13·8	23	5	1	.	2	5	3	7	.	.	.	1	.	1	.	.	2	1	2	.	2	2	.	.	.	1	11	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	18·4	39	11	4	3	3	7	8	3	.	.	.	.	.	.	.	.	7	.	2	1	5	6	1	.	.	1	16	1
IV.	GENERAL SERVICE CLASS, ...	154,279	24·3	72	30	9	1	8	10	12	2	.	.	.	7	1	2	2	.	8	3	1	3	11	16	.	.	1	1	16	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	37	10	.	2	2	8	8	7	1	.	.	.	.	.	.	.	4	1	1	.	3	10	1	2	1	.	13	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	7·1	3	1	.	.	.	.	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	6. Clerks and Commercial Assistants, ...	30,432	8·6	5	3	.	.	.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	27·0	14	1	1	.	2	3	.	7	.	.	.	.	.	.	.	.	2	1	2	.	2	1	.	.	.	1	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	9. Building and Furnishing Trades, ...	29,801	22·7	13	4	2	1	1	1	3	1	.	.	.	.	.	.	.	.	2	.	1	.	3	1	1	.	.	.	5	.
	10. Clothing Trades, ...	23,260	9·0	4	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	.	1	.
	11. Food Supply Trades, ...	9,242	5·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	25·8	15	4	2	1	1	2	4	1	.	.	.	.	.	.	.	.	3	.	1	1	2	3	.	.	.	1	4	1
	13. Petty Shopkeepers, ...	7,894	19·8	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	19·4	5	1	.	.	1	1	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	2	1
	15. Domestic Servants, ...	36,603	7·1	5	3	.	.	1	.	1	.	.	.	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	29·0	8	.	2	.	.	1	5	.	.	.	.	.	.	.	.	.	2	.	.	.	1	3	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	31·3	54	26	7	1	6	8	4	2	.	.	.	5	.	2	2	.	6	3	.	3	10	11	.	.	1	1	10	2
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	37	10	.	2	2	8	8	7	1	.	.	.	.	.	.	.	4	1	1	.	3	10	1	2	1	.	13	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 30,219.	Mar. 18,	38·0	3·5	22	.	.	.	1	.	.	.	.	4	.	.	1	3	.	.	1	.	.
	„ 25,	36·2	6·9	21	.	.	.	.	.	1	.	.	3	2	.	2	.	2	.	1	3	.
	April 1,	27·6	.	16	.	.	.	.	.	.	.	.	1	2	.	3	1	.	.	.	1	.
	„ 8,	20·7	.	12	.	.	.	.	.	.	.	.	1	2	.	2	.	.	.	.	.	.
	„ 15,	6·9	1·7	4	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	.
	„ 22,	12·1	.	7	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 29,	15·5	.	9	.	.	.	.	.	.	.	.	2	2	.	3	.	.	.	.	.	.
	May 6,	19·0	1·7	11	.	.	.	1	.	.	.	.	3	.	.	1	.	.	.	.	1	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 40,390.	Mar. 18,	20·7	5·2	16	.	.	.	2	.	1	.	.	1	1	1	1	3	.	1	.	.	2
	„ 25,	24·5	1·3	19	.	.	.	.	.	.	.	.	2	.	1	.	5	1	.	.	.	1
	April 1,	15·5	.	12	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	2
	„ 8,	25·8	3·9	20	.	.	.	.	.	1	.	.	3	.	.	1	4	1	.	1	1	.
	„ 15,	33·6	5·2	26	.	.	.	3	.	.	.	.	3	.	.	2	5	1	.	.	.	.
	„ 22,	16·8	5·2	13	.	.	.	2	.	.	1	.	3	.	.	.	.	.	.	1	.	1
	„ 29,	24·5	1·3	19	.	.	.	1	.	.	.	.	3	.	.	1	5	.	.	.	.	3
	May 6,	21·9	2·6	17	.	.	.	2	.	.	.	.	.	.	.	4	4	.	.	.	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 31,064.	Mar. 18,	20·1	1·7	12	.	.	.	.	.	.	.	.	3	.	2	1	.	1	.	.	.	.
	„ 25,	11·7	1·7	7	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.
	April 1,	36·9	.	22	.	.	.	.	.	.	.	.	1	3	3	2	2	.	.	.	.	.
	„ 8,	33·6	5·0	20	.	.	.	.	.	.	1	.	.	1	3	3	3	2	.	.	.	.
	„ 15,	26·9	3·4	16	.	.	.	.	1	1	.	.	2	.	.	3	2	.	.	.	1	.
	„ 22,	15·1	1·7	9	.	.	.	1	.	.	.	.	.	.	1	.	3	.	.	.	.	.
	„ 29,	47·0	5·0	28	.	.	.	.	.	.	.	.	4	3	2	2	4	2	.	1	.	.
	May 6,	23·5	3·4	14	.	.	.	.	.	.	1	.	2	.	.	2	5	1	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,908.	Mar. 18,	13·8	6·2	9	.	.	.	2	.	1	.	.	1	.	.	.	.	1	.	.	.	.
	„ 25,	41·5	3·1	27	.	.	.	.	.	.	.	.	7	2	1	2	5	2	.	.	.	.
	April 1,	21·5	3·1	14	1	.	.	1	.	.	.	.	4	.	.	1	1	.	.	.	.	.
	„ 8,	26·1	7·7	17	1	.	.	.	1	2	1	.	1	.	1	2	3	.	.	.	.	.
	„ 15,	20·0	4·6	13	.	.	.	.	1	2	.	.	1	.	1	1	1	.	.	.	.	.
	„ 22,	35·4	3·1	23	.	.	.	2	.	.	.	.	1	1	.	4	3	.	.	.	2	.
	„ 29,	20·0	4·6	13	.	.	.	2	.	.	.	.	1	.	.	2	1	.	1	.	2	.
	May 6,	24·6	10·8	16	.	.	.	4	.	.	.	.	2	1	.	3	2	1	2	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,908.	Mar. 18,	22·4	3·7	18	.	.	.	.	.	1	.	.	3	2	.	1	4	.	2	.	.	2
	„ 25,	29·9	3·7	24	.	.	.	.	.	1	.	.	3	3	1	4	3	.	.	2	.	.
	April 1,	14·9	2·5	12	.	.	.	.	.	2	.	.	.	.	1	.	5	.	.	.	.	.
	„ 8,	23·6	.	19	.	.	.	.	.	.	.	.	3	.	2	.	4	.	.	.	1	.
	„ 15,	31·1	3·7	25	.	.	.	1	1	.	.	.	3	1	1	.	5	.	.	1	.	1
	„ 22,	27·4	5·0	22	1	.	.	1	.	.	1	.	5	.	1	1	3	.	.	1	.	.
	„ 29,	12·4	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	1
	May 6,	29·9	2·5	24	.	.	.	1	.	.	.	.	5	.	1	.	4	.	.	1	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,980.	Mar. 18,	14·2	.	6	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	1	.
	„ 25,	35·6	4·7	15	.	.	.	.	.	2	.	.	1	2	.	2	1	.	.	.	1	.
	April 1,	26·1	2·4	11	.	.	.	1	.	.	.	.	1	2	1	1	3	.	.	.	.	.
	„ 8,	19·0	.	8	.	.	.	.	.	.	.	.	4	.	1	1	.	.	.	.	.	.
	„ 15,	23·7	.	10	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.
	„ 22,	28·5	4·7	12	.	.	.	1	.	.	1	.	4	1	1	1	.	.	.	.	.	.
	„ 29,	28·5	.	12	.	.	.	.	.	.	.	.	3	1	2	1	.	.	.	.	.	.
	May 6,	23·7	2·4	10	.	.	.	.	.	1	.	.	1	1	1	2	2	.	.	.	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,677.	Mar. 18,	31·0	2·4	26	1	.	.	.	.	1	.	.	4	1	1	3	6	.	.	.	.	.
	„ 25,	20·3	.	17	.	.	.	.	.	.	.	.	7	2	1	.	2	.	.	.	.	.
	April 1,	27·5	.	23	.	.	.	.	.	.	.	.	2	3	2	1	2	.	.	.	.	1
	„ 8,	26·3	4·8	22	1	.	.	1	.	.	.	.	4	2	1	1	5	.	.	2	.	1
	„ 15,	14·3	4·8	12	1	.	.	1	.	1	.	.	.	.	.	2	.	.	.	1	.	.
	„ 22,	28·7	1·2	24	.	.	.	1	.	.	.	.	2	.	.	2	6	.	.	.	.	.
	„ 29,	32·2	6·0	27	.	.	.	2	.	1	1	.	1	1	.	2	2	.	.	1	3	1
	May 6,	20·3	2·4	17	1	.	.	.	.	1	.	.	1	1	1	2	5	.	.	.	1	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 36,254.	Mar. 18,	17·3	2·9	12	.	.	.	2	.	.	.	.	.	2	1	3	1	.	.	.	2	.
	„ 25,	28·8	4·3	20	.	.	.	1	.	2	.	.	3	1	.	1	3	.	.	.	.	.
	April 1,	15·8	1·4	11	.	.	.	.	.	.	.	.	1	.	1	2	1	1	.	.	1	1
	„ 8,	38·8	1·4	27	.	.	.	.	.	.	1	.	3	5	1	4	1	.	.	.	3	.
	„ 15,	21·6	7·2	15	.	.	.	2	1	2	.	.	1	.	.	2	2	.	.	.	.	.
	„ 22,	30·2	1·4	21	.	.	.	.	1	.	.	.	6	2	1	2	3	.	.	.	2	.
	„ 29,	21·6	.	15	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	3	1
	May 6,	21·6	.	15	.	.	.	.	.	.	.	.	5	.	.	.	4	.	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 37,528.	Mar. 18,	12·5	.	9	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.
	„ 25,	19·5	.	14	.	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.	.
	April 1,	19·5	1·4	14	.	.	.	.	.	1	.	.	1	.	.	.	4	.	.	.	.	1
	„ 8,	16·7	1·4	12	1	.	.	.	.	.	.	.	3	.	.	2	.	.	.	.	1	.
	„ 15,	13·9	.	10	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.	.
	„ 22,	15·3	1·4	11	.	.	.	1	.	.	.	.	1	1	.	3	1	.	.	.	.	.
	„ 29,	12·5	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	May 6,	23·6	1·4	17	.	.	.	.	.	.	.	.	.	1	.	2	2	.	.	1	1	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,368.	Mar. 18,	12·4	.	7	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	1	.
	„ 25,	24·9	3·6	14	1	.	.	1	.	.	.	.	3	.	2	.	2	.	.	.	.	.
	April 1,	10·7	.	6	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.
	„ 8,	14·2	.	8	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.
	„ 15,	24·9	1·8	14	.	.	.	.	.	.	.	.	2	.	2	4	3	1	.	.	.	.
	„ 22,	8·9	1·8	5	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 29,	16·0	1·8	9	.	.	.	.	.	1	.	.	1	1	1	.	1	.	.	.	.	.
	May 6,	21·3	3·6	12	.	.	.	.	1	1	.	.	1	.	.	3	1	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 (Est.) 17,622.	Mar. 18,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	2
	„ 25,	23·7	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
	April 1,	17·8	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.
	„ 8,	14·8	.	5	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.
	„ 15,	17·8	.	6	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.
	„ 22,	44·4	3·0	15	.	.	.	1	.	.	.	.	4	.	1	.	1	.	.	.	.	.
	„ 29,	20·7	.	7	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.
	May 6,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1
Belfast. Pop. in 1911 (Est.) 398,421.	Mar. 18,	15·4	0·4	118	.	.	.	.	1	1	.	.	7	8	11	10	14	1	.	.	1	1
	„ 25,	19·2	1·0	147	.	.	.	.	1	.	1	.	22	9	8	14	16	.	3	3	3	.
	April 1,	18·1	0·5	138	.	.	.	.	.	.	1	.	24	8	4	16	19	.	1	2	4	1
	„ 8,	22·5	0·5	172	1	.	.	.	1	.	.	.	26	8	5	13	26	1	.	1	8	3
	„ 15,	21·1	1·2	161	.	.	.	1	.	3	2	.	25	4	5	19	29	.	1	2	2	2
	„ 22,	20·2	0·7	154	.	.	.	.	.	2	1	.	14	11	6	23	34	.	.	2	3	.
	„ 29,	20·9	0·4	160	1	.	.	.	.	1	.	.	17	15	12	18	16	.	.	1	3	1
	May 6,	14·3	0·3	109	1	.	.	.	.	.	.	.	16	12	3	10	20	.	.	1	3	2
Cork. Pop. (in 1901) 76,122.	Mar. 18,	16·4	.	24	.	.	.	.	.	.	.	.	4	.	2	.	8	.	.	.	2	.
	„ 25,	21·9	.	32	.	.	.	.	.	.	.	.	10	4	1	1	5	.	.	.	.	1
	April 1,	19·2	.	28	.	.	.	.	.	.	.	.	4	2	2	3	3	.	.	.	.	1
	„ 8,	30·8	0·7	45	.	.	.	.	.	1	.	.	1	1	1	3	3	.	.	.	1	2
	„ 15,	27·4	0·7	40	1	.	.	.	.	.	.	.	6	.	3	3	4	.	.	.	.	1
	„ 22,	21·2	.	31	.	.	.	.	.	.	.	.	6	3	.	1	2	.	.	.	3	.
	„ 29,	24·0	1·4	35	.	.	.	.	.	2	.	.	7	3	1	2	3	.	.	.	.	7
	May 6,	23·3	3·4	34	1	.	.	.	.	1	.	.	4	2	1	2	2	2	1	.	.	1
Londonderry. Pop. in 1911 (Est.) 43,900.	Mar. 18,	10·7	.	9	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.
	„ 25,	20·2	1·2	17	.	.	.	.	.	.	.	.	4	1	.	2	.	.	.	1	1	.
	April 1,	22·6	4·8	19	.	.	.	.	.	3	1	.	1	.	1	1	5	.	.	.	.	.
	„ 8,	35·6	2·4	30	.	.	.	.	.	2	.	.	1	.	1	5	8	.	.	.	1	.
	„ 15,	26·1	4·8	22	.	.	.	.	.	4	.	.	3	.	.	2	6	.	.	.	1	.
	„ 22,	17·8	5·9	15	.	.	.	.	.	4	.	.	.	.	1	.	3	1	.	.	.	.
	„ 29,	14·3	3·6	12	.	.	.	.	.	3	.	.	2	2	2	.	1	.	.	.	.	.
	May 6,	19·0	2·4	16	.	.	.	.	.	2	.	.	3	1	3	.	3	.	.	.	.	.
Limerick. Pop. (in 1901) 38,151.	Mar. 18,	15·0	.	11	.	.	.	.	.	.	.	.	3	.	.	2	1	.	.	.	.	1
	„ 25,	26·0	.	19	.	.	.	.	.	.	.	.	3	1	2	1	5	.	.	.	.	.
	April 1,	31·4	.	23	.	.	.	.	.	.	.	.	5	.	.	3	6	.	.	.	.	.
	„ 8,	17·8	.	13	.	.	.	.	.	.	.	.	3	.	.	2	3	.	.	.	.	2
	„ 15,	17·8	1·4	13	1	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	3
	„ 22,	28·7	.	21	.	.	.	.	.	.	.	.	2	1	1	2	9	.	.	.	.	1
	„ 29,	10·9	2·7	8	.	.	.	.	.	.	1	.	.	.	.	.	3	.	.	1	.	3
	May 6,	13·7	1·4	10	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2
Waterford. Pop. (in 1901) 26,769.	Mar. 18,	15·6	1·9	8	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	.	.
	„ 25,	13·6	.	7	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	.
	April 1,	23·4	1·9	12	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	1	.
	„ 8,	11·7	1·9	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 15,	13·6	.	7	.	.	.	.	.	.	.	.	3	.	.	.	2	.	.	.	.	1
	„ 22,	31·2	.	16	.	.	.	.	.	.	.	.	2	2	.	2	5	.	.	.	.	1
	„ 29,	13·6	.	7	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	1
	May 6,	17·5	.	9	.	.	.	.	.	.	.	.	5	1	.	.	1	.	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 6th May, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 25 years.	Ages at Death: 25 and under 45 years.	Ages at Death: 45 and under 65 years.	Ages at Death: 65 years and upwards.	Deaths from: Enteric Fever.	Deaths from: Typhus.	Deaths from: Small-pox.	Deaths from: Measles.	Deaths from: Scarlet Fever.	Deaths from: Whooping-cough.	Deaths from: Diphtheria.	Deaths from: Dysentery.	Deaths from: Tuberculous Disease: Phthisis.	Deaths from: Tuberculous Disease: Other Forms.	Deaths from: Cancer.	Deaths from: Diseases of the Respiratory System: Pneumonia.	Deaths from: Diseases of the Respiratory System: Other.	Deaths from: Diarrhœa: Of children under 2 years of age.	Deaths from: Diarrhœa: 2 years of age and upwards.	Deaths from: *Enteritis* of children under 2 years.	Deaths from: Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	349,180	16	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		4	.	.	.	1	3	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	2	.
Do. 2 do.		19			10	1	.	2	2	2	3	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	.	.	4	.
Do. 3 do.		38			13	4	2	.	2	5	.	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.	.	.	.	5	.
Do. 4 do.		39			11	2	2	1	4	2	.	1	.	.	.	.	.	.	.	1	1	1	.	2	.	.	1	.	.	4	1
Do. 5 do.		15			4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1	1	.
Do. 6 do.		16			8	.	.	2	.	1	5	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.	.	.	.
Do. 7 do.		.			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		7			4	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.	.
Do. 9 do.		12			6	.	.	.	3	2	1	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	1	1	.
Do. 10 do.		16			11	1	1	3	2	2	2	.	.	.	.	.	.	.	.	2	2	.	1	2	.	.	.	.	.	4	.
Do. 11 do.		16			9	3	.	1	3	1	1	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	1	1	2	1
Do 12 do.		44			11	3	.	1	5	1	1	.	.	.	.	.	.	.	.	.	5	.	1	1	.	.	.	.	.	2	.
Do. 13 do.		8			7	.	1	2	1	1	2	.	.	.	.	.	.	.	.	3	.	.	1	3	.	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		8			10	4	.	1	2	.	3	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.	.	.	.	3	.
Total,	—	254			109	19	10	13	25	22	20	1	.	.	.	.	.	.	.	16	12	3	10	20	.	.	1	3	4	28	2
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	10	28·4	8·1	7	.	2	.	1	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
Do. 2 do.	10,701	5	14·6	4·9	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1	.
Do. 3 do.	9,978	4	15·7	5·2	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1
Do. 4 do.	8,666	5	18·1	.	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	2	.
Do. 5 do.	6,592	.	23·9	.	3	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 6 do.	10,702	8	34·1	4·9	7	.	2	2	2	.	1	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	4	.
Do. 7 do.	16,616	3	25·1	.	8	.	1	1	.	1	5	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	.	.	.	3	.
Total	76,122	35	23·3	3·4	34	3	5	4	5	8	9	1	.	.	.	.	1	.	.	4	2	1	2	2	2	1	.	.	1	15	1

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910–11—WEEK ENDING																									
	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.
No. of weeks in Annual Series,	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
BIRTHS registered, ...	178	156	181	175	185	167	200	199	241	231	233	188	212	218	216	213	232	193	220	218	232	232	204	189	235	254
DEATHS registered, ...	122	132	134	109	151	133	132	91	122	151	118	118	128	146	149	141	133	118	118	147	138	172	161	154	160	109
Annual Death rate per 1,000 of estimated population, ...	16·3	17·6	17·9	14·5	20·1	17·7	17·6	12·1	16·0	19·8	15·4	15·4	16·8	19·1	19·5	18·5	17·4	15·4	15·4	19·2	18·1	22·5	21·1	20·2	20·9	14·3
AGES, Under 1 year, ...	28	27	24	17	34	20	22	18	21	30	23	26	24	24	31	21	25	20	33	23	26	36	24	23	23	19
1—5 years, ...	6	6	5	8	11	17	12	8	12	11	8	10	10	7	10	14	9	10	6	17	11	7	10	14	13	10
5—25 „ ...	88	99	105	84	106	96	98	65	7	20	16	11	6	11	21	17	18	9	10	19	11	14	17	13	21	13
25—45 „ ...									30	37	17	13	25	27	30	29	16	23	14	28	23	36	32	26	27	25
45—65 „ ...									32	25	21	27	34	34	32	26	35	29	27	30	38	45	37	39	46	22
65 and upwards, ...									20	28	33	31	29	43	25	34	30	27	28	30	29	34	41	39	30	20
Deaths from :—																										
Enteric Fever, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
Typhus, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	2	2	3	3	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Scarlet Fever, ...	.	.	1	.	1	2	1	1	1	1	1	.	.	1	.	1	.	.	1	1	.	1	.	.	.	.
Whooping-cough, ...	.	.	1	.	1	.	1	1	.	.	1	1	1	.	.	1	1	1	1	.	.	.	3	2	1	.
Diphtheria, ...	1	1	.	1	4	.	.	.	.	.	1	2	1	.	.	.	.	.	.	1	1	.	2	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	12	17	17	13	14	12	15	9	14	23	17	13	10	11	22	15	13	19	7	22	24	26	25	14	17	16
Tuberculous Disease. Other Forms,	7	8	4	7	5	7	3	3	7	7	4	4	4	4	11	10	10	7	8	9	8	8	4	11	15	12
Cancer, ...	5	8	9	6	5	8	6	5	7	2	7	11	6	5	5	8	3	6	11	8	4	5	5	6	12	3
Diseases of Respiratory System, Pneumonia,	13	11	8	7	13	10	10	7	8	9	7	7	7	11	14	11	15	10	10	14	16	13	19	23	18	10
Diseases of Respiratory System, Others, ...	23	16	25	25	36	22	29	18	18	24	24	20	25	26	25	20	20	20	14	16	19	26	29	34	16	20
Diarrhœa, Under 2 years, ...	4	3	1	1	4	3	1	.	1	.	.	.	.	1	.	.	1	.	1	.	.	1	.	.	.	.
Diarrhœa, 2 years & upwards									1	1	.	.	.	1	.	.	.	1	.	3	1	.	1	.	.	.
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	—	1	.	.	2	2	3	2	2	1	.	.	3	2	1	2	2	1	1
Violent Deaths, ...	4	2	5	3	2	6	2	4	6	6	1	2	4	4	.	4	3	2	1	3	4	8	2	3	3	3
Number of Uncertified Deaths, ...	3	.	.	3	4	1	1	3	3	.	1	5	2	1	.	.	3	2	1	.	1	3	2	.	1	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,912,054	May 6,	2,282	1,197	12·7	1	.	53	3	34	9	16*a*
Edinburgh, ...	320,829	„ 6,	168	106	17·2	.	.	1	.	4	1	1
Glasgow, ...	784,621	„ 6,	457	269	17·9	2	.	7	1	24	3	6
Calcutta, ...	—	Apr. 1,	.	516	30·1*b*	151*	5	3	.	2	1	72‡
Bombay, ...	977,822	„ 1,	401	985	52·4	360*	27	40	.	.	.	60
Madras, ...	509,346	Mar. 11,	375	456	46·5	68*	21	8	?	?	?	104‡
Cairo, ...	689,439	„ 18,	591	404	30·6	2	.	6	1	.	8†	33*a*
Paris, ...	2,760,000	Apr. 8,	938	929	17·6	8	.	22	1	7	3†	21*a*
Brussels, ...	720,030	„ 8,	275	192	13·9	1	.	1	1	.	1	4
Antwerp, ...	320,640	„ 15,	113	63	10·2	.	.	1	.	.	.	2*a*
Amsterdam, ...	576,260	„ 15,	257	151	13·7	.	.	10	.	4	1†	2*a*
Copenhagen, ...	459,000	„ 15,	210	133	15·1	.	.	.	4	9	1†	1
Stockholm, ...	341,816	„ 8,	153	95	14·4	.	.	.	1	1	.	2*a*
Christiania, ...	240,178	„ 22,	85	69	14·9	.	.	1	.	4	3†	.
St. Petersburg, ...	1,639,266	Mar. 25,	1,043	667	21·2	4	7	14	12	4	9	45
Moscow, ...	1,493,600	„ 25,	.	828	28·9	5	7	17	18	1	11†	79
Berlin, ...	2,071,486	Apr. 1,	837	624	15·7	.	.	3	8	12	9†	18
Hamburg, ...	932,166	„ 15,	.	250	13·9	.	.	4	2	1	9†	11
Breslau, ...	514,493	„ 15,	.	180	18·2	1	.	2	2	.	2	14
Munich, ...	597,000	„ 22,	.	184	16·1	1	.	2	1	.	1†	9
Vienna (with suburbs),	2,051,227	„ 15,	723	688	17·4	.	.	9	4	1	3†	31*a*
Buda-Pesth, ...	891,585	„ 15,	411	340	19·8	.	.	7	10	.	3†	13*a*
Prague and Faubourgs,	508,310	„ 1,	208	229	23·4	1	.	1	4	4	4†	12*a*
Trieste, ...	229,499	„ 8,	134	139	31·6	.	.	4	.	3	1†	3*a*
Rome, ...	593,110	Feb. 4,	333	324	28·5	1	.	2	.	3	6	14
Venice, ...	184,325	Apr. 1,	79	71	20·1	.	.	.	.	.	.	1
New York, ...	4,983,385	Mar. 25,	2,540	1,706	17·9	7	.	19	23	4	29†	55*a*
Philadelphia, ...	1,573,509	„ 11,	.	601	19·9	5	.	9	3	4	18	10*a*
Boston, ...	688,912	Apr. 15,	.	243	18·4	1	.	2	1	2	2	12

* Deaths from "fever," including 8 deaths from enteric fever and 84 deaths from plague in Calcutta, 2 deaths from enteric fever and 294 from plague in Bombay, and 3 deaths from enteric fever in Madras.

† Including deaths from croup.

‡ Including 34 deaths from cholera in Calcutta, and one in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

b Death-rate based on provisional return of recent Census.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending May 6th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) — *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	2	.	.	.	1	3
„ „ 1, West, ...	.	3	.	.	1	.	.	.	.	.	.	.	4
„ „ 2, ...	.	2	.	.	3	.	.	.	1	.	.	2	8
„ „ 3, ...	.	1	.	.	2	.	.	.	1	.	.	3	7
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	1	2
South City No. 1, ...	.	4	.	.	.	.	.	.	.	.	.	3	7
„ „ 2, ...	.	.	.	.	1	.	.	.	.	.	.	3	4
„ „ 3, ...	.	2	.	.	1	.	.	.	.	.	.	.	3
„ „ 4, ...	.	1	.	.	.	.	.	.	.	.	.	1	2
New Kilmainham, ...	.	.	.	.	.	.	.	1	.	.	.	1	2
Total, ...	.	16	.	.	8	.	.	3	2	.	.	15	44

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 6th May, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 6th May.			
	April 15.	April 22.	April 29.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	68	61	81	37	21	8	89
Scarlet Fever, ...	110	104	86	13	20	1	78*
Typhus, ...	1	2	2	.	.	.	2
Diphtheria, ...	60	55	63	23	23	2	61
Enteric Fever, ...	60	60	54	4	10	.	48
Pneumonia, ...	34	40	35	13	7	3	38

* Exclusive of 25 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 6th May, 1911:—

"Very fine at the beginning and close of the week, the weather was unsettled, rough, and showery in the intervening period, and on Wednesday there was a S.W. gale accompanied by very heavy showers of rain and hail. On Sunday morning two depressions were observed. One of them lay on the North Sea and the other over the English Channel and North of France. Both systems were filling up at the time mentioned, and to Ireland their N.W. winds brought fine although cool weather. May Day (Monday) was dull but fine. The barometer fell steadily as a large area of low barometric pressure approached the N. of Ireland and W. of Scotland from the Atlantic and Iceland. This system brought rain and showers of rain and hail on Tuesday, when it assumed a V.-shape. In Dublin the sky cleared at 9 a.m., the upper clouds moving off from S.W., the lower clouds from W. The evening of Tuesday was clear and cold, but in the course of the following night a new disturbance appeared off our N.W. coasts, and gradients for S.W. to W. winds became very steep in Ireland. At 11 a.m. the wind veered to W. in Dublin with strong squalls and torrents of rain mingled with hail. Next (Thursday) morning the cyclonic centre was found over the Faeroe, Thorshavn reporting a pressure of 28·97 inches at 7 a.m. During this day the weather remained showery, but the wind moderated and drew round towards N.W. From this time onward a large anticyclone spread northeastwards from the Azores to France and the British Isles, the baric gradient became slight and the winds lulled. Throughout Friday the sky remained overcast, but Saturday brought a foretaste of summer in its train. In Dublin the mean height of the barometer was 29·847 inches, pressure ranging between 29·330 inches at 9 a.m. of Wednesday (wind, S.W.) and 30·264 inches at 9 a.m. of Saturday (wind, W.). The corrected mean temperature was 50·5°, the mean dry bulb temperature at 9 a.m. and 9 p.m. being 50·9°. On Thursday the screened thermometers fell to 41·1°, on Saturday they rose to 61·1°. Westerly winds prevailed. The rainfall was ·618 inch on 5 days, ·342 inch falling on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·680 inches. The highest reading (30·094) was on Saturday at 9 p.m., air calm, and the lowest (29·158) on Wednesday at 9 a.m., wind S.W.

The mean temperature for the week was 49·6°, being 2·9° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Friday, on which day the thermometer registered 65·7°, and was also lowest on that day, the mercury having fallen to 37·9°. The mean of the Dry Bulb for the week was 49·2° and of the Wet Bulb, 48·1°. The mean humidity of the air was ·93, complete saturation being represented by 1·0. The rainfall during the week measured 0·780 inch.

At Greenwich the mean temperature for the week was 50·1°, the maximum 64·2°, and the minimum 39·8°; at Glasgow the maximum was 61·0°, the minimum 33·3°, and the mean 46·9°; and at Edinburgh the maximum was 60·1°, the minimum 36·8°, and the mean 46·7°. The rainfall at Greenwich measured 0·35 in.; at Glasgow 0 94 in.; and at Edinburgh 0·40 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, April 30,	29·622	56·8	38·9	47·9	48·8	47·2	·90	·6	9·0	·000	W.N.W.	Calm.
Monday, May 1,	29·624	56·7	40·9	48·8	51·4	50·1	·91	·5	1·9	·085	S.W.	S.W.
Tuesday, „ 2,	29·465	60·5	42·9	51·7	45·9	45·0	·93	·6	6·5	·105	S.W.	S.W.
Wednesday, „ 3,	29·306	52·7	41·8	47·3	46·5	46·3	·99	·4	4·7	·425	S.W.	W.
Thursday, „ 4,	29·705	56·2	38·7	47·5	48·2	47·0	·92	·5	8·2	·135	W.S.W.	Calm.
Friday, „ 5,	29·977	65·7	37·9	51·8	50·7	50·0	·95	·6	0·3	·000	W.N.W.	Calm.
Saturday, „ 6,	30·061	61·0	43·0	52·0	53·1	51·2	·88	·5	7·1	·030	Calm.	Calm.
Mean, ...	29·680	58·5	40·6	49·6	49·2	48·1	·93	·5	Total 37·7	Total ·780	Prevailing Wind, S.W.	

Sunday—Day cloudy, fine; night clear. *Monday*—Day cloudy to overcast, drizzle p.m.; night cloudy, heavy rain and drizzle a.m. *Tuesday*—Day overcast to cloudy, passing showers, rain and hail; night cloudy, drizzle a.m. *Wednesday*—Day overcast to cloudy, passing showers, rain and hail; night clear. *Thursday*—Day cloudy, passing showers; night clear. *Friday*—Day overcast; night cloudy. *Saturday*—Day cloudy to overcast; night cloudy, light rain a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, May 6th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, April 30,	52·6	50·9	48·7	57·4	41·5	49·5	6·3	—
Monday, May 1,	53·8	51·0	48·6	58·1	43·4	50·8	1·7	·008
Tuesday, „ 2,	49·1	51·0	48·8	56·5	45·0	50·8	6·2	·047
Wednesday, „ 3,	53·0	50·4	48·9	54·0	43·2	48·6	4·1	·334
Thursday, „ 4,	51·8	49·8	49·0	58·1	40·8	49·5	6·9	·027
Friday, „ 5,	51·6	50·5	49·0	57·9	43·9	50·9	0·2	—
Saturday, „ 6,	56·8	51·2	49·0	61·1	48·2	54·7	4·0	·064
Weekly Mean, .	52·7	50·7	48·9	57·6	43·7	50·7	Total 29·4	Total ·480

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30532. Wt. P. 1–60/138. 375. 4. 1911. Sch. C 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & Co., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 13TH MAY, 1911. [No. 19.

General Register Office, Charlemont House, Dublin, 15th May, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,163,596.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending April 22	Week ending April 29	Week ending May 6	Week ending May 13	Average Rate for 4 weeks.
22 Town Districts, ...	**22·0**	**20·8**	**18·2**	**17·8**	**19·7**
Armagh	13·7	13·7	13·7	20·6	15·4
Ballymena	23·9	14·4	33·5	23·9	23·9
Belfast	20·2	20·9	14·3	15·7	17·8
Clonmel	25·6	25·6	20·5	10·3	20·5
Cork	21·2	24·0	23·3	20·5	22·2
Drogheda	12·3	4·1	8·2	20·4	11.3
Dublin Reg. Area ...	23·3	22·4	21·3	20·8	21·9
Dundalk	27·9	35·9	12·0	35·9	27·9
Galway	19·4	35·0	11·7	11·7	19·5
Kilkenny	19·7	14·7	19·7	29·5	20·9
Limerick	28·7	10·9	13·7	10·9	16·1
Lisburn	22·7	18·2	22·7	4·5	17·0
Londonderry	17·8	14·3	19·0	10·7	15·5
Lurgan	17·7	22·1	35·4	22·1	24·3
Newry	37·8	37·8	21·0	33·6	32·5
Newtownards	28·6	11·4	11·4	11·4	15·7
Portadown	20·7	20·7	.	10·3	12·9
Queenstown	33·0	6·6	19·8	19·8	19·8
Sligo	14·4	9·6	33·6	9·6	16·8
Tralee	21·1	15·9	26·4	15·9	19·8
Waterford	31·2	13·6	17·5	11·7	18·5
Wexford	4·7	28·0	14·0	14·0	15·2

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in fifteen of the districts to 9·6 in Sligo, the 2 deaths for that district being from whooping-cough. Among the 120 deaths from all causes for Belfast are one from scarlet fever and 2 from diarrhœal diseases. Of the 30 deaths from all causes for Cork 2 are from whooping-cough, and included in the 9 deaths for Dundalk are 2 from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 242—139 boys and 103 girls—and the deaths to 170—84 males and 86 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·8 per 1,000 of the population. During the nineteen weeks ending with Saturday last the death-rate averaged 23·0, and was 2·6 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 170, represent an annual rate of 21·8 per 1,000; the annual rate for the past nineteen weeks was 24·3 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·7 per 1,000 of the mean population for all deaths registered.

Among the deaths from all causes there were 17 from measles, one death from each of enteric fever and scarlet fever*, 2 deaths from whooping-cough, 3 from diphtheria, one death from diarrhœa of a child under 2 years of age, and 2 deaths from influenza. In each of the three preceding weeks, deaths from measles were 11, 5, and 8; deaths from enteric fever were one, 0, and one; deaths from scarlet fever were one, 0, and one; deaths from whooping-cough were 0, 2, and 3; deaths from diphtheria were 4, one, and 2 deaths from diarrhœa and *enteritis* of children under 2 years of age were 3, 4, and 4; and deaths from influenza were 3, 0, and 3.

Deaths from all forms of tuberculous disease, which had numbered 41, 32, and 27, in the three preceding weeks, were 23 in the period under notice; the latter figure includes 17 deaths from pulmonary tuberculosis, one death from each of tuberculous meningitis, abdominal tuberculosis, and tuberculosis of the joints, and 3 deaths from disseminated tuberculosis.

There were 6 deaths from broncho-pneumonia, 4 from lobar pneumonia, and 5 from *pneumonia* (type not distinguished).

Cancer caused the deaths of 5 persons.

Twenty-one deaths were attributed to organic diseases of the heart, and bronchitis accounted for the deaths of 16 persons.

Prematurity caused the deaths of 7 infants, and the death of one infant was assigned to congenital debility.

There was not one death from any form of violence registered during the week under notice.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 children under 5 years of age (including one infant under one year old).

Forty eight of the persons whose deaths were registered during the week were under 5 years of age (22 being infants under one year, of whom 9 were under one month old) and 34 were aged 65 years and upwards, including 26 persons aged 70 years and upwards; among the latter were 15 aged 75 years and upwards, of whom 2 (a male and a female) were stated to have been aged 90 and 94 years, respectively.

Eighty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 20 took place in the North Dublin Union Workhouse, and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death rate for the entire Registration Area was 20·8 per 1,000; the rate in the City was 23·0 (North City Districts, 27·6; South, 18·1) and in the Suburbs, 13·4.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 3·1 per 1,000 inhabitants, the rate for the City being 3·3 (4·2 in the North City Districts, and 2·4 in the South), and for the Suburbs, 2·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 13·8 per 1,000, and include one death from pulmonary tuberculosis, 2 deaths from broncho-pneumonia, and one death from *pneumonia* (type not distinguished).

No. 1 North City District, West (Summer-hill).—The deaths (26) are equal to an annual rate of 33·6 per 1,000. Measles and whooping-cough each caused one death; there were 5 deaths from tuberculous disease, one death from each of broncho-pneumonia and *pneumonia* (type not distinguished), and 3 deaths from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 31·9 per 1,000. Measles caused 3 deaths, whooping-cough one death, tuberculous disease 3 deaths, broncho-pneumonia one death, and bronchitis 2 deaths.

No. 3 North City District (Benburb-street).—The deaths (23) represent an annual rate of 35·4 per 1,000. Measles caused 6 deaths, influenza one death, tuberculous disease 2 deaths, lobar pneumonia 2 deaths, and bronchitis 3 deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 17·8; and Finglas and Glasnevin, part of, 26·8. Of the 4 deaths from all causes for Coolock and Drumcondra, part of, one was from broncho-pneumonia.

No. 1 South City District (South Earl-street).—The deaths (10) represent an annual rate of 12·4 per 1,000. There were 2 deaths from tuberculous disease and one death from bronchitis.

No. 2 South City District (Castle-street).—The deaths (6) are equal to an annual rate of 14·2 per 1,000, and include 2 deaths from measles, one death from pulmonary tuberculosis, and 2 deaths from bronchitis.

No. 3 South City District (Peter street).—The deaths (20) are equal to an annual rate of 23·9 per 1,000. Enteric fever and diphtheria each caused one death; there was one death from pulmonary tuberculosis, one death from lobar pneumonia, 2 deaths from *pneumonia* (type not distinguished), and 2 deaths from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (12) are equivalent to an annual rate of 17·3 per 1,000. The deaths included 2 from measles, one from diphtheria, 3 from tuberculous disease, one from broncho-pneumonia, and one from bronchitis.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 28·4 per 1000. The total includes the death of one person from tuberculous meningitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 8·3; Pembroke, 23·1; Blackrock, 11·6; and Kingstown, 8·9. The deaths from the principal epidemic diseases tabulated for these districts include one from diphtheria for Rathmines and Rathgar, and 3 from measles for Pembroke. Among the 6 deaths from all causes for the first-named district one was from pulmonary tuberculosis. Included in the 13 deaths for Pembroke one was from each of influenza, pulmonary tuberculosis, *pneumonia* (type not distinguished), and bronchitis. Of the 2 deaths for Blackrock one was from each of pulmonary tuberculosis and bronchitis, and of the 3 deaths for Kingstown one was from lobar pneumonia.

* See note (*c*) Table II. † See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 13th May, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Apr. 22,	.	—	—	5	1	.	13	.	1	6	8	.	—	—	.	—	15	—	49
	Apr. 29,	.	—	—	8	.	.	22	.	2	10	5	.	—	—	.	—	13	—	60
	May 6,	.	—	—	16	.	.	8	.	.	3	2	.	—	—	.	—	15	—	44
	May 13,	.	—	—	7	1	.	16	.	1	8	6	.	—	—	.	—	13	—	52
Rathmines and Rathgar Urban District.	Apr. 22,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
	Apr. 29,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	—	4
	May 6,	.	—	—	2	.	.	2	.	.	2	.	.	—	—	—	—	—	—	6
	May 13,	.	—	—	1	.	.	2	.	.	.	1	.	—	—	—	—	—	—	4
Pembroke Urban District.	Apr. 22,	.	21	.	1	.	.	.	.	.	.	.	.	—	7	.	—	.	—	29
	Apr. 29,	.	26	.	1	.	.	.	.	.	.	.	.	—	2	.	—	.	—	29
	May 6,	.	16	.	.	.	.	.	.	.	1	.	.	—	1	.	—	.	—	18
	May 13,	.	14	.	1	.	.	.	.	.	.	.	.	—	2	.	—	.	—	17
Blackrock Urban District.	Apr. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Apr. 29,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	May 6,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	.	—	—	—	2
	May 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Apr. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Apr. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	May 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	May 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Apr. 22,	.	—	—	8	.	.	4	.	.	1	.	.	—	—	.	—	9	—	22
	Apr. 29,	.	—	—	9	.	.	2	.	.	.	7	.	—	—	.	—	12	—	30
	May 6,	.	—	—	13	.	.	4	.	.	.	1	.	—	—	.	—	17	—	35
	May 13,	.	—	—	9	.	.	3	.	.	2	1	1	—	—	.	—	10	—	26

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 13th May, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Forty cases of measles were admitted to hospital during the week, 19 were discharged, there were 7 deaths, and 103 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 61, 81, and 89, respectively.

Eleven cases of scarlet fever were admitted to hospital, 9 were discharged, there was one death, and 79* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 104, 86, and 78, respectively.

One case of typhus was admitted to hospital during the week, and 3 cases remained under treatment at its close.

Seventeen cases of diphtheria were admitted to hospital during the week, 19 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 55, 63, and 61, respectively, were 57 at the close of last week.

Nine cases of enteric fever were admitted to hospital during the week, 7 were discharged, and 50 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 60, 54, and 48.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 8 were discharged, there were 2 deaths, and 34 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 12·2) was equal to an average annual death-rate of 13·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·0 per 1,000, the rate for Glasgow being 18·3 and for Edinburgh 15·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 13th May. From this Report it appears that of a total of 41 cases notified, 15 were scarlet fever, 13 phthisis, 7 diphtheria, 5 erysipelas and one puerperal fever. Among the 345 cases of infectious diseases in hospital at the close of the week were 119 cases of scarlet fever, 60 of phthisis, 54 of diphtheria, 47 of measles, 44 of whooping-cough, 9 of chicken-pox, 8 of erysipelas, 2 of enteric fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 13th May, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 13th May, 1911. Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 13th May, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th May, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 29th April, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
Total of 22 Town Districts, ...	1,163,596	20·4	30·7	17·8	1·6	684	397	55	95	1	...	...	17	1	6	5	...	57	17	19	35	51	2	1	2	6	19	155	11	...	...	...	...	...	...	...	...	...	...	...	...
Dublin Registration Area:— Total, (c) ...	407,057	29·6	31·0	20·8	3·1	242	162	21	34	1	...	...	17	...	2	3	...	16	6	5	15	20	1	...	...	...	5	81	3	e64·8	39·3	52·6	0·13	e65·7	37·9	49·6	0·78	e59·7	38·5	50·5	0·61
City of Dublin,	313,526	39·6	34·6	23·0	3·3	208	138	20	27	1	...	...	14	...	2	2	...	13	6	5	13	18	1	...	...	...	4	72	3	f66·5 g65·9	47·0 41·0	55·2 54·1	0·54 0·34	f61·1 g62·8	41·1 38·0	50·5 48·7	0·62 0·67	f61·0 g59·8	40·8 39·0	51·4 50·8	0·33 0·60
Urban Districts. Rathmines and Rathgar.	37,528	21·9	16·7	8·3	1·4	12	6	...	2	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke ...	29,368	18·5	17·8	23·1	5·3	10	13	1	4	...	...	...	3	...	...	...	...	1	...	...	1	1	...	...	...	...	1	4	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,013	8·3	28·9	11·6	...	5	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,622	12·1	20·7	8·9	...	7	3	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	62	44	53·4	0·13	60	42	51·0	0·37	61	42	52·4	0·20
Urban Districts. Belfast, ...	398,421	27·1	30·0	15·7	0·4	229	120	19	23	...	...	...	...	1	...	...	...	25	7	6	10	15	1	...	1	4	8	43	1	66·0	39·0	53·5	0·35	58·0	38·0	54·9	0·76	62·0	41·5	51·4	1·65
Cork, ...	76,122	33·6	43·8	20·5	1·4	64	30	3	12	...	...	...	...	...	2	...	...	4	1	3	1	5	...	...	...	1	2	9	1	64	46	54·0	0·12	57	41	49·3	1·14	57	41	49·3	1·11
Londonderry ...	43,900	20·3	21·4	10·7	...	18	9	3	...	...	...	...	...	...	...	...	...	3	...	1	...	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,151	18·1	23·2	10·9	...	17	8	...	4	...	...	...	...	...	...	...	...	1	...	...	1	3	...	...	...	...	...	3	...	72	41·7	55·3	0·72	64	36·5	50·5	1·01	58·5	35·2	48·2	0·92
Waterford, ...	26,769	18·7	21·4	11·7	...	11	6	1	2	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,426	2·5	38·8	11·7	...	10	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	2	73	40	56	0·51	60	38	49	1·16	58	38	49·7	1·05
Dundalk, ...	13,076	9·4	71·8	35·9	8·0	18	9	...	2	...	...	...	...	...	...	2	...	2	...	2	1	1	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,760	8·6	24·5	20·4	...	6	5	...	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	12,405	17·8	12·6	33·6	...	3	8	...	1	...	...	...	...	...	...	...	...	...	1	...	3	...	...	...	...	1	2	4	...	69·0	42·1	54·4	0·46	57·0	38·6	47·6	0·82	58·8	38·7	48·7	1·18
Lurgan, ...	11,782	13·8	13·3	22·1	4·4	3	5	2	3	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	69·0	42·1	54·4	0·46	57·0	38·6	47·6	0·82	58·8	38·7	48·7	1·18
Lisburn, ...	11,461	10·1	45·5	4·5	...	10	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	69·0	42·1	54·4	0·46	57·0	38·6	47·6	0·82	58·8	38·7	48·7	1·18
Wexford, ...	11,168	23·2	46·7	14·0	...	10	3	...	1	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena, ...	10,886	8·9	9·6	23·9	...	2	5	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	10,870	3·7	24·0	9·6	9·6	5	2	2	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	74·0	36·2	47·3	1·14	59·8	36·2	47·3	1·14	58·5	37·5	48·2	1·38
Kilkenny, ...	10,609	11·5	49·1	29·5	...	10	6	1	1	...	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	3	...	70	42	56·0	0·21	60	39	50·4	0·90	61	35	49·6	1·36
Clonmel, ...	10,167	7·8	41·0	10·3	...	8	2	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	10,092	13·2	41·3	10·3	...	8	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	69·0	42·1	54·4	0·46	57·0	38·6	47·6	0·82	58·8	38·7	48·7	1·18
Tralee, ...	9,867	16·6	10·6	15·9	5·3	2	3	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	...	11·4	...	...	2	...	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	61	45	51·8	0·94	58	38	47·7	0·61	57	41	48·7	1·93
Queenstown, ...	7,909	14·4	39·6	19·8	...	6	3	1	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	...	64	46	54·0	0·12	57	41	49·3	1·14	57	41	49·3	1·11
Armagh, ...	7,588	22·2	13·7	20·6	...	2	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	69·0	42·1	54·4	0·46	57·0	38·6	47·6	0·82	58·8	38·7	48·7	1·18

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1911. (b) See note (‡) at foot of first page. (c) Exclusive of 8 deaths of persons (including one under 1 year old), admitted to hospital from localities outside the Area; of the 8 deaths one was from scarlet fever. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 13th of May, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN. REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	3	6	.	.	.	.	2	.	2	.	.	3	.	.	17	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough,	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	3	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	1	4	2	1	.	.	.	1	1	1	2	.	1	1	1	.	16	1
Tuberculous Disease. { Other Forms,	.	1	1	1	.	.	.	1	.	.	1	1	.	.	.	.	6	.
Cancer,	.	1	.	1	.	.	1	.	.	2	.	.	.	.	.	.	5	.
Diseases of Nervous System,	.	1	1	1	.	1	.	1	.	3	1	.	.	2	.	.	11	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	3	3	5	.	1	.	.	1	1	4	1	2	1	1	.	.	23	.
" Respiratory System. { Pneumonia,	3	2	1	2	.	1	.	.	.	3	1	.	.	1	.	1	15	.
" Respiratory System. { Others,	.	4	2	5	.	.	1	1	2	2	1	.	.	1	1	.	20	.
" Digestive System. { Diarrhœa, under 2 years,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, under 2 years,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	1	2	1	.	.	1	1	2	.	1	.	.	1	1	.	.	11	2
" Genito-urinary System,	.	1	.	1	.	.	1	.	.	1	.	.	1	1	.	1	7	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	3	2	4	.	1	.	3	.	1	2	2	.	1	.	1	20	3
Violent Deaths,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Deaths from All Causes	8	26	19	23	1	4	4	10	6	20	12	5	6	13	2	3	162	8
Annual Rate of Mortality from All Causes in every 1,000 of the population.	13·8	33·6	31·9	35·4	9·6	17·8	26·8	12·4	14·2	23·9	17·3	28·4	8·3	23·1	11·6	8·9	20·8	.
	27·6							18·1					13·4					
	23·0																	
Ages at Death. { Under 1 year,	.	4	3	5	.	1	.	2	.	2	1	2	.	1	.	.	21	1
1 and under 2 years,	2	1	1	3	.	.	.	1	.	.	1	1	1	2	.	.	13	.
2 " 5 "	.	2	2	3	.	.	.	1	2	1	1	.	.	.	.	.	12	1
5 " 15 "	1	1	1	1	.	.	.	.	.	1	1	.	.	1	.	.	7	.
15 " 25 "	.	2	.	1	.	.	.	.	1	2	1	.	.	.	.	.	7	1
25 " 45 "	4	4	5	1	.	.	1	3	.	3	3	1	3	2	2	.	32	3
45 " 65 "	1	5	2	7	.	2	2	1	2	8	1	.	.	3	.	2	36	2
65 and upwards,	.	7	5	2	1	1	1	2	1	3	3	1	2	4	.	1	34	.
Number of Uncertified Deaths,	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	6	3	10	.	.	1	.	2	9	3	.	3	3	1	1	43	8
Workhouse Hospitals,	4	5	6	4	.	.	1	5	1	6	2	3	.	1	.	.	38	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday May 11, 1901.	May 10, 1902.	May 16, 1903.	May 14, 1904.	May 13, 1905.	May 12, 1906.	May 11, 1907.	May 9, 1908.	May 15, 1909.	May 14, 1910.	Averages in 19th Week of the 10 years 1901–1910.	In the Week ending Saturday, 13th May, 1911. Mean Temp.	Deaths of Persons of the Ages of 0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 46·3	° 43·3	° 48·1	° 49·7	° 49·9	° 50·2	° 50·3	° 52·5	° 45·8	° 44·7	° 48·1	° 52·6										
ALL CAUSES.	189	173	175	173	181	165	195	199	153	180	178·3	170	9	13	13	13	7	8	35	38	19	15
Enteric Fever, ...	1	2	1	2	1	3	1	1	2	3	1·7	1	.	.	.	.	1	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	4	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	6	5	2	4	1	6	2	3	.	3·0	17	.	3	4	9	1	.	.	.	.	.
Scarlet Fever, ...	2	.	1	1	.	.	.	1	.	1	·6	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	7	.	3	10	.	1	8	1	5	1	3·6	2	.	1	.	.	1	.	.	.	.	.
Diphtheria, ...	1	2	.	1	1	.	1	3	.	.	·9	3	1	.	1	1	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	5	2	7	2	2	2	3	5	4	3	3·5	2	.	.	.	.	.	.	.	.	1	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	1	2	1	1	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	1	1	.	.	2	.	.	2	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	1	1	.	1	1	.	.	1	1	·7	1	.	.	.	.	.	.	.	.	.	1
Tetanus, ...	.	.	1	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	25	23	24	19	19	18	16	26	17	31	21·8	17	.	.	.	.	1	4	11	1	.	.
Tuberculous Meningitis, ...	7	3	.	3	4	1	2	2	1	.	2·3	1	.	.	1	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	8	2	1	3	1	.	2	.	1	3	2·1	1	.	.	1	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	3	4	4	7	8	9	7	9	2	6	5·9	1	.	.	.	.	1	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												.	.	.	.	.	.	.	.	.	.	.
												3	.	.	.	.	1	1	1	.	.	.
Venereal Diseases, ...	2	2	2	1	1	2	2	.	1	1	1·4	1	.	.	.	.	.	.	1	.	.	.
Cancer, ...	4	8	9	12	8	5	12	15	7	10	9·0	5	.	.	.	.	.	.	.	3	1	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	.	2	4	.	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Anæmia Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	.	.	1	1	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	1	.	1
Alcoholism, ...	.	.	1	1	1	1	.	.	.	.	·4	1	.	.	.	.	.	.	1	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												1	.	.	.	1	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												4	1	.	.	.	.	.	1	1	1	.
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												5	.	.	.	.	.	.	.	.	5	.
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												1	.	.	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	36	37	38	32	44	31	41	41	41	30	37·1	.	.	.	.	.	.	.	.	.	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												2	.	.	.	.	.	.	1	1	.	.
Organic Diseases of the Heart,												21	.	.	.	.	1	.	4	8	4	4
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	1	.	.	.	.	.	1	.	.
Bronchitis, ...	21	18	21	20	22	27	21	27	16	26	21·9	16	.	.	2	.	.	.	3	6	2	3
Broncho-pneumonia, ...		.	7	1	6	7	6	6	5	8		6	.	2	2	.	.	.	.	1	1	.
Lobar-pneumonia, ...	13	.	2	1	1	1	3	.	1	1	13·4	4	.	.	.	.	.	.	1	3	.	.
Pneumonia (type not distinguished)		9	4	6	8	10	7	9	7	5		5	.	1	1	.	.	1	1	1	.	.
Pleurisy, ...												1	.	.	.	.	.	.	1	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	5	2	1	1	3	4	2	3	2	1	2·4	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System.												.	.	.	.	.	.	.	.	.	.	.

NINETEENTH WEEK ending Saturday, 13th May, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 19th Week of the 10 years 1901–1910.	In the Week ending Saturday, 13th May, 1911.										
													Deaths of Persons of the Ages of									
	May 11, 1901.	May 10, 1902.	May 16, 1903.	May 14, 1904.	May 13, 1905.	May 12, 1906.	May 11, 1907.	May 9, 1908.	May 15, 1909.	May 14, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 46·3	° 43·3	° 48·1	° 49·7	° 49·9	° 50·2	° 50·3	° 52·5	° 45·8	° 44·7	° 48·1	° 52·6										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach,	—	—	—	—	—	—	—	—	—	—	—	6	.	1	.	.	.	.	3	2	.	.
Diarrhœa of Children under 2 years.	3	2	2	.	3	3	1	1	1	1	1·7	1	.	1	.	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	.	1	1	.	.	.	4	2	1	1	1·0	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	1	.	.	.
Cirrhosis of Liver. ...	3	1	.	1	4	.	.	1	.	2	2·8	3	.	.	.	.	.	.	2	1	.	.
Other Diseases of Liver, ...		2	3	3	2	1	2	2	.	1		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	1	.	.	.	.	1	.	.	1	2	·5	2	.	.	.	.	.	.	1	.	1	.
Other Diseases of Digestive System.	1	3	7	5	6	5	4	5	4	6	4·6	1	.	.	.	1	.	.	.	.	.	.
Acute Nephritis, ...	6	5	7	5	6	9	10	7	11	4	7·0	1	.	.	.	.	.	.	1	.	.	.
Chronic Bright's Disease, ...												5	.	.	.	.	.	.	.	5	.	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).												1	.	.	.	.	.	.	.	1	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												1	.	.	.	.	.	.	.	.	.	1
Puerperal Septicæmia, &c., ...	.	.	1	2	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	2	.	.	.	.	1	.	1	1	·5	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	.	2	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	4	9	4	5	2	2	4	4	5	3	4·2	7	7	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	1	.	.	.	.	.	.	.	.
Old Age, ...	15	6	5	10	5	3	3	5	3	4	5·9	4	.	.	.	.	.	.	.	.	1	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	2	.	.	.	1	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	1	.	.	1	2	.	.	.	.	4	·8	.	.	.	.	.	.	.	.	.	.	.
By Drowning, ...	1	2	.	.	1	.	1	1	1	1	·8	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	2	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	.	1	.	.	1	1	2	5	1	4	1·5	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	2	1	2	·5	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910–11—WEEK ENDING																										
	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.
No. of weeks in Annual Series.	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
BIRTHS registered.	204	182	199	174	232	158	170	203	230	238	232	219	241	192	214	217	238	203	276	230	198	171	174	259	260	242
Average Births in corresponding week of previous 10 years, ...	195	181	207	193	195	177	174	231	208	209	201	241	217	212	209	216	223	212	212	233	202	210	223	199	268	231
DEATHS registered.	166	168	176	188	165	178	155	176	179	190	228	200	220	208	195	180	174	170	214	177	191	174	196	181	176	170
Annual Death-rate per 1,000. ...	21·5	21·7	22·8	24·3	21·4	23·0	20·1	22·5	22·9	24·3	29·2	25·6	28·2	26·6	25·0	23·1	22·3	21·8	27·4	22·7	24·5	22·3	25·1	23·2	22·5	21·8
Average Deaths in corresponding week of previous 10 years, ...	179	182	182	182	177	182	177	201	195	195	192	200	198	200	210	218	210	194	201	203	199	195	197	190	177	178
Ages, Under 5 years, ...	57	49	55	53	43	41	47	56	60	62	59	61	47	57	57	70	59	39	56	48	54	63	54	50	56	48
5—15 " ...								5	10	7	11	6	10	6	10	9	12	9	7	14	17	4	5	11	14	7
15—25 " ...								9	7	10	11	12	13	5	6	6	7	7	13	8	10	10	14	7	6	8
25—45 " ...	109	119	121	135	122	137	108	25	24	27	32	32	41	36	35	32	24	24	42	19	33	25	31	33	15	35
45—65 " ...								45	38	41	55	48	51	49	35	36	36	42	44	36	44	43	45	35	30	38
65—75 " ...								20	25	28	34	22	39	33	29	19	19	28	32	29	27	19	29	25	34	19
75 and upwards, ...								16	15	15	26	19	19	22	23	8	17	21	20	23	6	10	18	20	21	15
Deaths from :—																										
Enteric Fever, ...	.	2	.	1	2	1	.	.	1	.	2	3	2	2	2	4	3	1	2	1	3	1	1	.	1	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	1	.	2	1	.	1	4	3	6	2	2	2	2	3	7	7	7	3	2	1	7	11	5	8	17
Scarlet Fever, ...	2	1	3	1	1	.	2	7	.	.	1	.	4	6	2	2	.	.	1	.	1	4	1	.	1	1
Whooping-cough, ...	2	6	5	11	1	5	7	6	5	6	10	4	3	6	7	11	4	4	6	5	3	6	.	2	3	2
Diphtheria, ...	3	2	4	.	3	2	.	1	2	4	1	5	2	3	2	.	2	.	1	1	4	3	4	1	2	3
Influenza, ...	.	2	4	2	1	3	1	.	1	1	4	3	4	5	7	2	2	2	1	2	2	.	3	.	3	2
Dysentery, ...	—	—	—	—	—	—	—	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.
Tuberculous Disease, Phthisis, ...	20	14	16	25	14	19	19	21	19	27	28	19	27	22	18	20	17	28	32	16	29	21	33	22	21	17
Tuberculous Disease, Other Forms,	8	6	7	11	4	7	5	4	6	9	7	4	6	8	7	7	8	8	15	13	10	3	8	10	6	6
Cancer, ...	8	14	3	12	4	13	6	8	3	12	7	16	11	4	6	5	8	6	10	13	11	8	7	9	6	5
Diseases of Circulatory System,	22	24	30	30	23	28	31	17	20	13	25	19	23	17	21	14	13	24	27	22	23	14	15	24	17	23
Diseases of Respiratory System, Pneumonia,	16	16	14	15	27	18	11	15	16	10	17	18	20	15	21	13	16	14	13	13	18	19	16	18	22	15
Diseases of Respiratory System, Others, ...	26	29	37	27	32	26	25	29	25	28	42	30	41	44	28	29	25	23	27	24	24	26	26	16	34	20
Diarrhœa, Under 2 years, ...	2	4	6	2	2	2	1	3	2	2	4	4	2	3	3	1	1	2	5	1	3	2	1	2	2	1
Diarrhœa, 2 years & upwards,								.	.	.	.	1	.	.	1	1	.	3	.	1	.	.	.	1	2	.
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	.	2	2	.	3	3	1	1	1	2	1	3	1	3	3	2	2	2	.
Violent Deaths, ...	2	3	4	4	8	4	6	2	8	1	4	7	4	2	5	2	4	5	5	5	6	1	7	9	3	.
Number of Uncertified Deaths,	6	7	5	5	3	3	6	4	5	7	7	3	3	2	4	7	8	7	2	5	1	1	2	8	4	3
Mean Temperature of the Air (Phœnix Park)	38·2	42·2	37·0	43·4	45·2	43·5	40·9	37·2	39·0	38·6	45·5	35·9	37·0	46·4	43·4	46·5	41·1	38·0	41·7	42·7	39·4	43·7	50·5	50·5	49·6	52·6
Average Mean Temperature in corresponding week of previous 10 years, ...	42·7	41·5	42·8	42·4	41·6	41·3*	41·3	42·0	40·0	40·8	40·5	40·3	40·3	39·8	39·9	40·5	41·7	42·7	42·6	42·4	44·1	43·1	45·1	46·2	46·7	48·1
Rainfall in inches, ...	·352	1·206	1·820	1·700	1·172	·183	·130	·336	·345	·153	·034	·000	·011	·582	·523	·681	·316	·206	·000	·770	·131	·000	·501	·606	·780	·127
Mean Humidity of the Air, complete Saturation 1·0, ...	·85	·91	·93	·91	·91	·94	·88	·92	·90	·93	·92	·87	·90	·91	·91	·92	·91	·89	·87	·90	·86	·86	·89	·91	·93	·94

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 13th May, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 13TH MAY, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	170	48	7	8	35	38	19	15	1	.	.	17	1	2	3	.	17	6	5	1	15	20	1	.	.	.	81	3
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	20·9	7	1	.	.	2	2	1	1	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	4	.
II.	MIDDLE CLASS, ...	87,188	16·7	28	2	1	1	8	8	3	5	.	.	.	.	1	.	.	.	4	.	1	.	3	3	.	.	.	.	16	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	16·5	35	12	2	1	6	7	4	3	1	.	.	2	.	1	1	.	3	3	2	.	2	3	.	.	.	.	17	.
IV.	GENERAL SERVICE CLASS, ...	154,279	21·0	62	27	4	4	9	10	4	4	.	.	.	15	.	1	1	.	6	2	.	1	7	8	.	.	.	.	21	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	38	6	.	2	10	11	7	2	.	.	.	.	.	.	.	.	3	1	2	.	2	6	1	.	.	.	23	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	33·4	5	1	.	.	1	2	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,277		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	18·9	8	.	.	.	1	3	1	3	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	5	.
	6. Clerks and Commercial Assistants, ...	30,432	17·1	10	2	.	.	5	1	1	1	.	.	.	.	1	.	.	.	2	.	.	.	1	2	.	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	17·4	9	.	1	1	2	3	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	15·7	9	5	1	.	.	1	1	1	.	.	.	1	.	.	.	.	.	1	1	.	.	.	.	.	.	.	6	.
	10. Clothing Trades, ...	23,260	4·5	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
	11. Food Supply Trades, ...	9,242	22·6	4	2	.	.	1	1	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	25·8	15	5	1	.	2	5	.	2	1	.	.	.	.	.	1	.	.	1	1	.	2	3	.	.	.	.	6	.
	13. Petty Shopkeepers, ...	7,894	13·2	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	19·4	5	2	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	3	1
	15. Domestic Servants, ...	36,603	14·2	10	2	.	2	2	2	1	1	.	.	.	1	.	.	.	.	1	.	.	.	.	1	.	.	.	.	7	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	10·9	3	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	25·5	44	23	4	.	6	7	3	1	.	.	.	14	.	1	1	.	4	2	.	1	6	5	.	.	.	.	10	1
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	38	6	.	2	10	11	7	2	.	.	.	.	.	.	.	.	3	1	2	.	2	6	1	.	.	.	23	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (Office, Clarence-st. Nth.) Pop. in 1911 (Est.) 30,219.	Mar. 25,	36·2	6·9	21	.	.	.	.	.	1	.	.	3	2	.	2	.	2	.	1	3	.
		April 1,	27·6	.	16	.	.	.	.	.	.	.	.	1	2	.	3	1	.	.	.	1	.
		„ 8,	20·7	.	12	.	.	.	.	.	.	.	.	1	2	.	2	.	.	.	.	.	.
		„ 15,	6·9	1·7	4	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	.
		„ 22,	12·1	.	7	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
		„ 29,	15·5	.	9	.	.	.	.	.	.	.	.	2	2	.	3	.	.	.	.	.	.
		May 6,	19·0	1·7	11	.	.	.	1	.	.	.	.	3	.	.	1	.	.	.	.	1	1
		„ 13,	13·8	.	8	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1911 (Est.) 40,390.	Mar. 25,	24·5	1·3	19	.	.	.	.	.	.	.	.	2	.	1	.	5	1	.	.	.	1
		April 1,	15·5	.	12	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	2
		„ 8,	25·8	3·9	20	.	.	.	.	.	1	.	.	3	.	.	1	4	1	.	1	1	.
		„ 15,	33 6	5·2	26	.	.	.	3	.	.	.	.	3	.	.	2	5	1	.	.	.	.
		„ 22,	16·8	5·2	13	.	.	.	2	.	.	1	.	3	.	.	.	.	.	.	1	.	1
		„ 29,	24·5	1·3	19	.	.	.	1	.	.	.	.	3	.	.	1	5	.	.	.	.	3
		May 6,	21·9	2·6	17	.	.	.	2	.	.	.	.	.	.	.	4	4	.	.	.	.	1
		„ 13,	33·6	3·9	26	.	.	.	1	.	1	.	.	4	1	1	2	4	1	.	.	.	1
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1911 (Est.) 31,064.	Mar. 25,	11·7	1·7	7	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.
		April 1,	36·9	.	22	.	.	.	.	.	.	.	.	1	3	3	2	2	.	.	.	.	.
		„ 8,	33·6	5·0	20	.	.	.	.	.	.	1	.	.	1	3	3	3	2	.	.	.	.
		„ 15,	26·9	3·4	16	.	.	.	.	1	1	.	.	2	.	.	3	2	.	.	.	1	.
		„ 22,	15·1	1·7	9	.	.	.	1	.	.	.	.	.	.	1	.	3	.	.	.	.	.
		„ 29,	47·0	5·0	28	.	.	.	.	.	.	.	.	4	3	2	2	4	2	.	1	.	.
		May 6,	23·5	3·4	14	.	.	.	.	.	.	1	.	2	.	.	2	5	1	.	.	.	.
		„ 13,	31·9	6·7	19	.	.	.	3	.	1	.	.	2	1	.	1	2	.	.	.	.	.
	North City, No. 3. (Office, Benburb-street.) Pop. in 1911 (Est.) 33,908.	Mar. 25,	41·5	3·1	27	.	.	.	.	.	.	.	.	7	2	1	2	5	2	.	.	.	.
		April 1,	21·5	3·1	14	1	.	.	1	.	.	.	.	4	.	.	1	1	.	.	.	.	.
		„ 8,	26·1	7·7	17	1	.	.	.	1	2	1	.	1	.	1	2	3	.	.	.	.	.
		„ 15,	20·0	4·6	13	.	.	.	.	1	2	.	.	1	.	1	1	1	.	.	.	.	.
		„ 22,	35·4	3·1	23	.	.	.	2	.	.	.	.	1	1	.	4	3	.	.	.	2	.
		„ 29,	20·0	4·6	13	.	.	.	2	.	.	.	.	1	.	.	2	1	.	1	.	2	.
		May 6,	24·6	10·8	16	.	.	.	4	.	.	.	.	2	1	.	3	2	1	2	.	.	.
		„ 13,	35·4	9·2	23	.	.	.	6	.	.	.	.	1	1	1	2	5	.	.	.	.	1
	South City, No. 1. (Office, Sth. Earl-street.) Pop. in 1911. (Est.) 41,908.	Mar. 25,	29·9	3·7	24	.	.	.	.	.	1	.	.	3	3	1	4	3	.	.	2	.	.
		April 1,	14·9	2·5	12	.	.	.	.	.	2	.	.	.	.	1	.	5	.	.	.	.	.
		„ 8,	23·6	.	19	.	.	.	.	.	.	.	.	3	.	2	.	4	.	.	.	1	.
		„ 15,	31·1	3·7	25	.	.	.	1	1	.	.	.	3	1	1	.	5	.	.	1	.	1
		„ 22,	27·4	5·0	22	1	.	.	1	.	.	1	.	5	.	1	1	3	.	.	1	.	.
		„ 29,	12·4	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	1
		May 6,	29·9	2·5	24	.	.	.	1	.	.	.	.	5	.	1	.	4	.	.	1	.	.
		„ 13,	12·4	.	10	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1911 (Est.) 21,980.	Mar. 25,	35·6	4·7	15	.	.	.	.	.	2	.	.	1	2	.	2	1	.	.	.	1	.
		April 1,	26·1	2·4	11	.	.	.	1	.	.	.	.	1	2	1	1	3	.	.	.	.	.
		„ 8,	19·0	.	8	.	.	.	.	.	.	.	.	4	.	1	1	.	.	.	.	.	.
		„ 15,	23·7	.	10	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.
		„ 22,	28·5	4·7	12	.	.	.	1	.	.	1	.	4	1	1	1	.	.	.	.	.	.
		„ 29,	28·5	.	12	.	.	.	.	.	.	.	.	3	1	2	1	.	.	.	.	.	.
		May 6,	23·7	2·4	10	.	.	.	.	.	1	.	.	1	1	1	2	2	.	.	.	.	1
		„ 13,	14·2	4·7	6	.	.	.	2	.	.	.	.	1	.	.	.	2	.	.	.	.	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1911 (Est.) 43,677.	Mar. 25,	20·3	.	17	.	.	.	.	.	.	.	.	7	2	1	.	2	.	.	.	.	.
		April 1,	27·5	.	23	.	.	.	.	.	.	.	.	2	3	2	1	2	.	.	.	.	1
		„ 8,	26·3	4·8	22	1	.	.	1	.	.	.	.	4	2	1	1	5	.	.	2	.	1
		„ 15,	14·3	4·8	12	1	.	.	1	.	1	.	.	.	.	.	2	.	.	.	1	.	.
		„ 22,	28·7	1·2	24	.	.	.	1	.	.	.	.	2	.	.	2	6	.	.	.	.	.
		„ 29,	32·2	6·0	27	.	.	.	2	.	1	1	.	1	1	.	2	2	.	.	1	3	1
		May 6,	20·3	2·4	17	1	.	.	.	.	1	.	.	1	1	1	2	5	.	.	.	1	.
		„ 13,	23·9	2·4	20	1	.	.	.	.	.	1	.	1	.	2	3	2	.	.	.	.	.
	South City, No. 4. (Office, Grand Canal-st.) Pop. in 1911 (Est.) 36,254.	Mar. 25,	28·8	4·3	20	.	.	.	1	.	2	.	.	3	1	.	1	3	.	.	.	.	.
		April 1,	15·8	1·4	11	.	.	.	.	.	.	.	.	1	.	1	2	1	1	.	.	1	1
		„ 8,	38·8	1·4	27	.	.	.	.	.	.	1	.	3	5	1	4	1	.	.	.	3	.
		„ 15,	21·6	7·2	15	.	.	.	2	1	2	.	.	1	.	.	2	2	.	.	.	.	.
		„ 22,	30·2	1·4	21	.	.	.	.	1	.	.	.	6	2	1	2	3	.	.	.	2	.
		„ 29,	21·6	.	15	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	3	1
		May 6,	21·6	.	15	.	.	.	.	.	.	.	.	5	.	.	.	4	.	.	.	.	.
		„ 13,	17·3	4·3	12	.	.	.	2	.	.	1	.	2	1	.	1	1	.	.	.	.	.

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted*; also, similar County Boroughs in Ireland.

Districts.	1911. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes.	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa: Children under 2 years.	Diarrhœa: 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 37,528.	Mar. 25,	19·5	.	14	.	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.	.
	April 1,	19·5	1·4	14	.	.	.	.	.	1	.	.	1	.	.	.	4	.	.	.	.	1
	„ 8,	16·7	1·4	12	1	.	.	.	.	.	.	.	3	.	.	2	.	.	.	.	1	.
	„ 15,	13·9	.	10	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.	.
	„ 22,	15·3	1·4	11	.	.	.	1	.	.	.	.	1	1	.	3	1	.	.	.	.	.
	„ 29,	12·5	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	May 6,	23·6	1·4	17	.	.	.	.	.	.	.	.	.	1	.	2	2	.	.	1	1	.
	„ 13,	8·3	1·4	6	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,368.	Mar. 25,	24·9	3·6	14	1	.	.	1	.	.	.	.	3	.	2	.	2	.	.	.	.	.
	April 1,	10·7	.	6	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.
	„ 8,	14·2	.	8	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.
	„ 15,	24·9	1·8	14	.	.	.	.	.	.	.	.	2	.	2	4	3	1	.	.	.	.
	„ 22,	8·9	1·8	5	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 29,	16·0	1·8	9	.	.	.	.	.	1	.	.	1	1	1	.	1	.	.	.	.	.
	May 6,	21·3	3·6	12	.	.	.	.	1	1	.	.	1	.	.	3	1	.	.	.	.	.
	„ 13,	23·1	5·3	13	.	.	.	3	.	.	.	.	1	.	.	1	1	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 (Est.) 17,622.	Mar. 25,	23·7	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
	April 1,	17·8	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.
	„ 8,	14·8	.	5	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.
	„ 15,	17·8	.	6	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.
	„ 22,	44·4	3·0	15	.	.	.	1	.	.	.	.	4	.	1	.	1	.	.	.	.	.
	„ 29,	20·7	.	7	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.
	May 6,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1
	„ 13,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Belfast. Pop. in 1911 (Est.) 398,421.	Mar. 25,	19·2	1·0	147	.	.	.	.	1	.	1	.	22	9	8	14	16	.	3	3	3	.
	April 1,	18·1	0·5	138	.	.	.	.	.	.	1	.	24	8	4	16	19	.	1	2	4	1
	„ 8,	22·5	0·5	172	1	.	.	.	1	.	.	.	26	8	5	13	26	1	.	1	8	3
	„ 15,	21·1	1·2	161	.	.	.	1	.	3	2	.	25	4	5	19	29	.	1	2	2	2
	„ 22,	20·2	0·7	154	.	.	.	.	.	2	1	.	14	11	6	23	34	.	.	2	3	.
	„ 29,	20·9	0·4	160	1	.	.	.	.	1	.	.	17	15	12	18	16	.	.	1	3	1
	May 6,	14·3	0·3	109	1	.	.	.	.	.	.	.	16	12	3	10	20	.	.	1	3	2
	„ 13,	15·7	0·4	120	.	.	.	.	1	.	.	.	25	7	6	10	15	1	.	1	4	1
Cork. Pop. (in 1901) 76,122.	Mar. 25,	21·9	.	32	.	.	.	.	.	.	.	.	10	4	1	1	5	.	.	.	.	1
	April 1,	19·2	.	28	.	.	.	.	.	.	.	.	4	2	2	3	3	.	.	.	.	1
	„ 8,	30·8	0·7	45	.	.	.	.	.	1	.	.	1	1	1	3	3	.	.	.	1	2
	„ 15,	27·4	0·7	40	1	.	.	.	.	.	.	.	6	.	3	3	4	.	.	.	.	1
	„ 22,	21·2	.	31	.	.	.	.	.	.	.	.	6	3	.	1	2	.	.	.	3	.
	„ 29,	24·0	1·4	35	.	.	.	.	.	2	.	.	7	3	1	2	3	.	.	.	.	7
	May 6,	23·3	3·4	34	1	.	.	.	.	1	.	.	4	2	1	2	2	2	1	.	.	1
	„ 13,	20·5	1·4	30	.	.	.	.	.	2	.	.	4	1	3	1	5	.	.	.	1	1
Londonderry. Pop. in 1911 (Est.) 43,900.	Mar. 25,	20·2	1·2	17	.	.	.	.	.	.	.	.	4	1	.	2	.	.	.	1	1	.
	April 1,	22·6	4·8	19	.	.	.	.	.	3	1	.	1	.	1	1	5	.	.	.	.	.
	„ 8,	35·6	2·4	30	.	.	.	.	.	2	.	.	1	.	1	5	8	.	.	.	1	.
	„ 15,	26·1	4·8	22	.	.	.	.	.	4	.	.	3	.	.	2	6	.	.	.	1	.
	„ 22,	17·8	5·9	15	.	.	.	.	.	4	.	.	.	.	1	.	3	1	.	.	.	.
	„ 29,	14·3	3·6	12	.	.	.	.	.	3	.	.	2	2	2	.	1	.	.	.	.	.
	May 6,	19·0	2·4	16	.	.	.	.	.	2	.	.	3	1	3	.	3	.	.	.	.	.
	„ 13,	10·7	.	9	.	.	.	.	.	.	.	.	3	.	1	.	2	.	.	.	.	1
Limerick. Pop. (in 1901) 38,151.	Mar. 25,	26·0	.	19	.	.	.	.	.	.	.	.	3	1	2	1	5	.	.	.	.	.
	April 1,	31·4	.	23	.	.	.	.	.	.	.	.	5	.	.	3	6	.	.	.	.	.
	„ 8,	17·8	.	13	.	.	.	.	.	.	.	.	3	.	.	2	3	.	.	.	.	2
	„ 15,	17·8	1·4	13	1	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	3
	„ 22,	28·7	.	21	.	.	.	.	.	.	.	.	2	1	1	2	9	.	.	.	.	1
	„ 29,	10·9	2·7	8	.	.	.	.	.	.	1	.	.	.	.	.	3	.	.	1	.	3
	May 6,	13·7	1·4	10	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2
	„ 13,	10·9	.	8	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.	.
Waterford. Pop. (in 1901) 26,769.	Mar. 25,	13·6	.	7	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	.
	April 1,	23·4	1·9	12	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	1	.
	„ 8,	11·7	1·9	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 15,	13·6	.	7	.	.	.	.	.	.	.	.	3	.	.	.	2	.	.	.	.	1
	„ 22,	31·2	.	16	.	.	.	.	.	.	.	.	2	2	.	2	5	.	.	.	.	1
	„ 29,	13·6	.	7	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	1
	May 6,	17·5	.	9	.	.	.	.	.	.	.	.	5	1	.	.	1	.	.	.	.	.
	„ 13,	11·7	.	6	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 13th May, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	349,180	8	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		8	2	.	3	1	.	2	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	1	1	1	.
Do. 2 do.		29			14	4	1	2	3	3	1	.	.	.	.	1	.	.	.	5	.	.	1	1	1	.	.	.	.	1	6	.
Do. 3 do.		22			20	4	2	4	2	7	1	.	.	.	.	.	.	.	.	2	4	1	1	2	.	.	.	.	1	4	1
Do. 4 do.		30			11	2	.	.	5	.	4	.	.	.	.	.	.	.	.	4	1	.	1	1	.	.	.	.	.	7	.
Do. 5 do.		13			8	3	.	.	1	1	3	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	1	1	4	.
Do. 6 do.		17			6	.	.	1	1	3	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	3	.
Do. 7 do.		2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		10			8	1	.	2	3	.	2	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	2	2	3	.
Do. 10 do.		13			7	1	.	2	.	3	1	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	.	4	.
Do. 11 do.		28			11	.	1	1	2	2	5	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	.	.	1	.
Do 12 do.		21			10	1	2	1	3	1	2	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.	1	6	.
Do. 13 do.		14			7	.	1	.	1	4	1	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	.	.	2	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		20			10	1	2	1	1	5	.	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	1	.	1	2	.
Total,	—	229			120	19	9	17	23	29	23	.	.	.	.	1	.	.	.	25	7	6	10	15	1	.	1	4	8	43	1
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	11	12·2	.	3	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.
Do. 2 do.	10,701	5	19·5	.	4	.	1	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.
Do. 3 do.	9,978	15	15·7	.	3	.	.	2	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	1	1	.
Do. 4 do.	8,666	4	12·0	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do.	6,592	6	23·7	7·9	3	1	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 6 do.	10,702	14	19·5	4·9	4	1	.	1	1	.	1	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.
Do. 7 do.	16,616	9	34·5	.	11	.	.	2	1	2	6	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	1	1	5	1
Total	76,122	64	20·5	1·4	30	3	2	6	3	4	12	.	.	.	.	.	2	.	.	4	1	3	1	5	.	.	.	1	2	9	1

* See note (‡) at foot of first page

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910–11—WEEK ENDING																									
	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.
No. of weeks in Annual Series,	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
BIRTHS registered, ...	156	181	175	185	167	200	199	241	231	233	188	212	218	216	213	232	193	220	218	232	232	204	189	235	254	229
DEATHS registered, ...	132	134	109	151	133	132	91	122	151	118	118	128	146	149	141	133	118	118	147	138	172	161	154	160	109	120
Annual Death rate per 1,000 of estimated population, ...	17·6	17·9	14·5	20·1	17·7	17·6	12·1	16·0	19·8	15·4	15·4	16·8	19·1	19·5	18·5	17·4	15·4	15·4	19·2	18·1	22·5	21·1	20·2	20·9	14·3	15·7
AGES, Under 1 year, ...	27	24	17	34	20	22	18	21	30	23	26	24	24	31	21	25	20	33	23	26	36	24	23	23	19	19
AGES, 1—5 years, ...	6	5	8	11	17	12	8	12	11	8	10	10	7	10	14	9	10	6	17	11	7	10	14	13	10	9
AGES, 5—25 „ ...								7	20	16	11	6	11	21	17	18	9	10	19	11	14	17	13	21	13	17
AGES, 25—45 „ ...	99	105	84	106	96	98	65	30	37	17	13	25	27	30	29	16	23	14	28	23	36	32	26	27	25	23
AGES, 45—65 „ ...								32	25	21	27	34	34	32	26	35	29	27	30	38	45	37	39	46	22	29
AGES, 65 and upwards, ...								20	28	33	31	29	43	25	34	30	27	28	30	29	34	41	39	30	20	23
Deaths from :—																										
Enteric Fever, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
Typhus, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	2	2	3	3	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Scarlet Fever, ...	.	1	.	1	2	1	1	1	1	1	.	.	1	.	1	.	.	1	1	.	1	.	.	.	.	1
Whooping-cough, ...	.	1	.	1	.	1	1	.	.	1	1	1	.	.	1	1	1	1	.	.	.	3	2	1	.	.
Diphtheria, ...	1	.	1	4	.	.	.	.	.	1	2	1	.	.	.	.	.	.	1	1	.	2	1	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	17	17	13	14	12	15	9	14	23	17	13	10	11	22	15	13	19	7	22	24	26	25	14	17	16	25
Tuberculous Disease. Other Forms,	8	4	7	5	7	3	3	7	7	4	4	4	4	11	10	10	7	8	9	8	8	4	11	15	12	7
Cancer, ...	8	9	6	5	8	6	5	7	2	7	11	6	5	5	8	3	6	11	8	4	5	5	6	12	3	6
Diseases of Respiratory System, Pneumonia,	11	8	7	13	10	10	7	8	9	7	7	7	11	14	11	15	10	10	14	16	13	19	23	18	10	10
Diseases of Respiratory System, Others, ...	16	25	25	36	22	29	18	18	24	24	20	25	26	25	20	20	20	14	16	19	26	29	34	16	20	15
Diarrhœa, Under 2 years, ...	3	1	1	4	3	1	.	1	.	.	.	.	1	.	.	1	.	1	.	.	1	.	.	.	.	1
Diarrhœa, 2 years & upwards								1	1	.	.	.	1	.	.	.	1	.	3	1	.	1	.	.	.	.
Enteritis, under 2 years, ...	—	—	—	—	—	—	—	1	.	.	2	2	3	2	2	1	.	.	3	2	1	2	2	1	1	1
Violent Deaths, ...	2	5	3	2	6	2	4	6	6	1	2	4	4	.	4	3	2	1	3	4	8	2	3	3	3	4
Number of Uncertified Deaths, ...	.	.	3	4	1	1	3	3	.	1	5	2	1	.	.	3	2	1	.	1	3	2	.	1	2	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,912,054	May 13,	2,160	1,148	12·2	2	.	56	4	35	8	15*a*
Edinburgh, ...	320,829	„ 13,	139	96	15·6	.	.	3	.	4	.	1
Glasgow, ...	784,621	„ 13,	477	275	18·3	.	.	12	6	27	2	5
Calcutta, ...	—	Apr. 8,	.	502	30·7	168*	3	6	.	1	.	76‡
Bombay, ...	977,822	„ 8,	376	1,027	54·6	358*	20	28	.	.	.	76
Madras, ...	509,346	Mar. 18,	354	401	40·9	63	36	7	?	?	?	100‡
Cairo, ...	689,439	„ 25,	640	424	32·1	2	.	8	7	.	7†	33*a*
Paris, ...	2,760,000	Apr. 15,	885	1,023	19·4	7	.	32	3	8	5†	33*a*
Brussels, ...	720,030	„ 15,	266	210	15·2	1	.	2	1	.	2	6
Antwerp, ...	320,640	„ 22,	101	70	11·4	.	.	2	.	.	1	1*a*
Amsterdam, ...	576,260	„ 22,	276	146	13·2	.	.	2	.	3	1†	1*a*
Copenhagen, ...	459,000	„ 22,	271	162	18·4	.	.	2	1	12	2†	5
Stockholm, ...	341,816	„ 15,	119	93	14·1	1	.	.	2	2	1	.
Christiania, ...	240,178	„ 29,	114	60	12·9	.	.	4	.	2	.	2
St. Petersburg, ...	1,639,266	„ 1,	777	630	20·0	1	5	13	16	1	6	58
Moscow, ...	1,493,600	„ 1,	.	812	28·3	4	9	19	25	2	23†	80
Berlin, ...	2,065,874	„ 8,	736	630	15·9	.	.	5	7	12	14†	22
Hamburg, ...	932,166	„ 22,	.	323	18·0	1	.	5	4	1	18†	13
Breslau, ...	514,493	„ 22,	.	196	19·9	1	.	2	5	.	5	17
Munich, ...	597,000	„ 29,	.	186	16·2	.	.	.	.	2	1†	14
Vienna (with suburbs),	2,051,227	„ 22,	880	704	17·8	1	.	4	6	.	5†	28*a*
Buda-Pesth, ...	891,585	„ 22,	416	342	19·9	1	.	5	13	.	5†	13*a*
Prague and Faubourgs,	508,310	„ 8,	182	195	19·9	1	.	.	5	6	3†	4*a*
Trieste, ...	229,499	„ 15,	131	109	24·8	1	.	3	.	1	2†	3*a*
Rome, ...	593,110	Feb. 11,	315	324	28·5	1	.	1	.	2	2	7
Venice, ...	184,325	Apr. 8,	77	70	19·8	.	.	.	.	.	.	6
New York, ...	4,983,385	„ 1,	2,539	1,833	19·2	8	.	20	34	12	38†	62*a*
Philadelphia, ...	1,573,509	Mar. 18,	.	590	19·5	5	.	9	8	3	17	14*a*
Boston, ...	688,912	Apr. 22,	.	258	19·5	1	.	1	1	5	6	13

* Deaths from "fever," including 2 deaths from enteric fever and 115 deaths from plague in Calcutta, and 2 deaths from enteric fever and 293 from plague in Bombay.

† Including deaths from croup.

‡ Including 44 deaths from cholera in Calcutta, and 4 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending May 13th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West, ...	.	.	.	.	1	.	.	.	.	.	.	.	1
" " 2, ...	.	1	1	.	1	.	.	.	.	.	.	2	5
" " 3, ...	.	2	.	.	1	.	1	.	2	.	.	3	9
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	1	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	.	.	.	.	.	1
South City No. 1, ...	.	2	.	.	.	.	.	5	.	.	.	5	12
" " 2, ...	.	1	.	.	2	.	.	1	1	.	.	1	6
" " 3, ...	.	.	.	.	1	.	.	2	1	.	.	.	4
" " 4, ...	.	.	.	.	4	.	.	.	1	.	.	1	6
New Kilmainham, ...	.	1	.	.	5	.	.	.	.	.	.	1	7
Total, ...	.	7	1	.	16	.	1	8	6	.	.	13	52

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 13th May, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 13th May.			
	April 22.	April 29.	May 6.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	61	81	89	40	19	7	103
Scarlet Fever, ...	104	86	78	11	9	1	79*
Typhus, ...	2	2	2	1	.	.	3
Diphtheria, ...	55	63	61	17	19	2	57
Enteric Fever, ...	60	54	48	9	7	.	50
Pneumonia, ...	40	35	38	6	8	2	34

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 13th May, 1911:—

"A summerlike type of weather was the leading feature of this week. On Sunday a south-westerly wind of moderate strength passed over Ireland, accompanied by dull and at first by rainy weather. The direction of the wind was determined by the presence in the Icelandic region of rather deep depressions. Already on Sunday an anticyclone was spreading westward towards Ireland from Denmark and North Germany. Early on Monday morning the wind shifted to N. in Dublin with gloom and slight rain, and from that time onward to the end of the week N.E. winds prevailed. An interesting point was that these winds brought warmth from the Baltic and North Germany to the British Isles: at 7 a.m. of Tuesday the thermometer stood as high as 64° at Wisby in Gothland, 62° at Stockholm, and 61° at Berlin; later in the day 73° was recorded at Berlin, Frankfurt, Stockholm and Karlsbad, and 75° in Paris. Brilliant weather now took the place of clouds and gloom in Dublin. On Wednesday afternoon electrical clouds came up from N.E., and in the course of the following night thunder and lightning occurred at Pembroke, in the Scilly Islands, the S.W. of England, and the Channel Islands. On Thursday there was a wide area of electrical disturbances, thunderstorms being reported from many parts of England and Ireland, as well as from the Continent. In Dublin thunder and lightning occurred about 5 p.m., but the accompanying rainfall was slight and partial. Thunderstorms again broke out at night in Wales and on Friday in the S. and S.W. of Ireland, rain falling heavily in places. At 11.15 p.m. of Saturday a severe thunderstorm burst over Dublin accompanied by a downpour of rain. In Dublin the mean height of the barometer was 29·943 inches, the range of atmospheric pressure being from 30·117 inches at 9 a.m. of Monday (wind, N.E.) to 29·605 inches at 9 p.m. of Saturday (wind, E.). The corrected mean temperature was 55·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 53·9°. On Tuesday the screened thermometers fell to 47·0°, on Thursday they rose to 66·5°. N.E. winds prevailed after Sunday. Rain fell on three days to the amount of ·536 inch, the bulk of which—·490 inch—fell in the thunderstorm of Saturday night."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·771 inches. The highest reading (29·941) was on Monday at 9 a.m., air calm, and the lowest (29·434) on Saturday at 9 p.m., air calm.

The mean temperature for the week was 52·6°, being 4·5° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Thursday, on which day the thermometer registered 64·8°, and was lowest on Wednesday, the mercury having fallen to 39·3°. The mean of the Dry Bulb for the week was 51·7° and of the Wet Bulb, 50·7°. The mean humidity of the air was ·94, complete saturation being represented by 1·0. The rainfall during the week measured 0·127 inch.

At Greenwich the mean temperature for the week was 56·9°, the maximum 75·6°, and the minimum 36·7°; at Glasgow the maximum was 68·3°, the minimum 42·4°, and the mean 53·8°; and at Edinburgh the maximum was 57·7°, the minimum 41·6°, and the mean 49·9°. The rainfall at Greenwich measured 0·18 in.; at Glasgow 0·28 in.; and at Edinburgh 0·27 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, May 7,	29·904	57·9	49·8	53·9	53·0	51·9	·92	·5	0·0	·032	S.W.	S.W.
Monday, „ 8,	29·939	52·0	47·6	49·8	49·2	49·1	1·00	·5	0·0	·010	Calm.	Calm.
Tuesday, „ 9,	29·877	60·1	41·6	50·9	46·5	46·0	·96	·4	6·3	·000	Calm.	Calm.
Wednesday, „ 10,	29·791	62·0	39·3	50·7	53·6	51·4	·86	·5	11·3	·000	E.N.E.	Calm.
Thursday, „ 11,	29·740	64·8	46·9	55·9	53·8	52·6	·93	·6	12·1	·000	N.E.	Calm.
Friday, „ 12,	29·668	63·7	44·4	54·1	54·7	53·3	·91	·4	12·8	·000	N.E.	Calm.
Saturday, „ 13,	29·478	60·7	44·5	52·6	50·9	50·6	·98	·7	5·0	·085	N.E.	Calm.
Mean, ...	29·771	60·2	44·9	52·6	51·7	50·7	·94	·5	Total 47·5	Total ·127	—	

Sunday—Day overcast, light rain a.m.; night overcast, drizzle a.m. *Monday*—Day overcast, drizzle; night overcast, fog. *Tuesday*—Day overcast to cloudy; night clear. *Wednesday*—Fine bright day; night clear. *Thursday*—Day bright to cloudy, thunder p.m.; night clear. *Friday*—Fine bright day; night cloudy. *Saturday*—Overcast a.m., cloudy, thunderstorm, rain p.m.; night overcast, thunderstorm, rain a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, May 13th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, May 7,	53·9	52·1	49·1	59·6	51·1	55·4	0·0	·024
Monday, „ 8,	49·9	52·5	49·2	54·9	47·0	51·0	0·0	·002
Tuesday, „ 9,	50·5	52·0	49·5	59·7	54·0	56·9	2·7	—
Wednesday, „ 10,	55·5	52·4	49·8	63·2	44·7	54·0	11·0	—
Thursday, „ 11,	57·6	53·9	49·9	66·9	48·5	57·7	10·9	—
Friday, „ 12,	58·3	54·8	50·0	64·2	48·8	56·5	11·7	—
Saturday, „ 13,	53·3	55·6	50·4	61·4	49·9	55·7	5·8	·386
Weekly Mean, .	54·1	53·3	49·7	61·4	49·1	55·3	Total 42·1	Total ·412

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30532. Wt. P. 1–60/138. 375. 4. 1911. Sch. C 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & CO., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 20TH MAY, 1911. [No. 20.

General Register Office, Charlemont House, Dublin, 22nd May, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,163,596.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending April 29	Week ending May 6	Week ending May 13	Week ending May 20	Average Rate for 4 weeks.
22 Town Districts, ...	**20·8**	**18·2**	**17·8**	**16·1**	**18·2**
Armagh	13·7	13·7	20·6	34·4	20·6
Ballymena	14·4	33·5	23·9	23·9	23·9
Belfast	20·9	14·3	15·7	16·1	16·8
Clonmel	25·6	20·5	10·3	20·5	19·2
Cork	24·0	23·3	20·5	17·8	21·4
Drogheda	4·1	8·2	20·4	4·1	9·2
Dublin Reg. Area ...	22·4	21·3	20·8	15·5	20·0
Dundalk	35·9	12·0	35·9	16·0	24·9
Galway	35·0	11·7	11·7	7·8	16·6
Kilkenny	14·7	19·7	29·5	14·7	19·7
Limerick	10·9	13·7	10·9	26·0	15·4
Lisburn	18·2	22·7	4·5	18·2	15·9
Londonderry	14·3	19·0	10·7	15·4	14·9
Lurgan	22·1	35·4	22·1	8·9	22·1
Newry	37·8	21·0	33·6	12·6	26·2
Newtownards	11·4	11·4	11·4	5·7	10·0
Portadown	20·7	.	10·3	10·3	10·3
Queenstown	6·6	19·8	19·8	26·4	18·2
Sligo	9·6	33·6	9·6	14·4	16·8
Tralee	15·9	26·4	15·9	15·9	18·5
Waterford	13·6	17·5	11·7	11·7	13·6
Wexford	28·0	14·0	14·0	23·3	19·8

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·3 in Tralee, the 3 deaths from all causes for that district including one from diarrhœa. Among the 123 deaths from all causes for Belfast are one from whooping-cough, and 4 from diarrhœa and *enteritis* of children under 2 years of age. Of the 26 deaths from all causes for Cork 2 are from whooping-cough, and 2 deaths from the same disease are included in the 13 deaths for Londonderry.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 226—115 boys and 111 girls—and the deaths to 129—68 males and 61 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·5 per 1,000 of the population. During the twenty weeks ending with Saturday last the death-rate averaged 22·6, and was 2·8 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 129, represent an annual rate of 16·5 per 1,000; the annual rate for the past twenty weeks was 23·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·5 per 1,000 of the mean population for all deaths registered.

The deaths from all causes include one death from enteric fever, 4 deaths from measles, 4 from whooping-cough, one death from diphtheria, 3 deaths from diarrhœa and *enteritis* of children under 2 years of age, and one death from influenza. In each of the three preceding weeks, deaths from enteric fever were 0, one, and one; deaths from measles were 5, 8, and 17; deaths from whooping-cough were 2, 3, and 2; deaths from diphtheria were one, 2, and 3; deaths from diarrhœa and *enteritis* of children under 2 years of age were 4, 4, and one; and deaths from influenza were 0, 3, and 2.

The deaths from all forms of tuberculous disease, 31 in number, include 25 from pulmonary tuberculosis, 3 from tuberculous meningitis, one death from abdominal tuberculosis, one death from tuberculosis of the vertebral column, and one death from disseminated tuberculosis. The total deaths from this disease in the three preceding weeks, were 32, 27, and 23, respectively.

Seven deaths were attributed to broncho-pneumonia, and 5 to *pneumonia* (type not distinguished).

There were 6 deaths caused by cancer.

The deaths from diseases of the brain and nervous system include 3 deaths from meningitis, and one death from *convulsions* of an infant.

Organic diseases of the heart accounted for 6 deaths, and bronchitis for 14 deaths.

The deaths of 5 infants were assigned to premature birth or congenital debility.

There was one accidental death by burning caused by clothes catching fire.

In one instance the cause of death was "uncertified," there having been no medical attendant during the last illness.

Forty of the persons whose deaths were registered during the week were under 5 years of age (23 being infants under one year, of whom 8 were under one month old) and 17 were aged 65 years and upwards, including 14 persons aged 70 years and upwards; among the latter were 7 aged 75 years and upwards.

Fifty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse and 8 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death rate for the entire Registration Area was 15·5 per 1,000; the rate in the City was 16·0 (North City Districts, 19·2; South, 12·6) and in the Suburbs, 13·9.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 2·0 (2·6 in the North City Districts, and 1·4 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (9) are equal to an annual rate of 15·5 per 1,000, and include one death from whooping-cough, 4 deaths from pulmonary tuberculosis, and one death from diarrhœa.

No. 1 North City District, West (Summer-hill).—The deaths (21) are equal to an annual rate of 27·1 per 1,000. Enteric fever caused one death, whooping-cough 2 deaths, pulmonary tuberculosis 3 deaths, broncho-pneumonia one death, and bronchitis 5 deaths.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 21·8 per 1,000. There was one death from influenza; tuberculous disease caused 5 deaths, and broncho-pneumonia one death.

No. 3 North City District (Benburb-street).—The deaths (11) represent an annual rate of 16·9 per 1,000. Measles caused 2 deaths, there was one death from pulmonary tuberculosis, one death from *pneumonia* (type not distinguished), 2 deaths from bronchitis, and one death from diarrhœa.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Finglas and Glasnevin, part of, 33·5 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Coolock and Drumcondra, part of, 0·0. Among the 5 deaths from all causes for Finglas and Glasnevin, part of, one was from each of tuberculous meningitis and broncho-pneumonia, and there were 2 deaths from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (8) represent an annual rate of 10·0 per 1,000. Pulmonary tuberculosis caused 2 deaths, there was one death from *pneumonia* (type not distinguished), and one death from bronchitis.

No. 2 South City District (Castle-street).—The deaths (6) are equal to an annual rate of 14·2 per 1,000, and include one death from pulmonary tuberculosis, 2 deaths from tuberculous meningitis, and one death from bronchitis.

No. 3 South City District (Peter-street).—The deaths (10) are equal to an annual rate of 11·9 per 1,000. Measles and diphtheria each caused one death; there was one death from tuberculous phthisis, 2 deaths from broncho-pneumonia, one death from *pneumonia* (type not distinguished), and one from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (9) are equivalent to an annual rate of 12·9 per 1,000. The deaths include one from measles, 2 from tuberculous disease, 2 from bronchitis, and one from *enteritis* of a child under two years of age.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 22·7 per 1000. Of the 4 deaths registered, 3 were from pulmonary tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 15·3; Pembroke, 10·7; Blackrock, 23·1; and Kingstown, 11·8. The only death from any of the principal epidemic diseases tabulated for these districts was one from whooping-cough for Pembroke. Included in the 11 deaths from all causes for Rathmines and Rathgar 4 were from pulmonary tuberculosis and one was from accidental burns. Of the 6 deaths for Pembroke one was from *pneumonia* (type not distinguished), and among the 4 deaths from all causes for Blackrock one was from each of broncho-pneumonia and *pneumonia* (type not distinguished).

* See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 20th May, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Apr. 29,	.	—	—	8	.	.	22	.	2	10	5	.	—	—	.	—	13	—	60
	May 6,	.	—	—	16	.	.	8	.	.	3	2	.	—	—	.	—	15	—	44
	May 13,	.	—	—	7	1	.	16	.	1	8	6	.	—	—	.	—	13	—	52
	May 20,	.	—	—	13	4	.	18	.	.	6	7	.	—	—	.	—	13	—	61
Rathmines and Rathgar Urban District.	Apr. 29,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	—	4
	May 6,	.	—	—	2	.	.	2	.	.	2	.	.	—	—	—	—	—	—	6
	May 13,	.	—	—	1	.	.	2	.	.	.	1	.	—	—	—	—	—	—	4
	May 20,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	Apr. 29,	.	26	.	1	.	.	.	.	.	.	.	.	—	2	.	—	.	—	29
	May 6,	.	16	.	.	.	.	.	.	.	1	.	.	—	1	.	—	.	—	18
	May 13,	.	14	.	1	.	.	.	.	.	.	.	.	—	2	.	—	.	—	17
	May 20,	.	12	.	.	.	.	.	.	.	.	.	.	—	4	.	—	.	—	16
Blackrock Urban District.	Apr. 29,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	May 6,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	.	—	—	—	2
	May 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Apr. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	May 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	May 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	May 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Apr. 29,	.	—	—	9	.	.	2	.	.	.	7	.	—	—	.	—	12	—	30
	May 6,	.	—	—	13	.	.	4	.	.	.	1	.	—	—	.	—	17	—	35
	May 13,	.	—	—	9	.	.	3	.	.	2	1	1	—	—	.	—	10	—	26
	May 20,	.	—	—	7	.	.	6	.	.	.	1	.	—	—	1*	—	24	—	39

* Returned as cerebro-spinal meningitis.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th May, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Twenty-two cases of measles were admitted to hospital during the week, 37 were discharged, and 88 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 81, 89, and 103, respectively.

Fourteen cases of scarlet fever were admitted to hospital, 17 were discharged, and 76* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 86, 78, and 79, respectively.

Four cases of typhus were admitted to hospital during the week, and 7 cases remained under treatment at its close.

Eighteen cases of diphtheria were admitted to hospital during the week, 9 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 63, 61, and 57, respectively, were 65 at the close of last week.

Six cases of enteric fever were admitted to hospital during the week, 9 were discharged, and 47 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 54, 48, and 50.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 10 were discharged, and 32 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 10·9) was equal to an average annual death-rate of 12·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 15·8 per 1,000, the rate for Glasgow being 15·2 and for Edinburgh 18·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 20th May. From this Report it appears that of a total of 38 cases notified, 16 were phthisis, 11 scarlet fever, 7 diphtheria, 2 erysipelas, one enteric fever, and one puerperal fever. Among the 349 cases of infectious diseases in hospital at the close of the week were 115 cases of scarlet fever, 61 of phthisis, 54 of whooping-cough, 52 of diphtheria, 43 of measles, 9 of chicken-pox, 8 of erysipelas, 3 of enteric fever, and 2 of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 20th May, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 20th May, 1911. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Caused by: Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 20th May, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 13th May, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th May, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
Total of 22 Town Districts, ...	1,163,596	20·4	26·4	16·1	1·1	589	359	58	68	1	...	...	4	...	9	1	...	64	21	11	29	45	4	1	4	4	6	104	11	° ...	° ...	° ...	...	° ...	° ...	° ...	...	...	° ...	° ...	...
Dublin Registration Area:— Total, (c.) ...	407,057	29·6	28·9	15·5	1·7	226	121	23	17	1	...	...	4	...	4	1	...	23	6	6	11	15	2	...	1	1	1	44	1	e63·7	35·1	49·5	0·26	e64·8	39·3	52·6	0·13	e65·7	37·9	49·6	0·78
City of Dublin,	313,526	39·6	34·3	16·0	2·0	206	96	20	11	1	...	...	4	...	3	1	...	19	6	3	8	15	2	...	1	...	...	35	1	f65·4 g64·8	45·9 41·0	53·2 51·3	0·13 0·25	f66·5 g65·9	47·0 41·0	55·2 54·1	0·54 0·34	f61·1 g62·8	41·1 38·0	50·5 48·7	0·62 0·67
Urban Districts. Rathmines and Rathgar.	37,528	21·9	6·9	15·3	...	5	11	...	1	...	...	...	...	...	...	...	...	4	...	1	...	...	...	...	...	1	1	5	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,368	18·5	16·0	10·7	1·8	9	6	2	2	...	...	...	...	...	1	...	...	...	...	1	1	...	...	...	...	...	...		...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,013	8·3	17·4	23·1	...	3	4	1	2	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,622	12·1	8·9	11·8	...	3	4	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	62	43	52·3	0·04	62	44	53·4	0·13	60	42	51·0	0·37
Urban Districts. Belfast. ...	398,421	27·1	23·6	16·1	0·7	180	123	25	17	...	...	...	...	...	1	...	...	21	10	1	13	19	1	...	3	1	3	28	1	64·0	41·0	53·7	1·47	66·0	39·0	53·5	0·35	58·0	38·0	54·9	0·76
Cork, ...	76,122	33·6	27·4	17·8	1·4	40	26	2	8	...	...	...	...	...	2	...	...	6	1	1	1	1	...	...	...	1	1	9	...	67	44	53·6	0·03	64	46	54·0	0·12	57	41	49·3	1·14
Londonderry...	43,900	20·3	23·8	15·4	2·4	20	13	...	5	...	...	...	...	...	2	...	...	3	...	...	...	3	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick. ...	38,151	18·1	20·5	26·0	...	15	19	...	3	...	...	...	...	...	...	...	...	2	2	1	...	4	...	...	...	...	...	10	1	66	40·8	53·4	0·04	72	41·7	55·3	0·72	64	36·5	50·5	1·01
Waterford, ...	26,769	18·7	19·5	11·7	...	10	6	...	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	2	..	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,426	2·5	50·5	7·8	3·9	13	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	72	40	55	0·00	73	40	56	0·51	60	38	49	1·16
Dundalk, ...	13,076	9·4	39·9	16·0	...	10	4	...	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,760	8·6	24·5	4·1	...	6	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry. ...	12,405	17·8	29·4	12·6	...	7	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	66·1	39·0	53·0	0·38	69·0	42·1	54·4	0·46	57·0	38·6	47·6	0·82
Lurgan, ...	11,782	13·8	31·0	8·9	...	7	2	...	...	...	...	...	...	...	...	...	...	2	..	...	...	...	...	...	...	...	...	...	...	66·1	39·0	53·0	0·38	69·0	42·1	54·4	0·46	57·0	38·6	47·6	0·82
Lisburn, ...	11,461	10·1	40·9	18·2	...	9	4	2	...	...	...	...	...	...	...	...	...	1	...	..	1	...	...	...	...	...	...	1	...	66·1	39·0	53·0	0·38	69·0	42·1	54·4	0·46	57·0	38·6	47·6	0·82
Wexford, ...	11,168	23·2	28·0	23·3	...	6	5	1	1	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	..	1	..	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena, ...	10,886	8·9	...	23·9	...	...	5	2	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	10,870	3·7	33·6	14·4	...	7	3	...	3	..	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	1	63·3	36·3	50·7	0·00	74·0	35·4	55·3	0·28	59·8	36·2	47·3	1·14
Kilkenny, ...	10,609	11·5	29·5	14·7	...	6	3	1	2	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	..	...	...	1	65	42	53·2	0·46	70	42	56·0	0·21	60	39	50·4	0·90
Clonmel, ...	10,167	7·8	10·3	20·5	...	2	4	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	10,092	13·2	46·5	10·3	...	9	2	...	...	...	...	...	...	...	...	...	...	1	...	..	...	...	...	...	...	...	1	...	...	66·1	39·0	53·0	0·38	69·0	42·1	54·4	0·46	57·0	38·6	47·6	0·82
Tralee, ...	9,867	16·6	52·8	15·9	5·3	10	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	11·4	5·7	...	2	1	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	59	44	51·1	0·15	61	45	51·8	0·94	58	38	47·7	0·61
Queenstown, ...	7,909	14·4	6·6	26·4	...	1	4	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	67	44	53·6	0·03	64	46	54·0	0·12	57	41	49·3	1·14
Armagh. ...	7,588	22·2	20·6	34·4	...	3	5	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	66·1	39·0	53·0	0·38	69·0	42·1	54·4	0·46	57·0	38·6	47·6	0·82

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1911. (b) See note (‡) at foot of first page. (c) Exclusive of 8 deaths of persons admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 20th of May, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	2	.	.	.	.	.	1	1	.	.	.	.	.	4	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.
Diphtheria,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	4	3	4	1	.	.	.	2	1	1	.	3	4	.	.	.	23	2
Tuberculous Disease. — Other Forms,	.	.	1	.	.	.	1	.	2	.	2	.	.	.	.	.	6	.
Cancer,	.	.	1	.	.	.	.	1	.	1	.	.	1	1	.	1	6	.
Diseases of Nervous System,	1	3	1	.	.	.	1	.	1	.	1	.	1	.	.	.	9	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	1	1	.	.	.	.	.	.	1	.	.	.	.	1	.	5	2
" Respiratory System. — Pneumonia,	.	1	1	1	.	.	1	1	.	3	.	.	.	1	2	.	11	1
" Respiratory System. — Others,	.	6	.	2	.	.	2	1	1	1	2	.	.	.	.	.	15	.
" Digestive System. — Diarrhœa, under 2 years,	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — *Enteritis*, under 2 years,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
" Digestive System. — Enteritis, 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
" Digestive System. — Others,	.	.	.	1	.	.	.	1	.	1	.	.	.	.	.	.	3	1
" Genito-urinary System,	1	1	1	.	.	.	.	.	.	.	1	.	1	1	.	1	7	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	3	2	3	.	.	.	2	1	.	1	1	1	2	1	1	18	1
Violent Deaths,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.
Deaths from All Causes	9	21	13	11	.	.	5	8	6	10	9	4	11	6	4	4	121	8
Annual Rate of Mortality from All Causes in every 1,000 of the population.	15·5	27·1	21·8	16·9	.	.	33·5	10·0	14·2	11·9	12·9	22·7	15·3	10·7	23·1	11·8	15·5	.
	19·2							12·6					13·9					
	16·0																	
Ages at Death. — Under 1 year,	.	5	2	2	.	.	1	3	1	1	4	1	.	2	1	.	23	.
1 and under 2 years,	3	1	.	3	.	.	.	1	1	1	1	.	.	.	.	.	11	.
2 " 5 "	.	1	.	1	.	.	1	.	1	1	.	.	.	.	.	.	5	1
5 " 15 "	.	.	1	.	.	.	.	1	1	.	1	.	2	.	.	.	6	.
15 " 25 "	2	1	1	1	.	.	.	.	.	.	.	1	1	.	.	.	7	2
25 " 45 "	1	2	2	1	.	.	1	.	.	3	1	1	4	1	.	.	17	4
45 " 65 "	2	9	5	1	.	.	2	2	1	3	1	1	3	1	1	3	35	1
65 and upwards.	1	2	2	2	.	.	.	1	1	1	1	.	1	2	2	1	17	.
Number of Uncertified Deaths,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	4	6	3	.	.	.	.	1	3	.	1	5	2	1	1	28	8
Workhouse Hospitals,	1	4	2	1	.	.	.	1	1	2	3	1	.	.	.	.	16	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 20th Week of the 10 years 1901–1910.	In the Week ending Saturday, 20th May, 1911.										
													Deaths of Persons of the Ages of									
	May 18, 1901.	May 17, 1902.	May 23, 1903.	May 21, 1904.	May 20, 1905.	May 19, 1906.	May 18, 1907.	May 16, 1908.	May 22, 1909.	May 21, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 48·2	° 47·2	° 50·2	° 49·3	° 50·1	° 46·8	° 47·3	° 50·1	° 50·2	° 51·4	° 49·1	° 49·5										
ALL CAUSES.	187	186	173	173	149	169	208	155	176	131	170·7	129	8	15	11	6	6	9	21	36	10	7
Enteric Fever, ...	1	2	2	3	.	.	.	.	4	.	1·2	1	.	.	.	.	.	1	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	4	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	3	1	2	2	.	2	2	.	.	1·2	4	.	2	1	1	.	.	.	.	.	.
Scarlet Fever, ...	.	1	1	1	.	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	8	3	1	5	1	.	4	2	4	1	2·9	4	.	3	1	.	.	.	.	.	.	.
Diphtheria, ...	.	3	.	1	.	2	1	2	1	.	1·0	1	.	.	1	.	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	3	1	2	2	.	4	7	5	2	2·7	1	.	.	.	.	.	.	.	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	1	.	2	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	2	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	.	.	.	.	2	.	.	1	·4	1	.	.	.	1	.	.	.	.	.	.
Tetanus, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	30	30	24	23	18	16	29	22	17	15	22·4	25	1	.	2	.	2	4	10	6	.	.
Tuberculous Meningitis, ...	4	3	6	4	4	4	5	4	3	1	3·8	3	.	.	1	1	1	.	.	.	.	.
Abdominal Tuberculosis, ...	5	2	2	1	1	.	3	1	.	.	1·5	1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of the Vertebral Column.	5	9	2	3	5	12	12	3	8	8	6·7	1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of Joints, ...												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												1	.	1	.	.	.	.	.	.	.	.
Venereal Diseases, ...	2	.	1	1	3	2	2	.	1	1	1·3	1	1	.	.	.	.	.	.	.	.	.
Cancer, ...	5	4	6	11	6	15	11	6	6	3	7·3	6	.	.	.	.	.	.	.	4	1	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	.	3	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	2	.	.	.	2	.	.	.	1	·5	3	.	.	.	.	.	.	.	1	1	1
Anæmia Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	.	.	.	1	1	1	.
Alcoholism, ...	.	1	1	1	1	1	1	1	1	.	·8	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	2	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...	39	42	39	38	41	42	46	40	41	29	39·7	3	.	1	1	.	1	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												3	.	.	.	.	.	.	.	2	.	1
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												2	.	.	.	.	.	.	.	2	.	.
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												1	1	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.												.	.	.	.	.	.	.	.	.	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,												6	.	.	.	.	.	1	.	4	1	.
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												1	.	.	.	.	.	.	1	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	22	16	20	19	14	13	16	21	21	15	17·7	14	.	3	.	.	.	.	2	8	1	.
Broncho-pneumonia, ...	15	6	3	9	3	2	7	4	5	5	14·0	7	.	2	.	3	.	.	2	.	.	.
Lobar-pneumonia, ...		1	1	.	2	1	5	.	2	2		.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)		5	7	6	3	10	11	10	9	6		5	.	2	.	.	.	1	.	1	.	1
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	.	2	5	2	3	2	3	1	5	1	2·4	1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Respiratory System.												.	.	.	.	.	.	.	.	.	.	.

TWENTIETH WEEK ending Saturday, 20th May, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 20th Week of the 10 years 1901–1910.	In the Week ending Saturday, 20th May, 1911.										
												Deaths of Persons of the Ages of										
	May 18, 1901.	May 17, 1902.	May 23, 1903.	May 21, 1904.	May 20, 1905.	May 19, 1906.	May 18, 1907.	May 16, 1908.	May 22, 1909.	May 21, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 48·2	° 47·2	° 50·2	° 49·3	° 50·1	° 46·8	° 47·3	° 50·1	° 50·2	° 51·4	° 49·1	° 49·5										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	.	1	.	.	1	.	1	.	.
Diarrhœa of Children under 2 years.	1	1	2	3	3	1	1	1	.	5	1·8	2	.	.	2	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	.	2	.	3	1	1	3	.	2	1	1·3	1	.	.	1	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												1	.	.	.	.	.	.	.	.	1	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	3	.	2	1	2	2	2	1	2	1	2·9	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...		2	3	.	4	1	2	1	.	.		1	.	.	.	.	.	.	1	.	.	.
Peritonitis (cause unknown),	.	.	.	1	.	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	8	6	3	5	5	4	8	1	7	3	5·0	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...												.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...												4	.	.	.	.	.	.	.	2	2	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	5	9	3	7	5	5	7	7	4	7	5·9	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												3	.	.	.	.	.	.	2	.	.	1
Puerperal Septicæmia, &c., ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	1	.	.	.	2	.	.	1	1	·6	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	4	2	7	2	2	7	2	4	4	4	3·8	4	4	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	1	.	.	.	.	.	.	.	.
Old Age, ...	9	7	8	8	7	6	3	1	2	3	5·4	3	.	.	.	.	.	.	.	.	1	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	1	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	1	.	1	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	3	.	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	1	.	1	.	1	1	.	.	.	.	·4	1	.	.	.	.	.	.	1	.	.	.
By Drowning, ...	2	.	.	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	2	2	3	2	2	2	2	2	1	1·9	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	1	1	.	.	.	.	.	1	1	·4	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—*	2	.	.	.	.	.	.	.	2	.	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910–11—WEEK ENDING																									
	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.
No. of weeks in Annual Series,	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
BIRTHS registered.	182	199	174	232	158	170	203	230	238	232	219	241	192	214	217	238	203	276	230	198	171	174	259	260	242	226
Average Births in corresponding week of previous 10 years, ...	181	207	193	195	177	174	231	208	209	201	241	217	212	209	216	223	212	212	233	202	210	223	199	268	231	210
DEATHS registered, ...	168	176	188	165	178	155	176	179	190	228	200	220	208	195	180	174	170	214	177	191	174	196	181	176	170	129
Annual Death-rate per 1,000, ...	21·7	22·8	24·3	21·4	23·0	20·1	22·5	22·9	24·3	29·2	25·6	28·2	26·6	25·0	23·1	22·3	21·8	27·4	22·7	24·5	22·3	25·1	23·2	22·5	21·8	16·5
Average Deaths in corresponding week of previous 10 years, ...	182	182	182	177	182	177	201	195	195	192	200	198	200	210	218	210	194	201	203	199	195	197	190	177	178	171
Ages, Under 5 years, ...	49	55	53	43	41	47	56	60	62	59	61	47	57	57	70	59	39	56	48	54	63	54	50	56	48	40
5—15 „ ...	119	121	135	122	137	108	5	10	7	11	6	10	6	10	9	12	9	7	14	17	4	5	11	14	7	6
15—25 „ ...							9	7	10	11	12	13	5	6	6	7	7	13	8	10	10	14	7	6	8	9
25—45 „ ...							25	24	27	32	32	41	36	35	32	24	24	42	19	33	25	31	33	15	35	21
45—65 „ ...							45	38	41	55	48	51	49	35	36	36	42	44	36	44	43	45	35	30	38	36
65—75 „ ...							20	25	28	34	22	39	33	29	19	19	28	32	29	27	19	29	25	34	19	10
75 and upwards, ...							16	15	15	26	19	19	22	23	8	17	21	20	23	6	10	18	20	21	15	7
Deaths from :—																										
Enteric Fever, ...	2	.	1	2	1	.	.	1	.	2	3	2	2	2	4	3	1	2	1	3	1	1	.	1	1	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	2	1	.	1	4	3	6	2	2	2	2	3	7	7	7	3	2	1	7	11	5	8	17	4
Scarlet Fever, ...	1	3	1	1	.	2	7	.	.	1	.	4	6	2	2	.	.	1	.	1	4	1	.	1	1	.
Whooping-cough, ...	6	5	11	1	5	7	6	5	6	10	4	3	6	7	11	4	4	6	5	3	6	.	2	3	2	4
Diphtheria, ...	2	4	.	3	2	.	1	2	4	1	5	2	3	2	.	2	.	1	1	4	3	4	1	2	3	1
Influenza, ...	2	4	2	1	3	1	.	1	1	4	3	4	5	7	2	2	2	1	2	2	.	3	.	3	2	1
Dysentery, ...	—	—	—	—	—	—	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	14	16	25	14	19	19	21	19	27	28	19	27	22	18	20	17	28	32	16	29	21	33	22	21	17	25
Tuberculous Disease, Other Forms,	6	7	11	4	7	5	4	6	9	7	4	6	8	7	7	8	8	15	13	10	3	8	10	6	6	6
Cancer, ...	14	3	12	4	13	6	8	3	12	7	16	11	4	6	5	8	6	10	13	11	8	7	9	6	5	6
Diseases of Circulatory System,	24	30	30	23	28	31	17	20	13	25	19	23	17	21	14	13	24	27	22	23	14	15	24	17	23	7
Diseases of Respiratory System, Pneumonia,	16	14	15	27	18	11	15	16	10	17	18	20	15	21	13	16	14	13	13	18	19	16	18	22	15	12
Diseases of Respiratory System, Others, ...	29	37	27	32	26	25	29	25	28	42	30	41	44	28	29	25	23	27	24	24	26	26	16	34	20	15
Diarrhœa, Under 2 years, ...	4	6	2	2	2	1	3	2	2	4	4	2	3	3	1	1	2	5	1	3	2	1	2	2	1	2
Diarrhœa, 2 years & upwards,							.	.	.	.	1	.	.	1	1	.	3	.	1	.	.	.	1	2	.	.
Enteritis, under 2 years, ...	—	—	—	—	—	—	.	2	2	.	3	3	1	1	1	2	1	3	1	3	3	2	2	2	.	1
Violent Deaths, ...	3	4	4	8	4	6	2	8	1	4	7	4	2	5	2	4	5	5	5	6	1	7	9	3	.	1
Number of Uncertified Deaths,	7	5	5	3	3	6	4	5	7	7	3	3	2	4	7	8	7	2	5	1	1	2	8	4	3	1
Mean Temperature of the Air (Phœnix Park)	42·2	37·0	43·4	45·2	43·5	40·9	37·2	39·0	38·6	45·5	35·9	37·0	46·4	43·4	46·5	41·1	38·0	41·7	42·7	39·4	43·7	50·5	50·5	49·6	52·6	49·5
Average Mean Temperature in corresponding week of previous 10 years, ...	41·5	42·8	42·4	41·6	41·3*	41·3	42·0	40·0	40·8	40·5	40·3	40·3	39·8	39·9	40·5	41·7	42·7	42·6	42·4	44·1	43·1	45·1	46·2	46·7	48·1	49·1
Rainfall in inches, ...	1·206	1·820	1·700	1·172	·183	·130	·336	·345	·153	·034	·000	·011	·582	·523	·681	·316	·206	·000	·770	·131	·000	·501	·606	·780	·127	·262
Mean Humidity of the Air, complete Saturation 1·0, ...	·91	·93	·91	·91	·94	·88	·92	·90	·93	·92	·87	·90	·91	·91	·92	·91	·89	·87	·90	·86	·86	·89	·91	·93	·94	·92

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 20th May, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 20TH MAY, 1911.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	129	40	6	9	21	36	10	7	1	.	.	4	.	4	1	.	25	6	6	1	12	15	2	.	1	1	50	1
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	9·0	3	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	14·4	24	5	1	2	4	7	3	2	.	.	.	.	.	.	.	.	4	.	.	1	2	1	1	.	.	.	15	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	14·2	30	6	2	3	6	8	2	3	.	.	.	.	.	1	.	.	6	2	3	.	3	4	.	.	.	.	11	.
IV.	GENERAL SERVICE CLASS, ...	154,279	18·9	56	24	3	4	8	12	4	1	1	.	.	4	.	3	1	.	13	3	2	.	6	5	.	.	.	1	17	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	16	5	.	.	3	7	1	.	.	.	.	.	.	.	.	.	2	1	1	.	1	5	1	.	1	.	4	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	6·7	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	27·0	4	1	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	18·9	8	2	.	.	.	3	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	7	.
	6. Clerks and Commercial Assistants, ...	30,432	18·8	11	2	1	1	3	3	.	1	.	.	.	.	.	.	.	.	2	.	.	.	1	1	1	.	.	.	6	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	1·9	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	17·5	10	2	1	1	2	3	.	1	.	.	.	.	.	1	.	.	2	1	1	.	1	2	.	.	.	.	2	.
	10. Clothing Trades, ...	23,200	6·7	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.
	11. Food Supply Trades, ...	9,242	5·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	17·2	10	1	1	.	1	4	2	1	.	.	.	.	.	.	.	.	1	1	1	.	1	1	.	.	.	.	5	.
	13. Petty Shopkeepers, ...	7,894	13·2	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	7·8	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
	15. Domestic Servants, ...	36,603	8·5	6	2	.	2	1	.	.	1	1	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	1	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	29·0	8	3	1	.	1	1	2	.	.	.	.	1	.	.	1	.	2	.	.	.	1	.	.	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	23·2	40	18	2	1	6	11	2	.	.	.	.	2	.	3	.	.	10	3	1	.	4	5	.	.	.	.	12	1
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	16	5	.	.	3	7	1	.	.	.	.	.	.	.	.	.	2	1	1	.	1	5	1	.	1	.	4	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 30,219.	April 1,	27·6	.	16	.	.	.	.	.	.	.	.	1	2	.	3	1	.	.	.	1	.
	" 8,	20·7	.	12	.	.	.	.	.	.	.	.	1	2	.	2	.	.	.	.	.	.
	" 15,	6·9	1·7	4	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	.
	" 22,	12·1	.	7	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	" 29,	15·5	.	9	.	.	.	.	.	.	.	.	2	2	.	3	.	.	.	.	.	.
	May 6,	19·0	1·7	11	.	.	.	1	.	.	.	.	3	.	.	1	.	.	.	.	1	1
	" 13,	13·8	.	8	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.
	" 20,	15·5	3·5	9	.	.	.	.	.	1	.	.	4	.	.	.	.	1	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 40,390.	April 1,	15·5	.	12	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	2
	" 8,	25·8	3·9	20	.	.	.	.	.	1	.	.	3	.	.	1	4	1	.	1	1	.
	" 15,	33·6	5·2	26	.	.	.	3	.	.	.	.	3	.	.	2	5	1	.	.	.	.
	" 22,	16·8	5·2	13	.	.	.	2	.	.	1	.	3	.	.	.	.	.	.	1	.	1
	" 29,	24·5	1·3	19	.	.	.	1	.	.	.	.	3	.	.	1	5	.	.	.	.	3
	May 6,	21·9	2·6	17	.	.	.	2	.	.	.	.	.	.	.	4	4	.	.	.	.	1
	" 13,	33·6	3·9	26	.	.	.	1	.	1	.	.	4	1	1	2	4	1	.	.	.	1
	" 20,	27·1	3·9	21	1	.	.	.	.	2	.	.	3	.	.	1	6	.	.	.	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 31,064.	April 1,	36·9	.	22	.	.	.	.	.	.	.	.	1	3	3	2	2	.	.	.	.	.
	" 8,	33·6	5·0	20	.	.	.	.	.	.	1	.	.	1	3	3	3	2	.	.	.	.
	" 15,	26·9	3·4	16	.	.	.	.	1	1	.	.	2	.	.	3	2	.	.	.	1	.
	" 22,	15·1	1·7	9	.	.	.	1	.	.	.	.	.	.	1	.	3	.	.	.	.	.
	" 29,	47·0	5·0	28	.	.	.	.	.	.	.	.	4	3	2	2	4	2	.	1	.	.
	May 6,	23·5	3·4	14	.	.	.	.	.	.	1	.	2	.	.	2	5	1	.	.	.	.
	" 13,	31·9	6·7	19	.	.	.	3	.	1	.	.	2	1	.	1	2	.	.	.	.	.
	" 20,	21·8	.	13	.	.	.	.	.	.	.	.	4	1	1	1	.	.	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,908.	April 1,	21·5	3·1	14	1	.	.	1	.	.	.	.	4	.	.	1	1	.	.	.	.	.
	" 8,	26·1	7·7	17	1	.	.	.	1	2	1	.	1	.	1	2	3	.	.	.	.	.
	" 15,	20·0	4·6	13	.	.	.	.	1	2	.	.	1	.	1	1	1	.	.	.	.	.
	" 22,	35·4	3·1	23	.	.	.	2	.	.	.	.	1	1	.	4	3	.	.	.	2	.
	" 29,	20·0	4·6	13	.	.	.	2	.	.	.	.	1	.	.	2	1	.	1	.	2	.
	May 6,	24·6	10·8	16	.	.	.	4	.	.	.	.	2	1	.	3	2	1	2	.	.	.
	" 13,	35·4	9·2	23	.	.	.	6	.	.	.	.	1	1	1	2	5	.	.	.	.	1
	" 20,	16·9	4·6	11	.	.	.	2	.	.	.	.	1	.	.	1	2	1	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,908.	April 1,	14·9	2·5	12	.	.	.	.	.	2	.	.	.	.	1	.	5	.	.	.	.	.
	" 8,	23·6	.	19	.	.	.	.	.	.	.	.	3	.	2	.	4	.	.	.	1	.
	" 15,	31·1	3·7	25	.	.	.	1	1	.	.	.	3	1	1	.	5	.	.	1	.	1
	" 22,	27·4	5·0	22	1	.	.	1	.	.	1	.	5	.	1	1	3	.	.	1	.	.
	" 29,	12·4	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	1
	May 6,	29·9	2·5	24	.	.	.	1	.	.	.	.	5	.	1	.	4	.	.	1	.	.
	" 13,	12·4	.	10	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.
	" 20,	10·0	.	8	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,980.	April 1,	26·1	2·4	11	.	.	.	1	.	.	.	.	1	2	1	1	3	.	.	.	.	.
	" 8,	19·0	.	8	.	.	.	.	.	.	.	.	4	.	1	1	.	.	.	.	.	.
	" 15,	23·7	.	10	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.
	" 22,	28·5	4·7	12	.	.	.	1	.	.	1	.	4	1	1	1	.	.	.	.	.	.
	" 29,	28·5	.	12	.	.	.	.	.	.	.	.	3	1	2	1	.	.	.	.	.	.
	May 6,	23·7	2·4	10	.	.	.	.	.	1	.	.	1	1	1	2	2	.	.	.	.	1
	" 13,	14·2	4·7	6	.	.	.	2	.	.	.	.	1	.	.	.	2	.	.	.	.	.
	" 20,	14·2	.	6	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,677.	April 1,	27·5	.	23	.	.	.	.	.	.	.	.	2	3	2	1	2	.	.	.	.	1
	" 8,	26·3	4·8	22	1	.	.	1	.	.	.	.	4	2	1	1	5	.	.	2	.	1
	" 15,	14·3	4·8	12	1	.	.	1	.	1	.	.	.	.	.	2	.	.	.	1	.	.
	" 22,	28·7	1·2	24	.	.	.	1	.	.	.	.	2	.	.	2	6	.	.	.	.	.
	" 29,	32·2	6·0	27	.	.	.	2	.	1	1	.	1	1	.	2	2	.	.	1	3	1
	May 6,	20·3	2·4	17	1	.	.	.	.	1	.	.	1	1	1	2	5	.	.	.	1	.
	" 13,	23·9	2·4	20	1	.	.	.	.	.	1	.	1	.	2	3	2	.	.	.	.	.
	" 20,	11·9	2·4	10	.	.	.	1	.	.	1	.	1	.	1	3	1	.	.	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 36,254.	April 1,	15·8	1·4	11	.	.	.	.	.	.	.	.	1	.	1	2	1	1	.	.	1	1
	" 8,	38·8	1·4	27	.	.	.	.	.	.	1	.	3	5	1	4	1	.	.	.	3	.
	" 15,	21·6	7·2	15	.	.	.	2	1	2	.	.	1	.	.	2	2	.	.	.	.	.
	" 22,	30·2	1·4	21	.	.	.	.	1	.	.	.	6	2	1	2	3	.	.	.	2	.
	" 29,	21·6	.	15	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	3	1
	May 6,	21·6	.	15	.	.	.	.	.	.	.	.	5	.	.	.	4	.	.	.	.	.
	" 13,	17·3	4·3	12	.	.	.	2	.	.	1	.	2	1	.	1	1	.	.	.	.	.
	" 20,	12·9	2·9	9	.	.	.	1	.	.	.	.	.	2	.	.	2	.	.	1	.	1

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes.	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa: Children under 2 years.	Diarrhœa: 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 37,528.	April 1,	19·5	1·4	14	.	.	.	.	.	1	.	.	1	.	.	.	4	.	.	.	.	1
	„ 8,	16·7	1·4	12	1	.	.	.	.	.	.	.	3	.	.	2	.	.	.	.	1	.
	„ 15,	13·9	.	10	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.	.
	„ 22,	15·3	1·4	11	.	.	.	1	.	.	.	.	1	1	.	3	1	.	.	.	.	.
	„ 29,	12·5	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	May 6,	23·6	1·4	17	.	.	.	.	.	.	.	.	.	1	.	2	2	.	.	1	1	.
	„ 13,	8·3	1·4	6	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.
	„ 20,	15·3	.	11	.	.	.	.	.	.	.	.	4	.	1	.	.	.	.	.	1	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,368.	April 1,	10·7	.	6	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.
	„ 8,	14·2	.	8	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.
	„ 15,	24·9	1·8	14	.	.	.	.	.	.	.	.	2	.	2	4	3	1	.	.	.	.
	„ 22,	8·9	1·8	5	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 29,	16·0	1·8	9	.	.	.	.	.	1	.	.	1	1	1	.	1	.	.	.	.	.
	May 6,	21·3	3·6	12	.	.	.	.	1	1	.	.	1	.	.	3	1	.	.	.	.	.
	„ 13,	23·1	5·3	13	.	.	.	3	.	.	.	.	1	.	.	1	1	.	.	.	.	.
	„ 20,	10·7	1·8	6	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 (Est.) 17,622.	April 1,	17·8	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.
	„ 8,	14·8	.	5	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.
	„ 15,	17·8	.	6	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.
	„ 22,	44·4	3·0	15	.	.	.	1	.	.	.	.	4	.	1	.	1	.	.	.	.	.
	„ 29,	20·7	.	7	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.
	May 6,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1
	„ 13,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 20,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Belfast. Pop. in 1911 (Est.) 398,421.	April 1,	18·1	0·5	138	.	.	.	.	.	.	1	.	24	8	4	16	19	.	1	2	4	1
	„ 8,	22·5	0·5	172	1	.	.	.	1	.	.	.	26	8	5	13	26	1	.	1	8	3
	„ 15,	21·1	1·2	161	.	.	.	1	.	3	2	.	25	4	5	19	29	.	1	2	2	2
	„ 22,	20·2	0·7	154	.	.	.	.	.	2	1	.	14	11	6	23	34	.	.	2	3	.
	„ 29,	20·9	0·4	160	1	.	.	.	.	1	.	.	17	15	12	18	16	.	.	1	3	1
	May 6,	14·3	0·3	109	1	.	.	.	.	.	.	.	16	12	3	10	20	.	.	1	3	2
	„ 13,	15·7	0·4	120	.	.	.	.	1	.	.	.	25	7	6	10	15	1	.	1	4	1
	„ 20,	16·1	0·7	123	.	.	.	.	.	1	.	.	21	10	1	13	19	1	.	3	1	1
Cork. Pop. (in 1901) 76,122.	April 1,	19·2	.	28	.	.	.	.	.	.	.	.	4	2	2	3	3	.	.	.	.	1
	„ 8,	30·8	0·7	45	.	.	.	.	.	1	.	.	1	1	1	3	3	.	.	.	1	2
	„ 15,	27·4	0·7	40	1	.	.	.	.	.	.	.	6	.	3	3	4	.	.	.	.	1
	„ 22,	21·2	.	31	.	.	.	.	.	.	.	.	6	3	.	1	2	.	.	.	3	.
	„ 29,	24·0	1·4	35	.	.	.	.	.	2	.	.	7	3	1	2	3	.	.	.	.	7
	May 6,	23·3	3·4	34	1	.	.	.	.	1	.	.	4	2	1	2	2	2	1	.	.	1
	„ 13,	20·5	1·4	30	.	.	.	.	.	2	.	.	4	1	3	1	5	.	.	.	1	1
	„ 20,	17·8	1·4	26	.	.	.	.	.	2	.	.	6	1	1	1	1	.	.	.	1	.
Londonderry. Pop. in 1911 (Est.) 43,900.	April 1,	22·6	4·8	19	.	.	.	.	.	3	1	.	1	.	1	1	5	.	.	.	.	.
	„ 8,	35·6	2·4	30	.	.	.	.	.	2	.	.	1	.	1	5	8	.	.	.	1	.
	„ 15,	26·1	4·8	22	.	.	.	.	.	4	.	.	3	.	.	2	6	.	.	.	1	.
	„ 22,	17·8	5·9	15	.	.	.	.	.	4	.	.	.	.	1	.	3	1	.	.	.	.
	„ 29,	14·3	3·6	12	.	.	.	.	.	3	.	.	2	2	2	.	1	.	.	.	.	.
	May 6,	19·0	2·4	16	.	.	.	.	.	2	.	.	3	1	3	.	3	.	.	.	.	.
	„ 13,	10·7	.	9	.	.	.	.	.	.	.	.	3	.	1	.	2	.	.	.	.	1
	„ 20,	15·4	2·4	13	.	.	.	.	.	2	.	.	3	.	.	.	3	.	.	.	.	.
Limerick. Pop. (in 1901) 38,151.	April 1,	31·4	.	23	.	.	.	.	.	.	.	.	5	.	.	3	6	.	.	.	.	.
	„ 8,	17·8	.	13	.	.	.	.	.	.	.	.	3	.	.	2	3	.	.	.	.	2
	„ 15,	17·8	1·4	13	1	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	3
	„ 22,	28·7	.	21	.	.	.	.	.	.	.	.	2	1	1	2	9	.	.	.	.	1
	„ 29,	10·9	2·7	8	.	.	.	.	.	.	1	.	.	.	.	.	3	.	.	1	.	3
	May 6,	13·7	1·4	10	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2
	„ 13,	10·9	.	8	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.	.
	„ 20,	26·0	.	19	.	.	.	.	.	.	.	.	2	2	1	.	4	.	.	.	.	1
Waterford. Pop. (in 1901) 26,769.	April 1,	23·4	1·9	12	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	1	.
	„ 8,	11·7	1·9	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 15,	13·6	.	7	.	.	.	.	.	.	.	.	3	.	.	.	2	.	.	.	.	1
	„ 22,	31·2	.	16	.	.	.	.	.	.	.	.	2	2	.	2	5	.	.	.	.	1
	„ 29,	13·6	.	7	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	1
	May 6,	17·5	.	9	.	.	.	.	.	.	.	.	5	1	.	.	1	.	.	.	.	.
	„ 13,	11·7	.	6	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.
	„ 20,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 20th May, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 25 years.	Ages at Death: 25 and under 45 years.	Ages at Death: 45 and under 65 years.	Ages at Death: 65 years and upwards.	Deaths from: Enteric Fever.	Deaths from: Typhus.	Deaths from: Small-pox.	Deaths from: Measles.	Deaths from: Scarlet Fever.	Deaths from: Whooping-cough.	Deaths from: Diphtheria.	Deaths from: Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa: Of children under 2 years of age.	Diarrhœa: 2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.			The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.																												
BELFAST URBAN No. 1 DISTRICT,	349,180	6			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 2 do.		19			15	2	1	2	5	3	2	.	.	.	.	.	.	.	.	3	.	1	1	2	1	.	1	.	1	6	.
Do. 3 do.		15			15	3	1	.	2	7	2	.	.	.	.	.	1	.	.	3	.	.	4	1	.	.	.	.	1	3	.
Do. 4 do.		12			14	3	1	1	5	1	3	.	.	.	.	.	.	.	.	3	1	.	1	3	.	.	.	.	.	5	.
Do. 5 do.		6			9	2	2	2	2	.	1	.	.	.	.	.	.	.	.	.	3	.	.	2	.	.	.	.	.	3	.
Do. 6 do.		18			10	3	2	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	1	.
Do. 7 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		12			8	1	.	2	1	2	2	.	.	.	.	.	.	.	.	.	2	.	1	2	.	.	.	.	.	2	.
Do. 10 do.		11			12	4	.	.	1	4	3	.	.	.	.	.	.	.	.	1	.	.	2	3	.	.	.	.	.	1	.
Do. 11 do.		24			15	2	2	1	4	5	1	.	.	.	.	.	.	.	.	7	.	.	2	1	.	.	.	.	.	1	.
Do 12 do.		26			10	2	.	1	2	3	2	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.	2	.	.	.	.
Do. 13 do.		9			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		21			14	3	.	4	2	4	1	.	.	.	.	.	.	.	.	3	2	.	.	1	.	.	.	1	1	5	1
Total,	—	180			123	25	9	15	26	31	17	.	.	.	.	.	1	.	.	21	10	1	13	19	1	.	3	1	3	28	1
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	3	28·4	.	7	.	.	.	3	2	2	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	2	.
Do. 2 do.	10,701	9	9·7	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Do. 3 do.	9,978	5	15·7	.	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.
Do. 4 do.	8,666	3	6·0	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do.	6,592	3	15·8	.	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
Do. 6 do.	10,702	9	19·5	4·9	4	.	2	.	2	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	1	.
Do. 7 do.	16,616	8	22·0	3·1	7	1	1	1	1	.	3	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	1	.	3	.
Total	76,122	40	17·8	1·4	26	2	3	2	7	4	8	.	.	.	.	.	2	.	.	6	1	1	1	1	.	.	.	1	1	9	.

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910–11—WEEK ENDING																									
	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.
No. of weeks in Annual Series,	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
BIRTHS registered, ...	181	175	185	167	200	199	241	231	233	188	212	218	216	213	232	193	220	218	232	232	204	189	235	254	229	180
DEATHS registered, ...	134	109	151	133	132	91	122	151	118	118	128	146	149	141	133	118	118	147	138	172	161	154	160	109	120	123
Annual Death rate per 1,000 of estimated population, ...	17·9	14·5	20·1	17·7	17·6	12·1	16·0	19·8	15·4	15·4	16·8	19·1	19·5	18·5	17·4	15·4	15·4	19·2	18·1	22·5	21·1	20·2	20·9	14·3	15·7	16·1
AGES, Under 1 year, ...	24	17	34	20	22	18	21	30	23	26	24	24	31	21	25	20	33	23	26	36	24	23	23	19	19	25
1—5 years, ...	5	8	11	17	12	8	12	11	8	10	10	7	10	14	9	10	6	17	11	7	10	14	13	10	9	9
5—25 „ ...	105	84	106	96	98	65	7	20	16	11	6	11	21	17	18	9	10	19	11	14	17	13	21	13	17	15
25—45 „ ...							30	37	17	13	25	27	30	29	16	23	14	28	23	36	32	26	27	25	23	26
45—65 „ ...							32	25	21	27	34	34	32	26	35	29	27	30	38	45	37	39	46	22	29	31
65 and upwards, ...							20	28	33	31	29	43	25	34	30	27	28	30	29	34	41	39	30	20	23	17
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.
Typhus, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	2	3	3	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Scarlet Fever, ...	1	.	1	2	1	1	1	1	1	.	.	1	.	1	.	.	1	1	.	1	.	.	.	.	1	.
Whooping-cough, ...	1	.	1	.	1	1	.	.	1	1	1	.	.	1	1	1	1	.	.	.	3	2	1	.	.	1
Diphtheria, ...	.	1	4	.	.	.	.	.	1	2	1	.	.	.	.	.	.	1	1	.	2	1	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	17	13	14	12	15	9	14	23	17	13	10	11	22	15	13	19	7	22	24	26	25	14	17	16	25	21
Tuberculous Disease. Other Forms,	4	7	5	7	3	3	7	7	4	4	4	4	11	10	10	7	8	9	8	8	4	11	15	12	7	10
Cancer, ...	9	6	5	8	6	5	7	2	7	11	6	5	5	8	3	6	11	8	4	5	5	6	12	3	6	1
Diseases of Respiratory System, Pneumonia,	8	7	13	10	10	7	8	9	7	7	7	11	14	11	15	10	10	14	16	13	19	23	18	10	10	13
Diseases of Respiratory System, Others, ...	25	25	36	22	29	18	18	24	24	20	25	26	25	20	20	20	14	16	19	26	29	34	16	20	15	19
Diarrhœa, Under 2 years, ...	1	1	4	3	1	.	1	.	.	.	.	1	.	.	1	.	1	.	.	1	.	.	.	.	1	1
Diarrhœa, 2 years & upwards							1	1	.	.	.	1	.	.	.	1	.	3	1	.	1	.	.	.	.	.
Enteritis, under 2 years, ...	—	—	—	—	—	—	1	.	.	2	2	3	2	2	1	.	.	3	2	1	2	2	1	1	1	3
Violent Deaths, ...	5	3	2	6	2	4	6	6	1	2	4	4	.	4	3	2	1	3	4	8	2	3	3	3	4	1
Number of Uncertified Deaths, ...	.	3	4	1	1	3	3	.	1	5	2	1	.	.	3	2	1	.	1	3	2	.	1	2	1	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,912,054	May 20,	2,239	1,026	10·9	.	.	29	2	25	6	15*a*
Edinburgh, ...	320,829	„ 20,	166	115	18·7	.	.	1	1	4	1	3
Glasgow, ...	784,621	„ 20,	477	228	15·2	1	.	5	.	31	.	1
Calcutta, ...	—	Apr. 15,	.	561	34·4	238*	4	1	.	2	1	112‡
Bombay, ...	977,822	„ 15,	353	1,003	53·3	388*	25	23	.	.	.	68
Madras, ...	509,346	Mar. 25,	328	449	45·8	70*	29	5	?	?	?	105‡
Cairo, ...	689,439	Apr. 1,	661	450	34·0	4	.	7	5	.	13†	38*a*
Paris, ...	2,760,000	„ 22,	1,170	1,053	20·0	5	.	21	2	5	9†	22*a*
Brussels, ...	720,030	„ 22,	223	208	15·0	.	.	5	.	1	.	9
Antwerp, ...	320,640	„ 29,	125	54	8·8	.	.	1	.	1	.	2*a*
Amsterdam, ...	576,260	„ 29,	232	156	14·1	.	.	12	.	2	.	1*a*
Copenhagen, ...	459,000	„ 29,	233	160	18·2	.	.	2	1	5	2†	1
Stockholm, ...	343,832	„ 22,	139	115	17·4	.	.	.	.	.	.	2
Christiania, ...	240,178	May 6,	119	69	14·9	.	.	1	.	3	2	1
St. Petersburg, ...	1,639,266	Apr. 8,	831	645	20·5	6	4	12	7	5	11	41
Moscow, ...	1,493,600	„ 8,	.	795	27·8	1	8	12	15	7	20†	70
Berlin, ...	2,061,784	„ 15,	827	630	15·9	1	.	5	3	10	20†	20
Hamburg, ...	932,166	„ 29,	.	280	15·6	.	.	.	3	2	8†	25
Breslau, ...	514,493	„ 29,	.	190	19·3	1	.	4	2	.	.	20
Munich, ...	597,000	May 6,	.	172	15·0	.	.	.	1	1	2†	18
Vienna (with suburbs),	2,051,227	Apr. 29,	881	696	17·6	1	.	5	3	4	4†	45*a*
Buda-Pesth, ...	891,585	„ 29,	452	335	19·5	2	.	2	9	.	5†	14*a*
Prague and Faubourgs,	508,310	„ 15,	188	181	18·5	1	.	3	1	2	2†	9*a*
Trieste, ...	229,499	„ 22,	144	109	24·8	1	1	1	.	1	2†	1*a*
Rome, ...	593,110	Feb. 18,	300	349	30·7	2	.	2	.	3	3	9
Venice, ...	184,325	Apr. 15,	74	60	17·0	.	.	.	.	1	.	4
New York, ...	4,983,385	„ 8,	2,548	1,756	18·4	6	.	16	33	12	39†	62*a*
Philadelphia, ...	1,580,250	Mar. 25,	.	656	21·6	4	.	8	5	6	14	9*a*
Boston, ...	685,912	Apr. 29,	.	206	15·6	.	.	2	2	4	2	12

* Deaths from "fever," including 6 deaths from enteric fever and 163 deaths from plague in Calcutta, and 332 from plague in Bombay.

† Including deaths from croup.

‡ Including 77 deaths from cholera in Calcutta, and one in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending May 20th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) — *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	2	.	.	3	.	.	1	.	.	.	1	7
" " 1, West, ...	.	.	.	.	1	.	.	.	1	.	.	1	3
" " 2, ...	.	2	1	.	3	.	.	1	.	.	.	.	7
" " 3, ...	.	1	1	.	2	.	.	1	.	.	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	5	1	.	.	.	.	1	3	.	.	5	15
" " 2, ...	.	.	1	.	1	.	.	.	1	.	.	2	5
" " 3, ...	.	1	.	.	4	.	.	2	1	.	.	2	10
" " 4, ...	.	1	.	.	3	.	.	.	.	.	.	2	6
New Kilmainham, ...	.	1	.	.	1	.	.	.	1	.	.	.	3
Total, ...	.	13	4	.	18	.	.	6	7	.	.	13	61

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 20th May, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 20th May.			
	April 29.	May 6.	May 13.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	81	89	103	22	37	.	88
Scarlet Fever, ...	86	78	79	14	17	.	76*
Typhus, ...	2	2	3	4	.	.	7
Diphtheria, ...	63	61	57	18	9	1	65
Enteric Fever, ...	54	48	50	6	9	.	47
Pneumonia, ...	35	38	34	8	10	.	32

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 20th May, 1911:—

"This week opened and closed with cool weather. In the middle of the period the days were warm owing to bright sunshine, but the nights were throughout cool. At the beginning of the week a large shallow atmospheric depression was centred over Ireland, but extended its borders all over the British Islands, as well as to Norway, Denmark, Germany, and the greater part of France. The winds of the system were light and variable, the weather was dull, and rainy in many places; temperature also was low. The depression drifted slowly northwards and began to fill up gradually, so that by Wednesday morning it had wholly disappeared. Meanwhile, on Monday afternoon rain fell abundantly in Dublin in the form of heavy showers, the measurement being ·120 inch. On and after Tuesday the weather was rainless in this City; but small, shallow depressions developed over Central France and Western Germany on the day named and these led to heavy rains in various places, 2·09 inches being recorded at Frankfurt on Wednesday morning, and 1·18 inches at Nice. On Thursday morning Munich reported a rainfall of 1·50 inches. On Tuesday and Wednesday the thermometer rose to 70° or a trifle over it in several parts of central and southern England, whereas at many coast stations in both Great Britain and Ireland it did not reach 60°. On Thursday a very decided polar air-current began to pass southwards across Great Britain, next day the same thing happened in Ireland, and the week closed with an air-temperature which was distinctly low for the time of year. In Dublin the mean height of the barometer was 29·970 inches, atmospheric pressure ranging from 29·530 inches at 3 p.m. of Sunday (wind, N.) to 30·292 inches at 9 a.m. of Sunday (wind, E.). The corrected mean temperature was 53·2°, which was also the mean of the dry bulb readings at 9 a.m. and 9 p.m. The screened thermometers fell to 45·9° on Wednesday and rose to 65·4° on Thursday. Light variable N. to E. winds prevailed. The rainfall was ·129 inch on 2 days, ·120 inch being measured on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·793 inches. The highest reading (30·117) was on Friday at 9 p.m. and Saturday at 9 a.m., air calm, and the lowest (29·368) on Sunday at 9 a.m., air calm.

The mean temperature for the week was 49·5°, being 0·4° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Thursday, on which day the thermometer registered 63·7°, and was lowest on Wednesday, the mercury having fallen to 35·1°. The mean of the Dry Bulb for the week was 50·6° and of the Wet Bulb, 49·2°. The mean humidity of the air was ·92, complete saturation being represented by 1·0. The rainfall during the week measured 0·262 inch.

At Greenwich the mean temperature for the week was 54·7°, the maximum 72·2°, and the minimum 45·3°; at Glasgow the maximum was 66·2°, the minimum 38·0°, and the mean 53·6°; and at Edinburgh the maximum was 61·9°, the minimum 40·6°, and the mean 49·6°. The rainfall at Greenwich measured 0·36 in.; at Glasgow 0·62 in.; and at Edinburgh 0·14 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, May 14,	29·383	56·8	44·8	50·8	49·2	49·0	·99	·6	1·3	·022	Calm.	Calm.
Monday, „ 15,	29·509	57·0	40·5	48·8	52·0	50·7	·92	·1	2·7	·240	Calm.	Calm.
Tuesday, „ 16,	29·752	59·3	40·7	50·0	50·7	49·1	·89	·1	2·5	·000	W.S.W.	Calm.
Wednesday, „ 17,	29·782	60·1	35·1	47·6	54·8	52·5	·86	·5	8·7	·000	N.E.	Calm.
Thursday, „ 18,	29·914	63·7	44·9	54·3	51·5	50·0	·91	·5	11·6	·000	Calm.	Calm.
Friday, „ 19,	30·107	55·7	39·9	47·8	49·0	47·7	·92	·6	14·0	·000	N.W.	Calm.
Saturday, „ 20,	30·104	54·7	38·9	46·8	46·7	45·6	·92	·5	2·8	·000	Calm.	Calm.
Mean, ...	29·793	58·2	40·7	49·5	50·6	49·2	·92	·4	Total 43·6	Total ·262	—	

Sunday—Day overcast to cloudy, passing showers; night clear. *Monday*—Day cloudy, passing showers p.m.; night clear. *Tuesday*—Day cloudy; night cloudy. *Wednesday*—Day bright to cloudy, fine; night cloudy. *Thursday*—Day cloudy to bright, fine; night clear. *Friday*—Day bright, fine; night clear. *Saturday*—Day overcast to cloudy, fine; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, May 20th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, May 14,	54·6	55·9	50·6	56·0	50·1	53·1	0·2	·001
Monday, „ 15,	53·8	54·5	50·9	56·1	46·6	51·4	1·8	·150
Tuesday, „ 16,	54·0	54·3	51·1	58·4	46·1	52·3	2·3	—
Wednesday, „ 17,	56·7	53·9	51·4	59·6	43·0	51·3	9·4	—
Thursday, „ 18,	57·2	55·6	51·4	65·0	49·0	57·0	10·4	—
Friday, „ 19,	55·4	56·0	51·7	60·5	45·9	53·2	13·0	—
Saturday, „ 20,	52·2	55·7	51·7	54·7	44·9	49·8	2·9	—
Weekly Mean, .	54·8	55·1	51·3	58·6	46·5	52·6	Total 40·0	Total ·151

Errata.—In the Return for the week ended 13th instant, the minimum air temperature in shade for 9th instant should read 44·0°, the mean temperature 51·9, the average minimum temperature 47·7°, and the average mean temperature 54·6°.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30532. Wt. P. 1–60/138. 375. 4. 1911. Sch. C 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN:

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & CO., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 27TH MAY, 1911. [No. 21.

General Register Office, Charlemont House, Dublin, 29th May, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,163,596.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending May 6	May 13	May 20	May 27	Average Rate for 4 weeks.
22 Town Districts,	**18·2**	**17·8**	**16·1**	**16·5**	**17·1**
Armagh	13·7	20·6	34·4	13·7	20·6
Ballymena	33·5	23·9	23·9	.	20·3
Belfast	14·3	15·7	16·1	16·1	15·6
Clonmel	20·5	10·3	20·5	5·1	14·1
Cork	23·3	20·5	17·8	20·5	20·5
Drogheda	8·2	20·4	4·1	16·3	12·3
Dublin Reg. Area ...	21·3	20·8	15·5	19·0	19·1
Dundalk	12·0	35·9	16·0	31·9	23·9
Galway	11·7	11·7	7·8	15·5	11·7
Kilkenny	19·7	29·5	14·7	14·7	19·6
Limerick	13·7	10·9	26·0	6·8	14·4
Lisburn	22·7	4·5	18·2	9·1	13·6
Londonderry	19·0	10·7	15·4	10·7	14·0
Lurgan	35·4	22·1	8·9	4·4	17·7
Newry	21·0	33·6	12·6	21·0	22·0
Newtownards	11·4	11·4	5·7	11·4	10·0
Portadown	.	10·3	10·3	20·7	10·3
Queenstown	19·8	19·8	26·4	13·2	19·8
Sligo	33·6	9·6	14·4	14·4	18·0
Tralee	26·4	15·9	15·9	10·6	17·2
Waterford	17·5	11·7	11·7	19·5	15·1
Wexford	14·0	14·0	23·3	4·7	14·0

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·0 per 1,000, the rates varying from 0·0 in sixteen of the districts to 4·0 in Dundalk, the 8 deaths from all causes for that district including one from diphtheria. Included in the 123 deaths from all causes for Belfast are one from whooping-cough, and 5 from diarrhœal diseases. Among the 30 deaths from all causes for Cork one is from whooping-cough, and 2 deaths from this disease are included in the 9 deaths for Londonderry.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 246—133 boys and 113 girls—and the deaths to 158—82 males and 76 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·0 per 1,000 of the population. During the twenty-one weeks ending with Saturday last the death-rate averaged 22·4, and was 2·8 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 158, represent an annual rate of 20·2 per 1,000; the annual rate for the past twenty-one weeks was 23·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·3 per 1,000 of the mean population for all deaths registered.

Among the deaths there was one from enteric fever, there were 6 deaths from measles, 2* from scarlet fever, one death from whooping-cough, 2 deaths from diarrhœa and *enteritis* of children under 2 years of age, and 2 deaths from influenza. In each of the three preceding weeks, deaths from enteric fever were one, one, and one; deaths from measles were 8, 17, and 4; deaths from scarlet fever were one, one and 0; deaths from whooping-cough were 3, 2, and 4; deaths from diarrhœa and *enteritis* of children under 2 years of age were 4. one, and 3; and deaths from influenza were 3, 2, and one.

There was one death from tetanus of a child aged 9 years.

Broncho-pneumonia and *pneumonia* (type not distinguished) each caused 3 deaths.

Thirty-one deaths were caused by tuberculous disease (all forms); the total includes 22 deaths from pulmonary tuberculosis, 5 deaths from tuberculous meningitis, 3 deaths from abdominal tuberculosis, and one death from tuberculosis of ribs. In the three preceding weeks deaths from all forms of tuberculous disease were 27, 23, and 31, respectively.

Cancer accounted for the deaths of 11 persons.

Of 19 deaths from diseases of the brain and nervous system, 5 were of infants under one year of age from *convulsions*.

There were 18 deaths from organic heart diseases, and 14 deaths from bronchitis.

The deaths of 4 infants were ascribed to prematurity.

Five deaths were assigned to accidental causes; of these, one was by burning and 2 were by drowning.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of three children under 5 years of age (including one infant under one year old) and the deaths of 2 persons aged 65 years and upwards.

Thirty-seven of the persons whose deaths were registered during the week were under 5 years of age (16 being infants under one year, of whom 6 were under one month old) and 36 were aged 65 years and upwards, including 28 persons aged 70 years and upwards; among the latter were 12 aged 75 years and upwards.

Sixty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse and 19 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·0 per 1,000; the rate in the City was 20·5 (North City Districts, 20·8; South, 20·1) and in the Suburbs, 13·9.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants, the rate for the City being 1·7 (2·6 in the North City Districts, and 0·7 in the South), and for the Suburbs, 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (21) are equal to an annual rate of 36·2 per 1,000. Enteric fever, scarlet fever, and *enteritis* of a child under 2 years of age, each caused one death, there were 2 deaths from tuberculous disease, there was one death from broncho-pneumonia, 3 deaths from bronchitis, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 19·4 per 1,000, and included one death from measles, 3 deaths from tuberculous disease, one death from broncho-pneumonia, 2 deaths from bronchitis and one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 16·8 per 1,000. There were 2 deaths from measles, one death from pulmonary tuberculosis, one death from bronchitis, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (9) represent an annual rate of 13·8 per 1,000. Measles and diarrhœa each caused one death, and there were 2 deaths from pulmonary tuberculosis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 13·3; and Finglas and Glasnevin, part of, 33·5. The only death for Clontarf and Howth, No. 1. part of, was from pulmonary tuberculosis. Included in the 3 deaths for Coolock and Drumcondra, part of, one was from each of pulmonary tuberculosis and tuberculous meningitis, and one of the 5 deaths from all causes for Finglas and Glasnevin, part of, was from influenza.

No. 1 South City District (South Earl-street).—The deaths (17) represent an annual rate of 21·2 per 1,000. The deaths included one from influenza, 5 from tuberculous disease, one from *pneumonia* (type not distinguished), and 3 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (11) are equal to an annual rate of 26·1 per 1,000. Among the deaths there was one from whooping-cough, there were 2 from tuberculous disease, and 3 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (14) are equal to an annual rate of 16·7 per 1,000, and include 2 deaths from tuberculous disease, one death from each of broncho-pneumonia, and *pneumonia* (type not distinguished), and 2 deaths from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (15) are equivalent to an annual rate of 21·6 per 1,000. There was one death from diarrhœa, there were 2 deaths from pulmonary tuberculosis, and one accidental death.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·4 per 1000. One of the deaths was from pulmonary tuberculosis, and one was from tuberculous meningitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 15·3; Pembroke, 10·7; Blackrock, 11·6; and Kingstown, 17·8. The deaths from the principal epidemic diseases tabulated for these districts comprise 2 from measles for Pembroke. Of the 11 deaths from all causes for Rathmines and Rathgar 4 were from pulmonary tuberculosis. Among the 6 deaths for Pembroke one was from pulmonary tuberculosis, and there was one accidental death, and included in the 6 deaths from all causes for Kingstown one was from *pneumonia* (type not distinguished).

*See note (*c*) Table II. † See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 27th May, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	May 6,	.	—	—	16	.	.	8	.	.	3	2	.	—	—	.	—	15	—	44
	May 13,	.	—	—	7	1	.	16	.	1	8	6	.	—	—	.	—	13	—	52
	May 20,	.	—	—	13	4	.	18	.	.	6	7	.	—	—	.	—	13	—	61
	May 27,	.	—	—	14	.	.	3	.	2	7	1	.	—	—	.	—	9	—	36
Rathmines and Rathgar Urban District.	May 6,	.	—	—	2	.	.	2	.	.	2	.	.	—	—	—	—	—	—	6
	May 13,	.	—	—	1	.	.	2	.	.	.	1	.	—	—	—	—	—	—	4
	May 20,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	May 27,	.	—	—	1	.	.	1	.	.	2	.	.	—	—	—	—	—	—	4
Pembroke Urban District.	May 6,	.	16	.	.	.	.	.	.	.	1	.	.	—	1	.	—	.	—	18
	May 13,	.	14	.	1	.	.	.	.	.	.	.	.	—	2	.	—	.	—	17
	May 20,	.	12	.	.	.	.	.	.	.	.	.	.	—	4	.	—	.	—	16
	May 27,	.	12	.	.	.	.	1	.	.	.	1	.	—	10	.	—	.	—	24
Blackrock Urban District.	May 6,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	.	—	—	—	2
	May 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 27,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	May 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	May 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	May 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	May 27,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	.	—	1
City of Belfast.	May 6,	.	—	—	13	.	.	4	.	.	.	1	.	—	—	.	—	17	—	35
	May 13,	.	—	—	9	.	.	3	.	.	2	1	1	—	—	.	—	10	—	26
	May 20,	.	—	—	7	.	.	6	.	.	.	1	.	—	—	1*	—	24	—	39
	May 27,	.	—	—	11	.	.	8	.	.	2	2	1	—	—	.	—	6	—	30

* Returned as cerebro-spinal meningitis.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 27th May, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Twenty-five cases of measles were admitted to hospital during the week, 36 were discharged, there were 2 deaths, and 75 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 89, 103, and 88, respectively.

Eighteen cases of scarlet fever were admitted to hospital, 17 were discharged, there were 3 deaths, and 74* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 78, 79, and 76, respectively.

One case of typhus was discharged from hospital during the week, and 6 cases remained under treatment at its close.

Three cases of diphtheria were admitted to hospital during the week, and 27 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 61, 57, and 65, respectively, were 41 at the close of last week.

Fourteen cases of enteric fever were admitted to hospital during the week, 15 were discharged, and 46 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 48, 50, and 47.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 7 were discharged, and 33 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 12·2) was equal to an average annual death-rate of 13·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·7 per 1,000, the rate for Glasgow being 18·3 and for Edinburgh 16·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 27th May. From this Report it appears that of a total of 35 cases notified, 24 were phthisis, 6 diphtheria, 4 scarlet fever, and one erysipelas. Among the 331 cases of infectious diseases in hospital at the close of the week were 102 cases of scarlet fever, 62 of phthisis, 61 of whooping-cough, 49 of diphtheria, 39 of measles, 9 of chicken-pox, 4 of erysipelas, 3 of enteric fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 27th May, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 27th May, 1911. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Phthisis.	Other Forms.	Cancer.	Pneumonia.	Other.	Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 27th May, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th May, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 13th May, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
Total of 22 Town Districts, ...	1,163,596	20·4	29·7	16·5	1·0	662	369	52	81	1	...	...	6	1	5	1	...	58	26	19	14	34	3	2	4	9	13	117	19	...	...	...	...	...	...	...	...	...	...	...	...
Dublin Registration Area:—Total, (c.) ...	407,057	29·6	31·5	19·0	1·5	246	148	15	34	1	...	...	6	1	1	...	...	21	8	9	6	14	1	1	1	5	5	59	5	c68·6	31·0	55·3	0·01	c63·7	35·1	49·5	0·26	c64·8	39·3	52·6	0·13
City of Dublin.	313,526	39·6	35·4	20·5	1·7	213	123	13	25	1	...	...	4	1	1	...	...	16	8	7	5	14	1	1	1	4	5	54	5	f69·8 g69·1	41·2 35·0	57·6 56·4	0·00 0·00	f65·4 g64·8	45·9 41·0	53·2 51·3	0·13 0·25	f66·5 g65·9	47·0 41·0	55·2 54·1	0·54 0·34
Urban Districts. Rathmines and Rathgar.	37,528	21·9	13·9	15·3	...	10	11	1	3	...	...	...	...	...	...	...	...	4	...	1	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,368	18·5	16·0	10·7	3·6	9	6	...	2	...	...	...	2	...	...	...	...	1	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,013	8·3	...	11·6	...	...	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,622	12·1	41·4	17·8	...	14	6	1	2	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	2	...	66	39	56·5	0·00	62	43	52·3	0·04	62	44	53·4	0·13
Urban Districts. Belfast, ...	398,421	27·1	28·0	16·1	0·8	214	123	22	22	...	...	...	...	...	1	...	...	21	12	4	6	11	2	...	3	1	4	35	1	65·0	39·5	55·3	0·15	64·0	41·0	53·7	1·47	66·0	39·0	53·5	0·35
Cork, ...	76,122	33·6	21·2	20·5	0·7	31	30	7	6	...	...	...	...	...	1	...	...	7	2	2	1	1	...	...	...	...	...	14	3	67	47	55·1	0·06	67	44	53·6	0·03	64	46	54·0	0·12
Londonderry ...	43,900	20·3	26·1	10·7	2·4	22	9	1	2	...	...	...	...	...	2	...	...	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,151	18·1	23·2	6·8	...	17	5	2	2	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	3	64·6	41·4	54·3	0·13	66	40·8	53·4	0·04	72	41·7	55·3	0·72
Waterford, ...	26,769	18·7	31·2	19·5	1·9	16	10	2	3	...	...	...	...	...	...	...	...	3	...	1	...	...	...	1	...	...	1	4	2	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,426	2·5	27·2	15·5	...	7	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	2	2	1	...	64	47	54	0·79	72	40	55	0·00	73	40	56	0·51
Dundalk, ...	13,076	9·4	8·0	31·9	4·0	2	8	...	2	...	...	...	...	...	...	1	...	2	1	...	...	2	...	...	...	1	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,760	8·6	32·7	16·3	...	8	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	12,405	17·8	21·0	21·0	...	5	5	...	3	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	2	2	65·9	39·7	54·6	0·21	66·1	39·0	53·0	0·38	69·0	42·1	54·4	0·46
Lurgan, ...	11,782	13·8	22·1	4·4	...	5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	65·9	39·7	54·6	0·21	66·1	39·0	53·0	0·38	69·0	42·1	54·4	0·46
Lisburn. ...	11,461	10·1	27·3	9·1	...	6	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	65·9	39·7	54·6	0·21	66·1	39·0	53·0	0·38	69·0	42·1	54·4	0·46
Wexford. ...	11,168	23·2	37·4	4·7	...	8	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena. ...	10,886	8·9	134·1	...	...	28	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	10,870	3·7	57·6	14·4	...	12	3	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	64·4	35·0	51·8	0·33	63·3	36·3	50·7	0·00	74·0	35·4	55·3	0·28
Kilkenny, ...	10,609	11·5	49·1	14·7	...	10	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	67	40	57·0	0·11	65	42	53·2	0·46	70	42	56·0	0·21
Clonmel, ...	10,167	7·8	5·1	5·1	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	10,092	13·2	51·7	20·7	...	10	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	65·9	39·7	54·6	0·21	66·1	39·0	53·0	0·38	69·0	42·1	54·4	0·46
Tralee. ...	9,867	16·6	31·7	10·6	...	6	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	17·2	11·4	...	3	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	64	42	53·3	0·02	59	44	51·1	0·15	61	45	51·8	0·94
Queenstown, ...	7,909	14·4	26·4	13·2	...	4	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	67	47	55·1	0·06	67	44	53·6	0·03	64	46	54·0	0·12
Armagh. ...	7,588	22·2	6·9	13·7	...	1	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	65·9	39·7	54·6	0·21	66·1	39·0	53·0	0·38	69·0	42·1	54·4	0·46

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1911. (b) See note (‡) at foot of first page. (c) Exclusive of 10 deaths of persons (including one under 1 year old and 2 at 65 years or upwards), admitted to hospital from localities outside the Area: of the 10 deaths one was from scarlet fever. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 27th of May, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN. REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	2	1	.	.	.	.	.	.	.	.	.	2	.	.	6	.
Scarlet Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Whooping-cough,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	1	2	1	2	1	1	.	3	1	1	2	1	4	1	.	.	21	1
Tuberculous Disease. — Other Forms,	1	1	.	.	.	1	.	2	1	1	.	1	.	.	.	.	8	1
Cancer,	2	.	.	1	.	.	1	2	1	.	.	.	1	.	.	1	9	2
Diseases of Nervous System,	2	.	.	1	.	.	.	4	.	4	2	.	3	.	.	1	17	2
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	3	3	2	1	.	.	1	.	1	2	1	.	1	.	1	1	17	2
" Respiratory System. — Pneumonia,	1	1	.	.	.	.	.	1	.	2	.	.	.	.	.	1	6	.
" Respiratory System. — Others,	3	2	1	.	.	.	.	3	3	2	.	.	.	.	.	.	14	.
" Digestive System. — Diarrhœa, under 2 years,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. — *Enteritis*, under 2 years,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Others,	3	.	1	1	.	1	2	.	1	.	1	.	1	.	.	1	12	.
" Genito-urinary System,	.	1	.	1	.	.	.	.	.	1	2	.	1	1	.	.	7	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	3	2	.	.	.	.	.	2	1	5	.	.	.	1	1	16	1
Violent Deaths,	1	1	1	.	.	.	.	.	.	.	1	.	.	1	.	.	5	.
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	2	.
Deaths from All Causes	21	15	10	9	1	3	5	17	11	14	15	2	11	6	2	6	148	10
Annual Rate of Mortality from All Causes in every 1,000 of the population.	36·2	19·4	16·8	13·8	9·6	13·3	33·5	21·2	26·1	16·7	21·6	11·4	15·3	10·7	11·6	17·8	19·0	.
	20·8							20·1					13·9					
	20·5																	
Ages at Death. — Under 1 year,	.	1	2	.	.	.	.	5	1	1	3	.	1	.	.	1	15	1
1 and under 2 years,	1	3	.	1	.	1	.	2	1	1	.	.	.	1	.	.	11	.
2 " 5 "	1	1	2	1	.	.	.	.	2	.	.	1	.	2	.	.	10	.
5 " 15 "	4	.	2	.	.	.	1	1	1	2	1	.	1	.	.	1	14	.
15 " 25 "	1	.	1	.	.	.	1	1	1	1	.	.	3	.	.	.	9	2
25 " 45 "	4	4	.	3	1	1	.	.	.	.	3	1	2	.	.	1	20	1
45 " 65 "	7	2	3	2	.	1	.	5	3	6	3	.	1	1	.	1	35	4
65 and upwards,	3	4	.	2	.	.	3	3	2	3	5	.	3	2	2	2	34	2
Number of Uncertified Deaths,	2	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	5	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	5	6	3	5	.	1	1	2	1	3	2	.	.	1	.	2	32	10
Workhouse Hospitals,	2	2	1	3	.	.	.	7	4	3	2	1	2	.	.	.	27	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday May 25, 1901.	May 24, 1902.	May 30, 1903.	May 28, 1904.	May 27, 1905.	May 26, 1906.	May 25, 1907.	May 23, 1908.	May 29, 1909.	May 28, 1910.	Averages in 21st Week of the 10 years 1901–1910.	In the Week ending Saturday, 27th May, 1911. Mean Temp.	Deaths of Persons of the Ages of 0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 51·2	° 49·7	° 53·3	° 50·5	° 50·5	° 47·3	° 45·0	° 52·8	° 53·8	° 55·1	° 50·9	° 55·3										
ALL CAUSES.	178	149	170	163	143	173	203	176	175	160	169·0	158	6	10	11	10	14	11	21	39	24	12
Enteric Fever, ...	.	1	1	1	1	.	1	.	2	1	·8	1	.	.	.	.	.	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	2	.	.	1	.	6	1	.	.	1·0	6	.	.	3	3	.	.	.	.	.	.
Scarlet Fever, ...	.	2	2	2	.	.	.	1	.	.	·7	2	.	.	.	.	1	.	1	.	.	.
Whooping-cough, ...	5	.	2	4	1	3	10	1	6	.	3·2	1	.	.	.	1	.	.	.	.	.	.
Diphtheria, ...	.	.	.	.	1	.	.	.	4	.	·5	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	.	1	2	.	.	1	2	2	.	1·1	2	.	.	.	.	.	.	.	1	.	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	2	.	.	.	.	.	.	.	1	1	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	.	2	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	1	1	1	1	.	1	1	1	·8	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	1	.	.	.	1	.	.	.	·2	1	.	.	.	.	1	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	25	25	29	26	33	22	27	26	18	14	24·5	22	.	1	.	.	2	5	8	5	1	.
Tuberculous Meningitis, ...	2	2	5	6	1	.	4	6	5	3	3·4	5	.	.	1	1	2	1	.	.	.	.
Abdominal Tuberculosis, ...	4	.	5	5	1	2	2	1	1	3	2·4	3	.	.	1	1	1	.	.	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	5	2	4	8	6	5	11	5	7	5	5·8	1	.	.	.	.	.	.	.	1	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases, ...	1	.	.	1	3	1	.	1	.	1	·8	1	.	.	.	.	.	.	1	.	.	.
Cancer, ...	8	7	13	6	5	8	11	14	11	10	9·3	11	.	.	.	.	1	.	1	6	3	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	2	.	.	.	.	.	.	·2	1	.	.	.	.	.	.	.	.	1	.
Diabetes, ...	.	.	1	.	.	2	3	1	.	2	·9	1	.	.	.	.	.	.	.	.	1	.
Anæmia Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.
Alcoholism, ...	.	.	.	.	1	.	.	.	1	1	·3	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	1	.	.	.	.	2	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												7	.	.	.	.	.	.	.	4	3	.
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												2	.	.	.	.	.	.	1	.	.	1
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												5	2	3	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	36	41	39	36	38	48	33	45	38	41	39·5	5	.	.	.	.	.	1	1	2	1	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,												18	.	.	.	.	1	3	.	7	6	1
Embolism and Thrombosis (including Cerebral)												1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Circulatory System.												.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	19	14	11	14	9	23	22	14	19	15	16·0	14	.	2	3	2	2	.	.	2	3	.
Broncho-pneumonia, ...		3	2	4	4	3	8	1	7	3		3	.	1	.	.	.	.	1	1	.	.
Lobar-pneumonia, ...	15	1	1	2	.	2	4	.	.	.	12·9	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)		4	7	7	5	8	13	10	10	5		3	.	.	.	.	.	.	.	1	.	2
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	1	6	2	1	3	1	2	.	3	2·0	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												.	.	.	.	.	.	.	.	.	.	.

TWENTY-FIRST WEEK ending Saturday, 27th May, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 21st Week of the 10 years 1901–1910.	In the Week ending Saturday, 27th May, 1911.										
													Deaths of Persons of the Ages of									
	May 25, 1901.	May 24, 1902.	May 30, 1903.	May 28, 1904.	May 27, 1905.	May 26, 1906.	May 25, 1907.	May 23, 1908.	May 29, 1909.	May 28, 1910.		Mean Temp.	Under 1 month.	0—5. 1 month and under a year.	0—5. 1—2.	0—5. 2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 51·2	° 49·7	° 53·3	° 50·5	° 50·5	° 47·3	° 45·0	° 52·8	° 53·8	° 55·1	° 50·9	° 55·3										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	.	.	.	1	2	.	.
Diarrhœa of Children under 2 years.	3	2	3	1	.	3	.	1	1	2	1·6	1	.	1	.	.	.	.	.	.	.	.
„ 2 years and upwards,												1	.	.	.	1	.	.	.	.	.	.
Enteritis of Children under 2 years.	1	.	1	1	2	1	1	4	1	2	1·4	1	.	.	1	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	1	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	1	.	1	.
Cirrhosis of Liver, ...	2	2	1	1	.	.	1	3	.	3	2·2	2	.	.	.	.	.	.	.	2	.	.
Other Diseases of Liver, ...		3	2	.	.	.	1	.	.	3		1	.	.	.	.	.	.	1	.	.	.
Peritonitis (cause unknown),	1	.	.	.	1	2	.	.	.	1	·5	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Digestive System.	7	3	6	6	3	9	2	10	5	7	5·8	2	.	.	1	.	.	1	.	.	.	.
Acute Nephritis, ...	5	7	4	5	1	6	8	6	7	6	5·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...												4	.	.	.	.	.	.	.	3	.	1
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												3	.	.	.	.	.	.	1	.	.	2
Puerperal Septicæmia, &c., ...	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	1	.	.	1	1	1	.	1	1	·6	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	5	2	3	5	7	2	6	2	6	8	4·6	4	4	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	1	.	.	.	.	.	.	.
Old Age, ...	12	4	3	4	2	1	4	3	3	2	3·8	4	.	.	.	.	.	.	.	.	2	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	2	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	1	2	.	3	1	1	.	1	1	1·0	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	.	.	1	1	1	2	1	2	1	.	·9	1	.	.	.	.	1	.	.	.	.	.
By Drowning, ...	.	.	4	.	1	2	1	.	.	.	·8	2	.	.	.	.	1	.	1	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	3	1	1	.	.	1	2	3	1	1·4	2	.	.	.	.	.	.	.	1	.	1
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	1	1	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	1	.	.	.	.	.	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910–11—WEEK ENDING																									
	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.
No. of weeks in Annual Series,	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
BIRTHS registered.	199	174	232	158	170	203	230	238	232	219	241	192	214	217	238	203	276	230	198	171	174	259	260	242	226	246
Average Births in corresponding week of previous 10 years, ...	207	193	195	177	174	231	208	209	201	241	217	212	209	216	223	212	212	233	202	210	223	199	268	231	210	204
DEATHS registered, ...	176	188	165	178	155	176	179	190	228	200	220	208	195	180	174	170	214	177	191	174	196	181	176	170	129	158
Annual Death-rate per 1,000, ...	22·8	24·3	21·4	23·0	20·1	22·5	22·9	24·3	29·2	25·6	28·2	26·6	25·0	23·1	22·3	21·8	27·4	22·7	24·5	22·3	25·1	23·2	22·5	21·8	16·5	20·2
Average Deaths in corresponding week of previous 10 years, ...	182	182	177	182	177	201	195	195	192	200	198	200	210	218	210	194	201	203	199	195	197	190	177	178	171	169
Ages, Under 5 years, ...	55	53	43	41	47	56	60	62	59	61	47	57	57	70	59	39	56	48	54	63	54	50	56	48	40	37
5—15 " ...						5	10	7	11	6	10	6	10	9	12	9	7	14	17	4	5	11	14	7	6	14
15—25 " ...						9	7	10	11	12	13	5	6	6	7	7	13	8	10	10	14	7	6	8	9	11
25—45 " ...	121	135	122	137	108	25	24	27	32	32	41	36	35	32	24	24	42	19	33	25	31	33	15	35	21	21
45—65 " ...						45	38	41	55	48	51	49	35	36	36	42	44	36	44	43	45	35	30	38	36	39
65—75 " ...						20	25	28	34	22	39	33	29	19	19	28	32	29	27	19	29	25	34	19	10	24
75 and upwards, ...						16	15	15	26	19	19	22	23	8	17	21	20	23	6	10	18	20	21	15	7	12
Deaths from :—																										
Enteric Fever, ...	.	1	2	1	.	.	1	.	2	3	2	2	2	4	3	1	2	1	3	1	1	.	1	1	1	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	2	1	.	1	4	3	6	2	2	2	2	3	7	7	7	3	2	1	7	11	5	8	17	4	6
Scarlet Fever, ...	3	1	1	.	2	7	.	.	1	.	4	6	2	2	.	.	1	.	1	4	1	.	1	1	.	2
Whooping-cough, ...	5	11	1	5	7	6	5	6	10	4	3	6	7	11	4	4	6	5	3	6	.	2	3	2	4	1
Diphtheria, ...	4	.	3	2	.	1	2	4	1	5	2	3	2	.	2	.	1	1	4	3	4	1	2	3	1	.
Influenza, ...	4	2	1	3	1	.	1	1	4	3	4	5	7	2	2	2	1	2	2	.	3	.	3	2	1	2
Dysentery, ...	—	—	—	—	—	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	16	25	14	19	19	21	19	27	28	19	27	22	18	20	17	28	32	16	29	21	33	22	21	17	25	22
Tuberculous Disease, Other Forms,	7	11	4	7	5	4	6	9	7	4	6	8	7	7	8	8	15	13	10	3	8	10	6	6	6	9
Cancer, ...	3	12	4	13	6	8	3	12	7	16	11	4	6	5	8	6	10	13	11	8	7	9	6	5	6	11
Diseases of Circulatory System,	30	30	23	28	31	17	20	13	25	19	23	17	21	14	13	24	27	22	23	14	15	24	17	23	7	19
Diseases of Respiratory System, Pneumonia	14	15	27	18	11	15	16	10	17	18	20	15	21	13	16	14	13	13	18	19	16	18	22	15	12	6
Diseases of Respiratory System, Others, ...	37	27	32	26	25	29	25	28	42	30	41	44	28	29	25	23	27	24	24	26	26	16	34	20	15	14
Diarrhœa, Under 2 years, ...	6	2	2	2	1	3	2	2	4	4	2	3	3	1	1	2	5	1	3	2	1	2	2	1	2	1
Diarrhœa, 2 years & upwards,						.	.	.	.	1	.	.	1	1	.	3	.	1	.	.	.	1	2	.	.	1
Enteritis, under 2 years, ...	—	—	—	—	—	.	2	2	.	3	3	1	1	1	2	1	3	1	3	3	2	2	2	.	1	1
Violent Deaths, ...	4	4	8	4	6	2	8	1	4	7	4	2	5	2	4	5	5	5	6	1	7	9	3	.	1	5
Number of Uncertified Deaths,	5	5	3	3	6	4	5	7	7	3	3	2	4	7	8	7	2	5	1	1	2	8	4	3	1	5
Mean Temperature of the Air (Phœnix Park)	37·0	43·4	45·2	43·5	40·9	37·2	39·0	38·6	45·5	35·9	37·0	46·4	43·4	46·5	41·1	38·0	41·7	42·7	39·4	43·7	50·5	50·5	49·6	52·6	49·5	55·3
Average Mean Temperature in corresponding week of previous 10 years, ...	42·8	42·4	41·6	41·3*	41·3	42·0	40·0	40·8	40·5	40·3	40·3	39·8	39·9	40·5	41·7	42·7	42·6	42·4	44·1	43·1	45·1	46·2	46·7	48·1	49·1	50·9
Rainfall in inches, ...	1·820	1·700	1·172	·183	·130	·336	·345	·153	·034	·000	·011	·582	·523	·681	·316	·206	·000	·770	·131	·000	·501	·606	·780	·127	·262	·010
Mean Humidity of the Air, complete Saturation 1·0, ...	·93	·91	·91	·94	·88	·92	·90	·93	·92	·87	·90	·91	·91	·92	·91	·89	·87	·90	·86	·86	·89	·91	·93	·94	·92	·89

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 27th May, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 27TH MAY, 1911.

Class	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	158	37	14	11	21	39	24	12	1	.	.	6	2	1	.	.	22	9	11	5	6	14	1	1	1	5	73	5
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	15·0	5	.	.	.	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	1	3	.
II.	MIDDLE CLASS, ...	87,188	17·9	30	1	4	3	7	5	7	3	1	.	.	.	.	.	.	.	6	.	2	.	.	1	.	.	.	1	19	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	14·6	31	6	3	3	4	13	2	.	.	.	.	2	.	.	.	.	1	2	1	1	1	3	.	.	.	1	19	1
IV.	GENERAL SERVICE CLASS, ...	154,279	22·0	65	24	7	4	5	12	9	4	.	.	.	4	2	.	.	.	8	6	5	4	2	6	1	.	1	2	24	4
V.	INMATES OF WORKHOUSES, ...	6,024	—	27	6	.	1	5	8	5	2	.	.	.	.	.	1	.	.	7	1	3	.	2	4	.	1	.	.	8	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4	.	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	11·8	5	.	.	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.
	6. Clerks and Commercial Assistants, ...	30,432	15·4	9	1	2	.	5	.	.	1	1	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	27·0	14	.	2	3	2	3	3	1	.	.	.	.	.	.	.	.	4	.	1	.	.	.	.	.	.	1	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	26·4	5	1	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	.
	9. Building and Furnishing Trades, ...	29,801	19·2	11	2	2	.	3	3	1	.	.	.	.	.	.	.	.	.	1	1	.	1	.	2	.	.	.	.	6	1
	10. Clothing Trades, ...	23,260	6·7	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
	11. Food Supply Trades, ...	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12 Other Trades and Callings ranking with Trades, ...	30,352	18·9	11	2	.	3	.	5	1	.	.	.	.	1	.	.	.	.	.	.	1	.	1	.	.	.	.	1	7	.
	13. Petty Shopkeepers, ...	7,894	6·6	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	27·2	7	2	1	.	.	1	1	2	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.	3	.
	15. Domestic Servants, ...	36,603	8·5	6	1	.	2	1	1	1	.	.	.	.	1	1	.	.	.	1	1	1	.	.	.	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	21·7	6	2	.	1	1	1	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	26·7	46	19	6	1	3	9	7	1	.	.	.	3	1	.	.	.	4	3	4	4	1	5	1	.	1	2	17	4
V.	INMATES OF WORKHOUSES.																														
	18 Workhouse Inmates, ...	6,024	—	27	6	.	1	5	8	5	2	.	.	.	.	.	1	.	.	7	1	3	.	2	4	.	1	.	.	8	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 30,219.	April 8,	20·7	.	12	.	.	.	.	.	.	.	.	1	2	.	2	.	.	.	.	.	.
	" 15,	6·9	1·7	4	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	.
	" 22,	12·1	.	7	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	" 29,	15·5	.	9	.	.	.	.	.	.	.	.	2	2	.	3	.	.	.	.	.	.
	May 6,	19·0	1·7	11	.	.	.	1	.	.	.	.	3	.	.	1	.	.	.	.	1	1
	" 13,	13·8	.	8	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.
	" 20,	15·5	3·5	9	.	.	.	.	.	1	.	.	4	.	.	.	.	1	.	.	.	.
	" 27,	36·2	5·2	21	1	.	.	.	1	.	.	.	1	1	2	1	3	.	.	1	1	2
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 40,390.	April 8,	25·8	3·9	20	.	.	.	.	.	1	.	.	3	.	.	1	4	1	.	1	1	.
	" 15,	33 6	5·2	26	.	.	.	3	.	.	.	.	3	.	.	2	5	1	.	.	.	.
	" 22,	16·8	5·2	13	.	.	.	2	.	.	1	.	3	.	.	.	.	.	.	1	.	1
	" 29,	24·5	1·3	19	.	.	.	1	.	.	.	.	3	.	.	1	5	.	.	.	.	3
	May 6,	21·9	2·6	17	.	.	.	2	.	.	.	.	.	.	.	4	4	.	.	.	.	1
	" 13,	33·6	3·9	26	.	.	.	1	.	1	.	.	4	1	1	2	4	1	.	.	.	1
	" 20,	27·1	3·9	21	1	.	.	.	.	2	.	.	3	.	.	1	6	.	.	.	.	.
	" 27,	19·4	1·3	15	.	.	.	1	.	.	.	.	2	1	.	1	2	.	.	.	1	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 31,064.	April 8,	33·6	5·0	20	.	.	.	.	.	.	1	.	.	1	3	3	3	2	.	.	.	.
	" 15,	26·9	3·4	16	.	.	.	.	1	1	.	.	2	.	.	3	2	.	.	.	1	.
	" 22,	15·1	1·7	9	.	.	.	1	.	.	.	.	.	.	1	.	3	.	.	.	.	.
	" 29,	47·0	5·0	28	.	.	.	.	.	.	.	.	4	3	2	2	4	2	.	1	.	.
	May 6,	23·5	3·4	14	.	.	.	.	.	.	1	.	2	.	.	2	5	1	.	.	.	.
	" 13,	31·9	6·7	19	.	.	.	3	.	1	.	.	2	1	.	1	2	.	.	.	.	.
	" 20,	21·8	.	13	.	.	.	.	.	.	.	.	4	1	1	1	.	.	.	.	.	.
	" 27,	16·8	3·4	10	.	.	.	2	.	.	.	.	1	.	.	.	1	.	.	.	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,908.	April 8,	26·1	7·7	17	1	.	.	.	1	2	1	.	1	.	1	2	3	.	.	.	.	.
	" 15,	20·0	4·6	13	.	.	.	.	1	2	.	.	1	.	1	1	1	.	.	.	.	.
	" 22,	35·4	3·1	23	.	.	.	2	.	.	.	.	1	1	.	4	3	.	.	.	2	.
	" 29,	20·0	4·6	13	.	.	.	2	.	.	.	.	1	.	.	2	1	.	1	.	2	.
	May 6,	24·6	10·8	16	.	.	.	4	.	.	.	.	2	1	.	3	2	1	2	.	.	.
	" 13,	35·4	9·2	23	.	.	.	6	.	.	.	.	1	1	1	2	5	.	.	.	.	1
	" 20,	16·9	4·6	11	.	.	.	2	.	.	.	.	1	.	.	1	2	1	.	.	.	.
	" 27,	13·8	3·1	9	.	.	.	1	.	.	.	.	2	.	1	.	.	.	1	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,908.	April 8,	23·6	.	19	.	.	.	.	.	.	.	.	3	.	2	.	4	.	.	.	1	.
	" 15,	31·1	3·7	25	.	.	.	1	1	.	.	.	3	1	1	.	5	.	.	1	.	1
	" 22,	27·4	5·0	22	1	.	.	1	.	.	1	.	5	.	1	1	3	.	.	1	.	.
	" 29,	12·4	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	1
	May 6,	29·9	2·5	24	.	.	.	1	.	.	.	.	5	.	1	.	4	.	.	1	.	.
	" 13,	12·4	.	10	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.
	" 20,	10·0	.	8	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	.
	" 27,	21·2	.	17	.	.	.	.	.	.	.	.	3	2	2	1	3	.	.	.	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,980.	April 8,	19·0	.	8	.	.	.	.	.	.	.	.	4	.	1	1	.	.	.	.	.	.
	" 15,	23·7	.	10	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.
	" 22,	28·5	4·7	12	.	.	.	1	.	.	1	.	4	1	1	1	.	.	.	.	.	.
	" 29,	28·5	.	12	.	.	.	.	.	.	.	.	3	1	2	1	.	.	.	.	.	.
	May 6,	23·7	2·4	10	.	.	.	.	.	1	.	.	1	1	1	2	2	.	.	.	.	1
	" 13,	14·2	4·7	6	.	.	.	2	.	.	.	.	1	.	.	.	2	.	.	.	.	.
	" 20,	14·2	.	6	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.
	" 27,	26·1	2·4	11	.	.	.	.	.	1	.	.	1	1	1	.	3	.	.	.	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,677.	April 8,	26·3	4·8	22	1	.	.	1	.	.	.	.	4	2	1	1	5	.	.	2	.	1
	" 15,	14·3	4·8	12	1	.	.	1	.	1	.	.	.	.	.	2	.	.	.	1	.	.
	" 22,	28·7	1·2	24	.	.	.	1	.	.	.	.	2	.	.	2	6	.	.	.	.	.
	" 29,	32·2	6·0	27	.	.	.	2	.	1	1	.	1	1	.	2	2	.	.	1	3	1
	May 6,	20·3	2·4	17	1	.	.	.	.	1	.	.	1	1	1	2	5	.	.	.	1	.
	" 13,	23·9	2·4	20	1	.	.	.	.	.	1	.	1	.	2	3	2	.	.	.	.	.
	" 20,	11·9	2·4	10	.	.	.	1	.	.	1	.	1	.	1	3	1	.	.	.	.	.
	" 27,	16·7	.	14	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	.	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 36,254.	April 8,	38·8	1·4	27	.	.	.	.	.	.	1	.	3	5	1	4	1	.	.	.	3	.
	" 15,	21·6	7·2	15	.	.	.	2	1	2	.	.	1	.	.	2	2	.	.	.	.	.
	" 22,	30·2	1·4	21	.	.	.	.	1	.	.	.	6	2	1	2	3	.	.	.	2	.
	" 29,	21·6	.	15	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	3	1
	May 6,	21·6	.	15	.	.	.	.	.	.	.	.	5	.	.	.	4	.	.	.	.	.
	" 13,	17·3	4·3	12	.	.	.	2	.	.	1	.	2	1	.	1	1	.	.	.	.	.
	" 20,	12·9	2·9	9	.	.	.	1	.	.	.	.	.	2	.	.	2	.	.	1	.	1
	" 27,	21·6	1·4	15	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	1	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 37,528.	April 8,	16·7	1·4	12	1	.	.	.	.	.	.	.	3	.	.	2	.	.	.	.	1	.
	„ 15,	13·9	.	10	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.	.
	„ 22,	15·3	1·4	11	.	.	.	1	.	.	.	.	1	1	.	3	1	.	.	.	.	.
	„ 29,	12·5	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	May 6,	23·6	1·4	17	.	.	.	.	.	.	.	.	.	1	.	2	2	.	.	1	1	.
	„ 13,	8·3	1·4	6	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.
	„ 20,	15·3	.	11	.	.	.	.	.	.	.	.	4	.	1	.	.	.	.	.	1	.
	„ 27,	15·3	.	11	.	.	.	.	.	.	.	.	4	.	1	.	.	.	.	.	.	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,368.	April 8,	14·2	.	8	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.
	„ 15,	24·9	1·8	14	.	.	.	.	.	.	.	.	2	.	2	4	3	1	.	.	.	.
	„ 22,	8·9	1·8	5	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 29,	16·0	1·8	9	.	.	.	.	.	1	.	.	1	1	1	.	1	.	.	.	.	.
	May 6,	21·3	3·6	12	.	.	.	.	1	1	.	.	1	.	.	3	1	.	.	.	.	.
	„ 13,	23·1	5·3	13	.	.	.	3	.	.	.	.	1	.	.	1	1	.	.	.	.	.
	„ 20,	10·7	1·8	6	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.
	„ 27,	10·7	3·6	6	.	.	.	2	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Kingstown Urban District. Pop. in 1911 (Est.) 17,622.	April 8,	14·8	.	5	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.
	„ 15,	17·8	.	6	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.
	„ 22,	44·4	3·0	15	.	.	.	1	.	.	.	.	4	.	1	.	1	.	.	.	.	.
	„ 29,	20·7	.	7	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.
	May 6,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1
	„ 13,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 20,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 27,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Belfast. Pop. in 1911 (Est.) 398,421.	April 8,	22·5	0·5	172	1	.	.	.	1	.	.	.	26	8	5	13	26	1	.	1	8	3
	„ 15,	21·1	1·2	161	.	.	.	1	.	3	2	.	25	4	5	19	29	.	1	2	2	2
	„ 22,	20·2	0·7	154	.	.	.	.	.	2	1	.	14	11	6	23	34	.	.	2	3	.
	„ 29,	20·9	0·4	160	1	.	.	.	.	1	.	.	17	15	12	18	16	.	.	1	3	1
	May 6,	14·3	0·3	109	1	.	.	.	.	.	.	.	16	12	3	10	20	.	.	1	3	2
	„ 13,	15·7	0·4	120	.	.	.	.	1	.	.	.	25	7	6	10	15	1	.	1	4	1
	„ 20,	16·1	0·7	123	.	.	.	.	.	1	.	.	21	10	1	13	19	1	.	3	1	1
	„ 27,	16·1	0·8	123	.	.	.	.	.	1	.	.	21	12	4	6	11	2	.	3	1	1
Cork. Pop. (in 1901) 76,122.	April 8,	30·8	0·7	45	.	.	.	.	.	1	.	.	1	1	1	3	3	.	.	.	1	2
	„ 15,	27·4	0·7	40	1	.	.	.	.	.	.	.	6	.	3	3	4	.	.	.	.	1
	„ 22,	21·2	.	31	.	.	.	.	.	.	.	.	6	3	.	1	2	.	.	.	3	.
	„ 29,	24·0	1·4	35	.	.	.	.	.	2	.	.	7	3	1	2	3	.	.	.	.	7
	May 6,	23·3	3·4	34	1	.	.	.	.	1	.	.	4	2	1	2	2	2	1	.	.	1
	„ 13,	20·5	1·4	30	.	.	.	.	.	2	.	.	4	1	3	1	5	.	.	.	1	1
	„ 20,	17·8	1·4	26	.	.	.	.	.	2	.	.	6	1	1	1	1	.	.	.	1	.
	„ 27,	20·5	0·7	30	.	.	.	.	.	1	.	.	7	2	2	1	1	.	.	.	.	3
Londonderry. Pop. in 1911 (Est.) 43,900.	April 8,	35·6	2·4	30	.	.	.	.	.	2	.	.	1	.	1	5	8	.	.	.	1	.
	„ 15,	26·1	4·8	22	.	.	.	.	.	4	.	.	3	.	.	2	6	.	.	.	1	.
	„ 22,	17·8	5·9	15	.	.	.	.	.	4	.	.	.	.	1	.	3	1	.	.	.	.
	„ 29,	14·3	3·6	12	.	.	.	.	.	3	.	.	2	2	2	.	1	.	.	.	.	.
	May 6,	19·0	2·4	16	.	.	.	.	.	2	.	.	3	1	3	.	3	.	.	.	.	.
	„ 13,	10·7	.	9	.	.	.	.	.	.	.	.	3	.	1	.	2	.	.	.	.	1
	„ 20,	15·4	2·4	13	.	.	.	.	.	2	.	.	3	.	.	.	3	.	.	.	.	.
	„ 27,	10·7	2·4	9	.	.	.	.	.	2	.	.	2	1	1	.	.	.	.	.	.	.
Limerick. Pop. (in 1901) 38,151.	April 8,	17·8	.	13	.	.	.	.	.	.	.	.	3	.	.	2	3	.	.	.	.	2
	„ 15,	17·8	1·4	13	1	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	3
	„ 22,	28·7	.	21	.	.	.	.	.	.	.	.	2	1	1	2	9	.	.	.	.	1
	„ 29,	10·9	2·7	8	.	.	.	.	.	.	1	.	.	.	.	.	3	.	.	1	.	3
	May 6,	13·7	1·4	10	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2
	„ 13,	10·9	.	8	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.	.
	„ 20,	26·0	.	19	.	.	.	.	.	.	.	.	2	2	1	.	4	.	.	.	.	1
	„ 27,	6·8	.	5	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	3
Waterford. Pop. (in 1901) 26,769.	April 8,	11·7	1·9	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 15,	13·6	.	7	.	.	.	.	.	.	.	.	3	.	.	.	2	.	.	.	.	1
	„ 22,	31·2	.	16	.	.	.	.	.	.	.	.	2	2	.	2	5	.	.	.	.	1
	„ 29,	13·6	.	7	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	1
	May 6,	17·5	.	9	.	.	.	.	.	.	.	.	5	1	.	.	1	.	.	.	.	.
	„ 13,	11·7	.	6	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.
	„ 20,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	„ 27,	19·5	1·9	10	.	.	.	.	.	.	.	.	3	.	1	.	.	.	1	.	.	2

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 27th May, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901,** represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 25 years.	Ages at Death: 25 and under 45 years.	Ages at Death: 45 and under 65 years.	Ages at Death: 65 years and upwards.	Deaths from: Enteric Fever.	Deaths from: Typhus.	Deaths from: Small-pox.	Deaths from: Measles.	Deaths from: Scarlet Fever.	Deaths from: Whooping-cough.	Deaths from: Diphtheria.	Deaths from: Dysentery.	Deaths from: Tuberculous Disease: Phthisis.	Deaths from: Tuberculous Disease: Other Forms.	Deaths from: Cancer.	Deaths from: Diseases of the Respiratory System: Pneumonia.	Deaths from: Diseases of the Respiratory System: Other.	Deaths from: Diarrhœa: Of children under 2 years of age.	Deaths from: Diarrhœa: 2 years of age and upwards.	Deaths from: *Enteritis* of children under 2 years.	Deaths from: Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.			The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.																												
BELFAST URBAN No. 1 DISTRICT,	349,180	9			4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.
Do. 2 do.		25			22	2	2	5	4	5	4	.	.	.	.	.	.	.	.	7	2	.	.	2	1	.	.	.	.	8	.
Do. 3 do.		19			13	2	1	3	2	2	3	.	.	.	.	.	.	.	.	1	3	1	.	3	.	.	1	.	.	.	.
Do. 4 do.		29			13	2	2	2	.	6	1	.	.	.	.	.	.	.	.	3	.	.	1	1	.	.	.	.	.	7	.
Do. 5 do.		11			5	1	.	1	2	.	1	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.	.	1	.
Do. 6 do.		17			16	3	1	.	4	4	4	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	1	1	5	.
Do. 7 do.		4			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		4			4	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
Do. 9 do.		13			6	.	2	2	.	.	2	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	1	.
Do. 10 do.		25			10	2	2	1	3	2	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	2	.	.	4	.
Do. 11 do.		14			9	2	1	2	2	1	1	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	1	1	1
Do 12 do.		24			7	2	.	.	2	2	1	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.	.	3	.
Do. 13 do.		7			8	.	1	1	1	2	3	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.	.	2	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		13			6	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	.	2	.
Total,	—	214			123	22	13	17	22	27	22	.	.	.	.	.	1	.	.	21	12	4	6	11	2	.	3	1	4	35	1
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	3	24·3	.	6	.	.	2	.	3	1	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.	.	2	.
Do. 2 do.	10,701	1	19·5	.	4	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 3 do.	9,978	4	10·5	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Do. 4 do.	8,666	4	24·1	.	4	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	1
Do. 5 do.	6,592	1	31·6	.	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	1
Do. 6 do.	10,702	8	29·2	4·9	6	2	.	2	1	.	1	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	5	1
Do. 7 do	16,616	10	12·6	.	4	1	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
Total	76,122	31	20·5	0·7	30	7	3	6	3	5	6	.	.	.	.	.	1	.	.	7	2	2	1	1	.	.	.	.	.	14	3

* See note (‡) at foot of first page

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910–11—WEEK ENDING																									
	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.
No. of weeks in Annual Series,	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
BIRTHS registered, ...	175	185	167	200	199	241	231	233	188	212	218	216	213	232	193	220	218	232	232	204	189	235	254	229	180	214
DEATHS registered, ...	109	151	133	132	91	122	151	118	118	128	146	149	141	133	118	118	147	138	172	161	154	160	109	120	123	123
Annual Death rate per 1,000 of estimated population, ...	14·5	20·1	17·7	17·6	12·1	16·0	19·8	15·4	15·4	16·8	19·1	19·5	18·5	17·4	15·4	15·4	19·2	18·1	22·5	21·1	20·2	20·9	14·3	15·7	16·1	16·1
AGES, Under 1 year, ...	17	34	20	22	18	21	30	23	26	24	24	31	21	25	20	33	23	26	36	24	23	23	19	19	25	22
1—5 years, ...	8	11	17	12	8	12	11	8	10	10	7	10	14	9	10	6	17	11	7	10	14	13	10	9	9	13
5—25 „ ...	84	106	96	98	65	7	20	16	11	6	11	21	17	18	9	10	19	11	14	17	13	21	1[illegible]	17	15	17
25—45 „ ...						30	37	17	13	25	27	30	29	16	23	14	28	23	36	32	26	27	25	23	26	22
45—65 „ ...						32	25	21	27	34	34	32	26	35	29	27	30	38	45	37	39	46	22	29	31	27
65 and upwards, ...						20	28	33	31	29	43	25	34	30	27	28	30	29	34	41	39	30	20	23	17	22
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.
Typhus, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	3	3	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Scarlet Fever, ...	.	1	2	1	1	1	1	1	.	.	1	.	1	.	.	1	1	.	1	.	.	.	.	1	.	.
Whooping-cough, ...	.	1	.	1	1	.	.	1	1	1	.	.	1	1	1	1	.	.	.	3	2	1	.	.	1	1
Diphtheria, ...	1	4	.	.	.	.	.	1	2	1	.	.	.	.	.	.	1	1	.	2	1	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	13	14	12	15	9	14	23	17	13	10	11	22	15	13	19	7	22	24	26	25	14	17	16	25	21	21
Tuberculous Disease, Other Forms,	7	5	7	3	3	7	7	4	4	4	4	11	10	10	7	8	9	8	8	4	11	15	12	7	10	12
Cancer, ...	6	5	8	6	5	7	2	7	11	6	5	5	8	3	6	11	8	4	5	5	6	12	3	6	1	4
Diseases of Respiratory System, Pneumonia,	7	13	10	10	7	8	9	7	7	7	11	14	11	15	10	10	14	16	13	19	23	18	10	10	13	6
Diseases of Respiratory System, Others, ...	25	36	22	29	18	18	24	24	20	25	26	25	20	20	20	14	16	19	26	29	34	16	20	15	19	11
Diarrhœa, Under 2 years, ...	1	4	3	1	.	1	.	.	.	.	1	.	.	1	.	1	.	.	1	.	.	.	.	1	1	2
Diarrhœa, 2 years & upwards						1	1	.	.	.	1	.	.	.	1	.	3	1	.	1	.	.	.	.	.	.
Enteritis, under 2 years, ...	—	—	—	—	—	1	.	.	2	2	3	2	2	1	.	.	3	2	1	2	2	1	1	1	3	3
Violent Deaths, ...	3	2	6	2	4	6	6	1	2	4	4	.	4	3	2	1	3	4	8	2	3	3	3	4	1	1
Number of Uncertified Deaths, ...	3	4	1	1	3	3	.	1	5	2	1	.	.	3	2	1	.	1	3	2	.	1	2	1	1	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	May 27,	2,267	1,061	12·2	1	.	41	6	18	11	18*a*
Edinburgh, ...	320,829	„ 27,	130	104	16·9	.	.	5	1	5	.	3
Glasgow, ...	784,621	„ 27,	406	275	18·3	.	.	7	3	26	1	4
Calcutta, ...	—	Apr. 22,	.	592	36·3	221*	6	2	.	.	.	110‡
Bombay, ...	977,822	„ 22,	334	901	47·9	370*	17	16	.	1	.	55
Madras, ...	509,346	„ 1,	345	383	39·0	54*	19	9	?	?	?	99
Cairo, ...	689,439	„ 8,	594	455	34·4	2	.	4	1	.	5†	49*a*
Paris, ...	2,760,000	„ 29,	973	991	18·8	3	.	30	3	14	.	25*a*
Brussels, ...	720,030	„ 29,	213	183	13·2	.	.	7	.	1	2	5
Antwerp, ...	320,640	May 6,	137	58	9·4	1	.	1	.	.	.	7*a*
Amsterdam, ...	576,691	„ 6,	227	147	13·3	.	.	.	.	.	1	2*a*
Copenhagen, ...	459,000	„ 6,	232	133	15·1	.	.	2	3	5	.	5
Stockholm, ...	343,832	Apr. 29,	148	94	14·2	.	.	.	.	.	.	3
Christiania, ...	240,178	May 13,	96	82	17·6	.	.	1	.	4	2	2
St. Petersburg, ...	1,639,266	Apr. 15,	829	705	22·4	9	2	21	10	10	7	58
Moscow, ...	1,493,600	„ 15,	.	799	27·9	3	5	21	24	2	20†	76
Berlin, ...	2,063,427	„ 22,	825	636	16·1	1	.	5	9	11	16†	20
Hamburg, ...	932,166	May 6,	.	293	16·3	.	.	.	3	1	8†	11
Breslau, ...	514,493	„ 6,	.	189	19·2	1	.	.	.	1	.	23
Munich, ...	597,000	„ 13,	.	185	16·2	.	.	1	1	1	1†	8
Vienna (with suburbs),	2,047,968	„ 6,	798	688	17·5	.	.	4	2	1	3†	33*a*
Buda-Pesth, ...	891,585	„ 6,	433	372	21·7	.	.	3	11	1	2†	14*a*
Prague and Faubourgs,	508,310	Apr. 22,	213	212	21·8	.	.	.	1	3	1†	11*a*
Trieste, ...	229,499	„ 29,	122	120	27·3	1	.	2	.	2	.	4*a*
Rome, ...	593,110	Feb. 25,	287	322	28·3	2	.	.	.	2	4	3
Venice, ...	184,325	Apr. 22,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	„ 15,	2,418	1,631	17·1	4	.	16	34	8	32†	50*a*
Philadelphia, ...	1,580,250	„ 1,	.	555	18·3	2	.	13	7	4	13	12*a*
Boston, ...	688,912	May 6,	.	260	19·7	2	.	2	2	3	6	10

* Deaths from "fever," including 4 deaths from enteric fever and 173 deaths from plague in Calcutta, 4 from enteric fever, and 305 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 80 deaths from cholera in Calcutta.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending May 27th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	2	.	.	.	.	3
" " 1, West, ...	.	2	.	.	.	.	1	.	.	.	.	.	3
" " 2, ...	.	1	.	.	2	.	.	.	.	.	.	2	5
" " 3, ...	.	3	.	.	.	.	.	.	.	.	.	1	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	1	.	.	.	.	1
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	1	1
Finglas and Glasnevin (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	2	.	.	1	.	1	3	1	.	.	2	10
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	2	2
" " 3, ...	.	2	.	.	.	.	.	.	.	.	.	.	2
" " 4, ...	.	1	.	.	.	.	.	.	.	.	.	1	2
New Kilmainham, ...	.	1	.	.	.	.	.	1	.	.	.	.	2
Total, ...	.	14	.	.	3	.	2	7	1	.	.	9	36

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 27th May, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 22nd May.			
	May 6.	May 13.	May 20.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	89	103	88	25	36	2	75
Scarlet Fever, ...	78	79	76	18	17	3	74*
Typhus, ...	2	3	7	.	1	.	6
Diphtheria, ...	61	57	65	3	27	.	41
Enteric Fever, ...	48	50	47	14	15	.	46
Pneumonia, ...	38	34	32	8	7	.	33

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 27th May, 1911:—

"During the greater part of this week atmospheric pressure was low—on Monday and Tuesday extremely low, 28·8 inches, or less—in Iceland; high—30·3 inches or thereabouts—near the Azores, whence an anticyclonic system stretched northeastwards to the British Isles and France. Sunday was a dull cold day over a large portion of England, but owing to sunshine the thermometer rose to 64° in Dublin, 66° at Birr Castle and Nairn, and 68° at Leith; whereas the highest temperature at Kew Observatory was only 53°, at Hampstead and South Kensington only 52°. On Monday the Icelandic depression began to extend its influence to Scotland and Ireland, and by Tuesday a fresh to strong S.W. wind was blowing over those countries. Very little rain fell, and in Dublin the thermometer ran up to 70° on Wednesday. On Thursday a shallow depression formed over Western Germany and the North of France. This system became more decided on Friday, when also the Icelandic depression was rapidly filling up, while an area of high pressure was pushing westward to Scotland from the Baltic and Scandinavia. Early on the morning of this day a thunderstorm occurred at Oxford, the attendant rainfall amounting to ·81 inch. In London a shower fell a few hours later, and in the course of this day thunderstorms and heavy rain occurred in many parts of England. On the other hand light to moderate northerly winds brought very fine weather to Ireland. The week closed with summer-like conditions fully established. In Dublin the mean height of the barometer was 29·997 inches, pressure ranging between 29·778 inches at 9 a.m. of Thursday (wind, S.S.E.) and 30·257 inches at 9 p.m. of Saturday (wind, E.). The corrected mean temperature was 57·6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 57·4°. The screened thermometers fell to 41·2° on Sunday, and rose to 69·8° on Wednesday. The prevailing winds were W. and afterwards N.E. The rainfall was ·003 inch measured on Tuesday. There was no 'rain-day.'"

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·811 inches. The highest reading (30·085) was on Saturday at 9 p.m., air calm, and the lowest (29·597) on Thursday at 9 a.m., wind S.W.

The mean temperature for the week was 55·3°, being 4·4° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Wednesday, on which day the thermometer registered 68·6°, and was lowest on Sunday, the mercury having fallen to 31·0°. The mean of the Dry Bulb for the week was 54·9° and of the Wet Bulb, 53·0°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The rainfall during the week measured 0·010 inch.

At Greenwich the mean temperature for the week was 57·8°, the maximum 78·0°, and the minimum 35·0°; at Glasgow the maximum was 70·4°, the minimum 38·0°, and the mean 56·3°; and at Edinburgh the maximum was 65·7°, the minimum 38·6°, and the mean 55·7°. The rainfall at Greenwich measured 0·04 in.; at Glasgow 0·15 in.; and at Edinburgh 0·26 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, May 21,	29·967	64·7	31·0	47·9	51·8	49·4	·87	·4	13·0	·000	Calm.	Calm.
Monday, " 22,	29·830	64·0	44·3	54·2	53·8	51·7	·86	·5	10·2	·000	W.	W.,S.W.
Tuesday, " 23,	29·681	62·8	50·9	56·9	56·5	55·0	·94	·6	1·1	·010	S.W.	S.W.
Wednesday, " 24,	29·746	68·6	54·9	61·8	59·8	58·0	·90	·5	5·5	·000	S.W.	S.,S.W.
Thursday, " 25,	29·653	64·0	51·9	58·0	57·6	55·2	·86	·4	9·5	·000	S.W.	Calm.
Friday, " 26,	29·764	61·8	49·9	55·9	52·6	51·6	·94	·6	7·8	·000	N.,N.E.	Calm.
Saturday, " 27,	30·038	65·8	39·8	52·8	51·9	50·0	·89	·6	14·2	·000	N.W.	Calm.
Mean, ...	29·811	64·5	46·1	55·3	54·9	53·0	·89	·5	Total 61·3	Total ·010	—	

Sunday—Day cloudy, fine; night clear. *Monday*—Day cloudy to bright; night cloudy. *Tuesday*—Day overcast to cloudy, drizzle p.m.; night cloudy. *Wednesday*—Day cloudy to overcast, fine; night clear. *Thursday*—Day bright to cloudy, fine; night cloudy. *Friday*—Day cloudy, fine; night clear. *Saturday*—Beautiful bright day; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, May 27th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, May 21,	56·3	54·9	51·9	62·6	40·7	51·7	12·6	—
Monday, " 22,	57·5	55·5	52·0	65·6	48·0	56·8	8·8	—
Tuesday, " 23,	58·6	56·2	52·1	64·5	51·9	58·2	1·2	—
Wednesday, " 24,	63·0	56·8	52·2	70·0	55·1	62·6	4·7	—
Thursday, " 25,	64·0	57·6	52·7	66·2	51·0	58·6	12·0	—
Friday, " 26,	57·0	58·0	52·8	63·4	51·8	57·6	7·3	—
Saturday, " 27,	60·0	57·8	53·0	67·4	46·1	56·8	13·1	—
Weekly Mean,	59·5	56·7	52·4	65·7	49·2	57·5	Total 59·7	Total —

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30532. Wt. P. 1–60/138. 375. 4. 1911. Sch. C 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & Co., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 3RD JUNE, 1911. [No. 22.

General Register Office, Charlemont House, Dublin, 6th June, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,163,596.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending May 13	Week ending May 20	Week ending May 27	Week ending June 3	Average Rate for 4 weeks.
22 Town Districts, ...	**17·8**	**16·1**	**16·5**	**17·1**	**16·9**
Armagh	20·6	34·4	13·7	13·7	20·6
Ballymena	23·9	23·9	.	19·2	16·8
Belfast	15·7	16·1	16·1	16·4	16·1
Clonmel	10·3	20·5	5·1	20·5	14·1
Cork	20·5	17·8	20·5	16·4	18·8
Drogheda	20·4	4·1	16·3	20·4	15·3
Dublin Reg. Area ...	20·8	15·5	19·0	17·9	18·3
Dundalk	35·9	16·0	31·9	27·9	27·9
Galway	11·7	7·8	15·5	7·8	10·7
Kilkenny	29·5	14·7	14·7	24·6	20·9
Limerick	10·9	26·0	6·8	15·0	14·7
Lisburn	4·5	18·2	9·1	18·2	12·5
Londonderry	10·7	15·4	10·7	19·0	14·0
Lurgan	22·1	8·9	4·4	8·9	11·1
Newry	33·6	12·6	21·0	.	16·8
Newtownards	11·4	5·7	11·4	17·2	11·4
Portadown	10·3	10·3	20·7	31·0	18·1
Queenstown	19·8	26·4	13·2	19·8	19·8
Sligo	9·6	14·4	14·4	4·8	10·8
Tralee	15·9	15·9	10·6	31·7	18·5
Waterford	11·7	11·7	19·5	17·5	15·1
Wexford	14·0	23·3	4·7	14·0	14·0

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in eighteen of the districts to 1·4 in Cork, the 24 deaths from all causes for that district including 2 from whooping-cough. Among the 125 deaths from all causes for Belfast are 5 from diarrhœa and enteritis of children under 2 years of age, and of the 16 deaths from all causes for Londonderry one is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 261—137 boys and 124 girls—and the deaths to 150—73 males and 77 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·9 per 1,000 of the population. During the twenty-two weeks ending with Saturday last the death-rate averaged 22·2, and was 2·8 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 150, represent an annual rate of 19·2 per 1,000; the annual rate for the past twenty-two weeks was 23·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·1 per 1,000 of the mean population for all deaths registered.

Included in the deaths registered were one from each of enteric fever and typhus, 3 from measles, 2 from scarlet fever, 4 from whooping-cough, one death from diphtheria and 10 deaths from diarrhœa and *enteritis* of children under 2 years of age. In each of the three preceding weeks, deaths from enteric fever were one, one, and one; deaths from typhus were 0, 0, and 0; deaths from measles were 17, 4, and 6; deaths from scarlet fever were one, 0, and 2; deaths from whooping-cough were 2, 4, and one; deaths from diphtheria were 3, one, and 0; and deaths from diarrhœa and *enteritis* of children under 2 years were one, 3, and 2.

The deaths from pneumonia include one death from broncho-pneumonia, 5 deaths from lobar pneumonia, and 4 deaths from *pneumonia* (type not distinguished).

Tuberculosis caused the deaths of 31 persons, namely:—22 deaths from pulmonary tuberculosis, 4 deaths from tuberculous meningitis, 4 deaths from abdominal tuberculosis, and one death from disseminated tuberculosis; in each of the three preceding weeks deaths from all forms of tuberculous disease were 23, 31, and 31.

The deaths from diseases of the brain and nervous system, 15 in number, include 4 deaths from meningitis.

Organic diseases of the heart caused the deaths of 12 persons, and there were 14 deaths from bronchitis.

The deaths of 4 children under 5 years of age were assigned to congenital debility.

There were 2 deaths caused by accidental burning.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of two children under 5 years of age and the death of one person aged 83 years.

Forty-three of the persons whose deaths were registered during the week were under 5 years of age (20 being infants under one year, of whom 3 were under one month old) and 30 were aged 65 years and upwards, including 17 persons aged 70 years and upwards; among the latter were 13 aged 75 years and upwards.

Sixty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·9 per 1,000; the rate in the City was 18·6 (North City Districts, 18·2; South, 19·1) and in the Suburbs, 15·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·8 per 1,000 inhabitants, the rate for the City being 3·5 (4·2 in the North City Districts, and 2·7 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 20·7 per 1,000, and include one death each from scarlet fever, diphtheria, *enteritis* of a child under 2 years of age, and pulmonary tuberculosis, and there were 2 deaths from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (15) are equal to an annual rate of 19·4 per 1,000. Among the 15 deaths are one from whooping-cough, one from diarrhœa, one from tuberculous meningitis, one from lobar pneumonia, 2 from bronchitis, and one from accidental burns.

No. 2 *North City District* (Lisburn-street).—The deaths (8) are equivalent to an annual rate of 13·4 per 1,000. Of the total, 2 were from whooping-cough, one was from *enteritis* of a child under 2 years of age, 3 were from tuberculous disease, one was from lobar pneumonia, and one from *pneumonia* (type not distinguished).

No. 3 *North City District* (Benburb-street).—The deaths (14) represent an annual rate of 21·5 per 1,000. Included in the 14 deaths are 2 from measles, one from whooping-cough, 2 from diarrhœa and enteritis of children under 2 years of age; 5 from tuberculous disease, and one from each of lobar pneumonia and bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 13·3; and Finglas and Glasnevin, part of, 20·1. Among the 3 deaths from all causes for Finglas and Glasnevin, part of, one was from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (20) represent an annual rate of 24·9 per 1,000, and include one death from scarlet fever, 3 deaths from tuberculous disease, 2 from lobar pneumonia, 2 from *pneumonia* (type not distinguished), and 2 from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (5) are equal to an annual rate of 11·9 per 1,000. Included in the total are one from typhus, one from diarrhœa, and one from *pneumonia* (type not distinguished),

No. 3 *South City District* (Peter-street).—The deaths (16) are equal to an annual rate of 19·1 per 1,000. The total includes one from each of measles, diarrhœa, pulmonary tuberculosis, and broncho-pneumonia, and 5 deaths from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 18·7 per 1,000. Enteric fever and diarrhœa each caused one death, tuberculous disease caused 5 deaths, and there was one death from bronchitis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·4 per 1000. One of the 2 deaths is from *enteritis* of a child under 2 years of age.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·1; Pembroke, 21·3; Blackrock, 11·6; and Kingstown, 17·8. The only death from any of the principal epidemic diseases tabulated for these districts was one from diarrhœa for Pembroke. Among the 8 deaths from all causes for Rathmines and Rathgar one was from each of pulmonary tuberculosis, bronchitis, and accidental burns. Included in the 12 deaths for Pembroke 3 were from pulmonary tuberculosis. One of the 2 deaths for Blackrock was also from pulmonary tuberculosis, and among the 6 deaths from all causes for Kingstown 2 were from tuberculous disease.

* See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron; Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 3rd June, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	May 13,	.	—	—	7	1	.	16	.	1	8	6	.	—	—	.	—	13	—	52
	May 20,	.	—	—	13	4	.	18	.	.	6	7	.	—	—	.	—	13	—	61
	May 27,	.	—	—	14	.	.	3	.	2	7	1	.	—	—	.	—	9	—	36
	June 3,	.	—	—	14	.	.	6	.	2	6	12	.	—	—	.	—	9	—	49
Rathmines and Rathgar Urban District.	May 13,	.	—	—	1	.	.	2	.	.	.	1	.	—	—	—	—	—	—	4
	May 20,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	May 27,	.	—	—	1	.	.	1	.	.	2	.	.	—	—	—	—	—	—	4
	June 3,	.	—	—	4	.	.	.	.	1	1	1	.	—	—	—	—	—	—	7
Pembroke Urban District.	May 13,	.	14	.	1	.	.	.	.	.	.	.	.	—	2	.	—	.	—	17
	May 20,	.	12	.	.	.	.	.	.	.	.	.	.	—	4	.	—	.	—	16
	May 27,	.	12	.	.	.	.	1	.	.	.	1	.	—	10	.	—	.	—	24
	June 3,	.	5	.	.	.	.	1	.	.	.	.	.	—	2	.	—	.	—	8
Blackrock Urban District.	May 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 27,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	June 3,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	May 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	May 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	May 27,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	.	—	1
	June 3,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	May 13,	.	—	—	9	.	.	3	.	.	2	1	1	—	—	.	—	10	—	26
	May 20,	.	—	—	7	.	.	6	.	.	.	1	.	—	—	1*	—	24	—	39
	May 27,	.	—	—	11	.	.	8	.	.	2	2	1	—	—	.	—	6	—	30
	June 3,	.	—	—	4	.	.	4	1	.	1	1	.	—	—	.	—	12	—	24

* Returned as cerebro-spinal meningitis.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 3rd June, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Thirty-nine cases of measles were admitted to hospital during the week, 27 were discharged, there was one death, and 86 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 103, 88, and 75, respectively.

Nineteen cases of scarlet fever were admitted to hospital, 18 were discharged, there were 2 deaths, and 73* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 79, 76, and 74, respectively.

Two cases of typhus were discharged from hospital during the week, there was one death, and 3 cases remained under treatment at its close.

Five cases of diphtheria were admitted to hospital during the week, 9 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 57, 65, and 41, respectively, were 36 at the close of last week.

Eight cases of enteric fever were admitted to hospital during the week, 9 were discharged, and 45 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 50, 47, and 46.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, 9 were discharged, there were 2 deaths, and 33 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 12·1) was equal to an average annual death-rate of 13·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·9 per 1,000, the rate for Glasgow being 19·2 and for Edinburgh 14·5.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 3rd June. From this Report it appears that of a total of 43 cases notified, 29 were phthisis, 9 scarlet fever, 3 diphtheria, and 2 erysipelas. Among the 335 cases of infectious diseases in hospital at the close of the week were 94 cases of scarlet fever, 74 of whooping-cough, 61 of phthisis, 44 of diphtheria, 41 of measles, 5 of erysipelas, 4 of chicken-pox, 3 of enteric fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 3rd June, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 3rd June, 1911. Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 3rd June, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 27th May, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th May, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
Total of 22 Town Districts, ...	1,163,596	20·4	30·9	17·1	1·3	690	382	58	88	1	1	...	3	2	7	1	...	55	26	18	25	42	7	...	8	2	4	120	11	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:—Total. (c) ...	407,057	29·6	33·4	17·9	2·8	261	140	20	28	1	1	...	3	2	4	1	...	19	8	8	10	15	6	...	4	2	3	57	4	e72·1	35·9	56·2	0·00	e68·6	31·0	55·3	0·01	e63·7	35·1	49·5	0·26
City of Dublin.	313,526	39·6	38·9	18·6	3·5	234	112	19	18	1	1	...	3	2	4	1	...	13	7	4	10	13	5	...	4	1	2	53	1	f72·9 g72·9	47·1 40·0	60·3 57·6	0·00 0·00	f69·8 g69·1	41·2 35·0	57·6 56·4	0·00 0·00	f65·4 g64·8	45·9 41·0	53·2 51·3	0·13 0·25
Urban Districts. Rathmines and Rathgar.	37,528	21·9	11·1	11·1	...	8	8	...	4	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,368	18·5	17·8	21·3	1·8	10	12	1	4	...	...	...	...	...	...	...	...	3	...	3	...	1	1	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,013	8·3	5·8	11·6	...	1	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,622	12·1	23·7	17·8	...	8	6	...	1	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	2	71	48	57·8	0·00	66	39	56·5	0·00	62	43	52·3	0·04
Urban Districts. Belfast, ...	398,421	27·1	30·5	16·4	0·7	233	125	18	28	...	...	...	...	...	...	...	...	16	11	6	11	18	1	...	4	...	1	33	2	73·2	39·8	59·1	0·00	65·0	39·5	55·3	0·15	64·0	41·0	53·7	1·47
Cork, ...	76,122	33·6	26·0	16·4	1·4	38	24	5	6	...	...	...	...	...	2	...	...	6	3	1	...	2	...	...	...	...	...	8	1	70	47	57·5	0·25	67	47	55·1	0·06	67	44	53·6	0·03
Londonderry...	43,900	20·3	24·9	19·0	1·2	21	16	2	6	...	...	...	...	...	1	...	...	1	...	...	1	2	...	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,151	18·1	64·2	15·0	...	47	11	2	2	...	...	...	...	...	...	...	...	1	1	...	...	2	...	...	...	...	...	4	1	77·3	36·2	59·0	0·16	64·6	41·4	54·3	0·13	66	40·8	53·4	0·04
Waterford, ...	26,769	18·7	19·5	17·5	...	10	9	3	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	4	1	...	...	...	...	...	...	...	...	...	...	...	...
Galway. ...	13,426	2·5	15·5	7·8	...	4	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	80	45	63	0·00	64	47	54	0·79	72	40	55	0·00
Dundalk, ...	13,076	9·4	19·9	27·9	...	5	7	1	3	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,760	8·6	24·5	20·4	...	6	5	...	3	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	12,405	17·8	12·6	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	74·0	38·2	60·1	0·00	65·9	39·7	54·6	0·21	66·1	39·0	53·0	0·38
Lurgan, ...	11,782	13·8	26·6	8·9	...	6	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	74·0	38·2	60·1	0·00	65·9	39·7	54·6	0·21	66·1	39·0	53·0	0·38
Lisburn, ...	11,461	10·1	50·0	18·2	...	11	4	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	74·0	38·2	60·1	0·00	65·9	39·7	54·6	0·21	66·1	39·0	53·0	0·38
Wexford. ...	11,168	23·2	18·7	14·0	...	4	3	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena, ...	10,886	8·9	14·4	19·2	...	3	4	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	76	44	61·8	0·16	67	40	57·0	0·11	65	42	53·2	0·46
Sligo. ...	10,870	3·7	28·8	4·8	...	6	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
Kilkenny, ...	10,609	11·5	14·7	24·6	...	3	5	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Clonmel, ...	10,167	7·8	20·5	20·5	...	4	4	1	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	74·0	38·2	60·1	0·00	65·9	39·7	54·6	0·21	66·1	39·0	53·0	0·38
Portadown, ...	10,092	13·2	36·2	31·0	...	7	6	1	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Tralee. ...	9,867	16·6	42·3	31·7	...	8	6	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	40·1	17·2	...	7	3	1	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	70	47	56·8	0·02	64	42	53·3	0·02	59	44	51·1	0·15
Queenstown, ...	7,909	14·4	13·2	19·8	...	2	3	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	70	47	57·5	0·25	67	47	55·1	0·06	67	44	53·6	0·03
Armagh. ...	7,588	22·2	6·9	13·7	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	74·0	38·2	60·1	0·00	65·9	39·7	54·6	0·21	66·1	39·0	53·0	0·38

(a) According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1911. (b) See note (†) at foot of first page. (c) Exclusive of 10 deaths of persons (including 2 at 65 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 3rd of June, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	2	.	.	.	.	.	1	.	.	.	.	.	.	3	.
Scarlet Fever,	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Whooping-cough,	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	4	.
Diphtheria,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	1	.	.	4	.	.	1	2	.	1	4	.	1	3	1	1	19	3
Tuberculous Disease. { Other Forms,	.	1	3	1	.	.	.	1	.	.	1	.	.	.	.	1	8	1
Cancer,	1	1	.	.	.	.	.	.	1	1	.	.	.	3	.	1	8	1
Diseases of Nervous System,	3	.	.	.	.	1	1	4	.	2	1	.	1	2	.	.	15	.
" Organs of Special Sense,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Circulatory System,	.	4	.	.	.	.	.	4	.	2	1	.	.	.	1	.	12	.
" Respiratory System. { Pneumonia,	.	1	2	1	.	.	.	4	1	1	.	.	.	.	.	.	10	.
" Respiratory System. { Others,	2	2	.	1	.	.	.	2	.	5	1	.	1	1	.	.	15	.
" Digestive System. { Diarrhœa, under 2 years,	.	1	.	1	.	.	.	.	1	1	1	.	.	1	.	.	6	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, under 2 years,	1	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	4	.
" Digestive System. { Enteritis, 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	.	1	.	.	.	.	1	.	.	.	.	.	1	.	.	1	4	3
" Genito-urinary System,	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	1	.	2	.	2	.	2	1	1	2	1	2	1	.	2	17	1
Violent Deaths,	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Ill-defined, &c. Causes,	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	2	.
Deaths from All Causes	12	15	8	14	1	3	3	20	5	16	13	2	8	12	2	6	140	10
Annual Rate of Mortality from All Causes in every 1,000 of the population.	20·7	19·4	13·4	21·5	9·6	13·3	20·1	24·9	11·9	19·1	18·7	11·4	11·1	21·3	11·6	17·8	17·9	.
	18·2							19·1					15·6					
	18·6																	
Ages at Death. { Under 1 year,	1	2	2	4	.	.	.	1	1	3	4	1	.	1	.	.	20	.
1 and under 2 years,	1	2	2	4	.	.	.	2	1	1	.	.	.	.	.	1	14	.
2 " 5 "	3	1	1	1	.	.	.	1	.	1	.	.	.	.	.	1	9	.
5 " 15 "	.	2	1	.	.	1	.	2	.	2	.	.	.	.	.	1	9	1
15 " 25 "	2	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	7	2
25 " 45 "	3	3	1	3	.	.	2	4	.	2	4	.	1	2	1	.	26	3
45 " 65 "	1	4	1	2	1	.	1	3	2	2	3	.	1	4	.	2	27	2
65 and upwards,	1	.	.	.	.	2	.	7	1	5	1	1	4	4	1	1	28	2
Number of Uncertified Deaths,	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	5	1	6	.	.	1	2	3	4	4	.	.	2	1	.	32	9
Workhouse Hospitals,	3	3	2	1	.	.	.	5	.	9	1	.	.	1	.	.	25	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 22nd Week of the 10 years 1901–1910.	In the Week ending Saturday, 3rd June, 1911.										
													Deaths of Persons of the Ages of									
	June 1, 1901.	May 31, 1902.	June 6, 1903.	June 4, 1904.	June 3, 1905.	June 2, 1906.	June 1, 1907.	May 29, 1908.	June 5, 1909.	June 4, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 54·8	° 50·0	° 53·3	° 56·2	° 56·4	° 55·7	° 52·9	° 54·2	° 53·2	° 50·6	° 53·7	° 56·2										
ALL CAUSES.	164	165	177	150	145	154	181	126	147	135	154·4	150	3	17	14	9	10	9	29	29	17	13
Enteric Fever, ...	1	1	3	2	.	.	1	.	3	.	1·1	1	.	.	.	.	.	1	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
Small-pox, ...	.	.	3	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	2	2	5	3	2	4	2	2	.	2·2	3	.	.	1	2	.	.	.	.	.	.
Scarlet Fever, ...	.	1	.	.	1	.	.	.	1	2	·5	2	.	.	.	2	.	.	.	.	.	.
Whooping-cough, ...	2	1	1	9	3	3	8	.	4	2	3·3	4	.	2	1	1	.	.	.	.	.	.
Diphtheria, ...	1	2	.	1	.	.	.	2	.	.	·6	1	.	.	.	1	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	1	2	2	2	3	2	1	3	.	1·8	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	2	1	.	.	.	1	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	2	.	1	1	.	.	.	.	·4	2	.	.	.	.	.	.	1	1	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	33	27	16	23	23	20	14	13	18	17	20·4	22	.	1	1	.	2	3	13	2	.	.
Tuberculous Meningitis, ...	.	3	4	1	1	3	3	5	1	2	2·3	4	.	1	1	.	.	1	1	.	.	.
Abdominal Tuberculosis, ...	6	.	.	1	.	1	4	4	2	3	2·1	4	.	1	2	.	.	.	.	1	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	3	4	4	4	7	4	4	5	7	10	5·2	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												1	.	.	.	.	.	.	1	.	.	.
Venereal Diseases, ...	1	.	1	.	2	.	.	1	3	.	·8	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	5	6	8	6	7	10	6	4	8	10	7·0	9	.	.	.	.	.	.	1	3	2	3
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	.	.	.	1	1	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	1	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	4	.	.	.	.	1	1	.	1	.	1
Alcoholism, ...	2	1	.	.	.	1	.	4	.	1	·9	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	1	3	1	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												4	.	.	1	1	1	.	.	1	.	.
Cerebral Hæmorrhage, *Apoplexy*.												2	.	.	.	.	.	.	.	1	1	.
Softening of Brain, ...												1	.	.	.	.	.	.	.	.	1	.
Paralysis, without specified cause.												5	.	.	.	.	.	.	.	1	1	3
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	28	40	42	33	29	32	45	26	32	28	33·5	3	.	.	.	.	1	1	.	.	.	1
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,												12	.	.	.	.	1	.	2	3	6	.
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	15	14	21	14	9	13	22	12	12	11	14·3	14	.	2	2	.	.	.	1	5	3	1
Broncho-pneumonia, ...	12	2	7	1	5	3	9	7	7	2	14·0	1	.	.	.	.	1	.	.	.	.	.
Lobar-pneumonia, ...		1	2	1	2	.	3	.	1	2		5	.	.	1	1	1	.	1	1	.	.
Pneumonia (type not distinguished)		8	10	8	9	7	11	8	8	4		4	.	.	.	.	1	.	.	2	1	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	7	3	1	4	2	2	1	3	2	2·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												1	.	.	.	.	.	.	.	.	1	.

TWENTY-SECOND WEEK ending Saturday, 3rd June, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 22nd Week of the 10 years 1901–1910.	In the Week ending Saturday, 3rd June, 1911.										
													Deaths of Persons of the Ages of									
	June 1, 1901.	May 31, 1902.	June 6, 1903.	June 4, 1904.	June 3, 1905.	June 2, 1906.	June 1, 1907.	May 29, 1908.	June 5, 1909.	June 4, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 54·8	° 50·0	° 53·3	° 56·2	° 56·4	° 55·7	° 52·9	° 54·2	° 53·2	° 50·6	° 53·7	° 56·2										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	1	.	.	.	.	.	.	.
Diarrhœa of Children under 2 years.	.	1	1	.	1	2	.	3	1	1	1·0	6	.	5	1	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	2	1	4	1	2	2	.	2	1	4	1·9	4	1	3	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	1	1	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	1	1	.	.
Cirrhosis of Liver, ...	.	.	3	.	.	1	.	.	.	.	1·9	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...		2	2	3	1	2	2	1	1	1		2	.	.	.	.	.	.	.	2	.	.
Peritonitis (cause unknown),	2	1	.	.	1	1	1	.	1	.	·7	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	2	6	9	3	9	5	2	3	3	4·7	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...												.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...												1	.	.	.	.	.	.	1	.	.	.
Urinary Calculi, ...												1	.	.	.	.	.	.	.	1	.	.
Uterine Tumour (non-cancerous).	9	4	5	6	6	7	9	6	7	7	6·6	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												1	.	.	.	.	.	.	1	.	.	.
Puerperal Septicæmia, &c., ...	2	2	.	2	.	1	1	.	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	2	.	1	.	1	.	.	.	1	.	·5	2	.	.	.	.	.	.	2	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	.	1
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	1	.	.	.	.	.	.	.
Premature Birth, ...	5	6	6	2	2	3	3	2	.	6	3·5	.	.	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	4	1	1	1	1	.	.	.	.	.	.
Old Age, ...	7	6	2	5	1	1	4	1	4	2	3·3	3	.	.	.	.	.	.	.	.	1	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	2	1	.	.	.	.	.	1	.	.	.
ACCIDENTS:																						
By Railways, ...	2	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	1	2	1	1	.	.	2	.	.	2	·9	2	.	.	.	.	1	1	.	.	.	.
By Drowning, ...	.	1	1	.	3	.	3	.	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	1	2	.	3	2	1	2	2	2	1·6	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	1	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	1	.	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910–11—WEEK ENDING																									
	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.
No. of weeks in Annual Series,	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
BIRTHS registered.	174	232	158	170	203	230	238	232	219	241	192	214	217	238	203	276	230	198	171	174	259	260	242	226	246	261
Average Births in corresponding week of previous 10 years, ...	193	195	177	174	231	208	209	201	241	217	212	209	216	223	212	212	233	202	210	223	199	268	231	210	204	238
DEATHS registered, ...	188	165	178	155	176	179	190	228	200	220	208	195	180	174	170	214	177	191	174	196	181	176	170	129	158	150
Annual Death-rate per 1,000, ...	24·3	21·4	23·0	20·1	22·5	22·9	24·3	29·2	25·6	28·2	26·6	25·0	23·1	22·3	21·8	27·4	22·7	24·5	22·3	25·1	23·2	22·5	21·8	16·5	20·2	19·2
Average Deaths in corresponding week of previous 10 years, ...	182	177	182	177	201	195	195	192	200	198	200	210	218	210	194	201	203	199	195	197	190	177	178	171	169	154
Ages, Under 5 years, ...	53	43	41	47	56	60	62	59	61	47	57	57	70	59	39	56	48	54	63	54	50	56	48	40	37	43
5—15 " ...					5	10	7	11	6	10	6	10	9	12	9	7	14	17	4	5	11	14	7	6	14	10
15—25 " ...					9	7	10	11	12	13	5	6	6	7	7	13	8	10	10	14	7	6	8	9	11	9
25—45 " ...	135	122	137	108	25	24	27	32	32	41	36	35	32	24	24	42	19	33	25	31	33	15	35	21	21	29
45—65 " ...					45	38	41	55	48	51	49	35	36	36	42	44	36	44	43	45	35	30	38	36	39	29
65—75 " ...					20	25	28	34	22	39	33	29	19	19	28	32	29	27	19	29	25	34	19	10	24	17
75 and upwards, ...					16	15	15	26	19	19	22	23	8	17	21	20	23	6	10	18	20	21	15	7	12	13
Deaths from :—																										
Enteric Fever, ...	1	2	1	.	.	1	.	2	3	2	2	2	4	3	1	2	1	3	1	1	.	1	1	1	1	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	1	.	1	4	3	6	2	2	2	2	3	7	7	7	3	2	1	7	11	5	8	17	4	6	3
Scarlet Fever, ...	1	1	.	2	7	.	.	1	.	4	6	2	2	.	.	1	.	1	4	1	.	1	1	.	2	2
Whooping-cough, ...	11	1	5	7	6	5	6	10	4	3	6	7	11	4	4	6	5	3	6	.	2	3	2	4	1	4
Diphtheria, ...	.	3	2	.	1	2	4	1	5	2	3	2	.	2	.	1	1	4	3	4	1	2	3	1	.	1
Influenza, ...	2	1	3	1	.	1	1	4	3	4	5	7	2	2	2	1	2	2	.	3	.	3	2	1	2	.
Dysentery, ...	—	—	—	—	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	25	14	19	19	21	19	27	28	19	27	22	18	20	17	28	32	16	29	21	33	22	21	17	25	22	22
Tuberculous Disease, Other Forms,	11	4	7	5	4	6	9	7	4	6	8	7	7	8	8	15	13	10	3	8	10	6	6	6	9	9
Cancer, ...	12	4	13	6	8	3	12	7	16	11	4	6	5	8	6	10	13	11	8	7	9	6	5	6	11	9
Diseases of Circulatory System,	30	23	28	31	17	20	13	25	19	23	17	21	14	13	24	27	22	23	14	15	24	17	23	7	19	12
Diseases of Respiratory System, Pneumonia,	15	27	18	11	15	16	10	17	18	20	15	21	13	16	14	13	13	18	19	16	18	22	15	12	6	10
Diseases of Respiratory System, Others, ...	27	32	26	25	29	25	28	42	30	41	44	28	29	25	23	27	24	24	26	26	16	34	20	15	14	15
Diarrhœa, Under 2 years, ...	2	2	2	1	3	2	2	4	4	2	3	3	1	1	2	5	1	3	2	1	2	2	1	2	1	6
Diarrhœa, 2 years & upwards,					.	.	.	.	1	.	.	1	1	.	3	.	1	.	.	.	1	2	.	.	1	.
Enteritis, under 2 years, ...	—	—	—	—	.	2	2	.	3	3	1	1	1	2	1	3	1	3	3	2	2	2	.	1	1	4
Violent Deaths, ...	4	8	4	6	2	8	1	4	7	4	2	5	2	4	5	5	5	6	1	7	9	3	.	1	5	2
Number of Uncertified Deaths,	5	3	3	6	4	5	7	7	3	3	2	4	7	8	7	2	5	1	1	2	8	4	3	1	5	4
Mean Temperature of the Air (Phœnix Park)	43·4	45·2	43·5	40·9	37·2	39·0	38·6	45·5	35·9	37·0	46·4	43·4	46·5	41·1	38·0	41·7	42·7	39·4	43·7	50·5	50·5	49·6	52·6	49·5	55·3	56·2
Average Mean Temperature in corresponding week of previous 10 years, ...	42·4	41·6	41·3*	41·3	42·0	40·0	40·8	40·5	40·3	40·3	39·8	39·9	40·5	41·7	42·7	42·6	42·4	44·1	43·1	45·1	46·2	46·7	48·1	49·1	50·9	53·7
Rainfall in inches, ...	1·700	1·172	·183	·130	·336	·345	·153	·034	·000	·011	·582	·523	·681	·316	·206	·000	·770	·131	·000	·501	·606	·780	·127	·262	·010	·000
Mean Humidity of the Air, complete Saturation 1·0, ...	·91	·91	·94	·88	·92	·90	·93	·92	·87	·90	·91	·91	·92	·91	·89	·87	·90	·86	·86	·89	·91	·93	·94	·92	·89	·89

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 3rd June, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 3RD JUNE, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	150	43	10	9	29	29	17	13	1	1	.	3	2	4	1	.	22	9	9	.	10	15	6	.	4	2	61	4
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	20·9	7	1	.	.	1	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	.
II.	MIDDLE CLASS, ...	87,188	19·1	32	3	1	2	9	5	6	6	.	1	.	.	.	1	.	.	6	.	2	.	1	2	.	.	1	.	18	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	10·9	23	8	3	2	4	2	1	3	.	.	.	2	.	.	.	.	3	3	3	.	1	.	1	.	1	.	9	.
IV.	GENERAL SERVICE CLASS, ...	154,279	21·0	62	26	5	3	9	12	6	1	.	.	.	1	2	3	1	.	9	3	3	.	7	6	5	.	2	2	18	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	26	5	1	2	6	7	3	2	1	.	.	.	.	.	.	.	4	3	1	.	1	7	.	.	.	.	9	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	40·1	6	1	.	.	1	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.
	2. Merchants and Manufacturers, Higher Class	1,277	40·8	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	16·6	7	1	.	.	2	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	4	.
	6. Clerks and Commercial Assistants, ...	30,432	15·4	9	2	.	2	2	2	.	1	.	1	.	.	.	1	.	.	3	.	.	.	.	1	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	25·1	13	.	.	.	5	1	3	4	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.	.	.	.	9	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	8·7	5	1	1	1	1	.	.	1	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	1	.	1	.
	10. Clothing Trades, ...	23,260	4·5	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
	11. Food Supply Trades, ...	9,242	22.6	4	1	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.
	12 Other Trades and Callings ranking with Trades, ...	30,352	15·5	9	2	2	.	2	1	1	1	.	.	.	1	.	.	.	.	1	1	1	.	1	.	.	.	.	.	4	.
	13. Petty Shopkeepers, ...	7,894	6·6	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	27·2	7	4	.	.	1	1	1	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.	.	1	.	1	.
	15. Domestic Servants, ...	36,603	10·0	7	1	.	2	2	.	2	.	.	.	.	1	.	.	.	.	1	.	.	.	1	1	.	.	.	1	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	32·6	9	1	2	.	3	3	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	1	5	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	22·6	39	20	3	1	3	8	3	1	.	.	.	.	1	3	1	.	5	2	3	.	3	5	5	.	1	.	10	3
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	26	5	1	2	6	7	3	2	1	.	.	.	.	.	.	.	4	3	1	.	1	7	.	.	.	.	9	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	From Certain Epidemic Diseases.	TOTAL DEATHS.	NUMBER OF DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa. Children under 2 years.	2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 30,219.	April 15,	6·9	1·7	4	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	.
	" 22,	12·1	.	7	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	" 29,	15·5	.	9	.	.	.	.	.	.	.	.	2	2	.	3	.	.	.	.	.	.
	May 6,	19·0	1·7	11	.	.	.	1	.	.	.	.	3	.	.	1	.	.	.	.	1	1
	" 13,	13·8	.	8	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.
	" 20,	15·5	3·5	9	.	.	.	.	.	1	.	.	4	.	.	.	.	1	.	.	.	.
	" 27,	36·2	5·2	21	1	.	.	.	1	.	.	.	1	1	2	1	3	.	.	1	1	2
	June 3,	20·7	5·2	12	.	.	.	.	1	.	1	.	1	.	1	.	2	.	.	1	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 40,390.	April 15,	33·6	5·2	26	.	.	.	3	.	.	.	.	3	.	.	2	5	1	.	.	.	.
	" 22,	16·8	5·2	13	.	.	.	2	.	.	1	.	3	.	.	.	.	.	.	1	.	1
	" 29,	24·5	1·3	19	.	.	.	1	.	.	.	.	3	.	.	1	5	.	.	.	.	3
	May 6,	21·9	2·6	17	.	.	.	2	.	.	.	.	.	.	.	4	4	.	.	.	.	1
	" 13,	33·6	3·9	26	.	.	.	1	.	1	.	.	4	1	1	2	4	1	.	.	.	1
	" 20,	27·1	2·9	21	1	.	.	.	.	2	.	.	3	.	.	1	6	.	.	.	.	.
	" 27,	19·4	1·3	15	.	.	.	1	.	.	.	.	2	1	.	1	2	.	.	.	1	.
	June 3,	19·4	2·6	15	.	.	.	.	.	1	.	.	.	1	1	1	2	1	.	.	1	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 31,064.	April 15,	26·9	3·4	16	.	.	.	.	1	1	.	.	2	.	.	3	2	.	.	.	1	.
	" 22,	15·1	1·7	9	.	.	.	1	.	.	.	.	.	.	1	.	3	.	.	.	.	.
	" 29,	47·0	5·0	28	.	.	.	.	.	.	.	.	4	3	2	2	4	2	.	1	.	.
	May 6,	23·5	3·4	14	.	.	.	.	.	.	1	.	2	.	.	2	5	1	.	.	.	.
	" 13,	31·9	6·7	19	.	.	.	3	.	1	.	.	2	1	.	1	2	.	.	.	.	.
	" 20,	21·8	.	13	.	.	.	.	.	.	.	.	4	1	1	1	.	.	.	.	.	.
	" 27,	16·8	3·4	10	.	.	.	2	.	.	.	.	1	.	.	.	1	.	.	.	1	.
	June 3,	13·4	5·0	8	.	.	.	.	.	2	.	.	.	3	.	2	.	.	.	1	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,908.	April 15,	20·0	4·6	13	.	.	.	.	1	2	.	.	1	.	1	1	1	.	.	.	.	.
	" 22,	35·4	3·1	23	.	.	.	2	.	.	.	.	1	1	.	4	3	.	.	.	2	.
	" 29,	20·0	4·6	13	.	.	.	2	.	.	.	.	1	.	.	2	1	.	1	.	2	.
	May 6,	24·6	10·8	16	.	.	.	4	.	.	.	.	2	1	.	3	2	1	2	.	.	.
	" 13,	35·4	9·2	23	.	.	.	6	.	.	.	.	1	1	1	2	5	.	.	.	.	1
	" 20,	16·9	4·6	11	.	.	.	2	.	.	.	.	1	.	.	1	2	1	.	.	.	.
	" 27,	13·8	3·1	9	.	.	.	1	.	.	.	.	2	.	1	.	.	.	1	.	.	.
	June 3,	21·5	7·7	14	.	.	.	2	.	1	.	.	4	1	.	1	1	1	.	1	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,908.	April 15,	31·1	3·7	25	.	.	.	1	1	.	.	.	3	1	1	.	5	.	.	1	.	1
	" 22,	27·4	5·0	22	1	.	.	1	.	.	1	.	5	.	1	1	3	.	.	1	.	.
	" 29,	12·4	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	1
	May 6,	29·9	2·5	24	.	.	.	1	.	.	.	.	5	.	1	.	4	.	.	1	.	.
	" 13,	12·4	.	10	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.
	" 20,	10·0	.	8	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	.
	" 27,	21·2	.	17	.	.	.	.	.	.	.	.	3	2	2	1	3	.	.	.	.	1
	June 3,	24·9	1·2	20	.	.	.	.	1	.	.	.	2	1	.	4	2	.	.	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,980.	April 15,	23·7	.	10	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.
	" 22,	28·5	4·7	12	.	.	.	1	.	.	1	.	4	1	1	1	.	.	.	.	.	.
	" 29,	28·5	.	12	.	.	.	.	.	.	.	.	3	1	2	1	.	.	.	.	.	.
	May 6,	23·7	2·4	10	.	.	.	.	.	1	.	.	1	1	1	2	2	.	.	.	.	1
	" 13,	14·2	4·7	6	.	.	.	2	.	.	.	.	1	.	.	.	2	.	.	.	.	.
	" 20,	14·2	.	6	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.
	" 27,	26·1	2·4	11	.	.	.	.	.	1	.	.	1	1	1	.	3	.	.	.	.	1
	June 3,	11·9	4·7	5	.	1	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,677.	April 15,	14·3	4·8	12	1	.	.	1	.	1	.	.	.	.	.	2	.	.	.	1	.	.
	" 22,	28·7	1·2	24	.	.	.	1	.	.	.	.	2	.	.	2	6	.	.	.	.	.
	" 29,	32·2	6·0	27	.	.	.	2	.	1	1	.	1	1	.	2	2	.	.	1	3	1
	May 6,	20·3	2·4	17	1	.	.	.	.	1	.	.	1	1	1	2	5	.	.	.	1	.
	" 13,	23·9	2·4	20	1	.	.	.	.	.	1	.	1	.	2	3	2	.	.	.	.	.
	" 20,	11·9	2·4	10	.	.	.	1	.	.	1	.	1	.	1	3	1	.	.	.	.	.
	" 27,	16·7	.	14	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	.	1
	June 3,	19·1	2·4	16	.	.	.	1	.	.	.	.	1	.	1	1	5	1	.	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 36,254.	April 15,	21·6	7·2	15	.	.	.	2	1	2	.	.	1	.	.	2	2	.	.	.	.	.
	" 22,	30·2	1·4	21	.	.	.	.	1	.	.	.	6	2	1	2	3	.	.	.	2	.
	" 29,	21·6	.	15	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	3	1
	May 6,	21·6	.	15	.	.	.	.	.	.	.	.	5	.	.	.	4	.	.	.	.	.
	" 13,	17·3	4·3	12	.	.	.	2	.	.	1	.	2	1	.	1	1	.	.	.	.	.
	" 20,	12·9	2·9	9	.	.	.	1	.	.	.	.	.	2	.	.	2	.	.	1	.	1
	" 27,	21·6	1·4	15	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	1	.
	June 3,	18·7	2·9	13	1	.	.	.	.	.	.	.	4	1	.	.	1	1	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 37,528.	April 15,	13·9	.	10	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.	.
	„ 22,	15·3	1·4	11	.	.	.	1	.	.	.	.	1	1	.	3	1	.	.	.	.	.
	„ 29,	12·5	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	May 6,	23·6	1·4	17	.	.	.	.	.	.	.	.	.	1	.	2	2	.	.	1	1	.
	„ 13,	8·3	1·4	6	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.
	„ 20,	15·3	.	11	.	.	.	.	.	.	.	.	4	.	1	.	.	.	.	.	1	.
	„ 27,	15·3	.	11	.	.	.	.	.	.	.	.	4	.	1	.	.	.	.	.	.	.
	June 3,	11·1	.	8	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	1
Pembroke Urban District. Pop. in 1911 (Est.) 29,368.	April 15,	24·9	1·8	14	.	.	.	.	.	.	.	.	2	.	2	4	3	1	.	.	.	.
	„ 22,	8·9	1·8	5	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 29,	16·0	1·8	9	.	.	.	.	.	1	.	.	1	1	1	.	1	.	.	.	.	.
	May 6,	21·3	3·6	12	.	.	.	.	1	1	.	.	1	.	.	3	1	.	.	.	.	.
	„ 13,	23·1	5·3	13	.	.	.	3	.	.	.	.	1	.	.	1	1	.	.	.	.	.
	„ 20,	10·7	1·8	6	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.
	„ 27,	10·7	3·6	6	.	.	.	2	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	June 3,	21·3	1·8	12	.	.	.	.	.	.	.	.	3	.	3	.	1	1	.	.	.	.
Kingstown Urban District. Pop. in 1911 (Est.) 17,622.	April 15,	17·8	.	6	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.
	„ 22,	44·4	3·0	15	.	.	.	1	.	.	.	.	4	.	1	.	1	.	.	.	.	.
	„ 29,	20·7	.	7	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.
	May 6,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1
	„ 13,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 20,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 27,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	June 3,	17·8	.	6	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	2
Belfast. Pop. in 1911 (Est.) 398,421.	April 15,	21·1	1·2	161	.	.	.	1	.	3	2	.	25	4	5	19	29	.	1	2	2	2
	„ 22,	20·2	0·7	154	.	.	.	.	.	2	1	.	14	11	6	23	34	.	.	2	3	.
	„ 29,	20·9	0·4	160	1	.	.	.	.	1	.	.	17	15	12	18	16	.	.	1	3	1
	May 6,	14·3	0·3	109	1	.	.	.	.	.	.	.	16	12	3	10	20	.	.	1	3	2
	„ 13,	15·7	0·4	120	.	.	.	.	1	.	.	.	25	7	6	10	15	1	.	1	4	1
	„ 20,	16·1	0·7	123	.	.	.	.	.	1	.	.	21	10	1	13	19	1	.	3	1	1
	„ 27,	16·1	0·8	123	.	.	.	.	.	1	.	.	21	12	4	6	11	2	.	3	1	1
	June 3,	16·4	0·7	125	.	.	.	.	.	.	.	.	16	11	6	11	18	1	.	4	.	2
Cork. Pop. (in 1901) 76,122.	April 15,	27·4	0·7	40	1	.	.	.	.	.	.	.	6	.	3	3	4	.	.	.	.	1
	„ 22,	21·2	.	31	.	.	.	.	.	.	.	.	6	3	.	1	2	.	.	.	3	.
	„ 29,	24·0	1·4	35	.	.	.	.	.	2	.	.	7	3	1	2	3	.	.	.	.	7
	May 6,	23·3	3·4	34	1	.	.	.	.	1	.	.	4	2	1	2	2	2	1	.	.	1
	„ 13,	20·5	1·4	30	.	.	.	.	.	2	.	.	4	1	3	1	5	.	.	.	1	1
	„ 20,	17·8	1·4	26	.	.	.	.	.	2	.	.	6	1	1	1	1	.	.	.	1	.
	„ 27,	20·5	0·7	30	.	.	.	.	.	1	.	.	7	2	2	1	1	.	.	.	.	3
	June 3,	16·4	1·4	24	.	.	.	.	.	2	.	.	6	3	1	.	2	.	.	.	.	1
Londonderry. Pop. in 1911 (Est.) 43,900.	April 15,	26·1	4·8	22	.	.	.	.	.	4	.	.	3	.	.	2	6	.	.	.	1	.
	„ 22,	17·8	5·9	15	.	.	.	.	.	4	.	.	.	.	1	.	3	1	.	.	.	.
	„ 29,	14·3	3·6	12	.	.	.	.	.	3	.	.	2	2	2	.	1	.	.	.	.	.
	May 6,	19·0	2·4	16	.	.	.	.	.	2	.	.	3	1	3	.	3	.	.	.	.	.
	„ 13,	10·7	.	9	.	.	.	.	.	.	.	.	3	.	1	.	2	.	.	.	.	1
	„ 20,	15·4	2·4	13	.	.	.	.	.	2	.	.	3	.	.	.	3	.	.	.	.	.
	„ 27,	10·7	2·4	9	.	.	.	.	.	2	.	.	2	1	1	.	.	.	.	.	.	.
	June 3,	19·0	1·2	16	.	.	.	.	.	1	.	.	1	.	.	1	2	.	.	.	.	.
Limerick. Pop. (in 1901) 38,151.	April 15,	17·8	1·4	13	1	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	3
	„ 22,	28·7	.	21	.	.	.	.	.	.	.	.	2	1	1	2	9	.	.	.	.	1
	„ 29,	10·9	2·7	8	.	.	.	.	.	.	1	.	.	.	.	.	3	.	.	1	.	3
	May 6,	13·7	1·4	10	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2
	„ 13,	10·9	.	8	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.	.
	„ 20,	26·0	.	19	.	.	.	.	.	.	.	.	2	2	1	.	4	.	.	.	.	1
	„ 27,	6·8	.	5	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	3
	June 3,	15·0	.	11	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	1
Waterford. Pop. (in 1901) 26,769.	April 15,	13·6	.	7	.	.	.	.	.	.	.	.	3	.	.	.	2	.	.	.	.	1
	„ 22,	31·2	.	16	.	.	.	.	.	.	.	.	2	2	.	2	5	.	.	.	.	1
	„ 29,	13·6	.	7	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	1
	May 6,	17·5	.	9	.	.	.	.	.	.	.	.	5	1	.	.	1	.	.	.	.	.
	„ 13,	11·7	.	6	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.
	„ 20,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	„ 27,	19·5	1·9	10	.	.	.	.	.	.	.	.	3	.	1	.	.	.	1	.	.	2
	June 3,	17·5	.	9	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 3rd June, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1901, represented by Deaths from: Certain Epidemic Diseases.*	Total Number of DEATHS.	DEATHS. Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	349,180	21	The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table.		5	.	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 2 do.		37			20	3	1	4	1	5	6	.	.	.	.	.	.	.	.	1	1	1	1	3	1	.	.	.	.	3	1
Do. 3 do.		30			22	4	.	2	9	2	5	.	.	.	.	.	.	.	.	3	4	1	2	2	.	.	1	.	1	6	.
Do. 4 do.		31			12	3	.	2	2	3	2	.	.	.	.	.	.	.	.	3	.	.	1	1	.	.	1	.	.	7	.
Do. 5 do.		11			7	.	1	1	1	2	2	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.	.	.	.	4	.
Do. 6 do.		7			17	.	.	2	2	7	6	.	.	.	.	.	.	.	.	2	.	3	1	1	.	.	.	.	.	1	.
Do. 7 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		4			2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Do. 9 do.		11			6	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1
Do. 10 do.		17			12	2	1	1	3	3	2	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	.	.	4	.
Do. 11 do.		16			2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do 12 do.		30			9	2	1	1	2	1	2	.	.	.	.	.	.	.	.	1	3	.	1	1	.	.	2	.	.	4	.
Do. 13 do.		6			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		12			10	1	2	.	1	4	2	.	.	.	.	.	.	.	.	2	1	.	2	1	.	.	.	.	.	2	.
Total,	—	233			125	18	7	14	24	34	28	.	.	.	.	.	.	.	.	16	11	6	11	18	1	.	4	.	1	33	2
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	12,867	8	16·2	.	4	.	.	1	.	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	3	.
Do. 2 do.	10,701	8	4·9	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 3 do.	9,978	2	20·9	.	4	1	1	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	1	.
Do. 4 do.	8,666	3	24·1	6·0	4	1	.	1	.	1	1	.	.	.	.	.	1	.	.	1	.	1	.	.	.	.	.	.	.	1	1
Do. 5 do.	6,592	4	7·9	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Do. 6 do.	10,702	6	19·5	4·9	4	1	.	2	1	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.
Do. 7 do	16,616	7	18·8	.	6	2	.	2	.	.	2	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	2	.
Total	76,122	38	16·4	1·4	24	5	2	6	3	2	6	.	.	.	.	.	2	.	.	6	3	1	.	2	.	.	.	.	.	8	1

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910–11—WEEK ENDING																									
	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.
No. of weeks in Annual Series,	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
BIRTHS registered, ...	185	167	200	199	241	231	233	188	212	218	216	213	232	193	220	218	232	232	204	189	235	254	229	180	214	233
DEATHS registered, ...	151	133	132	91	122	151	118	118	128	146	149	141	133	118	118	147	138	172	161	154	160	109	120	123	123	125
Annual Death rate per 1,000 of estimated population, ...	20·1	17·7	17·6	12·1	16·0	19·8	15·4	15·4	16·8	19·1	19·5	18·5	17·4	15·4	15·4	19·2	18·1	22·5	21·1	20·2	20·9	14·3	15·7	16·1	16·1	16·4
AGES, Under 1 year, ...	34	20	22	18	21	30	23	26	24	24	31	21	25	20	33	23	26	36	24	23	23	19	19	25	22	18
1—5 years, ...	11	17	12	8	12	11	8	10	10	7	10	14	9	10	6	17	11	7	10	14	13	10	9	9	13	7
5—25 „ ...	106	96	98	65	7	20	16	11	6	11	21	17	18	9	10	19	11	14	17	13	21	13	17	15	17	14
25—45 „ ...					30	37	17	13	25	27	30	29	16	23	14	28	23	36	32	26	27	25	23	26	22	24
45—65 „ ...					32	25	21	27	34	34	32	26	35	29	27	30	38	45	37	39	46	22	29	31	27	34
65 and upwards, ...					20	28	33	31	29	43	25	34	30	27	28	30	29	34	41	39	30	20	23	17	22	28
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
Typhus, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	3	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Scarlet Fever, ...	1	2	1	1	1	1	1	.	.	1	.	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.
Whooping-cough, ...	1	.	1	1	.	.	1	1	1	.	.	1	1	1	1	.	.	.	3	2	1	.	.	1	1	.
Diphtheria, ...	4	.	.	.	.	.	1	2	1	.	.	.	.	.	.	1	1	.	2	1	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	14	12	15	9	14	23	17	13	10	11	22	15	13	19	7	22	24	26	25	14	17	16	25	21	21	16
Tuberculous Disease. Other Forms,	5	7	3	3	7	7	4	4	4	4	11	10	10	7	8	9	8	8	4	11	15	12	7	10	12	11
Cancer, ...	5	8	6	5	7	2	7	11	6	5	5	8	3	6	11	8	4	5	5	6	12	3	6	1	4	6
Diseases of Respiratory System, Pneumonia,	13	10	10	7	8	9	7	7	7	11	14	11	15	10	10	14	16	13	19	23	18	10	10	13	6	11
Diseases of Respiratory System, Others, ...	36	22	29	18	18	24	24	20	25	26	25	20	20	20	14	16	19	26	29	34	16	20	15	19	11	18
Diarrhœa, Under 2 years, ...	4	3	1	.	1	.	.	.	.	1	.	.	1	.	1	.	.	1	.	.	.	.	1	1	2	1
Diarrhœa, 2 years & upwards					1	1	.	.	.	1	.	.	.	1	.	3	1	.	1	.	.	.	.	.	.	.
Enteritis, under 2 years, ...	—	—	—	—	1	.	.	2	2	3	2	2	1	.	.	3	2	1	2	2	1	1	1	3	3	4
Violent Deaths, ...	2	6	2	4	6	6	1	2	4	4	.	4	3	2	1	3	4	8	2	3	3	3	4	1	1	.
Number of Uncertified Deaths, ...	4	1	1	3	3	.	1	5	2	1	.	.	3	2	1	.	1	3	2	.	1	2	1	1	1	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	June 3,	2,110	1,053	12·1	2	.	27	3	24	8	14*a*
Edinburgh, ...	320,829	„ 3,	138	89	14·5	.	.	.	.	4	.	1
Glasgow, ...	784,621	„ 3,	462	288	19·2	.	.	11	2	22	1	5
Calcutta, ...	—	Apr. 29,	.	515	30·0	153*	4	2	.	3	1	98‡
Bombay, ...	977,822	„ 29,	384	898	47·8	345*	23	21	.	.	.	53
Madras, ...	509,346	„ 8,	332	389	39·7	67*	19	7	?	?	?	87
Cairo, ...	689,439	„ 15,	649	484	36·6	6	.	12	10	.	8†	76*a*
Paris, ...	2,760,000	May 6,	1,020	999	18·9	5	.	36	3	13	7†	32*a*
Brussels, ...	720,030	„ 6,	225	171	12·3	.	.	6	1	1	.	6
Antwerp, ...	320,640	„ 13,	123	73	11·9	.	.	1	.	.	.	4*a*
Amsterdam, ...	576,691	„ 13,	243	146	13·2	.	.	8	.	1	1†	5*a*
Copenhagen, ...	459,000	„ 13,	240	150	17·0	.	.	4	2	8	.	2
Stockholm, ...	343,832	„ 6,	146	88	13·3	.	.	.	.	4	1†	1
Christiania, ...	240,178	„ 20,	89	70	15·2	.	.	.	.	3	.	1
St. Petersburg, ...	1,639,266	Apr. 22,	466	676	21·5	3	3	9	10	5	6	65
Moscow, ...	1,493,600	„ 22,	.	788	27·5	1	9	18	17	3	13†	76
Berlin, ...	2,064,281	„ 29,	825	649	16·4	.	.	4	5	9	28†	31
Hamburg, ...	932,166	May 13,	.	263	14·7	1	.	1	4	1	15†	12
Breslau, ...	514,493	„ 13,	.	176	17·8	1	.	2	.	.	.	14
Munich, ...	597,000	„ 20,	.	163	14·2	.	.	.	1	.	.	10
Vienna (with suburbs),	2,047,968	„ 13,	793	698	17·7	.	.	12	2	3	7†	47*a*
Buda-Pesth, ...	891,585	„ 13,	462	318	18·5	3	.	4	5	.	1†	10*a*
Prague and Faubourgs,	508,310	Apr. 29,	213	212	21·7	.	.	.	1	3	2†	8*a*
Trieste, ...	229,499	May 6,	154	104	23·6	.	.	.	.	.	.	3*a*
Rome, ...	593,110	Mar. 4,	263	256	22·5	1	.	1	.	2	2	13
Venice, ...	184,325	Apr. 22,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	„ 22,	2,338	1,735	18·2	4	.	21	29	2	37†	59*a*
Philadelphia, ...	1,580,250	„ 8,	.	626	20·6	3	.	17	10	1	11	17*a*
Boston, ...	686,912	May 13,	.	264	19·9	.	.	5	2	9	3	9

* Deaths from "fever," including 5 deaths from enteric fever and 113 deaths from plague in Calcutta, and 3 from enteric fever, and 279 from plague in Bombay.

† Including deaths from croup.

‡ Including 66 deaths from cholera in Calcutta.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES. notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending June 3rd, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	2	.	.	1	1	.	.	1	5
„ „ 1, West, ...	.	.	.	.	1	.	1	.	.	.	.	.	2
„ „ 2, ...	.	2	.	.	.	.	.	.	1	.	.	2	5
„ „ 3, ...	.	3	.	.	.	.	1	1	1	.	.	1	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	4	.	.	2	.	.	3	9	.	.	3	21
„ „ 2, ...	.	1	.	.	.	.	.	.	.	.	.	2	3
„ „ 3, ...	.	.	.	.	1	.	.	1	.	.	.	.	2
„ „ 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham, ...	.	4	.	.	.	.	.	.	.	.	.	.	4
Total, ...	.	14	.	.	6	.	2	6	12	.	.	9	49

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 3rd June, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 3rd June.			
	May 13.	May 20.	May 27.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	103	88	75	39	27	1	86
Scarlet Fever, ...	79	76	74	19	18	2	73*
Typhus, ...	3	7	6	.	2	1	3
Diphtheria, ...	57	65	41	5	9	1	36
Enteric Fever, ...	50	47	46	8	9	.	45
Pneumonia, ...	34	32	33	11	9	2	33

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 3rd June, 1911:—

"Warm and in all respects summerlike weather held throughout this week. Thunderstorms (in some cases of exceptional violence, as in the London district on Wednesday evening) were reported from various parts of England and Ireland on several days, and from the north-east of Scotland on Thursday. But, on the other hand, the prevalence of bright sunshine was very unusual in nearly all districts—15 hours or slightly more being recorded at many British Coast stations on Monday, and Aberdeen leading with 15·8 hours on that day and 15·6 hours on Tuesday. For the most part an anticyclone of medium intensity stretched south-westwards from Scandinavia across the North Sea to Scotland, Ireland, and the North of England. The southern half of the last-named country came under the influence of shallow low pressure systems, developed over Central Europe and France, and spreading thence towards the English Channel and the British Isles. It was this which led to the severe thunderstorm which raged in London and its suburbs on Wednesday evening. Epsom seems to have borne the full brunt of the storm, the rainfall at that place being 2·86 inches, of which amount 2·44 inches fell between 5.20 p.m. and 6.10 p.m. On Friday morning a shallow depression formed over Ireland, with the result that a thunderstorm and heavy rainfall visited Westmeath, Roscommon, and Mayo. The electrical cumuli connected with this storm were seen from Dublin to form in the forenoon and to travel slowly from S.S.E., but the weather in the capital remained fine, bright and very warm, the thermometer rising to 72·7° in the screen. Saturday also was fine, bright and warm. In Dublin the mean height of the barometer was 30·104 inches, pressure ranging between 30·307 inches at 9 a.m. of Sunday (wind, N.N.E.), and 29·946 inches at 4 p.m. of Saturday (wind, E.N.E.). The corrected mean temperature was 60·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 61·0°. The screened thermometers rose to 72·9° on Friday, having fallen to 47·1° on Sunday. The wind was almost constantly E.N.E. There was no rainfall in Dublin. At Nairn in Scotland the diurnal range of temperature from Friday afternoon to Saturday morning amounted to 41°—from 81° to 40°."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·930 inches. The highest reading (30·132) was on Sunday at 9 a.m., wind E.N.E., and the lowest (29·782) on Saturday at 9 a.m., air calm.

The mean temperature for the week was 56·2°, being 2·5° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Friday, on which day the thermometer registered 72·1°, and was lowest on Sunday, the mercury having fallen to 35·9°. The mean of the Dry Bulb for the week was 59·0° and of the Wet Bulb, 57·0°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. There was no rainfall during the week.

At Greenwich the mean temperature for the week was 64·6°, the maximum 81·7°, and the minimum 47·8°; at Glasgow the maximum was 79·5°, the minimum 43·9°. and the mean 61·8°; and at Edinburgh the maximum was 74·9°, the minimum 44·8°, and the mean 57·7°. The rainfall at Greenwich measured 1·01 ins.; and at Glasgow 0·02 in. There was no rainfall recorded at Edinburgh.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, May 28,	30·113	63·5	35·9	49·7	53·3	50·8	·86	·5	12·3	·000	E.N.E.	Calm.
Monday, „ 29,	30·053	67·8	39·9	53·9	57·9	56·0	·89	·5	14·2	·000	E.N.E.	Calm.
Tuesday, „ 30,	29·924	68·0	44·9	56·5	60·6	57·4	·81	·6	14·0	·000	E.N.E.	Calm.
Wednesday, „ 31,	29·812	66·3	50·0	58·2	57·2	55·8	·92	·4	13·7	·000	N.E.	Calm.
Thursday, June 1,	29·935	71·8	43·3	57·6	64·3	62·4	·89	·3	9·4	·000	Calm.	Calm.
Friday, „ 2,	29·856	72·1	47·1	59·6	61·9	60·4	·91	·4	12·7	·000	E.N.E.	Calm.
Saturday, „ 3,	29·819	70·9	44·9	57·9	57·9	56·5	·92	·5	11·0	·000	Calm.	Calm.
Mean, ...	29·930	68·6	43·7	56·2	59·0	57·0	·89	·5	Total 87·3	Total ·000	—	

Sunday—Beautiful day, light clouds; night clear. *Monday*—Beautiful bright day; night clear. *Tuesday*—Beautiful bright day; night clear. *Wednesday*—Beautiful bright day; night clear. *Thursday*—Day bright to cloudy, fine; night clear. *Friday*—Fine bright day; night clear. *Saturday*—Beautiful bright day; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, June 3rd, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, May 28,	59·9	58·0	53·2	63·8	46·4	55·1	11·5	—
Monday, „ 29,	64·5	58·1	53·5	68·7	47·1	57·9	12·4	—
Tuesday, „ 30,	62·6	58·8	53·8	69·4	50·5	60·0	12·6	—
Wednesday, „ 31,	62·0	59·0	53·9	65·4	53·1	59·3	12·6	—
Thursday, June 1,	66·1	59·5	54·0	71·4	50·4	60·8	7·8	—
Friday, „ 2,	65·0	60·4	54·5	71·4	53·4	62·4	11·8	—
Saturday, „ 3,	63·9	60·5	54·7	70·2	51·0	60·6	11·0	—
Weekly Mean, .	63·4	59·2	53·9	68·6	50·3	59·4	Total 79·7	Total —

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30737. Wt. P. 1-60/138. 375. 4. 1911. Sch. C 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH: or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & Co., LIMITED, ABBEY STREET. *Price* 1½*d*

VOL. XLVIII.] WEEK ENDING SATURDAY, 10TH JUNE, 1911. [No. 23.

General Register Office, Charlemont House, Dublin, 12th June, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending May 20	Week ending May 27	Week ending June 3	Week ending June 10	Average Rate for 4 weeks.
22 Town Districts, ...	**16·1**	**16·5**	**17·1**	**16·1**	**16·4**
Armagh	34·4	13·7	13·7	6·9	17·2
Ballymena	23·9	.	19·2	9·2	13·1
Belfast	16·1	16·1	16·4	15·5	16·0
Clonmel	20·5	5·1	20·5	5·1	12·8
Cork	17·8	20·5	16·4	15·0	17·4
Drogheda	4·1	16·3	20·4	21·0	15·5
Dublin Reg. Area ...	15·5	19·0	17·9	18·3	17·7
Dundalk	16·0	31·9	27·9	11·9	21·9
Galway	7·8	15·5	7·8	11·8	10·7
Kilkenny	14·7	14·7	24·6	9·9	16·0
Limerick	26·0	6·8	15·0	8·1	14·0
Lisburn	18·2	9·1	18·2	17·1	15·7
Londonderry	15·4	10·7	19·0	23·0	17·0
Lurgan	8·9	4·4	8·9	17·2	9·9
Newry	12·6	21·0	.	4·4	9·5
Newtownards	5·7	11·4	17·2	22·9	14·3
Portadown	10·3	20·7	31·0	17·8	19·9
Queenstown	26·4	13·2	19·8	13·2	18·1
Sligo	14·4	14·4	4·8	14·0	11·9
Tralee	15·9	10·6	31·7	5·3	15·9
Waterford	11·7	19·5	17·5	13·3	15·5
Wexford	28·3	4·7	14·0	18·2	15·1

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·0 per 1,000, the rates varying from 0·0 in sixteen of the districts to 7·9 in Dundalk, the 3 deaths from all causes for that district including one from enteric fever and one of a child under 2 years of age from enteritis. Among the 115 deaths from all causes for Belfast are one from diphtheria and 3 from diarrhœal diseases, and one of the 4 deaths for Wexford is from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 228—124 boys and 104 girls—and the deaths to 149—72 males and 77 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·3 per 1,000 of the population. During the twenty-three weeks ending with Saturday last the death-rate averaged 22·1, and was 2·6 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II. and note to Table VII.

‡ Enteric fever typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 149, represent an annual rate of 19·2 per 1,000; the annual rate for the past twenty-three weeks was 23·3 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·8 per 1,000 of the mean population for all deaths registered.

The deaths included 4 from measles, 2 from scarlet fever, one death from whooping-cough, 4 deaths from diphtheria and one death from *enteritis* of a child under 2 years of age. In each of the three preceding weeks, deaths from measles were 4, 6, and 3; deaths from scarlet fever were 0, 2, and 2; deaths from whooping-cough were 4, one, and 4; deaths from diphtheria were one, 0, and one; and deaths from diarrhœa and *enteritis* of children under 2 years were 3, 2, and 10.

There were 4 deaths from broncho-pneumonia, one death from lobar pneumonia, and 3 deaths from *pneumonia* (type not distinguished).

The deaths of 33 persons were attributed to tuberculous disease; the total includes 25 deaths from pulmonary tuberculosis, 4 deaths from tuberculous meningitis, 3 deaths from abdominal tuberculosis and one death from tuberculous adenitis. In each of the three preceding weeks deaths from all forms of tuberculous disease were 31.

Of the total deaths from diseases of the brain and nervous system, 5 were from meningitis, and one was of an infant from *convulsions*.

Eleven deaths were attributed to organic diseases of the heart and 13 to bronchitis.

The deaths of 2 infants were ascribed to premature birth, and those of 4 to congenital debility.

There was one death by drowning, one death from a fracture accidentally received, and one death by suicide.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year old.

Thirty-four of the persons whose deaths were registered during the week were under 5 years of age (15 being infants under one year, of whom 6 were under one month old) and 39 were aged 65 years and upwards, including 30 persons aged 70 and upwards; among the latter were 13 aged 75 years and upwards, of whom 2 (a male and a female) were stated to have been each aged 93 years.

Sixty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·3 per 1,000; the rate in the City was 19·9 (North City Districts, 20·7; South, 19·0) and in the Suburbs, 13·3.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants, the rate for the City being 2·0 (2·6 in the North City Districts, and 1·4 in the South), and for the Suburbs, 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 14·0 per 1,000. There were 2 deaths from pulmonary tuberculosis, 2 deaths from broncho-pneumonia, and one death from *pneumonia* (type not distinguished).

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 24·8 per 1,000. Measles caused 3 deaths, there was one death from diphtheria, 2 deaths from pulmonary tuberculosis, one death from lobar pneumonia, and 2 deaths from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 23·8 per 1,000. Measles, scarlet fever, and diphtheria each caused one death, and there were 4 deaths from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (17) represent an annual rate of 26·5 per 1,000. Tuberculosis caused 7 deaths, there were 2 deaths from broncho-pneumonia, one from bronchitis, and one death by suicide.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 29·1 per 1,000 inhabitants; Coolock and Drumcondra, part of, 4·5; and Finglas and Glasnevin, part of, 6·8.

No. 1 South City District (South Earl-street).—The deaths (10) represent an annual rate of 12·6 per 1,000, and include 3 deaths from tuberculous disease, one death from *pneumonia* (type not distinguished), and one death from bronchitis.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 24·0 per 1,000. Scarlet fever and whooping-cough each caused one death, there were 4 deaths from tuberculous disease, and one death from *pneumonia* (type not distinguished),

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 26·6 per 1,000. Pulmonary tuberculosis caused 5 deaths and bronchitis caused 3 deaths.

No. 4 South City District (Grand Canal Street).—The deaths (9) are equivalent to an annual rate of 13·1 per 1,000. Diphtheria caused 2 deaths, tuberculous disease 2 deaths, and there was one death by drowning.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 23·0 per 1,000, and include one death from pulmonary tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·6; Pembroke, 17·8; Blackrock, 0·0; and Kingstown, 12·1. There was no death from any of the principal epidemic diseases tabulated for these districts. Among the 10 deaths from all causes for the first-named district was one from each of pulmonary tuberculosis and bronchitis, and one accidental death. Included in the 10 deaths for Pembroke were 3 from tuberculous disease and one from bronchitis; and one of the 4 deaths for Kingstown was from pulmonary tuberculosis.

* See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 10th June, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	May 20,	.	—	—	13	4	.	18	.	.	6	7	.	—	—	.	—	13	—	61
	May 27,	.	—	—	14	.	.	3	.	2	7	1	.	—	—	.	—	9	—	36
	June 3,	.	—	—	14	.	.	6	.	2	6	12	.	—	—	.	—	9	—	49
	June 10,	.	—	—	13	.	.	8	.	.	10	10	.	—	—	.	—	18	—	59
Rathmines and Rathgar Urban District.	May 20,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	May 27,	.	—	—	1	.	.	1	.	.	2	.	.	—	—	—	—	—	—	4
	June 3,	.	—	—	4	.	.	.	.	1	1	1	.	—	—	—	—	—	—	7
	June 10,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
Pembroke Urban District.	May 20,	.	12	.	.	.	.	.	.	.	.	.	.	—	4	.	—	.	—	16
	May 27,	.	12	.	.	.	.	1	.	.	.	1	.	—	10	.	—	.	—	24
	June 3,	.	5	.	.	.	.	1	.	.	.	.	.	—	2	.	—	.	—	8
	June 10,	.	11	.	3	.	.	.	.	.	.	.	.	—	10	.	—	.	—	24
Blackrock Urban District.	May 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 27,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	June 3,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	June 10,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
Kingstown Urban District.	May 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	May 27,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	.	—	1
	June 3,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	June 10,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	May 20,	.	—	—	7	.	.	6	.	.	.	1	.	—	—	1*	—	24	—	39
	May 27,	.	—	—	11	.	.	8	.	.	2	2	1	—	—	.	—	6	—	30
	June 3,	.	—	—	4	.	.	4	1	.	1	1	.	—	—	.	—	13	—	24
	June 10,	.	—	—	8	.	.	6	.	.	.	2	.	—	—	1*	—	6	—	23

* Returned as cerebro-spinal meningitis.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 10th June, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Thirty-three cases of measles were admitted to hospital during the week, 30 were discharged, there were 3 deaths, and 86 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 88, 75, and 86, respectively.

Thirteen cases of scarlet fever were admitted to hospital, 19 were discharged, there was one death, and 66* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 76, 74, and 73, respectively.

Three cases of typhus were discharged from hospital during the week, and no cases remained under treatment at its close.

Eleven cases of diphtheria were admitted to hospital during the week, 11 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 65, 41, and 36, respectively, were 35 at the close of last week.

Six cases of enteric fever were admitted to hospital during the week, 7 were discharged, and 44 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 47, 46, and 45.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, 13 were discharged, and 30 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 11·6) was equal to an average annual death-rate of 12·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 14·9 per 1,000, the rate for Glasgow being 16·1 and for Edinburgh 15·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 10th June. From this Report it appears that of a total of 47 cases notified, 17 were phthisis, 15 diphtheria, 9 scarlet fever, 5 erysipelas, and one enteric fever. Among the 328 cases of infectious diseases in hospital at the close of the week were 85 cases of scarlet fever, 75 of whooping-cough, 60 of phthisis, 47 of diphtheria, 42 of measles, 7 of erysipelas, 4 of chicken-pox, 3 of enteric fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 10th June, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.(a)	Persons to an Acre.	Registration—Week ending Saturday, 10th June, 1911. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.(b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Phthisis.	Other Forms.	Cancer.	Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	Diarrhœa. 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology.(d) Week ending 10th June, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd June, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 27th May, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
TOTAL OF 22 TOWN DISTRICTS, ...	1,119,495	20·2	26·4	16·1	1·0	583	354	43	101	1	...	...	4	2	1	6	...	56	15	23	18	46	2	1	4	7	15	113	10	° ...	° ...	° ...	...	° ...	° ...	° ...	...	...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL. (c.) ...	403,732	29·3	29·4	18·3	1·5	228	142	15	38	...	...	...	4	2	1	4	...	24	7	10	8	16	...	...	1	3	3	56	3	e70·5	37·6	55·6	0·00	e72·1	35·9	56·2	0·00	e68·6	31·0	55·3	0·01
CITY OF DUBLIN.	309,738	39·2	32·5	19·9	2·0	193	118	13	28	...	...	...	4	2	1	4	...	20	6	9	8	13	...	..	1	2	3	51	2	f71·1 g71·9	50·0 42·0	60·0 58·1	0·00 0·00	f72·9 g72·9	47·1 40·0	60·3 57·6	0·00 0·00	f69·8 g69·1	41·2 35·0	57·6 56·4	0·00 0·00
Urban Districts. RATHMINES AND RATHGAR.	38,330	22·4	20·4	13·6	...	15	10	...	5	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE. ...	29,347	18·5	16·0	17·8	...	9	10	2	2	...	...	...	...	...	...	...	...	2	1	1	...	2	...	...	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,090	8·4	5·7	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	30·3	12·1	...	10	4	...		...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	69	50	59·3	0·00	71	48	57·8	0·00	66	39	56·5	0·00
Urban Districts. BELFAST. ...	386,449	26·3	29·0	15·5	0·5	215	115	19	29	...	...	...	...	...	...	1	...	14	6	8	9	18	...	1	2	3	9	29	1	73·2	43·0	59·0	0·00	73·2	39·8	59·1	0·00	65·0	39·5	55·3	0·15
CORK, ...	76,632	33·8	21·1	15·0	...	31	22	3	6	...	...	...	...	...	...	...	...	3	1	3	...	3	...	...	...	...	...	11	1	70	48	59·8	0·00	70	47	57·5	0·25	67	47	55·1	0·06
LONDONDERRY..	40,799	18·9	12·8	23·0	1·3	10	18	1	4	...	...	...	...	...	...	...	...	4	...	1	1	5	1	...	...	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK. ...	38,403	18·2	20·4	8·1	...	15	6	...	3	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	2	1	78·8	40	59·6	0·00	77·3	36·2	59·0	0·16	64·6	41·4	54·3	0·13
WATERFORD. ...	27,430	19·1	17·1	13·3	...	9	7	1	4	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	4	2	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY. ...	13,249	2·5	35·4	11·8	...	9	3	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	1	...	80	47	60	0·00	80	45	63	0·00	64	47	54	0·79
DUNDALK, ...	13,128	9·5	15·9	11·9	7·9	4	3	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	12·6	21·0	...	3	5	...	4	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY. ...	11,956	17·2	21·8	4·4	...	5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	72·9	42·9	57·5	0·00	74·0	38·2	60·1	0·00	65·9	39·7	54·6	0·21
LURGAN, ...	12,135	14·3	21·5	17·2	...	5	4	...	2	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	72·9	42·9	57·5	0·00	74·0	38·2	60·1	0·00	65·9	39·7	54·6	0·21
LISBURN, ...	12,172	10·7	12·9	17·1	...	3	4	...	2	...	...	...	...	...	...	...	...	1	...	...	..	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
WEXFORD. ...	11,455	23·8	27·3	18·2	4·6	6	4	...	2	...	...	...	...	...	...	1	...	1	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA. ...	11,376	9·3	18·3	9·2	...	4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	2	1	78·4	38·8	57·1	0·00	76·0	34·3	59·2	0·16	64·4	35·0	51·8	0·33
SLIGO, ...	11,163	3·8	14·0	14·0	...	3	3	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	77	45	59·5	0·04	76	44	61·8	0·16	67	40	57·0	0·11
KILKENNY, ...	10,513	11·4	14·9	9·9	...	3	2	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
CLONMEL, ...	10,277	7·9	20·3	5·1	5·1	4	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	72·9	42·9	57·5	0·00	74·0	38·2	60·1	0·00	65·9	39·7	54·6	0·21
PORTADOWN, ...	11,727	15·3	22·2	17·8	...	5	4	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	64	46	54·3	0·00	70	47	56·8	0·02	64	42	53·3	0·02
TRALEE. ...	9,867	16·6	31·7	5·3	...	6	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	70	48	59·8	0·00	70	47	57·5	0·25	67	47	55·1	0·06
NEWTOWNARDS,	9,110	18·9	22·9	22·9	...	4	4	...	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	72·9	42·9	57·5	0·00	74·0	38·2	60·1	0·00	65·9	39·7	54·6	0·21
QUEENSTOWN, ...	7,909	14·4	33·0	13·2	...	5	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...												
ARMAGH. ...	7,588	22·2	41·2	6·9	...	6	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...												

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 7 deaths of persons (including one at 70 years), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 10th of June, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
Scarlet Fever,	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Whooping-cough,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Diphtheria,	.	1	1	.	.	.	.	.	.	.	2	.	.	.		.	4	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	2	2	.	6	.	.	.	2	1	5	1	1	1	2	.	1	24	1
Tuberculous Disease. — Other Forms,	.	.	.	1	.	.	.	1	3	.	1	.	.	1	.	.	7	1
Cancer,	1	1	1	1	.	.	.	1	.	3	1	.	.	1	.	.	10	2
Diseases of Nervous System,	2	3	2	3	.	.	.	.	1	2	.	1	2	1	.	.	17	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	1	1	1	.	.	.	1	.	2	2	1	2	.	.	.	11	1
" Respiratory System. — Pneumonia,	3	1	.	2	.	.	.	1	1	.	.	.	.	.	.	.	8	.
" Respiratory System. — Others,	.	2	4	1	1	.	.	1	.	4	.	.	1	2	.	.	16	.
" Digestive System. — Diarrhœa, under 2 years,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — *Enteritis*, under 2 years,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Others,	.	3	1	.	.	.	.	.	.	1	.	.	.	.	.	1	6	1
" Genito-urinary System,	.	.	1	.	1	.	1	.	.	.	.	.	1	.	.	.	4	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	2	1	.	1	1	.	3	1	5	.	1	2	3	.	2	22	1
Violent Deaths,	.	.	.	1	.	.	.	.	.	.	1	.	1	.	.	.	3	.
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2	.
Deaths from All Causes	8	19	14	17	3	1	1	10	10	22	9	4	10	10	.	4	142	7
Annual Rate of Mortality from All Causes in every 1,000 of the population.	14·0	24·8	23·8	26·5	29·1	4·5	6·8	12·6	24·0	26·6	13·1	23·0	13·6	17·8	.	12·1	18·3	.
	20·7							19·0					13·3					
	19·9																	
Ages at Death. — Under 1 year,	1	5	1	1	.	.	.	1	3	1	.	.	.	2	.	.	15	.
1 and under 2 years,	1	2	4	1	.	.	.	1	2	.	.	.	1	.	.	.	12	.
2 " 5 "	.	1	.	.	.	.	.	1	1	.	3	.	.	.	.	.	6	1
5 " 15 "	1	1	1	1	1	.	.	.	.	.	1	.	.	.	.	.	6	2
15 " 25 "	1	2	.	2	.	.	.	.	.	3	.	1	.	.	.	.	9	.
25 " 45 "	3	2	1	6	.	.	1	2	.	4	1	1	1	3	.	.	25	1
45 " 65 "	1	4	2	2	2	.	.	3	2	5	2	1	3	3	.	1	31	2
65 and upwards,	.	2	5	4	.	1	.	2	2	9	2	1	5	2	.	3	38	1
Number of Uncertified Deaths,	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	6	4	6	.	.	.	1	2	3	2	1	1	3	.	.	32	7
Workhouse Hospitals,	2	4	1	3	.	.	.	4	4	2	3	.	1	.	.	.	24	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday June 8, 1901.	June 7, 1902.	June 13, 1903.	June 11, 1904.	June 10, 1905.	June 9, 1906.	June 8, 1907.	June 6, 1908.	June 12, 1909.	June 11, 1910.	Averages in 23rd Week of the 10 years 1901–1910.	In the Week ending Saturday, 10th June, 1911. Mean Temp.	Deaths of Persons of the Ages of 0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 53·1	° 53·5	° 52·9	° 53·1	° 50·8	° 56·1	° 52·7	° 54·4	° 50·1	° 57·8	° 53·5	° 55·6										
ALL CAUSES.	152	156	172	143	148	142	180	134	151	133	151·1	149	6	9	12	7	8	9	26	33	26	13
Enteric Fever, ...	.	.	2	1	.	.	.	1	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	3	.	1	3	.	6	3	1	1	1·9	4	.	1	2	.	1	.	.	.	.	.
Scarlet Fever, ...	1	1	1	1	.	.	.	1	1	.	·6	2	.	.	.	1	1	.	.	.	.	.
Whooping-cough, ...	5	2	5	1	2	1	4	3	4	1	2·8	1	.	.	1	.	.	.	.	.	.	.
Diphtheria, ...	.	1	.	.	.	.	1	2	.	.	·4	4	.	.	2	1	1	.	.	.	.	.
Croup, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	3	2	1	2	2	6	2	6	.	2·6	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	2	.	1	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	2	1	1	.	1	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	1	.	.	.	.	.	2	.	·3	1	.	.	.	.	.	1	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	30	40	20	30	15	17	16	18	24	15	22·5	25	.	.	.	.	.	2	17	5	1	.
Tuberculous Meningitis, ...	1	1	6	2	3	4	6	3	5	4	3·5	4	.	2	.	.	1	.	1	.	.	.
Abdominal Tuberculosis, ...	4	1	4	7	2	2	2	3	1	1	2·7	3	.	.	.	1	.	1	1	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	5	3	3	5	10	7	8	8	1	2	5·2	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												1	.	.	1	.	.	.	.	.	.	.
Scrofula												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases, ...	.	2	1	.	2	.	1	.	2	.	·8	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	4	7	6	9	14	6	10	10	5	6	7·7	12	.	.	.	.	.	1	1	7	3	.
Tumour, situation undefined.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Rheumatic Fever, ...	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	1	.	1	1	1	.	.	.	·4	2	.	.	.	.	.	1	.	.	1	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	1	.	.	.	1	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Alcoholism, ...	1	.	1	1	.	1	1	.	.	1	·6	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												5	.	.	1	.	2	1	1	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*												4	.	.	.	.	.	.	1	.	2	1
Softening of Brain, ...												1	.	.	.	.	.	.	.	.	.	1
Paralysis, without specified cause.												2	.	.	.	.	.	1	.	1	.	.
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												1	.	1	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	28	29	42	29	34	51	48	26	31	36	35·4	4	.	.	1	.	.	.	.	2	1	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,												11	.	.	.	.	.	.	.	5	6	.
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												1	.	.	.	.	.	.	.	.	.	1
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	20	17	13	14	12	9	16	13	9	16	13·9	13	.	.	2	.	.	.	.	3	7	1
Broncho-pneumonia, ...	10	4	3	1	3	3	7	4	2	3	10·2	4	.	1	2	.	.	.	.	.	1	.
Lobar-pneumonia, ...		.	.	.	.	.	3	.	1	2		1	.	.	.	1	.	.	.	.	.	.
Pneumonia (type not distinguished)		3	11	12	3	3	8	5	6	5		3	.	.	.	.	.	.	1	1	1	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	1	3	2	1	1	2	2	1	1	1·5	1	.	.	.	.	.	.	.	.	.	1
Other Diseases of Respiratory System.												2	.	.	.	.	.	.	.	2	.	.

TWENTY-THIRD WEEK ending Saturday, 10th June, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday June 8, 1901.	June 7, 1902.	June 13, 1903.	June 11, 1904.	June 10, 1905.	June 9, 1906.	June 8, 1907.	June 6, 1908.	June 12, 1909.	June 11, 1910.	Averages in 23rd Week of the 10 years 1901–1910.	In the Week ending Saturday, 10th June, 1911. Mean Temp.	Deaths of Persons of the Ages of 0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 53·1	° 53·5	° 52·9	° 53·1	° 50·8	° 56·1	° 52·7	° 54·4	° 50·1	° 57·8	° 53·5	° 55·6										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	2	.	.	.	.	.	.	.	.
Diarrhœa of Children under 2 years.	2	1	.	.	.	1	.	1	1	3	·9	.	.	.	.	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	1	.	1	1	1	.	1	2	1	4	1·2	1	.	1	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.
Cirrhosis of Liver, ...	1	.	.	.	2	3	2	1	1	.	1·9	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...		2	2	1	1	.	2	1	.	.		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	2	1	3	.	2	.	1	.	1	2	1·2	3	.	.	.	.	1	1	1	.	.	.
Other Diseases of Digestive System.	5	4	3	3	8	3	3	1	2	4	3·6	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...												.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...												3	.	.	.	.	.	.	1	2	.	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	6	2	5	5	4	6	11	3	5	5	5·2	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												1	.	.	.	.	.	.	.	1	.	.
Puerperal Septicæmia, &c., ...	.	1	2	.	.	.	.	.	2	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	2	1	.	.	1	.	.	.	.	.	.
Premature Birth, ...	.	5	4	5	4	7	2	4	8	2	4·1	2	2	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	4	2	1	.	1	.	.	.	.	.	.
Old Age, ...	7	4	4	1	4	3	.	2	8	4	3·7	7	.	.	.	.	.	.	.	.	1	6
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	2	.	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	.	1	1	1	1	.	.	1	1	1	·7	.	.	.	.	.	.	.	.	.	.	.
By Drowning, ...	.	.	1	.	1	1	3	1	.	.	·7	1	.	.	.	1	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	1	.	.	1	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	.	3	4	.	1	2	1	.	1	4	1·6	1	.	.	.	.	.	.	.	.	.	1
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	1	.	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	1	.	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910–11—WEEK ENDING																									
	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.
No. of weeks in Annual Series,	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
BIRTHS registered.	232	158	170	203	230	238	232	219	241	192	214	217	238	203	276	230	198	171	174	259	260	242	226	246	261	228
Average Births in corresponding week of previous 10 years, ...	195	177	174	231	208	209	201	241	217	212	209	216	223	212	212	233	202	210	223	199	268	231	210	204	238	226
DEATHS registered, ...	165	178	155	176	179	190	228	200	220	208	195	180	174	170	214	177	191	174	196	181	176	170	129	158	150	149
Annual Death-rate per 1,000, ...	21·4	23·0	20·1	22·5	22·9	24·3	29·2	25·6	28·2	26·6	25·0	23·1	22·3	21·8	27·4	22·7	24·5	22·3	25·1	23·2	22·5	21·8	16·5	20·2	19·2	19·2
Average Deaths in corresponding week of previous 10 years, ...	177	182	177	201	195	195	192	200	198	200	210	218	210	194	201	203	199	195	197	190	177	178	171	169	154	151
Ages, Under 5 years, ...	43	41	47	56	60	62	59	61	47	57	57	70	59	39	56	48	54	63	54	50	56	48	40	37	43	34
5—15 „ ...	122	137	108	5	10	7	11	6	10	6	10	9	12	9	7	14	17	4	5	11	14	7	6	14	10	8
15—25 „ ...				9	7	10	11	12	13	5	6	6	7	7	13	8	10	10	14	7	6	8	9	11	9	9
25—45 „ ...				25	24	27	32	32	41	36	35	32	24	24	42	19	33	25	31	33	15	35	21	21	29	26
45—65 „ ...				45	38	41	55	48	51	49	35	36	36	42	44	36	44	43	45	35	30	38	36	39	29	33
65—75 „ ...				20	25	28	34	22	39	33	29	19	19	28	32	29	27	19	29	25	34	19	10	24	17	26
75 and upwards, ...				16	15	15	26	19	19	22	23	8	17	21	20	23	6	10	18	20	21	15	7	12	13	13
Deaths from :—																										
Enteric Fever, ...	2	1	.	.	1	.	2	3	2	2	2	4	3	1	2	1	3	1	1	.	1	1	1	1	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	1	4	3	6	2	2	2	2	3	7	7	7	3	2	1	7	11	5	8	17	4	6	3	4
Scarlet Fever, ...	1	.	2	7	.	.	1	.	4	6	2	2	.	.	1	.	1	4	1	.	1	1	.	2	2	2
Whooping-cough, ...	1	5	7	6	5	6	10	4	3	6	7	11	4	4	6	5	3	6	.	2	3	2	4	1	4	1
Diphtheria, ...	3	2	.	1	2	4	1	5	2	3	2	.	2	.	1	1	4	3	4	1	2	3	1	.	1	4
Influenza, ...	1	3	1	.	1	1	4	3	4	5	7	2	2	2	1	2	2	.	3	.	3	2	1	2	.	.
Dysentery, ...	—	—	—	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	14	19	19	21	19	27	28	19	27	22	18	20	17	28	32	16	29	21	33	22	21	17	25	22	22	25
Tuberculous Disease, Other Forms,	4	7	5	4	6	9	7	4	6	8	7	7	8	8	15	13	10	3	8	10	6	6	6	9	9	8
Cancer, ...	4	13	6	8	3	12	7	16	11	4	6	5	8	6	10	13	11	8	7	9	6	5	6	11	9	12
Diseases of Circulatory System,	23	28	31	17	20	13	25	19	23	17	21	14	13	24	27	22	23	14	15	24	17	23	7	19	12	12
Diseases of Respiratory System, Pneumonia,	27	18	11	15	16	10	17	18	20	15	21	13	16	14	13	13	18	19	16	18	22	15	12	6	10	8
Diseases of Respiratory System, Others, ...	32	26	25	29	25	28	42	30	41	44	28	29	25	23	27	24	24	26	26	16	34	20	15	14	15	16
Diarrhœa, Under 2 years, ...	2	2	1	3	2	2	4	4	2	3	3	1	1	2	5	1	3	2	1	2	2	1	2	1	6	.
Diarrhœa, 2 years & upwards,				.	.	.	.	1	.	.	1	1	.	3	.	1	.	.	.	1	2	.	.	1	.	.
Enteritis, under 2 years, ...	—	—	—	.	2	2	.	3	3	1	1	1	2	1	3	1	3	3	2	2	2	.	1	1	4	1
Violent Deaths, ...	8	4	6	2	8	1	4	7	4	2	5	2	4	5	5	5	6	1	7	9	3	.	1	5	2	3
Number of Uncertified Deaths,	3	3	6	4	5	7	7	3	3	2	4	7	8	7	2	5	1	1	2	8	4	3	1	5	4	3
Mean Temperature of the Air (Phœnix Park)	45·2	43·5	40·9	37·2	39·0	38·6	45·5	35·9	37·0	46·4	43·4	46·5	41·1	38·0	41·7	42·7	39·4	43·7	50·5	50·5	49·6	52·6	49·5	55·3	56·2	55·6
Average Mean Temperature in corresponding week of previous 10 years	41·6	41·3*	41·3	42·0	40·0	40·8	40·5	40·3	40·3	39·8	39·9	40·5	41·7	42·7	42·6	42·4	44·1	43·1	45·1	46·2	46·7	48·1	49·1	50·9	53·7	53·5
Rainfall in inches, ...	1·172	·183	·130	·336	·345	·153	·034	·000	·011	·582	·523	·681	·316	·206	·000	·770	·131	·000	·501	·606	·780	·127	·262	·010	·000	·000
Mean Humidity of the Air, complete Saturation 1·0, ...	·91	·94	·88	·92	·90	·93	·92	·87	·90	·91	·91	·92	·91	·89	·87	·90	·86	·86	·89	·91	·93	·94	·92	·89	·89	·88

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 10th June, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 10TH JUNE, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	149	34	8	9	26	33	26	13	.	.	.	4	2	1	4	.	25	8	12	1	8	16	.	.	1	3	64	3
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	9·0	3	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS, ...	87,188	10·2	17	1	1	1	2	3	5	4	.	.	.	.	.	.	.	.	2	.	.	.	.	3	.	.	.	1	11	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	21·2	45	7	2	3	11	9	8	5	.	.	.	2	2	.	.	.	8	4	5	.	.	4	.	.	.	.	20	2
IV.	GENERAL SERVICE CLASS, ...	154,279	20·3	60	24	5	3	10	10	8	.	.	.	.	2	.	1	4	.	9	3	3	1	7	5	.	.	1	1	23	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	24	2	.	2	2	10	5	3	.	.	.	.	.	.	.	.	5	1	3	.	1	4	.	.	.	1	9	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	13·4	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	11·8	5	.	.	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.
	6. Clerks and Commercial Assistants, ...	30,432	10·3	6	.	1	1	1	1	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	9·6	5	1	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	26·4	5	2	1	.	.	.	.	2	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	15·7	9	2	.	.	1	3	2	1	.	.	.	1	1	.	.	.	1	.	1	.	.	3	.	.	.	.	2	1
	10. Clothing Trades, ...	23,260	15·7	7	2	.	.	2	1	2	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	.	.	3	.
	11. Food Supply Trades, ...	9,242	16·9	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	34·4	20	1	1	3	7	4	2	2	.	.	.	.	.	.	.	.	6	1	2	.	.	.	.	.	.	.	11	1
	13. Petty Shopkeepers, ...	7,894	6·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	15·5	4	1	.	1	.	.	2	.	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.	.	.	.
	15. Domestic Servants, ...	36,603	7·1	5	.	.	.	3	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	7·2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	28·4	49	21	5	2	7	9	5	.	.	.	.	2	.	1	3	.	7	2	2	1	4	3	.	.	1	1	22	1
	INMATES OF WORKHOUSES.																														
V.	18. Workhouse Inmates, ...	6,024	—	24	2	.	2	2	10	5	3	.	.	.	.	.	.	.	.	5	1	3	.	1	4	.	.	.	1	9	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the number of Deaths from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 29,854.	April 22,	12·1	.	7	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 29,	15·5	.	9	.	.	.	.	.	.	.	.	2	2	.	3	.	.	.	.	.	.
	May 6,	19·0	1·7	11	.	.	.	1	.	.	.	.	3	.	.	1	.	.	.	.	1	1
	„ 13,	13·8	.	8	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.
	„ 20,	15·5	3·5	9	.	.	.	.	.	1	.	.	4	.	.	.	.	1	.	.	.	.
	„ 27,	36·2	5·2	21	1	.	.	.	1	.	.	.	1	1	2	1	3	.	.	1	1	2
	June 3,	20·7	5·2	12	.	.	.	.	1	.	1	.	1	.	1	.	2	.	.	1	.	.
	„ 10,	14·0	.	8	.	.	.	.	.	.	.	.	2	.	1	3	.	.	.	.	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 39,902.	April 22,	16·8	5·2	13	.	.	.	2	.	.	1	.	3	.	.	.	.	.	.	1	.	1
	„ 29,	24·5	1·3	19	.	.	.	1	.	.	.	.	3	.	.	1	5	.	.	.	.	3
	May 6,	21·9	2·6	17	.	.	.	2	.	.	.	.	.	.	.	4	4	.	.	.	.	1
	„ 13,	33·6	3·9	26	.	.	.	1	.	1	.	.	4	1	1	2	4	1	.	.	.	1
	„ 20,	27·1	3·9	21	1	.	.	.	.	2	.	.	3	.	.	1	6	.	.	.	.	.
	„ 27,	19·4	1·3	15	.	.	.	1	.	.	.	.	2	1	.	1	2	.	.	.	1	.
	June 3,	19·4	2·6	15	.	.	.	.	.	1	.	.	.	1	1	1	2	1	.	.	1	1
	„ 10,	24·8	5·2	19	.	.	.	3	.	.	1	.	2	.	1	1	2	.	.	.	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 30,689.	April 22,	15·1	1·7	9	.	.	.	1	.	.	.	.	.	.	1	.	3	.	.	.	.	.
	„ 29,	47·0	5·0	28	.	.	.	.	.	.	.	.	4	3	2	2	4	2	.	1	.	.
	May 6,	23·5	3·4	14	.	.	.	.	.	.	1	.	2	.	.	2	5	1	.	.	.	.
	„ 13,	31·9	6·7	19	.	.	.	3	.	1	.	.	2	1	.	1	2	.	.	.	.	.
	„ 20,	21·8	.	13	.	.	.	.	.	.	.	.	4	1	1	1	.	.	.	.	.	.
	„ 27,	16·8	3·4	10	.	.	.	2	.	.	.	.	1	.	.	.	1	.	.	.	1	.
	June 3,	13·4	5·0	8	.	.	.	.	.	2	.	.	.	3	.	2	.	.	.	1	.	.
	„ 10,	23·8	5·1	14	.	.	.	1	1	.	1	.	.	.	1	.	4	.	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,498.	April 22,	35·4	3·1	23	.	.	.	2	.	.	.	.	1	1	.	4	3	.	.	.	2	.
	„ 29,	20·0	4·6	13	.	.	.	2	.	.	.	.	1	.	.	2	1	.	1	.	2	.
	May 6,	24·6	10·8	16	.	.	.	4	.	.	.	.	2	1	.	3	2	1	2	.	.	.
	„ 13,	35·4	9·2	23	.	.	.	6	.	.	.	.	1	1	1	2	5	.	.	.	.	1
	„ 20,	16·9	4·6	11	.	.	.	2	.	.	.	.	1	.	.	1	2	1	.	.	.	.
	„ 27,	13·8	3·1	9	.	.	.	1	.	.	.	.	2	.	1	.	.	.	1	.	.	.
	June 3,	21·5	7·7	14	.	.	.	2	.	1	.	.	4	1	.	1	1	1	.	1	.	.
	„ 10,	26·5	1·6	17	.	.	.	.	.	.	.	.	6	1	1	2	1	.	.	1	1	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,401.	April 22,	27·4	5·0	22	1	.	.	1	.	.	1	.	5	.	1	1	3	.	.	1	.	.
	„ 29,	12·4	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	1
	May 6,	29·9	2·5	24	.	.	.	1	.	.	.	.	5	.	1	.	4	.	.	1	.	.
	„ 13,	12·4	.	10	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.
	„ 20,	10·0	.	8	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	.
	„ 27,	21·2	.	17	.	.	.	.	.	.	.	.	3	2	2	1	3	.	.	.	.	1
	June 3,	24·9	1·2	20	.	.	.	.	1	.	.	.	2	1	.	4	2	.	.	.	.	.
	„ 10,	12·6	.	10	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,715.	April 22,	28·5	4·7	12	.	.	.	1	.	.	1	.	4	1	1	1	.	.	.	.	.	.
	„ 29,	28·5	.	12	.	.	.	.	.	.	.	.	3	1	2	1	.	.	.	.	.	.
	May 6,	23·7	2·4	10	.	.	.	.	.	1	.	.	1	1	1	2	2	.	.	.	.	1
	„ 13,	14·2	4·7	6	.	.	.	2	.	.	.	.	1	.	.	.	2	.	.	.	.	.
	„ 20,	14·2	.	6	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.
	„ 27,	26·1	2·4	11	.	.	.	.	.	1	.	.	1	1	1	.	3	.	.	.	.	1
	June 3,	11·9	4·7	5	.	1	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.
	„ 10,	24·0	4·8	10	.	.	.	.	1	1	.	.	1	3	.	1	.	.	.	.	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,149.	April 22,	28·7	1·2	24	.	.	.	1	.	.	.	.	2	.	.	2	6	.	.	.	.	.
	„ 29,	32·2	6·0	27	.	.	.	2	.	1	1	.	1	1	.	2	2	.	.	1	3	1
	May 6,	20·3	2·4	17	1	.	.	.	.	1	.	.	1	1	1	2	5	.	.	.	1	.
	„ 13,	23·9	2·4	20	1	.	.	.	.	.	1	.	1	.	2	3	2	.	.	.	.	.
	„ 20,	11·9	2·4	10	.	.	.	1	.	.	1	.	1	.	1	3	1	.	.	.	.	.
	„ 27,	16·7	.	14	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	.	1
	June 3,	19·1	2·4	16	.	.	.	1	.	.	.	.	1	.	1	1	5	1	.	.	.	.
	„ 10,	26·6	.	22	.	.	.	.	.	.	.	.	5	.	3	.	4	.	.	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 35,816.	April 22,	30·2	1·4	21	.	.	.	.	1	.	.	.	6	2	1	2	3	.	.	.	2	.
	„ 29,	21·6	.	15	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	3	1
	May 6,	21·6	.	15	.	.	.	.	.	.	.	.	5	.	.	.	4	.	.	.	.	.
	„ 13,	17·3	4·3	12	.	.	.	2	.	.	1	.	2	1	.	1	1	.	.	.	.	.
	„ 20,	12·9	2·9	9	.	.	.	1	.	.	.	.	.	2	.	.	2	.	.	1	.	1
	„ 27,	21·6	1·4	15	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	1	.
	June 3,	18·7	2·9	13	1	.	.	.	.	.	.	.	4	1	.	.	1	1	.	.	.	.
	„ 10,	13·1	2·9	9	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	.	1	.

* See note (‡) at foot of first page.

NOTE:—The rates given in this report for the weeks up to and including 3rd June, for the Dublin districts, Belfast and Londonderry of 1901 ; for the week ending 10th June, the rates for the Dublin districts and Belfast are calculated on an estimated population based

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa. Children under 2 years.	2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	April 22,	15·3	1·4	11	.	.	.	1	.	.	.	.	1	1	.	3	1	.	.	.	.	.
	„ 29,	12·5	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	May 6,	23·6	1·4	17	.	.	.	.	.	.	.	.	.	1	.	2	2	.	.	1	1	.
	„ 13,	8·3	1·4	6	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.
	„ 20,	15·3	.	11	.	.	.	.	.	.	.	.	4	.	1	.	.	.	.	.	1	.
	„ 27,	15·3	.	11	.	.	.	.	.	.	.	.	4	.	1	.	.	.	.	.	.	.
	June 3,	11·1	.	8	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	1
	„ 10,	13·6	.	10	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	April 22,	8·9	1·8	5	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 29,	16·0	1·8	9	.	.	.	.	.	1	.	.	1	1	1	.	1	.	.	.	.	.
	May 6,	21·3	3·6	12	.	.	.	.	1	1	.	.	1	.	.	3	1	.	.	.	.	.
	„ 13,	23·1	5·3	13	.	.	.	3	.	.	.	.	1	.	.	1	1	.	.	.	.	.
	„ 20,	10·7	1·8	6	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.
	„ 27,	10·7	3·6	6	.	.	.	2	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	June 3,	21·3	1·8	12	.	.	.	.	.	.	.	.	3	.	3	.	1	1	.	.	.	.
	„ 10,	17·8	.	10	.	.	.	.	.	.	.	.	2	1	1	.	2	.	.	.	.	1
Kingstown Urban District. Pop. in 1911 (Est.) 17,227.	April 22,	44·4	3·0	15	.	.	.	1	.	.	.	.	4	.	1	.	1	.	.	.	.	.
	„ 29,	20·7	.	7	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.
	May 6,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1
	„ 13,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 20,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 27,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	June 3,	17·8	.	6	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	2
	„ 10,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1911 (Est.) 386,449.	April 22,	20·2	0·7	154	.	.	.	.	.	2	1	.	14	11	6	23	34	.	.	2	3	.
	„ 29,	20·9	0·4	160	1	.	.	.	.	1	.	.	17	15	12	18	16	.	.	1	3	1
	May 6,	14·3	0·3	109	1	.	.	.	.	.	.	.	16	12	3	10	20	.	.	1	3	2
	„ 13,	15·7	0·4	120	.	.	.	.	1	.	.	.	25	7	6	10	15	1	.	1	4	1
	„ 20,	16·1	0·7	123	.	.	.	.	.	1	.	.	21	10	1	13	19	1	.	3	1	1
	„ 27,	16·1	0·8	123	.	.	.	.	.	1	.	.	21	12	4	6	11	2	.	3	1	1
	June 3,	16·4	0·7	125	.	.	.	.	.	.	.	.	16	11	6	11	18	1	.	4	.	2
	„ 10,	15·5	0 5	115	.	.	.	.	.	.	1	.	14	6	8	9	18	.	1	2	3	1
Cork. Pop. in 1911 76,632.	April 22,	21·2	.	31	.	.	.	.	.	.	.	.	6	3	.	1	2	.	.	.	3	.
	„ 29,	24·0	1·4	35	.	.	.	.	.	2	.	.	7	3	1	2	3	.	.	.	.	7
	May 6,	23·3	3·4	34	1	.	.	.	.	1	.	.	4	2	1	2	2	2	1	.	.	1
	„ 13,	20·5	1·4	30	.	.	.	.	.	2	.	.	4	1	3	1	5	.	.	.	1	1
	„ 20,	17·8	1·4	26	.	.	.	.	.	2	.	.	6	1	1	1	1	.	.	.	1	.
	„ 27,	20·5	0·7	30	.	.	.	.	.	1	.	.	7	2	2	1	1	.	.	.	.	3
	June 3,	16·4	1·4	24	.	.	.	.	.	2	.	.	6	3	1	.	2	.	.	.	.	1
	„ 10,	15·0	.	22	.	.	.	.	.	.	.	.	3	1	3	.	3	.	.	.	.	1
Londonderry. Pop. in 1911 40,799.	April 22,	17·8	5·9	15	.	.	.	.	.	4	.	.	.	.	1	.	3	1	.	.	.	.
	„ 29,	14·3	3·6	12	.	.	.	.	.	3	.	.	2	2	2	.	1	.	.	.	.	.
	May 6,	19·0	2·4	16	.	.	.	.	.	2	.	.	3	1	3	.	3	.	.	.	.	.
	„ 13,	10·7	.	9	.	.	.	.	.	.	.	.	3	.	1	.	2	.	.	.	.	1
	„ 20,	15·4	2·4	13	.	.	.	.	.	2	.	.	3	.	.	.	3	.	.	.	.	.
	„ 27,	10·7	2·4	9	.	.	.	.	.	2	.	.	2	1	1	.	.	.	.	.	.	.
	June 3,	19·0	1·2	16	.	.	.	.	.	1	.	.	1	.	.	1	2	.	.	.	.	.
	„ 10,	23·0	1·3	18	.	.	.	.	.	.	.	.	4	.	1	1	5	1	.	.	1	.
Limerick. Pop. in 1911 38,403.	April 22,	28·7	.	21	.	.	.	.	.	.	.	.	2	1	1	2	9	.	.	.	.	1
	„ 29,	10·9	2·7	8	.	.	.	.	.	.	1	.	.	.	.	.	3	.	.	1	.	3
	May 6,	13·7	1·4	10	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2
	„ 13,	10·9	.	8	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.	.
	„ 20,	26·0	.	19	.	.	.	.	.	.	.	.	2	2	1	.	4	.	.	.	.	1
	„ 27,	6·8	.	5	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	3
	June 3,	15·0	.	11	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	1
	„ 10,	8·1	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1
Waterford. Pop. in 1911 27,430.	April 22,	31·2	.	16	.	.	.	.	.	.	.	.	2	2	.	2	5	.	.	.	.	1
	„ 29,	13·6	.	7	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	1
	May 6,	17·5	.	9	.	.	.	.	.	.	.	.	5	1	.	.	1	.	.	.	.	.
	„ 13,	11·7	.	6	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.
	„ 20,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	„ 27,	19·5	1·9	10	.	.	.	.	.	.	.	.	3	.	1	.	.	.	1	.	.	2
	June 3,	17·5	.	9	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 10,	13·3	.	7	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2

* See note (‡) at foot of first page.

are calculated on an estimated population based on the Census of 1901; those for the other districts on the population according to the Census on the Census of 1911 (unrevised figures); those for the other districts on the population (unrevised) according to the Census of 1911.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 10th June, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT, .	385,492	8	The Population of Belfast by Districts not having been yet ascertained, the death rate for each District cannot be inserted in this Table.		10	3	.	.	2	1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2	4	.
Do. 2 do. .		34			15	2	2	2	2	2	5	.	.	.	.	.	.	1	.	5	.	.	2	2	.	.	.	.	.	.	4	1
Do. 3 do. .		25			12	3	1	1	2	4	1	.	.	.	.	.	.	.	.	2	1	1	.	3	.	1	.	.	.	.	2	.
Do. 4 do.		26			10	.	1	2	3	2	2	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	1	6	.
Do. 5 do. .		5			7	1	.	2	2	1	1	.	.	.	.	.	.	.	.	1	2	2	.	1	.	.	.	.	.	2	.
Do. 6 do. .		12			7	.	.	1	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.
Do. 7 do. .		4			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 8 do. .		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do. .		14			11	2	1	2	2	2	2	.	.	.	.	.	.	.	.	.	3	.	.	3	.	.	.	.	.	3	.
Do. 10 do. .		16			10	1	.	1	5	2	1	.	.	.	.	.	.	.	.	2	.	1	1	2	.	.	.	1	1	.	.
Do. 11 do. .		18			6	1	.	1	1	1	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	1	2	.
Do 12 do. .		32			12	3	2	2	3	1	1	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	1	.	3	3	.
Do. 13 do. .		10			8	1	.	.	1	1	5	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	1	.	.	.	.
Do. 14 do. .		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do. .		10			6	2	.	.	2	1	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	3	.
Total, . .	—	215			115	19	7	14	26	20	29	.	.	.	.	.	.	1	.	14	6	8	9	18	.	1	2	3	9	29	1
City of Cork.																															
CORK URBAN No. 1 DISTRICT, .	76,632	5	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		9	2	.	1	.	2	4	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	7	1
Do. 2 do. .		4			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 3 do. .		5			4	1	.	.	2	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	1	.
Do. 4 do. .		3			2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.
Do. 5 do. .		4			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do. .		5			2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 do. .		5			4	.	.	1	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
Total . . .	—	31	15·0	.	22	3	.	2	3	8	6	.	.	.	.	.	.	.	.	3	1	3	.	3	.	.	.	.	.	11	1

* See note (‡) at foot of first page

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910–11—WEEK ENDING																									
	Dec. 17.	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.
No. of weeks in Annual Series,	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
BIRTHS registered, ...	167	200	199	241	231	233	188	212	218	216	213	232	193	220	218	232	232	204	189	235	254	229	180	214	233	215
DEATHS registered, ...	133	132	91	122	151	118	118	128	146	149	141	133	118	118	147	138	172	161	154	160	109	120	123	123	125	115
Annual Death rate per 1,000 of estimated population, ...	17·7	17·6	12·1	16·0	19·8	15·4	15·4	16·8	19·1	19·5	18·5	17·4	15·4	15·4	19·2	18·1	22·5	21·1	20·2	20·9	14·3	15·7	16·1	16·1	16·4	15·5
AGES, Under 1 year, ...	20	22	18	21	30	23	26	24	24	31	21	25	20	33	23	26	36	24	23	23	19	19	25	22	18	19
1—5 years, ...	17	12	8	12	11	8	10	10	7	10	14	9	10	6	17	11	7	10	14	13	10	9	9	13	7	7
5—25 ,, ...	96	98	65	7	20	16	11	6	11	21	17	18	9	10	19	11	14	17	13	21	13	17	15	17	14	14
25—45 ,, ...				30	37	17	13	25	27	30	29	16	23	14	28	23	36	32	26	27	25	23	26	22	24	26
45—65 ,, ...				32	25	21	27	34	34	32	26	35	29	27	30	38	45	37	39	46	22	29	31	27	34	20
65 and upwards, ...				20	28	33	31	29	43	25	34	30	27	28	30	29	34	41	39	30	20	23	17	22	28	29
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.
Typhus, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Scarlet Fever, ...	2	1	1	1	1	1	.	.	1	.	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.
Whooping-cough, ...	.	1	1	.	.	1	1	1	.	.	1	1	1	1	.	.	.	3	2	1	.	.	1	1	.	.
Diphtheria, ...	.	.	.	.	.	1	2	1	.	.	.	.	.	.	1	1	.	2	1	.	.	.	.	.	.	1
Dysentery, ...	—	—	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	12	15	9	14	23	17	13	10	11	22	15	13	19	7	22	24	26	25	14	17	16	25	21	21	16	14
Tuberculous Disease. Other Forms,	7	3	3	7	7	4	4	4	4	11	10	10	7	8	9	8	8	4	11	15	12	7	10	12	11	6
Cancer, ...	8	6	5	7	2	7	11	6	5	5	8	3	6	11	8	4	5	5	6	12	3	6	1	4	6	8
Diseases of Respiratory System, Pneumonia,	10	10	7	8	9	7	7	7	11	14	11	15	10	10	14	16	13	19	23	18	10	10	13	6	11	9
Diseases of Respiratory System, Others, ...	22	29	18	18	24	24	20	25	26	25	20	20	20	14	16	19	26	29	34	16	20	15	19	11	18	18
Diarrhœa, Under 2 years, ...	3	1	.	1	.	.	.	.	1	.	.	1	.	1	.	.	1	.	.	.	.	1	1	2	1	.
Diarrhœa, 2 years & upwards				1	1	.	.	.	1	.	.	.	1	.	3	1	.	1	.	.	.	.	.	.	.	1
Enteritis, under 2 years, ...	—	—	—	1	.	.	2	2	3	2	2	1	.	.	3	2	1	2	2	1	1	1	3	3	4	2
Violent Deaths, ...	6	2	4	6	6	1	2	4	4	.	4	3	2	1	3	4	8	2	3	3	3	4	1	1	.	3
Number of Uncertified Deaths, ...	1	1	3	3	.	1	5	2	1	.	.	3	2	1	.	1	3	2	.	1	2	1	1	1	2	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	June 10,	2,051	1,002	11·6	1	.	27	1	22	13	18*a*
Edinburgh, ...	320,829	„ 10,	165	97	15·8	.	.	1	1	5	.	.
Glasgow, ...	784,621	„ 10,	437	242	16·1	.	.	9	.	21	3	2
Calcutta, ...	—	May 6,	.	498	30·0	199*	3	.	.	.	.	67‡
Bombay, ...	977,822	„ 6,	337	846	44·9	301*	18	16	.	.	.	55
Madras, ...	509,346	Apr. 15,	308	373	38·0	58*	21	7	?	?	?	103
Cairo, ...	689,439	„ 22,	.	.	.	.	.	.	.	.	.	.
Paris	2,760,000	May 13,	986	973	18·4	2	.	27	6	8	7†	23*a*
Brussels, ...	720,030	„ 13,	221	168	12·1	.	.	1	1	.	3†	7
Antwerp, ...	320,640	„ 20,	111	50	8·1	.	.	.	.	1	.	7*a*
Amsterdam, ...	576,691	„ 20,	248	125	11·3	.	.	4	.	1	1†	4*a*
Copenhagen, ...	459,000	„ 20,	232	165	18·7	.	.	.	.	8	.	6
Stockholm, ...	343,832	„ 13,	148	75	11·3	.	.	.	.	.	.	2
Christiania, ...	244,038	„ 27,	86	59	12·6	.	.	.	.	5	.	1
St. Petersburg, ...	1,639,266	Apr. 29,	1,048	756	24·0	4	3	27	7	4	6	65
Moscow, ...	1,493,600	May 6,	.	783	27·3	1	5	21	16	4	20†	96
Berlin, ...	2,065,567	June 6,	796	578	14·6	.	.	3	11	8	12†	26
Hamburg, ...	932,166	May 20,	.	243	13·6	1	.	2	2	1	10†	12
Breslau, ...	514,493	„ 20,	.	215	21·8	1	.	2	.	1	3	27
Munich, ...	597,000	„ 27,	.	170	14·8	.	.	.	.	2	1†	13
Vienna (with suburbs),	2,047,968	„ 20,	836	682	17·3	1	.	13	1	.	2†	51*a*
Buda-Pesth, ...	891,585	„ 20,	467	312	18·2	1	.	4	6	.	.	10*a*
Prague and Faubourgs,	508,310	„ 6,	180	212	21·7	1	.	1	3	3	.	20*a*
Trieste, ...	229,499	„ 13,	138	102	23·2	.	.	2	.	1	2†	1*a*
Rome, ...	593,110	Mar. 11,	288	239	21·0	1	1	2	.	2	2	8
Venice, ...	184,325	Apr. 22,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	„ 29,	2,496	1,581	16·5	5	.	17	33	13	31†	42*a*
Philadelphia, ...	1,580,250	„ 15,	.	536	17·6	2	.	17	7	.	14	17*a*
Boston, ...	688,912	May 20,	.	231	17·5	.	1	3	1	2	.	8

* Deaths from "fever," including 8 deaths from enteric fever and 136 deaths from plague in Calcutta, 2 from enteric fever and 249 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 41 deaths from cholera in Calcutta.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending June 10th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	3	.	.	.	1	4
" " 1, West, ...	.	.	.	.	1	.	.	1	2	.	.	.	4
" " 2, ...	.	5	.	.	1	.	.	1	3	.	.	3	13
" " 3, ...	.	1	.	.	2	.	.	1	1	.	.	3	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	1	.	.	1	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	.	.	.	.	1	2
South City No. 1, ...	.	2	.	.	2	.	.	1	2	.	.	3	10
" " 2, ...	.	.	.	.	.	.	.	1	.	.	.	3	4
" " 3, ...	.	3	.	.	.	.	.	1	2	.	.	2	8
" " 4, ...	.	1	.	.	.	.	.	.	.	.	.	1	2
New Kilmainham, ...	.	1	.	.	.	.	.	.	.	.	.	1	2
Total, ...	.	13	.	.	8	.	.	10	10	.	.	18	59

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 10th June, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 10th June.			
	May 20.	May 27.	June 3.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	88	75	86	33	30	3	86
Scarlet Fever, ...	76	74	73	13	19	1	66*
Typhus, ...	7	6	3	.	3	.	.
Diphtheria, ...	65	41	36	11	11	1	35
Enteric Fever, ...	47	46	45	6	7	.	44
Pneumonia, ...	32	33	33	10	13	.	30

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 10th June, 1911:—

"Yet another week of extremely fine, summerlike weather has to be recorded. At the beginning the British Isles lay between two high-pressure systems—one, with the barometer above 30·5 inches, central near the Azores; the other, of somewhat less intensity (between 30·3 inches and 30·4 inches), lying over Sweden and the Baltic. As atmospheric pressure was thus rendered uniform over the British Isles, calm fine weather prevailed in Great Britain, light northerly winds and much cloud in Ireland. The Atlantic anticyclone subsequently spread northeastwards to Ireland, the weather being magnificent day after day. On Tuesday morning the sky was overcast in Dublin and temperature was lower, but the clouds dispersed in the forenoon and the sky afterwards remained clear until Friday morning, when cirrus and cumulus came up from N.N.E. By that time atmospheric pressure had decreased very generally and was below 29·7 inches over the Baltic region and below 29·9 inches over Germany and the greater part of France. The effect of this was to draw a cold northerly wind across the British Isles and to cause an increase of cloud with some showers at certain British coast stations. Friday night was very cold for the time of year, the thermometer falling to 40° in the screen in many parts of Great Britain and Ireland. On Saturday morning snow was falling at Haparanda on the Gulf of Bothnia, the temperature being 33°. The downward movement of the barometer ceased on Friday evening, to be resumed in a very gradual way on Saturday. Towards the end of the week conditions appeared to be becoming less settled, clouds increased and the wind finally shifted to W. and N.W. In Dublin the mean height of the barometer was 30·284 inches, pressure ranging between 30·552 inches at 9 a.m. of Tuesday (wind, N.N.E.), and 29·985 inches at 9 p.m. of Saturday (wind, W.). The corrected mean temperature was 60·0°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 60·4°. On Thursday the screened thermometers rose to 71·1°, on Saturday they fell to 50·0°. The dominant wind was N.N.E. This was the third consecutive week which was rainless in Dublin. The last measurable rainfall took place on Monday, May 15th."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·112 inches. The highest reading (30·382) was on Tuesday at 9 a.m., wind N.E., and the lowest (29·820) on Saturday at 9 p.m., air calm.

The mean temperature for the week was 55·6°, being 2·1° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Thursday, on which day the thermometer registered 70·5°, and was lowest on Saturday, the mercury having fallen to 37·6°. The mean of the Dry Bulb for the week was 58·1° and of the Wet Bulb, 56·0°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. There was no rainfall during the week.

At Greenwich the mean temperature for the week was 62·3°, the maximum 83·9°, and the minimum 42·1°; at Glasgow the maximum was 75·0°, the minimum 45·2°, and the mean 59·0°; and at Edinburgh the maximum was 77·9°, the minimum 43·7°, and the mean 59·4°. There was no rainfall recorded at either Greenwich, Glasgow, or Edinburgh.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, June 4,	30·077	63·1	50·7	56·9	59·6	58·1	·92	·6	0·1	·000	Calm.	Calm.
Monday, „ 5,	30·235	70·2	48·8	59·6	60·4	58·7	·90	·5	13·2	·000	Calm.	Calm.
Tuesday, „ 6,	30·371	63·6	50·5	57·1	54·6	53·3	·93	·4	9·5	·000	N.E.	Calm.
Wednesday, „ 7,	30·306	67·3	42·1	54·7	58·4	56·8	·91	·5	14·3	·000	N.E.	Calm.
Thursday, „ 8,	30·083	70·5	42·1	56·3	59·8	57·4	·85	·5	14·2	·000	E.N.E.	Calm.
Friday, „ 9,	29·869	65·1	43·1	54·1	56·0	53·1	·83	·4	14·1	·000	N.	Calm.
Saturday, „ 10,	29·845	63·3	37·6	50·5	57·7	54·6	·82	·5	7·2	·000	S.E.	Calm.
Mean, ...	30·112	66·2	45·0	55·6	58·1	56·0	·88	·5	Total 72·6	Total ·000	—	

Sunday—Day overcast, fine; night clear. *Monday*—Day bright to cloudy; night clear. *Tuesday*—Day overcast to bright; night clear. *Wednesday*—Beautiful bright day; night clear. *Thursday*—Beautiful bright day; night clear. *Friday*—Day cloudy to bright, fine; night clear. *Saturday*—Day cloudy, fine; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, June 10th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, June 4,	61·3	60·9	54·9	64·9	54·8	59·9	0·0	—
Monday, „ 5,	62·8	60·8	55·1	71·7	51·8	61·8	11·6	—
Tuesday, „ 6,	57·1	61·7	55·2	66·0	54·2	60·1	7·9	—
Wednesday, „ 7,	63·7	61·4	55·6	67·0	50·1	58·6	13·3	—
Thursday, „ 8,	65·1	61·8	55·7	70·0	53·6	61·8	13·0	—
Friday, „ 9,	61·4	62·1	56·0	66·4	51·3	58·9	12·4	—
Saturday, „ 10,	60·0	61·6	56·2	64·2	47·5	55·9	8·7	—
Weekly Mean, .	61·6	61·5	55·5	67·2	51·9	59·6	Total 66·9	Total —

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30737. Wt. P. 1-60/138. 375. 4. 1911. Sch. C 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & CO., LIMITED, ABBEY STREET. *Price* 1½*d*

VOL. XLVIII.] WEEK ENDING SATURDAY, 17TH JUNE, 1911. [No. 24.

General Register Office, Charlemont House, Dublin, 19th June, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 15·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending May 27	June 3	June 10	June 17	Average Rate for 4 weeks.
22 Town Districts, ...	**16·5**	**17·1**	**16·1**	**15·9**	**16·4**
Armagh	13·7	13·7	6·9	6·9	10·3
Ballymena	.	19·2	9·2	18·3	11·7
Belfast	16·1	16·4	15·5	14·4	15·6
Clonmel	5·1	20·5	5·1	10·1	10·2
Cork	20·5	16·4	15·0	15·0	16·7
Drogheda	16·3	20·4	21·0	8·4	16·5
Dublin Reg. Area ...	19·0	17·9	18·3	19·2	18·6
Dundalk	31·9	27·9	11·9	7·9	19·9
Galway	15·5	7·8	11·8	11·8	11·7
Kilkenny	14·7	24·6	9·9	29·8	19·7
Limerick	6·8	15·0	8·1	12·2	10·5
Lisburn	9·1	18·2	17·1	12·9	14·3
Londonderry	10·7	19·0	23·0	10·2	15·7
Lurgan	4·4	8·9	17·2	12·9	10·9
Newry	21·0	.	4·4	8·7	8·5
Newtownards	11·4	17·2	22·9	.	12·9
Portadown	20·7	31·0	17·8	8·9	19·6
Queenstown	13·2	19·8	13·2	26·4	18·1
Sligo	14·4	4·8	14·0	14·0	11·8
Tralee	10·6	31·7	5·3	21·1	17·2
Waterford	19·5	17·5	13·3	17·1	16·8
Wexford	4·7	14·0	18·2	22·8	14·9

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·0 per 1,000, the rates varying from 0·0 in thirteen of the districts to 5·1 in Clonmel. Included in 107 deaths from all causes for Belfast are one from scarlet fever, 4 from whooping-cough, and one from diarrhœa. One of the 2 deaths for Dundalk is from diphtheria. Included in the 4 deaths from all causes for Ballymena is one from diphtheria, and of the 2 deaths for Portadown one is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 232—130 boys and 102 girls—and the deaths to 159—76 males and 83 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·2 per 1,000 of the population. During the twenty-four weeks ending with Saturday last the death-rate averaged 21·9, and was 2·6 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II. and note to Table VII.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 159, represent an annual rate of 20·5 per 1,000; the annual rate for the past twenty-four weeks was 23·2 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·6 per 1,000 of the mean population for all deaths registered.

The deaths included 2 deaths from measles, 3 deaths from whooping-cough, one death from diphtheria, 4 deaths from diarrhœa and *enteritis* of children under 2 years of age, one death from cholera nostras, and one death from influenza. In each of the three preceding weeks, deaths from measles were 6, 3, and 4; deaths from whooping-cough were one, 4 and one; deaths from diphtheria were 0, one, and 4; deaths from diarrhœa and *enteritis* of children under 2 years were 2, 10, and one; and deaths from influenza were 2, 0, and 0.

There were 6 deaths from broncho-pneumonia, and 3 deaths from from lobar pneumonia.

The deaths from tuberculosis (all forms) amounted to 30; this figure includes 23 deaths from pulmonary tuberculosis, 2 deaths from tuberculous meningitis, one death from *tabes mesenterica*, one death from tuberculous disease of a joint, and 3 deaths from disseminated tuberculosis. In the three preceding weeks deaths from all forms of tuberculous disease were 31, 31, and 33 respectively.

Ten deaths were attributed to cancer.

Of 3 deaths from *convulsions*, 2 were of infants under one year of age, and one was between the ages of one year and 2 years.

Organic diseases of the heart caused 18 deaths, and bronchitis was accountable for the deaths of 16 persons.

Of 5 deaths from accidental causes, 3 were by burning (one being the death of a child between the ages of 2 years and 5 years) one was on a railway, and one was by immersion.

One death by suicide was registered on the Coroner's certificate.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year of age, and the death of one person aged 76 years.

Forty-two of the persons whose deaths were registered during the week were under 5 years of age (24 being infants under one year, of whom 6 were under one month old) and 37 were aged 65 years and upwards, including 25 perons aged 70 and upwards; among the latter were 19 aged 75 years and upwards, of whom 2 (a male and a female) were stated to have been aged 91 and 95 years respectively.

Seventy-five of the deaths registered during the week occurred in hospitals and other public institutions of this number 8 took place in the North Dublin Union Workhouse, 19 in the South Dublin Union Workhouse, and 8 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·2 per 1,000; the rate in the City was 19·2 (North City Districts, 19·1; South, 19·3) and in the Suburbs, 19·4.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·3 per 1,000 inhabitants, the rate for the City being 1·5 (2·0 in the North City Districts, and 1·0 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·2 per 1,000, and include one death from influenza, one death from *enteritis* of a child under 2 years of age, 4 deaths from tuberculous disease, 2 deaths from bronchitis, and one death from accidental drowning.

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 18·3 per 1,000. There was one death from measles, tuberculous disease caused 3 deaths, broncho-pneumonia one death, and bronchitis 2 deaths.

No. 2 North City District (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 18·7 per 1,000. Diphtheria caused one death, there was one death from diarrhœa, one death from broncho-pneumonia, and there were 2 deaths from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (10) represent an annual rate of 15·6 per 1,000. Measles caused one death, and there was one death from each of diarrhœa, tuberculous disease, broncho-pneumonia, lobar pneumonia, and bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 29·1 per 1,000 inhabitants; Coolock and Drumcondra, part of, 18·0; and Finglas and Glasnevin, part of, 34·0. Of the 4 deaths from all causes for Coolock and Drumcondra, part of, one was from pulmonary tuberculosis and one was from accidental burns; and 3 deaths from pulmonary tuberculosis were included among the 5 deaths for Finglas and Glasnevin, part of.

No. 1 South City District (South Earl-street).—The deaths (19) represent an annual rate of 23·9 per 1,000. Tuberculous disease caused 2 deaths, lobar pneumonia and broncho-pneumonia each caused one death, there were 2 deaths from bronchitis, and one death by accidental burning.

No. 2 South City District (Castle-street).—The deaths (13) are equal to an annual rate of 31·2 per 1,000. There were 2 deaths from tuberculous disease, 2 deaths from broncho-pneumonia, one death from bronchitis, and one death from accidental burning.

No. 3 South City District (Peter-street).—The deaths (13) are equal to an annual rate of 15·7 per 1,000. Whooping-cough caused 2 deaths; there were 4 deaths from pulmonary tuberculosis, and 3 deaths from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (10) are equivalent to an annual rate of 14·6 per 1,000. Tuberculous disease caused 2 deaths; there was one death from diarrhœa and one death by suicide.

New Kilmainham District.—The one death tabulated for this district is equal to an annual rate of 5·8 per 1,000, and was caused by cancer.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 10·9; Pembroke, 12·4; Blackrock, 28·7; and Kingstown, 45·4†. The only death from any of the principal epidemic diseases tabulated for these districts was one from whooping-cough for Pembroke, and the 7 deaths from all causes for that district also include 2 deaths from pulmonary tuberculosis. Of the 5 deaths from all causes for Blackrock 2 are from tuberculous disease. Included in the 15 deaths from all causes for Kingstown are one death from cholera nostras, 2 deaths from pulmonary tuberculosis, 3 from bronchitis, and one accidental death caused by falling under a train.

* See note (‡) at foot of first page.

† Of the 15 deaths for Kingstown, 7 occurred in institutions outside the District.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 17th June, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Varicella.	Whooping cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	May 27,	.	—	—	14	.	.	3	.	2	7	1	.	—	—	.	—	9	—	36
	June 3,	.	—	—	14	.	.	6	.	2	6	12	.	—	—	.	—	9	—	49
	June 10,	.	—	—	13	.	.	8	.	.	10	10	.	—	—	.	—	18	—	59
	June 17,	.	—	—	6	3	.	10	.	4	14	3	.	—	—	.	—	17	—	57
Rathmines and Rathgar Urban District.	May 27,	.	—	—	1	.	.	1	.	.	2	.	.	—	—	—	—	—	—	4
	June 3,	.	—	—	4	.	.	.	.	1	1	1	.	—	—	—	—	—	—	7
	June 10,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	June 17,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	—	—	3
Pembroke Urban District.	May 27,	.	12	.	.	.	.	1	.	.	.	1	.	—	10	.	—	.	—	24
	June 3,	.	5	.	.	.	.	1	.	.	.	.	.	—	2	.	—	.	—	8
	June 10,	.	11	.	3	.	.	.	.	.	.	.	.	—	10	.	—	.	—	24
	June 17,	.	6	.	.	.	.	.	.	.	.	2	.	—	4	.	—	.	—	12
Blackrock Urban District.	May 27,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	June 3,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	June 10,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
	June 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	May 27,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	.	—	1
	June 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	June 10,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	June 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	May 27,	.	—	—	11	.	.	8	.	.	2	2	1	—	—	.	—	6	—	30
	June 3,	.	—	—	4	.	.	4	1	.	1	1	.	—	—	.	—	13	—	24
	June 10,	.	—	—	8	.	.	6	.	.	.	2	.	—	—	1*	—	6	—	23
	June 17,	.	—	—	12	3	.	5	.	.	1	3	1	—	—	.	—	11	—	36

* Returned as cerebro-spinal meningitis.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 17th June, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Thirty-seven cases of measles were admitted to hospital during the week, 32 were discharged, and 91 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 75, 86, and 86, respectively.

Twelve cases of scarlet fever were admitted to hospital, 6 were discharged, and 72* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 74, 73, and 66, respectively.

Three cases of typhus were admitted to hospital during the week and remained under treatment at its close.

Fourteen cases of diphtheria were admitted to hospital during the week, 8 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 41, 36, and 35, respectively, were 40 at the close of last week.

Thirteen cases of enteric fever were admitted to hospital during the week, 14 were discharged, and 43 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 46, 45, and 44.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 8 were discharged, there were 2 deaths, and 25 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 11·2) was equal to an average annual death-rate of 12·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 14·2 per 1,000, the rate for Glasgow being 14·6 and for Edinburgh 13·5.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 17th June. From this Report it appears that of a total of 62 cases notified, 32 were phthisis, 13 scarlet fever, 9 diphtheria, 7 erysipelas, and one enteric fever. Among the 322 cases of infectious diseases in hospital at the close of the week were 84 cases of scarlet fever, 75 of whooping-cough, 60 of phthisis, 46 of diphtheria, 35 of measles, 9 of erysipelas, 4 of enteric fever, 2 of chicken-pox, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 17th June, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
TOTAL OF 22 TOWN DISTRICTS, ...	1,149,495	20·2	31·4	15·9	1·0	692	350	63	75	...	...	...	2	1	8	3	...	55	20	16	25	39	6	...	3	11	20	114	12
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,732	29·3	30·0	19·2	1·3	232	149	24	36	...	...	...	2	...	3	1	...	21	7	7	8	17	3	...	1	6	5	65	4
CITY OF DUBLIN,	309,738	39·2	32·5	19·2	1·5	193	114	21	19	...	...	...	2	...	2	1	...	16	6	5	8	14	3	..	1	5	3	49	4
Urban Districts. RATHMINES AND RATHGAR.	38,330	22·4	16·3	10·9	...	12	8	...	6	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	1	3	...
PEMBROKE, ...	29,347	18·5	24·9	12·4	1·8	14	7	1	2	...	...	...	...	...	1	...	...	2	...	...	...	..	...	...	...	...	...	3	...
BLACKROCK, ...	9,090	8·4	17·2	28·7	...	3	5	...	2	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	2	...
KINGSTOWN, ...	17,227	11·8	30·3	45·4	...	10	15	2	7	...	...	...	...	...	...	...	...	2	...	2	...	3	...	...	...	1	1	8	...
Urban Districts. BELFAST, ...	386,449	26·3	34·8	14·4	0·8	258	107	23	16	...	...	...	...	1	4	...	...	13	10	6	9	13	1	...	...	3	8	25	...
CORK, ...	76,632	33·8	38·8	15·0	...	57	22	1	4	...	...	...	...	...	...	...	...	7	...	1	1	...	...	...	...	...	2	9	1
LONDONDERRY...	40,799	18·9	17·9	10·2	1·3	14	8	1	1	...	...	...	...	...	...	...	...	3	...	...	...	2	1	...	...	...	1	1	1
LIMERICK, ...	38,403	18·2	23·1	12·2	...	17	9	1	2	...	...	...	...	...	...	...	...	1	...	...	...	5	...	...	...	...	2	2	2
WATERFORD, ...	27,430	19·1	20·9	17·1	...	11	9	2	5	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	5	2
GALWAY, ...	13,249	2·5	31·5	11·8	...	8	3	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1
DUNDALK, ...	13,128	9·5	23·8	7·9	4·0	6	2	...	...	...	...	...	...	...	...	1	...	...	...	..	...	...	...	...	...	1	...	1	...
DROGHEDA, ...	12,425	8·4	29·4	8·4	...	7	2	...	...	...	...	...	...	...	...	...	..	1	...	...	1	...	...	...	...	...	...	...	...
NEWRY, ...	11,956	17·2	30·5	8·7	...	7	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,135	14·3	21·5	12·9	...	5	3	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	1	...
LISBURN, ...	12,172	10·7	38·6	12·9	...	9	3	1	1	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...
WEXFORD, ...	11,455	23·8	27·3	22·8	4·6	6	5	1	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	1	..	...	...	...
BALLYMENA, ...	11,376	9·3	9·2	18·3	4·6	2	4	3	1	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	23·4	14·0	4·7	5	3	1	2	..	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...
KILKENNY, ...	10,513	11·4	29·8	29·8	...	6	6	2	2	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	1	2	1
CLONMEL, ...	10,277	7·9	30·4	10·1	5·1	6	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...
PORTADOWN, ...	11,727	15·3	40·0	8·9	4·4	9	2	1	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...
TRALEE, ...	9,867	16·6	52·8	21·1	...	10	4	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	3	...
NEWTOWNARDS,	9,110	18·9	28·6	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
QUEENSTOWN, ...	7,909	14·4	46·1	26·4	...	7	4	...	...	...	...	...	...	...	...	...	...	...	..	1	...	1	...	...	...	...	...	...	...
ARMAGH, ...	7,588	22·2	34·4	6·9	...	5	1	...	1	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

Towns and Districts.	Meteorology. (d) Week ending 17th June, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 10th June, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd June, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
		°	°		°	°	°		°	°	°	
TOTAL OF 22 TOWN DISTRICTS, ...	...	...	...	...	...	...	...	...	...	...	...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	e70·6	31·5	52·6	0·61	e70·5	37·6	55·6	0·00	e72·1	35·9	56·2	0·00
CITY OF DUBLIN,	f68·4 / g68·5	43·0 / 35·4	55·6 / 53·8	0·71 / 0·80	f71·1 / g71·9	50·0 / 42·0	60·0 / 58·1	0·00 / 0·00	f72·9 / g72·9	47·1 / 40·0	60·3 / 57·6	0·00 / 0·00
Urban Districts. RATHMINES AND RATHGAR.	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	66	43	55·2	1·16	69	50	59·3	0·00	71	48	57·8	0·00
Urban Districts. BELFAST, ...	65·5	35·5	51·4	0·53	73·2	43·0	59·0	0·00	73·2	39·8	59·1	0·00
CORK, ...	66	48	57·7	0·70	70	48	59·8	0·00	70	47	57·5	0·25
LONDONDERRY...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	69·9	40·7	55·9	0·44	78·8	40	59·6	0·00	77·3	36·2	59·0	0·16
WATERFORD, ...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	74	39	57	0·37	80	47	60	0·00	80	45	63	0·00
DUNDALK, ...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	66·2	35·8	52·4	0·43	72·9	42·9	57·5	0·00	74·0	38·2	60·1	0·00
LURGAN, ...	66·2	35·8	52·4	0·43	72·9	42·9	57·5	0·00	74·0	38·2	60·1	0·00
LISBURN, ...	66·2	35·8	52·4	0·43	72·9	42·9	57·5	0·00	74·0	38·2	60·1	0·00
WEXFORD, ...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA, ...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	66·4	30·8	52·6	0·62	78·4	38·8	57·1	0·00	76·0	34·3	59·2	0·16
KILKENNY, ...	66	36	55·5	0·40	77	45	59·5	0·04	76	44	61·8	0·16
CLONMEL, ...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	66·2	35·8	52·4	0·43	72·9	42·9	57·5	0·00	74·0	38·2	60·1	0·00
TRALEE, ...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	62	43	53·0	0·51	64	46	54·3	0·00	70	47	56·8	0·02
QUEENSTOWN, ...	66	48	57·7	0·70	70	48	59·8	0·00	70	47	57·5	0·25
ARMAGH, ...	66·2	35·8	52·4	0·43	72·9	42·9	57·5	0·00	74·0	38·2	60·1	0·00

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 10 deaths of persons (including one at 76 years), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 17th of June, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	3	.
Diphtheria,	.	.	1	.	.	.	.	.	.	.	.	.	.	.		.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Influenza,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	3	2	.	.	.	1	3	1	1	4	1	.	.	2	1	2	21	2
Tuberculous Disease. — Other Forms,	1	1	.	1	.	.	.	1	1	.	1	.	.	.	1	.	7	.
Cancer,	.	1	.	.	1	.	.	.	2	.	.	1	.	.	.	2	7	3
Diseases of Nervous System,	.	.	3	1	.	.	.	2	1	1	.	.	1	.	1	1	11	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	2	2	2	1	1	1	.	3	.	1	3	.	1	2	.	2	21	2
" Respiratory System. — Pneumonia,	.	1	1	2	.	.	.	2	2	.	.	.	.	.	.	.	8	1
" Respiratory System. — Others,	2	2	2	1	.	.	.	2	2	3	.	.	.	.	.	3	17	.
" Digestive System. — Diarrhœa, under 2 years,	.	.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	3	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — *Enteritis*, under 2 years,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Others,	.	.	1	1	.	.	.	.	1	.	.	.	1	.	1	1	6	1
" Genito-urinary System,	.	1	.	.	.	.	1	1	.	.	1	.	2	2	.	1	9	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	1	.	1	1	.	1	4	2	1	1	.	2	.	.	1	15	.
Violent Deaths,	1	.	.	.	.	1	.	1	1	.	1	.	.	.	.	1	6	.
Ill-defined, &c. Causes,	.	2	.	.	.	1	.	1	.	1	1	.	1	.	.	1	8	.
Deaths from All Causes	11	14	11	10	3	4	5	19	13	13	10	1	8	7	5	15	149	10
Annual Rate of Mortality from All Causes in every 1,000 of the population.	19·2	18·3	18·7	15·6	29·1	18·0	34·0	23·9	31·2	15·7	14·6	5·8	10·9	12·4	28·7	45·4	19·2	.
	19·1							19·3					19·4					
	19·2																	
Ages at Death. — Under 1 year,	2	1	1	2	.	.	1	4	4	3	3	.	.	1	.	2	24	.
1 and under 2 years,	1	2	2	1	.	.	.	3	.	1	.	.	.	.	.	.	10	.
2 " 5 "	.	1	2	1	.	1	.	.	.	1	.	.	.	.	1	.	7	1
5 " 15 "	.	.	1	.	.	.	.	.	2	.	1	.	.	.	.	.	4	.
15 " 25 "	2	.	.	1	.	.	1	2	.	2	2	.	.	.	2	1	13	.
25 " 45 "	4	3	.	2	1	1	2	3	3	2	1	.	2	2	.	2	28	4
45 " 65 "	1	2	5	2	.	1	1	3	3	2	1	1	.	2	.	3	27	4
65 and upwards,	1	5	.	1	2	1	.	4	1	2	2	.	6	2	2	7	36	1
Number of Uncertified Deaths,	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	5	1	4	4	.	1	1	1	2	3	3	.	1	3	.	2	31	9
Workhouse Hospitals,	1	2	2	1	1	.	.	5	5	5	2	.	2	.	2	6	34	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday June 15, 1901.	June 14, 1902.	June 20, 1903.	June 18, 1904.	June 17, 1905.	June 16, 1906.	June 15, 1907.	June 13, 1908.	June 19, 1909.	June 18, 1910.	Averages in 24th Week of the 10 years 1901–1910.	In the Week ending Saturday, 17th June, 1911. Mean Temp.	Deaths of Persons of the Ages of 0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 50·7	° 48·5	° 49·1	° 56·3	° 55·6	° 55·0	° 54·6	° 53·6	° 55·9	° 56·4	° 53·6	° 52·6										
ALL CAUSES.	148	155	151	169	132	126	191	150	128	140	149·0	159	6	18	10	8	4	13	32	31	18	19
Enteric Fever, ...	1	1	.	1	.	1	.	.	1	2	·7	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	3	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	4	1	2	.	.	3	3	3	1	1·7	2	.	.	1	1	.	.	.	.	.	.
Scarlet Fever, ...	.	.	1	.	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	3	3	6	3	2	2	8	2	3	2	3·4	3	.	2	.	1	.	.	.	.	.	.
Diphtheria, ...	.	1	1	.	1	.	.	.	.	.	·3	1	.	.	.	.	1	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
Influenza, ...	1	1	2	2	1	1	3	.	.	1	1·2	1	.	.	.	.	.	.	.	.	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	1	.	.	.	.	1	.	.	·3	1	.	.	.	.	.	.	1	.	.	.
Other Epidemic Diseases, ...	.	1	1	.	1	.	.	1	1	.	·5	1	.	.	.	.	.	.	1	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	1	.	.	1	.	.	1	.	·3	1	.	.	.	.	.	.	.	1	.	.
Tetanus, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	28	26	16	26	26	17	27	16	19	22	22·3	23	.	.	1	.	.	8	11	3	.	.
Tuberculous Meningitis, ...	2	2	3	3	2	2	5	4	3	7	3·3	2	.	.	1	.	.	1	.	.	.	.
Abdominal Tuberculosis, ...	2	.	.	2	1	.	1	.	.	1	·7	1	.	1	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	4	4	7	7	1	10	5	7	3	7	5·5	1	.	.	1	.	.	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												3	.	.	.	1	1	1	.	.	.	.
Venereal Diseases, ...	.	.	1	.	3	.	1	1	1	1	·8	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	4	8	6	8	7	8	10	8	5	7	7·1	10	.	.	.	.	.	.	3	3	3	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	1	.	1	.	1	1	1	·5	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	1	.	.	1
Alcoholism, ...	.	1	2	.	.	2	1	1	.	.	·7	1	.	.	.	.	.	.	1	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	5	1	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*												4	.	.	.	.	.	.	.	2	2	.
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												1	.	.	.	.	.	.	.	.	1	.
Epilepsy, ...												2	.	.	.	.	.	.	1	1	.	.
Convulsions (non-puerperal),												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	33	35	20	49	30	31	45	41	26	39	34·9	3	.	2	1	.	.	.	.	.	.	.
												1	.	.	.	.	1	.	.	.	.	.
Pericarditis, ...												1	.	.	.	.	.	.	1	.	.	.
Acute Endocarditis, ...												1	.	.	.	.	.	.	1	.	.	.
Organic Diseases of the Heart,												18	.	.	.	.	.	2	3	5	2	6
Embolism and Thrombosis (including Cerebral)												2	.	.	.	.	.	.	.	1	.	1
Other Diseases of Circulatory System.												1	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	10	8	21	14	15	10	19	17	8	9	13·1	16	.	3	1	1	.	.	.	8	1	2
Broncho-pneumonia, ...	12	1	7	2	4	2	9	3	6	.	10·7	6	.	3	2	1	.	.	.	.	.	.
Lobar-pneumonia, ...		.	3	.	.	.	.	1	1	4		3	.	.	.	.	.	.	3	.	.	.
Pneumonia (type not distinguished)		5	4	11	9	4	6	4	6	3		.	.	.	.	.	.	.	.	.	.	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	3	2	4	1	1	1	2	1	2	2	1·9	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												1	.	.	.	.	.	.	.	.	1	.

TWENTY-FOURTH WEEK ending Saturday, 17th June, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 24th Week of the 10 years 1901–1910.	In the Week ending Saturday, 17th June, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	June 15, 1901.	June 14, 1902.	June 20, 1903.	June 18, 1904.	June 17, 1905.	June 16, 1906.	June 15, 1907.	June 13, 1908.	June 19, 1909.	June 18, 1910.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 50·7	° 48·5	° 49·1	° 56·3	° 55·6	° 55·0	° 54·6	° 53·6	° 55·9	° 56·4	° 53·6	° 52·6										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa of Children under 2 years.	4	1	.	.	.	4	1	.	3	1	1·4	3	1	2	.	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	.	3	.	.	3	1	2	2	3	3	1·7	1	.	1	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	1	.	.	.
Cirrhosis of Liver, ...	6	2	.	3	.	3	.	.	2	2	2.2	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Liver, ...		.	.	.	1	1	.	.	1	1		1	.	.	.	.	.	.	.	1	.	.
Peritonitis (cause unknown),	.	.	2	2	3	.	1	.	1	1	1·0	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	4	5	9	4	3	5	6	3	4	1	4·4	2	.	.	.	1	.	.	.	.	.	1
Acute Nephritis, ...	3	4	6	6	4	6	10	6	10	1	5·6	1	.	.	.	.	.	.	.	.	1	.
Chronic Bright's Disease, ...												6	.	.	.	.	.	.	1	1	4	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												2	.	.	.	.	.	.	.	1	.	1
Puerperal Septicæmia, &c., ...	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	1	1	.	.	.	.	1	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	2	.	.	1	.	.	.	.	.	.	1
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	2	4	3	3	.	4	6	1	3	2·9	5	5	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	1	.	.	.	.	.	.	.	.
Old Age, ...	6	8	3	3	2	3	5	1	4	4	3·9	3	.	.	.	.	.	.	.	.	.	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
By Vehicles and Horses, ...	.	1	.	.	1	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	2	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	.	4	.	.	.	.	.	.	.	1	·5	3	.	.	.	1	1	.	1	.	.	.
By Drowning, ...	.	2	1	1	1	.	1	2	.	3	1·1	1	.	.	.	.	.	.	1	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	3	3	1	.	.	2	.	1	.	1	1·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	2	.	.	.	.	.	.	.	.	1	·3	1	.	.	.	.	.	.	.	1	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	8	.	3	.	.	.	.	.	1	2	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910–11—WEEK ENDING																									
	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.
No. of weeks in Annual Series,	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
BIRTHS registered.	158	170	203	230	238	232	219	241	192	214	217	238	203	276	230	198	171	174	259	260	242	226	246	261	228	232
Average Births in corresponding week of previous 10 *years*, ...	177	174	231	208	209	201	241	217	212	209	216	223	212	212	233	202	210	223	199	268	231	210	204	238	226	207
DEATHS registered, ...	178	155	176	179	190	228	200	220	208	195	180	174	170	214	177	191	174	196	181	176	170	129	158	150	149	159
Annual Death-rate per 1,000, ...	23·0	20·1	22·5	22·9	24·3	29·2	25·6	28·2	26·6	25·0	23·1	22·3	21·8	27·4	22·7	24·5	22·3	25·1	23·2	22·5	21·8	16·5	20·2	19·2	19·2	20·5
Average Deaths in corresponding week of previous 10 *years*, ...	182	177	201	195	195	192	200	198	200	210	218	210	194	201	203	199	195	197	190	177	178	171	169	154	151	149
Ages, Under 5 years, ...	41	47	56	60	62	59	61	47	57	57	70	59	39	56	48	54	63	54	50	56	48	40	37	43	34	42
5—15 „ ...	137	108	5	10	7	11	6	10	6	10	9	12	9	7	14	17	4	5	11	14	7	6	14	10	8	4
15—25 „ ...			9	7	10	11	12	13	5	6	6	7	7	13	8	10	10	14	7	6	8	9	11	9	9	13
25—45 „ ...			25	24	27	32	32	41	36	35	32	24	24	42	19	33	25	31	33	15	35	21	21	29	26	32
45—65 „ ...			45	38	41	55	48	51	49	35	36	36	42	44	36	44	43	45	35	30	38	36	39	29	33	31
65—75 „ ...			20	25	28	34	22	39	33	29	19	19	28	32	29	27	19	29	25	34	19	10	24	17	26	18
75 and upwards, ...			16	15	15	26	19	19	22	23	8	17	21	20	23	6	10	18	20	21	15	7	12	13	13	19
Deaths from :—																										
Enteric Fever, ...	1	.	.	1	.	2	3	2	2	2	4	3	1	2	1	3	1	1	.	1	1	1	1	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	4	3	6	2	2	2	2	3	7	7	7	3	2	1	7	11	5	8	17	4	6	3	4	2
Scarlet Fever, ...	.	2	7	.	.	1	.	4	6	2	2	.	.	1	.	1	4	1	.	1	1	.	2	2	2	.
Whooping-cough, ...	5	7	6	5	6	10	4	3	6	7	11	4	4	6	5	3	6	.	2	3	2	4	1	4	1	3
Diphtheria, ...	2	.	1	2	4	1	5	2	3	2	.	2	.	1	1	4	3	4	1	2	3	1	.	1	4	1
Influenza, ...	3	1	.	1	1	4	3	4	5	7	2	2	2	1	2	2	.	3	.	3	2	1	2	.	.	1
Dysentery, ...	—	—	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	19	19	21	19	27	28	19	27	22	18	20	17	28	32	16	29	21	33	22	21	17	25	22	22	25	23
Tuberculous Disease, Other Forms,	7	5	4	6	9	7	4	6	8	7	7	8	8	15	13	10	3	8	10	6	6	6	9	9	8	7
Cancer, ...	13	6	8	3	12	7	16	11	4	6	5	8	6	10	13	11	8	7	9	6	5	6	11	9	12	10
Diseases of Circulatory System,	28	31	17	20	13	25	19	23	17	21	14	13	24	27	22	23	14	15	24	17	23	7	19	12	12	23
Diseases of Respiratory System, Pneumonia,	18	11	15	16	10	17	18	20	15	21	13	16	14	13	13	18	19	16	18	22	15	12	6	10	8	9
Diseases of Respiratory System, Others, ...	26	25	29	25	28	42	30	41	44	28	29	25	23	27	24	24	26	26	16	34	20	15	14	15	16	17
Diarrhœa, Under 2 years, ...	2	1	3	2	2	4	4	2	3	3	1	1	2	5	1	3	2	1	2	2	1	2	1	6	.	3
Diarrhœa, 2 years & upwards,			.	.	.	.	1	.	.	1	1	.	3	.	1	.	.	.	1	2	.	.	1	.	.	.
Enteritis, under 2 years, ...	—	—	.	2	2	.	3	3	1	1	1	2	1	3	1	3	3	2	2	2	.	1	1	4	1	1
Violent Deaths, ...	4	6	2	8	1	4	7	4	2	5	2	4	5	5	5	6	1	7	9	3	.	1	5	2	3	6
Number of Uncertified Deaths,	3	6	4	5	7	7	3	3	2	4	7	8	7	2	5	1	1	2	8	4	3	1	5	4	3	4
Mean Temperature of the Air (Phœnix Park)	43·5	40·9	37·2	39·0	38·6	45·5	35·9	37·0	46·4	43·4	46·5	41·1	38·0	41·7	42·7	39·4	43·7	50·5	50·5	49·6	52·6	49·5	55·3	56·2	55·6	52·6
Average Mean Temperature in corresponding week of previous 10 *years*, ...	41·3*	41·3	42·0	40·0	40·8	40·5	40·3	40·3	39·8	39·9	40·5	41·7	42·7	42·6	42·4	44·1	43·1	45·1	46·2	46·7	48·1	49·1	50·9	53·7	53·5	53·6
Rainfall in inches, ...	·183	·130	·336	·345	·153	·034	·000	·011	·582	·523	·681	·316	·206	·000	·770	·131	·000	·501	·606	·780	·127	·262	·010	·000	·000	·605
Mean Humidity of the Air, complete Saturation 1·0, ...	·94	·88	·92	·90	·93	·92	·87	·90	·91	·91	·92	·91	·89	·87	·90	·86	·86	·89	·91	·93	·94	·92	·89	·89	·88	·86

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 17th June, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 17TH JUNE, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	159	42	4	13	32	31	18	19	.	.	.	2	.	3	1	.	23	7	10	3	9	17	3	.	1	6	74	4
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	17·9	6	1	.	.	1	1	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	5	.
II.	MIDDLE CLASS, ...	87,188	13·2	22	4	1	2	5	3	3	4	.	.	.	.	.	.	1	.	4	1	1	.	1	3	1	.	.	1	9	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	14·2	30	10	1	2	3	6	6	2	.	.	.	.	.	1	.	.	4	2	1	1	1	1	2	.	.	1	16	1
IV.	GENERAL SERVICE CLASS, ...	154,279	22·3	66	23	2	8	13	12	4	4	.	.	.	2	.	2	.	.	11	3	4	1	6	5	.	.	1	4	27	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	35	4	.	1	10	9	5	6	.	.	.	.	.	.	.	.	3	1	4	1	1	8	.	.	.	.	17	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	33·4	5	1	.	.	1	1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	14·2	6	1	1	.	.	1	2	1	.	.	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.	2	.
	6. Clerks and Commercial Assistants, ...	30,432	10·3	6	1	.	2	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	1	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	17·4	9	2	.	.	1	2	1	3	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	6	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	9. Building and Furnishing Trades, ...	29,801	12·2	7	2	1	1	.	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	1	3	.
	10. Clothing Trades, ...	23,260	4·5	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	11. Food Supply Trades, ...	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	25·8	15	6	.	1	1	3	3	1	.	.	.	.	.	1	.	.	3	1	.	.	1	.	2	.	.	.	7	.
	13. Petty Shopkeepers, ...	7,894	19·8	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1	1
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	11·7	3	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	15. Domestic Servants, ...	36,603	12·8	9	2	.	1	2	2	1	1	.	.	.	.	.	1	.	.	4	.	.	.	.	.	.	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	10·9	3	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	29·6	51	21	2	6	9	10	2	1	.	.	.	2	.	1	.	.	5	3	4	1	6	5	.	.	1	4	19	2
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	35	4	.	1	10	9	5	6	.	.	.	.	.	.	.	.	3	1	4	1	1	8	.	.	.	.	17	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 29,854.	April 29,	15·5	.	9	.	.	.	.	.	.	.	.	2	2	.	3	.	.	.	.	.	.
	May 6,	19·0	1·7	11	.	.	.	1	.	.	.	.	3	.	.	1	.	.	.	.	1	1
	„ 13,	13·8	.	8	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.
	„ 20,	15·5	3·5	9	.	.	.	.	.	1	.	.	4	.	.	.	.	1	.	.	.	.
	„ 27,	36·2	5·2	21	1	.	.	.	1	.	.	.	1	1	2	1	3	.	.	1	1	2
	June 3,	20·7	5·2	12	.	.	.	.	1	.	1	.	1	.	1	.	2	.	.	1	.	.
	„ 10,	14·0	.	8	.	.	.	.	.	.	.	.	2	.	1	3	.	.	.	.	.	1
	„ 17,	19·2	1·7	11	.	.	.	.	.	.	.	.	3	1	.	.	2	.	.	1	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 39,902.	April 29,	24·5	1·3	19	.	.	.	1	.	.	.	.	3	.	.	1	5	.	.	.	.	3
	May 6,	21·9	2·6	17	.	.	.	2	.	.	.	.	.	.	.	4	4	.	.	.	.	1
	„ 13,	33·6	3·9	26	.	.	.	1	.	1	.	.	4	1	1	2	4	1	.	.	.	1
	„ 20,	27·1	3·9	21	1	.	.	.	.	2	.	.	3	.	.	1	6	.	.	.	.	.
	„ 27,	19·4	1·3	15	.	.	.	1	.	.	.	.	2	1	.	1	2	.	.	.	1	.
	June 3,	19·4	2·6	15	.	.	.	.	.	1	.	.	.	1	1	1	2	1	.	.	1	1
	„ 10,	24·8	5·2	19	.	.	.	3	.	.	1	.	2	.	1	1	2	.	.	.	.	.
	„ 17,	18·3	1·3	14	.	.	.	1	.	.	.	.	2	1	1	1	2	.	.	.	.	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 30,689.	April 29,	47·0	5·0	28	.	.	.	.	.	.	.	.	4	3	2	2	4	2	.	1	.	.
	May 6,	23·5	3·4	14	.	.	.	.	.	.	1	.	2	.	.	2	5	1	.	.	.	.
	„ 13,	31·9	6·7	19	.	.	.	3	.	1	.	.	2	1	.	1	2	.	.	.	.	.
	„ 20,	21·8	.	13	.	.	.	.	.	.	.	.	4	1	1	1	.	.	.	.	.	.
	„ 27,	16·8	3·4	10	.	.	.	2	.	.	.	.	1	.	.	.	1	.	.	.	1	.
	June 3,	13·4	5·0	8	.	.	.	.	.	2	.	.	.	3	.	2	.	.	.	1	.	.
	„ 10,	23·8	5·1	14	.	.	.	1	1	.	1	.	.	.	1	.	4	.	.	.	.	.
	„ 17,	18·7	3·4	11	.	.	.	.	.	.	1	.	.	.	.	1	2	1	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,498.	April 29,	20·0	4·6	13	.	.	.	2	.	.	.	.	1	.	.	2	1	.	1	.	2	.
	May 6,	24·6	10·8	16	.	.	.	4	.	.	.	.	2	1	.	3	2	1	2	.	.	.
	„ 13,	35·4	9·2	23	.	.	.	6	.	.	.	.	1	1	1	2	5	.	.	.	.	1
	„ 20,	16·9	4·6	11	.	.	.	2	.	.	.	.	1	.	.	1	2	1	.	.	.	.
	„ 27,	13·8	3·1	9	.	.	.	1	.	.	.	.	2	.	1	.	.	.	1	.	.	.
	June 3,	21·5	7·7	14	.	.	.	2	.	1	.	.	4	1	.	1	1	1	.	1	.	.
	„ 10,	26·5	1·6	17	.	.	.	.	.	.	.	.	6	1	1	2	1	.	.	1	1	.
	„ 17,	15·6	3·1	10	.	.	.	1	.	.	.	.	.	1	.	2	1	1	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,401.	April 29,	12·4	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	1
	May 6,	29·9	2·5	24	.	.	.	1	.	.	.	.	5	.	1	.	4	.	.	1	.	.
	„ 13,	12·4	.	10	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.
	„ 20,	10·0	.	8	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	.
	„ 27,	21·2	.	17	.	.	.	.	.	.	.	.	3	2	2	1	3	.	.	.	.	1
	June 3,	24·9	1·2	20	.	.	.	.	1	.	.	.	2	1	.	4	2	.	.	.	.	.
	„ 10,	12·6	.	10	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.	.
	„ 17,	23·9	.	19	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	1	2
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,715.	April 29,	28·5	.	12	.	.	.	.	.	.	.	.	3	1	2	1	.	.	.	.	.	.
	May 6,	23·7	2·4	10	.	.	.	.	.	1	.	.	1	1	1	2	2	.	.	.	.	1
	„ 13,	14·2	4·7	6	.	.	.	2	.	.	.	.	1	.	.	.	2	.	.	.	.	.
	„ 20,	14·2	.	6	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.
	„ 27,	26·1	2·4	11	.	.	.	.	.	1	.	.	1	1	1	.	3	.	.	.	.	1
	June 3,	11·9	4·7	5	.	1	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.
	„ 10,	24·0	4·8	10	.	.	.	.	1	1	.	.	1	3	.	1	.	.	.	.	.	1
	„ 17,	31·2	.	13	.	.	.	.	.	.	.	.	1	1	2	2	2	.	.	.	1	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,149.	April 29,	32·2	6·0	27	.	.	.	2	.	1	1	.	1	1	.	2	2	.	.	1	3	1
	May 6,	20·3	2·4	17	1	.	.	.	.	1	.	.	1	1	1	2	5	.	.	.	1	.
	„ 13,	23·9	2·4	20	1	.	.	.	.	.	1	.	1	.	2	3	2	.	.	.	.	.
	„ 20,	11·9	2·4	10	.	.	.	1	.	.	1	.	1	.	1	3	1	.	.	.	.	.
	„ 27,	16·7	.	14	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	.	1
	June 3,	19·1	2·4	16	.	.	.	1	.	.	.	.	1	.	1	1	5	1	.	.	.	.
	„ 10,	26·6	.	22	.	.	.	.	.	.	.	.	5	.	3	.	4	.	.	.	.	.
	„ 17,	15·7	2·4	13	.	.	.	.	.	2	.	.	4	.	.	.	3	.	.	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 35,816.	April 29,	21·6	.	15	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	3	1
	May 6,	21·6	.	15	.	.	.	.	.	.	.	.	5	.	.	.	4	.	.	.	.	.
	„ 13,	17·3	4·3	12	.	.	.	2	.	.	1	.	2	1	.	1	1	.	.	.	.	.
	„ 20,	12·9	2·9	9	.	.	.	1	.	.	.	.	.	2	.	.	2	.	.	1	.	1
	„ 27,	21·6	1·4	15	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	1	.
	June 3,	18·7	2·9	13	1	.	.	.	.	.	.	.	4	1	.	.	1	1	.	.	.	.
	„ 10,	13·1	2·9	9	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	.	1	.
	„ 17,	14·6	1·5	10	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	1	.

* See note (‡) at foot of first page.

NOTE:—The rates given in this report for the weeks up to and including 3rd June, for the Dublin districts, Belfast and Londonderry of 1901; for the remaining weeks the rates for the Dublin districts and Belfast are calculated on an estimated population based

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa. Children under 2 years.	2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	April 29,	12·5	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	May 6,	23·6	1·4	17	.	.	.	.	.	.	.	.	.	1	.	2	2	.	.	1	1	.
	„ 13,	8·3	1·4	6	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.
	„ 20,	15·3	.	11	.	.	.	.	.	.	.	.	4	.	1	.	.	.	.	.	1	.
	„ 27,	15·3	.	11	.	.	.	.	.	.	.	.	4	.	1	.	.	.	.	.	.	.
	June 3,	11·1	.	8	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	1
	„ 10,	13·6	.	10	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
	„ 17,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	April 29,	16·0	1·8	9	.	.	.	.	.	1	.	.	1	1	1	.	1	.	.	.	.	.
	May 6,	21·3	3·6	12	.	.	.	.	1	1	.	.	1	.	.	3	1	.	.	.	.	.
	„ 13,	23·1	5·3	13	.	.	.	3	.	.	.	.	1	.	.	1	1	.	.	.	.	.
	„ 20,	10·7	1·8	6	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.
	„ 27,	10·7	3·6	6	.	.	.	2	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	June 3,	21·3	1·8	12	.	.	.	.	.	.	.	.	3	.	3	.	1	1	.	.	.	.
	„ 10,	17·8	.	10	.	.	.	.	.	.	.	.	2	1	1	.	2	.	.	.	.	1
	„ 17,	12·4	1·8	7	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 17,227.	April 29,	20·7	.	7	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.
	May 6,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1
	„ 13,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 20,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 27,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	June 3,	17·8	.	6	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	2
	„ 10,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	„ 17,	45·4	.	15	.	.	.	.	.	.	.	.	2	.	2	.	3	.	.	.	1	.
Belfast. Pop. in 1911 (Est.) 386,449.	April 29,	20·9	0·4	160	1	.	.	.	.	1	.	.	17	15	12	18	16	.	.	1	3	1
	May 6,	14·3	0·3	109	1	.	.	.	.	.	.	.	16	12	3	10	20	.	.	1	3	2
	„ 13,	15·7	0·4	120	.	.	.	.	1	.	.	.	25	7	6	10	15	1	.	1	4	1
	„ 20,	16·1	0·7	123	.	.	.	.	.	1	.	.	21	10	1	13	19	1	.	3	1	1
	„ 27,	16·1	0·8	123	.	.	.	.	.	1	.	.	21	12	4	6	11	2	.	3	1	1
	June 3,	16·4	0·7	125	.	.	.	.	.	.	.	.	16	11	6	11	18	1	.	4	.	2
	„ 10,	15·5	0·5	115	.	.	.	.	.	.	1	.	14	6	8	9	18	.	1	2	3	1
	„ 17,	14·4	0·8	107	.	.	.	.	1	4	.	.	13	10	6	9	13	1	.	.	3	.
Cork. Pop. in 1911 76,632.	April 29,	24·0	1·4	35	.	.	.	.	.	2	.	.	7	3	1	2	3	.	.	.	.	7
	May 6,	23·3	3·4	34	1	.	.	.	.	1	.	.	4	2	1	2	2	2	1	.	.	1
	„ 13,	20·5	1·4	30	.	.	.	.	.	2	.	.	4	1	3	1	5	.	.	.	1	1
	„ 20,	17·8	1·4	26	.	.	.	.	.	2	.	.	6	1	1	1	1	.	.	.	1	.
	„ 27,	20·5	0·7	30	.	.	.	.	.	1	.	.	7	2	2	1	1	.	.	.	.	3
	June 3,	16·4	1·4	24	.	.	.	.	.	2	.	.	6	3	1	.	2	.	.	.	.	1
	„ 10,	15·0	.	22	.	.	.	.	.	.	.	.	3	1	3	.	3	.	.	.	.	1
	„ 17,	15·0	.	22	.	.	.	.	.	.	.	.	7	.	1	1	.	.	.	.	.	1
Londonderry. Pop. in 1911 40,799.	April 29,	14·3	3·6	12	.	.	.	.	.	3	.	.	2	2	2	.	1	.	.	.	.	.
	May 6,	19·0	2·4	16	.	.	.	.	.	2	.	.	3	1	3	.	3	.	.	.	.	.
	„ 13,	10·7	.	9	.	.	.	.	.	.	.	.	3	.	1	.	2	.	.	.	.	1
	„ 20,	15·4	2·4	13	.	.	.	.	.	2	.	.	3	.	.	.	3	.	.	.	.	.
	„ 27,	10·7	2·4	9	.	.	.	.	.	2	.	.	2	1	1	.	.	.	.	.	.	.
	June 3,	19·0	1·2	16	.	.	.	.	.	1	.	.	1	.	.	1	2	.	.	.	.	.
	„ 10,	23·0	1·3	18	.	.	.	.	.	.	.	.	4	.	1	1	5	1	.	.	1	.
	„ 17,	10·2	1·3	8	.	.	.	.	.	.	.	.	3	.	.	.	2	1	.	.	.	1
Limerick. Pop. in 1911 38,403.	April 29,	10·9	2·7	8	.	.	.	.	.	.	1	.	.	.	.	.	3	.	.	1	.	3
	May 6,	13·7	1·4	10	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2
	„ 13,	10·9	.	8	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.	.
	„ 20,	26·0	.	19	.	.	.	.	.	.	.	.	2	2	1	.	4	.	.	.	.	1
	„ 27,	6·8	.	5	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	3
	June 3,	15·0	.	11	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	1
	„ 10,	8·1	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1
	„ 17,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	.	5	.	.	.	.	2
Waterford. Pop. in 1911 27,430.	April 29,	13·6	.	7	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	1
	May 6,	17·5	.	9	.	.	.	.	.	.	.	.	5	1	.	.	1	.	.	.	.	.
	„ 13,	11·7	.	6	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.
	„ 20,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	„ 27,	19·5	1·9	10	.	.	.	.	.	.	.	.	3	.	1	.	.	.	1	.	.	2
	June 3,	17·5	.	9	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 10,	13·3	.	7	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2
	„ 17,	17·1	.	9	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2

* See note (‡) at foot of first page.

are calculated on an estimated population based on the Census of 1901; those for the other districts on the population according to the Census on the Census of 1911 (unrevised figures); those for the other districts on the population (unrevised) according to the Census of 1911.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 17th June, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.			The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																												
BELFAST URBAN No. 1 DISTRICT,	385,492	9			5	1	.	.	2	1	1	.	.	.	.	.	1	.	.	2	.	.	.	1	.	.	.	.	.	1	.
Do. 2 do.		25			9	2	.	1	4	1	1	.	.	.	.	.	.	.	.	3	1	.	2	1	.	.	.	1	2	3	.
Do. 3 do.		40			19	3	3	3	3	4	3	.	.	.	.	.	.	.	.	3	1	1	3	1	.	.	.	.	.	2	.
Do. 4 do.		20			11	2	.	3	1	3	2	.	.	.	.	1	.	.	.	1	1	1	.	1	.	.	.	.	.	6	.
Do. 5 do.		15			2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 do.		18			15	1	2	3	1	4	4	.	.	.	.	.	2	.	.	2	.	.	2	4	.	.	.	1	1	2	.
Do. 7 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		.			2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 9 do.		11			3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	1	.
Do. 10 do.		24			6	3	1	.	1	1	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	1	3	.
Do. 11 do.		30			7	.	3	.	1	2	1	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	1	1	1	.
Do 12 do.		37			10	3	.	3	3	.	1	.	.	.	.	.	.	.	.	.	5	.	.	.	.	.	.	.	.	1	.
Do. 13 do.		13			6	.	.	1	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	2	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		15			12	6	1	1	2	1	1	.	.	.	.	.	.	.	.	1	1	.	1	2	1	.	.	.	1	1	.
Total,	—	258			107	23	10	16	22	20	16	.	.	.	.	1	4	.	.	13	10	6	9	13	1	.	.	3	8	25	.
City of Cork.			The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																												
CORK URBAN No. 1 DISTRICT,	76,632	7			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 2 do.		12			2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 3 do.		5			2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Do. 4 do.		10			4	.	.	1	1	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.	.
Do. 5 do.		2			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.		10			8	.	1	1	2	2	2	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	.	.	.	4	.
Do. 7 do.		11			5	1	1	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	4	1
Total	—	57	15·0	.	22	1	2	6	5	4	4	.	.	.	.	.	.	.	.	7	.	1	1	.	.	.	.	.	2	9	1

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910–11—WEEK ENDING																									
	Dec. 24.	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.
No. of weeks in Annual Series,	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
BIRTHS registered, ...	200	199	241	231	233	188	212	218	216	213	232	193	220	218	232	232	204	189	235	254	229	180	214	233	215	258
DEATHS registered, ...	132	91	122	151	118	118	128	146	149	141	133	118	118	147	138	172	161	154	160	109	120	123	123	125	115	107
Annual Death rate per 1,000 of estimated population, ...	17·6	12·1	16·0	19·8	15·4	15·4	16·8	19·1	19·5	18·5	17·4	15·4	15·4	19·2	18·1	22·5	21·1	20·2	20·9	14·3	15·7	16·1	16·1	16·4	15·5	14·4
AGES, Under 1 year, ...	22	18	21	30	23	26	24	24	31	21	25	20	33	23	26	36	24	23	23	19	19	25	22	18	19	23
1—5 years, ...	12	8	12	11	8	10	10	7	10	14	9	10	6	17	11	7	10	14	13	10	9	9	13	7	7	10
5—25 „ ...	98	65	7	20	16	11	6	11	21	17	18	9	10	19	11	14	17	13	21	13	17	15	17	14	14	16
25—45 „ ...			30	37	17	13	25	27	30	29	16	23	14	28	23	36	32	26	27	25	23	26	22	24	26	22
45—65 „ ...			32	25	21	27	34	34	32	26	35	29	27	30	38	45	37	39	46	22	29	31	27	34	20	20
65 and upwards, ...			20	28	33	31	29	43	25	34	30	27	28	30	29	34	41	39	30	20	23	17	22	28	29	16
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.
Typhus, ...	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	1	1	1	1	.	.	1	.	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1
Whooping-cough, ...	1	1	.	.	1	1	1	.	.	1	1	1	1	.	.	.	3	2	1	.	.	1	1	.	.	4
Diphtheria, ...	.	.	.	.	1	2	1	.	.	.	.	.	.	1	1	.	2	1	.	.	.	.	.	.	1	.
Dysentery, ...	—	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	15	9	14	23	17	13	10	11	22	15	13	19	7	22	24	26	25	14	17	16	25	21	21	16	14	13
Tuberculous Disease. Other Forms,	3	3	7	7	4	4	4	4	11	10	10	7	8	9	8	8	4	11	15	12	7	10	12	11	6	10
Cancer, ...	6	5	7	2	7	11	6	5	5	8	3	6	11	8	4	5	5	6	12	3	6	1	4	6	8	6
Diseases of Respiratory System, Pneumonia,	10	7	8	9	7	7	7	11	14	11	15	10	10	14	16	13	19	23	18	10	10	13	6	11	9	9
Diseases of Respiratory System, Others, ...	29	18	18	24	24	20	25	26	25	20	20	20	14	16	19	26	29	34	16	20	15	19	11	18	18	13
Diarrhœa, Under 2 years, ...	1	.	1	.	.	.	.	1	.	.	1	.	1	.	.	1	.	.	.	.	1	1	2	1	.	1
Diarrhœa, 2 years & upwards			1	1	.	.	.	1	.	.	.	1	.	3	1	.	1	.	.	.	.	.	.	.	1	.
Enteritis, under 2 years, ...	—	—	1	.	.	2	2	3	2	2	1	.	.	3	2	1	2	2	1	1	1	3	3	4	2	.
Violent Deaths, ...	2	4	6	6	1	2	4	4	.	4	3	2	1	3	4	8	2	3	3	3	4	1	1	.	3	3
Number of Uncertified Deaths, ...	1	3	3	.	1	5	2	1	.	.	3	2	1	.	1	3	2	.	1	2	1	1	1	2	1	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	June 17,	2,454	975	11·2	.	.	33	3	14	9	22*a*
Edinburgh, ...	320,829	„ 17,	144	83	13·5	.	.	2	1	5	.	5
Glasgow, ...	784,621	„ 17,	446	219	14·6	.	.	10	1	12	2	8
Calcutta, ...	—	May 13,	.	495	28·9	144*	1	2	.	.	.	79‡
Bombay, ...	977,822	„ 13,	354	829	44·1	294*	22	11	.	.	.	53
Madras, ...	509,346	Apr. 22,	350	400	40·8	54*	30	7	?	?	?	92
Cairo, ...	689,439	„ 22,	571	511	38·6	1	.	8	3	.	8	76
Paris	2,760,000	May 20,	908	868	16·4	7	.	26	1	4	7†	23*a*
Brussels, ...	720,030	„ 20,	246	165	11·9	2	.	2	.	.	.	8
Antwerp, ...	320,640	„ 27,	139	59	9·6	.	.	1	.	.	.	11*a*
Amsterdam, ...	576,691	„ 27,	274	113	10·2	.	.	5	.	2	.	4*a*
Copenhagen, ...	459,000	„ 27,	224	109	12·4	1	.	1	2	1	.	9
Stockholm, ...	343,832	„ 20,	150	86	13·0	.	.	.	.	.	1†	1
Christiania, ...	244,038	June 3,	136	76	16·2	.	.	.	.	5	.	4
St. Petersburg, ...	1,639,266	May 6,	916	737	23·4	8	4	21	10	11	2	86
Moscow, ...	1,493,600	„ 13,	.	772	27·0	1	11	11	13	3	10†	109
Berlin, ...	2,067,086	June 20,	808	592	14·9	2	.	5	12	11	18†	37
Hamburg, ...	932,166	May 27,	.	220	12·3	1	.	1	4	3	14†	11
Breslau, ...	517,151	„ 27,	.	174	17·5	.	.	.	.	4	4	18
Munich, ...	597,000	June 3,	.	182	15·9	.	.	.	.	1	2†	30
Vienna (with suburbs),	2,047,968	May 27,	896	605	15·4	1	.	13	2	2	1†	31*a*
Buda-Pesth, ...	891,585	„ 27,	437	334	19·5	.	.	2	7	.	1†	15*a*
Prague and Faubourgs,	508,310	„ 13,	175	186	19·0	1	.	2	3	4	2†	12*a*
Trieste, ...	229,499	„ 20,	133	83	18·9	.	.	3	.	2	.	.
Rome, ...	593,110	Mar. 18,	279	247	21·7	.	.	1	1	1	5	9
Venice, ...	184,325	Apr. 22,	77	76	21·5	1	.	.	.	.	.	2
		„ 29,	71	67	19·0	1	.	.	.	.	.	4
New York, ...	4,983,385	May 6,	2,383	1,601	16·8	2	.	19	27	9	29†	56*a*
Philadelphia, ...	1,580,250	Apr. 22,	.	563	18·5	6	.	12	5	5	8	20*a*
Boston, ...	686,912	May 27,	.	238	18·0	2	.	2	1	1	1	5

* Deaths from "fever," including 5 deaths from enteric fever and 94 deaths from plague in Calcutta, 6 from enteric fever and 239 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 46 deaths from cholera in Calcutta.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending June 17th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	1	.	.	2	.	1	6	.	.	.	1	11
„ „ 1, West, ...	.	.	.	.	2	.	1	4	.	.	.	1	8
„ „ 2, ...	.	.	1	.	.	.	.	1	.	.	.	2	4
„ „ 3, ...	.	2	.	.	.	.	2	.	1	.	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	2	.	.	1	.	.	.	.	3
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	1	2	.	.	.	.	.	1	.	.	8	12
„ „ 2, ...	.	.	.	.	2	.	.	.	.	.	.	4	6
„ „ 3, ...	.	2	.	.	1	.	.	1	.	.	.	.	4
„ „ 4, ...	.	.	.	.	1	.	.	1	.	.	.	1	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	1	.	.	.	1
Total, ...	.	6	3	.	10	.	4	14	3	.	.	17	57

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 17th June, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 17th June.			
	May 27.	June 3.	June 10.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	75	86	86	37	32	.	91
Scarlet Fever, ...	74	73	66	12	6	.	72*
Typhus, ...	6	3	.	3	.	.	3
Diphtheria, ...	41	36	35	14	8	1	40
Enteric Fever, ...	46	45	44	13	14	.	43
Pneumonia, ...	33	33	30	5	8	2	25

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 17th June, 1911:—

"Until Thursday the weather in the British Isles was governed by a high pressure system lying upon the Atlantic to the northwestward, and by a series of atmospheric depressions stretching from Lapland across Central Europe to the Mediterranean. This distribution of pressure brought cold polar winds to Great Britain and Ireland. In the former country these winds blew freshly and were accompanied by much cloud and showers, especially along the east coast. In Ireland the sky was clearer and the diurnal range of temperature was very great—at Birr Castle the thermometer fell from 65° on Tuesday afternoon to 37° during the following night, in the course of which a ground frost of some severity caused much damage to the potato crop in the western counties of Ireland. At this time a large but shallow barometric depression, which had appeared near the Azores as far back as Monday, was slowly spreading northeastwards towards Ireland. Its approach was heralded in this country by the appearance on Wednesday evening of long lines of cirrus cloud travelling in an upper westerly air current, the wind remaining easterly. On Thursday forenoon cirrus increased, and at 1 p.m. a solar halo was seen. The evening was very cloudy, and at 1.35 a.m. of Friday rain began to fall in Dublin in steady showers, the measurement up to 9 a.m. of Saturday being ·629 inch—at Coolagad, Greystones, Co. Wicklow, the corresponding rainfall was 1·490 inches. And thus an "absolute drought" of 30 days (from May 15th to June 15th) came to an end. With the coming of a S.W. wind on Saturday temperature rose fast; the forenoon was fine, but a heavy shower after 4 p.m. was accompanied by thunder and lightning. In Dublin the mean height of the barometer was 29·941 inches, the range being from 30·159 inches at 9 p.m. of Wednesday (wind, E.N.E.) to 29·419 inches at 9 p.m. of Saturday (wind, S.S.W.). The corrected mean temperature was 55·6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 55·7°. The screened thermometers fell to 43·0° on Thursday and rose to 68·4° on Saturday. The prevalent wind was E.N.E. Rain fell on the last 3 days to the amount of ·710 inch, ·409 inch being recorded on Friday. There was a slight thunderstorm on Saturday afternoon."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·732 inches. The highest reading (29·990) was on Wednesday at 9 p.m., air calm, and the lowest (29·250) on Saturday at 9 p.m., air calm.

The mean temperature for the week was 52·6°, being 1·0° below the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Saturday, on which day the thermometer registered 70·6°, and was lowest on Thursday, the mercury having fallen to 31·5°. The mean of the Dry Bulb for the week was 53·7° and of the Wet Bulb, 51·4°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The rainfall during the week measured 0·605 inch.

At Greenwich the mean temperature for the week was 57·0°, the maximum 74·5°, and the minimum 40·6°; at Glasgow the maximum was 66·8°, the minimum 37·0°, and the mean 52·8°; and at Edinburgh the maximum was 66·8°, the minimum 39·4°, and the mean 51·8°. The rainfall at Greenwich measured 0·66 in.; at Glasgow 0·25 in.; and at Edinburgh 0·18 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, June 11,	29·834	61·1	48·7	54·9	55·0	52·9	·87	·5	6·9	·000	N.E.	Calm.
Monday, „ 12,	29·794	61·3	48·3	54·8	55·2	52·2	·82	·6	1·8	·000	N.N.W.	N.
Tuesday, „ 13,	29·850	59·3	42·7	51·0	48·1	46·7	·92	·6	6·2	·000	Calm.	Calm.
Wednesday, „ 14,	29·967	58·8	33·9	46·4	50·3	47·0	·78	·1	14·0	·000	E.	Calm.
Thursday, „ 15,	29·953	61·0	31·5	46·3	56·8	53·0	·77	·6	9·8	·260	E.	Calm.
Friday, „ 16,	29·419	56·2	49·4	52·8	52·5	51·7	·95	·6	0·0	·280	S.E.	E.S.E.
Saturday, „ 17,	29·305	70·6	53·3	62·0	58·3	56·4	·88	·5	3·0	·065	S.W.	Calm.
Mean, ...	29·732	61·2	44·0	52·6	53·7	51·4	·86	·5	Total 41·7	Total ·605	—	

Sunday—Day cloudy, fine; night cloudy. *Monday*—Day cloudy, fine; night cloudy. *Tuesday*—Day cloudy, fine; night cloudy. *Wednesday*—Day cloudy to bright; night clear, and heavy rain a.m. *Thursday*—Day cloudy, fine; night overcast, drizzle, heavy rain a.m. *Friday*—Day overcast and drizzling; night cloudy. *Saturday*—Day cloudy, passing showers; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, June 17th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, June 11,	57·0	61·1	56·3	60·6	53·2	56·9	7·4	—
Monday, „ 12,	59·5	61·5	56·5	62·2	52·2	57·2	2·4	—
Tuesday, „ 13,	54·6	60·4	56·6	59·0	45·2	52·1	6·7	—
Wednesday, „ 14,	57·0	60·0	56·8	58·1	43·1	50·6	13·6	—
Thursday, „ 15,	58·4	60·2	56·8	61·6	41·9	51·8	9·4	·200
Friday, „ 16,	51·8	60·3	56·9	57·8	49·8	53·8	0·0	·336
Saturday, „ 17,	62·9	59·0	56·9	70·8	52·9	61·9	3·6	·100
Weekly Mean, .	57·3	60·4	56·7	61·4	48·3	54·9	Total 43·1	Total ·636

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30737. Wt. P. 1–60/138. 375. 4. 1911. Sch. C 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & Co., LIMITED, ABBEY STREET. *Price* 1½*d*

VOL. XLVIII.] WEEK ENDING SATURDAY, 24TH JUNE, 1911. [No. 25.

General Register Office, Charlemont House
Dublin, 26th June, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 13·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending June 3	Week ending June 10	Week ending June 17	Week ending June 24	Average Rate for 4 weeks.
22 Town Districts, ...	**17·1**	**16·1**	**15·9**	**13·5**	**15·6**
Armagh	13·7	6·9	6·9	20·6	12·0
Ballymena	19·2	9·2	18·3	9·2	14·0
Belfast	16·4	15·5	14·4	11·1	14·4
Clonmel	20·5	5·1	10·1	15·2	12·7
Cork	16·4	15·0	15·0	19·7	16·5
Drogheda	20·4	21·0	8·4	4·2	13·5
Dublin Reg. Area ...	17·9	18·3	19·2	15·1	17·6
Dundalk	27·9	11·9	7·9	11·9	14·9
Galway	7·8	11·8	11·8	3·9	8·8
Kilkenny	24·6	9·9	29·8	29·8	23·5
Limerick	15·0	8·1	12·2	6·8	10·5
Lisburn	18·2	17·1	12·9	12·9	15·3
Londonderry	19·0	23·0	10·2	8·9	15·3
Lurgan	8·9	17·2	12·9	12·9	13·0
Newry	.	4·4	8·7	8·7	5·5
Newtownards	17·2	22·9	.	11·4	12·9
Portadown	31·0	17·8	8·9	31·1	22·2
Queenstown	19·8	13·2	26·4	19·8	19·8
Sligo	4·8	14·0	14·0	14·0	11·7
Tralee	31·7	5·3	21·1	10·6	17·2
Waterford	17·5	13·3	17·1	7·6	13·9
Wexford	14·0	18·2	22·8	41·0	24·0

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in sixteen of the districts to 6·6 in Queenstown, the 3 deaths from all causes for that district including one from diphtheria. Included in the 82 deaths from all causes for Belfast are 5 from diarrhœal diseases. One of the 7 deaths for Londonderry is from scarlet fever, and of the 5 deaths from all causes for Limerick one is from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 185—96 boys and 89 girls—and the deaths to 127—68 males and 59 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·1 per 1,000 of the population. During the twenty-five weeks ending with Saturday last the death-rate averaged 21·7, and was 2·6 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II. and note to Table VII.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 127, represent an annual rate of 16·4 per 1,000; the annual rate for the past twenty-five weeks was 22·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·4 per 1,000 of the mean population for all deaths registered.

The deaths included one from enteric fever, 8 from measles, 2 from whooping-cough, 4* from diphtheria, and 4 deaths from diarrhœa and *enteritis* of children under 2 years of age. In each of the three preceding weeks, deaths from enteric fever were one, 0, and 0; deaths from measles were 3, 4, and 2; deaths from whooping-cough were 4, one, and 3; deaths from diphtheria were one, 4, and one; and deaths from diarrhœa and *enteritis* of children under 2 years were 10, one, and 4.

There were 5 deaths from broncho-pneumonia, and 3 deaths from *pneumonia* (type not distinguished).

Tuberculosis caused the deaths of 18 persons, namely:—7 deaths from pulmonary tuberculosis, 6 deaths from tuberculous meningitis, 3 deaths from abdominal tuberculosis, one death from tuberculosis of the vertebral column, and one death from disseminated tuberculosis. Deaths from all forms of tuberculosis in the three preceding weeks were 31, 33, and 30 respectively.

Cancer caused the deaths of 7 persons.

Diseases of the brain and nervous system caused 10 deaths, organic heart diseases 10 deaths, and bronchitis 9 deaths.

The deaths of 5 infants were ascribed to prematurity, and 2 to congenital debility.

There were 2 deaths by burns or scalds of children between the ages of one year and 2 years, and one death by drowning.

The deaths of 2 persons were caused by suicide.

In not one instance was the cause of death "uncertified," owing to there having been no medical attendant during the last illness.

Forty-four of the persons whose deaths were registered during the week were under 5 years of age (20 being infants under one year, of whom 7 were under one month old) and 20 were aged 65 years and upwards, including 13 persons aged 70 and upwards; among the latter were 7 aged 75 years and upwards, of whom one (a male) was stated to have been aged 90 years.

Sixty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse and 10 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·1 per 1,000; the rate in the City was 14·5 (North City Districts, 16·8; South, 12·1) and in the Suburbs, 17·2.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·3 per 1,000 inhabitants, the rate for the City being 2·5 (3·3 in the North City Districts, and 1·7 in the South), and for the Suburbs, 1·7 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 21·0 per 1,000. One death was caused by each of the following diseases:—Enteric fever, measles, diphtheria, diarrhœa, pulmonary tuberculosis, and bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 19·6 per 1,000, and include one death from diphtheria, 2 deaths from tuberculous disease, 2 deaths from broncho-pneumonia, and one death from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 20·4 per 1,000. The deaths included one from measles, 2 from whooping-cough, one from pulmonary tuberculosis, and 2 deaths from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (10) represent an annual rate of 15·6 per 1,000. Measles caused 2 deaths; there was one death from tuberculous meningitis, one death from *pneumonia* (type not distinguished), and one death from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 4·5; and Finglas and Glasnevin, part of, 0·0. The one death for Clontarf and Howth, No. 1, part of, was from pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (8) represent an annual rate of 10·1 per 1,000. Measles caused 2 deaths; there was one death from diphtheria, one death from abdominal tuberculosis, one death from broncho-pneumonia, and one death from *pneumonia* (type not distinguished).

No. 2 South City District (Castle-street).—The deaths (5) are equal to an annual rate of 12·0 per 1,000, and include one death from tuberculous meningitis, and one death from bronchitis.

No. 3 South City District (Peter-street).—The deaths (14) are equal to an annual rate of 16·9 per 1,000. There was one death from measles, one death from *enteritis* of a child under 2 years of age; there were 4 deaths from tuberculous disease, one death from broncho-pneumonia, and 2 deaths of children by burns or scalds.

No. 4 South City District (Grand Canal Street).—The deaths (8) are equivalent to an annual rate of 11·6 per 1,000. The deaths include 2 from tuberculous disease, one death from *pneumonia* (type not distinguished), and one death by suicide.

New Kilmainham District.—There was no death recorded for this district during last week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·2; Pembroke, 24·9; Blackrock, 5·7; and Kingstown, 21·2. The deaths from the principal epidemic diseases tabulated for these districts comprise one from measles for Kingstown, and one from diarrhœa for each of Pembroke and Kingstown. Of the 9 deaths from all causes for Rathmines and Rathgar one is from pulmonary tuberculosis and one from bronchitis. Included in the 14 deaths from all causes for Pembroke are one from broncho-pneumonia, 2 from bronchitis, and one by suicide. The 7 deaths from all causes for Kingstown include one from tuberculous meningitis and one from drowning.

* See note (*c*), Table II. † See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 24th June, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	June 3,	.	—	—	14	.	.	6	.	2	6	12	.	—	—	.	—	9	—	49
	June 10,	.	—	—	13	.	.	8	.	.	10	10	.	—	—	.	—	18	—	59
	June 17,	.	—	—	6	3	.	10	.	4	14	3	.	—	—	.	—	17	—	57
	June 24,	.	—	—	18	1	.	7	.	2	9	3	.	—	—	.	—	6	—	46
Rathmines and Rathgar Urban District.	June 3,	.	—	—	4	.	.	.	.	1	1	1	.	—	—	—	—	—	—	7
	June 10,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	June 17,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	—	—	3
	June 24,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	—	2
Pembroke Urban District.	June 3,	.	5	.	.	.	.	1	.	.	.	.	.	—	2	.	—	.	—	8
	June 10,	.	11	.	3	.	.	.	.	.	.	.	.	—	10	.	—	.	—	24
	June 17,	.	6	.	.	.	.	.	.	.	.	2	.	—	4	.	—	.	—	12
	June 24,	.	6	.	.	.	.	.	.	.	2	.	.	—	11	.	—	.	—	19
Blackrock Urban District.	June 3,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	June 10,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
	June 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	June 24,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	June 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	June 10,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	June 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	June 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	June 3,	.	—	—	4	.	.	4	1	.	1	1	.	—	—	.	—	13	—	24
	June 10,	.	—	—	8	.	.	6	.	.	.	2	.	—	—	1*	—	6	—	23
	June 17,	.	—	—	12	3	.	5	.	.	1	3	1	—	—	.	—	11	—	36
	June 24,	.	—	—	8	1	.	4	.	.	.	2	1	—	—	.	—	10	—	26

* Returned as cerebro-spinal meningitis.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 24th June, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Twenty-three cases of measles were admitted to hospital during the week, 27 were discharged, there were 2 deaths, and 85 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 86, 86, and 91, respectively.

Twelve cases of scarlet fever were admitted to hospital, 17 were discharged, and 67* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 73, 66, and 72, respectively.

One case of typhus was admitted to hospital during the week and 4 cases remained under treatment at its close.

Eight cases of diphtheria were admitted to hospital during the week, 13 were discharged, and there were 3 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 36, 35, and 40, respectively, were 32 at the close of last week.

Nine cases of enteric fever were admitted to hospital during the week, 6 were discharged, there was one death, and 45 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 45, 44, and 43.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 12 were discharged, and 22 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 10·6) was equal to an average annual death-rate of 11·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 13·3 per 1,000, the rate for Glasgow being 13·6 and for Edinburgh 11·5.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 24th June. From this Report it appears that of a total of 49 cases notified, 20 were scarlet fever, 19 phthisis, 7 diphtheria, and 3 erysipelas. Among the 317 cases of infectious diseases in hospital at the close of the week were 89 cases of scarlet fever, 75 of whooping-cough, 61 of phthisis, 45 of diphtheria, 30 of measles, 8 of erysipelas, 2 of enteric fever, and 2 of chicken-pox.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 24th June, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 24th June, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 17th June, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 10th June, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
TOTAL OF 22 TOWN DISTRICTS, ...	1,149,495	20·2	26·2	13·5	1·2	577	297	49	62	1	...	...	8	1	2	5	...	29	20	13	18	30	4	3	3	7	10	106	12	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c) ...	403,732	29·3	23·9	15·1	2·3	185	117	20	18	1	...	...	8	...	2	3	...	7	9	5	8	9	3	...	1	5	4	53	...	e64·9	43·9	56·2	0·78	e70·6	31·5	52·6	0·61	e70·5	37·6	55·6	0·00
CITY OF DUBLIN.	309,738	39·2	26·9	14·5	2·5	160	86	15	10	1	...	...	7	...	2	3	...	6	8	3	7	6	1	..	1	3	1	41	...	f66·1 g66·9	47·1 44·0	57·3 56·7	0·92 0·74	f68·4 g68·5	43·0 35·4	55·6 53·8	0·71 0·80	f71·1 g71·9	50·0 42·0	60·0 58·1	0·00 0·00
Urban Districts. RATHMINES AND RATHGAR.	38,330	22·4	12·2	12·2	...	9	9	...	3	...	...	...	...	...	...	...	...	1	...	2	...	1	...	...	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,347	18·5	12·4	24·9	1·8	7	14	3	4	...	...	...	...	...	...	...	...	..	...	...	1	2	1	...	...	1	1	5	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,090	8·4	17·2	5·7	...	3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	18·2	21·2	6·1	6	7	2	...	...	...	...	1	...	...	...	...	...	1	...	...	...	1	...	...	1	2	2	...	67	48	58·2	0·25	66	43	55·2	1·16	69	50	59·3	0·00
Urban Districts. BELFAST, ...	386,449	26·3	27·1	11·1	0·7	201	82	16	14	...	...	...	...	...	...	...	...	13	2	6	5	10	1	3	1	1	2	24	3	66·0	46·0	57·4	1·23	65·5	35·5	51·4	0·53	73·2	43·0	59·0	0·00
CORK, ...	76,632	33·8	26·5	19·7	0·7	39	29	5	8	...	...	...	...	...	...	...	...	5	2	...	...	4	...	...	1	...	2	13	3	65	48	56·5	0·64	66	48	57·7	0·70	70	48	59·8	0·00
LONDONDERRY...	40,799	18·9	33·2	8·9	1·3	26	7	...	3	...	...	...	...	1	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,403	18·2	19·0	6·8	1·4	14	5	...	1	...	...	...	...	...	...	1	...	1	...	...	1	...	...	...	...	...	...	2	1	64·8	44·1	55·1	0·97	69·9	40·7	55·9	0·44	78·8	40	59·6	0·00
WATERFORD, ...	27,430	19·1	22·8	7·6	...	12	4	...	1	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY. ...	13,249	2·5	35·4	3·9	...	9	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	65	45	56	0·54	74	39	57	0·37	80	47	60	0·00
DUNDALK, ...	13,128	9·5	31·8	11·9	...	8	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	29·4	4·2	...	7	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,956	17·2	43·6	8·7	...	10	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	66·7	41·0	55·4	0·75	66·2	35·8	52·4	0·43	72·9	42·9	57·5	0·00
LURGAN, ...	12,135	14·3	25·8	12·9	...	6	3	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	...	66·7	41·0	55·4	0·75	66·2	35·8	52·4	0·43	72·9	42·9	57·5	0·00
LISBURN, ...	12,172	10·7	8·6	12·9	...	2	3	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	...	66·7	41·0	55·4	0·75	66·2	35·8	52·4	0·43	72·9	42·9	57·5	0·00
WEXFORD, ...	11,455	23·8	41·0	41·0	...	9	9	...	2	...	...	...	...	...	...	...	...	...	4	...	1	1	...	...	...	..	...	5	1	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA, ...	11,376	9·3	4·6	9·2	...	1	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO. ...	11,163	3·8	9·3	14·0	...	2	3	1	...	..	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	63·5	45·4	54·4	1·21	66·4	30·8	52·6	0·62	78·4	38·8	57·1	0·00
KILKENNY, ...	10,513	11·4	74·4	29·8	...	15	6	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	66	43	56·0	0·56	66	36	55·5	0·40	77	45	59·5	0·04
CLONMEL, ...	10,277	7·9	76·1	15·2	...	15	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	31·1	31·1	...	7	7	1	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	1	66·7	41·0	55·4	0·75	66·2	35·8	52·4	0·43	72·9	42·9	57·5	0·00
TRALEE, ...	9,867	16·6	15·9	10·6	...	3	2	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	17·2	11·4	...	3	2	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	65	49	56·4	1·56	62	43	53·0	0·51	64	46	54·3	0·00
QUEENSTOWN, ...	7,909	14·4	6·6	19·8	6·6	1	3	...	1	...	...	...	...	...	...	1	...	...	1	...	1	...	...	...	...	...	...	...	...	65	48	56·5	0·64	66	48	57·7	0·70	70	48	59·8	0·00
ARMAGH, ...	7,588	22·2	13·7	20·6	...	2	3	...	1	...	...	...	...	..	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	66·7	41·0	55·4	0·75	66·2	35·8	52·4	0·43	72·9	42·9	57·5	0·00

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 10 deaths of persons (including 2 at 65 years or upwards), admitted to hospital from localities outside the Area; of the 10 deaths one was from diphtheria. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 24th of June, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	1	2	.	.	.	2	.	1	.	.	.	.	.	1	8	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diphtheria,	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	1
Croup,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	1	1	1	.	1	.	.	.	.	1	1	.	1	.	.	.	7	.
Tuberculous Disease. — Other Forms,	.	1	.	1	.	.	.	1	1	3	1	.	.	.	.	1	9	2
Cancer,	.	.	1	1	.	.	.	.	1	.	.	.	2	.	.	.	5	2
Diseases of Nervous System,	1	.	1	2	.	1	.	.	1	.	.	.	2	.	.	1	9	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
" Circulatory System,	1	3	2	.	.	.	.	.	.	.	.	.	1	3	1	1	12	2
" Respiratory System. — Pneumonia,	.	2	.	1	.	.	.	2	.	1	1	.	.	1	.	.	8	.
" Respiratory System. — Others,	1	1	2	1	.	.	.	.	1	.	.	.	1	2	.	.	9	.
" Digestive System. — Diarrhœa, under 2 years,	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — *Enteritis*, under 2 years,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
" Digestive System. — Enteritis, 2 years and upwards,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. — Others,	1	.	1	.	.	.	.	.	.	1	.	.	1	3	.	.	7	2
" Genito-urinary System,	1	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	4	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	3	1	2	.	.	.	1	1	3	3	.	.	2	.	.	17	.
Violent Deaths,	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	1	5	.
Ill-defined, &c. Causes,	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.
Deaths from All Causes	12	15	12	10	1	1	.	8	5	14	8	.	9	14	1	7	117	10
Annual Rate of Mortality from All Causes in every 1,000 of the population.	21·0	19·6	20·4	15·6	9·7	4·5	.	10·1	12·0	16·9	11·6	.	12·2	24·9	5·7	21·2	15·1	.
	16·8							12·1					17·2					
	14·5																	
Ages at Death. — Under 1 year,	1	3	1	2	.	.	.	2	1	3	2	.	.	3	.	2	20	.
1 and under 2 years,	2	3	1	3	.	.	.	2	.	4	.	.	.	.	.	.	15	.
2 " 5 "	1	1	2	1	.	.	.	1	.	2	.	.	1	.	.	.	9	.
5 " 15 "	.	1	.	.	.	.	.	1	1	.	1	.	.	.	.	2	6	3
15 " 25 "	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
25 " 45 "	2	2	2	1	1	.	.	.	1	3	1	.	1	3	.	.	17	1
45 " 65 "	2	4	4	3	.	.	.	2	1	1	2	.	4	4	.	3	30	4
65 and upwards,	3	1	2	.	.	1	.	.	.	1	2	.	3	4	1	.	18	2
Number of Uncertified Deaths,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	4	7	1	1	.	.	.	3	1	5	1	.	5	4	.	2	34	10
Workhouse Hospitals,	3	.	4	1	.	1	.	3	2	3	1	.	.	1	.	.	19	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 25th Week of the 10 years 1901–1910.	In the Week ending Saturday, 24th June, 1911.										
													Deaths of Persons of the Ages of									
	June 22, 1901.	June 21, 1902.	June 27, 1903.	June 25, 1904.	June 24, 1905.	June 23, 1906.	June 22, 1907.	June 20, 1908.	June 26, 1909.	June 25, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 55·6	° 53·5	° 55·0	° 55·4	° 60·4	° 60·1	° 52·7	° 51·4	° 52·7	° 58·1	° 55·5	° 56·2										
ALL CAUSES.	153	139	170	149	138	149	171	126	155	130	148·0	127	7	13	15	9	9	2	18	34	13	7
Enteric Fever, ...	2	1	2	.	1	.	.	.	.	.	·6	1	.	.	.	1	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	5	4	1	2	.	9	5	.	.	2·6	8	.	3	4	1	.	.	.	.	.	.
Scarlet Fever, ...	1	1	.	.	1	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	3	.	2	.	.	2	5	3	5	1	2·1	2	.	.	.	2	.	.	.	.	.	.
Diphtheria, ...	1	1	2	3	1	1	1	2	.	.	1·2	4	.	.	2	.	2	.	.	.	.	.
Croup, ...	.	.	1	.	.	.	.	.	.	.	·1	1	.	.	1	.	.	.	.	.	.	.
Influenza, ...	3	.	1	1	1	.	.	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	1	1	.	.	1	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	.	1	1	.	1	.	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	22	26	15	23	21	29	29	15	31	24	23·5	7	.	.	.	1	1	1	3	1	.	.
Tuberculous Meningitis, ...	2	3	1	7	3	6	6	7	4	4	4·3	6	.	1	1	1	3	.	.	.	.	.
Abdominal Tuberculosis, ...	4	3	5	.	1	2	.	.	2	1	1·8	3	.	1	1	.	1	.	.	.	.	.
Tuberculosis of the Vertebral Column.												1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of Joints, ...	4	4	6	4	.	3	8	7	8	5	4·9	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												1	.	1	.	.	.	.	.	.	.	.
Venereal Diseases, ...	1	1	.	.	2	.	.	.	2	1	·7	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	8	5	6	10	8	6	10	3	4	10	7·0	7	.	.	.	.	.	.	.	7	.	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	1	2	.	.	.	.	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	.	.	.	1	.	2	.	·3	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	1	.	1	.
Alcoholism, ...	.	1	3	.	1	.	.	.	.	.	·5	2	.	.	.	.	.	.	.	2	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	1	1	.	.	2	2	1	1	·8	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*												4	.	.	.	.	.	.	1	2	1	.
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												1	.	.	.	.	.	.	.	.	1	.
Epilepsy, ...												3	.	.	.	.	.	1	1	1	.	.
Convulsions (non-puerperal),												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	38	31	49	40	36	33	34	23	30	28	34·2	2	.	.	.	.	.	.	.	1	1	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												1	.	.	.	.	.	.	.	.	1	.
Organic Diseases of the Heart,												10	.	.	.	.	1	.	3	4	1	1
Embolism and Thrombosis (including Cerebral)												1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Circulatory System.												2	.	.	.	.	.	.	1	.	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	12	4	16	13	12	17	13	10	11	13	12·1	9	.	3	.	.	.	.	1	4	1	.
Broncho-pneumonia, ...	11	.	4	6	1	3	8	.	4	1	10·2	5	.	.	1	2	.	.	.	2	.	.
Lobar-pneumonia, ...		.	1	2	1	.	3	.	.	4		.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)		4	7	5	3	10	4	9	6	5		3	.	.	1	1	.	.	1	.	.	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	.	2	3	2	1	.	3	2	1	2	1·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												.	.	.	.	.	.	.	.	.	.	.

TWENTY-FIFTH WEEK ending Saturday, 24th June, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 25th Week of the 10 years 1901–1910.	In the Week ending Saturday, 24th June, 1911.											
													Deaths of Persons of the Ages of										
	June 22, 1901.	June 21, 1902.	June 27, 1903.	June 25, 1904.	June 24, 1905.	June 23, 1906.	June 22, 1907.	June 20, 1908.	June 26, 1909.	June 25, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 55·6	° 53·5	° 55·0	° 55·4	° 60·4	° 60·1	° 52·7	° 51·4	° 52·7	° 58·1	° 55·5	° 56·2											
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	.	.	.	.	2	1	.
Diarrhœa of Children under 2 years.	3	..	1	.	2	.	3	4	3	1	1·7	3	.	2	1	.	.	.	.	.	.	.
" 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	2	1	2	1	2	3	3	3	3	2	2·2	1	.	.	1	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												1	.	.	.	.	.	.	.	.	1	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	1	.	1
Cirrhosis of Liver, ...	2	.	.	1	4	1	1	2	.	1	1·6	2	.	.	.	.	.	.	2	.	.	.
Other Diseases of Liver, ...		3	.	1	.	.	.	.	.	.		1	.	.	.	.	.	.	.	1	.	.
Peritonitis (cause unknown),	.	1	1	.	1	.	.	.	.	2	·5	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Digestive System.	4	9	4	3	13	9	2	8	4	3	5·9	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	4	4	2	6	2	5	7	4	7	1	4·2	2	.	.	.	.	.	.	1	1	.	.
Chronic Bright's Disease, ...												2	.	.	.	.	.	.	1	1	.	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	1	1	.	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	2	8	5	1	3	4	3	4	5	5	4·0	5	5	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	2	2	.	.	.	.	.	.	.	.	.
Old Age, ...	7	8	3	2	.	2	3	2	1	2	3·0	5	.	.	.	.	.	.	.	.	1	4
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	1	.	.	.
ACCIDENTS:																							
By Railways, ...	.	.	.	.	1	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	.	.	.	.	.	1	.	.	.	.	·1	2	.	.	2	.	.	.	.	.	.	.
By Drowning, ...	2	1	.	.	1	.	.	.	.	.	·4	1	.	.	.	.	.	.	.	1	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	2	.	1	2	3	.	2	1	.	1·3	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																							
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	1	.	.	.	.	.	.	.	.	1	·2	2	.	.	.	.	.	.	1	1	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	1	.	.	.	.	.	1	.	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1910–11—WEEK ENDING																									
	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.
No. of weeks in Annual Series,	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
BIRTHS registered.	170	203	230	238	232	219	241	192	214	217	238	203	276	230	198	171	174	259	260	242	226	246	261	228	232	185
Average Births in corresponding week of previous 10 years, ...	174	231	208	209	201	241	217	212	209	216	223	212	212	233	202	210	223	199	268	231	210	204	238	226	207	224
DEATHS registered, ...	155	176	179	190	228	200	220	208	195	180	174	170	214	177	191	174	196	181	176	170	129	158	150	149	159	127
Annual Death-rate per 1,000, ...	20·1	22·5	22·9	24·3	29·2	25·6	28·2	26·6	25·0	23·1	22·3	21·8	27·4	22·7	24·5	22·3	25·1	23·2	22·5	21·8	16·5	20·2	19·2	19·2	20·5	16·4
Average Deaths in corresponding week of previous 10 years, ...	177	201	195	195	192	200	198	200	210	218	210	194	201	203	199	195	197	190	177	178	171	169	154	151	149	148
Ages, Under 5 years, ...	47	56	60	62	59	61	47	57	57	70	59	39	56	48	54	63	54	50	56	48	40	37	43	34	42	44
5—15 „ ...	108	5	10	7	11	6	10	6	10	9	12	9	7	14	17	4	5	11	14	7	6	14	10	8	4	9
15—25 „ ...		9	7	10	11	12	13	5	6	6	7	7	13	8	10	10	14	7	6	8	9	11	9	9	13	2
25—45 „ ...		25	24	27	32	32	41	36	35	32	24	24	42	19	33	25	31	33	15	35	21	21	29	26	32	18
45—65 „ ...		45	38	41	55	48	51	49	35	36	36	42	44	36	44	43	45	35	30	38	36	39	29	33	31	34
65—75 „ ...		20	25	28	34	22	39	33	29	19	19	28	32	29	27	19	29	25	34	19	10	24	17	26	18	13
75 and upwards, ...		16	15	15	26	19	19	22	23	8	17	21	20	23	6	10	18	20	21	15	7	12	13	13	19	7
Deaths from :—																										
Enteric Fever, ...	.	.	1	.	2	3	2	2	2	4	3	1	2	1	3	1	1	.	1	1	1	1	1	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	4	3	6	2	2	2	2	3	7	7	7	3	2	1	7	11	5	8	17	4	6	3	4	2	8
Scarlet Fever, ...	2	7	.	.	1	.	4	6	2	2	.	.	1	.	1	4	1	.	1	1	.	2	2	2	.	.
Whooping-cough, ...	7	6	5	6	10	4	3	6	7	11	4	4	6	5	3	6	.	2	3	2	4	1	4	1	3	2
Diphtheria, ...	.	1	2	4	1	5	2	3	2	.	2	.	1	1	4	3	4	1	2	3	1	.	1	4	1	4
Influenza, ...	1	.	1	1	4	3	4	5	7	2	2	2	1	2	2	.	3	.	3	2	1	2	.	.	1	.
Dysentery, ...	—	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	19	21	19	27	28	19	27	22	18	20	17	28	32	16	29	21	33	22	21	17	25	22	22	25	23	7
Tuberculous Disease, Other Forms,	5	4	6	9	7	4	6	8	7	7	8	8	15	13	10	3	8	10	6	6	6	9	9	8	7	11
Cancer, ...	6	8	3	12	7	16	11	4	6	5	8	6	10	13	11	8	7	9	6	5	6	11	9	12	10	7
Diseases of Circulatory System,	31	17	20	13	25	19	23	17	21	14	13	24	27	22	23	14	15	24	17	23	7	19	12	12	23	14
Diseases of Respiratory System, Pneumonia,	11	15	16	10	17	18	20	15	21	13	16	14	13	13	18	19	16	18	22	15	12	6	10	8	9	8
Diseases of Respiratory System, Others, ...	25	29	25	28	42	30	41	44	28	29	25	23	27	24	24	26	26	16	34	20	15	14	15	16	17	9
Diarrhœa, Under 2 years, ...	1	3	2	2	4	4	2	3	3	1	1	2	5	1	3	2	1	2	2	1	2	1	6	.	3	3
Diarrhœa, 2 years & upwards,		.	.	.	.	1	.	.	1	1	.	3	.	1	.	.	.	1	2	.	.	1	.	.	.	.
Enteritis, under 2 years, ...	—	.	2	2	.	3	3	1	1	1	2	1	3	1	3	3	2	2	2	.	1	1	4	1	1	1
Violent Deaths, ...	6	2	8	1	4	7	4	2	5	2	4	5	5	5	6	1	7	9	3	.	1	5	2	3	6	5
Number of Uncertified Deaths,	6	4	5	7	7	3	3	2	4	7	8	7	2	5	1	1	2	8	4	3	1	5	4	3	4	.
Mean Temperature of the Air (Phœnix Park)	40·9	37·2	39·0	38·6	45·5	35·9	37·0	46·4	43·4	46·5	41·1	38·0	41·7	42·7	39·4	43·7	50·5	50·5	49·6	52·6	49·5	55·3	56·2	55·6	52·6	56·2
Average Mean Temperature in corresponding week of previous 10 years, ...	41·3	42·0	40·0	40·8	40·5	40·3	40·3	39·8	39·9	40·5	41·7	42·7	42·6	42·4	44·1	43·1	45·1	46·2	46·7	48·1	49·1	50·9	53·7	53·5	53·6	55·5
Rainfall in inches, ...	·130	·336	·345	·153	·034	·000	·011	·582	·523	·681	·316	·206	·000	·770	·131	·000	·501	·606	·780	·127	·262	·010	·000	·000	·605	·782
Mean Humidity of the Air, complete Saturation 1·0, ...	·88	·92	·90	·93	·92	·87	·90	·91	·91	·92	·91	·89	·87	·90	·86	·86	·89	·91	·93	·94	·92	·89	·89	·88	·86	·91

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 24th June, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 24TH JUNE, 1911.

Class	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
Cols.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	127	44	9	2	18	34	13	7	1	.	.	8	.	2	4	.	7	11	7	.	8	9	3	.	1	5	61	.
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	12·0	4	.	.	.	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
II.	MIDDLE CLASS, ...	87,188	12·6	21	2	.	1	1	12	2	3	.	.	.	1	.	.	.	.	1	1	2	.	.	1	.	.	.	2	13	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	17·9	38	15	5	.	5	6	6	1	1	.	.	4	.	2	2	.	2	3	1	.	3	2	.	.	.	1	17	.
IV.	GENERAL SERVICE CLASS, ...	154,279	15·2	45	20	3	.	7	11	3	1	.	.	.	1	.	.	2	.	3	3	2	.	4	4	2	.	.	2	22	.
V.	INMATES OF WORKHOUSES, ...	6,024	—	19	7	1	1	4	4	2	.	.	.	.	2	.	.	.	.	1	4	2	.	1	2	1	.	1	.	5	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	6·7	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	18·7	3	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	27·0	4	.	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	16·6	7	.	.	.	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	5	.
	6. Clerks and Commercial Assistants, ...	30,432	5·1	3	2	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	13·5	7	.	.	1	1	4	.	1	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	1	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	21·0	12	6	1	.	3	1	1	.	.	.	.	2	.	.	1	.	.	1	.	.	3	.	.	.	.	.	5	.
	10. Clothing Trades, ...	23,260	9·0	4	3	.	.	.	1	.	.	.	.	.	1	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	11. Food Supply Trades, ...	9,242	16·9	3	1	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	22·3	13	2	3	.	2	3	3	.	.	.	.	1	.	.	1	.	1	1	1	.	.	2	.	.	.	.	6	.
	13. Petty Shopkeepers, ...	7,894	26·4	4	1	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	15·5	4	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2	.
	15. Domestic Servants, ...	36,603	7·1	5	2	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	21·7	6	2	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	17·4	30	16	2	.	4	5	2	1	.	.	.	1	.	.	2	.	2	3	.	.	3	1	2	.	.	2	14	.
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	19	7	1	1	4	4	2	.	.	.	.	2	.	.	.	.	1	4	2	.	1	2	1	.	1	.	5	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (Office, Clarence-st. Nth.) Pop. in 1911 (Est.) 29,854.	May 6,	19·0	1·7	11	.	.	.	1	.	.	.	.	3	.	.	1	.	.	.	.	1	1
	" 13,	13·8	.	8	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.
	" 20,	15·5	3·5	9	.	.	.	.	.	1	.	.	4	.	.	.	.	1	.	.	.	.
	" 27,	36·2	5·2	21	1	.	.	.	1	.	.	.	1	1	2	1	3	.	.	1	1	2
	June 3,	20·7	5·2	12	.	.	.	.	1	.	1	.	1	.	1	.	2	.	.	1	.	.
	" 10,	14·0	.	8	.	.	.	.	.	.	.	.	2	.	1	3	.	.	.	.	.	1
	" 17,	19·2	1·7	11	.	.	.	.	.	.	.	.	3	1	.	.	2	.	.	1	1	.
	" 24,	21·0	7·0	12	1	.	.	1	.	.	1	.	1	.	.	.	1	1	.	.	.	.
North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1911 (Est.) 39,902.	May 6,	21·9	2·6	17	.	.	.	2	.	.	.	.	.	.	.	4	4	.	.	.	.	1
	" 13,	33·6	3·9	26	.	.	.	1	.	1	.	.	4	1	1	2	4	1	.	.	.	1
	" 20,	27·1	2·9	21	1	.	.	.	.	2	.	.	3	.	.	1	6	.	.	.	.	.
	" 27,	19·4	1·3	15	.	.	.	1	.	.	.	.	2	1	.	1	2	.	.	.	1	.
	June 3,	19·4	2·6	15	.	.	.	.	.	1	.	.	.	1	1	1	2	1	.	.	1	1
	" 10,	24·8	5·2	19	.	.	.	3	.	.	1	.	2	.	1	1	2	.	.	.	.	.
	" 17,	18·3	1·3	14	.	.	.	1	.	.	.	.	2	1	1	1	2	.	.	.	.	2
	" 24,	19·6	1·3	15	.	.	.	.	.	.	1	.	1	1	.	2	1	.	.	.	.	.
North City, No. 2. (Office, Lisburn-street.) Pop. in 1911 (Est.) 30,689.	May 6,	23·5	3·4	14	.	.	.	.	.	.	1	.	2	.	.	2	5	1	.	.	.	.
	" 13,	31·9	6·7	19	.	.	.	3	.	1	.	.	2	1	.	1	2	.	.	.	.	.
	" 20,	21·8	.	13	.	.	.	.	.	.	.	.	4	1	1	1	.	.	.	.	.	.
	" 27,	16·8	3·4	10	.	.	.	2	.	.	.	.	1	.	.	.	1	.	.	.	1	.
	June 3,	13·4	5·0	8	.	.	.	.	.	2	.	.	.	3	.	2	.	.	.	1	.	.
	" 10,	23·8	5·1	14	.	.	.	1	1	.	1	.	.	.	1	.	4	.	.	.	.	.
	" 17,	18·7	3·4	11	.	.	.	.	.	.	1	.	.	.	.	1	2	1	.	.	.	.
	" 24,	20·4	5·1	12	.	.	.	1	.	2	.	.	1	.	1	.	2	.	.	.	.	.
North City, No. 3. (Office, Benburb-street.) Pop. in 1911 (Est.) 33,498.	May 6,	24·6	10·8	16	.	.	.	4	.	.	.	.	2	1	.	3	2	1	2	.	.	.
	" 13,	35·4	9·2	23	.	.	.	6	.	.	.	.	1	1	1	2	5	.	.	.	.	1
	" 20,	16·9	4·6	11	.	.	.	2	.	.	.	.	1	.	.	1	2	1	.	.	.	.
	" 27,	13·8	3·1	9	.	.	.	1	.	.	.	.	2	.	1	.	.	.	1	.	.	.
	June 3,	21·5	7·7	14	.	.	.	2	.	1	.	.	4	1	.	1	1	1	.	1	.	.
	" 10,	26·5	1·6	17	.	.	.	.	.	.	.	.	6	1	1	2	1	.	.	1	1	.
	" 17,	15·6	3·1	10	.	.	.	1	.	.	.	.	.	1	.	2	1	1	.	.	.	.
	" 24,	15·6	3·1	10	.	.	.	2	.	.	.	.	.	1	1	1	1	.	.	.	.	.
South City, No. 1. (Office, Sth. Earl-street.) Pop. in 1911. (Est.) 41,401.	May 6,	29·9	2·5	24	.	.	.	1	.	.	.	.	5	.	1	.	4	.	.	1	.	.
	" 13,	12·4	.	10	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.
	" 20,	10·0	.	8	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	.
	" 27,	21·2	.	17	.	.	.	.	.	.	.	.	3	2	2	1	3	.	.	.	.	1
	June 3,	24·9	1·2	20	.	.	.	.	1	.	.	.	2	1	.	4	2	.	.	.	.	.
	" 10,	12·6	.	10	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.	.
	" 17,	23·9	.	19	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	1	2
	" 24,	10·1	3·8	8	.	.	.	2	.	.	1	.	.	1	.	2	.	.	.	.	.	.
South City, No. 2. (Office, Castle-street.) Pop. in 1911 (Est.) 21,715.	May 6,	23·7	2·4	10	.	.	.	.	.	1	.	.	1	1	1	2	2	.	.	.	.	1
	" 13,	14·2	4·7	6	.	.	.	2	.	.	.	.	1	.	.	.	2	.	.	.	.	.
	" 20,	14·2	.	6	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.
	" 27,	26·1	2·4	11	.	.	.	.	.	1	.	.	1	1	1	.	3	.	.	.	.	1
	June 3,	11·9	4·7	5	.	1	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.
	" 10,	24·0	4·8	10	.	.	.	.	1	1	.	.	1	3	.	1	.	.	.	.	.	1
	" 17,	31·2	.	13	.	.	.	.	.	.	.	.	1	1	2	2	2	.	.	.	1	.
	" 24,	12·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
South City, No. 3. (Office, Peter-street.) Pop. in 1911 (Est.) 43,149.	May 6,	20·3	2·4	17	1	.	.	.	.	1	.	.	1	1	1	2	5	.	.	.	1	.
	" 13,	23·9	2·4	20	1	.	.	.	.	.	1	.	1	.	2	3	2	.	.	.	.	.
	" 20,	11·9	2·4	10	.	.	.	1	.	.	1	.	1	.	1	3	1	.	.	.	.	.
	" 27,	16·7	.	14	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	.	1
	June 3,	19·1	2·4	16	.	.	.	1	.	.	.	.	1	.	1	1	5	1	.	.	.	.
	" 10,	26·6	.	22	.	.	.	.	.	.	.	.	5	.	3	.	4	.	.	.	.	.
	" 17,	15·7	2·4	13	.	.	.	.	.	2	.	.	4	.	.	.	3	.	.	.	.	.
	" 24,	16·9	2·4	14	.	.	.	1	.	.	.	.	1	3	.	1	.	.	.	1	2	.
South City, No. 4. (Office, Grand Canal-st.) Pop. in 1911 (Est.) 35,816.	May 6,	21·6	.	15	.	.	.	.	.	.	.	.	5	.	.	.	4	.	.	.	.	.
	" 13,	17·3	4·3	12	.	.	.	2	.	.	1	.	2	1	.	1	1	.	.	.	.	.
	" 20,	12·9	2·9	9	.	.	.	1	.	.	.	.	.	2	.	.	2	.	.	1	.	1
	" 27,	21·6	1·4	15	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	1	.
	June 3,	18·7	2·9	13	1	.	.	.	.	.	.	.	4	1	.	.	1	1	.	.	.	.
	" 10,	13·1	2·9	9	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	.	1	.
	" 17,	14·6	1·5	10	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	1	.
	" 24,	11·6	.	8	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1	.

* See note (‡) at foot of first page.

NOTE:—The rates given in this report for the weeks up to and including 3rd June, for the Dublin districts, Belfast and Londonderry of 1901 ; for the remaining weeks the rates for the Dublin districts and Belfast are calculated on an estimated population based

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted*; also, similar County Boroughs in Ireland.

Districts.	1911. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes.	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa: Children under 2 years.	Diarrhœa: 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	May 6,	23·6	1·4	17	.	.	.	.	.	.	.	.	.	1	.	2	2	.	.	1	1	.
	„ 13,	8·3	1·4	6	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.
	„ 20,	15·3	.	11	.	.	.	.	.	.	.	.	4	.	1	.	.	.	.	.	1	.
	„ 27,	15·3	.	11	.	.	.	.	.	.	.	.	4	.	1	.	.	.	.	.	.	.
	June 3,	11·1	.	8	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	1
	„ 10,	13·6	.	10	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
	„ 17,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 24,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	May 6,	21·3	3·6	12	.	.	.	.	1	1	.	.	1	.	.	3	1	.	.	.	.	.
	„ 13,	23·1	5·3	13	.	.	.	3	.	.	.	.	1	.	.	1	1	.	.	.	.	.
	„ 20,	10·7	1·8	6	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.
	„ 27,	10·7	3·6	6	.	.	.	2	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	June 3,	21·3	1·8	12	.	.	.	.	.	.	.	.	3	.	3	.	1	1	.	.	.	.
	„ 10,	17·8	.	10	.	.	.	.	.	.	.	.	2	1	1	.	2	.	.	.	.	1
	„ 17,	12·4	1·8	7	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.
	„ 24,	24·9	1·8	14	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	1	.
Kingstown Urban District. Pop. in 1911 17,227.	May 6,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1
	„ 13,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 20,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 27,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	June 3,	17·8	.	6	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	2
	„ 10,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	„ 17,	45·4	.	15	.	.	.	.	.	.	.	.	2	.	2	.	3	.	.	.	1	.
	„ 24,	21·2	6·1	7	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	1	.
Belfast. Pop. in 1911 (Est.) 386,449.	May 6,	14·3	0·3	109	1	.	.	.	.	.	.	.	16	12	3	10	20	.	.	1	3	2
	„ 13,	15·7	0·4	120	.	.	.	.	1	.	.	.	25	7	6	10	15	1	.	1	4	1
	„ 20,	16·1	0·7	123	.	.	.	.	.	1	.	.	21	10	1	13	19	1	.	3	1	1
	„ 27,	16·1	0·8	123	.	.	.	.	.	1	.	.	21	12	4	6	11	2	.	3	1	1
	June 3,	16·4	0·7	125	.	.	.	.	.	.	.	.	16	11	6	11	18	1	.	4	.	2
	„ 10,	15·5	0·5	115	.	.	.	.	.	.	1	.	14	6	8	9	18	.	1	2	3	1
	„ 17,	14·4	0·8	107	.	.	.	.	1	4	.	.	13	10	6	9	13	1	.	.	3	.
	„ 24,	11·1	0·7	82	.	.	.	.	.	.	.	.	13	2	6	5	10	1	3	1	1	3
Cork. Pop. in 1911 76,632.	May 6,	23·3	3·4	34	1	.	.	.	.	1	.	.	4	2	1	2	2	2	1	.	.	1
	„ 13,	20·5	1·4	30	.	.	.	.	.	2	.	.	4	1	3	1	5	.	.	.	1	1
	„ 20,	17·8	1·4	26	.	.	.	.	.	2	.	.	6	1	1	1	1	.	.	.	1	.
	„ 27,	20·5	0·7	30	.	.	.	.	.	1	.	.	7	2	2	1	1	.	.	.	.	3
	June 3,	16·4	1·4	24	.	.	.	.	.	2	.	.	6	3	1	.	2	.	.	.	.	1
	„ 10,	15·0	.	22	.	.	.	.	.	.	.	.	3	1	3	.	3	.	.	.	.	1
	„ 17,	15·0	.	22	.	.	.	.	.	.	.	.	7	.	1	1	.	.	.	.	.	1
	„ 24,	19·7	0·7	29	.	.	.	.	.	.	.	.	5	2	.	.	4	.	.	1	.	3
Londonderry. Pop. in 1911 40,799.	May 6,	19·0	2·4	16	.	.	.	.	.	2	.	.	3	1	3	.	3	.	.	.	.	.
	„ 13,	10·7	.	9	.	.	.	.	.	.	.	.	3	.	1	.	2	.	.	.	.	1
	„ 20,	15·4	2·4	13	.	.	.	.	.	2	.	.	3	.	.	.	3	.	.	.	.	.
	„ 27,	10·7	2·4	9	.	.	.	.	.	2	.	.	2	1	1	.	.	.	.	.	.	.
	June 3,	19·0	1·2	16	.	.	.	.	.	1	.	.	1	.	.	1	2	.	.	.	.	.
	„ 10,	23·0	1·3	18	.	.	.	.	.	.	.	.	4	.	1	1	5	1	.	.	1	.
	„ 17,	10·2	1·3	8	.	.	.	.	.	.	.	.	3	.	.	.	2	1	.	.	.	1
	„ 24,	8·9	1·3	7	.	.	.	.	1	.	.	.	.	.	.	1	2	.	.	.	.	.
Limerick. Pop. in 1911 38,403.	May 6,	13·7	1·4	10	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2
	„ 13,	10·9	.	8	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.	.
	„ 20,	26·0	.	19	.	.	.	.	.	.	.	.	2	2	1	.	4	.	.	.	.	1
	„ 27,	6·8	.	5	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	3
	June 3,	15·0	.	11	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	1
	„ 10,	8·1	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1
	„ 17,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	.	5	.	.	.	.	2
	„ 24,	6·8	1·4	5	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	1
Waterford. Pop. in 1911 27,430.	May 6,	17·5	.	9	.	.	.	.	.	.	.	.	5	1	.	.	1	.	.	.	.	.
	„ 13,	11·7	.	6	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.
	„ 20,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	„ 27,	19·5	1·9	10	.	.	.	.	.	.	.	.	3	.	1	.	.	.	1	.	.	2
	June 3,	17·5	.	9	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 10,	13·3	.	7	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2
	„ 17,	17·1	.	9	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2
	„ 24,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.

* See note (‡) at foot of first page.

are calculated on an estimated population based on the Census of 1901; those for the other districts on the population according to the Census on the Census of 1911 (unrevised figures); those for the other districts on the population (unrevised) according to the Census of 1911.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 24th June, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa: Of children under 2 years of age.	Diarrhœa: 2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.			The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																												
BELFAST URBAN No. 1 DISTRICT,	385,492	15			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Do. 2 do.		19			4	1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	1	.
Do. 3 do.		18			11	4	2	1	3	.	1	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	1	.	.	5	.
Do. 4 do.		25			7	.	1	1	2	3	.	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	.	1	.
Do. 5 do.		10			6	.	1	.	2	3	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	1	1	2	.
Do. 6 do.		16			6	.	.	.	1	2	3	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.
Do. 7 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		3			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		11			2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 10 do.		15			5	1	.	3	.	.	1	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	1	.
Do. 11 do.		23			11	.	2	.	3	4	2	.	.	.	.	.	.	.	.	1	.	.	.	2	.	2	.	.	.	2	.
Do. 12 do.		22			11	3	.	2	2	2	2	.	.	.	.	.	.	.	.	1	1	1	.	2	.	1	.	.	.	2	1
Do. 13 do.		6			7	4	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		17			10	3	.	.	1	4	2	.	.	.	.	.	.	.	.	2	.	2	.	1	.	.	.	.	1	5	2
Total,	—	201			82	16	7	7	18	20	14	.	.	.	.	.	.	.	.	13	2	6	5	10	1	3	1	1	2	24	3
City of Cork.			The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																												
CORK URBAN No. 1 DISTRICT,	76,632	6			4	.	.	1	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	.
Do. 2 do.		6			2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 3 do.		7			5	1	.	.	3	.	1	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	1	3	2
Do. 4 do.		5			5	2	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	1	1	.
Do. 5 do.		1			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.		3			6	1	.	1	1	.	3	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	3	1
Do. 7 do.		11			6	.	.	.	.	5	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	5	.
Total	—	39	19·7	0·7	29	5	1	2	6	7	8	.	.	.	.	.	.	.	.	5	2	.	.	4	.	.	1	.	2	13	3

* See note (‡) at foot of first page

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1910–11—WEEK ENDING																									
	Dec. 31.	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.
No. of weeks in Annual Series,	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
BIRTHS registered, ...	199	241	231	233	188	212	218	216	213	232	193	220	218	232	232	204	189	235	254	229	180	214	233	215	258	201
DEATHS registered, ...	91	122	151	118	118	128	146	149	141	133	118	118	147	138	172	161	154	160	109	120	123	123	125	115	107	82
Annual Death rate per 1,000 of estimated population, ...	12·1	16·0	19·8	15·4	15·4	16·8	19·1	19·5	18·5	17·4	15·4	15·4	19·2	18·1	22·5	21·1	20·2	20·9	14·3	15·7	16·1	16·1	16·4	15·5	14·4	11·1
AGES, Under 1 year, ...	18	21	30	23	26	24	24	31	21	25	20	33	23	26	36	24	23	23	19	19	25	22	18	19	23	16
1—5 years, ...	8	12	11	8	10	10	7	10	14	9	10	6	17	11	7	10	14	13	10	9	9	13	7	7	10	7
5—25 „ ...	65	7	20	16	11	6	11	21	17	18	9	10	19	11	14	17	13	21	13	17	15	17	14	14	16	7
25—45 „ ...		30	37	17	13	25	27	30	29	16	23	14	28	23	36	32	26	27	25	23	26	22	24	26	22	18
45—65 „ ...		32	25	21	27	34	34	32	26	35	29	27	30	38	45	37	39	46	22	29	31	27	34	20	20	20
65 and upwards, ...		20	28	33	31	29	43	25	34	30	27	28	30	29	34	41	39	30	20	23	17	22	28	29	16	14
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.
Typhus, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	1	1	1	.	.	1	.	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1	.
Whooping-cough, ...	1	.	.	1	1	1	.	.	1	1	1	1	.	.	.	3	2	1	.	.	1	1	.	.	4	.
Diphtheria, ...	.	.	.	1	2	1	.	.	.	.	.	.	1	1	.	2	1	.	.	.	.	.	.	1	.	.
Dysentery, ...	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	9	14	23	17	13	10	11	22	15	13	19	7	22	24	26	25	14	17	16	25	21	21	16	14	13	13
Tuberculous Disease. Other Forms,	3	7	7	4	4	4	4	11	10	10	7	8	9	8	8	4	11	15	12	7	10	12	11	6	10	2
Cancer, ...	5	7	2	7	11	6	5	5	8	3	6	11	8	4	5	5	6	12	3	6	1	4	6	8	6	6
Diseases of Respiratory System, Pneumonia,	7	8	9	7	7	7	11	14	11	15	10	10	14	16	13	19	23	18	10	10	13	6	11	9	9	5
Diseases of Respiratory System, Others, ...	18	18	24	24	20	25	26	25	20	20	20	14	16	19	26	29	34	16	20	15	19	11	18	18	13	10
Diarrhœa, Under 2 years, ...	.	1	.	.	.	.	1	.	.	1	.	1	.	.	1	.	.	.	.	1	1	2	1	.	1	1
Diarrhœa, 2 years & upwards		1	1	.	.	.	1	.	.	.	1	.	3	1	.	1	.	.	.	.	.	.	.	1	.	3
Enteritis, under 2 years, ...	—	1	.	.	2	2	3	2	2	1	.	.	3	2	1	2	2	1	1	1	3	3	4	2	.	1
Violent Deaths, ...	4	6	6	1	2	4	4	.	4	3	2	1	3	4	8	2	3	3	3	4	1	1	.	3	3	1
Number of Uncertified Deaths, ...	3	3	.	1	5	2	1	.	.	3	2	1	.	1	3	2	.	1	2	1	1	1	2	1	.	3

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	June 24,	1,778	921	10·6	3	.	23	6	13	6	19*a*
Edinburgh, ...	320,829	„ 24,	120	71	11·5	.	.	3	.	3	.	2
Glasgow, ...	784,621	„ 24,	406	205	13·6	1	.	12	1	14	.	5
Calcutta, ...	—	May 20,	.	519	30·3	141*	1	.	.	1	1	76‡
Bombay, ...	977,822	„ 20,	338	707	37·6	?*	21	9	.	.	.	42‡
Madras, ...	509,346	Apr. 29,	331	389	39·7	60*	17	3	?	?	?	101‡
Cairo, ...	689,439	„ 29,	606	541	40·9	2	.	6	9	.	11	85
Paris	2,760,000	May 27,	955	940	17·8	5	.	27	2	8	7†	37*a*
Brussels, ...	720,030	„ 27,	222	154	11·1	.	.	1	1	.	2†	10
Antwerp, ...	320,640	June 3,	126	67	10·9	1	.	1	.	.	.	10*a*
Amsterdam, ...	576,691	„ 3,	269	134	12·1	1	.	4	.	1	2†	7*a*
Copenhagen, ...	459,000	„ 3,	197	177	20·1	.	.	2	1	8	1†	1*a*
Stockholm, ...	343,832	May 27,	139	87	13·2	.	.	.	.	.	.	2*a*
Christiania, ...	244,038	June 10,	104	56	11·9	.	.	2	.	1	.	2
St. Petersburg, ...	1,639,266	May 13,	978	704	22·4	10	1	26	5	7	1	96
Moscow, ...	1,493,600	„ 20,	.	756	26·4	1	7	8	13	2	13†	167
Berlin, ...	2,067,086	„ 20,	809	580	14·6	1	.	7	12	11	9†	27
Hamburg, ...	932,166	June 3,	.	241	13·4	.	.	4	2	2	13†	12
Breslau, ...	517,151	„ 3,	.	177	17·8	.	.	2	1	.	.	23
Munich, ...	597,000	„ 10,	.	188	16·4	.	.	1	.	.	.	19
Vienna (with suburbs),	2,047,968	„ 3,	754	703	17·8	1	.	16	5	3	4†	54*a*
Buda-Pesth, ...	891,585	„ 3,	410	329	19·2	2	.	7	10	1	3†	16*a*
Prague and Faubourgs,	508,310	May 20,	221	176	18·1	1	.	1	.	2	3†	11*a*
Trieste, ...	229,499	„ 27,	118	74	16·8	.	.	2	.	1	.	2
Rome, ...	593,110	Mar. 25,	295	215	18·9	1	.	.	2	4	3	10
Venice, ...	184,325	May 6,	94	57	16·1	1	.	.	.	.	.	3
		„ 13,	81	48	13·6	3	.	1	.	2	.	5
New York, ...	4,983,385	„ 13,	2,322	1,588	16·6	4	.	28	31	10	49†	63*a*
Philadelphia, ...	1,580,250	Apr. 29,	.	550	18·1	3	.	15	2	3	13	14*a*
Boston, ...	688,912	June 3,	.	213	16·1	.	.	4	2	4	2	11

* Deaths from "fever," including 4 deaths from enteric fever and 65 deaths from plague in Calcutta, 4 from enteric fever and 163 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 49 deaths from cholera in Calcutta, and one in each of Bombay and Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending June 24th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	1	.	.	2	.	.	3	.	.	.	.	6
„ „ 1, West, ...	.	1	.	.	.	.	.	1	.	.	.	.	2
„ „ 2, ...	.	1	.	.	.	.	.	.	.	.	.	1	2
„ „ 3, ...	.	3	.	.	.	.	1	1	1	.	.	2	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	2	.	.	.	.	3
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	1	.	.	.	1
South City No. 1, ...	.	6	1	.	3	.	1	.	.	.	.	1	12
„ „ 2, ...	.	3	.	.	.	.	.	1	.	.	.	1	5
„ „ 3, ...	.	2	.	.	1	.	.	.	1	.	.	.	4
„ „ 4, ...	.	.	.	.	1	.	.	.	.	.	.	1	2
New Kilmainham, ...	.	.	.	.	.	.	.	1	.	.	.	.	1
Total, ...	.	18	1	.	7	.	2	9	3	.	.	6	46

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 24th June, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 24th June.			
	June 3.	June 10.	June 17.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	86	86	91	23	27	2	85
Scarlet Fever, ...	73	66	72	12	17	.	67*
Typhus, ...	3	.	3	1	.	.	4
Diphtheria, ...	36	35	40	8	13	3	32
Enteric Fever, ...	45	44	43	9	6	1	45
Pneumonia, ...	33	30	25	9	12	.	22

* Exclusive of 24 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 24th June, 1911:—

"The unsettled weather, which followed the approach of a barometric depression from the Azores to the British Isles during the closing days of the previous week, lasted throughout this period. The depression referred to covered the United Kingdom on Sunday, its centre lying about 100 miles N.W. of the Donegal coast on the morning of that day. The S.S. 'California' reported by wireless telegraphy that at 7 a.m. of Sunday, in lat. 55° N., long. 10° W., the barometer read 29·29 inches, with an overcast sky and fresh W.N.W. wind. During the following night a V-shaped secondary depression developed over the South of England. This caused finer weather in the east of Ireland, in many parts of which country however thunder showers prevailed on both Sunday and Monday, with hail in places. The primary atmospheric depression held its position on the Atlantic Ocean to the north-westward of the British Isles, and gathered considerable energy on Thursday, when the barometer ranged from about 29·2 inches off the W. coast of Scotland to 30·2 inches and upwards over the greater part of France and the North of Spain. On this day therefore baric gradients were steep and the S.W. wind blew with the force of a strong gale at Malin Head, Donegal. In the evening rain fell heavily for an hour and a half in Dublin. A cold night followed, and Friday was very showery, thunder and lightning occurring in Dublin in the afternoon. In the course of the ensuing night the wind shifted to N. in Ireland as a secondary barometric depression formed over Munster while a primary grew deeper and passed southeastwards across Great Britain. These systems caused fresh N. winds, clouds and rain, with a low temperature, on Saturday. A beautiful sunset on the evening of this day brought an unsettled, showery, squally week to a close. In Dublin the mean height of the barometer was 29·677 inches, pressure ranging from 29·411 inches at 9 a.m. of Sunday (wind, W.) to 29·906 inches at 9 a.m. of Wednesday (wind, W.S.W.). The corrected mean temperature was 57·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 57·0°. The screened thermometers rose to 66·1° on Thursday and fell to 47·1° on Saturday. Winds from westerly points (S.W. to N.W.) prevailed. Rain fell on 6 days, the total measurement being ·922 inch, of which ·389 inch was recorded on Friday. Thunder was heard on Sunday, and thunder and lightning occurred on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·507 inches. The highest reading (29·723) was on Wednesday at 9 a.m., wind S.W., and the lowest (29·246) on Sunday at 9 a.m., wind W.S.W.

The mean temperature for the week was 56·2°, being 0·7° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Monday and Tuesday, on which days the thermometer registered 64·9°, and was lowest on Saturday, the mercury having fallen to 43·9°. The mean of the Dry Bulb for the week was 55·9° and of the Wet Bulb, 54·4°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The rainfall during the week measured 0·782 inch.

At Greenwich the mean temperature for the week was 59·2°, the maximum 73·6°, and the minimum 50·7°; at Glasgow the maximum was 69·0°, the minimum 47·1°, and the mean 56·8°; and at Edinburgh the maximum was 64·0°, the minimum 47·9°, and the mean 55·4°. The rainfall at Greenwich measured 0·94 in.; at Glasgow 0·73 in.; and at Edinburgh 2·18 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, June 18,	29·307	64·8	49·9	57·4	58·3	56·6	·90	·6	2·7	·094	W.S.W.	Calm.
Monday, „ 19,	29·441	64·9	50·9	57·9	57·0	55·2	·89	·5	5·8	·015	Calm.	W.
Tuesday, „ 20,	29·683	64·9	47·9	56·4	55·4	54·4	·96	·4	4·5	·000	W.S.W.	W.S.W.
Wednesday, „ 21,	29·658	62·6	52·7	57·7	58·8	57·2	·91	·6	2·3	·055	S.W.	S.W.
Thursday, „ 22,	29·452	64·8	48·8	56·8	54·2	53·5	·96	·6	0·4	·185	S.W.	W.S.W.
Friday, „ 23,	29·511	63·2	47·7	55·5	52·1	50·7	·91	·5	3·8	·370	S.W.	Calm.
Saturday, „ 24,	29·498	60·3	43·9	52·1	55·5	53·5	·87	·5	3·7	·063	N.	N.W.
Mean, ...	29·507	63·6	48·8	56·2	55·9	54·4	·91	·5	Total 23·2	Total ·782	Prevailing Wind, W.S.W.	

Sunday—Day cloudy, passing showers; night overcast, heavy rain a.m. *Monday*—Day cloudy, drizzle p.m.; night cloudy. *Tuesday*—Day cloudy, fine; night cloudy. *Wednesday*—Day cloudy to overcast, passing showers p.m.; night cloudy. *Thursday*—Day overcast to cloudy, rain p.m.; night cloudy. *Friday*—Day cloudy, passing showers, hail, rain, thunder p.m.; night cloudy. *Saturday*—Day cloudy to overcast, passing showers; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, June 24th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, June 18,	60·6	60·0	56·8	66·2	52·5	59·4	3·0	·225
Monday, „ 19,	60·5	60·4	56·8	65·4	52·5	59·0	6·3	·001
Tuesday, „ 20,	58·5	60·5	56·8	66·5	49·0	57·8	4·5	—
Wednesday, „ 21,	64·2	60·5	56·9	65·0	54·1	59·6	2·8	·015
Thursday, „ 22,	60·9	60·0	56·8	61·5	50·8	56·2	0·5	·150
Friday, „ 23,	57·8	59·4	57·0	62·9	48·0	55·5	7·7	·326
Saturday, „ 24,	58·5	59·1	56·9	61·3	46·6	54·0	3·5	·065
Weekly Mean, .	60·1	60·0	56·9	64·1	50·5	57·4	Total 28·3	Total ·782

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30737. Wt. P. 1-60/138. 375. 4. 1911. Sch. C 7.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & Co., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 1ST JULY, 1911. [No. 26.

General Register Office, Charlemont House, Dublin, 3rd July, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending June 10	Week ending June 17	Week ending June 24	Week ending July 1	Average Rate for 4 weeks.
22 Town Districts, ...	**16·1**	**15·9**	**13·5**	**17·0**	**15·6**
Armagh	6·9	6·9	20·6	6·9	10·3
Ballymena	9·2	18·3	9·2	18·3	13·8
Belfast	15·5	14·4	11·1	15·7	14·2
Clonmel	5·1	10·1	15·2		7·6
Cork	15·0	15·0	19·7	18·4	17·0
Drogheda	21·0	8·4	4·2	16·8	12·6
Dublin Reg. Area ...	18·3	19·2	15·1	19·5	18·0
Dundalk	11·9	7·9	11·9	27·8	14·9
Galway	11·8	11·8	3·9	35·4	15·7
Kilkenny	9·9	29·8	29·8	14·9	21·1
Limerick	8·1	12·2	6·8	14·9	10·5
Lisburn	17·1	12·9	12·9	17·1	15·0
Londonderry	23·0	10·2	8·9	14·1	14·1
Lurgan	17·2	12·9	12·9	12·9	14·0
Newry	4·4	8·7	8·7	4·4	6·6
Newtownards	22·9		11·4	17·2	12·9
Portadown	17·8	8·9	31·1	4·4	15·6
Queenstown	13·2	26·4	19·8	33·0	23·1
Sligo	14·0	14·0	14·0	14·0	14·0
Tralee	5·3	21·1	10·6	10·6	11·9
Waterford	13·3	17·1	7·6	5·7	10·9
Wexford	18·2	22·8	41·0	22·8	26·2

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·0 per 1,000, the rates varying from 0·0 in eighteen of the districts to 5·7 in Newtownards, the 3 deaths from all causes for that district including one from measles. Among the 116 deaths from all causes for Belfast are one from each of typhus, whooping-cough and cerebro-spinal fever, and 3 deaths from diarrhœal diseases, and included in the 27 deaths for Cork is one from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 324—167 boys and 157 girls—and the deaths to 155—80 males and 75 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·5 per 1,000 of the population. During the twenty-six weeks ending with Saturday last the death-rate averaged 21·6, and was 2·4 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II. and note to Table VII.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 155, represent an annual rate of 20·0 per 1,000; the annual rate for the past twenty-six weeks was 22·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·1 per 1,000 of the mean population for all deaths registered.

Among the deaths there were 7 from measles, 2 from whooping-cough, 2 from diphtheria, 3 from diarrhœa and *enteritis* of children under 2 years of age, and one death from influenza. In each of the three preceding weeks, deaths from measles were 4, 2 and 8; deaths from whooping-cough were one, 3, and 2; deaths from diphtheria were 4, one, and 4; deaths from diarrhœa and *enteritis* of children under 2 years of age were 1, 4 and 4, and deaths from influenza were 0, one, and 0.

There were 2 deaths from each of broncho-pneumonia, and lobar pneumonia, and 5 deaths from *pneumonia* (type not distinguished).

Of 27 deaths from all forms of tuberculosis, there were 21 from pulmonary tuberculosis, 3 from tuberculous meningitis, and one death from each of abdominal tuberculosis, tuberculosis of joints and disseminated tuberculosis. Deaths from all forms of tuberculosis in the three preceding weeks were 33, 30, and 18 respectively.

The deaths of 8 persons were from cancer.

Included in 18 deaths from diseases of the brain and nervous system were 3 from meningitis and 8 deaths from *convulsions*, 6 of the latter figure being of infants under one year of age, one between the ages of one year and 2 years, and one between the ages of 2 years and 5 years.

Organic diseases of the heart caused the deaths of 18 persons, and bronchitis accounted for 16 deaths.

Ten infants succumbed to prematurity, and one to congenital debility.

Of 2 deaths from accidental causes, one was a child under 5 years of age from burning.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year of age.

Fifty-six of the persons whose deaths were registered during the week were under 5 years of age (36 being infants under one year, of whom 13 were under one month old) and 34 were aged 65 years and upwards, including 27 persons aged 70 and upwards; among the latter were 18 aged 75 years and upwards, of whom one (a female) was stated to have been aged 92 years.

Fifty-nine of the deaths registered during the week occurred in hospitals and other public institutio of this number 11 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·5 per 1,000; the rate in the City was 19·5 (North City Districts, 17·4; South, 21·7) and in the Suburbs, 19·4.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 2·2 (3·0 in the North City Districts, and 1·4 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 14·0 per 1,000, and include one death from diphtheria, one death from pulmonary tuberculosis, one death from *pneumonia* (type not distinguished), and one death from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 19·6 per 1,000. Measles caused 2 deaths; there were 2 deaths from pulmonary tuberculosis, one death from broncho-pneumonia, and one death from *pneumonia* (type not distinguished).

No. 2 North City District (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 15·3 per 1,000. Of the deaths one was caused by pulmonary tuberculosis, one by *pneumonia* (type not distinguished), and one by *enteritis* of a child under 2 years of age.

No. 3 North City District (Benburb-street).—The deaths (12) represent an annual rate of 18·7 per 1,000. There were 2 deaths from measles and one death from broncho-pneumonia.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 27·0 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 20·4. The 6 deaths from all causes for Coolock and Drumcondra, part of, include one from each of measles, whooping-cough, pulmonary tuberculosis, and *pneumonia* (type not distinguished); and included in the 3 deaths for Finglas and Glasnevin, part of, are one from each of measles and pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (24) represent an annual rate of 30·2 per 1,000. The deaths included one from diphtheria, 6 from tuberculous disease, 5 deaths from bronchitis, and one death from *enteritis* of a child under 2 years of age.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 19·2 per 1,000. Of the deaths one was from bronchitis and one was by accident.

No. 3 South City District (Peter-street).—The deaths (18) are equal to an annual rate of 21·8 per 1,000. Tuberculous disease caused 5 deaths; there was one death from *pneumonia* (type not distinguished), and 2 deaths from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (12) are equivalent to an annual rate of 17·5 per 1,000. Whooping-cough caused one death; there were 4 deaths from tuberculous disease, one death from bronchitis, and one death from *enteritis* of a child under 2 years of age.

New Kilmainham District.—The only death for this district is equal to an annual rate of 5·8 per 1,000, and is from lobar pneumonia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·6; Pembroke, 21·3; Blackrock, 11·5; and Kingstown, 33·3. The only death from any of the principal epidemic diseases tabulated for these districts is one from measles for Pembroke. Included in the 10 deaths from all causes for Rathmines and Rathgar is one from pulmonary tuberculosis. The 12 deaths from all causes for Pembroke include one from influenza, 2 from tuberculous disease, one from broncho-pneumonia, and 2 from bronchitis, and included in the 11 deaths from all causes for Kingstown are 3 from bronchitis.

* See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 1st July, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	June 10,	.	—	—	13	.	.	8	.	.	10	10	.	—	—	.	—	18	—	59
	June 17,	.	—	—	6	3	.	10	.	4	14	3	.	—	—	.	—	17	—	57
	June 24,	.	—	—	18	1	.	7	.	2	9	3	.	—	—	.	—	6	—	46
	July 1,	.	—	—	13	.	.	14	.	1	15	10	.	—	—	.	—	11	—	64
Rathmines and Rathgar Urban District.	June 10,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	June 17,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	—	—	3
	June 24,	.	—	—	1	.	.	.	.	.	.	1	.	.	—	—	—	—	—	2
	July 1,	.	—	—	.	.	.	1	.	.	.	.	.	.	—	—	—	—	—	1
Pembroke Urban District.	June 10,	.	11	.	3	.	.	.	.	.	.	.	.	—	10	.	—	.	—	24
	June 17,	.	6	.	.	.	.	.	.	.	.	2	.	—	4	.	—	.	—	12
	June 24,	.	6	.	.	.	.	.	.	.	2.	.	.	—	11	.	—	.	—	19
	July 1,	.	5	.	.	.	.	.	.	.	.	.	.	.	7	.	—	.	—	12
Blackrock Urban District.	June 10,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
	June 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	June 24,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	July 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	June 10,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	June 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	June 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 1,	.	—	—	.	.	.	.	.	.	1	2	.	—	—	—	—	.	—	3
City of Belfast.	June 10,	.	—	—	8	.	.	6	.	.	.	2	.	—	—	1*	—	6	—	23
	June 17,	.	—	—	12	3	.	5	.	.	1	3	1	—	—	.	—	11	—	36
	June 24,	.	—	—	8	1	.	4	.	.	.	2	1	—	—	.	—	10	—	26
	July 1,	.	—	—	7	.	.	8	.	.	.	4	1	—	—	.	—	14	—	34

* Returned as cerebro-spinal meningitis.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 1st July, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Eleven cases of measles were admitted to hospital during the week, 40 were discharged, there were 2 deaths, and 54 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 86, 91, and 85, respectively.

Seventeen cases of scarlet fever were admitted to hospital, 14 were discharged, there was one death, and 69* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 66, 72, and 67, respectively.

Four cases of typhus remained under treatment in hospital at the close of the week.

Eighteen cases of diphtheria were admitted to hospital during the week, 3 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 35, 40, and 32, respectively, were 45 at the close of last week.

Sixteen cases of enteric fever were admitted to hospital during the week, 7 were discharged, and 54 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 44, 43, and 45.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 7 were discharged, there was one death, and 20 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 11·1) was equal to an average annual death-rate of 11·7 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 14·2 per 1,000, the rate for Glasgow being 15·4 and for Edinburgh 12·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 1st July. From this Report it appears that of a total of 46 cases notified, 17 were scarlet fever, 17 phthisis, 7 diphtheria, 4 erysipelas, and one puerperal fever. Among the 320 cases of infectious diseases in hospital at the close of the week were 97 cases of scarlet fever, 69 of whooping-cough, 61 of phthisis, 43 of diphtheria, 30 of measles, 7 of erysipelas, 5 of chicken-pox, 2 of enteric fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 1st July, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

	TOWNS AND DISTRICTS.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 1st July, 1911. Annual Rate per 1,000 Persons Represented by: Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 1st July, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 24th June, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 17th June, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
	TOTAL OF 22 TOWN DISTRICTS, ...	1,149,495	20·2	37·9	17·0	1·0	836	374	70	80	...	1	...	9	...	3	2	...	52	13	22	18	36	2	...	4	9	16	113	20	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
	DUBLIN REGISTRATION AREA:—TOTAL. (c.) ...	403,732	29·3	41·8	19·5	1·8	324	151	36	34	...	...	...	7	...	2	2	...	19	5	8	9	17	...	...	3	1	4	55	5	e68·8	40·4	55·5	0·17	e64·9	43·9	56·2	0·78	e70·6	31·5	52·6	0·61
	CITY OF DUBLIN,	309,738	39·2	46·6	19·5	2·2	277	116	32	20	...	...	...	6	...	2	2	...	17	4	5	8	12	...	..	3	1	4	50	4	f69·4 g69·9	45·9 41·0	56·6 56·2	0·12 0·13	f66·1 g66·9	47·1 44·0	57·3 56·7	0·92 0·74	f68·4 g68·5	43·0 35·4	55·6 53·8	0·71 0·80
Urban Districts.	RATHMINES AND RATHGAR.	38,330	22·4	16·3	13·6	...	12	10	...	1	...	...	...	...	...	...	...	.	1	...	1	...	..	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	PEMBROKE, ...	29,347	18·5	33·8	21·3	1·8	19	12	2	5	...	...	...	1	...	...	...	...	1	1	1	1	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	BLACKROCK, ...	9,090	8·4	17·2	11·5	...	3	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	KINGSTOWN, ..	17,227	11·8	39·3	33·3	...	13	11	2	6	...	...	...	...	...	...	...	...	...	...	1	...	3	...	...	...	...	...	...	1	70	47	56·9	0·09	67	48	58·2	0·25	66	43	55·2	1·16
Urban Districts.	BELFAST (h) ...	386,449	26·3	35·6	15·7	0·7	264	116	18	16	...	1	...	...	...	1	...	...	23	2	7	5	8	2	...	1	4	8	34	3	65·0	43·0	54·8	0·32	66·0	46·0	57·4	1·23	65·5	35·5	51·4	0·53
Urban Districts.	CORK, ...	76,632	33·8	50·4	18·4	0·7	74	27	5	4	...	...	...	1	...	...	...	...	2	...	1	...	3	...	...	...	2	1	9	2	67	49	56·9	0·07	65	48	56·5	0·64	66	48	57·7	0·70
Urban Districts.	LONDONDERRY...	40,799	18·9	30·7	14·1	...	24	11	4	2	...	...	...	...	...	...	...	...	2	3	1	...	1	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	LIMERICK, ...	38,403	18·2	54·3	14·9	...	40	11	2	1	...	...	...	...	...	...	...	...	2	...	..	1	...	...	...	...	...	...	5	3	63	47	55·2	0·21	64·8	44·1	55·1	0·97	69·9	40·7	55·9	0·44
Urban Districts.	WATERFORD, ...	27,430	19·1	15·2	5·7	...	8	3	1	1	...	...	...	...	...	...	...	...	...	...	..	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	GALWAY, ...	13,249	2·5	47·2	35·4	...	12	9	1	6	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	2	2	...	66	47	55	0·24	65	45	56	0·54	74	39	57	0·37
Urban Districts.	DUNDALK, ...	13,128	9·5	23·8	27·8	...	6	7	...	2	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	DROGHEDA, ...	12,425	8·4	21·0	16·8	...	5	4	1	1	...	...	...	...	...	...	...	..	...	...	...	...	1	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	NEWRY, ...	11,956	17·2	26·2	4·4	...	6	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	67·0	40·3	54·1	0·37	66·7	41·0	55·4	0·75	66·2	35·8	52·4	0·43
Urban Districts.	LURGAN, ...	12,135	14·3	8·6	12·9	...	2	3	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	67·0	40·3	54·1	0·37	66·7	41·0	55·4	0·75	66·2	35·8	52·4	0·43
Urban Districts.	LISBURN, ...	12,172	10·7	51·4	17·1	...	12	4	...	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	67·0	40·3	54·1	0·37	66·7	41·0	55·4	0·75	66·2	35·8	52·4	0·43
Urban Districts.	WEXFORD, ...	11,455	23·8	54·6	22·8	...	12	5	2	3	...	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	..	...	2	3	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	BALLYMENA, ...	11,376	9·3	9·2	18·3	...	2	4	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	SLIGO, ...	11,163	3·8	14·0	14·0	...	3	3	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	3	...	63·8	43·3	52·9	0·45	63·5	45·4	54·4	1·21	66·4	30·8	52·6	0·62
Urban Districts.	KILKENNY, ...	10,513	11·4	14·9	14·9	...	3	3	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	69	46	56·2	0·14	66	43	56·0	0·56	66	36	55·5	0·40
Urban Districts.	CLONMEL, ...	10,277	7·9	50·3	.	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	PORTADOWN, ...	11,727	15·3	35·6	4·4	...	8	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	67·0	40·3	54·1	0·37	66·7	41·0	55·4	0·75	66·2	35·8	52·4	0·43
Urban Districts.	TRALEE, ...	9,867	16·6	42·3	10·6	...	8	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	NEWTOWNARDS,	9,110	18·9	45·8	17·2	5·7	8	3	...	2	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	65	48	54·7	0·34	65	49	56·4	1·56	62	43	53·0	0·51
Urban Districts.	QUEENSTOWN, ...	7,909	14·4	39·6	33·0	...	6	5	...	1	...	...	...	...	...	...	...	...	1	1	...	2	...	...	...	...	...	...	1	...	67	49	56·9	0·07	65	48	56·5	0·64	66	48	57·7	0·70
Urban Districts.	ARMAGH, ...	7,588	22·2	34·4	6·9	...	5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	67·0	40·3	54·1	0·37	66·7	41·0	55·4	0·75	66·2	35·8	52·4	0·43

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (†) at foot of first page. (c) Exclusive of 4 deaths of persons admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin. (h) See note (†) to Table IX.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 1st of July, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.												Urban Districts of					
	Registration Districts in																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf and Howth No. 1 (part of).	Coolock and Drumcondra (part of).	Finglas and Glasnevin (part of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	New Kilmainham.	Rathmines and Rathgar.	Pembroke.	Blackrock.	Kingstown.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	..	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	2	.	2	.	1	1	.	.	.	.	.	.	1	.	.	7	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	2	.
Diphtheria,	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Pulmonary Tuberculosis,	1	2	1	.	.	1	1	5	.	3	3	.	1	1	.	.	19	2
Tuberculous Disease. Other Forms,	.	.	.	.	.	.	.	1	.	2	1	.	.	1	.	..	5	1
Cancer,	.	2	.	1	.	.	.	.	.	2	.	.	1	1	.	1	8	.
Diseases of Nervous System,	2	3	1	3	.	.	1	1	1	.	1	.	4	.	.	1	18	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	2	1	1	.	.	.	5	3	3	1	.	1	1	1	3	22	.
" Respiratory System. Pneumonia,	1	2	1	1	.	1	.	.	.	1	.	1	.	1	.	.	9	.
" Respiratory System. Others,	1	.	.	.	.	2	.	5	1	2	1	.	.	2	.	3	17	.
" Digestive System. Diarrhœa, under 2 years,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. *Enteritis*, under 2 years,	.	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	3	.
" Digestive System. Enteritis, 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. Others,	.	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	4	.
" Genito-urinary System,	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	3	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	..	.
Other Causes incident to Pregnancy & Childbirth.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
" Locomotor System,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other specified Causes,	2	1	2	3	.	.	.	5	1	3	3	.	2	1	1	1	25	.
Violent Deaths,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.
Deaths from All Causes	8	15	9	12	.	6	3	24	8	18	12	1	10	12	2	11	151	4
Annual Rate of Mortality from All Causes in every 1,000 of the population.	14·0	19·6	15·3	18·7	.	27·0	20·4	30·2	19·2	21·8	17·5	5·8	13·6	21·3	11·5	33·3	19·5	.
	17·4							21·7					19·4					
	19·5																	
Ages at Death. Under 1 year,	2	4	4	4	.	1	1	7	2	3	4	.	.	2	.	2	36	.
1 and under 2 years,	2	1	.	1	.	1	.	1	1	.	1	.	1	2	.	1	12	.
2 " 5 "	.	.	1	1	.	.	.	1	.	2	1	.	1	.	.	.	7	1
5 " 15 "	1	.	1	.	.	.	1	3	.	1	1	.	1	1	.	.	10	.
15 " 25 "	1	1	.	.	.	1	.	1	.	1	1	.	.	.	.	.	6	1
25 " 45 "	1	1	1	2	.	.	.	3	.	3	3	.	2	1	.	1	18	2
45 " 65 "	.	6	1	.	.	2	.	4	4	3	1	1	4	1	.	1	28	.
65 and upwards,	1	2	1	4	.	1	1	4	1	5	.	.	1	5	2	6	34	..
Number of Uncertified Deaths,	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.	1	5	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	5	2	1	.	2	.	4	2	4	6	.	1	1	1	.	31	3
Workhouse Hospitals,	2	2	2	5	.	.	.	4	.	5	2	.	2	.	.	.	24	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday June 29, 1901.	June 28, 1902.	July 4, 1903.	July 2, 1904.	July 1, 1905.	June 30, 1906.	June 29, 1907.	June 27, 1908.	July 3, 1909.	July 2, 1910.	Averages in 26th Week of the 10 years 1901–1910.	In the Week ending Saturday, 1st July, 1911. Mean Temp.	Deaths of Persons of the Ages of 0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 56·1	° 60·6	° 59·2	° 54·8	° 60·1	° 56·6	° 51·8	° 55·9 *	° 55·6	° 54·7	° 56·5	° 55·5										
ALL CAUSES.	135	149	127	126	116	125	152	133	150	127	134·0	155	13	23	12	8	10	7	20	28	16	18
Enteric Fever, ...	1	4	.	.	1	2	.	1	.	.	·9	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	3	3	2	2	.	1	4	2	.	1·7	7	.	2	4	.	1	.	.	.	.	.
Scarlet Fever, ...	1	2	.	2	.	.	.	.	1	1	·7	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	3	.	.	1	1	1	8	.	4	3	2·1	2	.	1	.	1	.	.	.	.	.	.
Diphtheria, ...	1	.	.	1	1	.	.	2	1	1	·7	2	.	1	1	.	.	.	.	.	.	.
Croup, ...	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	1	.	.	1	3	2	1	4	2	1·5	1	.	.	.	.	.	.	.	.	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	2	2	.	1	.	.	.	.	.	1	·6	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	1	.	.	1	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	2	1	.	.	1	.	1	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	17	15	17	14	16	21	25	22	15	23	18·5	21	.	1	.	1	1	6	9	3	.	.
Tuberculous Meningitis, ...	4	5	4	2	3	4	5	.	3	5	3·5	3	.	.	.	.	3	.	.	.	.	.
Abdominal Tuberculosis, ...	6	.	2	.	2	1	.	1	2	5	1·9	1	.	.	.	1	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	1	7	3	10	3	4	6	3	6	4	4·7	1	.	.	.	.	.	1	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												1	.	.	.	.	.	.	1	.	.	.
Venereal Diseases, ...	1	.	.	.	1	.	1	1	1	.	·5	2	1	1	.	.	.	.	.	.	.	.
Cancer, ...	6	3	9	2	5	12	4	9	7	10	6·7	8	.	.	.	.	.	.	1	4	1	2
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	.	.	.	2	1	.	.
Alcoholism, ...	.	.	1	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	1	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	2	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												3	.	.	.	2	1	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*												5	.	.	.	.	.	.	.	2	2	1
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												.	.	.	.	.	.	.	.	.	.	.
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												8	1	5	1	1	.	.	.	.	.	.
Other Diseases of Nervous System.	30	34	41	33	32	24	39	35	34	33	33·5	2	.	.	.	.	.	.	1	.	1	.
Pericarditis, ...												1	.	.	.	.	1	.	.	.	.	.
Acute Endocarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,												18	.	.	.	1	1	.	2	5	4	5
Embolism and Thrombosis (including Cerebral)												1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Circulatory System.												2	.	.	.	.	.	.	1	.	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	15	12	12	13	5	3	7	11	12	7	9·7	16	1	3	4	.	.	.	.	3	2	3
Broncho-pneumonia, ...		3	5	4	2	1	4	6	6	.		2	.	.	1	.	.	.	.	.	.	1
Lobar-pneumonia, ...	6	2	.	.	1	.	3	1	.	1	8·1	2	.	.	.	.	.	.	.	2	.	.
Pneumonia (type not distinguished)		6	4	3	9	3	5	1	3	2		5	.	1	.	.	1	.	.	1	1	1
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	2	4	.	2	2	2	.	2	.	1·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												1	.	.	.	.	.	.	.	1	.	.

* For six days only.

TWENTY-SIXTH WEEK ending Saturday, 1st July, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 26th Week of the 10 years 1901–1910.	In the Week ending Saturday, 1st July, 1911.										
													Deaths of Persons of the Ages of									
	June 29, 1901.	June 28, 1902.	July 4, 1903.	July 2, 1904.	July 1, 1905.	June 30, 1906.	June 29, 1907.	June 27, 1908.	July 3, 1909.	July 2, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 56·1	° 60·6	° 59·2	° 54·8	° 60·1	° 56·6	° 51·8	° 55·9 *	° 55·6	° 54·7	° 56·5	° 55·5										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	1	.	.	.	.	.	1	1	.
Diarrhœa of Children under 2 years.	.	.	1	1	2	2	2	4	6	1	1·9	.	.	.	.	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	.	.	1	2	.	3	2	1	3	2	1·4	3	.	2	1	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	3	2	.	2	1	.	.	1	.	.	1·4	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...		.	.	.	.	3	1	.	1	.		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	1	1	.	.	.	.	2	1	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	4	5	.	4	7	6	6	3	8	3	4·6	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...												.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...												1	.	.	.	.	.	.	.	1	.	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	4	3	2	8	1	12	8	1	7	8	5·4	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												2	.	.	.	.	.	.	.	1	1	.
Puerperal Septicæmia, &c., ...	.	1	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	.	1	.	.	.	1	·2	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	1	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	2	8	2	6	2	1	4	5	6	1	3·7	10	8	2	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	1	.	.	.	.	.	.	.	.
Old Age, ...	8	7	4	1	6	4	2	5	3	3	4·3	5	.	.	.	.	.	.	.	1	.	4
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	2	1	1	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	.	.	.	.	.	2	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	.	1	.	3	1	.	1	.	.	.	·6	1	.	.	.	1	.	.	.	.	.	.
By Drowning, ...	.	1	.	.	.	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	1	.	.	.	1	.	2	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	1	2	.	1	.	1	1	.	1	·9	1	.	1	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	1	.	.	1

* For six days only.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	Jan. 7.	Jan. 14.	Jan 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.
No. of weeks in Annual Series.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
BIRTHS registered.	203	230	238	232	219	241	192	214	217	238	203	276	230	198	171	174	259	260	242	226	246	261	228	232	185	324
Average Births in corresponding week of previous 10 *years*, ...	231	208	209	201	241	217	212	209	216	223	212	212	233	202	210	22[illegible]	199	268	231	210	204	238	226	207	224	237
DEATHS registered, ...	176	179	190	228	200	220	208	195	180	174	170	214	177	191	174	196	181	176	170	129	158	150	149	159	127	155
Annual Death-rate per 1,000, ...	22·5	22·9	21·3	29·2	25·6	28·2	26·6	25·0	23·1	22·3	21·8	27·4	22·7	24·5	22·3	25·1	23·2	22·5	21·8	16·5	20·2	19·2	19·2	20·5	16·4	20·0
Average Deaths in corresponding week of previous 10 *years*, ...	201	195	195	192	200	198	200	210	218	210	194	201	203	199	195	197	190	177	178	171	169	154	151	149	148	134
Ages, Under 5 years. ...	56	60	62	59	61	47	57	57	70	59	39	56	48	54	63	54	50	56	48	40	37	43	34	42	44	56
5—15 „ ...	5	10	7	11	6	10	6	10	9	12	9	7	14	17	4	5	11	14	7	6	14	10	8	4	9	10
15—25 „ ...	9	7	10	11	12	13	5	6	6	7	7	13	8	10	10	14	7	6	8	9	11	9	9	13	2	7
25—45 „ ...	25	24	27	32	32	41	36	35	32	24	24	42	19	33	25	31	33	15	35	21	21	29	26	32	18	20
45—65 „ ...	45	38	41	55	48	51	49	35	36	36	42	44	36	44	43	45	35	30	38	36	39	29	33	31	34	28
65—75 „ ...	20	25	28	34	22	39	33	29	19	19	28	32	29	27	19	29	25	34	19	10	24	17	26	18	13	16
75 and upwards, ...	16	15	15	26	19	19	22	23	8	17	21	20	23	6	10	18	20	21	15	7	12	13	13	19	7	18
Deaths from :—																										
Enteric Fever, ...	.	1	.	2	3	2	2	2	4	3	1	2	1	3	1	1	.	1	1	1	1	1	.	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	4	3	6	2	2	2	2	3	7	7	7	3	2	1	7	11	5	8	17	4	6	3	4	2	8	7
Scarlet Fever, ...	7	.	.	1	.	4	6	2	2	.	.	1	.	1	4	1	.	1	1	.	2	2	2	.	.	.
Whooping-cough, ...	6	5	6	10	4	3	6	7	11	4	4	6	5	3	6	.	2	3	2	4	1	4	1	3	2	2
Diphtheria, ...	1	2	4	1	5	2	3	2	.	2	.	1	1	4	3	4	1	2	3	1	.	1	4	1	4	2
Influenza, ...	.	1	1	4	3	4	5	7	2	2	2	1	2	2	.	3	.	3	2	1	2	.	.	1	.	1
Dysentery, ...	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	21	19	27	28	19	27	22	18	20	17	28	32	16	29	21	33	22	21	17	25	22	22	25	23	7	21
Tuberculous Disease, Other Forms,	4	6	9	7	4	6	8	7	7	8	8	15	13	10	3	8	10	6	6	6	9	9	8	7	11	6
Cancer, ...	8	3	12	7	16	11	4	6	5	8	6	10	13	11	8	7	9	6	5	6	11	9	12	10	7	8
Diseases of Circulatory System,	17	20	13	25	19	23	17	21	14	13	24	27	22	23	14	15	24	17	23	7	19	12	12	23	14	22
Diseases of Respiratory System, Pneumonia,	15	16	10	17	18	20	15	21	13	16	14	13	13	18	19	16	18	22	15	12	6	10	8	9	8	9
Diseases of Respiratory System, Others, ...	29	25	28	42	30	41	44	28	29	25	23	27	24	24	26	26	16	34	20	15	14	15	16	17	9	17
Diarrhœa, Under 2 years, ...	3	2	2	4	4	2	3	3	1	1	2	5	1	3	2	1	2	2	1	2	1	6	.	3	3	.
Diarrhœa, 2 years & upwards,	.	.	.	.	1	.	.	1	1	.	3	.	1	.	.	.	1	2	.	.	1	.	.	.	.	.
Enteritis, under 2 years, ...	.	2	2	.	3	3	1	1	1	2	1	3	1	3	3	2	2	2	.	1	1	4	1	1	1	3
Violent Deaths, ...	2	8	1	4	7	4	2	5	2	4	5	5	5	6	1	7	9	3	.	1	5	2	3	6	5	2
Number of Uncertified Deaths,	4	5	7	7	3	3	2	4	7	8	7	2	5	1	1	2	8	4	3	1	5	4	3	4	.	5
Mean Temperature of the Air (Phœnix Park)	37·2	39·0	38·6	45·5	35·9	37·0	46·4	43·4	46·5	41·1	38·0	41·7	42·7	39·4	43·7	50·5	50·5	49·6	52·6	49·5	55·3	56·2	55·6	52·6	56·2	55·5
Average Mean Temperature in corresponding week of previous 10 *years*, ...	42·0	40·0	40·8	40·5	40·3	40·3	39·8	39·9	40·5	41·7	42·7	42·6	42·4	44·1	43·1	45·1	46·2	46·7	48·1	49·1	50·9	53·7	53·5	53·6	55·5	56·5
Rainfall in inches, ...	·336	·345	·153	·034	·000	·011	·582	·523	·681	·316	·206	·000	·770	·131	·000	·501	·606	·780	·127	·262	·010	·000	·000	·605	·782	·166
Mean Humidity of the Air, complete Saturation 1·0, ...	·92	·90	·93	·92	·87	·90	·91	·91	·92	·91	·89	·87	·90	·86	·86	·89	·91	·93	·94	·92	·89	·89	·88	·86	·91	·91

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 1st July, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 1ST JULY, 1911.

Class	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Convulsions.	Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Entritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	155	56	10	7	20	28	16	18	.	.	.	7	.	2	2	.	21	6	8	8	9	17	.	.	3	2	70	5
	CLASSES.																														
	Deaths in Families of the—																														
I	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	17·9	6	.	.	.	.	.	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	4	.
II.	MIDDLE CLASS, ...	87,188	13·8	23	6	2	1	.	6	1	7	.	.	.	1	.	1	.	.	3	.	3	1	1	2	.	.	.	1	10	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	16·1	34	14	2	2	6	5	4	1	.	.	.	2	.	.	.	.	6	3	1	1	2	4	.	.	.	1	14	1
IV.	GENERAL SERVICE CLASS, ...	154,279	22·6	67	33	6	2	8	11	6	1	.	.	.	4	.	1	2	.	8	3	1	6	4	10	.	.	2	.	26	4
V	INMATES OF WORKHOUSES, ...	6,024	—	25	3	.	2	6	6	5	3	.	.	.	.	.	.	.	.	4	.	2	.	1	1	.	.	1	.	16	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	40·1	6	.	.	.	.	.	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	9·5	4	2	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	6. Clerks and Commercial Assistants, ...	30,432	15·4	9	4	1	1	.	2	1	.	.	.	.	1	.	.	.	.	3	.	1	1	.	.	.	.	.	1	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	15·4	8	.	.	.	.	1	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	19·2	11	6	2	.	1	.	2	.	.	.	.	1	.	.	.	.	.	2	.	1	.	2	.	.	.	.	5	.
	10. Clothing Trades, ...	23,260	20·2	9	2	.	1	4	.	1	1	.	.	.	.	.	.	.	.	3	1	1	.	.	1	.	.	.	1	2	.
	11. Food Supply Trades, ...	9,242	11·3	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	12·0	7	2	.	1	.	3	1	.	.	.	.	1	.	.	.	.	2	.	.	.	.	1	.	.	.	.	3	1
	13. Petty Shopkeepers, ...	7,894	6·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	27·2	7	3	.	.	2	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	5	.
	15. Domestic Servants, ...	36,603	7·1	5	1	.	1	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	21·7	6	2	1	.	1	2	.	.	.	.	.	.	.	1	.	.	2	.	1	.	1	.	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	28·4	49	27	5	1	2	8	6	.	.	.	.	4	.	.	2	.	4	1	.	6	2	10	.	.	2	.	18	4
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	25	3	.	2	6	6	5	3	.	.	.	.	.	.	.	.	4	.	2	.	1	1	.	.	1	.	16	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 29,854.	May 13,	13·8	.	8	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.
		„ 20,	15·5	3·5	9	.	.	.	.	.	1	.	.	4	.	.	.	.	1	.	.	.	.
		„ 27,	36·2	5·2	21	1	.	.	.	1	.	.	.	1	1	2	1	3	.	.	1	1	2
		June 3,	20·7	5·2	12	.	.	.	.	1	.	1	.	1	.	1	.	2	.	.	1	.	.
		„ 10,	14·0	.	8	.	.	.	.	.	.	.	.	2	.	1	3	.	.	.	.	.	1
		„ 17,	19·2	1·7	11	.	.	.	.	.	.	.	.	3	1	.	.	2	.	.	1	1	.
		„ 24,	21·0	7·0	12	1	.	.	1	.	.	1	.	1	.	.	.	1	1	.	.	.	.
		July 1,	14·0	1·7	8	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	.	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 39,902.	May 13,	33·6	3·9	26	.	.	.	1	.	1	.	.	4	1	1	2	4	1	.	.	.	1
		„ 20,	27·1	3·9	21	1	.	.	.	.	2	.	.	3	.	.	1	6	.	.	.	.	.
		„ 27,	19·4	1·3	15	.	.	.	1	.	.	.	.	2	1	.	1	2	.	.	.	1	.
		June 3,	19·4	2·6	15	.	.	.	.	.	1	.	.	.	1	1	1	2	1	.	.	1	1
		„ 10,	24·8	5·2	19	.	.	.	3	.	.	1	.	2	.	1	1	2	.	.	.	.	.
		„ 17,	18·3	1·3	14	.	.	.	1	.	.	.	.	2	1	1	1	2	.	.	.	.	2
		„ 24,	19·6	1·3	15	.	.	.	.	.	.	1	.	1	1	.	2	1	.	.	.	.	.
		July 1,	19·6	2·6	15	.	.	.	2	.	.	.	.	2	.	2	2	.	.	.	.	.	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 30,689.	May 13,	31·9	6·7	19	.	.	.	3	.	1	.	.	2	1	.	1	2	.	.	.	.	.
		„ 20,	21·8	.	13	.	.	.	.	.	.	.	.	4	1	1	1	.	.	.	.	.	.
		„ 27,	16·8	3·4	10	.	.	.	2	.	.	.	.	1	.	.	.	1	.	.	.	1	.
		June 3,	13·4	5·0	8	.	.	.	.	.	2	.	.	.	3	.	2	.	.	.	1	.	.
		„ 10,	23·8	5·1	14	.	.	.	1	1	.	1	.	.	.	1	.	4	.	.	.	.	.
		„ 17,	18·7	3·4	11	.	.	.	.	.	.	1	.	.	.	.	1	2	1	.	.	.	.
		„ 24,	20·4	5·1	12	.	.	.	1	.	2	.	.	1	.	1	.	2	.	.	.	.	.
		July 1,	15·3	1·7	9	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,498.	May 13,	35·4	9·2	23	.	.	.	6	.	.	.	.	1	1	1	2	5	.	.	.	.	1
		„ 20,	16·9	4·6	11	.	.	.	2	.	.	.	.	1	.	.	1	2	1	.	.	.	.
		„ 27,	13·8	3·1	9	.	.	.	1	.	.	.	.	2	.	1	.	.	.	1	.	.	.
		June 3,	21·5	7·7	14	.	.	.	2	.	1	.	.	4	1	.	1	1	1	.	1	.	.
		„ 10,	26·5	1·6	17	.	.	.	.	.	.	.	.	6	1	1	2	1	.	.	1	1	.
		„ 17,	15·6	3·1	10	.	.	.	1	.	.	.	.	.	1	.	2	1	1	.	.	.	.
		„ 24,	15·6	3·1	10	.	.	.	2	.	.	.	.	.	1	1	1	1	.	.	.	.	.
		July 1,	18·7	3·1	12	.	.	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,401.	May 13,	12·4	.	10	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.
		„ 20,	10·0	.	8	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	.
		„ 27,	21·2	.	17	.	.	.	.	.	.	.	.	3	2	2	1	3	.	.	.	.	1
		June 3,	24·9	1·2	20	.	.	.	.	1	.	.	.	2	1	.	4	2	.	.	.	.	.
		„ 10,	12·6	.	10	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.	.
		„ 17,	23·9	.	19	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	1	2
		„ 24,	10·1	3·8	8	.	.	.	2	.	.	1	.	.	1	.	2	.	.	.	.	.	.
		July 1,	30·2	2·5	24	.	.	.	.	.	.	1	.	5	1	.	.	5	.	.	1	.	1
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,715.	May 13,	14·2	4·7	6	.	.	.	2	.	.	.	.	1	.	.	.	2	.	.	.	.	.
		„ 20,	14·2	.	6	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.
		„ 27,	26·1	2·4	11	.	.	.	.	.	1	.	.	1	1	1	.	3	.	.	.	.	1
		June 3,	11·9	4·7	5	.	1	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.
		„ 10,	24·0	4·8	10	.	.	.	.	1	1	.	.	1	3	.	1	.	.	.	.	.	1
		„ 17,	31·2	.	13	.	.	.	.	.	.	.	.	1	1	2	2	2	.	.	.	1	.
		„ 24,	12·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
		July 1,	19·2	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,149.	May 13,	23·9	2·4	20	1	.	.	.	.	.	1	.	1	.	2	3	2	.	.	.	.	.
		„ 20,	11·9	2·4	10	.	.	.	1	.	.	1	.	1	.	1	3	1	.	.	.	.	.
		„ 27,	16·7	.	14	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	.	1
		June 3,	19·1	2·4	16	.	.	.	1	.	.	.	.	1	.	1	1	5	1	.	.	.	.
		„ 10,	26·6	.	22	.	.	.	.	.	.	.	.	5	.	3	.	4	.	.	.	.	.
		„ 17,	15·7	2·4	13	.	.	.	.	.	2	.	.	4	.	.	.	3	.	.	.	.	.
		„ 24,	16·9	2·4	14	.	.	.	1	.	.	.	.	1	3	.	1	.	.	.	1	2	.
		July 1,	21·8	.	18	.	.	.	.	.	.	.	.	3	2	2	1	2	.	.	.	.	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 35,816.	May 13,	17·3	4·3	12	.	.	.	2	.	.	1	.	2	1	.	1	1	.	.	.	.	.
		„ 20,	12·9	2·9	9	.	.	.	1	.	.	.	.	.	2	.	.	2	.	.	1	.	1
		„ 27,	21·6	1·4	15	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	1	.
		June 3,	18·7	2·9	13	1	.	.	.	.	.	.	.	4	1	.	.	1	1	.	.	.	.
		„ 10,	13·1	2·9	9	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	.	1	.
		„ 17,	14·6	1·5	10	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	1	.
		„ 24,	11·6	.	8	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1	.
		July 1,	17·5	2·9	12	.	.	.	.	.	1	.	.	3	1	.	.	1	.	.	1	.	2

* See note (‡) at foot of first page.

NOTE:—The rates given in this report for the weeks up to and including 3rd June, for the Dublin districts, Belfast and Londonderry of 1901; for the remaining weeks the rates for the Dublin districts and Belfast are calculated on an estimated population based

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

Districts.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	May 13,	8·3	1·4	6	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.
	„ 20,	15·3	.	11	.	.	.	.	.	.	.	.	4	.	1	.	.	.	.	.	1	.
	„ 27,	15·3	.	11	.	.	.	.	.	.	.	.	4	.	1	.	.	.	.	.	.	.
	June 3,	11·1	.	8	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	1
	„ 10,	13·6	.	10	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
	„ 17,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 24,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.	.
	July 1,	13·6	.	10	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	May 13,	23·1	5·3	13	.	.	.	3	.	.	.	.	1	.	.	1	1	.	.	.	.	.
	„ 20,	10·7	1·8	6	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.
	„ 27,	10·7	3·6	6	.	.	.	2	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	June 3,	21·3	1·8	12	.	.	.	.	.	.	.	.	3	.	3	.	1	1	.	.	.	.
	„ 10,	17·8	.	10	.	.	.	.	.	.	.	.	2	1	1	.	2	.	.	.	.	1
	„ 17,	12·4	1·8	7	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.
	„ 24,	24·9	1·8	14	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	1	.
	July 1,	21·3	1·8	12	.	.	.	1	.	.	.	.	1	1	1	1	2	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 17,227.	May 13,	8·9	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 20,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 27,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	June 3,	17·8	.	6	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	2
	„ 10,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	„ 17,	45·4	.	15	.	.	.	.	.	.	.	.	2	.	2	.	3	.	.	.	1	.
	„ 24,	21·2	6·1	7	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	1	.
	July 1,	33·3	.	11	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	1
Belfast. Pop. in 1911 (Est.) 386,449.	May 13,	15·7	0·4	120	.	.	.	.	1	.	.	.	25	7	6	10	15	1	.	1	4	1
	„ 20,	16·1	0·7	123	.	.	.	.	.	1	.	.	21	10	1	13	19	1	.	3	1	1
	„ 27,	16·1	0·8	123	.	.	.	.	.	1	.	.	21	12	4	6	11	2	.	3	1	1
	June 3,	16·4	0·7	125	.	.	.	.	.	.	.	.	16	11	6	11	18	1	.	4	.	2
	„ 10,	15·5	0·5	115	.	.	.	.	.	.	1	.	14	6	8	9	18	.	1	2	3	1
	„ 17,	14·4	0·8	107	.	.	.	.	1	4	.	.	13	10	6	9	13	1	.	.	3	.
	„ 24,	11·1	0·7	82	.	.	.	.	.	.	.	.	13	2	6	5	10	1	3	1	1	3
	July 1,	15·7	0·7	116	.	1	.	.	.	1	.	.	23	2	7	5	8	2	.	1	4	3
Cork. Pop. in 1911 76,632.	May 13,	20·5	1·4	30	.	.	.	.	.	2	.	.	4	1	3	1	5	.	.	.	1	1
	„ 20,	17·8	1·4	26	.	.	.	.	.	2	.	.	6	1	1	1	1	.	.	.	1	.
	„ 27,	20·5	0·7	30	.	.	.	.	.	1	.	.	7	2	2	1	1	.	.	.	.	3
	June 3,	16·4	1·4	24	.	.	.	.	.	2	.	.	6	3	1	.	2	.	.	.	.	1
	„ 10,	15·0	.	22	.	.	.	.	.	.	.	.	3	1	3	.	3	.	.	.	.	1
	„ 17,	15·0	.	22	.	.	.	.	.	.	.	.	7	.	1	1	.	.	.	.	.	1
	„ 24,	19·7	0·7	29	.	.	.	.	.	.	.	.	5	2	.	.	4	.	.	1	.	3
	July 1,	18·4	0·7	27	.	.	.	1	.	.	.	.	2	.	1	.	3	.	.	.	2	2
Londonderry. Pop. in 1911 40,799.	May 13,	10·7	.	9	.	.	.	.	.	.	.	.	3	.	1	.	2	.	.	.	.	1
	„ 20,	15·4	2·4	13	.	.	.	.	.	2	.	.	3	.	.	.	3	.	.	.	.	.
	„ 27,	10·7	2·4	9	.	.	.	.	.	2	.	.	2	1	1	.	.	.	.	.	.	.
	June 3,	19·0	1·2	16	.	.	.	.	.	1	.	.	1	.	.	1	2	.	.	.	.	.
	„ 10,	23·0	1·3	18	.	.	.	.	.	.	.	.	4	.	1	1	5	1	.	.	1	.
	„ 17,	10·2	1·3	8	.	.	.	.	.	.	.	.	3	.	.	.	2	1	.	.	.	1
	„ 24,	8·9	1·3	7	.	.	.	.	1	.	.	.	.	.	.	1	2	.	.	.	.	.
	July 1,	14·1	.	11	.	.	.	.	.	.	.	.	2	3	1	.	1	.	.	.	.	1
Limerick. Pop. in 1911 38,403.	May 13,	10·9	.	8	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.	.
	„ 20,	26·0	.	19	.	.	.	.	.	.	.	.	2	2	1	.	4	.	.	.	.	1
	„ 27,	6·8	.	5	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	3
	June 3,	15·0	.	11	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	1
	„ 10,	8·1	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1
	„ 17,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	.	5	.	.	.	.	2
	„ 24,	6·8	1·4	5	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	1
	July 1,	14·9	.	11	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	3
Waterford. Pop. in 1911 27,430.	May 13,	11·7	.	6	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.
	„ 20,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	„ 27,	19·5	1·9	10	.	.	.	.	.	.	.	.	3	.	1	.	.	.	1	.	.	2
	June 3,	17·5	.	9	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 10,	13·3	.	7	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2
	„ 17,	17·1	.	9	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2
	„ 24,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	July 1,	5·7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.

* See note (‡) at foot of first page.

are calculated on an estimated population based on the Census of 1901; those for the other districts on the population according to the Census on the Census of 1911 (unrevised figures); those for the other districts on the population (unrevised) according to the Census of 1911.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 1st July, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa: Of children under 2 years of age.	Diarrhœa: 2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.			The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																												
BELFAST URBAN No. 1 DISTRICT,	385,492	8			5	1	.	2	1	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	1	2	.
Do. 2 do.		23			19	3	2	2	3	7	2	.	1	.	.	.	.	.	.	4	1	.	.	1	1	.	.	.	1	5	1
Do. 3 do.		36			11	2	1	1	3	1	3	.	.	.	.	.	1	.	.	2	.	.	1	2	1	.	.	.	.	2	.
Do. 4 do.		49			15	4	.	1	4	4	2	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	1	.	.	7	.
Do. 5 do.		15			6	1	.	1	3	1	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	.	4	.
Do. 6 do.		15			11	.	1	1	1	5	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	1	2	.
Do. 7 do.		1			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 8 do.		1			4	1	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	1	.
Do. 9 do.		10			5	.	.	1	1	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Do. 10 do.		25			9	1	2	1	1	3	1	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	.	1	1	2	1
Do 11 do.		27			11	2	1	1	.	6	1	.	.	.	.	.	.	.	.	2	.	1	1	2	.	.	.	.	.	1	.
Do 12 do.		33			6	2	.	2	.	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	1	1
Do. 13 do.		8			7	1	2	2	.	2	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	1	1	2	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		13			6	.	.	1	3	1	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	3	.
Total,	—	264			116†	18	9	16	20	37	16	.	1	.	.	.	1	.	.	23	2	7	5	8	2	.	1	4	8	34	3
City of Cork.			The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																												
CORK URBAN No. 1 DISTRICT,	76,632	7			3	.	1	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Do. 2 do.		17			5	1	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	1	1	2
Do. 3 do.		6			4	1	2	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Do. 4 do.		11			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 5 do.		9			2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 6 do.		8			5	1	1	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	3	.
Do. 7 do.		16			7	1	1	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Total	—	74	18·4	0·7	27	5	6	4	.	8	4	.	.	.	1	.	.	.	.	2	.	1	.	3	.	.	.	2	1	9	2

* See note (‡) at foot of first page

† See note (†) to Table IX.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	Jan. 7.	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.
No. of weeks in Annual Series,	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
BIRTHS registered, ...	241	231	233	188	212	218	216	213	232	193	220	218	232	228	204	189	236	232	229	180	214	233	215	258	201	264
DEATHS registered, ...	122	151	118	118	128	146	149	141	133	118	118	147	138	172	161	154	160	109	120	123	123	125	115	107	82	116†
Annual Death rate per 1,000 of estimated population, ...	16·0	19·8	15·4	15·4	16·8	19·1	19·5	18·5	17·4	15·4	15·4	19·2	18·1	22·5	21·1	20·2	20·9	14·3	15·7	16·1	16·1	16·4	15·5	14·4	11·1	15·7
AGES, Under 1 year, ...	21	30	23	26	24	24	31	21	25	20	33	23	26	36	24	23	23	19	19	25	22	18	19	23	16	18
1—5 years, ...	12	11	8	10	10	7	10	14	9	10	6	17	11	7	10	14	13	10	9	9	13	7	7	10	7	9
5—25 „ ...	7	20	16	11	6	11	21	17	18	9	10	19	11	14	17	13	21	13	17	15	17	14	14	16	7	16
25—45 „ ...	30	37	17	13	25	27	30	29	16	23	14	28	23	36	32	26	27	25	23	26	22	24	26	22	18	20
45—65 „ ...	32	25	21	27	34	34	32	26	35	29	27	30	38	45	37	39	46	22	29	31	27	34	20	20	20	37
65 and upwards, ...	20	28	33	31	29	43	25	34	30	27	28	30	29	34	41	39	30	20	23	17	22	28	29	16	14	16
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.
Typhus, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	1	1	.	.	1	.	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1	.	.
Whooping-cough, ...	.	.	1	1	1	.	.	1	1	1	1	.	.	.	3	2	1	.	.	1	1	.	.	4	.	1
Diphtheria, ...	.	.	1	2	1	.	.	.	.	.	.	1	1	.	2	1	.	.	.	.	.	.	1	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	14	23	17	13	10	11	22	15	13	19	7	22	24	26	25	14	17	16	25	21	21	16	14	13	13	23
Tuberculous Disease. Other Forms,	7	7	4	4	4	4	11	10	10	7	8	9	8	8	4	11	15	12	7	10	12	11	6	10	2	2
Cancer, ...	7	2	7	11	6	5	5	8	3	6	11	8	4	5	5	6	12	3	6	1	4	6	8	6	6	7
Diseases of Respiratory System, Pneumonia,	8	9	7	7	7	11	14	11	15	10	10	14	16	13	19	23	18	10	10	13	6	11	9	9	5	5
Diseases of Respiratory System, Others, ...	18	24	24	20	25	26	25	20	20	20	14	16	19	26	29	34	16	20	15	19	11	18	18	13	10	8
Diarrhœa, Under 2 years, ...	1	.	.	.	.	1	.	.	1	.	1	.	.	1	.	.	.	.	1	1	2	1	.	1	1	2
Diarrhœa, 2 years & upwards	1	1	.	.	.	1	.	.	.	1	.	3	1	.	1	.	.	.	.	.	.	.	1	.	3	.
Enteritis; under 2 years, ...	1	.	.	2	2	3	2	2	1	.	.	3	2	1	2	2	1	1	1	3	3	4	2	.	1	1
Violent Deaths, ...	6	6	1	2	4	4	.	4	3	2	1	3	4	8	2	3	3	3	4	1	1	.	3	3	1	4
Number of Uncertified Deaths, ...	3	.	1	5	2	1	.	.	3	2	1	.	1	3	2	.	1	2	1	1	1	2	1	.	3	3

† Including one death from cerebro-spinal fever.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	July 1,	2,575	961	11·1	2	.	20	3	13	7	14*a*
Edinburgh, ...	320,829	„ 1,	173	76	12·4	.	.	.	1	2	.	2
Glasgow, ...	784,621	„ 1,	443	231	15·4	.	.	11	1	13	3	7
Calcutta, ...	—	May 27,	.	424	24·7	111*	2	1	.	2	.	84‡
Bombay, ...	977,822	„ 27,	342	630	33·5	174*	10	7	.	.	1	50
Madras, ...	509,346	„ 6,	351	359	36·6	57*	17	5	?	?	?	101
Cairo, ...	689,439	„ 6,	562	515	38·9	2	.	6	9	.	9	89
Paris	2,760,000	June 3,	970	897	17·0	4	.	31	7	11	5†	28*a*
Brussels, ...	720,030	„ 3,	263	156	11·3	1	.	1	1	1	.	7
Antwerp, ...	320,640	„ 10,	122	60	9·8	.	.	.	.	.	.	9*a*
Amsterdam, ...	577,025	„ 10,	247	119	10·8	.	.	6	.	4	2†	9*a*
Copenhagen, ...	459,000	„ 10,	237	136	15·4	.	.	2	2	2	1†	4*a*
Stockholm, ...	343,832	„ 3,	150	114	17·2	.	.	.	2	1	1†	2*a*
Christiania, ...	244,038	„ 17,	76	66	14·1	.	.	1	1	4	2†	4
St. Petersburg, ...	1,639,266	May 20,	860	719	22·9	8	3	15	6	5	3	131
Moscow, ...	1,493,600	„ 27,	.	788	27·5	1	7	14	13	6	10†	181
Berlin, ...	2,068,666	„ 27,	762	591	14·0	.	.	8	7	13	13†	60
Hamburg, ...	932,166	June 10,	.	282	15·7	.	.	4	3	2	15†	25
Breslau, ...	517,151	„ 10,	.	200	20·2	.	.	2	.	.	2†	36
Munich, ...	597,000	„ 17,	.	162	14·1	.	.	.	.	1	2†	16
Vienna (with suburbs),	2,047,968	„ 10,	839	586	14·9	.	.	13	2	2	6†	60*a*
Buda-Pesth, ...	891,585	„ 10,	422	308	18·0	.	.	7	11	.	4†	21*a*
Prague and Faubourgs,	508,310	May 27,	163	209	21·4	1	.	2	.	1	1†	15*a*
Trieste, ...	229,499	June 3,	127	97	22·0	.	.	1	.	1	.	2
Rome, ...	593,110	Apr. 1,	330	222	19·5	.	.	3	.	1	4	7
Venice, ...	184,325	May 20,	86	64	18·1	.	.	.	.	.	.	4
New York, ...	4,983,385	„ 20,	2,608	1,557	16·3	8	.	31	39	8	27†	54*a*
Philadelphia, ...	1,580,250	„ 6,	.	576	18·9	1	.	10	9	5	12	16*a*
Boston, ...	688,912	June 10,	.	178	13·5	.	.	2	1	1	.	5

* Deaths from "fever," including 11 deaths from enteric fever and 59 deaths from plague in Calcutta, and 4 from enteric fever and 123 from plague in Bombay.

† Including deaths from croup.

‡ Including 55 deaths from cholera in Calcutta.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending July 1st, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	1	.	.	1	1	.	.	.	3
„ „ 1, West, ...	.	1	.	.	.	.	.	3	.	.	.	3	7
„ „ 2, ...	.	.	.	.	1	.	.	.	1	.	.	.	2
„ „ 3, ...	.	.	.	.	8	.	1	1	2	.	.	1	13
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	1	.	.	.	.	2
South City No. 1, ...	.	2	.	.	3	.	.	7	4	.	.	3	19
„ „ 2, ...	.	2	.	.	.	.	.	.	.	.	.	1	3
„ „ 3, ...	.	2	.	.	1	.	.	1	1	.	.	3	8
„ „ 4, ...	.	1	.	.	.	.	.	1	1	.	.	.	3
New Kilmainham, ...	.	2	.	.	.	.	.	.	.	.	.	.	2
Total, ...	.	13	.	.	14	.	1	15	10	.	.	11	64

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 1st July, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 1st July.			
	June 10.	June 17.	June 24.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	86	91	85	11	40	2	54
Scarlet Fever, ...	66	72	67	17	14	1	69*
Typhus, ...	.	3	4	.	.	.	4
Diphtheria, ...	35	40	32	18	8	2	45
Enteric Fever, ...	44	43	45	16	7	.	54
Pneumonia, ...	30	25	22	6	7	1	20

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 1st July, 1911:—

"Changeable, breezy, but withal favourable weather prevailed in this week. During the first two days a large atmospheric depression, in the centre of which the barometer was below 29·4 inches on Sunday morning, moved slowly northwards along the east coast of Great Britain. Its northerly winds blew strongly over Ireland, in which country the weather was cold, cloudy, and in many places showery. Dublin, however, enjoyed an immunity from rain, in contrast to Great Britain which experienced a spell of very inclement weather, showers of rain and hail occurring in many parts of that country, thunder and lightning in London on Monday. By Tuesday morning an anticyclone spread northeastwards to the British Isles, but a new depression had already appeared off the west coast of Iceland. These changes in atmospheric pressure steepened gradients for westerly winds, which accordingly freshened and brought with them a higher temperature. On Thursday the northern depression became more defined and moved in an east-south-easterly direction towards the Faeroe, the Shetlands, and the South of Norway. The system was quickly followed by another depression over Iceland, and by a shallow secondary system which advanced over Ireland on Friday. These several disturbances kept the weather more or less changeable. On Saturday the wind veered to N.W. in Ireland and the sky cleared after a few showers had fallen. The rain measured on Sunday morning, June 25, exceeded an inch at most stations on the east coast of Great Britain from Wick to Deal, and at North Shields amounted to 2·57 inches. In Dublin the mean height of the barometer was 29·950 inches, the range of pressure being from 30·232 inches at 9 p.m. of Tuesday to 29·684 inches at 9 a.m. of Saturday (wind, W. in both cases). The corrected mean temperature was 56·6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 56·0°. The extremes of temperature occurred on Tuesday when the thermometer rose in a few hours from 45·9° to 69·4°. N.W. and W. winds prevailed. The rainfall was ·120 inch, of which ·098 fell on Thursday. There were 3 rain-days."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·784 inches. The highest reading (30·062) was on Tuesday at 9 p.m., wind S.W., and the lowest (29·520) on Saturday at 9 a.m., wind W.

The mean temperature for the week was 55·5°, being 1·0° below the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Tuesday, on which day the thermometer registered 68·8°, and was also lowest on that day, the mercury having fallen to 40·4°. The mean of the Dry Bulb for the week was 55·2° and of the Wet Bulb, 53·8°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The rainfall during the week measured 0·166 inch.

At Greenwich the mean temperature for the week was 57·5°, the maximum 75·7°, and the minimum 48·2°; at Glasgow the maximum was 61·7°, the minimum 42·5°, and the mean 54·0°; and at Edinburgh the maximum was 61·6°, the minimum 42·7°, and the mean 53·5°. The rainfall at Greenwich measured 0·50 in.; at Glasgow 0·04 in.; and at Edinburgh 0·15 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, June 25,	29·655	57·2	48·0	52·6	52·3	51·3	·95	·5	0·6	·000	N.W.	N.W.
Monday, „ 26,	29·920	61·8	44·4	53·1	51·2	49·0	·89	·6	10·8	·000	N.W.	Calm.
Tuesday, „ 27,	30·035	68·8	40·4	54·6	57·4	55·9	·91	·5	7·3	·009	S.W.	S.W.
Wednesday, „ 28,	29·999	66·0	51·9	59·0	57·7	56·7	·94	·6	1·4	·015	W.S.W.	W.S.W.
Thursday, „ 29,	29·729	62·6	51·9	57·3	55·7	54·8	·94	·6	0·7	·130	W.	S.W.
Friday, „ 30,	29·577	62·4	48·9	55·7	55·0	53·4	·89	·6	2·8	·000	W.N.W.	Calm.
Saturday, July 1,	29·571	62·8	49·9	56·4	57·2	55·3	·88	·5	6·3	·012	W.	W.
Mean, ...	29·784	63·1	47·9	55·5	55·2	53·8	·91	·6	Total 29·9	Total ·166	Prevailing Wind, W.S.W.	

Sunday—Day cloudy to overcast; night cloudy. *Monday*—Day cloudy, fine; night cloudy. *Tuesday*—Day cloudy, fine; night cloudy, drizzle a.m. *Wednesday*—Day cloudy, drizzle p.m.; night overcast, drizzle a.m. *Thursday*—Day overcast, passing showers; night overcast, drizzle a.m. *Friday*—Day cloudy, fine; night cloudy. *Saturday*—Day cloudy; night cloudy, rain a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, July 1st, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, June 25,	54·2	58·0	56·9	59·6	48·5	54·0	0·9	—
Monday, „ 26,	52·6	57·0	56·8	61·9	46·0	53·9	10·0	—
Tuesday, „ 27,	58·7	57·5	56·6	70·5	44·1	57·3	6·5	·001
Wednesday, „ 28,	61·4	58·5	56·4	67·3	53·9	60·6	1·7	—
Thursday, „ 29,	59·8	59·3	56·4	63·8	53·6	58·7	0·2	·065
Friday, „ 30,	56·7	58·7	56·4	63·0	49·8	56·4	2·7	—
Saturday, July 1,	58·1	58·8	56·5	64·1	50·2	57·2	6·3	·010
Weekly Mean, .	57·4	58·3	56·6	64·3	49·4	56·9	Total 28·3	Total ·096

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30913. Wt. P. 1-60/138. 375. 4. 1911. Sch. C 7.

FOR OFFICIAL USE.

Quarterly Summary of the Weekly Returns

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

Sole Wholesale Agent for places outside the United Kingdom of Great Britain and Ireland,
T. FISHER UNWIN, 1, ADELPHI TERRACE, LONDON, W.C.
(Depôts in New York, Toronto, Melbourne, Wellington, Cape Town, Calcutta, Tokio, and Leipzig.)

PRINTED BY ALEXANDER THOM & CO. LIMITED, ABBEY-STREET. *Price* 1½*d.*

VOL. XLVIII.] QUARTER ENDING SATURDAY, 1ST JULY, 1911. [No. 26A.

DUBLIN REGISTRATION AREA. — BIRTHS. — In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,759 statute acres, and the population, estimated to the middle of 1911, 403,732, there were registered during the thirteen weeks ended on Saturday, 1st July, 1911, 3,006 births—1,602 boys and 1,404 girls—being equal to an annual ratio of 1 in 33·6, or 29·8 in every 1,000 of the population.

The number of births registered in the city was 2,599, equivalent to an annual rate of 33·6 in every 1,000 of the population; and in the urban districts named above, 407, equal to an annual rate of 17·3 in every 1,000 of the population.

There were registered in London during the same period 28,434 births—being equal to an annual birth-rate of 25·1 in every 1,000 of the estimated population; in Glasgow there were registered 5,785, being equal to 29·5 per 1,000; and in Edinburgh, 1,898—a number affording an annual birth-rate of 23·7 in every 1,000 of the estimated population.

DEATHS.—Omitting the deaths (116) of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 1,999, are equivalent to an annual rate of 19·8 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 21·8. The total number of deaths registered in the Dublin Registration Area during the quarter was 2,115—1,046 males and 1,069 females—affording an annual ratio of 1 in 47·7 or 21·0 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the second quarter of the ten years, 1901–1910, in the Dublin Registration Area as then constituted, was 22·9 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the North City districts registered last quarter was 830, representing an annual mortality of 20·9 in every 1,000 of the population; and the number in the South City districts was 780, equivalent to a rate of 20·6 per 1,000. In the urban districts the number of deaths registered was 389, being equal to an annual death-rate of 16·6 in every 1,000.

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective Districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

The number of deaths registered in London during the same period was 14,871—a number equal to an annual rate of mortality of 13·2 in every 1,000 of the inhabitants; in Glasgow the number was 3,386, equal to 17·3 in every 1,000; and in Edinburgh, 1,317, affording an annual death-rate of 16·4 in every 1,000 of the estimated population.

Diseases.—The number of deaths from the principal epidemic diseases† registered in the Dublin Registration Area during last quarter was 227, and the annual rate per 1,000 of the population represented by the deaths from these diseases was 2·24.

The following tabular statement shows the mortality from some of the principal epidemic diseases in the period under notice, and the average number of deaths from these diseases which occurred in the corresponding period of the 10 years, 1901–1910:—

Names of Diseases.	No. of Deaths in June Quarter, 1911.	Average No. of Deaths in June Quarters, 1901–1910.
Enteric Fever, ...	11	14
Typhus, ...	1	1
Small-pox, ...	–	3
Measles, ...	83	27
Scarlet Fever, ...	14	7
Whooping-cough, ...	33	46
Diphtheria, ...	30	9

Enteric Fever.—The deaths from enteric fever registered during the quarterly period were 11 in number, against 11, 14, and 23 respectively, in the three quarterly periods preceding, and an average of 14 for the corresponding period in the 10 years 1901–1910. The 11 deaths correspond to an annual death-rate of 0·11 per 1,000 of the population of the Dublin Registration Area, estimated to the middle of the year 1911. Of the 11 deaths 4 appertained to the districts of North Dublin city; 6 to the districts of South Dublin city, and one to the urban district of Rathmines and Rathgar. From Table I. it appears that at the close of the preceding quarter there were 75 cases of enteric fever in Hospitals; during the quarter 116 cases were admitted; 134 were discharged; there were 3 deaths, and on the 1st of July there were 54 cases under treatment.

Typhus.—The number of cases of typhus under treatment during the period was 12, and one death was registered; 4 patients remained under treatment at the close of the quarter.

Small-Pox.—There was no information received in the office of the Registrar-General referring either to mortality from small-pox, or to the occurrence of the disease in the Area, during the period under notice.

Measles.—The mortality from measles is the principal feature amongst the statistics of epidemic disease during the June quarter now under notice. The deaths registered numbered 83, compared with the average 27, and represent an annual death-rate of 0·82 per 1,000. Deaths from measles, which were 6 and 8 respectively in the September and December quarters of 1910, rose to 50 in the March quarter of the present year.

Scarlet Fever.—In the two latter quarterly periods of the year 1910, the deaths from scarlet fever were equal—namely 16. In the March quarter of 1911, the deaths rose to 23, and declined in the period under notice to 14, the average being 7 for the corresponding period in the preceding decennial period. It may be seen in Table I. that altogether 314 cases were under treatment during the quarter, and that 69 cases remained in hospital on the 1st July, not including 21 patients in Beneavin, the convalescent home of Cork street Fever Hospital. From Table II. it appears that 6 deaths from scarlet fever belonged to the districts of North Dublin city; 5 to the districts of South Dublin city; one to Pembroke urban district, and that 2 of the deaths were of persons admitted from without the Registration Area.

† See note (*) p. 416*h*.

Whooping-Cough.—A decline from 77 deaths in March quarter to 33 in the period under notice is observed, the latter figure is equal to an annual rate of 0·33 per 1,000, and is below the average by 13. In the September and December quarters of the year 1910, deaths from whooping-cough were 22 and 52 respectively. Of the total deaths, 18 appertained to North Dublin city; 11 to South Dublin city, and 4 to Pembroke urban district.

Diphtheria.—In Table II. it can be seen that of 30 deaths (corresponding to an annual rate of 0·30 per 1,000), 12 appertained to North Dublin city; an equal number to South Dublin city; one to each of the urban districts of Rathmines and Rathgar and of Blackrock, and that 4 deaths were of persons admitted from districts outside the area. In the three preceding quarters deaths from diphtheria were 23, 24, and 24 respectively, and the average for the corresponding quarter in the decade 1901–1910 was 9 deaths.

Diarrhœal Diseases.—Altogether the deaths classified under this heading numbered 55, and represent an annual death-rate of 0·54 per 1,000 of the estimated population of the Area.

Influenza.—There was a decline to 15 of deaths from influenza from 34 deaths in the preceding quarter. In the September quarter of 1910, such deaths numbered 7, and in the December quarter they numbered 23, the average for 10 years being 33. The 15 deaths are equal to an annual rate of 0·15 per 1,000.

Cerebro-Spinal Fever.—There was no death from this disease amongst those registered.

Pneumonia.—In the aggregate 170 deaths were caused by pneumonia, namely, from broncho-pneumonia, 75 deaths; from lobar pneumonia, 22 deaths; and from *pneumonia* (type not distinguished), 73 deaths. The total is equal to an annual rate of 1·68 per 1,000 of the estimated population.

Tuberculosis.—Compared with the number of deaths from all forms of tuberculous disease (424) registered in the June quarter of 1910, the number registered in the period under notice (387) shows a decrease of 37 deaths. The total—387—is equivalent to an annual death-rate from all forms of tuberculous disease of 3·83 per 1,000 of the estimated population. Included in the total, there were 288 deaths from pulmonary tuberculosis, 42 deaths from tuberculous meningitis, 27 deaths from abdominal tuberculosis, 3 deaths from tuberculosis of the vertebral column, 4 deaths from tuberculosis of joints, 2 deaths from tuberculosis of other organs, and 21 deaths from disseminated tuberculosis.

The rates corresponding to the deaths from all forms of tuberculosis, excluding deaths of persons admitted from without the area, in North Dublin city, South Dublin city, in the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, were 3·40 per 1,000, 4·23 per 1,000, 2·19 per 1,000, 2·45 per 1,000, 3·08 per 1,000, and 3·48 per 1,000 of the estimated population of each of the respective areas.

Cancer.—The deaths classified under this heading numbered 109, and represent an annual death-rate of 1·08 per 1,000.

Diseases of the Brain and Nervous System.—Included in the 190 deaths under this heading, there were 39 deaths from *convulsions* of children under 5 years of age. The total (190) is equivalent to an annual rate of 1·88 per 1,000 of the estimated population of the Area.

Diseases of the Circulatory System.—The annual rate corresponding to the deaths (225) from diseases of the circulatory system was 2·23 per 1,000 of the estimated population.

Bronchitis.—To bronchitis the deaths of 227 persons were attributed, during the period under notice.

Premature Birth, Congenital Debility.—Of 85 deaths of infants from these causes, 51 were ascribed to prematurity, and 34 to congenital debility.

Accidental Violence.—The total 44 deaths includes 19 deaths by burns, scalds or explosions (of the latter figure 9 were deaths of children under 5 years of age), 7 deaths by drowning, and 3 deaths of infants by suffocation in bed.

Homicide.—There were 2 homicidal deaths.

Suicide.—Four deaths by suicide were registered.

Table I.—The Number of Cases of the undermentioned Diseases treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 1st July, 1911.**

Diseases.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Small-pox, ...	–	–	–	–	–
Measles, ...	49	384	346	33	54
Scarlet Fever, ...	118	196	228	17	69*
Typhus, ...	2	10	7	1	4
Diphtheria, ...	69	181	184	21	45
Enteric Fever, ...	75	116	134	3	54
Pneumonia, ...	28	113	109	12	20

* Exclusive of 21 patients in Beneavin, the convalescent home of Cork-street Fever Hospital.

In 41 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 41 cases, 20 (or 48·8 per cent.) were deaths of children under 5 years of age; these 20 deaths form 3·2 per cent. of the total number of deaths of children of that age-period. Of the deaths of 102 infants under one month old registered, there were 6 (or 5·9 per cent.) regarding which the cause was uncertified.

From Table II., on page 416*f*, it will be seen that, excluding 116 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 1,999, equal to an annual rate of 19·8 per 1,000 of the estimated population, and that 220 of these deaths, representing an annual rate of 2·2 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 20·8 per 1,000, and for the urban districts 16·6 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 2·5, and in the urban districts 1·0, the rate for the several districts varying from 0·0 in Clontarf and Howth, No. 1, part of, to 5·1 in North City, No. 3, the 188 deaths from all causes for that district including one from enteric fever, 24 from measles, 2 from scarlet fever, 5 from whooping-cough, one from diphtheria, and 10 from diarrhœal diseases.

Occupations.—Table III., on page 416*g*, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 17·2 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 15·5 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 16·4; and in the "General Service Class" it was 22·5.

Ages.—Of the 2,115 persons whose deaths were registered in the Dublin Registration Area during the quarter, 621 were under 5 years of age, including 311 infants under one year of age, the latter representing a rate of 103·5 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 65·1 in every 1,000 children at that age (according to the Census of 1901); 119 were between the ages of 5 and 15, representing an annual rate of 7·0 per 1,000 persons of that age-period; 115 were between the ages of 15 and 25, equivalent to an annual rate of 5·5 per 1,000; the total number under 25 years being equal to an annual mortality of 18·1 per

† See note (*) page 416*h*.

1,000 of the population at that age-period (according to the Census of 1901); 339, or 11·8 per 1,000 persons, were between 25 and 45; 465, or 32·4 per 1,000, between 45 and 65; 277, or 106·2 per 1,000, between 65 and 75; and 179, or 179·5 per 1,000, were aged 75 and upwards, including 13 persons aged 90 and upwards.

Public Institutions.—Of the 2,115 deaths recorded during the quarter, 957, or 45·2 per cent., occurred in public institutions, viz., 575 in the various hospitals, prisons, and lunatic asylums; 151 in the North Dublin Union Workhouse; 216 in the South Dublin Union Workhouse; and 15 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 51·3°. At Greenwich, for the quarter, it was 54·1°; and at Glasgow, 52·1°

The rainfall at Dublin during the thirteen weeks measured 3·970 inches; at Greenwich, 5·59 inches; and at Glasgow, 5·20 inches.

[Table.

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 1st July, 1911,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods and the number of Uncertified Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1911.†	ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS. FROM ALL CAUSES	FROM DISEASES IN COLS. 13-20, 26-8.	TOTAL DEATHS.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
		QUARTER (13 WEEKS) ENDED 1ST JULY, 1911. DEATHS. CAUSED BY																												
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
North City.																														
NORTH CITY, No. 1, E.,	29,851	17·7	2·1	132	16	19	9	10	11	32	21	14	2	.	.	2	2	1	4	.	22	6	4	15	10	2	.	3	3	5
" 1, W.,	39,902	23·6	3·1	235	42	25	16	8	11	31	56	46	1	.	.	16	.	5	3	.	28	5	6	19	37	4	.	2	3	9
" 2,	30,689	23·9	3·8	183	32	21	15	14	7	25	46	23	.	.	.	8	2	6	4	.	17	9	9	16	28	6	.	3	2	.
" 3,	33,498	22·4	5·1	188	33	30	20	6	6	33	36	24	1	.	.	24	2	5	1	.	20	7	7	22	21	4	4	2	5	1
CLONTARF AND HOWTH, No. 1, part of.	5,371	9·7	.	13	.	.	.	1	.	4	5	3	.	.	.	.	.	.	.	.	2	1	2	.	2	.	.	.	.	.
COOLOCK AND DRUMCONDRA, part of,	11,601	14·5	0·7	42	4	4	1	1	1	7	11	13	.	.	.	1	.	1	.	.	8	2	2	2	5	.	.	.	1	3
FINGLAS AND GLASNEVIN, part of,	7,679	19·3	1·0	37	4	1	2	4	2	9	7	8	.	.	.	1	.	.	.	.	7	1	3	2	4	.	.	1	.	.
South City.																														
SOUTH CITY, No. 1,	41,401	20·9	1·4	216	43	23	12	11	9	28	41	49	1	.	.	5	2	.	3	.	32	9	10	13	32	.	.	4	3	6
" 2,	21,715	21·4	1·8	116	22	9	9	6	8	13	27	22	.	1	.	3	1	3	1	.	18	11	11	9	14	1	.	.	2	4
" 3,	43,149	21·2	2·4	229	36	18	14	11	13	29	53	55	4	.	.	8	.	5	3	.	25	10	11	20	37	1	.	5	6	3
" 4,	35,816	20·2	2·2	181	34	13	9	15	10	33	36	31	1	.	.	5	2	3	4	.	31	15	3	10	15	3	.	2	12	4
NEW KILMAINHAM,	9,063	16·8	1·3	38	7	2	1	2	3	5	7	11	.	.	.	.	.	.	1	.	7	2	1	5	4	1	.	1	.	.
Urban Districts.																														
RATHMINES AND RATHGAR,	38,330	13·8	0·4	132	7	4	4	7	10	24	28	48	1	.	.	1	.	.	1	.	19	2	5	9	8	.	.	1	5	1
PEMBROKE,	29,347	17·4	2·0	128	17	8	6	3	5	18	29	42	.	.	.	7	1	4	.	.	15	3	9	12	16	3	.	.	2	1
BLACKROCK,	9,090	15·0	0·4	34	2	.	2	1	2	6	6	15	.	.	.	.	.	.	1	.	5	2	.	4	3	.	.	.	.	.
KINGSTOWN,	17,227	22·1	0·7	95	8	3	2	7	4	12	24	35	.	.	.	2	.	.	.	.	13	2	10	4	9	1	.	.	2	4
Total City. North,	158,594	20·9	3·1	830	131	100	63	44	38	141	182	131	4	.	.	52	6	18	12	.	104	31	33	76	107	16	4	11	14	18
Total City. South,	151,144	20·6	2·0	780	142	65	45	45	43	108	164	168	6	1	.	21	5	11	12	.	113	47	36	57	102	6	.	12	23	17
Total City. North and South,	309,738	20·8	2·5	1,610	273	165	108	89	81	249	346	299	10	1	.	73	11	29	24	.	217	78	69	133	209	22	4	23	37	35
Total Urban Districts,	93,994	16·6	1·0	389	34	15	14	18	21	60	87	140	1	.	.	10	1	4	2	.	52	9	24	29	36	4	.	1	9	6
Total Registration Area,	403,732	19·8	2·2	1,999	307	180	122	107	102	309	433	439	11	1	.	83	12	33	26	.	269	87	93	162	245	26	4	24	46	41
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				116	4	.	8	12	13	30	32	17	.	.	.	.	2	.	4	1	19	12	16	8	4	.	.	.	4	.

* See note (*) on page 416h.

† See note (*) on page 416i.

TABLE III.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) **ending Saturday, 1st July, 1911**; the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDING SATURDAY, 1ST JULY, 1911.

Class.	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS, ...	375,350	—	2,115	621	119	115	339	465	277	179	11	1	.	83	14	33	30	1	288	99	109	40	170	249	26	4	24	50	883	41
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	17·2	75	3	.	2	8	20	16	26	.	.	.	1	.	.	1	.	5	1	3	.	8	2	.	.	.	3	51	.
II.	MIDDLE CLASS, ...	87,188	15·5	338	50	23	22	60	82	49	52	1	1	.	6	2	3	4	.	53	10	22	2	20	23	3	.	2	10	176	3
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	16·4	454	139	33	25	70	97	59	31	4	.	.	20	2	6	8	.	56	26	25	11	34	41	5	.	2	7	207	13
IV.	GENERAL SERVICE CLASS, ...	154,279	22·5	866	360	59	46	126	157	84	34	3	.	.	54	10	23	16	1	116	43	33	25	89	111	11	.	13	29	289	25
V.	INMATES OF WORKHOUSES, ...	6,024	—	382	69	4	20	75	109	69	36	3	.	.	2	.	1	1	.	58	19	26	2	19	72	7	4	7	1	160	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																														
	1. Clerical, Medical, Legal and Other Professions: Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	52	3	.	.	5	15	10	19	.	.	.	.	.	.	1	.	3	1	1	.	6	2	.	.	.	2	36	.
	2. Merchants and Manufacturers, Higher Class	1,277	6·3	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	10·0	21	.	.	2	3	4	5	7	.	.	.	1	.	.	.	.	2	.	2	.	2	.	.	.	.	1	13	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·0	25	3	3	.	4	5	5	5	.	.	.	.	1	.	.	.	1	.	4	1	2	1	1	.	.	1	13	1
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	17·1	94	17	2	.	8	33	20	14	.	.	.	1	.	1	3	.	5	2	5	.	6	6	1	.	1	3	60	.
	6. Clerks and Commercial Assistants, ...	30,432	14·5	110	26	10	14	31	17	7	5	1	1	.	5	1	2	.	.	30	6	4	1	4	8	1	.	1	2	43	.
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above, ...	27,028	16·1	109	4	8	8	17	27	17	28	.	.	.	.	.	.	1	.	17	2	9	.	8	8	.	.	.	4	60	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	17·4	43	20	3	1	5	6	3	5	.	.	.	1	1	.	2	.	5	2	.	2	2	.	2	.	.	.	26	1
	9. Building and Furnishing Trades, ...	29,801	17·7	132	51	12	6	19	23	15	6	.	.	.	6	1	2	3	.	11	10	9	6	12	17	1	.	2	2	50	4
	10. Clothing Trades, ...	23,260	9·6	56	15	2	6	12	10	7	4	1	.	.	2	.	2	.	.	12	3	4	1	4	4	.	.	.	1	22	1
	11. Food Supply Trades, ...	9,242	11·2	26	9	2	.	7	4	2	2	1	.	.	2	.	1	1	.	3	3	1	.	.	2	.	.	.	1	11	1
	12. Other Trades and Callings ranking with Trades, ...	30,352	21·9	166	35	13	12	22	47	25	12	1	.	.	5	.	1	2	.	25	6	10	1	13	15	2	.	.	2	83	4
	13. Petty Shopkeepers, ...	7,894	15·7	31	9	1	.	5	7	7	2	1	.	.	4	.	.	.	.	.	2	1	1	3	3	.	.	.	1	15	2
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c.	13,425	18·2	61	18	1	3	11	11	12	5	.	.	.	.	2	.	.	.	6	5	3	1	8	6	.	.	1	2	27	3
	15. Domestic Servants, ...	36,603	9·6	88	16	1	13	27	11	12	8	1	.	.	7	1	1	.	.	20	2	5	.	8	8	.	.	.	4	31	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	23·6	85	25	7	6	14	18	9	6	.	.	.	2	1	2	2	.	16	5	2	.	7	9	.	.	1	2	36	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	28·1	632	301	50	24	74	117	51	15	2	.	.	45	6	20	14	1	74	31	23	24	66	88	11	.	11	21	195	22
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	382	69	4	20	75	109	69	36	3	.	.	2	.	1	1	.	58	19	26	2	19	72	7	4	7	1	160	.

Twenty two Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-one of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 18·1 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest:—Drogheda, 12·6; Portadown, 13·3; Sligo, 13·6; Armagh, 13·7; Clonmel, 14.0; Waterford, 14·4; Limerick, 14·5; Lurgan, 14·8; Newtownards, 14·9; Galway, 15·1; Lisburn, 15·1; Newry, 16·4; Tralee, 16·6; Belfast, 17·3; Ballymena, 17·6; Londonderry, 18·2; Wexford, 19·2; Queenstown, 19·2; Dublin Registration Area, 19·8; Dundalk, 20·1; Cork, 20·6; Kilkenny, 22·1.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 22 districts is 1·3 per 1,000 of the population, the rates varying from 0·0 in three of the districts to 2·4 in each of Londonderry and Dundalk.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-one provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter:—

Enteric Fever.—In Belfast 3 deaths, in Cork 2 deaths, and in each of Limerick and Dundalk one death, were registered.

Typhus.—There was one death from typhus in Belfast, also one death in Clonmel.

Small-Pox.—Not one death was registered in any of the urban districts.

Measles.—One death was registered in each of the following districts:—Belfast, Cork, Drogheda, and Newtownards.

Scarlet Fever.—Of 4 deaths, 3 appertained to Belfast, and one to Londonderry.

Whooping-cough.—There were 13 deaths in Belfast, 11 in Cork, 20 in Londonderry, 3 in Sligo, and one in each of Portadown and Newtownards.

Diphtheria.—The deaths, in number 18, were registered as follows:—In Belfast 4 deaths, in Limerick 2 deaths, in Dundalk 6 deaths, and in each of the following one death—Galway, Wexford, Ballymena, Kilkenny, Clonmel, and Queenstown.

Diarrhœal Diseases.—There were 37 deaths in Belfast, 4 in Cork, 3 in each of Londonderry, Galway, Clonmel, and Tralee; and 2 in each of Limerick and Waterford.

Phthisis.—The annual death-rate from phthisis for the 22 towns in the aggregate was 2·6 per 1,000 of the population, for the Dublin Registration Area it was 2·7 per 1,000, for Belfast County Borough 2·5 per 1,000, and for the Urban Districts collectively (exclusive of Belfast and Dublin Registration Area), it was 2·5 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ending Saturday, 1st July, 1911,** in the Dublin Registration Area, and in each of the undermentioned Twenty-one Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other localities), with the number of Deaths from some of the principal causes; also the number of Uncertified Deaths.

Towns and Districts.	Census Statistics of Districts.* Population. Total.	Population. Persons to an Acre.	Annual Rate per 1,000 persons Represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in Cols. 10-17, 23-5.	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
	Registration—Quarter (13 weeks) ending Saturday, 1st July, 1911. Numbers Registered.																												
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
Total of 22 Town Districts, ...	1,149,495	20·2	29·1	18·1	1·3	8.361	5,195	799	1.240	18	3	...	87	16	82	44	...	736	266	234	400	674	47	14	55	109	174	1,684	176
Dublin Registration Area:— Total	403,732	29·3	29·8	19·8	2·2	3,006	1,999	307	439	11	1	...	83	12	33	26	...	269	87	93	162	245	26	4	24	46	46	841	41
City of Dublin, ...	309,738	39·2	33·6	20·8	2·5	2,599	1,610	273	299	10	1	...	73	11	29	24	...	217	78	69	133	209	22	4	23	37	38	729	35
Urban Districts. Rathmines and Rathgar, ...	38,330	22·4	15·5	13·8	0·4	149	132	7	48	1	...	...	1	...	...	1	...	19	2	5	9	8	...	...	1	5	3	40	1
Urban Districts. Pembroke, ...	29,347	18·5	17·7	17·4	2·0	130	128	17	42	...	...	...	7	1	4	...	...	15	3	9	12	16	3	...	...	2	2	35	1
Urban Districts. Blackrock, ...	9,090	8·4	13·6	15·0	0·4	31	34	2	15	...	...	...	...	...	...	1	...	5	2	...	4	3	...	...	...	...	...	12	...
Urban Districts. Kingstown, ...	17,227	11·8	22·5	22·1	0·7	97	95	8	35	...	...	...	2	...	...	...	...	13	2	10	4	9	1	...	...	2	3	25	4
Urban Districts. Belfast, ...	386,449	26·3	29·8	17·3	0·6	2.883	1,667†	285	329	3	1	...	1	3	13	4	...	244	110	75	151	237	10	5	22	36	80	439	20
Urban Districts. Cork, ...	76,632	33·8	29·4	20·6	0·9	564	395	58	108	2	...	...	1	...	11	...	...	64	19	18	15	33	2	1	1	8	15	163	23
Urban Districts. Londonderry, ...	40,799	18·9	26·2	18·2	2·4	267	186	32	51	...	...	...	...	1	20	...	...	27	7	11	10	38	3	...	...	3	5	14	3
Urban Districts. Limerick, ...	38,403	18·2	28·5	14·5	0·5	274	139	16	32	1	...	...	...	...	...	2	...	14	5	3	9	33	...	...	2	...	3	46	23
Urban Districts. Waterford, ...	27,430	19·1	22·7	14·4	0·3	156	99	16	32	...	...	...	...	...	...	...	...	19	3	3	5	14	...	1	1	1	5	37	10
Urban Districts. Galway, ...	13,249	2·5	29·6	15·1	1·2	98	50	9	22	...	...	...	...	...	...	1	...	4	2	2	...	4	3	...	...	4	4	12	6
Urban Districts. Dundalk, ...	13,128	9·5	23·8	20·1	2·4	78	66	5	23	1	...	...	...	...	...	6	...	8	2	5	3	8	...	...	1	2	1	12	6
Urban Districts. Drogheda, ...	12,425	8·4	23·8	12·6	0·3	74	39	2	16	...	...	...	1	...	...	...	...	4	...	1	4	5	...	...	...	1	2	7	4
Urban Districts. Newry, ...	11,956	17·2	23·8	16·4	...	71	49	2	16	...	...	...	...	...	...	...	...	6	3	4	5	2	...	...	...	1	2	11	2
Urban Districts. Lurgan, ...	12,135	14·3	21·4	14·8	0·3	65	45	5	15	...	...	...	...	...	...	...	...	15	2	1	2	6	...	...	1	...	...	16	...
Urban Districts. Lisburn, ...	12,172	10·7	31·5	15·1	...	96	46	7	15	...	...	...	...	...	...	...	...	7	3	3	6	2	...	...	...	...	...	9	1
Urban Districts. Wexford, ...	11,455	23·8	32·1	19·2	0·7	92	55	9	20	...	...	...	...	...	...	1	...	7	5	2	5	8	...	...	1	2	1	15	11
Urban Districts. Ballymena, ...	11,376	9·3	28·8	17·6	0·7	82	50	7	15	...	...	...	...	...	...	1	...	5	1	3	5	3	...	1	...	3	1	5	4
Urban Districts. Sligo, ...	11,163	3·8	22·2	13·6	1·4	62	38	7	14	...	...	...	...	...	3	...	...	7	2	2	3	2	1	...	...	...	...	14	7
Urban Districts. Kilkenny, ...	10,513	11·4	31·2	22·1	0·4	82	58	10	23	...	...	...	...	...	...	1	...	7	3	...	5	11	...	...	...	...	2	13	4
Urban Districts. Clonmel, ...	10,277	7·9	25·7	14·0	1·9	66	36	8	9	...	1	...	...	...	...	1	...	8	3	...	...	4	2	...	1	...	1	6	1
Urban Districts. Portadown, ...	11,727	15·3	37·5	13·3	0·3	110	39	4	9	...	...	...	...	...	1	...	...	4	2	...	1	2	...	...	...	1	3	...	2
Urban Districts. Tralee, ...	9,867	16·6	33·6	16·6	1·2	83	41	2	12	...	...	...	...	...	...	...	...	9	3	1	...	4	...	2	1	...	...	16	1
Urban Districts. Newtownards, ...	9,110	18·9	31·2	14·9	0·9	71	34	4	15	...	...	...	1	...	1	...	...	4	1	4	1	10	...	...	...	1	1	4	1
Urban Districts. Queenstown, ...	7,909	14·4	21·2	19·2	0·5	42	38	2	15	...	...	...	...	...	...	1	...	3	3	2	6	2	...	...	...	...	1	2	...
Urban Districts. Armagh, ...	7,588	22·2	20·6	13·7	...	39	26	2	10	...	...	...	...	...	...	...	...	1	...	1	2	1	...	...	...	...	1	2	6

* In the cases of the Districts comprising the Dublin Registration Area and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901.

† Including 2 deaths from cerebro-spinal fever.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) **ended 1st July, 1911,** Deaths in Public Institutions of persons *admitted from without each City being omitted,* and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population according to the Census of 1911 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at certain AGE-PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911 (unrevised).	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Diseases in Cols. 12-19, 25-7.	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,		134	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		65	14	.	8	15	17	11	.	.	.	.	.	1	.	.	10	2	1	8	9	.	.	.	3	6	23	.
Do. 2 do.		328			212	33	15	26	40	52	46	1	1	.	1	1	.	1	.	43	7	6	18	32	6	.	1	1	9	71	3
Do. 3 do.		359			241	50	20	30	44	63	34	.	.	.	.	.	6	1	.	34	23	6	29	32	1	1	3	2	6	47	1
Do. 4 do.		371			159	31	12	15	36	40	25	1	.	.	.	1	1	.	.	24	5	6	12	23	.	.	7	3	4	69	1
Do. 5 do.		153			96	17	10	10	18	20	21	1	.	.	.	.	.	.	.	11	12	5	9	12	.	.	1	10	10	37	.
Do. 6 do.		189			150	9	7	14	20	43	57	.	.	.	.	.	3	.	.	18	2	10	9	18	.	.	.	2	6	24	1
Do. 7 do.		19			8	.	1	1	1	1	4	.	.	.	.	.	.	.	.	1	.	2	1	1	1	.	.	.	.	3	1
Do. 8 do.	385,492	32			28	3	4	3	5	7	6	.	.	.	.	1	.	.	.	2	1	3	1	4	1	.	.	1	3	3	.
Do. 9 do.		166			90	15	4	17	18	18	18	.	.	.	.	.	.	.	.	11	9	.	11	16	.	.	.	3	4	23	1
Do. 10 do.		222			129	23	10	17	24	32	23	.	.	.	.	.	1	.	.	25	4	7	17	20	.	2	2	2	5	29	2
Do. 11 do.		273			133	17	14	12	30	37	23	.	.	.	.	.	.	.	.	25	8	8	7	22	.	1	.	5	6	20	3
Do. 12 do.		340			141	29	10	21	40	21	20	.	.	.	.	.	.	.	.	8	25	7	8	30	.	.	6	1	11	33	2
Do. 13 do.		125			79	12	5	9	13	17	23	.	.	.	.	.	.	.	.	14	2	6	7	8	.	.	1	1	3	14	2
Do. 14 do.		.			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		172			135	32	13	11	23	39	17	.	.	.	.	.	1	2	.	18	10	8	14	10	1	1	1	2	7	43	3
Total,	—	2,883			1,667*	285	125	194	327	407	329	3	1	.	1	3	13	4	.	244	110	75	151	237	10	5	22	36	80	439	20
City of Cork.																															
CORK URBAN No. 1 DISTRICT,		84	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		78	8	3	9	9	20	29	1	.	.	1	.	1	.	.	7	3	5	3	6	.	1	.	1	.	41	1
Do. 2 do.		87			38	7	6	6	5	7	7	1	.	.	.	.	.	.	.	2	1	1	3	7	1	.	.	1	2	8	2
Do. 3 do.		81			47	7	5	10	10	8	7	.	.	.	.	.	.	.	.	15	4	3	4	6	1	.	.	.	2	17	3
Do. 4 do.	76,632	68			43	9	3	6	5	11	9	.	.	.	.	.	2	.	.	7	2	3	2	3	.	.	1	1	7	12	2
Do. 5 do.		35			28	4	2	2	5	7	8	.	.	.	.	.	1	.	.	4	1	1	.	4	.	.	.	1	2	14	1
Do. 6 do.		91			82	11	8	14	18	11	20	.	.	.	.	.	6	.	.	16	5	3	1	.	.	.	.	.	.	38	9
Do. 7 do.		118			79	12	6	9	8	16	28	.	.	.	.	.	1	.	.	13	3	2	2	7	.	.	.	4	2	33	5
Total,	—	564	20·6	0·9	395	58	33	56	60	80	108	2	.	.	1	.	11	.	.	64	19	18	15	33	2	1	1	8	15	163	23

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
31st *July*, 1911.

* See note (†) on page 416*i*.

WILLIAM J. THOMPSON,
Registrar-General.

Printed by A. THOM & Co. (Ltd.) 31024. Wt. P. 1.—60/138. 375. 7. 1911. Sch. C. 9.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & Co., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 8TH JULY, 1911. [No. 27.

General Register Office, Charlemont House,
Dublin, 10*th July,* 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 14·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending June 17	June 24	July 1	July 8	Average Rate for 4 weeks.
22 Town Districts, ...	**15·9**	**13·5**	**17·0**	**14·2**	**15·1**
Armagh	6·9	20·6	6·9	.	8·6
Ballymena	18·3	9·2	18·3	22·9	17·2
Belfast	14·4	11·1	15·7	12·4	13·4
Clonmel	10·1	15·2	.	15·2	10·1
Cork	15·0	19·7	18·4	15·8	17·2
Drogheda	8·4	4·2	16·8	8·4	9·5
Dublin Reg. Area ...	19·2	15·1	19·5	13·9	16·9
Dundalk	7·9	11·9	27·8	11·9	14·9
Galway	11·8	3·9	35·4	15·7	16·7
Kilkenny	29·8	29·8	14·9	24·8	24·8
Limerick	12·2	6·8	14·9	16·3	12·6
Lisburn	12·9	12·9	17·1	12·9	14·0
Londonderry	10·2	8·9	14·1	8·9	10·5
Lurgan	12·9	12·9	12·9	30·1	17·2
Newry	8·7	8·7	4·4	21·8	10·9
Newtownards	.	11·4	17·2	17·2	11·5
Portadown	8·9	31·1	4·4	.	11·1
Queenstown	26·4	19·8	33·0	6·6	21·4
Sligo	14·0	14·0	14·0	.	10·5
Tralee	21·1	10·6	10·6	31·7	18·5
Waterford	17·1	7·6	5·7	28·5	14·7
Wexford	22·8	41·0	22·8	36·4	30·7

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·0 per 1,000, the rates varying from 0·0 in sixteen of the districts to 6·6 in Queenstown. Included in the 92 deaths from all causes for Belfast are one from each of scarlet fever and diphtheria, and 2 from diarrhœal diseases. Among the 23 deaths for Cork are one from typhus and 2 from measles, and one of the 7 deaths for Londonderry is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 190—110 boys and 80 girls—and the deaths to 120—74 males and 46 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 13·9 per 1,000 of the population. During the twenty-seven weeks ending with Saturday last the death-rate averaged 21·3, and was 2·5 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II. and note to Table VII.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 120, represent an annual rate of 15·5 per 1,000; the annual rate for the past twenty-seven weeks was 22·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 24·9 per 1,000 of the mean population for all deaths registered.

The deaths included one from enteric fever, 4 deaths from measles, one from scarlet fever, 2 from diphtheria, one* death from dysentery, 4 deaths from diarrhœa and *enteritis* of children under 2 years of age, and one death from influenza. In each of the three preceding weeks, deaths from enteric fever were 0, one, and 0; deaths from measles were 2, 8, and 7; deaths from scarlet fever were 0, 0, and 0; deaths from whooping-cough were 3, 2, and 2; deaths from diphtheria were one, 4, and 2; deaths from diarrhœa and *enteritis* of children under 2 years of age were 4, 4, and 3, and deaths from influenza were one, 0, and one.

Deaths from all forms of tuberculous disease numbered 14; this figure includes 7 deaths from pulmonary tuberculosis, 3 deaths from tuberculous meningitis, 2 deaths from abdominal tuberculosis, and 2 deaths from disseminated tuberculosis. In each of the three preceding weeks deaths from all forms of tuberculous disease numbered 30, 18, and 27.

There were 3 deaths from broncho-pneumonia, one death from lobar pneumonia, and 5 deaths from *pneumonia* (type not distinguished).

Twelve deaths were attributed to cancer.

The deaths of 4 infants were caused by *convulsions*.

There were 16 deaths from diseases of the circulatory system, and 5 deaths from bronchitis.

The deaths of 3 infants were ascribed to congenital malformations, 9 to premature birth, and 3 to congenital debility.

The deaths of 5 persons were assigned to accidental causes, and there was one death by suicide.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 8 infants under one year old.

Forty-three of the persons whose deaths were registered during the week were under 5 years of age (29 being infants under one year, of whom 16 were under one month old) and 27 were aged 65 years and upwards, including 20 persons aged 70 and upwards; among the latter were 12 aged 75 years and upwards.

Fifty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 7 took place in the North Dublin Union Workhouse and 12 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 13·9 per 1,000; the rate in the City was 15·3 (North City Districts, 12·8; South, 17·9) and in the Suburbs, 9·4.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants, the rate for the City being 1·7 (1·0 in the North City Districts, and 2·4 in the South), and for the Suburbs, 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (3) are equal to an annual rate of 5·2 per 1,000, and include one death from each of influenza, pulmonary tuberculosis, and broncho-pneumonia.

No. 1 North City District, West (Summer-hill).—The deaths (11) are equal to an annual rate of 14·4 per 1,000. There was one death from broncho-pneumonia included in the total.

No. 2 North City District (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 17·0 per 1,000. Diphtheria caused one death, there were 3 deaths from tuberculous disease, one death from lobar pneumonia and two deaths from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (14) represent an annual rate of 21·8 per 1,000. Measles caused 2 deaths; there was one death from pulmonary tuberculosis, one death from *pneumonia* (type not distinguished), one death from bronchitis, and two accidental deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Finglas and Glasnevin, part of, 6·8 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Coolock and Drumcondra, part of, 0·0.

No. 1 South City District (South Earl-street).—The deaths (18) represent an annual rate of 22·7 per 1,000. Measles and diphtheria each caused one death, there were 3 deaths from tuberculous disease, one death from *pneumonia* (type not distinguished), 2 accidental deaths, and one death by suicide.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 28·8 per 1,000, and include one death from tuberculous meningitis, and one death from bronchitis.

No. 3 South City District (Peter-street).—The deaths (13) are equal to an annual rate of 15·7 per 1,000. Enteric fever and scarlet fever each caused one death, there were 3 deaths from tuberculous disease, and one accidental death.

No. 4 South City District (Grand Canal Street).—The deaths (8) are equivalent to an annual rate of 11·6 per 1,000. There was one death from pulmonary tuberculosis, also one death from *pneumonia* (type not distinguished).

New Kilmainham District.—The only death for this district, equal to an annual rate of 5·8 per 1,000, was from congenital debility.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 6·8; Pembroke, 17·8; Blackrock, 5·7; and Kingstown, 3·0. The deaths from the principal epidemic diseases tabulated for these districts include one from measles and one from *enteritis* of a child under 2 years of age for Rathmines and Rathgar. Among the 5 deaths from all causes for the first-named district are one from *pneumonia* (type not distinguished) and one from bronchitis; and included in the 10 deaths for Pembroke are one from each of pulmonary tuberculosis and *pneumonia* (type not distinguished).

* See Note (*c*), Table II.

† See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 8th July, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	June 17,	.	—	—	6	3	.	10	.	4	14	3	.	—	—	.	—	17	—	57
	June 24,	.	—	—	18	1	.	7	.	2	9	3	.	—	—	.	—	6	—	46
	July 1,	.	—	—	13	.	.	14	.	1	15	10	.	—	—	.	—	11	—	64
	July 8,	.	—	—	18	.	.	6	.	1	11	4	.	—	—	.	—	5	—	45
Rathmines and Rathgar Urban District.	June 17,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	—	—	3
	June 24,	.	—	—	1	.	.	.	.	.	.	1	.	.	—	—	—	—	—	2
	July 1,	.	—	—	.	.	.	1	.	.	.	.	.	.	—	—	—	—	—	1
	July 8,	.	—	—	.	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Pembroke Urban District.	June 17,	.	6	.	.	.	.	.	.	.	.	2	.	—	4	.	—	.	—	12
	June 24,	.	6	.	.	.	.	.	.	.	2	.	.	—	11	.	—	.	—	19
	July 1,	.	5	.	.	.	.	.	.	.	.	.	.	.	7	.	—	.	—	12
	July 8,	.	5	.	.	.	.	.	.	.	1	.	.	.	7	.	—	.	—	13
Blackrock Urban District.	June 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	June 24,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	July 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	July 8,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	June 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	June 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 1,	.	—	—	.	.	.	.	.	.	1	2	.	—	—	—	—	.	—	3
	July 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	June 17,	.	—	—	12	3	.	5	.	.	1	3	1	—	—	.	—	11	—	36
	June 24,	.	—	—	8	1	.	4	.	.	.	2	1	—	—	.	—	10	—	26
	July 1,	.	—	—	7	.	.	8	.	.	.	4	1	—	—	.	—	14	—	34
	July 8,	.	—	—	12	.	.	7	1	.	.	2	.	—	—	.	—	7	—	29

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th July, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Fifteen cases of measles were admitted to hospital during the week, 23 were discharged, there were 3 deaths, and 43 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 91, 85, and 54, respectively.

Twenty cases of scarlet fever were admitted to hospital, 14 were discharged, there were 2 deaths, and 73* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 72, 67, and 69, respectively.

Two cases of typhus were discharged from hospital during the week, and two cases remained under treatment in hospital at the close of the week.

Eleven cases of diphtheria were admitted to hospital during the week, 7 were discharged, and there were 4 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 40, 32, and 45, respectively, were 45 at the close of last week.

Five cases of enteric fever were admitted to hospital during the week, 11 were discharged, 3 died, and 45 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 43, 45, and 54.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, one was discharged, there were 2 deaths, and 27 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 11·0) was equal to an average annual death-rate of 12·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 14·6 per 1,000, the rate for Glasgow being 16·2 and for Edinburgh 14·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 8th July. From this Report it appears that of a total of 50 cases notified, 14 were scarlet fever, 14 diphtheria, 13 phthisis, and 9 erysipelas. Among the 322 cases of infectious diseases in hospital at the close of the week were 99 cases of scarlet fever, 65 of whooping-cough, 60 of phthisis, 45 of diphtheria, 34 of measles, 7 of erysipelas, 7 of chicken-pox, one of enteric fever, and one of puerperal fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 8th July, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Urban Districts.	Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 8th July, 1911. Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 8th July, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st July, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 24th June, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
	Total of 22 Town Districts, ...	1,149,495	20·2	25·2	14·2	1·0	556	312	54	66	1	1	...	6	2	1	3	...	39	17	19	20	26	4	...	4	8	9	94	17	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
	Dublin Registration Area:— Total. (c) ...	403,732	29·3	24·4	13·9	1·5	190	108	28	23	1	...	...	4	1	...	2	...	7	7	8	8	6	1	...	3	6	3	38	9	e79·3	41·9	59·6	0·02	e68·8	40·4	55·5	0·17	e61·9	43·9	56·2	0·78
	City of Dublin,	309,738	39·2	26·8	15·3	1·7	159	91	23	19	1	...	...	3	1	...	2	...	6	7	6	6	5	1	..	2	6	3	35	7	f76·4 g77·9	45·6 43·0	60·6 60·2	0·02 0·02	f69·4 g69·9	45·9 41·0	56·6 56·2	0·12 0·13	f66·1 g66·9	47·1 44·0	57·3 56·7	0·92 0·74
Urban Districts.	Rathmines and Rathgar.	38,330	22·4	12·2	6·8	2·7	9	5	1	1	...	...	...	1	...	...	...	.	...	...	...	1	1	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
	Pembroke, ...	29,347	18·5	26·7	17·8	...	15	10	4	2	...	...	...	...	...	...	...	...	1	..	1	1	...	...	...	...	...	...	2	2	...	...	...	...	...	...	...	...	...	...	...	...
	Blackrock, ...	9,090	8·4	11·5	5·7	...	2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Kingstown, ...	17,227	11·8	12·1	3·0	...	5	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	75	46	61·3	0·00	70	47	56·9	0·09	67	48	58·2	0·25
Urban Districts.	Belfast ...	386,449	26·3	28·7	12·4	0·5	213	92	11	13	...	...	...	...	1	...	1	...	16	5	4	7	11	1	...	1	...	2	29	...	76·0	43·8	59·1	0·25	65·0	43·0	54·8	0·32	66·0	46·0	57·4	1·23
	Cork, ...	76,632	33·8	21·9	15·8	2·1	32	23	2	4	...	1	...	2	...	...	...	...	2	2	2	...	1	...	...	...	...	...	7	...	70	48	57·6	0·02	67	49	56·9	0·07	65	48	56·5	0·64
	Londonderry ...	40,799	18·9	23·0	8·9	1·3	18	7	...	1	...	...	...	...	...	1	...	...	...	..	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Limerick, ...	38,403	18·2	21·7	16·3	...	16	12	1	5	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	4	1	79·3	40·8	59·3	0·00	63	47	55·2	0·24	64·8	44·1	55·1	0·97
	Waterford, ...	27,430	19·1	34·2	28·5	...	18	15	3	3	...	...	...	...	...	...	...	...	6	1	..	...	1	...	...	...	...	...	8	4	...	..	...	...	...	...	...	...	...	...	...	...
	Galway, ...	13,249	2·5	15·7	15·7	...	4	4	...	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	70	44	57	0·00	66	47	55	0·24	65	45	56	0·54
	Dundalk, ...	13,128	9·5	35·7	11·9	...	9	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Drogheda, ...	12,425	8·4	4·2	8·4	...	1	2	...	1	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...
	Newry, ...	11,956	17·2	21·8	21·8	...	5	5	...	1	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	1	...	...	75·0	42·0	58·5	0·43	67·0	40·3	54·1	0·37	66·7	41·0	55·4	0·75
	Lurgan, ...	12,135	14·3	38·7	30·1	...	9	7	...	3	...	...	...	...	...	...	...	...	1	...	1	1	1	...	...	...	...	...	...	...	75·0	42·0	58·5	0·43	67·0	40·3	54·1	0·37	66·7	41·0	55·4	0·75
	Lisburn, ...	12,172	10·7	17·1	12·9	...	4	3	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	75·0	42·0	58·5	0·43	67·0	40·3	54·1	0·37	66·7	41·0	55·4	0·75
	Wexford, ...	11,455	23·8	18·2	36·4	...	4	8	3	3	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	..	...	1	3	...	...	...	...	...	...	...	...	...	...	...	...
	Ballymena, ...	11,376	9·3	4·6	22·9	...	1	5	1	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	1	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...
	Sligo, ...	11,163	3·8	9·3	.	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	74·1	42·0	57·3	0·85	63·8	43·3	52·9	0·45	63·5	45·4	54·4	1·21
	Kilkenny, ...	10,513	11·4	14·9	24·8	...	3	5	...	2	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	1	1	2	...	82	42	61·7	0·00	69	46	56·2	0·14	66	43	56·0	0·56
	Clonmel, ...	10,277	7·9	40·6	15·2	5·1	8	3	1	2	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
	Portadown, ...	11,727	15·3	40·0	.	...	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	75·0	42·0	58·5	0·43	67·0	40·3	54·1	0·37	66·7	41·0	55·4	0·75
	Tralee, ...	9,867	16·6	21·1	31·7	...	4	6	3	1	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
	Newtownards,	9,110	18·9	17·2	17·2	...	3	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	70	50	58·1	0·32	65	48	54·7	0·34	65	49	56·4	1·56
	Queenstown, ...	7,909	14·4	13·2	6·6	6·6	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	70	48	57·6	0·02	67	49	56·9	0·07	65	48	56·5	0·64
	Armagh, ...	7,588	22·2	13·7	.	...	2	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	75·0	42·0	58·5	0·43	67·0	40·3	54·1	0·37	66·7	41·0	55·4	0·75

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 12 deaths of persons (including one under one year old and 4 at 65 years or upwards), admitted to hospital from localities outside the Area; of the 12 deaths one was from dysentery. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 8th of July, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	2	.	.	.	1	.	.	.	.	1	.	.	.	4	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Tuberculous Disease. { Pulmonary Tuberculosis,	1	.	.	1	.	.	.	2	.	1	1	.	.	1	.	.	7	.
Tuberculous Disease. { Other Forms,	.	.	3	.	.	.	.	1	1	2	.	.	.	.	.	.	7	.
Cancer,	.	2	.	3	.	.	.	.	1	.	.	.	.	1	.	1	8	4
Diseases of Nervous System,	.	4	.	2	.	.	.	1	3	1	1	.	.	3	.	.	15	3
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	1	3	.	.	.	1	3	1	1	1	.	1	3	1	.	16	.
" Respiratory System. { Pneumonia,	1	1	1	1	.	.	.	1	.	.	1	.	1	1	.	.	8	1
" Respiratory System. { Others,	.	1	2	1	.	.	.	.	1	.	.	.	1	.	.	.	6	.
" Digestive System. { Diarrhœa, under 2 years,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, under 2 years,	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	3	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	2
" Genito-urinary System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy & Childbirth	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	.	.	1	.	.	.	3	2	3	4	1	.	1	.	.	15	1
Violent Deaths,	.	.	.	2	.	.	.	3	.	1	.	.	.	.	.	.	6	.
Ill-defined, &c. Causes,	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	3	.
Deaths from All Causes	3	11	10	14	.	.	1	18	12	13	8	1	5	10	1	1	108	12
Annual Rate of Mortality from All Causes in every 1,000 of the population.	5·2	14·4	17·0	21·8	.	.	6·8	22·7	28·8	15·7	11·6	5·8	6·8	17·8	5·7	3·0	13·9	.
	12·8							17·9					9·4					
	15·3																	
Ages at Death. Under 1 year,	1	.	1	4	.	.	.	7	3	3	3	1	1	4	.	.	28	1
1 and under 2 years,	.	1	.	1	.	.	.	1	1	1	.	.	1	.	.	.	6	.
2 " 5 "	.	.	1	2	.	.	.	2	.	2	1	.	.	.	.	.	8	.
5 " 15 "	.	.	1	.	.	.	.	1	.	2	.	.	.	.	.	.	4	.
15 " 25 "	.	2	2	1	.	.	.	1	.	.	.	.	.	.	.	.	6	1
25 " 45 "	1	2	1	2	.	.	.	2	5	1	1	.	1	1	.	.	17	2
45 " 65 "	.	2		1	.	.	1	3	1	1	2	.	1	3	.	1	16	4
65 and upwards,	1	4	4	3	.	.	.	1	2	3	1	.	1	2	1	.	23	4
Number of Uncertified Deaths,	.	.	.	1	.	.	.	1	.	1	3	1	.	2	.	.	9	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	.	.	.	5	.	.	.	7	1	4	.	.	1	2	.	.	20	11
Workhouse Hospitals,	.	4	2	1	.	.	.	3	4	3	1	.	.	.	.	.	18	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 27th Week of the 10 years 1901–1910.	In the Week ending Saturday, 8th July, 1911.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.				5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
	July 6, 1901.	July 5, 1902.	July 11, 1903.	July 9, 1904.	July 8, 1905.	July 7, 1906.	July 6, 1907.	July 4, 1908.	July 10, 1909.	July 9, 1910.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.						
Mean Temperature.	° 58·9	° 58·9	° 60·4	° 57·2	° 59·1	° 55·8	° 51·6	° 60·8	° 56·7	° 55·5	° 57·5	° 59·6										
ALL CAUSES.	153	149	138	138	140	130	146	140	122	143	139·9	120	16	13	6	8	4	7	19	20	15	12
Enteric Fever, ...	2	2	.	.	2	.	1	.	.	.	·7	1	.	.	.	.	1	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	6	.	2	1	.	6	7	.	1	2·3	4	.	.	3	1	.	.	.	.	.	.
Scarlet Fever, ...	.	1	.	.	1	.	3	2	.	.	·7	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	2	.	1	3	.	4	9	2	.	.	2·1	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	3	.	.	.	.	.	1	.	2	2	·8	2	.	.	.	1	1	.	.	.	.	.
Croup, ...	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	6	.	1	1	1	.	1	.	.	.	1·0	1	.	.	.	.	.	.	.	.	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	.	1
Erysipelas, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	1	1	.	.	4	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	3	.	.	2	.	1	1	1	2	2	1·2	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	1	..	.	1	.	2	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	19	18	26	28	23	26	21	17	19	11	20·8	7	.	.	.	1	.	1	4	1	.	.
Tuberculous Meningitis, ...	3	4	1	3	1	3	1	5	3	4	2·8	3	.	1	1	.	1	.	.	.	.	.
Abdominal Tuberculosis, ...	6	4	1	1	1	.	.	1	.	.	1·4	2	.	.	1	1	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	5	4	3	5	5	8	7	7	7	3	5·4	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												2	.	1	.	.	.	.	1	.	.	.
Venereal Diseases, ...	.	.	1	.	2	.	.	2	3	.	·8	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	7	2	7	8	8	7	5	12	3	8	6·7	12	.	.	.	.	.	.	2	6	4	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	1	.	1	1	.	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	1	2	.	.	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												1	.	1	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*												5	.	.	.	.	.	.	.	3	1	1
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												1	.	.	.	.	.	.	.	.	.	1
Epilepsy, ...												2	.	.	.	.	.	1	1	.	.	.
Convulsions (non-puerperal),												4	1	3	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	33	31	31	36	32	25	32	30	28	37	31·5	5	.	.	.	.	.	.	2	1	1	1
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												4	.	.	.	.	.	2	.	2	.	.
Organic Diseases of the Heart,												11	.	.	.	.	.	.	1	4	2	4
Embolism and Thrombosis (including Cerebral)												1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Circulatory System.												.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	8	11	6	10	11	17	15	7	11	8	10·4	5	.	1	.	.	.	.	1	.	1	2
Broncho-pneumonia, ...	5	3	6	.	1	3	5	4	3	5	9·7	3	.	1	1	.	.	.	.	.	1	.
Lobar-pneumonia, ...		1	1	.	.	.	2	2	1	.		1	.	.	.	.	.	.	1	.	.	.
Pneumonia (type not distinguished)		14	8	5	8	1	3	6	7	3		5	.	.	.	1	.	.	2	1	1	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	2	2	4	1	2	3	1	1	1	3	2·0	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System.												.	.	.	.	.	.	.	.	.	.	.

TWENTY-SEVENTH WEEK ending Saturday, 8th July, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 27th Week of the 10 years 1901–1910.	In the Week ending Saturday, 8th July, 1911.										
													Deaths of Persons of the Ages of									
	July 6, 1901.	July 5, 1902.	July 11, 1903.	July 9, 1904.	July 8, 1905.	July 7, 1906.	July 6, 1907.	July 4, 1908.	July 10, 1909.	July 9, 1910.		Mean Temp.	0—5. Under 1 month.	0—5. 1 month and under a year.	0—5. 1—2.	0—5. 2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 58·9	° 58·9	° 60·4	° 57·2	° 59·1	° 55·8	° 51·6	° 60·8	° 56·7	° 55·5	° 57·5	° 59·6										
Diseases of the Pharynx, Tonsillitis.	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	1	1	.	.	.
Diarrhœa of Children under 2 years.	1	2	1	5	6	.	.	.	2	6	2·3	1	.	1	.	.	.	.	.	.	.	.
,, 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	1	1	.	2	.	1	1	3	2	1	1·2	3	.	3	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	1	.	.	.	.
Cirrhosis of Liver, ...	2	.	.	2	2	.	.	1	2	.	1·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...		1	1	1	2	1	.	.	.	1		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	1	.	.	.	1	1	.	·3	1	.	.	.	.	.	1	.	.	.	.
Other Diseases of Digestive System.	7	1	2	2	4	3	3	9	6	3	4·0	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	7	2	8	2	7	5	5	7	5	8	5·6	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...												1	.	.	.	.	.	.	1	.	.	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	1	.	2	.	.	.	.	.	·3	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	3	.	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	3	3	.	.	.	.	.	.	.	.	.
Premature Birth, ...	4	3	2	4	1	5	2	2	2	12	3·7	9	8	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	3	2	.	.	1	.	.	.	.	.	.
Old Age, ...	7	12	2	2	1	3	1	.	1	2	3·1	1	.	.	.	.	.	.	.	.	.	1
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	2	3	.	.	.	.	.	.	.	2	·7	1	.	.	.	.	1	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	.	.	1	.	.	.	.	3	.	1	·5	..	.	.	.	.	.	.	.	.	.	.
By Drowning, ...	2	2	2	.	.	1	1	.	1	1	1·0	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	2	2	1	.	3	1	3	1	4	1·9	4	2	.	.	1	.	.	.	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	1	.	1	.	.	.	·2	1	.	.	.	.	.	.	.	.	1	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	.	.	.	1	.	1	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.
No. of weeks in Annual Series,	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
BIRTHS registered.	230	238	232	219	241	192	214	217	238	203	276	230	198	171	174	259	260	242	226	246	261	228	232	185	324	190
Average Births in corresponding week of previous 10 years, ...	208	209	201	241	217	212	209	216	223	212	212	233	202	210	223	199	268	231	210	204	238	226	207	224	237	200
DEATHS registered, ...	179	190	228	200	220	208	195	180	174	170	214	177	191	174	196	181	176	170	129	158	150	149	159	127	155	120
Annual Death-rate per 1,000, ...	22·9	24·3	29·2	25·6	28·2	26·6	25·0	23·1	22·3	21·8	27·4	22·7	24·5	22·3	25·1	23·2	22·5	21·8	16·5	20·2	19·2	19·2	20·5	16·4	20·0	15·5
Average Deaths in corresponding week of previous 10 years, ...	195	195	192	200	198	200	210	218	210	194	201	203	199	195	197	190	177	178	171	169	154	151	149	148	134	140
Ages, Under 5 years, ...	60	62	59	61	47	57	57	70	59	39	56	48	54	63	54	50	56	48	40	37	43	34	42	44	56	43
5—15 „ ...	10	7	11	6	10	6	10	9	12	9	7	14	17	4	5	11	14	7	6	14	10	8	4	9	10	4
15—25 „ ...	7	10	11	12	13	5	6	6	7	7	13	8	10	10	14	7	6	8	9	11	9	9	13	2	7	7
25—45 „ ...	24	27	32	32	41	36	35	32	24	24	42	19	33	25	31	33	15	35	21	21	29	26	32	18	20	19
45—65 „ ...	38	41	55	48	51	49	35	36	36	42	44	36	44	43	45	35	30	38	36	39	29	33	31	34	28	20
65—75 „ ...	25	28	34	22	39	33	29	19	19	28	32	29	27	19	29	25	34	19	10	24	17	26	18	13	16	15
75 and upwards, ...	15	15	26	19	19	22	23	8	17	21	20	23	6	10	18	20	21	15	7	12	13	13	19	7	18	12
Deaths from :—																										
Enteric Fever, ...	1	.	2	3	2	2	2	4	3	1	2	1	3	1	1	.	1	1	1	1	1	.	.	1	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	6	2	2	2	2	3	7	7	7	3	2	1	7	11	5	8	17	4	6	3	4	2	8	7	4
Scarlet Fever, ...	.	.	1	.	4	6	2	2	.	.	1	.	1	4	1	.	1	1	.	2	2	2	.	.	.	1
Whooping-cough, ...	5	6	10	4	3	6	7	11	4	4	6	5	3	6	.	2	3	2	4	1	4	1	3	2	2	.
Diphtheria, ...	2	4	1	5	2	3	2	.	2	.	1	1	4	3	4	1	2	3	1	.	1	4	1	4	2	2
Influenza, ...	1	1	4	3	4	5	7	2	2	2	1	2	2	.	3	.	3	2	1	2	.	.	1	.	1	1
Dysentery, ...	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Tuberculous Disease, Phthisis, ...	19	27	28	19	27	22	18	20	17	28	32	16	29	21	33	22	21	17	25	22	22	25	23	7	21	7
Tuberculous Disease, Other Forms,	6	9	7	4	6	8	7	7	8	8	15	13	10	3	8	10	6	6	6	9	9	8	7	11	6	7
Cancer, ...	3	12	7	16	11	4	6	5	8	6	10	13	11	8	7	9	6	5	6	11	9	12	10	7	8	12
Diseases of Circulatory System,	20	13	25	19	23	17	21	14	13	24	27	22	23	14	15	24	17	23	7	19	12	12	23	14	22	16
Diseases of Respiratory System, Pneumonia,	16	10	17	18	20	15	21	13	16	14	13	13	18	19	16	18	22	15	12	6	10	8	9	8	9	9
Diseases of Respiratory System, Others, ...	25	28	42	30	41	44	28	29	25	23	27	24	24	26	26	16	34	20	15	14	15	16	17	9	17	6
Diarrhœa, Under 2 years, ...	2	2	4	4	2	3	3	1	1	2	5	1	3	2	1	2	2	1	2	1	6	.	3	3	.	1
Diarrhœa, 2 years & upwards,	.	.	.	1	.	.	1	1	.	3	.	1	.	.	.	1	2	.	.	1	.	.	.	.	.	.
Enteritis, under 2 years, ...	2	2	.	3	3	1	1	1	2	1	3	1	3	3	2	2	2	.	1	1	4	1	1	1	3	3
Violent Deaths, ...	8	1	4	7	4	2	5	2	4	5	5	5	6	1	7	9	3	.	1	5	2	3	6	5	2	6
Number of Uncertified Deaths,	5	7	7	3	3	2	4	7	8	7	2	5	1	1	2	8	4	3	1	5	4	3	4	.	5	9
Mean Temperature of the Air (Phœnix Park)	39·0	38·6	45·5	35·9	37·0	46·4	43·4	46·5	41·1	38·0	41·7	42·7	39·4	43·7	50·5	50·5	49·6	52·6	49·5	55·3	56·2	55·6	52·6	56·2	55·5	59·6
Average Mean Temperature in corresponding week of previous 10 years, ...	40·0	40·8	40·5	40·3	40·3	39·8	39·9	40·5	41·7	42·7	42·6	42·4	44·1	43·1	45·1	46·2	46·7	48·1	49·1	50·9	53·7	53·5	53·6	55·5	56·5	57·5
Rainfall in inches, ...	·345	·153	·034	·000	·011	·582	·523	·681	·316	·206	·000	·770	·131	·000	·501	·606	·780	·127	·262	·010	·000	·000	·605	·782	·166	·018
Mean Humidity of the Air, complete Saturation 1·0, ...	·90	·93	·92	·87	·90	·91	·91	·92	·91	·89	·87	·90	·86	·86	·89	·91	·93	·94	·92	·89	·89	·88	·86	·91	·91	·92

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 8th July, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 8TH JULY, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	120	43	4	7	19	20	15	12	1	.	.	4	1	.	2	1	7	7	12	4	9	6	1	.	3	6	56	9
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	12·0	4	.	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	10·8	18	3	.	4	2	2	2	5	.	.	.	.	1	.	.	.	.	.	4	1	1	1	.	.	1	.	9	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	14·2	30	12	1	2	4	4	5	2	.	.	.	.	.	.	1	.	3	1	2	.	4	1	.	.	.	3	15	2
IV.	GENERAL SERVICE CLASS, ...	154,279	16·6	49	25	3	1	5	10	3	2	1	.	.	4	.	.	1	1	3	2	3	3	3	3	1	.	2	3	19	7
V.	INMATES OF WORKHOUSES, ...	6,024	—	19	3	.	.	7	4	3	2	.	.	.	.	.	.	.	.	1	4	2	.	1	1	.	.	.	.	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	9·5	4	1	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	2	.
	6. Clerks and Commercial Assistants, ...	30,432	8·6	5	2	.	1	1	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	11·6	6	.	.	2	1	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
	9. Building and Furnishing Trades, ...	29,801	15·7	9	5	1	.	2	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	7	1
	10. Clothing Trades, ...	23,260	9·0	4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.
	11. Food Supply Trades, ...	9,242	11·3	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	15·5	9	2	.	1	1	2	2	1	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	.	.	1	4	.
	13. Petty Shopkeepers, ...	7,894	26·4	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	1	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	11·7	3	2	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
	15. Domestic Servants, ...	36,603	2·8	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	14·5	4	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	23·2	40	21	3	1	3	7	3	2	1	.	.	2	.	.	1	1	2	2	2	2	2	2	1	.	2	3	17	6
	INMATES OF WORKHOUSES.																														
V.	18. Workhouse Inmates, ...	6,024	—	19	3	.	.	7	4	3	2	.	.	.	.	.	.	.	.	1	4	2	.	1	1	.	.	.	.	10	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (Office, Clarence-st. Nth.) Pop. in 1911 (Est.) 29,854.	May 20,	15·5	3·5	9	.	.	.	.	.	1	.	.	4	.	.	.	.	1	.	.	.	.
	„ 27,	36·2	5·2	21	1	.	.	.	1	.	.	.	1	1	2	1	3	.	.	1	1	2
	June 3,	20·7	5·2	12	.	.	.	.	1	.	1	.	1	.	1	.	2	.	.	1	.	.
	„ 10,	14·0	.	8	.	.	.	.	.	.	.	.	2	.	1	3	.	.	.	.	.	1
	„ 17,	19·2	1·7	11	.	.	.	.	.	.	.	.	3	1	.	.	2	.	.	1	1	.
	„ 24,	21·0	7·0	12	1	.	.	1	.	.	1	.	1	.	.	.	1	1	.	.	.	.
	July 1,	14·0	1·7	8	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	.	.	.
	„ 8,	5·2	.	3	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1911 (Est.) 39,902.	May 20,	27·1	3·9	21	1	.	.	.	.	2	.	.	3	.	.	1	6	.	.	.	.	.
	„ 27,	19·4	1·3	15	.	.	.	1	.	.	.	.	2	1	.	1	2	.	.	.	1	.
	June 3,	19·4	2·6	15	.	.	.	.	.	1	.	.	.	1	1	1	2	1	.	.	1	1
	„ 10,	24·8	5·2	19	.	.	.	3	.	.	1	.	2	.	1	1	2	.	.	.	.	.
	„ 17,	18·3	1·3	14	.	.	.	1	.	.	.	.	2	1	1	1	2	.	.	.	.	2
	„ 24,	19·6	1·3	15	.	.	.	.	.	.	1	.	1	1	.	2	1	.	.	.	.	.
	July 1,	19·6	2·6	15	.	.	.	2	.	.	.	.	2	.	2	2	.	.	.	.	.	.
	„ 8,	14·4	.	11	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.
North City, No. 2. (Office, Lisburn-street.) Pop. in 1911 (Est.) 30,689.	May 20,	21·8	.	13	.	.	.	.	.	.	.	.	4	1	1	1	.	.	.	.	.	.
	„ 27,	16·8	3·4	10	.	.	.	2	.	.	.	.	1	.	.	.	1	.	.	.	1	.
	June 3,	13·4	5·0	8	.	.	.	.	.	2	.	.	.	3	.	2	.	.	.	1	.	.
	„ 10,	23·8	5·1	14	.	.	.	1	1	.	1	.	.	.	1	.	4	.	.	.	.	.
	„ 17,	18·7	3·4	11	.	.	.	.	.	.	1	.	.	.	.	1	2	1	.	.	.	.
	„ 24,	20·4	5·1	12	.	.	.	1	.	2	.	.	1	.	1	.	2	.	.	.	.	.
	July 1,	15·3	1·7	9	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.
	„ 8,	17·0	1·7	10	.	.	.	.	.	.	1	.	.	3	.	1	2	.	.	.	.	.
North City, No. 3. (Office, Benburb-street.) Pop. in 1911 (Est.) 33,498.	May 20,	16·9	4·6	11	.	.	.	2	.	.	.	.	1	.	.	1	2	1	.	.	.	.
	„ 27,	13·8	3·1	9	.	.	.	1	.	.	.	.	2	.	1	.	.	.	1	.	.	.
	June 3,	21·5	7·7	14	.	.	.	2	.	1	.	.	4	1	.	1	1	1	.	1	.	.
	„ 10,	26·5	1·6	17	.	.	.	.	.	.	.	.	6	1	1	2	1	.	.	1	1	.
	„ 17,	15·6	3·1	10	.	.	.	1	.	.	.	.	.	1	.	2	1	1	.	.	.	.
	„ 24,	15·6	3·1	10	.	.	.	2	.	.	.	.	.	1	1	1	1	.	.	.	.	.
	July 1,	18·7	3·1	12	.	.	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	„ 8,	21·8	3·1	14	.	.	.	2	.	.	.	.	1	.	3	1	1	.	.	.	2	1
South City, No. 1. (Office, Sth. Earl-street.) Pop. in 1911. (Est.) 41,401.	May 20,	10·0	.	8	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	.
	„ 27,	21·2	.	17	.	.	.	.	.	.	.	.	3	2	2	1	3	.	.	.	.	1
	June 3,	24·9	1·2	20	.	.	.	.	1	.	.	.	2	1	.	4	2	.	.	.	.	.
	„ 10,	12·6	.	10	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.	.
	„ 17,	23·9	.	19	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	1	2
	„ 24,	10·1	3·8	8	.	.	.	2	.	.	1	.	.	1	.	2	.	.	.	.	.	.
	July 1,	30·2	2·5	24	.	.	.	.	.	.	1	.	5	1	.	.	5	.	.	1	.	1
	„ 8,	22·7	3·8	18	.	.	.	1	.	.	1	.	2	1	.	1	.	.	.	2	3	1
South City, No. 2. (Office, Castle-street.) Pop. in 1911 (Est.) 21,715.	May 20,	14·2	.	6	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.
	„ 27,	26·1	2·4	11	.	.	.	.	.	1	.	.	1	1	1	.	3	.	.	.	.	1
	June 3,	11·9	4·7	5	.	1	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.
	„ 10,	24·0	4·8	10	.	.	.	.	1	1	.	.	1	3	.	1	.	.	.	.	.	1
	„ 17,	31·2	.	13	.	.	.	.	.	.	.	.	1	1	2	2	2	.	.	.	1	.
	„ 24,	12·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
	July 1,	19·2	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
	„ 8,	28·8	2·4	12	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
South City, No. 3. (Office, Peter-street.) Pop. in 1911 (Est.) 43,149.	May 20,	11·9	2·4	10	.	.	.	1	.	.	1	.	1	.	1	3	1	.	.	.	.	.
	„ 27,	16·7	.	14	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	.	1
	June 3,	19·1	2·4	16	.	.	.	1	.	.	.	.	1	.	1	1	5	1	.	.	.	.
	„ 10,	26·6	.	22	.	.	.	.	.	.	.	.	5	.	3	.	4	.	.	.	.	.
	„ 17,	15·7	2·4	13	.	.	.	.	.	2	.	.	4	.	.	.	3	.	.	.	.	.
	„ 24,	16·9	2·4	14	.	.	.	1	.	.	.	.	1	3	.	1	.	.	.	1	2	.
	July 1,	21·8	.	18	.	.	.	.	.	.	.	.	3	2	2	1	2	.	.	.	.	.
	„ 8,	15·7	2·4	13	1	.	.	.	1	.	.	.	1	2	.	.	.	.	.	.	1	1
South City, No. 4. (Office, Grand Canal-st.) Pop. in 1911 (Est.) 35,816.	May 20,	12·9	2·9	9	.	.	.	1	.	.	.	.	.	2	.	.	2	.	.	1	.	1
	„ 27,	21·6	1·4	15	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	1	.
	June 3,	18·7	2·9	13	1	.	.	.	.	.	.	.	4	1	.	.	1	1	.	.	.	.
	„ 10,	13·1	2·9	9	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	.	1	.
	„ 17,	14·6	1·5	10	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	1	.
	„ 24,	11·6	.	8	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1	.
	July 1,	17·5	2·9	12	.	.	.	.	.	1	.	.	3	1	.	.	1	.	.	1	.	2
	„ 8,	11·6	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	3

* See note (‡) at foot of first page.

NOTE:—The rates given in this report for the weeks up to and including 3rd June, for the Dublin districts, Belfast and Londonderry of 1901; for the remaining weeks the rates for the Dublin districts and Belfast are calculated on an estimated population based

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes.	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa: Children under 2 years.	Diarrhœa: 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	May 20,	15·3	.	11	.	.	.	.	.	.	.	.	4	.	1	.	.	.	.	.	1	.
	„ 27,	15·3	.	11	.	.	.	.	.	.	.	.	4	.	1	.	.	.	.	.	.	.
	June 3,	11·1	.	8	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	1
	„ 10,	13·6	.	10	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
	„ 17,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 24,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.	.
	July 1,	13·6	.	10	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.
	„ 8,	6·8	2·7	5	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	1	.	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	May 20,	10·7	1·8	6	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.
	„ 27,	10·7	3·6	6	.	.	.	2	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	June 3,	21·3	1·8	12	.	.	.	.	.	.	.	.	3	.	3	.	1	1	.	.	.	.
	„ 10,	17·8	.	10	.	.	.	.	.	.	.	.	2	1	1	.	2	.	.	.	.	1
	„ 17,	12·4	1·8	7	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.
	„ 24,	24·9	1·8	14	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	1	.
	July 1,	21·3	1·8	12	.	.	.	1	.	.	.	.	1	1	1	1	2	.	.	.	.	.
	„ 8,	17·8	.	10	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	2
Kingstown Urban District. Pop. in 1911 17,227.	May 20,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 27,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	June 3,	17·8	.	6	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	2
	„ 10,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	„ 17,	45·4	.	15	.	.	.	.	.	.	.	.	2	.	2	.	3	.	.	.	1	.
	„ 24,	21·2	6·1	7	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	1	.
	July 1,	33·3	.	11	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	1
	„ 8,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Belfast. Pop. in 1911 (Est.) 386,449.	May 20,	16·1	0·7	123	.	.	.	.	.	1	.	.	21	10	1	13	19	1	.	3	1	1
	„ 27,	16·1	0·8	123	.	.	.	.	.	1	.	.	21	12	4	6	11	2	.	3	1	1
	June 3,	16·4	0·7	125	.	.	.	.	.	.	.	.	16	11	6	11	18	1	.	4	.	2
	„ 10,	15·5	0·5	115	.	.	.	.	.	.	1	.	14	6	8	9	18	.	1	2	3	1
	„ 17,	14·4	0·8	107	.	.	.	.	1	4	.	.	13	10	6	9	13	1	.	.	3	.
	„ 24,	11·1	0·7	82	.	.	.	.	.	.	.	.	13	2	6	5	10	1	3	1	1	3
	July 1,	15·7	0·7	116	.	1	.	.	.	1	.	.	23	2	7	5	8	2	.	1	4	3
	„ 8,	12·4	0·5	92	.	.	.	.	1	.	1	.	16	5	4	7	11	1	.	1	.	.
Cork. Pop. in 1911 76,632.	May 20,	17·8	1·4	26	.	.	.	.	.	2	.	.	6	1	1	1	1	.	.	.	1	.
	„ 27,	20·5	0·7	30	.	.	.	.	.	1	.	.	7	2	2	1	1	.	.	.	.	3
	June 3,	16·4	1·4	24	.	.	.	.	.	2	.	.	6	3	1	1	2	.	.	.	.	1
	„ 10,	15·0	.	22	.	.	.	.	.	.	.	.	3	1	3	.	3	.	.	.	.	1
	„ 17,	15·0	.	22	.	.	.	.	.	.	.	.	7	.	1	.	.	.	.	.	.	1
	„ 24,	19·7	0·7	29	.	.	.	.	.	.	.	.	5	2	.	1	4	.	.	1	.	3
	July 1,	18·4	0·7	27	.	.	.	1	.	.	.	.	2	.	1	.	3	.	.	.	2	2
	„ 8,	15·8	2·1	23	.	1	.	2	.	.	.	.	2	2	2	.	1	.	.	.	.	.
Londonderry. Pop. in 1911 40,799.	May 20,	15·4	2·4	13	.	.	.	.	.	2	.	.	3	.	.	.	3	.	.	.	.	.
	„ 27,	10·7	2·4	9	.	.	.	.	.	2	.	.	2	1	1	.	.	.	.	.	.	.
	June 3,	19·0	1·2	16	.	.	.	.	.	1	.	.	1	.	.	1	2	.	.	.	.	.
	„ 10,	23·0	1·3	18	.	.	.	.	.	.	.	.	4	.	1	1	5	1	.	.	1	.
	„ 17,	10·2	1·3	8	.	.	.	.	.	.	.	.	3	.	.	.	2	1	.	.	.	1
	„ 24,	8·9	1·3	7	.	.	.	.	1	.	.	.	.	.	.	1	2	.	.	.	.	.
	July 1,	14·1	.	11	.	.	.	.	.	.	.	.	2	3	1	.	1	.	.	.	.	1
	„ 8,	8·9	1·3	7	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.
Limerick. Pop. in 1911 38,403.	May 20,	26·0	.	19	.	.	.	.	.	.	.	.	2	2	1	.	4	.	.	.	.	1
	„ 27,	6·8	.	5	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	3
	June 3,	15·0	.	11	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	1
	„ 10,	8·1	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1
	„ 17,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	.	5	.	.	.	.	2
	„ 24,	6·8	1·4	5	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	1
	July 1,	14·9	.	11	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	3
	„ 8,	16·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1
Waterford. Pop. in 1911 27,430.	May 20,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	„ 27,	19·5	1·9	10	.	.	.	.	.	.	.	.	3	.	1	.	.	.	1	.	.	2
	June 3,	17·5	.	9	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 10,	13·3	.	7	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2
	„ 17,	17·1	.	9	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2
	„ 24,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	July 1,	5·7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 8,	28·5	.	15	.	.	.	.	.	.	.	.	6	1	.	.	1	.	.	.	.	4

* See note (‡) at foot of first page.

are calculated on an estimated population based on the Census of 1901; those for the other districts on the population according to the Census on the Census of 1911 (unrevised figures); those for the other districts on the population (unrevised) according to the Census of 1911.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 8th July, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	385,492	10	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		4	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Do. 2 do.		25			7	.	.	.	1	3	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	2	.
Do. 3 do.		33			12	1	1	.	3	2	5	.	.	.	.	.	.	.	.	3	.	1	.	4	.	.	.	.	.	.	5	.
Do. 4 do.		22			13	1	1	4	.	6	1	.	.	.	.	1	.	1	.	2	1	.	2	.	.	.	.	.	.	.	9	.
Do. 5 do.		7			2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Do. 6 do.		17			16	1	.	2	4	6	3	.	.	.	.	.	.	.	.	1	2	1	.	2	.	.	.	.	.	.	2	.
Do. 7 do.		3			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		15			10	1	1	4	2	2	.	.	.	.	.	.	.	.	.	3	.	1	1	1	1	.	.	.	.	.	2	.
Do. 10 do.		15			4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.
Do 11 do.		17			3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.
Do 12 do.		15			6	1	2	2	.	.	1	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	.	.	.	1	.
Do. 13 do.		10			8	1	1	2	1	3	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.	.	.	2	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		22			6	1	.	1	3	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	1	1	.
Total,	—	213			92	11	7	15	21	25	13	.	.	.	.	1	.	1	.	16	5	4	7	11	1	.	1	.	2	29	.
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	76,632	1	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		8	.	2	1	1	3	1	.	.	.	2	.	.	.	.	2	.	1	.	.	.	.	.	.	.	3	.
Do. 2 do.		8			4	2	.	1	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 3 do.		4			2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 4 do.		4			3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 5 do.		2			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 6 do.		3			4	.	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 7 do.		10			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Total	—	32	15·8	2·1	23	2	4	2	5	6	4	.	1	.	2	.	.	.	.	2	2	2	.	1	.	.	.	.	.	7	.

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	Jan. 14.	Jan. 21.	Jan. 28.	Feb. 4.	Feb 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.
No. of weeks in Annual Series,	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
BIRTHS registered, ...	231	233	188	212	218	216	213	232	193	220	218	232	228	204	189	236	232	229	180	214	233	215	258	201	264	213
DEATHS registered, ...	151	118	118	128	146	149	141	133	118	118	147	138	172	161	154	160	109	120	123	123	125	115	107	82	116†	92
Annual Death rate per 1,000 of estimated population, ...	19·8	15·4	15·4	16·8	19·1	19·5	18·5	17·4	15·4	15·4	19·2	18·1	22·5	21·1	20·2	20·9	14·3	15·7	16·1	16·1	16·4	15·5	14·4	11·1	15·7	12·4
AGES, Under 1 year, ...	30	23	26	24	24	31	21	25	20	33	23	26	36	24	23	23	19	19	25	22	18	19	23	16	18	11
1—5 years, ...	11	8	10	10	7	10	14	9	10	6	17	11	7	10	14	13	10	9	9	13	7	7	10	7	9	7
5—25 „ ...	20	16	11	6	11	21	17	18	9	10	19	11	14	17	13	21	13	17	15	17	14	14	16	7	16	15
25—45 „ ...	37	17	13	25	27	30	29	16	23	14	28	23	36	32	26	27	25	23	26	22	24	26	22	18	20	21
45—65 „ ...	25	21	27	34	34	32	26	35	29	27	30	38	45	37	39	46	22	29	31	27	34	20	20	20	37	25
65 and upwards, ...	28	33	31	29	43	25	34	30	27	28	30	29	34	41	39	30	20	23	17	22	28	29	16	14	16	13
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.
Typhus, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	1	.	.	1	.	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1	.	.	1
Whooping-cough, ...	.	1	1	1	.	.	1	1	1	1	.	.	.	3	2	1	.	.	1	1	.	.	4	.	1	.
Diphtheria, ...	.	1	2	1	.	.	.	.	.	.	1	1	.	2	1	.	.	.	.	.	.	1	.	.	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	23	17	13	10	11	22	15	13	19	7	22	24	26	25	14	17	16	25	21	21	16	14	13	13	23	16
Tuberculous Disease. Other Forms,	7	4	4	4	4	11	10	10	7	8	9	8	8	4	11	15	12	7	10	12	11	6	10	2	2	5
Cancer, ...	2	7	11	6	5	5	8	3	6	11	8	4	5	5	6	12	3	6	1	4	6	8	6	6	7	4
Diseases of Respiratory System, Pneumonia,	9	7	7	7	11	14	11	15	10	10	14	16	13	19	23	18	10	10	13	6	11	9	9	5	5	7
Diseases of Respiratory System, Others, ...	24	24	20	25	26	25	20	20	20	14	16	19	26	29	34	16	20	15	19	11	18	18	13	10	8	11
Diarrhœa, Under 2 years, ...	.	.	.	.	1	.	.	1	.	1	.	.	1	.	.	.	.	1	1	2	1	.	1	1	2	1
Diarrhœa, 2 years & upwards	1	.	.	.	1	.	.	.	1	.	3	1	.	1	.	.	.	.	.	.	.	1	.	3	.	.
Enteritis, under 2 years, ...	.	.	2	2	3	2	2	1	.	.	3	2	1	2	2	1	1	1	3	3	4	2	.	1	1	1
Violent Deaths, ...	6	1	2	4	4	.	4	3	2	1	3	4	8	2	3	3	3	4	1	1	.	3	3	1	4	.
Number of Uncertified Deaths, ...	.	1	5	2	1	.	.	3	2	1	.	1	3	2	.	1	2	1	1	1	2	1	.	3	3	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	July 8,	2,223	954	11·0	2	.	15	5	9	9	23*a*
Edinburgh, ...	320,829	„ 8,	152	90	14·6	.	.	3	.	.	1	3
Glasgow, ...	784,621	„ 8,	429	244	16·2	.	.	11	.	9	5	8
Calcutta, ...	—	June 3,	.	392	22·8	88*	.	2	.	.	.	78‡
Bombay, ...	977,822	„ 3,	337	616	32·1	150*	16	8	.	.	.	46
Madras, ...	509,346	May 13,	334	366	37·3	76*	12	4	?	?	?	101
Cairo, ...	689,439	„ 13,	539	619	46·8	2	.	12	5	.	12	161
Paris	2,760,000	June 10,	1,011	820	15·5	5	.	32	2	7	3†	27*a*
Brussels, ...	720,030	„ 10,	254	173	12·4	.	.	2	1	.	.	12
Antwerp, ...	320,640	„ 17,	97	65	10·6	1	.	2		.	.	15*a*
Amsterdam, ...	577,025	„ 17,	232	128	11·6	2	.	.	.	5	1†	9*a*
Copenhagen, ...	462,132	„ 17,	217	112	12·6	.	.	3	2	2	.	5*a*
Stockholm, ...	343,832	„ 10,	137	115	20·7	.	.	.	1	.	1†	3*a*
Christiania, ...	244,038	„ 24,	89	68	14·5	.	.	5	.	4	.	1
St. Petersburg, ...	1,639,266	„ 3,	771	636	20·2	9	4	23	10	3	11	70
Moscow, ...	1,493,600	„ 3,	.	720	26·1	4	11	13	9	2	8†	183
Berlin, ...	2,069,034	„ 3,	813	600	15·1	.	.	10	9	6	9†	31
Hamburg, ...	932,166	„ 17,	.	215	12·0	.	.	1	4	1	10†	12
Breslau, ...	519,285	„ 17,	.	200	20·2	.	.	4	.	2	2†	30
Munich, ...	597,000	„ 24,	.	159	13·9	.	.	.	1	1	1†	11
Vienna (with suburbs),	2,047,968	„ 17,	789	624	15·8	.	.	14	3	3	6†	50*a*
Buda-Pesth, ...	891,585	„ 17,	458	247	14·4	1	.	6	5	1	2†	9*a*
Prague and Faubourgs,	508,310	„ 3,	208	202	20·7	1	.	.	.	.	2†	17*a*
Trieste, ...	229,499	„ 10,	115	90	20·4	.	.	1	.	.	.	3
Rome, ...	602,068	Apr. 8,	202	194	16·8	.	.	.	.	.	3	8
Venice, ...	184,325	May 27,	70	57	16·1	.	.	.	.	.	.	9
New York, ...	4,983,385	„ 27,	2,869	1,406	14·7	6	.	26	25	9	41†	55*a*
Philadelphia, ...	1,580,250	„ 13,	.	525	17·3	1	.	17	3	5	11	26*a*
Boston, ...	688,912	June 17,	.	208	15·7	.	.	2	3	2	2	9

* Deaths from "fever," including 2 deaths from enteric fever and 44 deaths from plague in Calcutta, and 6 from enteric fever and 95 from plague in Bombay.

† Including deaths from croup.

‡ Including 53 deaths from cholera in Calcutta.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending July 8th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	1	.	.	.	.	2
„ „ 1, West, ...	.	2	.	.	.	.	.	3	.	.	.	2	7
„ „ 2, ...	.	1	.	.	2	.	.	.	.	.	.	.	3
„ „ 3, ...	.	3	.	.	2	.	1	.	1	.	.	.	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	1	.	.	.	.	1
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	3	.	.	1	.	.	3	3	.	.	3	13
„ „ 2, ...	.	2	.	.	1	.	.	1	.	.	.	.	4
„ „ 3, ...	.	1	.	.	.	.	.	2	.	.	.	.	3
„ „ 4, ...	.	2	.	.	.	.	.	.	.	.	.	.	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	18	.	.	6	.	1	11	4	.	.	5	45

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th July, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 8th July.			
	June 17.	June 24.	July 1.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	91	85	54	15	23	3	43
Scarlet Fever, ...	72	67	69	20	14	2	73*
Typhus, ...	3	4	4	.	2	.	2
Diphtheria, ...	40	32	45	11	7	4	45
Enteric Fever, ...	43	45	54	5	11	3	45
Pneumonia, ...	25	22	20	10	1	2	27

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 8th July, 1911:—

"At first rather unsettled and remarkably cold for the time of year, the weather improved as the week advanced and at last became summer-like in the extreme—brilliant and warm by day, calm and cool by night. On Sunday a cool N.W. wind passed over the British Islands, being part of the circulation round a cyclonic system which had travelled northeastwards from the east coast of Great Britain to Scandinavia. During the previous night temperature had fallen in the screen to 46° in Dublin, 44° at Nairn, and 41° at Birr Castle. In the daytime local showers fell and the air was dry and keen despite intervals of warm sunshine. Already an area of high atmospheric pressure had started on its way from the Azores towards the British Islands. Monday was cloudy and there was a threatening of rain in Ireland and Scotland; it was finer over England. By Tuesday morning the central area of the anticyclone had reached the English Channel, over which the barometer stood at 30·5 inches or slightly more. At this time a deep depression, with the barometer below 29·4 inches, was passing across the Arctic Circle to the northwestward of Iceland. This distribution of pressure caused brisk S.W. to W. winds until Friday, when calms and light variable airs set in, the anticyclone becoming central over Ireland. Magnificent weather waited on King George V. and Queen Mary on their first visit to Ireland after the Accession, cloudless skies prevailing when they arrived at Kingstown on Friday evening and during their entry into Dublin on Saturday. In this City the mean height of the barometer was 30·297 inches, pressure ranging from 29·941 inches at 9 a.m. of Sunday (wind, N.W.) to 30·420 inches at 9 a.m. of Wednesday (wind, W.). The corrected mean temperature was 60·6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 60·7°. The screened thermometer fell to 45·6° on Sunday and rose to 76·4° on Thursday. W. and N.W. winds prevailed. The rainfall was ·017 inch on 2 days, ·010 inch falling on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·127 inches. The highest reading (30·256) was on Tuesday at 9 p.m., wind W.S.W., and the lowest (29·776) on Sunday at 9 a.m., wind W.N.W.

The mean temperature for the week was 59·6°, being 2·1° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Friday, on which day the thermometer registered 79·3°, and was lowest on Sunday, the mercury having fallen to 41·9°. The mean of the Dry Bulb for the week was 59·4° and of the Wet Bulb, 58·1°. The mean humidity of the air was ·92, complete saturation being represented by 1·0. The rainfall during the week measured 0·018 inch.

At Greenwich the mean temperature for the week was 65·6°, the maximum 88·0°, and the minimum 48·2°; at Glasgow the maximum was 72·0°, the minimum 42·8°. and the mean 57·8°; and at Edinburgh the maximum was 68·7°, the minimum 43·0°, and the mean 57·8°. The rainfall at Glasgow measured 0·28 in.; and at Edinburgh 0·22 in. There was no rainfall recorded at Greenwich.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, July 2,	29·878	61·6	41·9	51·8	51·6	50·7	·94	·5	6·5	·010	W.N.W.	N.W.
Monday, „ 3,	30·173	59·3	42·8	51·1	56·1	54·3	·89	·5	0·7	·008	N.W.	Calm.
Tuesday, „ 4,	30·226	69·0	53·9	61·5	58·3	57·8	·97	·5	0·5	·000	W.S.W.	W.S.W.
Wednesday, „ 5,	30·207	71·5	52·9	62·2	58·4	57·8	·98	·4	5·0	·000	W.S.W.	Calm.
Thursday, „ 6,	30·096	73·3	47·9	62·1	65·4	62·0	·81	·6	6·0	·000	S.W.	Calm.
Friday, „ 7,	30·113	79·3	52·7	66·0	63·2	61·4	·90	·2	5·0	·000	Calm.	Calm.
Saturday, „ 8,	30·197	71·9	53·0	62·5	63·1	62·8	·98	·4	14·6	·000	W.N.W.	E.
Mean, ...	30·127	69·8	49·3	59·6	59·4	58·1	·92	·4	Total 38·3	Total ·018	——	

Sunday—Day cloudy, light rain a.m. and p.m.; night clear. *Monday*—Day overcast; night overcast, drizzle a.m. *Tuesday*—Day cloudy to overcast; night cloudy. *Wednesday*—Day overcast to cloudy; night clear. *Thursday*—Day cloudy, fine; night clear. *Friday*—Beautiful bright day; night cloudy. *Saturday*—Beautiful bright day; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, July 1st, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, June 25,	54·2	58·0	56·9	59·6	48·5	54·0	0·9	—
Monday, „ 26,	52·6	57·0	56·8	61·9	46·0	53·9	10·0	—
Tuesday, „ 27,	58·7	57·5	56·6	70·5	44·1	57·3	6·5	·001
Wednesday, „ 28,	61·4	58·5	56·4	67·3	53·9	60·6	1·7	—
Thursday, „ 29,	59·8	59·3	56·4	63·8	53·6	58·7	0·2	·085
Friday, „ 30,	56·7	58·7	56·4	63·0	49·8	56·4	2·7	—
Saturday, July 1,	58·1	58·8	56·5	64·1	50·2	57·2	6·3	·010
Weekly Mean, .	57·4	58·3	56·6	64·3	49·4	56·9	Total 28·3	Total ·096

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30913. Wt. P. 1-60/138. 375. 4. 1911. Sch. C 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY ALEXANDER THOM & CO., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 15TH JULY, 1911. [No. 28.

General Register Office, Charlemont House, Dublin, 17th July, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending June 24	Week ending July 1	Week ending July 8	Week ending July 15	Average Rate for 4 weeks.
22 Town Districts, ...	**13·5**	**17·0**	**14·2**	**16·7**	**15·3**
Armagh	20·6	6·9	.	6·9	8·6
Ballymena	9·2	18·3	22·9	9·2	14·9
Belfast	11·1	15·7	12·4	16·6	14·0
Clonmel	15·2	.	15·2	5·1	8·9
Cork	19·7	18·4	15·8	11·6	16·4
Drogheda	4·2	16·8	8·4	4·2	8·4
Dublin Reg. Area ...	15·1	19·5	13·9	20·9	17·3
Dundalk	11·9	27·8	11·9	15·9	16·9
Galway	3·9	35·4	15·7	11·8	16·7
Kilkenny	29·8	14·9	24·8	5·0	18·6
Limerick	6·8	14·9	16·3	10·9	12·2
Lisburn	12·9	17·1	12·9	8·6	12·9
Londonderry	8·9	14·1	8·9	19·2	12·8
Lurgan	12·9	12·9	30·1	8·6	16·1
Newry	8·7	4·4	21·8	21·8	14·2
Newtownards	11·4	17·2	17·2	22·9	17·2
Portadown	31·1	4·4	.	26·7	15·5
Queenstown	19·8	33·0	6·6	6·6	16·5
Sligo	14·0	14·0	.	9·3	9·3
Tralee	10·6	10·6	31·7	15·9	17·2
Waterford	7·6	5·7	28·5	5·7	11·9
Wexford	41·0	22·8	36·4	13·7	28·5

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in eighteen of the districts to 5·3 in Tralee. Among the 123 deaths from all causes for Belfast are one from each of scarlet fever and whooping-cough, and 9 from diarrhœal diseases, and one of the 4 deaths for Dundalk is from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 190—89 boys and 101 girls—and the deaths to 172—88 males and 84 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·9 per 1,000 of the population. During the twenty-eight weeks ending with Saturday last the death-rate averaged 21·3, and was 2·3 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II. and note to Table VII.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 172, represent an annual rate of 22·2 per 1,000; the annual rate for the past twenty-eight weeks was 22·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 24·7 per 1,000 of the mean population for all deaths registered.

The total deaths registered included 3 from enteric fever, 7 from measles, 3 from scarlet fever, one death from whooping-cough, 3 deaths from diphtheria, 5 deaths from diarrhœa and *enteritis* of children under 2 years of age, and one death from influenza. In each of the three preceding weeks, deaths from enteric fever were one, 0, and one; deaths from measles were 8, 7, and 4; deaths from scarlet fever were 0, 0, and one; deaths from whooping-cough were 2, 2, and 0; deaths from diphtheria were 4, 2, and 2; deaths from diarrhœa and *enteritis* of children under 2 years of age were 4, 3, and 4, and deaths from influenza were 0, one, and one.

There were 32 deaths from tuberculosis, including 20 deaths from pulmonary tuberculosis, 4 deaths from tuberculous meningitis, one death from tuberculosis of the vertebral column, one death from tuberculosis of kidney, and 6 deaths from disseminated tuberculosis. In each of the three preceding weeks deaths from all forms of tuberculous disease were 18, 27, and 14.

Broncho-pneumonia was the cause of 7 deaths, and the deaths of 3 persons were ascribed to *pneumonia* (type not distinguished).

The deaths of 4 persons were attributed to cancer.

There were 20 deaths from organic diseases of the heart, and 10 deaths from bronchitis.

Four deaths of infants were caused by congenital debility, 3 by prematurity, and one by congenital defects.

The 7 deaths attributed to accident or negligence were as follows:—By vehicles (including one motor accident), 2 deaths; by burns, 2 deaths (of these one was of an infant under one year of age); by drowning, 2 deaths; and by suffocation in bed, one death of an infant.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year of age, and the death of one person aged 71 years.

Forty-one of the persons whose deaths were registered during the week were under 5 years of age (25 being infants under one year, of whom 11 were under one month old) and 43 were aged 65 years and upwards, including 31 persons aged 70 and upwards; among the latter were 19 aged 75 years and upwards, of whom one (a male) was stated to have been aged 90 years.

Eighty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse, 18 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·9 per 1,000; the rate in the City was 23·4 (North City Districts, 21·7; South, 25·2) and in the Suburbs, 12·8.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·8 per 1,000 inhabitants, the rate for the City being 3·7 (3·9 in the North City Districts, and 3·4 in the South), and for the Suburbs, 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 21·0 per 1,000. Measles and whooping-cough each caused one death; there were 3 deaths from tuberculous disease and 3 deaths from broncho-pneumonia.

No. 1 North City District, West (Summer-hill).—The deaths (20) are equal to an annual rate of 26·1 per 1,000, and include 2 deaths from enteric fever, one death from scarlet fever, 2 deaths from pulmonary tuberculosis, one death from each of broncho-pneumonia and *pneumonia* (type not distinguished), and 4 deaths from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 25·5 per 1,000. There was one death from enteric fever; there were 3 deaths from measles, one death from diphtheria, one death from diarrhœa of a child under 2 years of age, and 3 deaths from tuberculous disease.

No. 3 North City District (Benburb-street).—The deaths (10) represent an annual rate of 15·6 per 1,000. Of the deaths 3 were from tuberculous disease, one was from bronchitis, and one death was caused by a motor-car.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 18·0; and Finglas and Glasnevin, part of, 20·4. The only death from any of the principal epidemic diseases tabulated for these districts was one from diphtheria for Finglas and Glasnevin, part of, in which district one death from pulmonary tuberculosis and one from broncho-pneumonia were also registered. Of the 2 deaths for Clontarf and Howth No. 1, part of, one was from pulmonary tuberculosis; and of the 4 deaths from all causes for Coolock and Drumcondra, part of, one was from accidental burns.

No. 1 South City District (South Earl-street).—The deaths (25) represent an annual rate of 31·5 per 1,000. The deaths included one from measles, 4 from tuberculous disease, one death from bronchitis, and 2 from diarrhœal diseases.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 21·6 per 1,000. Scarlet fever caused one death; there was one death from tuberculous meningitis; there were 2 deaths from bronchitis, and one death from *enteritis* of a child under 2 years of age.

No. 3 South City District (Peter-street).—The deaths (19) are equal to an annual rate of 23·0 per 1,000. Measles caused 2 deaths; there was one death from each of scarlet fever and diphtheria; there were 3 deaths from tuberculous disease, 2 deaths from bronchitis, and one accidental death.

No. 4 South City District (Grand Canal Street).—The deaths (17) are equivalent to an annual rate of 24·7 per 1,000. There was one death from diarrhœa of a child under 2 years of age; tuberculous disease caused 7 deaths, there was one death from broncho-pneumonia, and one accidental death.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·3 per 1,000. Of the deaths 2 were caused by tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 10·9; Pembroke, 7·1; Blackrock, 11·5; and Kingstown, 27·2. There were no deaths from any of the principal epidemic diseases tabulated for these districts. Included among the 8 deaths from all causes for Rathmines and Rathgar are one from influenza, one from tuberculous disease, one from *pneumonia* (type not distinguished), and one by burns. Among the 4 deaths from all causes for Pembroke is one by accidental drowning. Of the 9 deaths from all causes for Kingstown one is from pulmonary tuberculosis, one from broncho-pneumonia, and one by accidentally falling from a tram-car.

* See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates

STATE OF INFECTIOUS DISEASE

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 15th July, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	June 24,	.	—	—	18	1	.	7	.	2	9	3	.	—	—	.	—	6	—	46
	July 1,	.	—	—	13	.	.	14	.	1	15	10	.	—	—	.	—	11	—	64
	July 8,	.	—	—	18	.	.	6	.	1	11	4	.	—	—	.	—	5	—	45
	July 15,	.	—	—	11	.	.	10	.	1	8	1	.	—	—	.	—	7	—	38
Rathmines and Rathgar Urban District.	June 24,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	—	2
	July 1,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	July 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	July 15,	.	—	—	3	.	.	.	.	.	.	1	.	.	—	—	—	—	—	4
Pembroke Urban District.	June 24,	.	6	.	.	.	.	.	.	.	2	.	.	—	11	.	—	.	—	19
	July 1,	.	5	.	.	.	.	.	.	.	.	.	.	.	7	.	—	.	—	12
	July 8,	.	5	.	.	.	.	.	.	.	1	.	.	.	7	.	—	.	—	13
	July 15,	.	1	.	.	.	.	.	.	.	.	.	.	.	12	.	—	.	—	13
Blackrock Urban District.	June 24,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	July 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	July 8,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
	July 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	June 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 1,	.	—	—	.	.	.	.	.	.	1	2	.	—	—	—	—	.	—	3
	July 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	June 24,	.	—	—	8	1	.	4	.	.	.	2	1	—	—	.	—	10	—	26
	July 1,	.	—	—	7	.	.	8	.	.	.	4	1	—	—	.	—	14	—	34
	July 8,	.	—	—	12	.	.	7	1	.	.	2	.	—	—	.	—	7	—	29
	July 15,	.	—	—	8	.	.	4	.	.	1	1	.	—	—	.	—	10	—	24

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th July, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Ten cases of measles were admitted to hospital during the week, 18 were discharged, there was one death, and 34 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 85, 54, and 43, respectively.

Eleven cases of scarlet fever were admitted to hospital, 22 were discharged, there were 3 deaths, and 59* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 67, 69, and 73, respectively.

Two cases of typhus were discharged from hospital during the week, and no cases remained under treatment in hospital at the close of the week.

Eleven cases of diphtheria were admitted to hospital during the week, 15 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 32, 45, and 45, respectively, were 39 at the close of last week.

Six cases of enteric fever were admitted to hospital during the week, 13 were discharged, there was one death, and 37 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 45, 54, and 45.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 12 were discharged, there was one death, and 17 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 11·3) was equal to an average annual death-rate of 11·8 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 14·9 per 1,000, the rate for Glasgow being 14·2 and for Edinburgh 18·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 15th July. From this Report it appears that of a total of 46 cases notified, 19 were phthisis, 15 scarlet fever, 9 diphtheria, 2 erysipelas, and one enteric fever. Among the 307 cases of infectious diseases in hospital at the close of the week were 100 cases of scarlet fever, 59 of phthisis, 55 of whooping-cough, 40 of diphtheria, 33 of measles, 9 of chicken-pox, 6 of erysipelas, one of enteric fever, and one of puerperal fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 15th July, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 15th July, 1911. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 15th July, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th July, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st July, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
Total of 22 Town Districts, ...	1,149,495	20·2	26·4	16·7	1·6	581	369	58	85	3	...	...	7	4	2	4	...	50	24	14	16	36	10	...	5	12	17	132	12	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:— Total, (c.) ...	403,732	29·3	24·5	20·9	2·8	190	162	24	40	3	...	...	7	3	1	3	...	20	12	3	9	11	3	...	2	7	8	74	5	e81·8	41·6	60·9	0·00	e79·3	41·9	59·6	0·02	e68·8	40·4	55·5	0·17
City of Dublin,	309,738	39·2	27·1	23·4	3·7	161	139	22	30	3	...	...	7	3	1	3	...	19	11	3	7	11	3	..	2	4	5	68	3	f78·2 g83·9	51·0 44·0	63·4 62·7	0·00 0·00	f76·4 g77·9	45·6 43·0	60·6 60·2	0·02 0·02	f69·4 g69·9	45·9 41·0	56·6 56·2	0·12 0·13
Urban Districts. Rathmines and Rathgar.	38,330	22·4	16·3	10·9	...	12	8	2	3	...	...	...	...	...	...	...	.	...	1	...	1	..	...	...	...	1	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,347	18·5	17·8	7·1	...	10	4	...	3	...	...	...	...	...	..	...	...	...	..	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,090	8·4	17·2	11·5	...	3	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,227	11·8	12·1	27·2	...	4	9	...	3	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	1	1	4	...	77	50	62·8	0·00	75	46	61·3	0·00	70	47	56·9	0·09
Urban Districts. Belfast ...	386,449	26·3	27·9	16·6	1·5	207	123	25	19	...	...	...	...	1	1	...	...	18	8	6	2	14	6	...	3	3	5	33	1	80·0	46·5	62·8	0·00	76·0	43·8	59·1	0·25	65·0	43·0	54·8	0·32
Cork, ...	76,632	33·8	26·5	11·6	...	39	17	2	3	...	...	...	...	...	...	...	...	3	1	1	...	5	...	...	...	...	1	6	1	75	52	63·7	0·00	70	48	57·6	0·02	67	49	56·9	0·07
Londonderry...	40,799	18·9	32·0	19·2	...	25	15	...	5	...	...	...	...	...	...	...	...	3	1	...	1	4	...	...	...	1	1	5	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,403	18·2	19·0	10·9	...	14	8	1	2	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	2	3	87·5	41·7	65·8	0·00	79·3	40·8	59·3	0·00	63	47	55·2	0·24
Waterford, ...	27,430	19·1	22·8	5·7	...	12	3	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	..	...	1	1	...	...	...	...	...	...	..	...	...	...	...	...	...
Galway, ...	13,249	2·5	31·5	11·8	...	8	3	1	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	86	50	67	0·00	70	44	57	0·00	66	47	55	0·24
Dundalk, ...	13,128	9·5	27·8	15·9	4·0	7	4	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,425	8·4	25·2	4·2	...	6	1	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	11,956	17·2	30·5	51·8	...	7	5	1	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	...	84·3	45·0	62·3	0·00	75·0	42·0	58·5	0·43	67·0	40·3	54·1	0·37
Lurgan, ...	12,135	14·3	55·9	8·6	...	13	2	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	84·3	45·0	62·3	0·00	75·0	42·0	58·5	0·43	67·0	40·3	54·1	0·37
Lisburn, ...	12,172	10·7	8·6	8·6	...	2	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	84·3	45·0	62·3	0·00	75·0	42·0	58·5	0·43	67·0	40·3	54·1	0·37
Wexford, ...	11,455	23·8	41·0	13·7	...	9	3	...	2	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	..	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena, ...	11,376	9·3	9·2	9·2	...	2	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8	23·4	9·3	...	5	2	...	1	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	82·0	42·0	60·7	0·02	74·1	42·0	57·3	0·85	63·8	43·3	52·9	0·45
Kilkenny, ...	10,513	11·4	14·9	5·0	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	..	...	...	...	...	...	...	...	88	46	66·0	0·02	82	42	61·7	0·00	69	46	56·2	0·14
Clonmel, ...	10,277	7·9	30·4	5·1	...	6	1	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	11,727	15·3	26·7	26·7	...	6	6	1	3	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	1	84·3	45·0	62·3	0·00	75·0	42·0	58·5	0·43	67·0	40·3	54·1	0·37
Tralee, ...	9,867	16·6	10·6	15·9	5·3	2	3	1	1	...	..	...	...	...	...	...	...	1	..	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	34·3	22·9	...	6	4	...	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	1	1	1	...	72	53	59·7	0·00	70	50	58·1	0·32	65	48	54·7	0·34
Queenstown, ...	7,909	14·4	52·7	6·6	...	8	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	75	52	63·7	0·00	70	48	57·6	0·02	67	49	56·9	0·07
Armagh, ...	7,588	22·2	27·5	6·9	...	4	1	...	...	...	...	...	..	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	84·3	45·0	62·3	0·00	75·0	42·0	58·5	0·43	67·0	40·3	54·1	0·37

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 10 deaths of persons (including one under one year old and 3 at 65 years or upwards), admitted to hospital from localities outside the Area (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 15th of July, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	3	.	.	.	.	1	.	2	.	.	.	.	.	.	7	.
Scarlet Fever,	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.	3	.
Whooping-cough,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	1	.	.	.	1	.	.	1	.	.	.	.	.	.	3	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	1	2	2	1	1	.	1	3	.	1	6	1	.	.	.	1	20	.
Tuberculous Disease. — Other Forms,	2	.	1	2	.	.	.	1	1	2	1	1	1	.	.	.	12	.
Cancer,	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	3	1
Diseases of Nervous System,	1	.	2	3	.	1	.	4	1	2	1	.	.	.	.	1	16	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	2	.	.	.	.	.	2	1	4	3	.	2	1	.	4	20	2
" Respiratory System. — Pneumonia,	3	2	.	.	.	.	1	.	.	.	1	.	1	.	.	1	9	1
" Respiratory System. — Others,	.	4	.	1	.	.	.	1	3	2	.	.	.	.	.	.	11	.
" Digestive System. — Diarrhœa, under 2 years,	.	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	3	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — *Enteritis*, under 2 years,	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.
" Digestive System. — Others,	.	2	3	.	.	.	.	1	.	.	.	.	.	.	.	1	7	3
" Genito-urinary System,	1	1	1	1	1	.	.	1	.	.	.	.	.	1	1	.	8	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy & Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Other specified Causes,	.	4	.	.	.	.	.	6	1	2	2	.	2	1	.	.	18	1
Violent Deaths,	.	.	.	1	.	1	.	.	.	1	1	.	1	1	.	1	7	.
Ill-defined, &c. Causes,	.	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	3	.
Deaths from All Causes	12	20	15	10	2	4	3	25	9	19	17	3	8	4	2	9	162	10
Annual Rate of Mortality from All Causes in every 1,000 of the population.	21·0	26·1	25·5	15·6	19·4	18·0	20·4	31·5	21·6	23·0	24·7	17·3	10·9	7·1	11·5	27·2	20·9	.
	21·7							25·2					12·8					
	23·4																	
Ages at Death. — Under 1 year,	2	2	3	.	.	.	.	7	2	4	1	1	2	.	.	.	24	1
1 and under 2 years,	2	2	2	.	.	.	.	1	1	1	.	.	1	.	.	.	10	.
2 " 5 "	2	.	1	.	.	.	.	.	.	3	.	.	.	.	.	.	6	.
5 " 15 "	1	2	1	2	.	.	1	1	1	1	2	.	.	.	.	.	12	1
15 " 25 "	.	2	.	1	.	.	1	1	1	2	1	.	1	.	.	.	10	1
25 " 45 "	.	2	2	2	.	1	1	5	1	2	5	1	1	.	1	5	29	2
45 " 65 "	4	6	6	1	.	1	.	3	2	2	3	1	.	1	.	1	31	2
65 and upwards,	1	4	.	4	2	2	.	7	1	4	5	.	3	3	1	3	40	3
Number of Uncertified Deaths,	.	1	.	.	.	.	.	.	1	1		.	1	1	.	.	5	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	7	7	3	1	1	1	7	1	6	2	.	2	.	.	3	42	9
Workhouse Hospitals,	3	4	2	3	.	1	.	8	2	3	5	.	.	.	.	1	32	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 28th Week of the 10 years 1901–1910.	In the Week ending Saturday, 15th July, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	July 13, 1901.	July 12, 1902.	July 18, 1903.	July 16, 1904.	July 15, 1905.	July 14, 1906.	July 13, 1907.	July 11, 1908.	July 17, 1909.	July 16, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 59·8	° 58·2	° 56·9	° 58·8	° 64·6	° 57·5	° 54·0	° 58·9	° 59·5	° 57·1	° 58·5	° 60·9										
ALL CAUSES.	157	129	124	146	145	140	161	156	136	118	141·2	172	11	14	10	6	13	11	31	33	24	19
Enteric Fever, ...	.	4	.	2	.	1	.	2	2	1	1·2	3	.	.	.	.	2	1	.	.	.	.
Typhus, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	6	.	10	1	1	2	3	2	.	2·5	7	.	1	5	.	.	1	.	.	.	.
Scarlet Fever, ...	1	.	3	.	.	.	.	.	.	1	·5	3	.	.	.	1	1	.	1	.	.	.
Whooping-cough, ...	4	2	1	3	2	6	7	3	.	1	2·9	1	.	1	.	.	.	.	.	.	.	.
Diphtheria, ...	1	1	1	1	.	.	.	1	3	1	·9	3	.	.	.	1	2	.	.	.	.	.
Croup, ...	1	1	.	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	.	.	1	.	1	1	.	1	.	·5	1	.	.	.	.	.	.	.	.	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	1	.	.	.	1	.	.	.	2	·4	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	1	.	1	.	1	.	1	1	·5	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	25	14	26	21	12	21	18	22	14	19	19·2	20	.	.	.	1	1	3	13	1	.	1
Tuberculous Meningitis, ...	4	1	1	2	2	1	2	1	3	4	2·1	4	.	.	.	1	2	1	.	.	.	.
Abdominal Tuberculosis, ...	4	3	5	1	.	1	.	.	1	.	1·5	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.												1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of Joints, ...												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	5	2	6	3	9	5	6	4	5	4	4·9	1	.	.	.	.	.	.	.	1	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												6	.	1	.	2	.	2	1	.	.	.
Venereal Diseases, ...	2	1	1	2	1	1	3	2	1	.	1·4	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	4	6	3	5	8	4	10	9	9	5	6·3	4	.	.	.	.	.	.	.	2	2	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	.	1
Rheumatic Fever, ...	1	.	2	1	.	.	2	1	.	.	·7	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	1	.	2	.	.	1	1	.	·5	1	.	.	.	.	.	.	.	.	1	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	2	.	.
Alcoholism, ...	2	.	1	1	1	.	1	.	.	1	·7	1	.	.	.	.	.	.	.	1	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												1	.	.	.	.	.	1	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												5	1	.	.	.	.	.	.	.	2	2
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												5	.	.	.	.	.	.	.	2	3	.
Epilepsy, ...												2	.	.	.	.	.	1	.	1	.	.
Convulsions (non-puerperal),												1	1	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	35	26	29	30	30	38	43	38	41	22	33·2	3	.	.	.	.	.	.	.	2	.	1
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,												20	.	.	.	.	.	.	4	8	5	3
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												2	.	.	.	.	.	.	1	.	.	1
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	10	13	7	17	6	9	14	9	8	15	10·8	10	.	2	1	.	.	.	.	3	3	1
Broncho-pneumonia, ...		3	1	2	3	2	8	7	1	3		7	.	1	2	.	.	.	1	.	2	1
Lobar-pneumonia, ...	8	.	.	.	3	1	.	.	1	1	8·2	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)		3	2	6	4	6	6	3	5	3		3	.	.	1	.	.	.	1	.	1	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	2	4	4	1	2	1	2	.	2	3	2·1	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Respiratory System.												.	.	.	.	.	.	.	.	.	.	.

TWENTY-EIGHTH WEEK ending Saturday, 15th July, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 28th Week of the 10 years 1901–1910.	In the Week ending Saturday, 15th July, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	July 13, 1901.	July 12, 1902.	July 18, 1903.	July 16, 1904.	July 15, 1905.	July 14, 1906.	July 13, 1907.	July 11, 1908.	July 17, 1909.	July 16, 1910.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 59·8	° 58·2	° 56·9	° 58·8	° 64·6	° 57·5	° 54·0	° 58·9	° 59·5	° 57·1	° 58·5	° 60·9										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	1	.	.	.	.	.	.	.	.
Diarrhœa of Children under 2 years.	4	4	1	2	14	3	5	4	5	3	4·5	3	.	3	.	.	.	.	.	.	.	.
„ 2 years and upwards.												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	.	1	2	.	3	.	2	8	4	2	2·2	2	.	1	1	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												2	.	.	.	.	1	.	.	1	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	1	1	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	1	1	.	.
Cirrhosis of Liver, ...	5	.	.	2	1	2	1	3	.	1	2·4	2	.	.	.	.	.	.	1	1	.	.
Other Diseases of Liver, ...		2	1	2	1	2	.	1	.	.		1	.	.	.	.	.	.	.	.	.	1
Peritonitis (cause unknown),	1		.	.	.	.	.	1	.	2	·4	2	.	.	.	.	1	.	.	1	.	.
Other Diseases of Digestive System.	2	3	3	1	6	2	3	7	5	4	3·6	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	7	8	3	7	6	9	1	6	5	6	5·8	2	.	.	.	.	.	.	1	1	.	.
Chronic Bright's Disease, ...												3	.	.	.	.	.	.	1	1	.	1
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												4	.	.	.	.	.	.	1	2	.	1
Puerperal Septicæmia, &c., ...	.	.	.	.	1	.	.	1	.	.	·2	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	.	.	.	.	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	4	2	3	3	7	4	5	2	4	5	3·9	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	4	3	1	.	.	.	.	.	.	.	.
Old Age, ...	6	4	3	3	.	2	2	4	3	2	2·9	5	.	.	.	.	.	.	.	.	1	4
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	.	.	1	.	1	.	.	.	.	·2	2	.	.	.	.	1	.	.	1	.	.
In Ships, Boats, Docks (exclusive of Drowning).	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	.	2	.	.	2	.	.	.	1	1	·6	2	1	.	.	.	.	.	1	.	.	.
By Drowning, ...	.	1	1	1	2	.	1	1	2	.	·9	2	.	.	.	.	.	.	1	.	1	.
By Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	.	1	1	2	.	2	1	1	1	1·0	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	1	1	1	.	1	.	.	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	.	.	.	.	1	1	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	Jan. 21.	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.
No. of weeks in Annual Series,	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
BIRTHS registered,	238	232	219	241	192	214	217	238	203	276	230	198	171	174	259	260	242	226	246	261	228	232	185	324	190	190
Average Births in corresponding week of previous 10 years, ...	209	201	241	217	212	209	216	223	212	212	233	202	210	223	199	268	231	210	204	238	226	207	224	237	205	204
DEATHS registered, ...	190	228	200	220	208	195	180	174	170	214	177	191	174	196	181	176	170	129	158	150	149	159	127	155	120	172
Annual Death-rate per 1,000, ...	21·3	29·2	25·6	28·2	26·6	25·0	23·1	22·3	21·8	27·4	22·7	24·5	22·3	25·1	23·2	22·5	21·8	16·5	20·2	19·2	19·2	20·5	16·4	20·0	15·5	22·2
Average Deaths in corresponding week of previous 10 years, ...	195	192	200	198	200	210	218	210	194	201	203	199	195	197	190	177	178	171	169	154	151	149	148	134	140	141
Ages, Under 5 years, ...	62	59	61	47	57	57	70	59	39	56	48	54	63	54	50	56	48	40	37	43	34	42	44	56	43	41
5—15 „ ...	7	11	6	10	6	10	9	12	9	7	14	17	4	5	11	14	7	6	14	10	8	4	9	10	4	13
15—25 „ ...	10	11	12	13	5	6	6	7	7	13	8	10	10	14	7	6	8	9	11	9	9	13	2	7	7	11
25—45 „ ...	27	32	32	41	36	35	32	24	24	42	19	33	25	31	33	15	35	21	21	29	26	32	18	20	19	31
45—65 „ ...	41	55	48	51	49	35	36	36	42	44	36	44	43	45	35	30	38	36	39	29	33	31	34	28	20	33
65—75 „ ...	28	34	22	39	33	29	19	19	28	32	29	27	19	29	25	34	19	10	24	17	26	18	13	16	15	24
75 and upwards, ...	15	26	19	19	22	23	8	17	21	20	23	6	10	18	20	21	15	7	12	13	13	19	7	18	12	19
Deaths from :—																										
Enteric Fever, ...	.	2	3	2	2	2	4	3	1	2	1	3	1	1	.	1	1	1	1	1	.	.	1	.	1	3
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	6	2	2	2	2	3	7	7	7	3	2	1	7	11	5	8	17	4	6	3	4	2	8	7	4	7
Scarlet Fever, ...	.	1	.	4	6	2	2	.	.	1	.	1	4	1	.	1	1	.	2	2	2	.	.	.	1	3
Whooping-cough, ...	6	10	4	3	6	7	11	4	4	6	5	3	6	.	2	3	2	4	1	4	1	3	2	2	.	1
Diphtheria, ...	4	1	5	2	3	2	.	2	.	1	1	4	3	4	1	2	3	1	.	1	4	1	4	2	2	3
Influenza, ...	1	4	3	4	5	7	2	2	2	1	2	2	.	3	.	3	2	1	2	.	.	1	.	1	1	1
Dysentery, ...	.	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Tuberculous Disease, Phthisis, ...	27	28	19	27	22	18	20	17	28	32	16	29	21	33	22	21	17	25	22	22	25	23	7	21	7	20
Tuberculous Disease, Other Forms,	9	7	4	6	8	7	7	8	8	15	13	10	3	8	10	6	6	6	9	9	8	7	11	6	7	12
Cancer, ...	12	7	16	11	4	6	5	8	6	10	13	11	8	7	9	6	5	6	11	9	12	10	7	8	12	4
Diseases of Circulatory System,	13	25	19	23	17	21	14	13	24	27	22	23	14	15	24	17	23	7	19	12	12	23	14	22	16	22
Diseases of Respiratory System, Pneumonia	10	17	18	20	15	21	13	16	14	13	13	18	19	16	18	22	15	12	6	10	8	9	8	9	9	10
Diseases of Respiratory System, Others, ...	28	42	30	41	44	28	29	25	23	27	24	24	26	26	16	34	20	15	14	15	16	17	9	17	6	11
Diarrhœa, Under 2 years, ...	2	4	4	2	3	3	1	1	2	5	1	3	2	1	2	2	1	2	1	6	.	3	3	.	1	3
Diarrhœa, 2 years & upwards,	.	.	1	.	.	1	1	.	3	.	1	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.
Enteritis, under 2 years, ...	2	.	3	3	1	1	1	2	1	3	1	3	3	2	2	2	.	1	1	4	1	1	1	3	3	2
Violent Deaths, ...	1	4	7	4	2	5	2	4	5	5	5	6	1	7	9	3	.	1	5	2	3	6	5	2	6	7
Number of Uncertified Deaths,	7	7	3	3	2	4	7	8	7	2	5	1	1	2	8	4	3	1	5	4	3	4	.	5	9	5
Mean Temperature of the Air (Phœnix Park)	38·6	45·5	35·9	37·0	46·4	43·4	46·5	41·1	38·0	41·7	42·7	39·4	43·7	50·5	50·5	49·6	52·6	49·5	55·3	56·2	55·6	52·6	56·2	55·5	59·6	60·9
Average Mean Temperature in corresponding week of previous 10 years, ...	40·8	40·5	40·3	40·3	39·8	39·9	40·5	41·7	42·7	42·6	42·4	44·1	43·1	45·1	46·2	46·7	48·1	49·1	50·9	53·7	53·5	53·6	55·5	56·5	57·5	58·5
Rainfall in inches, ...	·153	·034	·000	·011	·582	·523	·681	·316	·206	·000	·770	·131	·000	·501	·606	·780	·127	·262	·010	·000	·000	·605	·782	·166	·018	·000
Mean Humidity of the Air, complete Saturation 1·0, ...	·93	·92	·87	·90	·91	·91	·92	·91	·89	·87	·90	·86	·86	·89	·91	·93	·94	·92	·89	·89	·88	·86	·91	·91	·92	·84

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 15th July, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 15TH JULY, 1911

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	172	41	13	11	31	33	24	19	3	.	.	7	3	1	3	.	20	12	4	1	10	11	3	.	2	7	85	5
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	9·0	3	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.
II.	MIDDLE CLASS, ...	87,188	19·1	32	2	4	3	1	8	6	8	1	.	.	.	.	.	1	.	2	1	1	.	2	.	.	.	1	1	22	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	17·9	38	9	3	4	8	8	4	2	1	.	.	.	1	1	1	.	7	3	.	.	4	1	1	.	1	1	16	1
IV.	GENERAL SERVICE CLASS, ...	154,279	22·3	66	24	6	3	15	6	9	3	1	.	.	7	2	.	1	.	5	7	2	1	2	6	1	.	.	4	27	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	33	6	.	1	6	10	5	5	.	.	.	.	.	.	.	.	6	1	1	.	2	4	1	.	.	.	18	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	6·7	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	33·8	5	.	1	.	1	.	1	2	.	.	.	.	.	.	1	.	.	.	1	.	2	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	23·7	10	1	1	1	.	3	3	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	9	1
	6. Clerks and Commercial Assistants, ...	30,432	5·1	3	1	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	27·0	14	.	2	1	.	4	2	5	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	11	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	5·3	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	21·0	12	3	2	1	2	2	1	1	.	.	.	.	1	.	1	.	3	1	.	.	2	.	1	.	.	.	3	.
	10. Clothing Trades, ...	23,260	15·7	7	2	.	1	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	1	3	.
	11. Food Supply Trades, ...	9,242	16·9	3	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	25·8	15	4	1	2	3	3	2	.	1	.	.	.	.	1	.	.	4	1	.	.	2	.	.	.	.	.	6	1
	13. Petty Shopkeepers, ...	7,894	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	27·2	7	1	1	1	3	.	.	1	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	15. Domestic Servants, ...	36,603	5·7	4	.	.	1	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	25·4	7	1	.	1	2	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1	1	1	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	27·9	48	22	5	.	9	4	7	1	1	.	.	6	.	.	1	.	3	6	2	1	1	5	.	.	.	4	18	2
	INMATES OF WORKHOUSES.																														
V.	18. Workhouse Inmates, ...	6,024	—	33	6	.	1	6	10	5	5	.	.	.	.	.	.	.	.	6	1	1	.	2	4	1	.	.	.	18	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (Office, Clarence-st. Nth.) Pop. in 1911 (Est.) 29,854.	May 27,	36·2	5·2	21	1	.	.	.	1	.	.	.	1	1	2	1	3	.	.	1	1	2
	June 3,	20·7	5·2	12	.	.	.	.	1	.	1	.	1	.	1	.	2	.	.	1	.	.
	„ 10,	14·0	.	8	.	.	.	.	.	.	.	.	2	.	1	3	.	.	.	.	.	1
	„ 17,	19·2	1·7	11	.	.	.	.	.	.	.	.	3	1	.	.	2	.	.	1	1	.
	„ 24,	21·0	7·0	12	1	.	.	1	.	.	1	.	1	.	.	.	1	1	.	.	.	.
	July 1,	14·0	1·7	8	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	.	.	.
	„ 8,	5·2	.	3	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
	„ 15,	21·0	3·5	12	.	.	.	1	.	1	.	.	1	2	1	3	.	.	.	.	.	.
North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1911 (Est.) 39,902.	May 27,	19·4	1·3	15	.	.	.	1	.	.	.	.	2	1	.	1	2	.	.	.	1	.
	June 3,	19·4	2·6	15	.	.	.	.	.	1	.	.	.	1	1	1	2	1	.	.	1	1
	„ 10,	24·8	5·2	19	.	.	.	3	.	.	1	.	2	.	1	1	2	.	.	.	.	.
	„ 17,	18·3	1·3	14	.	.	.	1	.	.	.	.	2	1	1	1	2	.	.	.	.	2
	„ 24,	19·6	1·3	15	.	.	.	.	.	.	1	.	1	1	.	2	1	.	.	.	.	.
	July 1,	19·6	2·6	15	.	.	.	2	.	.	.	.	2	.	2	2	.	.	.	.	.	.
	„ 8,	14·4	.	11	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.
	„ 15,	26·1	3·9	20	2	.	.	.	1	.	.	.	2	.	.	2	4	.	.	.	.	1
North City, No. 2. (Office, Lisburn-street.) Pop. in 1911 (Est.) 30,689.	May 27,	16·8	3·4	10	.	.	.	2	.	.	.	.	1	.	.	.	1	.	.	.	1	.
	June 3,	13·4	5·0	8	.	.	.	.	.	2	.	.	.	3	.	2	.	.	.	1	.	.
	„ 10,	23·8	5·1	14	.	.	.	1	1	.	1	.	.	.	1	.	4	.	.	.	.	.
	„ 17,	18·7	3·4	11	.	.	.	.	.	.	1	.	.	.	.	1	2	1	.	.	.	.
	„ 24,	20·4	5·1	12	.	.	.	1	.	2	.	.	1	.	1	.	2	.	.	.	.	.
	July 1,	15·3	1·7	9	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.
	„ 8,	17·0	1·7	10	.	.	.	.	.	.	1	.	.	3	.	1	2	.	.	.	.	.
	„ 15,	25·5	10·2	15	1	.	.	3	.	.	1	.	2	1	.	.	.	1	.	.	.	.
North City, No. 3. (Office, Benburb-street.) Pop. in 1911 (Est.) 33,498.	May 27,	13·8	3·1	9	.	.	.	1	.	.	.	.	2	.	1	.	.	.	1	.	.	.
	June 3,	21·5	7·7	14	.	.	.	2	.	1	.	.	4	1	.	1	1	1	.	1	.	.
	„ 10,	26·5	1·6	17	.	.	.	.	.	.	.	.	6	1	1	2	1	.	.	1	1	.
	„ 17,	15·6	3·1	10	.	.	.	1	.	.	.	.	.	1	.	2	1	1	.	.	.	.
	„ 24,	15·6	3·1	10	.	.	.	2	.	.	.	.	.	1	1	1	1	.	.	.	.	.
	July 1,	18·7	3·1	12	.	.	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	„ 8,	21·8	3·1	14	.	.	.	2	.	.	.	.	1	.	3	1	1	.	.	.	2	1
	„ 15,	15·6	.	10	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	1	.
South City, No. 1. (Office, Sth. Earl-street.) Pop. in 1911. (Est.) 41,401.	May 27,	21·2	.	17	.	.	.	.	.	.	.	.	3	2	2	1	3	.	.	.	.	1
	June 3,	24·9	1·2	20	.	.	.	.	1	.	.	.	2	1	.	4	2	.	.	.	.	.
	„ 10,	12·6	.	10	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.	.
	„ 17,	23·9	.	19	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	1	2
	„ 24,	10·1	3·8	8	.	.	.	2	.	.	1	.	.	1	.	2	.	.	.	.	.	.
	July 1,	30·2	2·5	24	.	.	.	.	.	.	1	.	5	1	.	.	5	.	.	1	.	1
	„ 8,	22·7	5·0	18	.	.	.	1	.	.	1	.	2	1	.	1	.	.	.	2	3	1
	„ 15,	31·5	3·8	25	.	.	.	1	.	.	.	.	3	1	1	.	1	1	.	1	.	.
South City, No. 2. (Office, Castle-street.) Pop. in 1911 (Est.) 21,715.	May 27,	26·1	2·4	11	.	.	.	.	.	1	.	.	1	1	1	.	3	.	.	.	.	1
	June 3,	11·9	4·7	5	.	1	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.
	„ 10,	24·0	4·8	10	.	.	.	.	1	1	.	.	1	3	.	1	.	.	.	.	.	1
	„ 17,	31·2	.	13	.	.	.	.	.	.	.	.	1	1	2	2	2	.	.	.	1	.
	„ 24,	12·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
	July 1,	19·2	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
	„ 8,	28·3	2·4	12	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 15,	21·6	4·8	9	.	.	.	.	1	.	.	.	.	1	.	.	3	.	.	1	.	1
South City, No. 3. (Office, Peter-street.) Pop. in 1911 (Est.) 43,149.	May 27,	16·7	.	14	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	.	1
	June 3,	19·1	2·4	16	.	.	.	1	.	.	.	.	1	.	1	1	5	1	.	.	.	.
	„ 10,	26·6	.	22	.	.	.	.	.	.	.	.	5	.	3	.	4	.	.	.	.	.
	„ 17,	15·7	2·4	13	.	.	.	.	.	2	.	.	4	.	.	.	3	.	.	.	.	.
	„ 24,	16·9	2·4	14	.	.	.	1	.	.	.	.	1	3	.	1	.	.	.	1	2	.
	July 1,	21·8	.	18	.	.	.	.	.	.	.	.	3	2	2	1	2	.	.	.	.	.
	„ 8,	15·7	2·4	13	1	.	.	.	1	.	.	.	1	2	.	.	.	.	.	.	1	1
	„ 15,	23·0	4·8	19	.	.	.	2	1	.	1	.	1	2	.	.	2	.	.	.	1	1
South City, No. 4. (Office, Grand Canal-st.) Pop. in 1911 (Est.) 35,816.	May 27,	21·6	1·4	15	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	1	.
	June 3,	18·7	2·9	13	1	.	.	.	.	.	.	.	4	1	.	.	1	1	.	.	.	.
	„ 10,	13·1	2·9	9	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	.	1	.
	„ 17,	14·6	1·5	10	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	1	.
	„ 24,	11·6	.	8	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1	.
	July 1,	17·5	2·9	12	.	.	.	.	.	1	.	.	3	1	.	.	1	.	.	1	.	2
	„ 8,	11·6	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	3
	„ 15,	24·7	1·5	17	.	.	.	.	.	.	.	.	6	1	.	1	.	1	.	.	1	.

* See note (‡) at foot of first page.

NOTE:—The rates given in this report for the weeks up to and including 3rd June, for the Dublin districts, Belfast and Londonderry of 1901; for the remaining weeks the rates for the Dublin districts and Belfast are calculated on an estimated population based

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

Districts.	1911. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes.	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms	Cancer.	Diseases of Respiratory System: Pneumonia.	Others.	Diarrhœa: Children under 2 years.	2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	May 27,	15·3	.	11	.	.	.	.	.	.	.	.	4	.	1	.	.	.	.	.	.	.
	June 3,	11·1	.	8	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	1
	„ 10,	13·6	.	10	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
	„ 17,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 24,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.	.
	July 1,	13·6	.	10	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.
	„ 8,	6·8	2·7	5	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 15,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	1
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	May 27,	10·7	3·6	6	.	.	.	2	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	June 3,	21·3	1·8	12	.	.	.	.	.	.	.	.	3	.	3	.	1	1	.	.	.	.
	„ 10,	17·8	.	10	.	.	.	.	.	.	.	.	2	1	1	.	2	.	.	.	.	1
	„ 17,	12·4	1·8	7	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.
	„ 24,	24·9	1·8	14	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	1	.
	July 1,	21·3	1·8	12	.	.	.	1	.	.	.	.	1	1	1	1	2	.	.	.	.	.
	„ 8,	17·8	.	10	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	2
	„ 15,	7·1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Kingstown Urban District. Pop. in 1911 17,227.	May 27,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	June 3,	17·8	.	6	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	2
	„ 10,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	„ 17,	45·4	.	15	.	.	.	.	.	.	.	.	2	.	2	.	3	.	.	.	1	.
	„ 24,	21·2	6·1	7	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	1	.
	July 1,	33·3	.	11	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	1
	„ 8,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 15,	27·2	.	9	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.
Belfast. Pop. in 1911 (Est.) 386,449.	May 27,	16·1	0·8	123	.	.	.	.	.	1	.	.	21	12	4	6	11	2	.	3	1	1
	June 3,	16·4	0·7	125	.	.	.	.	.	.	.	.	16	11	6	11	18	1	.	4	.	2
	„ 10,	15·5	0 5	115	.	.	.	.	.	.	1	.	14	6	8	9	18	.	1	2	3	1
	„ 17,	14·4	0·8	107	.	.	.	.	1	4	.	.	13	10	6	9	13	1	.	.	3	
	„ 24,	11·1	0·7	82	.	.	.	.	.	.	.	.	13	2	6	5	10	1	3	1	1	3
	July 1,	15·7	0·7	116	.	1	.	.	.	1	.	.	23	2	7	5	8	2	.	1	4	3
	„ 8,	12·4	0·5	92	.	.	.	.	1	.	1	.	16	5	4	7	11	1	.	1	.	.
	„ 15,	16·6	1·5	123	.	.	.	.	1	1	.	.	18	8	6	2	14	6	.	3	3	1
Cork. Pop. in 1911 76,632.	May 27,	20·5	0·7	30	.	.	.	.	.	1	.	.	7	2	2	1	1	.	.	.	.	3
	June 3,	16·4	1·4	24	.	.	.	.	.	2	.	.	6	3	1	1	2	.	.	.	.	1
	„ 10,	15·0	.	22	.	.	.	.	.	.	.	.	3	1	3	.	3	.	.	.	.	1
	„ 17,	15·0	.	22	.	.	.	.	.	.	.	.	7	.	1	.	.	.	.	.	.	1
	„ 24,	19·7	0·7	29	.	.	.	.	.	.	.	.	5	2	.	1	4	.	.	1	.	3
	July 1,	18·4	0·7	27	.	.	.	1	.	.	.	.	2	.	1	.	3	.	.	.	2	2
	„ 8,	15·8	2 0	23	.	1	.	2	.	.	.	.	2	2	2	.	1	.	.	.	.	.
	„ 15,	11·6	.	17	.	.	.	.	.	.	.	.	3	1	1	.	5	.	.	.	.	1
Londonderry. Pop. in 1911 40,799.	May 27,	10·7	2·4	9	.	.	.	.	.	2	.	.	2	1	1	.	.	.	.	.	.	.
	June 3,	19·0	1·2	16	.	.	.	.	.	1	.	.	1	.	.	1	2	.	.	.	.	.
	„ 10,	23·0	1·3	18	.	.	.	.	.	.	.	.	4	.	1	1	5	1	.	.	1	.
	„ 17,	10·2	1·3	8	.	.	.	.	.	.	.	.	3	.	.	.	2	1	.	.	.	1
	„ 24,	8·9	1·3	7	.	.	.	.	1	.	.	.	.	.	.	1	2	.	.	.	.	
	July 1,	14·1	.	11	.	.	.	.	.	.	.	.	2	3	1	.	1	.	.	.	.	1
	„ 8,	8·9	1·3	7	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.
	„ 15,	19·2	.	15	.	.	.	.	.	.	.	.	3	1	.	1	4	.	.	.	1	.
Limerick. Pop. in 1911 38,403.	May 27,	6·8	.	5	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	3
	June 3,	15·0	.	11	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	1
	„ 10,	8·1	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1
	„ 17,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	.	5	.	.	.	.	2
	„ 24,	6·8	1·4	5	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	1
	July 1,	14·9	.	11	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	3
	„ 8,	16·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1
	„ 15,	10·9	.	8	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3
Waterford. Pop. in 1911 27,430.	May 27,	19·5	1·9	10	.	.	.	.	.	.	.	.	3	.	1	.	.	.	1	.	.	2
	June 3,	17·5	.	9	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 10,	13·3	.	7	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2
	„ 17,	17·1	.	9	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2
	„ 24,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	July 1,	5·7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 8,	28·5	.	15	.	.	.	.	.	.	.	.	6	1	.	.	1	.	.	.	.	4
	„ 15,	5·7	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.

* See note (‡) at foot of first page.

are calculated on an estimated population based on the Census of 1901; those for the other districts on the population according to the Census on the Census of 1911 (unrevised figures); those for the other districts on the population (unrevised) according to the Census of 1911.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 15th July, 1911, Deaths in Public Institutions of Persons *admitted from without each City be in parenthesis*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	385,492	6	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		8	3	1	.	2	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	1	.	.	1	.
Do. 2 do.		26			13	1	1	4	4	2	1	.	.	.	.	.	.	.	.	3	1	.	.	2	.	.	.	1	1	3	1
Do. 3 do.		36			16	8	.	.	1	4	3	.	.	.	.	.	.	.	.	.	1	2	.	3	3	.	.	1	1	2	.
Do. 4 do.		15			12	2	2	1	4	1	2	.	.	.	.	1	.	.	.	1	1	.	.	1	.	.	1	.	.	5	.
Do. 5 do.		10			2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Do. 6 do.		17			9	.	1	.	3	2	3	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.	1	.
Do. 7 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		2			3	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 9 do.		13			4	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
Do. 10 do.		19			8	3	.	3	1	1	.	.	.	.	.	.	1	.	.	2	.	1	.	.	.	.	.	.	2	2	.
Do 11 do.		14			15	.	.	4	4	3	4	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	1	1	3	.
Do 12 do.		23			18	4	1	3	3	6	1	.	.	.	.	.	.	.	.	4	.	.	.	3	1	.	.	.	.	7	.
Do. 13 do.		12			3	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		14			12	4	.	.	2	5	1	.	.	.	.	.	.	.	.	3	1	1	1	2	.	.	1	.	.	6	.
Total,	—	207			123	25	9	16	25	29	19	.	.	.	.	1	1	.	.	18	8	6	2	14	6	.	3	3	5	33	1
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	76,632	8	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	2	.
Do. 2 do.		8			3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Do. 3 do.		7			3	.	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	1	.
Do. 4 do.		5			2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Do. 5 do.		3			4	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	2	.
Do. 6 do.		2			2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 do.		6			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total	—	39	11·6	.	17	2	2	2	4	4	3	.	.	.	.	.	.	.	.	3	1	1	.	5	.	.	.	.	1	6	1

* See note (‡) at foot of first page

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	Jan. 21.	Jan. 28.	Feb. 4.	Feb 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.
No. of weeks in Annual Series,	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
BIRTHS registered, ...	233	188	212	218	216	213	232	193	220	218	232	228	204	189	236	232	229	180	214	233	215	258	201	264	213	207
DEATHS registered, ...	118	118	128	146	149	141	133	118	118	147	138	172	161	154	160	109	120	123	123	125	115	107	82	116	92	123
Annual Death rate per 1,000 of estimated population, ...	15·4	15·4	16·8	19·1	19·5	18·5	17·4	15·4	15·4	19·2	18·1	22·5	21·1	20·2	20·9	14·3	15·7	16·1	16·1	16·4	15·5	14·4	11·1	15·7	12·4	16·6
AGES, Under 1 year, ...	23	26	24	24	31	21	25	20	33	23	26	36	24	23	23	19	19	25	22	18	19	23	16	18	11	25
1—5 years, ...	8	10	10	7	10	14	9	10	6	17	11	7	10	14	13	10	9	9	13	7	7	10	7	9	7	9
5—25 ,, ...	16	11	6	11	21	17	18	9	10	19	11	14	17	13	21	13	17	15	17	14	14	16	7	16	15	16
25—45 ,, ...	17	13	25	27	30	29	16	23	14	28	23	36	32	26	27	25	23	26	22	24	26	22	18	20	21	25
45—65 ,, ...	21	27	34	34	32	26	35	29	27	30	38	45	37	39	46	22	29	31	27	34	20	20	20	37	25	29
65 and upwards, ...	33	31	29	43	25	34	30	27	28	30	29	34	41	39	30	20	23	17	22	28	29	16	14	16	13	19
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	.	.	1	.	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1	.	.	1	1
Whooping-cough, ...	1	1	1	.	.	1	1	1	1	.	.	.	3	2	1	.	.	1	1	.	.	4	.	1	.	1
Diphtheria, ...	1	2	1	.	.	.	.	.	.	1	1	.	2	1	.	.	.	.	.	.	1	.	.	.	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	17	13	10	11	22	15	13	19	7	22	24	26	25	14	17	16	25	21	21	16	14	13	13	23	16	18
Tuberculous Disease. Other Forms,	4	4	4	4	11	10	10	7	8	9	8	8	4	11	15	12	7	10	12	11	6	10	2	2	5	8
Cancer, ...	7	11	6	5	5	8	3	6	11	8	4	5	5	6	12	3	6	1	4	6	8	6	6	7	4	6
Diseases of Respiratory System, Pneumonia,	7	7	7	11	14	11	15	10	10	14	16	13	19	23	18	10	10	13	6	11	9	9	5	5	7	2
Diseases of Respiratory System, Others, ...	24	20	25	26	25	20	20	20	14	16	19	26	29	34	16	20	15	19	11	18	18	13	10	8	11	14
Diarrhœa, Under 2 years, ...	.	.	.	1	.	.	1	.	1	.	.	1	.	.	.	.	1	1	2	1	.	1	1	2	1	6
Diarrhœa, 2 years & upwards	.	.	.	1	.	.	.	1	.	3	1	.	1	.	.	.	.	.	.	.	1	.	3	.	.	.
Enteritis, under 2 years, ...	.	2	2	3	2	2	1	.	.	3	2	1	2	2	1	1	1	3	3	4	2	.	1	1	1	3
Violent Deaths, ...	1	2	4	4	.	4	3	2	1	3	4	8	2	3	3	3	4	1	1	.	3	3	1	4	.	3
Number of Uncertified Deaths, ...	1	5	2	1	.	.	3	2	1	.	1	3	2	.	1	2	1	1	1	2	1	.	3	3	.	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	July 15,	2,242	983	11·3	1	.	21	3	8	12	40*a*
Edinburgh, ...	320,829	„ 15,	120	116	18·9	.	.	.	2	8	1	3
Glasgow, ...	784,621	„ 15,	391	213	14·2	1	.	5	1	12	3	7
Calcutta, ...	—	June 10,	.	423	24·7	81*	1	3	.	2	1	84‡
Bombay, ...	977,822	„ 10,	349	511	27·2	93*	6	5	.	.	.	39
Madras, ...	509,346	May 20,	381	371	37·8	62*	19	6	?	?	?	92
Cairo, ...	689,439	„ 20,	611	747	56·5	1	1	11	11	.	13	228
Paris	2,846,986	June 17,	881	798	15·1	1	.	22	4	10	5†	18*a*
Brussels, ...	720,030	„ 17,	217	151	10·9	1	.	4	2	.	.	14
Antwerp, ...	320,640	„ 24,	117	69	11·2	.	.	2		1	.	13*a*
Amsterdam, ...	577,025	„ 24,	250	112	10·1	.	.	.	.	.	2†	4*a*
Copenhagen, ...	462,132	„ 24,	233	134	15·1	.	.	1	.	1	3	7*a*
Stockholm, ...	343,832	„ 17,	164	79	11·9	.	.	.	1	.	.	1*a*
Christiania, ...	244,038	July 1,	121	59	12·6	.	.	.	.	2	2	1
St. Petersburg, ...	1,599,139	June 10,	701	698	22·8	9	1	34	10	5	6	101
Moscow, ...	1,493,600	„ 10,	.	910	31·8	1	9	21	10	8	10†	284
Berlin, ...	2,066,868	„ 10,	811	611	15·4	2	.	11	6	13	20†	55
Hamburg, ...	932,166	„ 24,	.	224	12·5	.	.	1	3	2	12†	18
Breslau, ...	519,285	„ 24,	.	176	17·7	.	.	.	1	2	1†	21
Munich, ...	597,000	July 1,	.	181	15·8	1	.	.	.	3	2†	17
Vienna (with suburbs),	2,047,968	June 24,	832	646	16·4	1	.	12	6	4	2†	52*a*
Buda-Pesth, ...	891,585	„ 24,	400	304	17·7	.	.	8	3	1	2†	26*a*
Prague and Faubourgs,	508,310	„ 10,	202	146	14·9	1	.	1	2	1	1†	6*a*
Trieste, ...	229,499	„ 17,	107	71	16·1	.	.	2	.	.	1	6
Rome, ...	602,068	Apr. 15,	282	183	15·8	1	.	5	.	4	3	8
Venice	184,325	June 3,	82	51	14·4	1	.	.	.	.	.	5
New York, ...	4,983,385	„ 3,	2,368	1,334	13·9	6	.	29	28	10	28†	55*a*
Philadelphia, ...	1,580,250	May 20,	.	489	16·1	2	.	11	6	1	11†	19*a*
Boston, ...	686,912	June 24,	.	177	13·4	1	.	4	.	2	2	12

* Deaths from "fever," including 2 deaths from enteric fever and 38 deaths from plague in Calcutta, one from enteric fever and 48 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 51 deaths from cholera in Calcutta.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending July 15th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	2	.	.	.	.	2
" " 1, West, ...	.	.	.	.	2	.	1	.	1	.	.	1	5
" " 2, ...	.	.	.	.	2	.	.	2	.	.	.	1	5
" " 3, ...	.	2	.	.	1	.	.	2	.	.	.	2	7
Clontarf and Howth No. 1 (part of),	.	.	.		.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	1	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	.	.	.	.	.	1
South City No. 1, ...	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 2, ...	.	1	.	.	2	.	.	1	.	.	.	.	4
" " 3, ...	.	6	.	.	1	.	.	1	.	.	.	2	10
" " 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham, ...	.	1	.	.	.	.	.	.	.	.	.	.	1
Total, ...	.	11	.	.	10	.	1	8	1	.	.	7	38

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th July, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 15th July.			
	June 24.	July 1.	July 8.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	85	54	43	10	18	1	34
Scarlet Fever, ...	67	69	73	11	22	3	59*
Typhus, ...	4	4	2	.	2	.	.
Diphtheria, ...	32	45	45	11	15	2	39
Enteric Fever, ...	45	54	45	6	13	1	37
Pneumonia, ...	22	20	27	3	12	1	17

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 15th July, 1911:—

"Magnificent summer weather prevailed throughout this week. The anticyclone, which had spread northeastwards to the British Islands early in the previous week, became central over Scotland on Sunday. The system gradually gained strength, so that from Sunday night until Wednesday afternoon the isobar of 30·6 inches covered the northern portion of the United Kingdom. On Thursday the area of high pressure began a slow westward movement, its centre lying over the Atlantic to the north westward of Ireland on Friday morning, when an area of relatively low pressure (29·7 inches) passed southeastwards from Arctic regions to the north of Sweden. At 7 a.m. of Saturday the barometer was down to 29·36 inches at Haparanda on the Gulf of Bothnia. These changes brought relief in the form of brisk northerly winds, to the torrid heat which had prevailed for several days. Sunday broke overcast in Dublin, but the clouds dispersed shortly after midday and a succession of brilliant days and calm cool nights followed. As usually happens in fine, bright weather along the east coast in summer, the heat of the sun was tempered in this City by a day breeze from the sea. Notwithstanding, a maximum of 78·2° was recorded in the screen on Thursday, that being the highest shade-temperature reached in Dublin since July 14, 1905, when 81·8° was registered. Inland, the heat was much greater—at Birr Castle the maxima were 78°, 79°, 80°, 84°, 86° and 81° up to Friday. A northerly wind sprang on Friday night, but the thermometer did not fall below 60° in the screen. Saturday was cooler, but fine and bright. Cirrus cloud came up from N.W. in the evening. In Dublin the mean height of the barometer was 30·480 inches, the mercury rising to 30·575 inches at 9 a.m. of Tuesday (wind, E.N.E.), and falling to 30·299 inches at 9 p.m. of Saturday (wind, N.E.). The corrected mean temperature was 63·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 63·2°. On Tuesday the screened thermometers fell to 51·0°, on Thursday they rose to 78·2°. N.E. winds prevailed. The week was rainless."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·309 inches. The highest reading (30·399) was on Tuesday at 9 a.m., air calm, and the lowest (30·124) on Saturday at 9 p.m., air calm.

The mean temperature for the week was 60·9°, being 2·4° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Thursday, on which day the thermometer registered 81·8°, and was lowest on Tuesday, the mercury having fallen to 41·6°. The mean of the Dry Bulb for the week was 62·1° and of the Wet Bulb, 59·1°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. There was no rainfall during the week.

At Greenwich the mean temperature for the week was 65·2°, the maximum 85·0°, and the minimum 49·1°; at Glasgow the maximum was 85·0°, the minimum 45·3°, and the mean 64·1°; and at Edinburgh the maximum was 83·7°, the minimum 45·5°, and the mean 62·3°. The rainfall at Glasgow measured 0·03 in.; and at Edinburgh 0·10 in. There was no rainfall recorded at Greenwich.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, July 9,	30·314	68·6	56·7	62·7	58·9	58·3	·97	·4	5·7	·000	N.E.	Calm.
Monday, „ 10,	30·381	65·5	50·0	57·8	57·4	55·6	·88	·6	14·5	·000	E.	Calm.
Tuesday, „ 11,	30·386	72·8	41·6	57·2	61·6	57·0	·75	·4	13·4	·000	Calm.	Calm.
Wednesday, „ 12,	30·365	80·3	42·9	61·6	65·0	61·2	·81	·5	14·5	·000	Calm.	Calm.
Thursday, „ 13,	30·302	81·8	46·9	64·4	68·4	63·9	·79	·5	14·9	·000	Calm.	Calm.
Friday, „ 14,	30·246	78·9	44·3	61·6	65·1	61·5	·81	·6	15·2	·000	Calm.	Calm.
Saturday, „ 15,	30·168	69·3	52·9	61·2	58·1	56·4	·90	·5	15·0	·000	N.N.W.	Calm.
Mean, ...	30·309	73·9	47·9	60·9	62·1	59·1	·84	·5	Total 93·2	Total ·000	——	

Sunday—Day overcast to cloudy, fine; night clear. *Monday*—Beautiful bright day; night clear. *Tuesday*—Beautiful bright day; night clear. *Wednesday*—Beautiful bright day; night clear. *Thursday*—Beautiful bright day; night clear. *Friday*—Beautiful bright day; night clear. *Saturday*—Beautiful bright day; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, July 15th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, July 9,	58·9	63·5	57·0	67·8	45·5	56·8	5·5	—
Monday, „ 10,	63·0	63·5	57·0	64·5	55·8	60·2	13·0	—
Tuesday, „ 11,	67·1	63·0	57·3	71·5	48·5	59·5	13·5	—
Wednesday, „ 12,	74·0	68·0	58·0	79·7	48·5	64·1	12·5	—
Thursday, „ 13,	78·5	64·0	58·0	81·0	50·0	60·5	13·5	—
Friday, „ 14,	72·7	64·8	58·5	81·0	53·0	62·0	13·3	—
Saturday, „ 15,	65·5	66·0	58·5	81·1	53·0	62·1	13·3	—
Weekly Mean, .	68·5	64·7	57·8	75·2	50·6	60·7	Total 84·6	Total —

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30913. Wt. P. 1-60/138. 375. 4. 1911. Sch. C 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

Sole Wholesale Agent for places outside the United Kingdom of Great Britain and Ireland,
T. FISHER UNWIN, 1, ADELPHI TERRACE, LONDON, W.C.
(Depots in New York, Toronto, Melbourne, Wellington, Cape Town, Calcutta, Tokio, and Leipzig.)

PRINTED BY ALEXANDER THOM & CO., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 22ND JULY, 1911. [No. 29.

General Register Office, Charlemont House,
Dublin, 24th July, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending July 1	Week ending July 8	Week ending July 15	Week ending July 22	Average Rate for 4 weeks.
22 Town Districts, ...	**17·0**	**14·2**	**16·7**	**16·8**	**16·2**
Armagh	6·9	.	6·9	6·9	5·2
Ballymena	18·3	22·9	9·2	18·3	17·2
Belfast	15·7	12·4	16·6	16·3	15·3
Clonmel	.	15·2	5·1	20·3	10·2
Cork	18·4	15·8	11·6	12·9	14·7
Drogheda	16·8	8·4	4·2	16·8	11·6
Dublin Reg. Area ...	19·5	13·9	20·9	19·8	18·5
Dundalk	27·8	11·9	15·9	7·9	15·9
Galway	35·4	15·7	11·8	11·8	18·7
Kilkenny	14·9	24·8	5·0	9·9	13·7
Limerick	14·9	16·3	10·9	20·4	15·6
Lisburn	17·1	12·9	8·6	8·6	11·8
Londonderry	14·1	8·9	19·2	19·2	15·4
Lurgan	12·9	30·1	8·6	17·2	17·2
Newry	4·4	21·8	21·8	8·7	14·2
Newtownards	17·2	17·2	22·9	.	14·3
Portadown	4·4	.	26·7	4·4	8·9
Queenstown	33·0	6·6	6·6	.	11·6
Sligo	14·0	.	9·3	9·3	8·2
Tralee	10·6	31·7	15·9	10·6	17·2
Waterford	5·7	28·5	5·7	19·0	14·7
Wexford	22·8	36·4	13·7	22·8	23·9

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 2·4 per 1,000, the rates varying from 0·0 in sixteen of the districts to 4·6 in Wexford. Among the 121 deaths from all causes for Belfast are one from enteric fever, one from whooping-cough, 2 from diphtheria, and 18 from diarrhœal diseases. Of the 19 deaths from all causes for Cork one is from measles and one is from diarrhœa. Included in the 15 deaths from all causes for Londonderry are one from whooping-cough and 2 from diarrhœa, and 3 deaths from diarrhœal diseases are also included in the 15 deaths from all causes for Limerick.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 294—166 boys and 128 girls—and the deaths to 162—82 males and 80 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·8 per 1,000 of the population. During the twenty-nine weeks ending with Saturday last the death-rate averaged 21·2, and was 2·2 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II. and note to Table VII.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 162, represent an annual rate of 20·9 per 1,000; the annual rate for the past twenty-nine weeks was 22·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 24·5 per 1,000 of the mean population for all deaths registered.

The total deaths from all causes registered during the week included 2 deaths from enteric fever, 3 deaths from measles, 4 deaths from whooping-cough, 2 deaths from diphtheria, 11 deaths from diarrhœa and *enteritis* of children under 2 years of age, and 2 deaths from influenza. In each of the three preceding weeks, deaths from enteric fever were 0, one, and 3; deaths from measles were 7, 4, and 7; deaths from whooping-cough were 2, 0, and one; deaths from diphtheria were 2, 2, and 3; deaths from diarrhœa and *enteritis* of children under 2 years of age were 3, 4, and 5, and deaths from influenza were one, one, and one.

The deaths from tuberculosis, which amounted to 27, included 17 deaths from pulmonary tuberculosis, 4 deaths from tuberculous meningitis, 4 deaths from abdominal tuberculosis, one death from tuberculous disease of the bladder, and one death from disseminated tuberculosis. Deaths from all forms of tuberculosis in the three preceding weeks numbered 27, 14, and 32, respectively.

Of 8 deaths from pneumonia (all forms) 4 were attributed to broncho-pneumonia, 2 to lobar pneumonia, and 2 to *pneumonia* (type not distinguished).

There were 10 deaths classified to cancer.

Of 23 deaths ascribed to diseases of the brain and nervous system, there were 7 deaths of children under 2 years of age from *convulsions*, 5 of the latter figure being deaths of infants under one year of age.

Organic diseases of the heart accounted for the deaths of 18 persons, and 9 deaths were caused by bronchitis.

One death of an infant was due to congenital defects, 2 were due to premature birth, and 3 to congenital debility.

Of 2 deaths assigned to accidental violence, one was by drowning.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year of age, and the death of one person aged 79 years.

Fifty-one of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 8 were under one month old) and 32 were aged 65 years and upwards, including 24 persons aged 70 and upwards; among the latter were 14 aged 75 and upwards.

Fifty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·8 per 1,000; the rate in the City was 20·9 (North City Districts, 18·1; South, 23·8) and in the Suburbs, 16·1.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·8 per 1,000 inhabitants, the rate for the City being 3·2 (3·9 in the North City Districts, and 2·4 in the South), and for the Suburbs, 1·7 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (14) are equal to an annual rate of 24·5 per 1,000, and include one death from each of—enteric fever, measles, whooping-cough and bronchitis; and 2 deaths from diarrhœa and *enteritis* of children under 2 years of age.

No. 1 *North City District, West* (Summer-hill).—The deaths (10) are equal to an annual rate of 13·1 per 1,000. Of the deaths 4 were from tuberculosis, one was caused by bronchitis, and one was of a child under 2 years of age from *enteritis*.

No. 2 *North City District* (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 18·7 per 1,000. There was one death from whooping-cough, there were 3 deaths from tuberculosis, one death from broncho-pneumonia, one death from bronchitis, and 2 deaths from diarrhœa of children under 2 years of age.

No. 3 *North City District* (Benburb-street).—The deaths (15) represent an annual rate of 23·3 per 1,000. Enteric fever and measles each caused one death; there were 2 deaths from pulmonary tuberculosis, one death from bronchitis, and one death from diarrhœa of a child under 2 years of age.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 9·0; and Finglas and Glasnevin, part of, 13·6. One of the 2 deaths for Coolock and Drumcondra, part of, is from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (19) represent an annual rate of 23·9 per 1,000. Pulmonary tuberculosis caused 3 deaths, there was one death from *pneumonia* (type not distinguished), 2 deaths from bronchitis, and one accidental death.

No. 2 *South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 28·8 per 1,000. There were 2 deaths from tuberculous disease, and one death from diarrhœa of a child under 2 years of age.

No. 3 *South City District* (Peter-street).—The deaths (24) are equal to an annual rate of 29·0 per 1,000. Measles, whooping-cough, and diphtheria each caused one death; there were 5 deaths from tuberculous disease, 3 deaths from broncho-pneumonia, one death from lobar pneumonia, one death from *pneumonia* (type not distinguished), one death from bronchitis, and 3 deaths from diarrhœa of children under 2 years of age.

No. 4 *South City District* (Grand Canal Street).—The deaths (8) are equivalent to an annual rate of 11·6 per 1,000, and include one death from abdominal tuberculosis and one death from broncho-pneumonia.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 34·5 per 1,000. Of the 6 deaths registered 3 were caused by pulmonary tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·6; Pembroke, 14·2; Blackrock, 17·2; and Kingstown, 24·2. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diphtheria for Rathmines and Rathgar, one from whooping-cough for Pembroke, and one from diarrhœa for Kingstown. Among the 10 deaths from all causes for Rathmines and Rathgar are one from influenza, 2 from pulmonary tuberculosis, one from lobar pneumonia, one from bronchitis, and one by drowning. Included among the 8 deaths from all causes for Pembroke are one from pulmonary tuberculosis and one from bronchitis. One death from influenza is included in the 3 deaths from all causes for Blackrock.

* See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 22nd July, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	July 1,	.	—	—	13	.	.	14	.	1	15	10	.	—	—	.	—	11	—	64
	July 8,	.	—	—	18	.	.	6	.	1	11	4	.	—	—	.	—	5	—	45
	July 15,	.	—	—	11	.	.	10	.	1	8	1	.	—	—	.	—	7	—	38
	July 22,	.	—	—	18	.	.	10	.	1	9	12	.	—	—	.	—	10	—	60
Rathmines and Rathgar Urban District.	July 1,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	July 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	July 15,	.	—	—	3	.	.	.	.	.	.	1	.	.	—	—	—	—	—	4
	July 22,	.	—	—	.	.	.	1	.	.	.	.	.	1	—	—	—	—	—	2
Pembroke Urban District.	July 1,	.	5	.	.	.	.	.	.	.	.	.	.	.	7	.	—	.	—	12
	July 8,	.	5	.	.	.	.	.	.	.	1	.	.	.	7	.	—	.	—	13
	July 15,	.	1	.	.	.	.	.	.	.	.	.	.	.	12	.	—	.	—	13
	July 22,	.	.	.	2	.	.	.	.	.	.	.	.	.	16	.	—	.	—	18
Blackrock Urban District.	July 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	July 8,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
	July 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	July 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	July 1,	.	—	—	.	.	.	.	.	.	1	2	.	—	—	—	—	.	—	3
	July 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	July 1,	.	—	—	7	.	.	8	.	.	.	4	1	—	—	.	—	14	—	34
	July 8,	.	—	—	12	.	.	7	1	.	.	2	.	—	—	.	—	7	—	29
	July 15,	.	—	—	8	.	.	4	.	.	1	1	.	—	—	.	—	10	—	24
	July 22,	.	—	—	6	.	.	6	.	.	5	2	.	—	—	.	—	12	—	31

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 22nd July, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Thirteen cases of measles were admitted to hospital during the week, 16 were discharged, there were 2 deaths, and 29 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 54, 43, and 34, respectively.

Twenty-two cases of scarlet fever were admitted to hospital, 15 were discharged, and 66* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 69, 73, and 59, respectively.

Ten cases of diphtheria were admitted to hospital during the week, 18 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 45, 45, and 39, respectively, were 29 at the close of last week.

Six cases of enteric fever were admitted to hospital during the week, 8 were discharged, and 35 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 54, 45, and 37.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 4 were discharged, there was one death, and 18 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 11·4) was equal to an average annual death-rate of 12·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 13·9 per 1,000, the rate for Glasgow being 15·9 and for Edinburgh 13·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 22nd July. From this Report it appears that of a total of 36 cases notified, 14 were phthisis, 11 scarlet fever, 8 diphtheria, and 3 erysipelas. Among the 297 cases of infectious diseases in hospital at the close of the week were 98 cases of scarlet fever, 60 of phthisis, 48 of whooping-cough, 39 of diphtheria, 34 of measles, 9 of chicken-pox, 5 of erysipelas, one of enteric fever, and one of puerperal fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 22nd July, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Registration—Week ending Saturday, 22nd July, 1911. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 22nd July, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 15th July, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th July, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
Total of 22 Town Districts, ...	1,149,495	20·2	31·8	16·8	2·4	767	371	82	69	3	...	...	4	...	6	4	...	46	20	15	15	25	23	...	13	10	20	112	14	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:— Total, (c.) ...	403,732	29·3	38·0	19·8	2·8	294	153	30	32	2	...	...	3	...	4	2	...	17	10	9	8	10	9	...	2	2	5	50	2	e75·3 ...	49·9 ...	62·9 ...	0·32 ...	e81·8 ...	41·6 ...	60·9 ...	0·00 ...	e79·3 ...	41·9 ...	59·6 ...	0·02 ...
City of Dublin,	309,738	39·2	41·4	20·9	3·2	246	124	28	20	2	...	...	3	...	3	1	...	14	10	7	7	8	8	..	2	1	4	45	2	f76·1 ... g76·5 ...	54·6 ... 52·0 ...	64·3 ... 64·2 ...	0·42 ... 0·26 ...	f78·2 ... g83·9 ...	51·0 ... 44·0 ...	63·4 ... 62·7 ...	0·00 ... 0·00 ...	f76·4 ... g77·9 ...	45·6 ... 43·0 ...	60·6 ... 60·2 ...	0·02 ... 0·02 ...
Urban Districts. Rathmines and Rathgar.	38,330	22·4	28·6	13·6	1·4	21	10	...	6	...	...	...	...	...	...	1	...	2	...	1	1	1	...	...	...	1	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,347	18·5	19·5	14·2	1·8	11	8	1	1	...	...	...	...	...	1	...	...	1	..	...	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,090	8·4	5·7	17·2	...	1	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,227	11·8	45·4	24·2	3·0	15	8	1	2	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	78	55	61·8	0·19	77	50	62·8	0·00	75	46	61·3	0·00
Urban Districts. Belfast ...	386,449	26·3	36·2	16·3	3·0	268	121	32	19	1	...	...	...	...	1	2	...	20	6	3	4	10	10	...	8	5	9	35	...	73·0	51·0	63·7	0·33	80·0	46·5	62·8	0·00	76·0	43·8	59·1	0·25
Cork, ...	76,632	33·8	23·1	12·9	1·4	34	19	4	3	...	...	...	1	...	...	...	...	1	...	...	...	1	1	...	...	1	2	9	1	74	55	61·8	0·12	75	52	63·7	0·00	70	48	57·6	0·02
Londonderry...	40,799	18·9	24·3	19·2	3·8	19	15	2	1	...	...	...	...	...	1	...	...	2	...	3	...	1	2	...	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,403	18·2	23·1	20·4	4·1	17	15	3	1	...	...	...	...	...	...	...	...	...	...	...	1	2	1	...	2	...	1	3	3	72·6	50·0	61·4	0·77	87·5	41·7	65·8	0·00	79·3	40·8	59·3	0·00
Waterford, ...	27,430	19·1	32·3	19·0	...	17	10	2	3	...	...	...	...	...	...	...	...	2	...	..	...	...	...	...	...	2	2	4	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,249	2·5	23·6	11·8	...	6	3	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	...	78	50	61	0·72	86	50	67	0·00	70	44	57	0·00
Dundalk, ...	13,128	9·5	19·9	7·9	...	5	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,425	8·4	29·4	16·8	...	7	4	...	2	...	...	...	...	...	...	...	..	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	11,956	17·2	61·1	8·7	...	14	5	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	72·9	50·5	61·2	0·28	84·3	45·0	62·3	0·00	75·0	42·0	58·5	0·43
Lurgan, ...	12,135	14·3	30·1	17·2	...	7	4	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	72·9	50·5	61·2	0·28	84·3	45·0	62·3	0·00	75·0	42·0	58·5	0·43
Lisburn, ...	12,172	10·7	38·6	8·6	...	9	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	72·9	50·5	61·2	0·28	84·3	45·0	62·3	0·00	75·0	42·0	58·5	0·43
Wexford, ...	11,455	23·8	31·9	22·8	4·6	7	5	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	..	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena, ...	11,376	9·3	9·2	18·3	...	2	4	1	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8	42·0	9·3	...	9	2	1	1	..	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	1	...	...	67·7	44·7	58·7	1·00	82·0	42·0	60·7	0·02	74·1	42·0	57·3	0·85
Kilkenny, ...	10,513	11·4	14·9	9·9	...	3	2	...	1	...	...	...	...	...	...	...	...	...	..	...	...	..	...	...	...	...	...	...	1	77	50	64·1	0·34	88	46	66·0	0·02	82	42	61·7	0·00
Clonmel, ...	10,277	7·9	35·5	20·3	...	7	4	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	11,727	15·3	53·4	4·4	...	12	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	72·9	50·5	61·2	0·28	84·3	45·0	62·3	0·00	75·0	42·0	58·5	0·43
Tralee, ...	9,867	16·6	31·7	10·6	...	6	2	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	40·1	...	...	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	69	50	59·2	0·24	72	53	59·7	0·00	70	50	58·1	0·32
Queenstown, ...	7,909	14·4	85·7	...	...	13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	74	55	61·8	0·12	75	52	63·7	0·00	70	48	57·6	0·02
Armagh, ...	7,588	22·2	27·5	6·9	...	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	72·9	50·5	61·2	0·28	84·3	45·0	62·3	0·00	75·0	42·0	58·5	0·43

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 9 deaths of persons (including one under one year old admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 22nd of July, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	3	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	4	.
Diphtheria,	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	.	1	2	2	.	1	.	3	.	2	.	3	2	1	.	.	17	.
Tuberculous Disease. { Other Forms,	.	3	1	.	.	.	.	.	2	3	1	.	.	.	.	.	10	.
Cancer,	1	.	1	2	.	1	.	1	.	1	.	.	1	.	.	1	9	1
Diseases of Nervous System,	1	2	1	2	.	.	.	3	2	1	1	.	1	4	1	2	21	2
" Organs of Special Sense,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
" Circulatory System,	4	.	.	1	1	.	1	4	.	1	3	1	.	.	1	2	19	1
" Respiratory System. { Pneumonia,	.	.	1	.	.	.	.	1	.	4	1	.	1	.	.	.	8	.
" Respiratory System. { Others,	1	1	1	1	.	.	.	2	1	1	.	.	1	1	.	.	10	.
" Digestive System. { Diarrhœa, under 2 years,	1	.	2	1	.	.	.	.	1	3	.	.	.	.	.	1	9	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, under 2 years,	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
" Digestive System. { Others,	.	.	.	1	.	.	.	1	1	.	.	1	.	.	.	1	5	2
" Genito-urinary System,	.	1	.	1	.	.	.	.	.	.	1	.	1	1	.	.	5	1
Puerperal Septicæmia, etc.,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy & Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	1	1	2	.	.	.	3	4	4	.	1	.	.	.	1	17	1
Violent Deaths,	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
Ill-defined, &c. Causes,	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	1
Deaths from All Causes	14	10	11	15	1	2	2	19	12	24	8	6	10	8	3	8	153	9
Annual Rate of Mortality from All Causes in every 1,000 of the population.	24·5	13·1	18·7	23·3	9·7	9·0	13·6	23·9	28·8	29·0	11·6	34·5	13·6	14·2	17·2	24·2	19·8	.
	18·1							23·8					16·1					
	20·9																	
Ages at Death. Under 1 year,	4	3	4	5	.	.	.	2	3	5	1	1	.	1	.	1	30	1
1 and under 2 years,	.	1	1	1	.	.	.	.	.	3	1	.	1	3	.	.	11	.
2 " 5 "	1	1	1	.	.	.	.	.	.	5	1	.	.	.	.	.	9	.
5 " 15 "	.	.	.	1	.	.	.	.	.	3	.	.	.	1	.	.	5	1
15 " 25 "	2	1	1	.	.	.	.	.	1	1	1	2	.	.	.	.	9	1
25 " 45 "	2	4	1	2	.	.	.	8	2	1	.	2	1	1	.	.	24	2
45 " 65 "	4	.	2	3	1	1	.	4	2	4	3	1	2	1	.	5	33	4
65 and upwards,	1	.	1	3	.	1	2	5	4	2	1	.	6	1	3	2	32	.
Number of Uncertified Deaths,	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	4	.	.	3	.	1	.	2	2	6	2	2	2	1	.	.	25	9
Workhouse Hospitals,	1	3	1	3	.	.	.	8	4	2	1	.	1	1	.	.	25	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 29th Week of the 10 years 1901–1910.	In the Week ending Saturday, 22nd July, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	July 20, 1901.	July 19, 1902.	July 25, 1903.	July 23, 1904.	July 22, 1905.	July 21, 1906.	July 20, 1907.	July 18, 1908.	July 24, 1909.	July 23, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 64·6	° 58·6	° 57·4	° 59·3	° 61·9	° 59·0	° 63·8	° 57·3	° 59·4	° 56·9	° 59·8	° 62·9										
ALL CAUSES.	138	155	131	131	153	156	168	144	115	144	143·5	162	8	23	11	9	6	10	26	37	18	14
Enteric Fever, ...	2	3	1	2	2	1	.	1	2	2	1·6	2	.	.	.	.	1	1	.	.	.	.
Typhus, ...	.	1	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	8	1	5	.	2	.	3	.	1	2·0	3	.	1	2	.	.	.	.	.	.	.
Scarlet Fever, ...	1	.	1	.	.	.	.	.	.	3	·5	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	1	3	3	1	3	4	1	2	1	1·9	4	.	1	1	2	.	.	.	.	.	.
Diphtheria, ...	1	1	.	.	.	1	.	.	1	.	·4	2	.	.	1	1	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	1	.	1	.	.	.	.	.	1	·4	2	.	.	.	.	.	.	.	.	.	2
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	3	1	.	1	1	.	1	.	.	·7	1	.	.	.	1	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	1	.	.	.	1	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	22	25	17	14	14	23	21	21	23	11	19·1	17	.	.	.	.	.	3	10	3	1	.
Tuberculous Meningitis, ...	.	.	3	3	4	3	4	6	3	2	2·8	4	.	1	1	.	2	.	.	.	.	.
Abdominal Tuberculosis, ...	5	3	1	3	3	2	2	.	.	.	1·9	4	.	1	2	.	.	1	.	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	1	3	7	4	8	6	6	5	3	1	4·4	1	.	.	.	.	.	1	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												1	.	.	.	1	.	.	.	.	.	.
Venereal Diseases, ...	.	.	.	.	1	1	2	2	.	2	·8	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	4	5	8	2	6	14	5	10	4	11	6·9	10	.	.	.	.	.	.	2	5	2	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	1	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	6	.	1	.	.	.	1	1	1	.	2
Alcoholism, ...	1	1	.	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												3	.	.	.	.	1	1	1	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												3	.	.	.	.	.	.	.	.	1	2
Softening of Brain, ...												3	.	.	.	.	.	.	.	.	3	.
Paralysis, without specified cause.												4	.	.	.	.	.	.	1	1	2	.
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												7	1	4	2	.	.	.	.	.	.	.
Other Diseases of Nervous System.	31	33	36	36	30	37	45	33	22	34	33·7	3	.	.	.	.	1	1	.	1	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												1	.	.	.	.	.	.	.	1	.	.
Organic Diseases of the Heart,												18	.	1	.	.	.	1	4	8	1	3
Embolism and Thrombosis (including Cerebral)												1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Circulatory System.												.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	6	10	9	8	6	9	19	8	10	13	9·8	9	.	1	1	.	.	.	1	2	3	1
Broncho-pneumonia, ...		3	2	3	5	4	7	4	3	3		4	1	.	.	2	1	.	.	.	.	.
Lobar-pneumonia, ...	8	.	1	.	.	.	1	.	.	1	8·3	2	.	.	.	1	.	.	.	1	.	.
Pneumonia (type not distinguished)		6	4	5	3	8	4	.	3	5		2	.	.	.	.	.	.	1	1	.	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	.	4	.	1	2	1	3	2	2	1	1·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												1	.	.	.	.	.	.	.	1	.	.

TWENTY-NINTH WEEK ending Saturday, 22nd July, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 29th Week of the 10 years 1901–1910.	In the Week ending Saturday, 22nd July, 1911.										
													Deaths of Persons of the Ages of									
	July 20, 1901.	July 19, 1902.	July 25, 1903.	July 23, 1904.	July 22, 1905.	July 21, 1906.	July 20, 1907.	July 18, 1908.	July 24, 1909.	July 23, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 64·6	° 58·6	° 57·4	° 59·3	° 61·9	° 59·0	° 63·8	° 57·3	° 59·4	° 56·9	° 59·8	° 62·9										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Diarrhœa of Children under 2 years.	14	1	1	5	18	3	.	9	4	5	6·0	9	1	7	1	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	1	4	1	2	4	4	2	8	5	4	3·5	2	.	2	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												1	.	.	.	.	.	.	.	.	1	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	.	.	.	.	3	.	.
Cirrhosis of Liver, ...	5	1	2	2	.	.	1	.	1	1	2·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...		2	3	2	2	2	.	.	.	1		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	3	6	2	5	9	2	6	2	6	4	4·5	2	.	1	.	.	.	.	1	.	.	.
Acute Nephritis, ...	3	6	6	5	5	6	6	4	4	5	5·0	1	.	.	.	.	.	.	1	.	.	.
Chronic Bright's Disease, ...												3	.	.	.	.	.	.	.	2	1	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												2	.	.	.	.	.	.	.	1	1	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	1	.	1	.	.	.	1	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	1	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	3	3	3	6	6	1	4	1	4	3·4	2	2	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	3	1	2	.	.	.	.	.	.	.	.
Old Age, ...	7	6	3	3	4	3	4	7	.	2	3·9	3	.	.	.	.	.	.	.	.	1	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	2	1	.	.	.	.	.	1	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	1	1	.	2	1	.	1	1	2	·9	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	3	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	.	.	.	.	1	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
By Drowning, ...	2	.	.	.	1	.	1	.	2	.	·6	1	.	.	.	.	.	.	.	.	1	.
By Suffocation in Bed, ...	.	.	.	.	.	.	2	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	1	2	4	2	1	3	.	2	5	2·2	1	.	.	.	.	.	.	.	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	1	1	1	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	1	.	.	.	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	.	.	.	.	2	.	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	Jan. 28.	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.
No. of weeks in Annual Series,	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
BIRTHS registered.	232	219	241	192	214	217	238	203	276	230	198	171	174	259	260	242	226	246	261	228	232	185	324	190	190	294
Average Births in corresponding week of previous 10 years, ...	201	241	217	212	209	216	223	212	212	233	202	210	223	199	268	231	210	204	238	226	207	224	237	205	204	208
DEATHS registered, ...	228	200	220	208	195	180	174	170	214	177	191	174	196	181	176	170	129	158	150	149	159	127	155	120	172	162
Annual Death-rate per 1,000, ...	29·2	25·6	28·2	26·6	25·0	23·1	22·3	21·8	27·4	22·7	24·5	22·3	25·1	23·2	22·5	21·8	16·5	20·2	19·2	19·2	20·5	16·4	20·0	15·5	22·2	20·9
Average Deaths in corresponding week of previous 10 years, ...	192	200	198	200	210	218	210	194	201	203	199	195	197	190	177	178	171	169	154	151	149	148	134	140	141	144
Ages, Under 5 years, ...	59	61	47	57	57	70	59	39	56	48	54	63	54	50	56	48	40	37	43	34	42	44	56	43	41	51
5—15 " ...	11	6	10	6	10	9	12	9	7	14	17	4	5	11	14	7	6	14	10	8	4	9	10	4	13	6
15—25 " ...	11	12	13	5	6	6	7	7	13	8	10	10	14	7	6	8	9	11	9	9	13	2	7	7	11	10
25—45 " ...	32	32	41	36	35	32	24	24	42	19	33	25	31	33	15	35	21	21	29	26	32	18	20	19	31	26
45—65 " ...	55	48	51	49	35	36	36	42	44	36	44	43	45	35	30	38	36	39	29	33	31	34	28	20	33	37
65—75 " ...	34	22	39	33	29	19	19	28	32	29	27	19	29	25	34	19	10	24	17	26	18	13	16	15	24	18
75 and upwards, ...	26	19	19	22	23	8	17	21	20	23	6	10	18	20	21	15	7	12	13	13	19	7	18	12	19	14
Deaths from :—																										
Enteric Fever, ...	2	3	2	2	2	4	3	1	2	1	3	1	1	.	1	1	1	1	1	.	.	1	.	1	3	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	2	2	2	3	7	7	7	3	2	1	7	11	5	8	17	4	6	3	4	2	8	7	4	7	3
Scarlet Fever, ...	1	.	4	6	2	2	.	.	1	.	1	4	1	.	1	1	.	2	2	2	.	.	.	1	3	.
Whooping-cough, ...	10	4	3	6	7	11	4	4	6	5	3	6	.	2	3	2	4	1	4	1	3	2	2	.	1	4
Diphtheria, ...	1	5	2	3	2	.	2	.	1	1	4	3	4	1	2	3	1	.	1	4	1	4	2	2	3	2
Influenza, ...	4	3	4	5	7	2	2	2	1	2	2	.	3	.	3	2	1	2	.	.	1	.	1	1	1	2
Dysentery, ...	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Tuberculous Disease, Phthisis, ...	28	19	27	22	18	20	17	28	32	16	29	21	33	22	21	17	25	22	22	25	23	7	21	7	20	17
Tuberculous Disease, Other Forms,	7	4	6	8	7	7	8	8	15	13	10	3	8	10	6	6	6	9	9	8	7	11	6	7	12	10
Cancer, ...	7	16	11	4	6	5	8	6	10	13	11	8	7	9	6	5	6	11	9	12	10	7	8	12	4	10
Diseases of Circulatory System,	25	19	23	17	21	14	13	24	27	22	23	14	15	24	17	23	7	19	12	12	23	14	22	16	22	20
Diseases of Respiratory System, Pneumonia,	17	18	20	15	21	13	16	14	13	13	18	19	16	18	22	15	12	6	10	8	9	8	9	9	10	8
Diseases of Respiratory System, Others, ...	42	30	41	44	28	29	25	23	27	24	24	26	26	16	34	20	15	14	15	16	17	9	17	6	11	10
Diarrhœa, Under 2 years, ...	4	4	2	3	3	1	1	2	5	1	3	2	1	2	2	1	2	1	6	.	3	3	.	1	3	9
Diarrhœa, 2 years & upwards,	.	1	.	.	1	1	.	3	.	1	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.
Enteritis, under 2 years, ...	.	3	3	1	1	1	2	1	3	1	3	3	2	2	2	.	1	1	4	1	1	1	3	3	2	2
Violent Deaths, ...	4	7	4	2	5	2	4	5	5	5	6	1	7	9	3	.	1	5	2	3	6	5	2	6	7	2
Number of Uncertified Deaths,	7	3	3	2	4	7	8	7	2	5	1	1	2	8	4	3	1	5	4	3	4	.	5	9	5	2
Mean Temperature of the Air (Phœnix Park)	45·5	35·9	37·0	46·4	43·4	46·5	41·1	38·0	41·7	42·7	39·4	43·7	50·5	50·5	49·6	52·6	49·5	55·3	56·2	55·6	52·6	56·2	55·5	59·6	60·9	62·9
Average Mean Temperature in corresponding week of previous 10 years, ...	40·5	40·3	40·3	39·8	39·9	40·5	41·7	42·7	42·6	42·4	44·1	43·1	45·1	46·2	46·7	48·1	49·1	50·9	53·7	53·5	53·6	55·5	56·5	57·5	58·5	59·8
Rainfall in inches, ...	·034	·000	·011	·582	·523	·681	·316	·206	·000	·770	·131	·000	·501	·606	·780	·127	·262	·010	·000	·000	·605	·782	·166	·018	·000	·316
Mean Humidity of the Air, complete Saturation 1·0, ...	·92	·87	·90	·91	·91	·92	·91	·89	·87	·90	·86	·86	·89	·91	·93	·94	·92	·89	·89	·88	·86	·91	·91	·92	·84	·92

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 22nd July, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 22ND JULY, 1911

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	162	51	6	10	26	37	18	14	2	.	.	3	.	4	2	.	17	10	10	7	8	10	9	.	2	2	76	2
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	15·0	5	.	.	.	.	2	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	4	.
II.	MIDDLE CLASS, ...	87,188	20·3	34	4	.	2	4	13	6	5	.	.	.	1	.	2	.	.	4	.	2	.	.	1	.	.	1	.	23	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	10·9	23	11	2	4	.	4	2	.	.	.	.	.	.	.	2	.	.	4	2	1	2	1	5	.	.	.	6	.
IV.	GENERAL SERVICE CLASS, ...	154,279	25·3	75	35	4	3	11	13	6	3	2	.	.	2	.	2	.	.	8	6	4	6	5	5	4	.	1	1	29	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	25	1	.	1	11	5	4	3	.	.	.	.	.	.	.	.	5	.	1	.	1	3	.	.	.	1	14	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	33·4	5	.	.	.	.	2	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	33·8	5	1	.	.	.	2	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	23·7	10	1	.	.	1	6	2	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	1	.	6	.
	6. Clerks and Commercial Assistants, ...	30,432	18·8	11	2	.	2	2	1	1	3	.	.	.	.	.	2	.	.	2	.	.	.	.	1	.	.	.	.	6	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	15·4	8	.	.	.	1	4	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	12·2	7	4	1	1	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	2	.	.	.	2	.
	10. Clothing Trades, ...	23,260	4·5	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.
	11. Food Supply Trades, ...	9,242	16·9	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	6·9	4	1	.	2	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	2	.
	13. Petty Shopkeepers, ...	7,894	19·8	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	7·8	2	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	15. Domestic Servants, ...	36,603	7·1	5	2	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	32·6	9	6	1	.	2	.	.	.	.	.	.	1	.	.	.	.	.	1	1	.	.	.	1	.	1	.	4	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	34·2	59	27	2	2	8	12	6	2	1	.	.	1	.	2	.	.	8	4	2	6	4	5	3	.	.	1	22	1
	INMATES OF WORKHOUSES.																														
V.	18. Workhouse Inmates, ...	6,024	—	25	1	.	1	11	5	4	3	.	.	.	.	.	.	.	.	5	.	1	.	1	3	.	.	.	1	14	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa. Children under 2 years.	2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 29,854.	June 3,	20·7	5·2	12	.	.	.	.	1	.	1	.	1	.	1	.	2	.	.	1	.	.
		" 10,	14·0	.	8	.	.	.	.	.	.	.	.	2	.	1	3	.	.	.	.	.	1
		" 17,	19·2	1·7	11	.	.	.	.	.	.	.	.	3	1	.	.	2	.	.	1	1	.
		" 24,	21·0	7·0	12	1	.	.	1	.	.	1	.	1	.	.	.	1	1	.	.	.	.
		July 1,	14·0	1·7	8	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	.	.	.
		" 8,	5·2	.	3	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
		" 15,	21·0	3·5	12	.	.	.	1	.	1	.	.	1	2	1	3	.	.	.	.	.	.
		" 22,	24·5	8·7	14	1	.	.	1	.	1	.	.	.	.	1	.	1	1	.	1	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 39,902.	June 3,	19·4	2·6	15	.	.	.	.	.	1	.	.	.	1	1	1	2	1	.	.	1	1
		" 10,	24·8	5·2	19	.	.	.	3	.	.	1	.	2	.	1	1	2	.	.	.	.	.
		" 17,	18·3	1·3	14	.	.	.	1	.	.	.	.	2	1	1	1	2	.	.	.	.	2
		" 24,	19·6	1·3	15	.	.	.	.	.	.	1	.	1	1	.	2	1	.	.	.	.	.
		July 1,	19·6	2·6	15	.	.	.	2	.	.	.	.	2	.	2	2	.	.	.	.	.	.
		" 8,	14·4	.	11	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.
		" 15,	26·1	3·9	20	2	.	.	.	1	.	.	.	2	.	.	2	4	.	.	.	.	1
		" 22,	13·1	1·3	10	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.	1	.	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 30,689.	June 3,	13·4	5·0	8	.	.	.	.	.	2	.	.	.	3	.	2	.	.	.	1	.	.
		" 10,	23·8	5·1	14	.	.	.	1	1	.	1	.	.	.	1	.	4	.	.	.	.	.
		" 17,	18·7	3·4	11	.	.	.	.	.	.	1	.	.	.	.	1	2	1	.	.	.	.
		" 24,	20·4	5·1	12	.	.	.	1	.	2	.	.	1	.	1	.	2	.	.	.	.	.
		July 1,	15·3	1·7	9	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.
		" 8,	17·0	1·7	10	.	.	.	.	.	.	1	.	.	3	.	1	2	.	.	.	.	.
		" 15,	25·5	10·2	15	1	.	.	3	.	.	1	.	2	1	.	.	.	1	.	.	.	.
		" 22,	18·7	5·1	11	.	.	.	.	.	1	.	.	2	1	1	1	1	2	.	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,498.	June 3,	21·5	7·7	14	.	.	.	2	.	1	.	.	4	1	.	1	1	1	.	1	.	.
		" 10,	26·5	1·6	17	.	.	.	.	.	.	.	.	6	1	1	2	1	.	.	1	1	.
		" 17,	15·6	3·1	10	.	.	.	1	.	.	.	.	.	1	.	2	1	1	.	.	.	.
		" 24,	15·6	3·1	10	.	.	.	2	.	.	.	.	.	1	1	1	1	.	.	.	.	.
		July 1,	18·7	3·1	12	.	.	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.
		" 8,	21·8	3·1	14	.	.	.	2	.	.	.	.	1	.	3	1	1	.	.	.	2	1
		" 15,	15·6	.	10	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	1	.
		" 22,	23·3	4·7	15	1	.	.	1	.	.	.	.	2	.	2	.	1	1	.	.	.	1
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,401.	June 3,	24·9	1·2	20	.	.	.	.	1	.	.	.	2	1	.	4	2	.	.	.	.	.
		" 10,	12·6	.	10	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.	.
		" 17,	23·9	.	19	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	1	2
		" 24,	10·1	3·8	8	.	.	.	2	.	.	1	.	.	1	.	2	.	.	.	.	.	.
		July 1,	30·2	2·5	24	.	.	.	.	.	.	1	.	5	1	.	.	5	.	.	1	.	1
		" 8,	22·7	5·0	18	.	.	.	1	.	.	1	.	2	1	.	1	.	.	.	2	3	1
		" 15,	31·5	3·8	25	.	.	.	1	.	.	.	.	3	1	1	.	1	1	.	1	.	.
		" 22,	23·9	.	19	.	.	.	.	.	.	.	.	3	.	1	1	2	.	.	.	1	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,715.	June 3,	11·9	4·7	5	.	1	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.
		" 10,	24·0	4·8	10	.	.	.	.	1	1	.	.	1	3	.	1	.	.	.	.	.	1
		" 17,	31·2	.	13	.	.	.	.	.	.	.	.	1	1	2	2	2	.	.	.	1	.
		" 24,	12·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
		July 1,	19 2	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
		" 8,	28·8	2·4	12	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
		" 15,	21·6	4·8	9	.	.	.	.	1	.	.	.	.	1	.	.	3	.	.	1	.	1
		" 22,	28·8	2·4	12	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,149.	June 3,	19·1	2·4	16	.	.	.	1	.	.	.	.	1	.	1	1	5	1	.	.	.	.
		" 10,	26·6	.	22	.	.	.	.	.	.	.	.	5	.	3	.	4	.	.	.	.	.
		" 17,	15·7	2·4	13	.	.	.	.	.	2	.	.	4	.	.	.	3	.	.	.	.	.
		" 24,	16·9	2·4	14	.	.	.	1	.	.	.	.	1	3	.	1	.	.	.	1	2	.
		July 1,	21·8	.	18	.	.	.	.	.	.	.	.	3	2	2	1	2	.	.	.	.	.
		" 8,	15·7	2·4	13	1	.	.	.	1	.	.	.	1	2	.	.	.	.	.	.	1	1
		" 15,	23·0	4·8	19	.	.	.	2	1	.	1	.	1	2	.	.	2	.	.	.	1	1
		" 22,	29·0	7·3	24	.	.	.	1	.	1	1	.	2	3	1	4	1	3	.	.	.	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 35,816.	June 3,	18·7	2·9	13	1	.	.	.	.	.	.	.	4	1	.	.	1	1	.	.	.	.
		" 10,	13·1	2·9	9	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	.	1	.
		" 17,	14·6	1·5	10	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	1	.
		" 24,	11·6	.	8	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1	.
		July 1,	17·5	2·9	12	.	.	.	.	.	1	.	.	2	1	.	.	1	.	.	1	.	2
		" 8,	11·6	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	3
		" 15,	24·7	1·5	17	.	.	.	.	.	.	.	.	6	1	.	1	.	1	.	.	1	.
		" 22,	11·6	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.

* See note (‡) at foot of first page.

NOTE:—The rates given in this report for the week ending 3rd June, for the Dublin districts, Belfast and Londonderry of 1901; for the remaining weeks the rates for the Dublin districts and Belfast are calculated on an estimated population based

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	June 3,	11·1	.	8	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	1
	„ 10,	13·6	.	10	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
	„ 17,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 24,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.	.
	July 1,	13·6	.	10	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.
	„ 8,	6·8	2·7	5	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 15,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	1
	„ 22,	13·6	1·4	10	.	.	.	.	.	.	1	.	2	.	1	1	1	.	.	.	1	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	June 3,	21·3	1·8	12	.	.	.	.	.	.	.	.	3	.	3	.	1	1	.	.	.	.
	„ 10,	17·8	.	10	.	.	.	.	.	.	.	.	2	1	1	.	2	.	.	.	.	1
	„ 17,	12·4	1·8	7	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.
	„ 24,	24·9	1·8	14	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	1	.
	July 1,	21·3	1·8	12	.	.	.	1	.	.	.	.	1	1	1	1	2	.	.	.	.	.
	„ 8,	17·8	.	10	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	2
	„ 15,	7·1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
	„ 22,	14·2	1·8	8	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 17,227.	June 3,	17·8	.	6	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	2
	„ 10,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	„ 17,	45·4	.	15	.	.	.	.	.	.	.	.	2	.	2	.	3	.	.	.	1	.
	„ 24,	21·2	6·1	7	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	1	.
	July 1,	33·3	.	11	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	1
	„ 8,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 15,	27·2	.	9	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.
	„ 22,	24·2	3·0	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
Belfast. Pop. in 1911 (Est.) 386,449.	June 3,	16·4	0·7	125	.	.	.	.	.	.	.	.	16	11	6	11	18	1	.	4	.	2
	„ 10,	15·5	0 5	115	.	.	.	.	.	.	1	.	14	6	8	9	18	.	1	2	3	1
	„ 17,	14·4	0·8	107	.	.	.	.	1	4	.	.	13	10	6	9	13	1	.	.	3	.
	„ 24,	11·1	0·7	82	.	.	.	.	.	.	.	.	13	2	6	5	10	1	3	1	1	3
	July 1,	15·7	0·7	116	.	1	.	.	.	1	.	.	23	2	7	5	8	2	.	1	4	3
	„ 8,	12·4	0·5	92	.	.	.	.	1	.	1	.	16	5	4	7	11	1	.	1	.	.
	„ 15,	16·6	1·5	123	.	.	.	.	1	1	.	.	18	8	6	2	14	6	.	3	3	1
	„ 22,	16·3	3·0	121	1	.	.	.	.	1	2	.	20	6	3	4	10	10	.	8	5	.
Cork. Pop. in 1911 76,632.	June 3,	16·4	1·4	24	.	.	.	.	.	2	.	.	6	3	1	1	2	.	.	.	.	1
	„ 10,	15·0	.	22	.	.	.	.	.	.	.	.	3	1	3	.	3	.	.	.	.	1
	„ 17,	15·0	.	22	.	.	.	.	.	.	.	.	7	.	1	.	.	.	.	.	.	1
	„ 24,	19·7	0·7	29	.	.	.	.	.	.	.	.	5	2	.	1	4	.	.	1	.	3
	July 1,	18·4	0·7	27	.	.	.	1	.	.	.	.	2	.	1	.	3	.	.	.	2	2
	„ 8,	15·8	2·0	23	.	1	.	2	.	.	.	.	2	2	2	.	1	.	.	.	.	.
	„ 15,	11·6	.	17	.	.	.	.	.	.	.	.	3	1	1	.	5	.	.	.	.	1
	„ 22,	12·9	1·4	19	.	.	.	1	.	.	.	.	1	.	.	.	1	1	.	.	1	1
Londonderry. Pop. in 1911 40,799.	June 3,	19·0	1·2	16	.	.	.	.	.	1	.	.	1	.	.	1	2	.	.	.	.	.
	„ 10,	23·0	1·3	18	.	.	.	.	.	.	.	.	4	.	1	1	5	1	.	.	1	.
	„ 17,	10·2	1·3	8	.	.	.	.	.	.	.	.	3	.	.	.	2	1	.	.	.	1
	„ 24,	8·9	1·3	7	.	.	.	.	1	.	.	.	.	.	.	1	2	.	.	.	.	.
	July 1,	14·1	.	11	.	.	.	.	.	.	.	.	2	3	1	.	1	.	.	.	.	1
	„ 8,	8·9	1·3	7	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.
	„ 15,	19·2	.	15	.	.	.	.	.	.	.	.	3	1	.	1	4	.	.	.	1	.
	„ 22,	19·2	3·8	15	.	.	.	.	.	1	.	.	2	.	3	.	1	2	.	.	.	.
Limerick. Pop. in 1911 38,403.	June 3,	15·0	.	11	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	1
	„ 10,	8·1	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1
	„ 17,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	.	5	.	.	.	.	2
	„ 24,	6·8	1·4	5	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	1
	July 1,	14·9	.	11	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	3
	„ 8,	16·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1
	„ 15,	10·9	.	8	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3
	„ 22,	20·4	4·1	15	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	2	.	3
Waterford. Pop. in 1911 27,430.	June 3,	17·5	.	9	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	„ 10,	13·3	.	7	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2
	„ 17,	17·1	.	9	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2
	„ 24,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	July 1,	5·7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 8,	28·5	.	15	.	.	.	.	.	.	.	.	6	1	.	.	1	.	.	.	.	4
	„ 15,	5·7	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 22,	19·0	.	10	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2	3

* See note (‡) at foot of first page.

are calculated on an estimated population based on the Census of 1901; those for the other districts on the population according to the Census on the Census of 1911 (unrevised figures); those for the other districts on the population (unrevised) according to the Census of 1911.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 22nd July, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa: Of children under 2 years of age.	Diarrhœa: 2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	385,492	9	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	2	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2	.
Do. 2 do.		34			14	3	3	1	3	1	3	.	.	.	.	.	.	1	.	.	1	.	1	.	2	.	.	1	3	3	.
Do. 3 do.		28			14	5	1	3	2	2	1	.	.	.	.	.	.	1	.	2	.	.	1	1	3	.	.	.	.	2	.
Do. 4 do.		25			12	4	.	1	4	2	1	.	.	.	.	.	.	.	.	3	.	.	.	2	.	.	1	.	.	6	.
Do. 5 do.		11			3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 6 do.		20			7	3	.	.	1	.	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	3	.
Do. 7 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		10			2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 9 do.		12			8	1	1	2	1	2	1	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	2	.	.	2	.
Do. 10 do.		21			15	3	1	2	4	3	2	.	.	.	.	.	.	.	.	3	2	1	1	1	3	.	1	2	2	4	.
Do 11 do.		25			7	1	1	.	2	2	1	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	.	1	1	1	.
Do 12 do.		37			14	2	3	4	1	3	1	1	.	.	.	.	.	.	.	4	1	.	.	1	.	.	1	.	.	4	.
Do. 13 do.		21			8	.	1	1	1	4	1	.	.	.	.	.	.	.	.	3	1	.	1	.	.	.	.	.	1	2	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		14			12	7	.	.	.	3	2	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	2	1	1	3	.
Total,	—	268			121	32	11	14	22	23	19	1	.	.	.	.	1	2	.	20	6	3	4	10	10	.	8	5	9	35	.
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	76,632	5	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		8	2	2	.	1	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
Do. 2 do.		4			4	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.
Do. 3 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do.		5			2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Do. 5 do.		3			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 6 do.		5			2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 7 do.		11			2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
Total	—	34	12·9	1·4	19	4	3	1	3	5	3	.	.	.	1	.	.	.	.	1	.	.	.	1	1	.	.	1	2	9	1

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	Jan. 28.	Feb. 4.	Feb 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.
No. of weeks in Annual Series,	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
BIRTHS registered, ...	188	212	218	216	213	232	193	220	218	232	228	204	189	236	232	229	180	214	233	215	258	201	264	213	207	268
DEATHS registered, ...	118	128	146	149	141	133	118	118	147	138	172	161	154	160	109	120	123	123	125	115	107	82	116	92	123	121
Annual Death rate per 1,000 of estimated population, ...	15·4	16·8	19·1	19·5	18·5	17·4	15·4	15·4	19·2	18·1	22·5	21·1	20·2	20·9	14·3	15·7	16·1	16·1	16·4	15·5	14·4	11·1	15·7	12·4	16·6	16·3
AGES, Under 1 year, ...	26	24	24	31	21	25	20	33	23	26	36	24	23	23	19	19	25	22	18	19	23	16	18	11	25	32
1—5 years, ...	10	10	7	10	14	9	10	6	17	11	7	10	14	13	10	9	9	13	7	7	10	7	9	7	9	11
5—25 ,, ...	11	6	11	21	17	18	9	10	19	11	14	17	13	21	13	17	15	17	14	14	16	7	16	15	16	14
25—45 ,, ...	13	25	27	30	29	16	23	14	28	23	36	32	26	27	25	23	26	22	24	26	22	18	20	21	25	22
45—65 ,, ...	27	34	34	32	26	35	29	27	30	38	45	37	39	46	22	29	31	27	34	20	20	20	37	25	29	23
65 and upwards, ...	31	29	43	25	34	30	27	28	30	29	34	41	39	30	20	23	17	22	28	29	16	14	16	13	19	19
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	1	.	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1	.	.	1	1	.
Whooping-cough, ...	1	1	.	.	1	1	1	1	.	.	.	3	2	1	.	.	1	1	.	.	4	.	1	.	1	1
Diphtheria, ...	2	1	.	.	.	.	.	.	1	1	.	2	1	.	.	.	.	.	.	1	.	.	.	1	.	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	13	10	11	22	15	13	19	7	22	24	26	25	14	17	16	25	21	21	16	14	13	13	23	16	18	20
Tuberculous Disease. Other Forms,	4	4	4	11	10	10	7	8	9	8	8	4	11	15	12	7	10	12	11	6	10	2	2	5	8	6
Cancer, ...	11	6	5	5	8	3	6	11	8	4	5	5	6	12	3	6	1	4	6	8	6	6	7	4	6	3
Diseases of Respiratory System, Pneumonia,	7	7	11	14	11	15	10	10	14	16	13	19	23	18	10	10	13	6	11	9	9	5	5	7	2	4
Diseases of Respiratory System, Others, ...	20	25	26	25	20	20	20	14	16	19	26	29	34	16	20	15	19	11	18	18	13	10	8	11	14	10
Diarrhœa, Under 2 years, ...	.	.	1	.	.	1	.	1	.	.	1	.	.	.	.	1	1	2	1	.	1	1	2	1	6	10
Diarrhœa, 2 years & upwards	.	.	1	.	.	.	1	.	3	1	.	1	.	.	.	.	.	.	.	1	.	3	.	.	.	.
Enteritis, under 2 years, ...	2	2	3	2	2	1	.	.	3	2	1	2	2	1	1	1	3	3	4	2	.	1	1	1	3	8
Violent Deaths, ...	2	4	4	.	4	3	2	1	3	4	8	2	3	3	3	4	1	1	.	3	3	1	4	.	3	5
Number of Uncertified Deaths, ...	5	2	1	.	.	3	2	1	.	1	3	2	.	1	2	1	1	1	2	1	.	3	3	.	1	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	July 22,	2,175	985	11·4	.	.	18	6	9	10	56*a*
Edinburgh, ...	320,829	„ 22,	103	85	13·8	.	.	3	1	3	.	5
Glasgow, ...	784,621	„ 22,	407	239	15·9	2	.	5	3	10	2	18
Calcutta, ...	—	June 17,	.	403	23·5	108*	.	.	.	.	1	65‡
Bombay, ...	977,822	„ 17,	363	467	24·8	78*	8	5	.	.	.	42
Madras, ...	509,346	May 27,	372	346	35·3	72*	5	2	?	?	?	89
Cairo, ...	689,439	„ 27,	556	858	64·9	2	1	12	17	.	12	303
Paris	2,846,986	June 24,	972	796	15·1	4	.	19	2	8	4†	31*a*
Brussels, ...	720,030	„ 24,	232	154	11·1	.	.	.	1	1	.	14
Antwerp, ...	320,640	July 1,	102	54	8·8	.	.	2	.	1	.	6*a*
Amsterdam, ...	577,025	„ 1,	270	106	9·6	1	.	1	.	4	4†	4*a*
Copenhagen, ...	462,132	„ 1,	209	113	12·7	.	.	.	2	6	1	5*a*
Stockholm, ...	343,832	June 24,	130	96	14·5	.	.	1	1	.	.	2*a*
Christiania, ...	244,038	July 8,	113	49	10·4	.	.	2	.	1	.	4
St. Petersburg, ...	1,639,266	June 17,	837	660	21·0	6	4	36	5	4	11	109
Moscow, ...	1,493,600	„ 17,	.	1,028	35·9	2	10	12	14	4	12†	390
Berlin, ...	2,066,328	„ 17,	758	524	13·2	1	.	11	3	6	9†	63
Hamburg, ...	932,166	July 1,	.	230	12·8	.	.	2	.	2	17†	22
Breslau, ...	519,285	„ 1,	.	203	20·4	2	.	6	1	2	.	29
Munich, ...	597,000	„ 8,	.	161	14·1	.	.	1	.	3	1†	16
Vienna (with suburbs),	2,047,968	„ 1,	794	565	14·4	1	.	4	5	2	3†	46*a*
Buda-Pesth, ...	891,585	„ 1,	401	320	18·6	1	.	7	6	.	4†	25*a*
Prague and Faubourgs,	508,310	June 17,	196	206	21·1	1	.	.	1	1	3†	8*a*
Trieste, ...	229,499	„ 24,	136	107	24·3	1	.	3	.	.	.	11
Rome, ...	602,068	Apr. 22,	293	198	17·1	.	.	2	1	.	5	7
Venice, ...	184,325	June 10,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	„ 10,	2,603	1,224	12·8	5	.	33	27	3	24†	43*a*
Philadelphia, ...	1,580,250	May 27,	.	505	16·2	1	.	11	1	.	3†	29*a*
Boston, ...	686,912	July 1,	.	171	12·9	.	4	.	1	2	.	6

* Deaths from "fever," including 7 deaths from enteric fever and 49 deaths from plague in Calcutta, one from enteric fever and 37 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 42 deaths from cholera in Calcutta.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending July 22nd, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	2	.	.	.	.	1	1	.	.	.	.	4
" " 1, West, ...	.	.	.	.	.	.	.	.	2	.	.	.	2
" " 2, ...	.	5	.	.	1	.	.	1	.	.	.	2	9
" " 3, ...	.	2	.	.	3	.	.	1	.	.	.	2	8
Clontarf and Howth No. 1 (part of),	.	2	.	.	.	.	.	2	.	.	.	.	4
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	1	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	3	.	.	.	.	.	.	.	3
South City No. 1, ...	.	3	.	.	1	.	.	3	9	.	.	4	20
" " 2, ...	.	1	.	.	.	.	.	.	.	.	.	.	1
" " 3, ...	.	2	.	.	2	.	.	.	1	.	.	.	5
" " 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham, ...	.	1	.	.	.	.	.	.	.	.	.	2	3
Total, ...	.	18	.	.	10	.	1	9	12	.	.	10	60

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 22nd July, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 22nd July.			
	July 1.	July 8.	July 15.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	54	43	34	13	16	2	29
Scarlet Fever, ...	69	73	59	22	15	.	66*
Typhus, ...	4	2	.	.	.	.	.
Diphtheria, ...	45	45	39	10	18	2	29
Enteric Fever, ...	54	45	37	6	8	.	35
Pneumonia, ...	20	27	17	6	4	1	18

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 22nd July, 1911:—

"Although much less settled, the weather of this week was even warmer than that of its predecessor. The drought continued over the south and south-east of England, but grateful rains fell in Ireland and Scotland—heavily in the south-west of Ireland on Wednesday and Thursday, the rainfall of these two days at Valentia reaching 1·94 inches. At the beginning of the period a large atmospheric depression was found over Northern Russia, the barometer on Monday morning standing very little above 29 inches at Archangel, whereas it was an inch higher off the southern shores of Ireland. Brisk N.W. and W. winds prevailed, and rain fell in Scotland and the extreme north of Ireland. On Monday morning a well-defined secondary depression appeared in the Hebrides. This system developed, and on Tuesday morning its minimum of 29·5 inches and less stretched from the Hebrides to Denmark. On Wednesday Ireland came under the influence of yet another depression passing northwards across the Atlantic off the western shores of this country. At 4.30 p.m. of this day an electrical shower burst over Dublin, ·240 inch of rain falling within half an hour. The downpour was quite local. Thursday broke dull and damp, and the forenoon was rainy in the City and its suburbs. The afternoon and evening were very warm, with squally S.W. winds. In the course of the following night the lowest temperature in Dublin was 65·2°, and on Friday afternoon a maximum of 76·1° was recorded. On that day excessive heat was felt in England, the screened thermometer rising to 90° or upwards in London (Camden Square, 92°; Greenwich, 94°). Saturday was fine, bright and bracing in Ireland. In Dublin the mean height of the barometer was 29·988 inches. Atmospheric pressure ranged from 29·706 inches at 9 a.m. of Tuesday (wind, W. by N.), to 30·273 inches at 9 p.m. of Saturday (wind, N.W., light). The corrected mean temperature was 64·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 62·8°. On Sunday the screened thermometers fell to 54·6°, on Friday they rose to 76·1°. Westerly winds prevailed. Rain fell on 4 days to the amount of ·420 inch, ·317 inch being recorded on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·813 inches. The highest reading (30·108) was on Saturday at 9 p.m., air calm, and the lowest (29·529) on Tuesday at 9 a.m., wind W.

The mean temperature for the week was 62·9°, being 3·1° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Friday, on which day the thermometer registered 75·3°, and was lowest on Sunday, the mercury having fallen to 49·9°. The mean of the Dry Bulb for the week was 61·6° and of the Wet Bulb, 60·1°. The mean humidity of the air was ·92, complete saturation being represented by 1·0. The rainfall during the week measured 0·316 inch.

At Greenwich the mean temperature for the week was 69·5°, the maximum 95·6°, and the minimum 45·8°; at Glasgow the maximum was 71·2°, the minimum 49·6°, and the mean 58·4°; and at Edinburgh the maximum was 68·6°, the minimum 48·4°, and the mean 58·5°. The rainfall at Glasgow measured 0·52 in.; and at Edinburgh 0·32 in. There was no rainfall recorded at Greenwich.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, July 16,	29·945	67·8	49·9	58·9	60·7	59·0	·90	·5	2·9	·000	W.	W.
Monday, „ 17,	29·624	72·6	54·9	63·8	59·7	59·1	·96	·5	1·0	·000	W.S.W.	W.
Tuesday, „ 18,	29·583	69·0	53·9	61·5	59·4	57·5	·88	·6	5·8	·000	W.	W.S.W.
Wednesday, „ 19,	29·782	70·8	50·1	60·5	61·6	59·8	·94	·2	1·3	·120	W.S.W.	W.S.W.
Thursday, „ 20,	29·829	70·8	56·7	63·8	63·7	62·2	·92	·6	0·4	·086	S.	S.W.
Friday, „ 21,	29·868	75·3	62·4	68·9	65·6	64·9	·96	·6	3·0	·110	S.W.	W.
Saturday, „ 22,	30·057	70·4	54·9	62·7	60·2	58·1	·88	·5	8·3	·000	W.	Calm.
Mean, ...	29·813	71·0	54·7	62·9	61·6	60·1	·92	·5	Total 22·7	Total ·316	Prevailing Wind, W.	

Sunday—Day cloudy and fine; night cloudy. *Monday*—Day cloudy and fine; night cloudy. *Tuesday*—Day cloudy and fine; night cloudy. *Wednesday*—Day cloudy, light showers p.m.; night cloudy. *Thursday*—Day overcast, showers a.m. and p.m.; night overcast. *Friday*—Day overcast to cloudy, light showers p.m.; night cloudy. *Saturday*—Day bright to cloudy, fine; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, July 22nd, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, July 16,	62·7	60·5	58·0	63·0	53·5	58·3	3·5	—
Monday, „ 17,	65·0	65·0	59·0	74·2	55·5	64·9	3·1	—
Tuesday, „ 18,	62·0	64·2	59·0	72·0	55·0	63·5	7·5	·001
Wednesday, „ 19,	69·2	64·0	59·5	74·0	53·3	63·7	4·2	·295
Thursday, „ 20,	62·3	58·8	59·3	73·1	59·0	66·1	1·0	·075
Friday, „ 21,	69·0	63·8	59·2	76·9	62·2	69·6	4·0	·025
Saturday, „ 22,	68·2	64·7	59·8	77·5	56·9	67·2	11·8	—
Weekly Mean, .	65·5	63·0	59·1	73·0	56·5	64·8	Total 35·1	Total ·396

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

30913. Wt. P. 1-60/138. 375. 4. 1911. Sch. C 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

Sole Wholesale Agent for places outside the United Kingdom of Great Britain and Ireland,
T. FISHER UNWIN, 1, ADELPHI TERRACE, LONDON, W.C.
(Depots in New York, Toronto, Melbourne, Wellington, Cape Town, Calcutta, Tokio, and Leipzig.)

PRINTED BY ALEXANDER THOM & Co., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 29TH JULY, 1911. [No. 30.

General Register Office, Charlemont House, Dublin, 31*st July,* 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending July 8	Week ending July 15	Week ending July 22	Week ending July 29	Average Rate for 4 weeks.
22 Town Districts, ...	**14·2**	**16·7**	**16·3**	**16·4**	**16·0**
Armagh	.	6·9	6·9	6·9	5·2
Ballymena	22·9	9·2	18·3	9·2	14·9
Belfast	12·4	16·6	16·3	14·2	14·9
Clonmel	15·2	5·1	20·3	.	10·2
Cork	15·8	11·6	12·9	16·3	14·2
Drogheda	8·4	4·2	16·8	8·4	9·5
Dublin Reg. Area ...	13·9	20·9	19·8	22·5	19·3
Dundalk	11·9	15·9	7·9	15·9	12·9
Galway	15·7	11·8	11·8	11·8	12·8
Kilkenny	24·8	5·0	9·9	9·9	12·4
Limerick	16·3	10·9	20·4	13·6	15·3
Lisburn	12·9	8·6	8·6	8·6	9·7
Londonderry	8·9	19·2	19·2	11·5	14·7
Lurgan	30·1	8·6	17·2	8·6	16·1
Newry	21·8	21·8	8·7	26·2	19·6
Newtownards	17·2	22·9	.	17·2	14·3
Portadown	.	26·7	4·4	4·4	8·9
Queenstown	6·6	6·6	.	6·6	5·0
Sligo	.	9·3	9·3	4·7	5·8
Tralee	31·7	15·9	10·6	.	14·6
Waterford	28·5	5·7	19·0	15·2	17·1
Wexford	36·4	13·7	22·8	9·1	20·5

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 3·9 per 1,000, the rates varying from 0·0 in fourteen of the districts to 5·7 in Newtownards. Among the 105 deaths from all causes for Belfast are one from whooping-cough and 24 from diarrhœal diseases. Included in the 24 deaths from all causes for Cork are one from whooping-cough and one from diarrhœa of a child under 2 years of age, and the 9 deaths from all causes for Londonderry include one from whooping-cough and 2 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 233—107 boys and 126 girls—and the deaths to 186—97 males and 89 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 22·5 per 1,000 of the population. During the thirty weeks ending with Saturday last the death-rate averaged 21·3, and was 1·9 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 186, represent an annual rate of 24·0 per 1,000; the annual rate for the past thirty weeks was 22·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 24·3 per 1,000 of the mean population for all deaths registered.

The deaths included one from enteric fever, 7 from measles, 2 from scarlet fever, 3 from whooping-cough, one from diphtheria, and 34 deaths of children under 2 years of age from diarrhœa and *enteritis*. There was one death from influenza. In each of the three preceding weeks, deaths from enteric fever were one, 3, and 2; deaths from measles were 4, 7, and 3; deaths from scarlet fever were one, 3, and 0; deaths from whooping-cough were 0, one, and 4; deaths from diphtheria were 2, 3, and 2; deaths from diarrhœa and *enteritis* of children under 2 years of age were 4, 5, and 11 (in the week under notice these latter have risen to 34), and deaths from influenza were one, one, and 2.

There were 32 deaths from tuberculosis; the total comprises 17 deaths from pulmonary tuberculosis, 7 deaths from tuberculous meningitis, 5 deaths from abdominal tuberculosis, one death from tuberculous caries, and 2 deaths from disseminated tuberculosis. Deaths from all forms of tuberculosis in the three preceding weeks numbered 14, 32, and 27, respectively.

Of 12 deaths from pneumonia (all forms) 7 were attributed to broncho-pneumonia, one to lobar pneumonia, and 4 to *pneumonia* (type not distinguished).

The deaths of 6 persons were ascribed to cancer.

One death from meningitis and 4 deaths from *convulsions* (one of an infant under one month, one between one month and one year, and 2 between one and two years) are included in the 12 deaths from diseases of the brain and nervous system.

Fifteen deaths were classified to diseases of the heart and blood vessels, and there were 12 deaths from bronchitis.

The deaths of 8 infants were referred to prematurity, and 5 to congenital debility.

Of 4 accidental deaths 2 were by railways and one was by drowning. There was one suicidal death.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year of age, and the death of one person aged 72 years.

Eighty-eight of the persons whose deaths were registered during the week were under 5 years of age (46 being infants under one year, of whom 11 were under one month old) and 37 were aged 65 years and upwards, including 30 persons aged 70 and upwards; among the latter were 13 aged 75 and upwards, of whom 2 (females) were stated to have been aged 90 and 92 years respectively.

Seventy-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·5 per 1,000; the rate in the City was 23·9 (North City Districts, 27·9; South, 19·7) and in the Suburbs, 17·8.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 6·8 per 1,000 inhabitants, the rate for the City being 7·1 (7·6 in the North City Districts, and 6·6 in the South), and for the Suburbs, 6·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (22) are equal to an annual rate of 38·4 per 1,000. Influenza caused one death, there were 9 deaths from diarrhœal diseases, 4 deaths from tuberculous disease, one death from *pneumonia* (type not distinguished), 3 deaths from bronchitis, and one death by drowning.

No. 1 *North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 24·8 per 1,000. Measles and scarlet fever each caused one death; there was one death of a child under 2 years of age from diarrhœa, there were 2 deaths from tuberculous disease, one death from broncho-pneumonia, 2 deaths from *pneumonia* (type not distinguished), and one death from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (20) are equivalent to an annual rate of 34·0 per 1,000. There was one death from each of scarlet fever and whooping-cough, there were 3 deaths from diarrhœal diseases, 4 from tuberculous disease, 3 from broncho-pneumonia, 2 from bronchitis, and one accidentally caused on a railway.

No. 3 *North City District* (Benburb-street).—The deaths (17) represent an annual rate of 26·5 per 1,000. Whooping-cough caused one death; there were 4 deaths from diarrhœal diseases, 4 deaths from tuberculous disease, one from broncho-pneumonia, and 2 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 9·0; and Finglas and Glasnevin, part of, 20·4. There was one death from enteric fever registered in Clontarf and Howth, No. 1, part of. Of the 2 deaths for Coolock and Drumcondra, part of, one was from pulmonary tuberculosis, and 2 of the 3 deaths for Finglas and Glasnevin, part of, were also from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (11) represent an annual rate of 13·9 per 1,000. There were 4 deaths from diarrhœal diseases, 2 from tuberculous disease, one from broncho-pneumonia, and one from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 24·0 per 1,000. There were 4 deaths from diarrhœal diseases and one from tuberculous peritonitis.

No. 3 *South City District* (Peter-street).—The deaths (20) are equal to an annual rate of 24·2 per 1,000. Included in the total are 5 deaths from measles, 3 from diarrhœal diseases, 5 from tuberculous disease, and one from broncho-pneumonia.

No. 4 *South City District* (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 18·9 per 1,000. Diphtheria caused one death, diarrhœa, under 2 years of age, one death; there were 2 deaths from tuberculous disease, 2 deaths from bronchitis, and one death by suicide.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·3 per 1,000. One of the deaths was that of a child under 2 years of age from diarrhœa.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 23·1; Pembroke, 17·8; Blackrock, 5·7; and Kingstown, 12·1. The deaths from the principal epidemic diseases tabulated for these districts comprise one from measles and 7 from diarrhœal diseases for Rathmines and Rathgar, and one from whooping-cough and 2 from diarrhœal diseases for Pembroke. Included in the 17 deaths from all causes for Rathmines and Rathgar are one from tuberculous peritonitis and one from *pneumonia* (type not distinguished). Of the 10 deaths from all causes for Pembroke one is from pulmonary tuberculosis and one from bronchitis; and one of the 4 deaths from all causes for Kingstown is from pulmonary tuberculosis.

* See note (†) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 29th July, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	July 8,	.	—	—	18	.	.	6	.	1	11	4	.	—	—	.	—	5	—	45
	July 15,	.	—	—	11	.	.	10	.	1	8	1	.	—	—	.	—	7	—	38
	July 22,	.	—	—	18	.	.	10	.	1	9	12	.	—	—	.	—	10	—	60
	July 29,	.	—	—	8	.	.	7	.	1	7	5	.	—	—	.	—	12	—	40
Rathmines and Rathgar Urban District.	July 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	July 15,	.	—	—	3	.	.	.	.	.	.	1	.	.	—	—	—	—	—	4
	July 22,	.	—	—	.	.	.	1	.	.	.	.	.	1	—	—	—	—	—	2
	July 29,	.	—	—	.	.	.	3	.	.	.	3	.	.	—	—	—	—	—	6
Pembroke Urban District.	July 8,	.	5	.	.	.	.	.	.	.	1	.	.	.	7	.	—	.	—	13
	July 15,	.	1	.	.	.	.	.	.	.	.	.	.	.	12	.	—	.	—	13
	July 22,	.	.	.	2	.	.	.	.	.	.	.	.	.	16	.	—	.	—	18
	July 29,	.	10	.	1	.	.	1	.	.	.	1	.	.	.	.	—	.	—	13
Blackrock Urban District.	July 8,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
	July 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	July 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	July 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	July 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	July 8,	.	—	—	12	.	.	7	1	.	.	2	.	—	—	.	—	7	—	29
	July 15,	.	—	—	8	.	.	4	.	.	1	1	.	—	—	.	—	10	—	24
	July 22,	.	—	—	6	.	.	6	.	.	5	2	.	—	—	.	—	12	—	31
	July 29,	.	—	—	8	.	.	7	1	.	5	1	.	—	—	1	—	13	—	36

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 29th July, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Fifteen cases of measles were admitted to hospital during the week, 6 were discharged, there were 3 deaths, and 35 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 43, 34, and 29, respectively.

Eleven cases of scarlet fever were admitted to hospital, 4 were discharged, there were 3 deaths, and 70* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 73, 59, and 66, respectively.

One case of typhus was admitted to hospital during the week and remained under treatment at its close.

Twelve cases of diphtheria were admitted to hospital during the week, 12 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 45, 39, and 29, respectively, were 28 at the close of last week.

Two cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 31 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 45, 37, and 35.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 8 were discharged, and 13 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 13·7) was equal to an average annual death-rate of 13·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 14·9 per 1,000, the rate for Glasgow being 15·4 and for Edinburgh 15·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 29th July. From this Report it appears that of a total of 52 cases notified, 17 were phthisis, 16 scarlet fever, 13 diphtheria, 5 erysipelas, and one enteric fever. Among the 303 cases of infectious diseases in hospital at the close of the week were 105 cases of scarlet fever, 61 of phthisis, 44 of diphtheria, 43 of whooping-cough, 34 of measles, 7 of chicken-pox, 6 of erysipelas, and 2 of enteric fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 29th July, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (c)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tubercular Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) Week ending 29th July, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd July, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 15th July, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
TOTAL OF 22 TOWN DISTRICTS, ...	1,149,495	20·2	29·7	16·4	3·9	654	362	101	74	1	...	...	7	2	6	1	...	41	22	12	21	23	44	8	18	6	11	108	8	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL. (c.) ...	403,732	29·3	30·1	22·5	6·8	233	174	46	35	1	...	...	7	2	3	1	...	16	14	3	11	13	27	5	7	3	4	60	3	e75·3	46·9	62·7	1·86	e75·3	49·9	62·9	0·32	e81·8	41·6	60·9	0·00
CITY OF DUBLIN.	309,738	39·2	34·5	23·9	7·1	205	142	36	26	1	...	...	6	2	2	1	...	14	13	1	10	12	20	4	6	3	4	54	1	f74·4 g73·5	53·6 46·0	63·8 63·1	2·29 2·18	f76·1 g76·5	54·6 52·0	64·3 64·2	0·42 0·26	f78·2 g83·9	51·0 44·0	63·4 62·7	0·00 0·00
Urban Districts. RATHMINES AND RATHGAR.	38,330	22·4	9·5	23·1	10·9	7	17	9	4	...	...	...	1	...	...	...	...	...	1	1	1	...	6	...	1	...	..	1	1	...	...	...	...	...	...	...	...	...	...	..	...
PEMBROKE ...	29,347	18·5	21·3	17·8	5·3	12	10	1	2	...	...	...	...	...	1	...	...	1	..	...	...	1	1	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,090	8·4	5·7	5·7	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	24·2	12·1	...	8	4	...	2	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	1	69	50	62·9	1·73	78	55	64·8	0·19	77	50	62·8	0·00
BELFAST ...	386,449	26·3	31·8	14·2	3·4	236	105	38	18	...	...	...	...	...	1	...	..	10	5	3	6	3	14	1	9	3	6	25	2	72·8	47·0	64·5	0·80	73·0	51·0	63·7	0·33	80·0	46·5	62·8	0·00
CORK, ...	76,632	33·8	25·9	16·3	1·4	38	24	7	5	...	...	...	...	...	1	...	...	5	...	2	...	3	1	...	...	...	...	10	1	70	50	61·1	1·46	74	55	61·8	0·12	75	52	63·7	0·00
LONDONDERRY...	40,799	18·9	24·3	11·5	3·8	19	9	2	1	...	...	...	...	...	1	...	...	1	1	...	1	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK. ...	38,403	18·2	21·7	13·6	...	16	10	1	4	...	...	...	...	...	...	..	...	2	...	...	1	...	...	...	...	...	1	3	...	73·6	46·4	61·3	1·25	72·6	50·0	61·4	0·77	87·5	41·7	65·8	0·00
WATERFORD, ...	27,430	19·1	26·6	15·2	1·9	14	8	3	2	...	...	...	...	...	...	...	...	...	...	..	2	1	1	...	...	...	...	2	1	...	..	...	...	...	...	...	...	...	...	...	...
GALWAY. ...	13,249	2·5	11·8	11·8	...	3	3	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	3	...	69	47	61	1·20	78	50	61	0·72	86	50	67	0·00
DUNDALK, ...	13,128	9·5	15·9	15·9	...	4	4	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	25·2	8·4	4·2	6	2	1	...	...	...	...	...	...	...	...	..	1	...	...	...	...	...	...	1	...	...	...	...	74·0	46·7	61·8	1·41	72·9	50·5	61·2	0·28	84·3	45·0	62·3	0·00
NEWRY. ...	11,956	17·2	48·0	26·2	4·4	11	6	...	4	...	...	...	...	...	...	...	...	...	...	3	...	1	...	1	...	...	...	4	...	74·0	46·7	61·8	1·41	72·9	50·5	61·2	0·28	84·3	45·0	62·3	0·00
LURGAN, ...	12,135	14·3	34·4	8·6	...	8	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	74·0	46·7	61·8	1·41	72·9	50·5	61·2	0·28	84·3	45·0	62·3	0·00
LISBURN, ...	12,172	10·7	12·9	8·6	...	3	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	74·0	46·7	61·8	1·41	72·9	50·5	61·2	0·28	84·3	45·0	62·3	0·00
WEXFORD. ...	11,455	23·8	31·9	9·1	...	7	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA. ...	11,376	9·3	100·8	9·2	...	22	2	...	...	...	...	...	...	...	...	...	...	...	..	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO. ...	11,163	3·8	18·7	4·7	...	4	1	...	...	..	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	77·0	41·0	59·0	1·54	67·7	44·7	58·7	1·00	82·0	42·0	60·7	0·02
KILKENNY, ...	10,513	11·4	34·7	9·9	...	7	2	...	...	...	...	...	...	...	...	...	...	...	1	...	..	..	...	...	...	...	...	...	...	79	44	63·3	3·59	77	50	64·1	0·34	88	46	66·0	0·02
CLONMEL, ...	10,277	7·9	15·2	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN. ...	11,727	15·3	31·1	4·4	...	7	1	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	74·0	46·7	61·8	1·41	72·9	50·5	61·2	0·28	84·3	45·0	62·3	0·00
TRALEE. ...	9,867	16·6	10·6	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	17·2	17·2	5·7	3	3	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	1	...	...	...	...	70	48	58·7	0·95	69	50	59·2	0·24	72	53	59·7	0·00
QUEENSTOWN, ...	7,909	14·4	13·2	6·6	...	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	70	50	61·1	1·46	74	55	61·8	0·12	75	52	63·7	0·00
ARMAGH. ...	7,588	22·2	41·2	6·9	...	6	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	74·0	46·7	61·8	1·41	72·9	50·5	61·2	0·28	84·3	45·0	62·3	0·00

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 12 deaths of persons (including 2 at 65 years or upwards), admitted to hospital from localities outside the Area (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 29th of July, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	.	.	.	.	.	.	5	.	.	1	.	.	.	7	.
Scarlet Fever,	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Whooping-cough,	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	2	.	2	2	.	1	2	1	.	3	1	.	.	1	.	1	16	1
Tuberculous Disease. — Other Forms,	2	2	2	2	.	.	.	1	1	2	1	.	1	.	.	.	14	1
Cancer,	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	3	3
Diseases of Nervous System,	.	.	2	1	1	.	.	1	1	1	1	.	2	2	.	.	12	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	3	1	1	.	.	.	.	3	1	.	1	.	2	.	2	14	1
" Respiratory System. — Pneumonia,	1	3	3	1	.	.	.	1	.	1	.	.	1	.	.	.	11	1
" Respiratory System. — Others,	3	1	2	2	.	.	.	1	.	1	2	.	.	1	.	.	13	.
" Digestive System. — Diarrhœa, under 2 years,	7	1	2	2	.	.	.	1	3	2	1	1	6	1	.	.	27	.
" Digestive System. — Diarrhœa, 2 years and upwards,	1	.	1	1	.	.	.	.	1	.	.	.	.	1	.	.	5	.
" Digestive System. — *Enteritis*, under 2 years,	1	.	.	1	.	.	.	3	.	1	.	.	1	.	.	.	7	.
" Digestive System. — Enteritis, 2 years and upwards,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. — Others,	.	1	.	.	.	.	1	1	.	.	1	.	1	1	.	.	6	.
" Genito-urinary System,	1	.	1	2	.	.	.	.	.	.	2	.	.	.	.	.	6	2
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Other specified Causes,	1	5	1	1	.	1	.	.	1	3	2	.	3	.	1	.	19	.
Violent Deaths,	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	3	2
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Deaths from All Causes	22	19	20	17	2	2	3	11	10	20	13	3	17	10	1	4	174	12
Annual Rate of Mortality from All Causes in every 1,000 of the population.	38·4	24·8	31·0	26·5	19·4	9·0	20·4	13·9	24·0	24·2	18·9	17·3	23·1	17·8	5·7	12·1	22·5	.
	27·9							19·7					17·8					
	23·9																	
Ages at Death. — Under 1 year,	7	5	5	6	.	.	.	4	2	4	3	.	9	1	.	.	46	.
1 and under 2 years,	2	4	4	1	.	.	.	1	3	8	.	1	3	2	.	.	29	.
2 " 5 "	3	1	3	.	.	.	.	.	.	2	1	.	1	2	.	.	13	.
5 " 15 "	.	1	.	2	.	.	.	.	1	.	.	.	.	.	.	.	4	1
15 " 25 "	.	.	.	1	.	.	.	.	2	1	.	.	.	2	.	.	6	.
25 " 45 "	4	.	4	1	2	1	1	1	.	.	3	.	.	.	.	1	18	3
45 " 65 "	3	4	2	2	.	.	1	3	.	2	4	.	.	1	.	1	23	6
65 and upwards,	3	4	2	4	.	1	1	2	2	3	2	2	4	2	1	2	35	2
Number of Uncertified Deaths,	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	4	3	5	1	.	.	2	1	5	7	.	1	2	.	.	34	11
Workhouse Hospitals,	5	4	2	2	.	.	.	4	1	3	1	1	3	.	.	.	26	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 30th Week of the 10 years 1901–1910.	In the Week ending Saturday, 29th July, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	July 27, 1901.	July 26, 1902.	Aug. 1, 1903.	July 30, 1904.	July 29, 1905.	July 28, 1906.	July 27, 1907.	July 25, 1908.	July 31, 1909.	July 30, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 59·2	° 54·0	° 55·4	° 60·2	° 60·2	° 60·6	° 59·4	° 59·6	° 55·6	° 57·8	° 58·2	° 62·7										
ALL CAUSES.	155	150	141	136	157	149	166	142	143	127	146·6	186	11	35	29	13	5	6	21	29	24	13
Enteric Fever, ...	.	1	1	1	1	.	1	1	.	2	·8	1	.	.	.	.	.	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	8	1	4	1	2	3	5	4	.	2·8	7	.	.	6	1	.	.	.	.	.	.
Scarlet Fever, ...	.	1	.	.	.	2	.	1	1	3	·8	2	.	.	.	2	.	.	.	.	.	.
Whooping-cough, ...	4	1	.	2	.	2	4	.	4	.	1·7	3	.	1	1	1	.	.	.	.	.	.
Diphtheria, ...	1	1	.	1	.	.	.	2	1	5	1·1	1	.	.	.	1	.	.	.	.	.	.
Croup, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	.	.	.	.	.	2	1	.	.	·6	1	.	.	.	.	.	.	.	.	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	1	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	1	.	.	1	1	1	.	1	·6	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	26	18	23	15	18	19	21	15	14	17	18·6	17	.	.	.	.	1	3	10	3	.	.
Tuberculous Meningitis, ...	2	.	3	5	.	6	5	2	3	4	3·0	7	.	.	2	3	1	.	1	.	.	.
Abdominal Tuberculosis, ...	3	2	2	.	.	2	4	1	.	2	1·6	5	.	1	1	1	.	1	.	1	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	1	2	3	4	2	5	5	7	6	3	3·8	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												1	.	.	1	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												2	.	.	.	.	1	.	1	.	.	.
Venereal Diseases, ...	.	.	.	1	2	.	.	2	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	5	6	8	10	7	9	8	9	9	10	8·1	6	.	.	.	.	.	.	1	2	2	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.
Rheumatic Fever, ...	.	3	.	.	.	.	1	1	.	1	·6	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	1	2	.	.	.	.	.	.	·4	2	.	.	.	.	.	.	.	.	.	2
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	1	2	.	.	2	2	2	1	.	2	1·2	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												1	.	.	.	.	.	1	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*												1	.	.	.	.	.	.	.	1	.	.
Softening of Brain, ...												1	.	.	.	.	.	.	.	.	1	.
Paralysis, without specified cause.												1	.	.	.	.	.	.	.	.	1	.
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												4	1	1	2	.	.	.	.	.	.	.
Other Diseases of Nervous System.	35	33	32	32	45	32	36	37	34	34	35·0	4	.	.	.	.	.	1	1	2	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,												12	.	.	.	.	1	.	.	3	6	2
Embolism and Thrombosis (including Cerebral)												1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Circulatory System.												2	.	1	.	.	.	.	.	.	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	10	9	6	10	11	13	16	11	7	10	10·3	12	.	2	1	.	.	.	.	5	3	1
Broncho-pneumonia, ...	8	4	3	4	.	7	2	3	7	4	8·4	7	.	2	4	.	.	.	.	1	.	.
Lobar-pneumonia, ...		.	.	1	1	1	.	.	.	.		1	.	.	.	.	.	.	.	.	1	.
Pneumonia (type not distinguished)		2	6	8	3	5	6	3	5	1		4	.	.	1	1	.	.	.	1	1	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	2	.	1	1	.	1	.	3	2	1·1	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												1	.	.	.	.	.	.	.	.	1	.

THIRTIETH WEEK ending Saturday, 29th July, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 30th Week of the 10 years 1901–1910.	In the Week ending Saturday, 29th July, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	July 27, 1901.	July 26, 1902.	Aug. 1, 1903.	July 30, 1904.	July 29, 1905.	July 28, 1906.	July 27, 1907.	July 25, 1908.	July 31, 1909.	July 30, 1910.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 59·2	° 54·0	° 55·4	° 60·2	° 60·2	° 60·6	° 59·4	° 59·6	° 55·6	° 57·8	° 58·2	° 62·7										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	1	.	.	.	1	.	.
Diarrhœa of Children under 2 years.	21	3	4	5	20	10	4	9	5	.	8·1	27	.	17	10	.	.	.	.	.	.	.
„ 2 years and upwards,												5		.	.	2	1	.	.	.	1	1
Enteritis of Children under 2 years.	.	1	2	5	8	1	.	2	1	4	2·4	7	.	7	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												1	.	.	.	.	.	.	.	1	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.
Cirrhosis of Liver, ...	1	3	.	1	.	1	3	.	.	1	1·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...		2	.	1	.	1	.	.	2	.		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	1	.	.	.	1	.	.	2	1	.	·5	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Digestive System.	2	8	6	2	7	2	8	3	4	.	4·2	1	.	.	.	.	.	.	.	.	.	1
Acute Nephritis, ...												2	.	.	.	.	.	.	1	1	.	.
Chronic Bright's Disease, ...												4	.	.	.	.	.	.	1	2	1	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	5	8	5	5	3	2	6	6	7	4	5·1	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												2	.	.	.	.	.	.	1	.	.	1
Puerperal Septicæmia, &c., ...	.	.	.	2	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	1	.	.	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	1	3	10	3	4	2	6	1	5	3	3·8	8	8	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	5	2	3	.	.	.	.	.	.	.	.
Old Age, ...	5	10	2	.	5	6	1	1	3	3	3·6	3	.	.	.	.	.	.	.	.	.	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	1	.	.	.	·1	2	.	.	.	.	.	.	1	1	.	.
By Vehicles and Horses, ...	.	.	.	.	.	.	1	.	.	1	·2	1	.	.	.	.	.	.	.	1	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	.	1	.	.	.	1	1	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
By Drowning, ...	.	1	4	2	1	2	.	.	1	1	1·2	1	.	.	.	.	.	.	1	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	3	.	1	1	2	1	2	1	4	1	1·6	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	1	.	1	.	.	.	.	2	·4	1	.	.	.	.	.	.	1	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	.	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	Feb. 4.	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.
No. of weeks in Annual Series,	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
BIRTHS registered.	219	241	192	214	217	238	203	276	230	198	171	174	259	260	242	226	246	261	228	232	185	324	190	190	294	233
Average Births in corresponding week of previous 10 years, ...	241	217	212	209	216	223	212	212	233	202	210	223	199	268	231	210	204	238	226	207	224	237	205	204	208	221
DEATHS registered, ...	200	220	208	195	180	174	170	214	177	191	174	196	181	176	170	129	158	150	149	159	127	155	120	172	162	186
Annual Death-rate per 1,000, ...	25·6	28·2	26·6	25·0	23·1	22·3	21·8	27·4	22·7	24·5	22·3	25·1	23·2	22·5	21·8	16·5	20·2	19·2	19·2	20·5	16·4	20·0	15·5	22·2	20·9	24·0
Average Deaths in corresponding week of previous 10 years, ...	200	198	200	210	218	210	194	201	203	199	195	197	190	177	178	171	169	154	151	149	148	134	140	141	144	147
Ages, Under 5 years, ...	61	47	57	57	70	59	39	56	48	54	63	54	50	56	48	40	37	43	34	42	44	56	43	41	51	88
5—15 " ...	6	10	6	10	9	12	9	7	14	17	4	5	11	14	7	6	14	10	8	4	9	10	4	13	6	5
15—25 " ...	12	13	5	6	6	7	7	13	8	10	10	14	7	6	8	9	11	9	9	13	2	7	7	11	10	6
25—45 " ...	32	41	36	35	32	24	24	42	19	33	25	31	33	15	35	21	21	29	26	32	18	20	19	31	26	21
45—65 " ...	48	51	49	35	36	36	42	44	36	44	43	45	35	30	38	36	39	29	33	31	34	28	20	33	37	29
65—75 " ...	22	39	33	29	19	19	28	32	29	27	19	29	25	34	19	10	24	17	26	18	13	16	15	24	18	24
75 and upwards, ...	19	19	22	23	8	17	21	20	23	6	10	18	20	21	15	7	12	13	13	19	7	18	12	19	14	13
Deaths from :—																										
Enteric Fever, ...	3	2	2	2	4	3	1	2	1	3	1	1	.	1	1	1	1	1	.	.	1	.	1	3	2	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	2	2	3	7	7	7	3	2	1	7	11	5	8	17	4	6	3	4	2	8	7	4	7	3	7
Scarlet Fever, ...	.	4	6	2	2	.	.	1	.	1	4	1	.	1	1	.	2	2	2	.	.	.	1	3	.	2
Whooping-cough, ...	4	3	6	7	11	4	4	6	5	3	6	.	2	3	2	4	1	4	1	3	2	2	.	1	4	3
Diphtheria, ...	5	2	3	2	.	2	.	1	1	4	3	4	1	2	3	1	.	1	4	1	4	2	2	3	2	1
Influenza, ...	3	4	5	7	2	2	2	1	2	2	.	3	.	3	2	1	2	.	.	1	.	1	1	1	2	1
Dysentery, ...	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Tuberculous Disease, Phthisis, ...	19	27	22	18	20	17	28	32	16	29	21	33	22	21	17	25	22	22	25	23	7	21	7	20	17	17
Tuberculous Disease, Other Forms,	4	6	8	7	7	8	8	15	13	10	3	8	10	6	6	6	9	9	8	7	11	6	7	12	10	15
Cancer, ...	16	11	4	6	5	8	6	10	13	11	8	7	9	6	5	6	11	9	12	10	7	8	12	4	10	6
Diseases of Circulatory System,	19	23	17	21	14	13	24	27	22	23	14	15	24	17	23	7	19	12	12	23	14	22	16	22	20	15
Diseases of Respiratory System, Pneumonia,	18	20	15	21	13	16	14	13	13	18	19	16	18	22	15	12	6	10	8	9	8	9	9	10	8	12
Diseases of Respiratory System, Others, ...	30	41	44	28	29	25	23	27	24	24	26	26	16	34	20	15	14	15	16	17	9	17	6	11	10	13
Diarrhœa, Under 2 years, ...	4	2	3	3	1	1	2	5	1	3	2	1	2	2	1	2	1	6	.	3	3	.	1	3	9	27
Diarrhœa, 2 years & upwards,	1	.	.	1	1	.	3	.	1	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	5
Enteritis, under 2 years, ...	3	3	1	1	1	2	1	3	1	3	3	2	2	2	.	1	1	4	1	1	1	3	3	2	2	7
Violent Deaths, ...	7	4	2	5	2	4	5	5	5	6	1	7	9	3	.	1	5	2	3	6	5	2	6	7	2	5
Number of Uncertified Deaths,	3	3	2	4	7	8	7	2	5	1	1	2	8	4	3	1	5	4	3	4	.	5	9	5	2	3
Mean Temperature of the Air (Phœnix Park)	35·9	37·0	46·4	43·4	46·5	41·1	38·0	41·7	42·7	39·4	43·7	50·5	50·5	49·6	52·6	49·5	55·3	56·2	55·6	52·6	56·2	55·5	59·6	60·9	62·9	62·7
Average Mean Temperature in corresponding week of previous 10 years, ...	40·3	40·3	39·8	39·9	40·5	41·7	42·7	42·6	42·4	44·1	43·1	45·1	46·2	46·7	48·1	49·1	50·9	53·7	53·5	53·6	55·5	56·5	57·5	58·5	59·8	58·2
Rainfall in inches, ...	·000	·011	·582	·523	·681	·316	·206	·000	·770	·131	·000	·501	·606	·780	·127	·262	·010	·000	·000	·605	·782	·166	·018	·000	·316	1·860
Mean Humidity of the Air, complete Saturation 1·0, ...	·87	·90	·91	·91	·92	·91	·89	·87	·90	·86	·86	·89	·91	·93	·94	·92	·89	·89	·88	·86	·91	·91	·92	·84	·92	·92

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 29th July, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 29TH JULY, 1911

Class	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	186	88	5	6	21	29	24	13	1	.	.	7	2	3	1	.	17	15	6	4	12	13	27	5	7	5	61	3
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	23·9	8	.	.	.	.	2	4	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	6	.
II.	MIDDLE CLASS, ...	87,188	17·3	29	8	1	3	5	3	4	5	.	.	.	1	1	.	.	.	6	.	4	.	.	.	2	2	2	.	11	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	16·5	35	18	.	1	6	6	3	1	.	.	.	2	.	1	.	.	5	6	.	1	2	3	5	1	1	.	8	1
IV.	GENERAL SERVICE CLASS, ...	154,279	29·4	87	53	3	2	9	9	9	2	1	.	.	4	1	2	1	.	3	5	1	3	7	3	19	1	2	5	29	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	27	9	1	.	1	9	4	3	.	.	.	.	.	.	.	.	3	4	.	.	2	7	1	1	2	.	7	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	24·9	4	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	11·8	5	1	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	1	.
	6. Clerks and Commercial Assistants, ...	30,432	20·6	12	6	1	2	1	1	.	1	.	.	.	1	1	.	.	.	3	.	.	.	.	.	1	.	2	.	4	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	19·3	10	1	.	1	2	1	2	3	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	1	.	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	14·0	8	5	.	.	1	.	1	1	.	.	.	2	.	1	.	.	1	.	.	.	.	1	2	.	.	.	1	1
	10. Clothing Trades, ...	23,260	13·5	6	2	.	1	.	2	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	1	.	.	.	1	.
	11. Food Supply Trades, ...	9,242	22·6	4	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	18·9	11	4	.	.	3	3	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	2	1	1	.	3	.
	13. Petty Shopkeepers, ...	7,894	26·4	4	3	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	27·2	7	2	.	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	5	.
	15. Domestic Servants, ...	36,603	14·2	10	5	.	.	.	1	4	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	2	.	.	.	5	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	36·2	10	7	.	.	2	.	.	1	1	.	.	1	.	.	.	.	.	3	.	.	1	.	.	.	.	.	4	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	34·8	60	39	3	1	7	7	3	.	.	.	.	2	1	2	1	.	3	2	.	3	4	3	16	1	2	5	15	1
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	27	9	1	.	1	9	4	3	.	.	.	.	.	.	.	.	3	4	.	.	2	7	1	1	2	.	7	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of). DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 29,854.	June 10,	14·0	.	8	.	.	.	.	.	.	.	.	2	.	1	3	.	.	.	.	.	1
	" 17,	19·2	1·7	11	.	.	.	.	.	.	.	.	3	1	.	.	2	.	.	1	1	.
	" 24,	21·0	7·0	12	1	.	.	1	.	.	1	.	1	.	.	.	1	1	.	.	.	.
	July 1,	14·0	1·7	8	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	.	.	.
	" 8,	5·2	.	3	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
	" 15,	21·0	3·5	12	.	.	.	1	.	1	.	.	1	2	1	3	.	.	.	.	.	.
	" 22,	24·5	8·7	14	1	.	.	1	.	1	.	.	.	.	1	.	1	1	.	1	.	.
	" 29,	38·4	15·7	22	.	.	.	.	.	.	.	.	2	2	.	1	3	7	1	1	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 39,902.	June 10,	24·8	5·2	19	.	.	.	3	.	.	1	.	2	.	1	1	2	.	.	.	.	.
	" 17,	18·3	1·3	14	.	.	.	1	.	.	.	.	2	1	1	1	2	.	.	.	.	2
	" 24,	19·6	1·3	15	.	.	.	.	.	.	1	.	1	1	.	2	1	.	.	.	.	.
	July 1,	19·6	2·6	15	.	.	.	2	.	.	.	.	2	.	2	2	.	.	.	.	.	.
	" 8,	14·4	.	11	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.
	" 15,	26·1	3·9	20	2	.	.	.	1	.	.	.	2	.	.	2	4	.	.	.	.	1
	" 22,	13·1	1·3	10	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.	1	.	.
	" 29,	24·8	3·9	19	.	.	.	1	1	.	.	.	.	2	.	3	1	1	.	.	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 30,689.	June 10,	23·8	5·1	14	.	.	.	1	1	.	1	.	.	.	1	.	4	.	.	.	.	.
	" 17,	18·7	3·4	11	.	.	.	.	.	.	1	.	.	.	.	1	2	1	.	.	.	.
	" 24,	20·4	5·1	12	.	.	.	1	.	2	.	.	1	.	1	.	2	.	.	.	.	.
	July 1,	15·3	1·7	9	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.
	" 8,	17·0	1·7	10	.	.	.	.	.	.	1	.	.	3	.	1	2	.	.	.	.	.
	" 15,	25·5	10·2	15	1	.	.	3	.	.	1	.	2	1	.	.	.	1	.	.	.	.
	" 22,	18·7	5·1	11	.	.	.	.	.	1	.	.	2	1	1	1	1	2	.	.	.	.
	" 29,	34·0	8·5	20	.	.	.	.	1	1	.	.	2	2	.	3	2	2	1	.	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,498.	June 10,	26·5	1·6	17	.	.	.	.	.	.	.	.	6	1	1	2	1	.	.	1	1	.
	" 17,	15·6	3·1	10	.	.	.	1	.	.	.	.	.	1	.	2	1	1	.	.	.	.
	" 24,	15·6	3·1	10	.	.	.	2	.	.	.	.	.	1	1	1	1	.	.	.	.	.
	July 1,	18·7	3·1	12	.	.	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	" 8,	21·8	3·1	14	.	.	.	2	.	.	.	.	1	.	3	1	1	.	.	.	2	1
	" 15,	15·6	.	10	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	1	.
	" 22,	23·3	4·7	15	1	.	.	1	.	.	.	.	2	.	2	.	1	1	.	.	.	1
	" 29,	26·5	7·8	17	.	.	.	.	.	1	.	.	2	2	.	1	2	2	1	1	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,401.	June 10,	12·6	.	10	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.	.
	" 17,	23·9	.	19	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	1	2
	" 24,	10·1	3·8	8	.	.	.	2	.	.	1	.	.	1	.	2	.	.	.	.	.	.
	July 1,	30·2	2·5	24	.	.	.	.	.	.	1	.	5	1	.	.	5	.	.	1	.	1
	" 8,	22·7	5·0	18	.	.	.	1	.	.	1	.	2	1	.	1	.	.	.	2	3	1
	" 15,	31·5	3·8	25	.	.	.	1	.	.	.	.	3	1	1	.	1	1	.	1	.	.
	" 22,	23·9	.	19	.	.	.	.	.	.	.	.	3	.	1	1	2	.	.	.	1	.
	" 29,	13·9	5·0	11	.	.	.	.	.	.	.	.	1	1	1	1	1	1	.	3	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,715.	June 10,	24·0	4·8	10	.	.	.	.	1	1	.	.	1	3	.	1	.	.	.	.	.	1
	" 17,	31·2	.	13	.	.	.	.	.	.	.	.	1	1	2	2	2	.	.	.	1	.
	" 24,	12·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
	July 1,	19·2	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
	" 8,	28·8	2·4	12	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	" 15,	21·6	4·8	9	.	.	.	.	1	.	.	.	.	1	.	.	3	.	.	1	.	1
	" 22,	28·8	2·4	12	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.
	" 29,	24·0	9·6	10	.	.	.	.	.	.	.	.	.	1	.	.	.	3	1	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,149.	June 10,	26·6	.	22	.	.	.	.	.	.	.	.	5	.	3	.	4	.	.	.	.	.
	" 17,	15·7	2·4	13	.	.	.	.	.	2	.	.	4	.	.	.	3	.	.	.	.	.
	" 24,	16·9	2·4	14	.	.	.	1	.	.	.	.	1	3	.	1	.	.	.	1	2	.
	July 1,	21·8	.	18	.	.	.	.	.	.	.	.	3	2	2	1	2	.	.	.	.	.
	" 8,	15·7	2·4	13	1	.	.	.	1	.	.	.	1	2	.	.	.	.	.	.	1	1
	" 15,	23·0	4·8	19	.	.	.	2	1	.	1	.	1	2	.	.	2	.	.	.	1	1
	" 22,	29·0	7·3	24	.	.	.	1	.	1	1	.	2	3	1	4	1	3	.	.	.	.
	" 29,	24·2	9·7	20	.	.	.	5	.	.	.	.	3	2	.	1	1	2	.	1	.	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 35,816.	June 10,	13·1	2·9	9	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	.	1	.
	" 17,	14·6	1·5	10	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	1	.
	" 24,	11·6	.	8	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1	.
	July 1,	17·5	2·9	12	.	.	.	.	.	1	.	.	3	1	.	.	1	.	.	1	.	2
	" 8,	11·6	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	3
	" 15,	24·7	1·5	17	.	.	.	.	.	.	.	.	6	1	.	1	.	1	.	.	1	.
	" 22,	11·6	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	" 29,	18·9	2·9	13	.	.	.	.	.	.	1	.	1	1	.	.	2	1	.	.	1	.

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	June 10,	13·6	.	10	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
	„ 17,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 24,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.	.
	July 1,	13·6	.	10	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.
	„ 8,	6·8	2·7	5	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 15,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	1
	„ 22,	13·6	1·4	10	.	.	.	.	.	.	1	.	2	.	1	1	1	.	.	.	1	.
	„ 29,	23·1	10·9	17	.	.	.	1	.	.	.	.	.	1	1	1	.	6	.	1	.	1
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	June 10,	17·8	.	10	.	.	.	.	.	.	.	.	2	1	1	.	2	.	.	.	.	1
	„ 17,	12·4	1·8	7	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.
	„ 24,	24·9	1·8	14	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	1	.
	July 1,	21·3	1·8	12	.	.	.	1	.	.	.	.	1	1	1	1	2	.	.	.	.	.
	„ 8,	17·8	.	10	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	2
	„ 15,	7·1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
	„ 22,	14·2	1·8	8	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.
	„ 29,	17·8	5·3	10	.	.	.	.	.	1	.	.	1	.	.	.	1	1	1	.	.	.
Kingstown Urban District. Pop. in 1911 17,227.	June 10,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	„ 17,	45·4	.	15	.	.	.	.	.	.	.	.	2	.	2	.	3	.	.	.	1	.
	„ 24,	21·2	6·1	7	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	1	.
	July 1,	33·3	.	11	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	1
	„ 8,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 15,	27·2	.	9	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.
	„ 22,	24·2	3·0	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	„ 29,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1
Belfast. Pop. in 1911 (Est.) 386,449.	June 10,	15·5	0·5	115	.	.	.	.	.	.	1	.	14	6	8	9	18	.	1	2	3	1
	„ 17,	14·4	0·8	107	.	.	.	.	1	4	.	.	13	10	6	9	13	1	.	.	3	.
	„ 24,	11·1	0·7	82	.	.	.	.	.	.	.	.	13	2	6	5	10	1	3	1	1	3
	July 1,	15·7	0·7	116	.	1	.	.	.	1	.	.	23	2	7	5	8	2	.	1	4	3
	„ 8,	12·4	0·5	92	.	.	.	.	1	.	1	.	16	5	4	7	11	1	.	1	.	.
	„ 15,	16·6	1·5	123	.	.	.	.	1	1	.	.	18	8	6	2	14	6	.	3	3	1
	„ 22,	16·3	3·0	120	1	.	.	.	.	1	2	.	20	6	3	4	10	10	.	8	5	.
	„ 29,	14·2	3·4	105	.	.	.	.	.	1	.	.	10	5	3	6	3	14	1	9	3	2
Cork. Pop. in 1911 76,632.	June 10,	15·0	.	22	.	.	.	.	.	.	.	.	3	1	3	.	3	.	.	.	.	1
	„ 17,	15·0	.	22	.	.	.	.	.	.	.	.	7	.	1	.	.	.	.	.	.	1
	„ 24,	19·7	0·7	29	.	.	.	.	.	.	.	.	5	2	.	1	4	.	.	1	.	3
	July 1,	18·4	0·7	27	.	.	.	1	.	.	.	.	2	.	1	.	3	.	.	.	2	2
	„ 8,	15·6	2·0	23	.	1	.	2	.	.	.	.	2	2	2	.	1	.	.	.	.	.
	„ 15,	11·6	.	17	.	.	.	.	.	.	.	.	3	1	1	.	5	.	.	.	.	1
	„ 22,	12·9	1·4	19	.	.	.	1	.	.	.	.	1	.	.	.	1	1	.	.	1	1
	„ 29,	16·3	1·4	24	.	.	.	.	.	1	.	.	5	.	2	.	3	1	.	.	.	1
Londonderry. Pop. in 1911 40,799.	June 10,	23·0	1·3	18	.	.	.	.	.	.	.	.	4	.	1	1	5	1	.	.	1	.
	„ 17,	10·2	1·3	8	.	.	.	.	.	.	.	.	3	.	.	.	2	1	.	.	.	1
	„ 24,	8·9	1·3	7	.	.	.	.	1	.	.	.	.	.	.	1	2	.	.	.	.	.
	July 1,	14·1	.	11	.	.	.	.	.	.	.	.	2	3	1	.	1	.	.	.	.	1
	„ 8,	8·9	1·3	7	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.
	„ 15,	19·2	.	15	.	.	.	.	.	.	.	.	3	1	.	1	4	.	.	.	1	.
	„ 22,	19·2	3·8	15	.	.	.	.	.	1	.	.	2	.	3	.	1	2	.	.	.	.
	„ 29,	11·5	3·8	9	.	.	.	.	.	1	.	.	1	1	.	1	1	1	1	.	.	.
Limerick. Pop. in 1911 38,403.	June 10,	8·1	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1
	„ 17,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	.	5	.	.	.	.	2
	„ 24,	6·8	1·4	5	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	1
	July 1,	14·9	.	11	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	3
	„ 8,	16·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1
	„ 15,	10·9	.	8	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3
	„ 22,	20·4	4·1	15	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	2	.	3
	„ 29,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.
Waterford. Pop. in 1911 27,430.	June 10,	13·3	.	7	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2
	„ 17,	17·1	.	9	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2
	„ 24,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	July 1,	5·7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 8,	28·5	.	15	.	.	.	.	.	.	.	.	6	1	.	.	1	.	.	.	.	4
	„ 15,	5·7	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 22,	19·0	.	10	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2	3
	„ 29,	15·2	1·9	8	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 29th July, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa: Of children under 2 years of age.	Diarrhœa: 2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	385,492	8	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 2 do.		38			13	4	.	.	2	3	4	.	.	.	.	.	.	.	.	2	.	2	.	.	2	.	.	.	1	5	.
Do. 3 do.		39			13	7	1	.	1	2	2	.	.	.	.	.	.	.	.	1	.	.	1	.	5	.	.	.	.	.	1
Do. 4 do.		24			13	4	.	2	1	3	3	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	2	.	.	6	1
Do. 5 do.		7			5	2	.	1	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.
Do. 6 do.		14			8	.	1	.	3	1	3	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	2	2	1	.
Do. 7 do.		5			2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 8 do.		2			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		12			11	2	1	2	2	3	1	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	1	6	.
Do. 10 do.		16			11	3	1	4	1	2	.	.	.	.	.	.	1	.	.	2	1	.	1	.	2	1	.	1	1	2	.
Do 11 do.		24			7	3	1	1	.	.	2	.	.	.	.	.	.	.	.	1	1	.	1	.	2	.	.	.	.	1	.
Do 12 do.		27			7	5	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	1	1	.
Do. 13 do.		8			4	1	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		12			7	5	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	1	.	.	1	.
Total,	—	236			105	38	8	11	13	17	18	.	.	.	.	.	1	.	.	10	5	3	6	3	14	1	9	3	6	25	2
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	76,632	4	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		7	.	.	2	2	1	2	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	4	.
Do. 2 do.		5			2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 3 do.		7			3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.
Do. 4 do.		3			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do.		1			2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	2	.
Do. 6 do.		8			7	2	.	1	2	.	2	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.	.	2	.
Do. 7 do.		10			3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total	—	38	16·3	1·4	24	7	1	4	6	1	5	.	.	.	.	.	1	.	.	5	.	2	.	3	1	.	.	.	.	10	1

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	Feb. 4.	Feb 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.
No. of weeks in Annual Series,	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
BIRTHS registered, ...	212	218	216	213	232	193	220	218	232	228	204	189	236	232	229	180	214	233	215	258	201	264	213	207	268	236
DEATHS registered, ...	128	146	149	141	133	118	118	147	138	172	161	154	160	109	120	123	123	125	115	107	82	116	92	123	121	105
Annual Death rate per 1,000 of estimated population, ...	16·8	19·1	19·5	18·5	17·4	15·4	15·4	19·2	18·1	22·5	21·1	20·2	20·9	14·3	15·7	16·1	16·1	16·4	15·5	14·4	11·1	15·7	12·4	16·6	16·3	14·2
AGES, Under 1 year, ...	24	24	31	21	25	20	33	23	26	36	24	23	23	19	19	25	22	18	19	23	16	18	11	25	32	38
1—5 years, ...	10	7	10	14	9	10	6	17	11	7	10	14	13	10	9	9	13	7	7	10	7	9	7	9	11	8
5—25 „ ...	6	11	21	17	18	9	10	19	11	14	17	13	21	3	17	15	17	14	14	16	7	16	15	16	14	11
25—45 „ ...	25	27	30	29	16	23	14	28	23	36	32	26	27	25	23	26	22	24	26	22	18	20	21	25	22	13
45—65 „ ...	34	34	32	26	35	29	27	30	38	45	37	39	46	22	29	31	27	34	20	20	20	37	25	29	23	17
65 and upwards, ...	29	43	25	34	30	27	28	30	29	34	41	39	30	20	23	17	22	28	29	16	14	16	13	19	19	18
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	1	.	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1	.	.	1	1	.	.
Whooping-cough, ...	1	.	.	1	1	1	1	.	.	.	3	2	1	.	.	1	1	.	.	4	.	1	.	1	1	1
Diphtheria, ...	1	.	.	.	.	.	.	1	1	.	2	1	.	.	.	.	.	.	1	.	.	.	1	.	2	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.
Tuberculous Disease. Phthisis, ...	10	11	22	15	13	19	7	22	24	26	25	14	17	16	25	21	21	16	14	13	13	23	16	18	20	10
Tuberculous Disease. Other Forms,	4	4	11	10	10	7	8	9	8	8	4	11	15	12	7	10	12	11	6	10	2	2	5	8	6	5
Cancer, ...	6	5	5	8	3	6	11	8	4	5	5	6	12	3	6	1	4	6	8	6	6	7	4	6	3	3
Diseases of Respiratory System, Pneumonia,	7	11	14	11	15	10	10	14	16	13	19	23	18	10	10	13	6	11	9	9	5	5	7	2	4	6
Diseases of Respiratory System, Others, ...	25	26	25	20	20	20	14	16	19	26	29	34	16	20	15	19	11	18	18	13	10	8	11	14	10	3
Diarrhœa, Under 2 years, ...	.	1	.	.	1	.	1	.	.	1	.	.	.	.	1	1	2	1	.	1	1	2	1	6	10	14
Diarrhœa, 2 years & upwards	.	1	.	.	.	1	.	3	1	.	1	.	.	.	.	.	.	.	1	.	3	.	.	.	.	1
Enteritis, under 2 years, ...	2	3	2	2	1	.	.	3	2	1	2	2	1	1	1	3	3	4	2	.	1	1	1	3	8	9
Violent Deaths, ...	4	4	.	4	3	2	1	3	4	8	2	3	3	3	4	1	1	.	3	3	1	4	.	3	5	3
Number of Uncertified Deaths, ...	2	1	.	.	3	2	1	.	1	3	2	.	1	2	1	1	1	2	1	.	3	3	.	1	.	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	July 29,	2,133	1,185	13·7	1	.	17	2	10	6	158*a*
Edinburgh, ...	320,829	„ 29,	141	98	15·9	.	.	.	1	2	1	7
Glasgow, ...	784,621	„ 29,	432	231	15·4	1	.	3	1	12	2	23
Calcutta, ...	890,493	June 24,	.	431	23·5	116*	2	.	.	5	3	62‡
Bombay, ...	977,822	„ 24,	392	501	26·6	105*	13	4	.	.	.	43‡
Madras, ...	509,346	„ 3,	332	330	33·6	66*	5	1	?	?	?	71
Cairo, ...	689,439	„ 3,	523	748	56·6	6	.	10	9	.	3	240
Paris	2,846,986	July 1,	906	735	14·0	6	.	20	2	4	3†	26*a*
Brussels, ...	739,684	„ 1,	221	163	11·5	1	.	3	.	.	2	7
Antwerp, ...	320,640	„ 8,	117	73	11·9	.	.	3		.	.	6*a*
Amsterdam, ...	577,025	„ 8,	258	96	8·7	.	.	.	.	3	.	5*a*
Copenhagen, ...	462,132	„ 8,	208	124	14·0	.	.	2	3	8	.	6*a*
Stockholm, ...	343,832	„ 1,	145	90	13·6	.	.	.	.	.	1†	2*a*
Christiania, ...	244,038	„ 15,	107	51	10·9	.	.	.	.	1	1†	2
St. Petersburg, ...	1,639,266	June 24,	1,229	715	22·7	11	2	41	5	3	11	101
Moscow, ...	1,493,600	„ 24,	.	1,000	34·9	2	7	22	11	4	14†	417
Berlin, ...	2,066,806	„ 24,	870	564	14·2	1	.	5	10	17	14†	34
Hamburg, ...	932,166	July 8,	.	242	13·5	.	.	4	4	3	14†	19
Breslau, ...	519,285	„ 8,	.	179	18·0	.	.	1	.	1	.	26
Munich, ...	597,000	„ 15,	.	178	15·5	.	.	.	.	1	2†	26
Vienna (with suburbs),	2,047,968	„ 8,	756	550	14·0	1	.	9	3	3	5†	45*a*
Buda-Pesth, ...	891,585	„ 8,	450	312	18·2	1	.	9	7	1	3†	40*a*
Prague and Faubourgs,	508,310	June 24,	189	187	19·1	1	.	.	.	3	1†	8*a*
Trieste, ...	229,499	July 1,	138	87	19·8	.	.	1	1	.	.	1
Rome, ...	602,068	Apr. 29,	279	190	16·5	1	.	2	2	1	.	10
		May 6,	291	201	17·4	.	.	2	3	7	3	10
Venice, ...	184,325	June 10,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	„ 17,	2,427	1,232	12·9	10	.	19	14	6	23†	58*a*
Philadelphia, ...	1,580,250	„ 3,	.	407	13·4	4	.	7	6	.	6†	13*a*
Boston, ...	688,912	July 8,	.	375	28·4	2	.	2	1	.	.	16

* Deaths from "fever," including 10 deaths from enteric fever and 62 deaths from plague in Calcutta, one from enteric fever and 43 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 37 deaths from cholera in Calcutta, and one in Bombay.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending July 29th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	2	.	.	.	.	3
„ „ 1, West, ...	.	.	.	.	1	.	.	.	.	.	.	1	2
„ „ 2, ...	.	1	.	.	1	.	.	.	1	.	.	2	5
„ „ 3, ...	.	1	.	.	3	.	.	1	2	.	.	3	10
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	1	.	.	.	.	1
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	1	.	.	1	.	1	2	1	.	.	2	8
„ „ 2, ...	.	3	.	.	.	.	.	.	.	.	.	2	5
„ „ 3, ...	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ 4, ...	.	.	.	.	1	.	.	1	.	.	.	.	2
New Kilmainham, ...	.	1	.	.	.	.	.	.	1	.	.	1	3
Total, ...	.	8	.	.	7	.	1	7	5	.	.	12	40

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 29th July, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 29th July.			
	July 8.	July 15.	July 22.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	43	34	29	15	6	3	35
Scarlet Fever, ...	73	59	66	11	4	3	70*
Typhus, ...	2	.	.	1	.	.	1
Diphtheria, ...	45	39	29	12	12	1	28
Enteric Fever, ...	45	37	35	2	6	.	31
Pneumonia, ...	27	17	18	3	8	.	13

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 29th July, 1911:—

"The record is again one of warm summerlike weather, but on Tuesday the drought drew to a close and afterwards abundant rains fell daily in nearly all parts of the Kingdom. In many districts, especially in England, the precipitation was accompanied by thunder and lightning. On Sunday an area of high atmospheric pressure (30·2 inches and upwards) rested on the British Isles—at 7 a.m. the barometer read 30·31 inches at Valentia, Roche's Point and Donaghadee. Wireless reports from the Atlantic showed the existence at this time of a V.-shaped secondary depression in lat. 52° N., long. 20° W., the primary disturbance being situated off the east coast of Iceland. This primary remained stationary, but the V.-shaped secondary reached the western shores of Ireland and Scotland on Monday morning. The first effect of this easterly movement was to throw a very warm S.W. wind upon Ireland and later upon England also—at 9 a.m. of Monday the thermometer in Dublin read 68·4° and it rose later on to 72·4°. In London on the same day Kew Observatory reported 83° as the maximum. Rain now began to fall in large quantities in Scotland, where temperature ruled low, and also in Ireland—at Coolagad, Greystones, Co. Wicklow, the daily measurements were ·60 inch on Tuesday, ·57 inch on Wednesday, and ·33 inch on Thursday—1·5 inches in 3 days. In London thunderstorms occurred on Tuesday and Friday evenings—the latter being strangely local but accompanied by heavy hail in places. In Dublin, after a fog on Friday night, a cloudy showery forenoon and a brilliant afternoon on Saturday, a violent thunderstorm prevailed from 5.50 p.m. to 6.55 p.m., the accompanying rainfall being 1·212 inches, all of which fell in some 45 minutes. In this City the mean height of the barometer was 29·835 inches, the range being from 30·281 inches at 9 a.m. of Sunday (wind, E.), to 29·714 inches at 4 p.m. of Wednesday (wind, S.E.). The corrected mean temperature was 63·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 62·7°. On Monday the screened thermometers fell to 53·6°; on Friday they rose to 74·4°. The wind was light and variable in direction, chiefly south-easterly. Rain fell on 5 days to the large amount of 2·291 inches, of which 1·242 inches were recorded on Saturday. A solar halo was seen on Wednesday. There was a fog on Friday night."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·733 inches. The highest reading (30·106) was on Sunday at 9 a.m., air calm, and the lowest (29·570) on Saturday at 9 p.m., wind S.W.

The mean temperature for the week was 62·7°, being 4·5° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Friday, on which day the thermometer registered 75·3°, and was lowest on Monday, the mercury having fallen to 46·9°. The mean of the Dry Bulb for the week was 61·5° and of the Wet Bulb, 60·1°. The mean humidity of the air was ·92, complete saturation being represented by 1·0. The rainfall during the week measured 1·860 inches.

At Greenwich the mean temperature for the week was 71·0°, the maximum 91·9°, and the minimum 54·7°; at Glasgow the maximum was 74·5°, the minimum 48·2°, and the mean 61·2°; and at Edinburgh the maximum was 73·1°, the minimum 48·5°, and the mean 59·3°. The rainfall at Greenwich measured 0·26 in.; at Glasgow 1·27 ins, and at Edinburgh 0·32 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, July 23,	30·063	70·3	48·4	59·4	56·5	54·1	·86	·6	9·2	·000	Calm.	Calm
Monday, „ 24,	29·769	71·7	46·9	59·3	64·8	62·2	·89	·4	1·0	·000	S.S.W.	S.W.
Tuesday, „ 25,	29·626	68·8	57·4	63·1	61·3	59·9	·92	·4	6·3	·205	S.W.	Calm
Wednesday, „ 26,	29·582	70·4	51·9	61·2	62·3	60·6	·93	·6	2·8	·165	Calm	S.E.
Thursday, „ 27,	29·612	70·8	57·9	64·4	60·3	60·0	·96	·5	1·7	·285	Calm	S.E.
Friday, „ 28,	29·801	75·3	59·9	67·6	63·8	62·6	·93	·5	4·2	·085	S.W.	N.E.
Saturday, „ 29,	29·681	72·0	56·3	64·2	61·8	61·4	·95	·5	3·4	1·120	E.N.E	S.W.
Mean, ...	29·733	71·3	54·1	62·7	61·5	60·1	·92	·5	Total 28·6	Total 1·860	—	

Sunday—Day cloudy to bright; night cloudy. *Monday*—Day cloudy and fine; night cloudy. *Tuesday*—Day cloudy and fine; night overcast; drizzling and heavy rain, midnight to 3 a.m. *Wednesday*—Day cloudy and fine; night cloudy; light showers 5 a.m. to 5.15 a.m. and 6 a.m. to 6.40 a.m. *Thursday*—Day overcast to cloudy; heavy rain 7 a.m. to 10 a.m. and 6 p.m. to 8.30 p.m.; night overcast; drizzling rain 2.50 a.m. to 4 a.m., and 4.55 a.m. to 5.5 a.m. *Friday*—Day cloudy; heavy rain 2.45 p.m. to 3 p.m.; night overcast, and fog. heavy rain 5.20 a.m. to 6.30 a.m. *Saturday*—Day cloudy to overcast; thunderstorm, heavy rain 6.10 p.m. to 7.5 p.m. and 8.40 p.m. to 9 p.m.; night cloudy; shower 2.15 a.m. to 2.30 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, July 29th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, July 23,	61·0	63·9	59·5	67·3	53·9	60·6	9·5	—
Monday, „ 24,	71·0	63·5	59·6	73·7	52·4	63·1	1·8	—
Tuesday, „ 25,	64·7	63·4	59·7	70·3	59·1	64·7	6·7	·272
Wednesday, „ 26,	61·2	63·3	59·6	72·0	53·9	63·0	5·4	·262
Thursday, „ 27,	59·2	64·0	59·8	70·1	57·9	64·0	2·0	·391
Friday, „ 28,	68·0	64·4	59·8	71·1	60·0	65·6	4·3	·091
Saturday, „ 29,	61·0	64·8	59·8	71·8	56·1	64·0	5·2	1·390
Weekly Mean, .	63·7	63·9	59·7	70·9	56·2	63·6	Total 34·9	Total 2·406

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31062. Wt. P. 110-81/138. 375. 8. 1911. Sch. C 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LIMITED, FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

Sole Wholesale Agent for places outside the United Kingdom of Great Britain and Ireland,
T. FISHER UNWIN, 1, ADELPHI TERRACE, LONDON, W.C.
(Depots in New York, Toronto, Melbourne, Wellington, Cape Town, Calcutta, Tokio, and Leipzig.)

PRINTED BY ALEXANDER THOM & CO., LIMITED, ABBEY STREET. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 5TH AUGUST, 1911. [No. 31.

General Register Office, Charlemont House,
Dublin, 8th August, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending July 15	Week ending July 22	Week ending July 29	Week ending Aug. 5	Average Rate for 4 weeks.
22 Town Districts, ...	**16·7**	**16·8**	**16·4**	**16·8**	**16·7**
Armagh	6·9	6·9	6·9	6·9	6·9
Ballymena	9·2	18·3	9·2	13·8	12·6
Belfast	16·6	16·3	14·2	16·6	15·9
Clonmel	5·1	20·3	.	15·2	10·2
Cork	11·6	12·9	16·3	15·6	14·1
Drogheda	4·2	16·8	8·4	21·0	12·6
Dublin Reg. Area ...	20·9	19·8	22·5	18·9	20·5
Dundalk	15·9	7·9	15·9	11·9	12·9
Galway	11·8	11·8	11·8	7·9	10·8
Kilkenny	5·0	9·9	9·9	14·9	9·9
Limerick	10·9	20·4	13·6	12·2	14·3
Lisburn	8·6	8·6	8·6	21·4	11·8
Londonderry	19·2	19·2	11·5	19·2	17·3
Lurgan	8·6	17·2	8·6	8·6	10·8
Newry	21·8	8·7	26·2	17·4	18·5
Newtownards	22·9	.	17·2	22·9	15·8
Portadown	26·7	4·4	4·4	8·9	11·1
Queenstown	6·6	.	6·6	.	3·3
Sligo	9·3	9·3	4·7	14·0	9·3
Tralee	15·9	10·6	.	15·9	10·6
Waterford	5·7	19·0	15·2	17·1	14·3
Wexford	13·7	22·8	9·1	13·7	14·8

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 3·8 per 1,000, the rates varying from 0·0 in fourteen of the districts to 10·6 in Tralee, the 3 deaths from all causes for that district including 2 from diarrhœa of children under 2 years of age. Included in the 123 deaths from all causes for Belfast are 2 from each of whooping-cough and diphtheria, and 25 from diarrhœal diseases. Among the 23 deaths from all causes for Cork are one from whooping-cough and 2 from diarrhœal diseases. Included in the 15 deaths for Londonderry are 3 from diarrhœal diseases, and 2 of the deaths for Portadown are from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 198—116 boys and 82 girls—and the deaths to 153—77 males and 76 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·9 per 1,000 of the population. During the thirty-one weeks ending with Saturday last the death-rate averaged 21·2, and was 1·9 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 153, represent an annual rate of 19·8 per 1,000; the annual rate for the past thirty-one weeks was 22·4 per 1,000, and the average annual rate for the corresponding period of the past ten years was 24·2 per 1,000 of the mean population for all deaths registered.

The deaths included 2 from enteric fever, 5 from measles, one death from scarlet fever, 4 deaths from whooping-cough, and 29 deaths from diarrhœa and *enteritis* of children under 2 years of age. In each of the three preceding weeks, deaths from enteric fever were 3, 2, and one; deaths from measles were 7, 3, and 7; deaths from scarlet fever were 3, 0, and 2; deaths from whooping-cough were one, 4, and 3; and deaths from diarrhœa and *enteritis* of children under 2 years of age were 5, 11, and 34.

The deaths of 25 persons were ascribed to tuberculous disease; this figure includes 16 deaths from pulmonary tuberculosis, 3 deaths from tuberculous meningitis, 2 deaths from abdominal tuberculosis, one death from tuberculosis of the vertebral column, and 3 deaths from disseminated tuberculosis. In each of the three preceding weeks deaths from all forms of tuberculosis numbered 32, 27, and 32.

One death from *pneumonia* (type not distinguished) was registered.

There were 5 deaths from cancer.

Of 18 deaths from diseases of the brain and nervous system, 2 were caused by meningitis, and 4 by *convulsions*, 3 of the latter were deaths of infants under one year of age.

Eight deaths were attributed to organic diseases of the heart, and there were 3 deaths from bronchitis.

There were 5 deaths of infants from premature birth, 8 from congenital debility, and one from congenital defects.

Of 2 accidental deaths, one was in a street accident by a wagon.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year old, and the death of one person aged 72 years.

Seventy-three of the persons whose deaths were registered during the week were under 5 years of age (53 being infants under one year, of whom 9 were under one month old) and 25 were aged 65 years and upwards, including 15 persons aged 70 and upwards; among the latter were 10 aged 75 and upwards, of whom one (a female) was stated to have been aged 90 years.

Forty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·9 per 1,000; the rate in the City was 20·0 (North City Districts, 21·7; South, 18·3) and in the Suburbs, 15·0.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 5·4 per 1,000 inhabitants, the rate for the City being 5·7 (6·9 in the North City Districts, and 4·5 in the South), and for the Suburbs, 4·4 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (15) are equal to an annual rate of 26·2 per 1,000. Among them are one death from enteric fever, 2 deaths from measles, 5 deaths from diarrhœal diseases, and 2 from pulmonary tuberculosis.

No. 1 *North City District, West* (Summer-hill).—The deaths (17) are equal to an annual rate of 22·2 per 1,000. There were 4 deaths from diarrhœal diseases and 3 deaths from tuberculous disease.

No. 2 *North City District* (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27·2 per 1,000. Six deaths were caused by diarrhœal diseases and one death was attributed to starvation.

No. 3 *North City District* (Benburb-street).—The deaths (9) represent an annual rate of 14·0 per 1,000, and include one death from measles, 2 deaths from diarrhœal diseases, and 2 deaths from pulmonary tuberculosis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 27·0 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 20·4. Among the 6 deaths from all causes for Coolock and Drumcondra, part of, was one from pulmonary tuberculosis, and of the 3 deaths from all causes for Finglas and Glasnevin, part of, there was also one death from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (15) represent an annual rate of 18·9 per 1,000. Whooping cough caused one death, there were 3 deaths from diarrhœa and *enteritis*, under 2 years of age, and 3 deaths from tuberculous disease.

No. 2 *South City District* (Castle-street).—The deaths (9) are equal to an annual rate of 21·6 per 1,000. Enteric fever and whooping-cough each caused one death; there were 2 deaths from tuberculous disease, one death from *pneumonia* (type not distinguished), and one death from diarrhœa of a child under 2 years of age.

No. 3 *South City District* (Peter-street).—The deaths (15) are equal to an annual rate of 18·1 per 1,000. Measles caused 2 deaths, there was one death from pulmonary tuberculosis, and 4 deaths from diarrhœa and *enteritis* of children under 2 years.

No. 4 *South City District* (Grand Canal Street).—The deaths (8) are equivalent to an annual rate of 11·6 per 1,000. Two of the deaths registered were from pulmonary tuberculosis.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 34·5 per 1,000. Of the 6 deaths registered 3 were due to tuberculous disease.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·3; Pembroke, 19·5; Blackrock, 0·0; and Kingstown, 12·1. The deaths from the principal epidemic diseases tabulated for these districts comprise one from scarlet fever and 3 from diarrhœa and *enteritis* of children under 2 years for Rathmines and Rathgar, 2 from whooping-cough and one from *enteritis* for Pembroke, and one from diarrhœa under 2 years for Kingstown. Included in the 12 deaths from all causes for Rathmines and Rathgar were 2 from tubercular disease and one death caused by a wagon; and of the 11 deaths from all causes for Pembroke one was from pulmonary tuberculosis.

* See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 5th August, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	July 15,	.	—	—	11	.	.	10	.	1	8	1	.	—	—	.	—	7	—	38
	July 22,	.	—	—	18	.	.	10	.	1	9	12	.	—	—	.	—	10	—	60
	July 29,	.	—	—	8	.	.	7	.	1	7	5	.	—	—	.	—	12	—	40
	Aug. 5,	.	—	—	14	1	.	9	.	1	5	6	.	—	—	.	—	20	—	56
Rathmines and Rathgar Urban District.	July 15,	.	—	—	3	.	.	.	.	.	.	1	.	.	—	—	—	—	—	4
	July 22,	.	—	—	.	.	.	1	.	.	.	.	.	1	—	—	—	—	—	2
	July 29,	.	—	—	.	.	.	3	.	.	.	3	.	.	—	—	—	—	—	6
	Aug. 5,	.	—	—	.	.	.	2	.	.	.	1	.	.	—	—	—	—	—	3
Pembroke Urban District.	July 15,	.	1	.	.	.	.	.	.	.	.	.	.	.	12	.	—	.	—	13
	July 22,	.	.	.	2	.	.	.	.	.	.	.	.	.	16	.	—	.	—	18
	July 29,	.	11	.	1	.	.	1	.	.	.	1	.	.	.	.	—	.	—	14
	Aug. 5,	.	1	.	.	.	.	.	.	.	.	1	.	.	10	.	—	.	—	12
Blackrock Urban District.	July 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	July 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	July 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	July 15,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	
	Aug. 5,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	July 15,	.	—	—	8	.	.	4	.	.	1	1	.	—	—	.	—	10	—	24
	July 22,	.	—	—	6	.	.	6	.	.	5	2	.	—	—	.	—	12	—	31
	July 29,	.	—	—	8	.	.	7	1	.	5	1	.	—	—	1	—	13	—	36
	Aug. 5,	.	—	—	8	.	.	6	.	1	2	1	.	—	—	.	—	16	—	34

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 5th August, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Ten cases of measles were admitted to hospital during the week, 7 were discharged, and 38 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 34, 29, and 35, respectively.

Fifteen cases of scarlet fever were admitted to hospital, 18 were discharged, there was one death, and 66* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 59, 66, and 70, respectively.

One case of typhus remained under treatment in hospital at the close of the week.

Eight cases of diphtheria were admitted to hospital during the week, and 9 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 39, 29, and 28, respectively, were 27 at the close of last week.

Seven cases of enteric fever were admitted to hospital during the week, 2 were discharged, there were 2 deaths, and 34 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 37, 35, and 31.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, one was discharged, and 17 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 15·5) was equal to an average annual death-rate of 15·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 13·8 per 1,000, the rate for Glasgow being 15·4 and for Edinburgh 13·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 5th August. From this Report it appears that of a total of 42 cases notified, 17 were scarlet fever, 14 phthisis, 10 diphtheria, and one cerebro-spinal fever. Among the 311 cases of infectious diseases in hospital at the close of the week were 110 cases of scarlet fever, 58 of phthisis, 47 of diphtheria, 45 of whooping-cough, 32 of measles, 10 of chicken-pox, 3 of erysipelas, one of enteric fever, and one of cerebro-spinal fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 5th August, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 5th August, 1911. Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 5th August, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 29th July, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd July, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
TOTAL OF 22 TOWN DISTRICTS, ...	1,149,495	20·2	26·9	16·8	3·8	594	371	116	72	2	...	...	5	1	7	2	...	35	23	21	7	13	33	5	28	5	13	99	8	°	°	°		°	°	°		°	°	°	
DUBLIN REGISTRATION AREA:— TOTAL. (c.) ...	403,732	29·3	25·6	18·9	5·4	198	146	53	23	2	...	...	5	1	4	...	...	14	9	4	1	2	20	1	9	2	2	37	3	e73·6	49·8	62·5	0·43	e75·3	46·9	62·7	1·86	e75·3	49·9	62·9	0·32
CITY OF DUBLIN,	309,738	39·2	28·1	20·0	5·7	167	119	45	17	2	...	...	5	...	2	...	...	12	8	3	1	2	17	1	7	1	1	32	2	f73·2 g73·9	55·0 51·0	62·7 63·6	0·44 0·48	f74·4 g73·5	53·6 46·0	63·8 63·1	2·29 2·18	f76·1 g76·5	54·6 52·0	64·3 64·2	0·42 0·26
Urban Districts. RATHMINES AND RATHGAR.	38,330	22·4	13·6	16·3	5·4	10	12	3	1	...	...	...	...	1	...	...	...	1	1	...	...	...	2	...	1	1	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,347	18·5	23·1	19·5	5·3	13	11	4	3	...	...	...	...	...	2	...	...	1	..	...	...	...	...	...	1	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,090	8·4	22·9	.	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	12·1	12·1	3·0	4	4	1	2	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	72	54	62·9	0·54	69	50	62·9	1·73	78	55	64·8	0·19
Urban Districts. BELFAST ...	386,449	26·3	27·4	16·6	3·9	203	123	39	21	...	...	...	...	...	2	2	...	13	7	9	2	4	9	4	12	2	6	39	...	71·0	52·0	61·7	1·06	72·8	47·0	64·5	0·80	73·0	51·0	63·7	0·33
CORK, ...	76,632	33·8	23·1	15·6	2·0	34	23	5	4	...	...	...	...	...	1	...	...	...	4	3	...	1	1	...	1	1	3	7	2	67	55	62·0	2·00	70	50	61·1	1·46	74	55	61·8	0·12
LONDONDERRY...	40,799	18·9	28·1	19·2	3·8	22	15	2	2	...	...	...	...	...	...	...	...	3	1	2	2	...	1	...	2	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,403	18·2	62·5	12·2	...	46	9	2	3	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	..	...	...	2	2	72·0	49·9	61·2	1·35	73·6	46·4	61·3	1·25	72·6	50·0	61·4	0·77
WATERFORD, ...	27,430	19·1	30·4	17·1	1·9	16	9	3	4	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	1	...	1	2	...	...	...	...	...	...	..	...	...	...	...	...	...
GALWAY, ...	13,249	2·5	43·3	7·9	...	11	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	75	55	63	1·55	69	47	61	1·20	78	50	61	0·72
DUNDALK, ...	13,128	9·5	7·9	11·9	...	2	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	..	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	21·0	21·0	...	5	5	...	3	...	...	...	...	...	...	...	..	...	...	1	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,956	17·2	26·2	17·4	...	6	4	1	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	72·0	50·6	61·6	1·18	74·0	46·7	61·8	1·41	72·9	50·5	61·2	0·28
LURGAN, ...	12,135	14·3	34·4	8·6	...	8	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	72·0	50·6	61·6	1·18	74·0	46·7	61·8	1·41	72·9	50·5	61·2	0·28
LISBURN, ...	12,172	10·7	25·7	21·4	...	6	5	2	2	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	2	...	72·0	50·6	61·6	1·18	74·0	46·7	61·8	1·41	72·9	50·5	61·2	0·28
WEXFORD, ...	11,455	23·8	31·9	13·7	...	7	3	1	.	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	..	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA, ...	11,376	9·3	4·6	13·8	...	1	3	...	1	...	...	...	...	...	...	...	...	...	..	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	18·7	14·0	...	4	3	...	2	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	71·9	45·0	60·6	1·67	77·0	41·0	59·0	1·54	67·7	44·7	58·7	1·00
KILKENNY, ...	10,513	11·4	5·0	14·9	...	1	3	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	71	48	61·8	1·76	79	44	63·3	3·59	77	50	64·1	0·34
CLONMEL, ...	10,277	7·9	15·2	15·2	...	3	3	..	1	...	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	35·6	8·9	8·9	8	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	72·0	50·6	61·6	1·18	74·0	46·7	61·8	1·41	72·9	50·5	61·2	0·28
TRALEE, ...	9,867	16·6	10·6	15·9	10·6	2	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	5·7	22·9	5·7	1	4	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	68	50	59·9	0·79	70	48	58·7	0·95	69	50	59·2	0·24
QUEENSTOWN, ...	7,909	14·4	46·1	...	...	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	67	55	62·0	2·00	70	50	61·1	1·46	74	55	61·8	0·12
ARMAGH, ...	7,588	22·2	20·6	6·9	...	3	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	72·0	50·6	61·6	1·18	74·0	46·7	61·8	1·41	72·9	50·5	61·2	0·28

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 7 deaths of persons (including 2 at 65 years or upwards), admitted to hospital from localities outside the Area (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 5th of August, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN. REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	5	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Whooping-cough,	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.	.	4	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	2	2	.	2	.	1	1	.	1	1	2	.	1	1	.	.	14	2
Tuberculous Disease. { Other Forms,	.	1	.	.	.	.	.	3	1	.	.	3	1	.	.	.	9	.
Cancer,	1	.	.	1	.	.	.	.	.	.	.	1	.	.	.	1	4	1
Diseases of Nervous System,	2	2	.	.	.	3	.	3	.	3	.	.	3	2	.	.	18	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	.	4	2	.	.	.	.	1	.	.	1	1	.	.	.	9	1
" Respiratory System. { Pneumonia,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
" Respiratory System. { Others,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	1
" Digestive System. { Diarrhœa, under 2 years,	3	2	5	1	.	.	.	2	1	3	.	.	2	.	.	1	20	.
" Digestive System. { Diarrhœa, 2 years and upwards,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. { *Enteritis*, under 2 years,	1	2	1	1	.	.	.	1	.	1	.	.	1	1	.	.	9	.
" Digestive System. { Enteritis, 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	2	3	1	.	.	2	.	2	.	1	2	1	.	2	.	1	17	.
" Genito-urinary System,	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	3	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Other Causes incident to Pregnancy & Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Other specified Causes,	.	3	3	.	.	.	1	2	1	3	2	.	1	1	.	.	17	1
Violent Deaths,	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Ill-defined, &c. Causes,	.	.	1	1	.	.	1	.	.	.	1	.	.	.	.	1	5	.
Deaths from All Causes	15	17	16	9	.	6	3	15	9	15	8	6	12	11	.	4	146	7
Annual Rate of Mortality from All Causes in every 1,000 of the population.	26·2	22·2	27·2	14·0	.	27·0	20·4	18·9	21·6	18·1	11·6	34·5	16·3	19·5	.	12·1	18·9	.
	21·7							18·3					15·0					
	20·0																	
Ages at Death. { Under 1 year,	4	8	5	2	.	1	1	9	3	8	3	1	3	4	.	1	53	.
Ages at Death. { 1 and under 2 years,	2	3	4	1	.	.	.	2	2	2	.	.	1	1	.	.	18	.
Ages at Death. { 2 " 5 "	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	2	.
Ages at Death. { 5 " 15 "	.	2	.	1	.	.	.	.	1	.	.	1	1	.	.	.	6	.
Ages at Death. { 15 " 25 "	1	.	.	.	.	1	.	.	1	.	.	.	1	1	.	.	5	1
Ages at Death. { 25 " 45 "	3	.	1	2	.	.	1	1	1	2	3	.	3	1	.	.	18	4
Ages at Death. { 45 " 65 "	2	2	4	3	.	.	1	1	1	1	.	2	2	1	.	1	21	.
Ages at Death. { 65 and upwards,	3	2	2	.	.	3	.	2	.	1	2	2	1	3	.	2	23	2
Number of Uncertified Deaths,	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	.	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	4	1	.	.	.	.	.	.	1	2	1	1	2	2	.	.	14	6
Workhouse Hospitals,	.	2	4	3	.	.	.	4	4	1	2	2	.	1	.	.	23	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 31st Week of the 10 years 1901–1910.	In the Week ending Saturday, 5th August, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Aug. 3, 1901.	Aug. 2, 1902.	Aug. 8, 1903.	Aug. 6, 1904.	Aug. 5, 1905.	Aug. 4, 1906.	Aug. 3, 1907.	Aug. 1, 1908.	Aug. 7, 1909.	Aug. 6, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 61·1	° 55·4	° 56·5	° 61·5	° 57·7	° 60·5	° 57·7	° 60·7	° 58·6	° 56·5	° 58·6	° 62·5										
ALL CAUSES.	158	165	137	161	161	125	138	133	123	145	144·6	153	9	44	18	2	6	6	22	21	15	10
Enteric Fever, ...	1	2	.	.	.	1	.	1	1	.	·6	2	.	.	.	.	1	.	1	.	.	.
Typhus, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	18	1	3	.	.	6	2	1	.	3·1	5	.	1	3	1	.	.	.	.	.	.
Scarlet Fever, ...	.	2	.	1	.	.	.	1	1	1	·6	1	.	.	.	.	1	.	.	.	.	.
Whooping-cough, ...	4	2	1	4	2	2	4	2	4	3	2·8	4	.	2	2	.	.	.	.	.	.	.
Diphtheria, ...	.	2	.	2	2	.	2	1	1	1	1·1	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	2	1	.	.	.	.	.	1	1	·5	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	1	.	.	1	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	2	1	.	.	1	.	.	1	·6	1	.	.	.	.	.	.	.	.	1	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	15	19	14	10	16	21	17	16	15	24	16·7	16	.	.	.	.	1	4	8	2	1	.
Tuberculous Meningitis, ...	.	1	2	1	2	2	4	1	2	2	1·7	3	.	.	2	.	1	.	.	.	.	.
Abdominal Tuberculosis, ...	9	1	2	4	1	1	2	2	.	2	2·4	2	.	1	.	.	1	.	.	.	.	.
Tuberculosis of the Vertebral Column.												1	.	.	.	.	.	.	1	.	.	.
Tuberculosis of Joints, ...	1	2	3	7	9	1	5	3	3	6	4·0	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												3	.	2	.	.	.	.	.	1	.	.
Venereal Diseases, ...	1	.	1	1	.	.	.	1	2	2	·8	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	7	8	6	7	10	8	11	7	10	8	8·2	5	.	.	.	.	.	.	1	1	3	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	1	1	.	.	1	1	.	·4	1	.	.	.	.	.	.	.	.	.	1
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	1	.	.	.
Alcoholism, ...	1	.	1	1	.	.	.	1	2	.	·6	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												2	.	1	.	1	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												6	.	.	.	.	.	.	.	2	2	2
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												5	.	.	.	.	.	1	1	3	.	.
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												4	.	3	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	26	25	43	40	37	31	27	38	28	37	33·2	1	.	.	.	.	.	.	1	.	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,												8	.	.	.	.	.	.	2	3	1	2
Embolism and Thrombosis (including Cerebral)												1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Circulatory System.												1	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	6	18	6	14	7	13	12	6	5	7	9·4	3	.	1	.	.	.	.	1	.	.	1
Broncho-pneumonia, ...	10	3	4	5	2	2	7	3	3	3	8·6	.	.	.	.	.	.	.	.	.	.	.
Lobar-pneumonia, ...		.	.	.	1	.	1	1	.	.		.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).		6	4	4	.	2	11	4	6	4		1	.	1	.	.	.	.	.	.	.	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	3	1	1	1	1	.	1	1	3	1·3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												.	.	.	.	.	.	.	.	.	.	.

THIRTY-FIRST WEEK ending Saturday, 5th August, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 31st Week of the 10 years 1901–1910.	In the Week ending Saturday, 5th August, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Aug. 3, 1901.	Aug. 2, 1902.	Aug. 8, 1903.	Aug 6, 1904.	Au ., 1905.	Aug. 4, 1906.	Aug. 3, 1907.	Aug. 1, 1908.	Aug. 7, 1909.	Aug. 6, 1910.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 61·1	° 55·4	° 56·5	° 61·5	° 57·7	° 60·5	° 57·7	° 60·7	° 58·6	° 56·5	° 58·6	° 62·5										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	6	.	4	.	.	.	1	.	1	.	.
Diarrhœa of Children under 2 years.	27	5	5	15	25	11	3	12	5	2	11·0	20	2	12	6	.	.	.	.	.	.	.
,, 2 years and upwards,												1	.	.	.	.	.	.	.	1	.	.
Enteritis of Children under 2 years.	1	2	2	7	7	3	.	4	1	4	3·1	9	.	7	2	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	1	1	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	.	.	.	.	1	2	.
Cirrhosis of Liver, ...	4	2	.	.	.	1	.	1	.	1	1·7	2	.	.	.	.	.	.	.	1	1	.
Other Diseases of Liver, ...		1	3	1	1	.	.	1	.	1		2	.	.	.	.	.	.	1	.	1	.
Peritonitis (cause unknown),	1	1	.	1	.	.	1	2	1	1	·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	7	5	3	5	6	4	2	6	6	4	4·8	2	.	2	.	.	.	.	.	.	.	.
Acute Nephritis, ...												1	.	.	.	.	.	.	.	1	.	.
Chronic Bright's Disease, ...												1	.	.	.	.	.	.	.	.	1	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	8	3	6	5	5	2	6	1	2	9	4·7	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												1	.	.	.	.	.	.	.	.	.	1
Puerperal Septicæmia, &c., ...	1	.	.	.	.	.	.	.	.	1	·2	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	3	.	1	.	1	1	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	.	1	1
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	1	.	.	.	.	.	.	.	.
Premature Birth, ...	4	2	3	2	3	2	2	2	4	4	2·8	5	4	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	8	3	4	1	.	.	.	.	.	.	.
Old Age, ...	5	5	5	5	6	3	4	2	4	4	4·3	.	.	.	.	.	.	.	.	.	.	.
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	.	1	.	2	1	.	.	2	.	·6	1	.	.	.	.	.	.	1	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	.	.	1	1	2	.	.	.	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
By Drowning, ...	1	.	.	1	1	.	1	2	.	1	·7	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	3	7	3	.	.	.	1	.	2	1	1·7	1	.	.	.	.	.	.	.	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	1	.	.	.	.	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	5	.	.	1	.	1	.	.	1	.	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	Feb. 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.
No. of weeks in Annual Series,	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
BIRTHS registered.	241	192	214	217	238	203	276	230	198	171	174	259	260	242	226	246	261	228	232	185	324	190	190	294	233	198
Average Births in corresponding week of previous 10 years, ...	217	212	209	216	223	212	212	233	202	210	223	199	268	231	210	204	238	226	207	224	237	205	204	208	221	217
DEATHS registered, ...	220	208	195	180	174	170	214	177	191	174	196	181	176	170	129	158	150	149	159	127	155	120	172	162	186	153
Annual Death-rate per 1,000, ...	28·2	26·6	25·0	23·1	22·3	21·8	27·4	22·7	24·5	22·3	25·1	23·2	22·5	21·8	16·5	20·2	19·2	19·2	20·5	16·4	20·0	15·5	22·2	20·9	24·0	19·8
Average Deaths in corresponding week of previous 10 years, ...	198	200	210	218	210	194	201	203	199	195	197	190	177	178	171	169	154	151	149	148	134	140	141	144	147	145
Ages, Under 5 years, ...	47	57	57	70	59	39	56	48	54	63	54	50	56	48	40	37	43	34	42	44	56	43	41	51	88	73
5—15 ,, ...	10	6	10	9	12	9	7	14	17	4	5	11	14	7	6	14	10	8	4	9	10	4	13	6	5	6
15—25 ,, ...	13	5	6	6	7	7	13	8	10	10	14	7	6	8	9	11	9	9	13	2	7	7	11	10	6	6
25—45 ,, ...	41	36	35	32	24	24	42	19	33	25	31	33	15	35	21	21	29	26	32	18	20	19	31	26	21	22
45—65 ,, ...	51	49	35	36	36	42	44	36	44	43	45	35	30	38	36	39	29	33	31	34	28	20	33	37	29	21
65—75 ,, ...	39	33	29	19	19	28	32	29	27	19	29	25	34	19	10	24	17	26	18	13	16	15	24	18	24	15
75 and upwards, ...	19	22	23	8	17	21	20	23	6	10	18	20	21	15	7	12	13	13	19	7	18	12	19	14	13	10
Deaths from :—																										
Enteric Fever, ...	2	2	2	4	3	1	2	1	3	1	1	.	1	1	1	1	1	.	.	1	.	1	3	2	1	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	2	3	7	7	7	3	2	1	7	11	5	8	17	4	6	3	4	2	8	7	4	7	3	7	5
Scarlet Fever, ...	4	6	2	2	.	.	1	.	1	4	1	.	1	1	.	2	2	2	.	.	.	1	3	.	2	1
Whooping-cough, ...	3	6	7	11	4	4	6	5	3	6	.	2	3	2	4	1	4	1	3	2	2	.	1	4	3	4
Diphtheria, ...	2	3	2	.	2	.	1	1	4	3	4	1	2	3	1	.	1	4	1	4	2	2	3	2	1	.
Influenza, ...	4	5	7	2	2	2	1	2	2	.	3	.	3	2	1	2	.	.	1	.	1	1	1	2	1	.
Dysentery, ...	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Tuberculous Disease, Phthisis, ...	27	22	18	20	17	28	32	16	29	21	33	22	21	17	25	22	22	25	23	7	21	7	20	17	17	16
Tuberculous Disease, Other Forms,	6	8	7	7	8	8	15	13	10	3	8	10	6	6	6	9	9	8	7	11	6	7	12	10	15	9
Cancer, ...	11	4	6	5	8	6	10	13	11	8	7	9	6	5	6	11	9	12	10	7	8	12	4	10	6	5
Diseases of Circulatory System,	23	17	21	14	13	24	27	22	23	14	15	24	17	23	7	19	12	12	23	14	22	16	22	20	15	10
Diseases of Respiratory System, Pneumonia,	20	15	21	13	16	14	13	13	18	19	16	18	22	15	12	6	10	8	9	8	9	9	10	8	12	1
Diseases of Respiratory System, Others, ...	41	44	28	29	25	23	27	24	24	26	26	16	34	20	15	14	15	16	17	9	17	6	11	10	13	3
Diarrhœa, Under 2 years, ...	2	3	3	1	1	2	5	1	3	2	1	2	2	1	2	1	6	.	3	3	.	1	3	9	27	20
Diarrhœa, 2 years & upwards,	.	.	1	1	.	3	.	1	.	.	.	1	2	.		1	.	.	.	.	.	.	.	.	5	1
Enteritis, under 2 years, ...	3	1	1	1	2	1	3	1	3	3	2	2	2	.	1	1	4	1	1	1	3	3	2	2	7	9
Violent Deaths, ...	4	2	5	2	4	5	5	5	6	1	7	9	3	.	1	5	2	3	6	5	2	6	7	2	5	2
Number of Uncertified Deaths,	3	2	4	7	8	7	2	5	1	1	2	8	4	3	1	5	4	3	4	.	5	9	5	2	3	3
Mean Temperature of the Air (Phœnix Park)	37·0	46·4	43·4	46·5	41·1	38·0	41·7	42·7	39·4	43·7	50·5	50·5	49·6	52·6	49·5	55·3	56·2	55·6	52·6	56·2	55·5	59·6	60·9	62·9	62·7	62·5
Average Mean Temperature in corresponding week of previous 10 years, ...	40·3	39·8	39·9	40·5	41·7	42·7	42·6	42·4	44·1	43·1	45·1	46·2	46·7	48·1	49·1	50·9	53·7	53·5	53·6	55·5	56·5	57·5	58·5	59·8	58·2	58·6
Rainfall in inches, ...	·011	·582	·523	·681	·316	·206	·000	·770	·131	·000	·501	·606	·780	·127	·262	·010	·000	·000	·605	·782	·166	·018	·000	·316	1·860	·430
Mean Humidity of the Air, complete Saturation 1·0, ...	·90	·91	·91	·92	·91	·89	·87	·90	·86	·86	·89	·91	·93	·94	·92	·89	·89	·88	·86	·91	·91	·92	·84	·92	·92	·92

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 5th August, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 5TH AUGUST, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	153	73	6	6	22	21	15	10	2	.	.	5	1	4	.	.	16	9	5	4	1	3	20	1	9	2	71	3
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	15·0	5	.	.	.	1	.	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	.
II.	MIDDLE CLASS, ...	87,188	20·9	35	10	1	4	8	4	5	3	1	.	.	.	.	2	.	.	6	1	3	.	.	1	5	.	1	.	15	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	14·2	30	15	2	1	2	6	2	2	1	.	.	2	.	.	.	.	3	2	.	.	1	.	4	.	2	.	15	.
IV.	GENERAL SERVICE CLASS, ...	154,279	19·9	59	39	2	.	6	5	7	.	.	.	.	3	1	1	.	.	3	2	2	4	.	1	10	1	5	1	25	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	24	9	1	1	5	6	.	2	.	.	.	.	.	1	.	.	4	3	.	.	.	1	1	.	1	1	12	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	27·0	4	.	.	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	11·8	5	4	.	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.	.	.	1	.
	6. Clerks and Commercial Assistants, ...	30,432	20·6	12	4	1	3	2	2	.	.	1	.	.	.	.	.	.	.	3	1	1	.	.	1	2	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	27·0	14	2	.	1	3	1	4	3	.	.	.	.	.	.	.	.	3	.	1	.	.	.	1	.	1	.	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	31·7	6	5	.	.	.	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	2	.	1	.	1	.
	9. Building and Furnishing Trades, ...	29,801	10·5	6	2	1	.	.	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	5	.
	10. Clothing Trades, ...	23,260	9·0	4	3	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	1	.
	11. Food Supply Trades, ...	9,242	5·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	18·9	11	4	1	1	2	2	1	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.	.	.	6	.
	13. Petty Shopkeepers, ...	7,894	13·2	2	1	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	7·8	2	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	15. Domestic Servants, ...	36,603	4·3	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	29·0	8	4	.	.	3	.	1	.	.	.	.	1	.	.	.	.	2	1	.	.	.	.	1	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	26·7	46	33	1	.	3	4	5	.	.	.	.	2	.	1	.	.	1	1	1	4	.	1	9	1	5	1	19	3
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	24	9	1	1	5	6	.	2	.	.	.	.	.	1	.	.	4	3	.	.	.	1	1	.	1	1	12	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 29,854.	June 17,	19·2	1·7	11	.	.	.	.	.	.	.	.	3	1	.	.	2	.	.	1	1	.
	„ 24,	21·0	7·0	12	1	.	.	1	.	.	1	.	1	.	.	.	1	1	.	.	.	.
	July 1,	14·0	1·7	8	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	.	.	.
	„ 8,	5·2	.	3	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
	„ 15,	21·0	3·5	12	.	.	.	1	.	1	.	.	1	2	1	3	.	.	.	.	.	.
	„ 22,	24·5	8·7	14	1	.	.	1	.	1	.	.	.	.	1	.	1	1	.	1	.	.
	„ 29,	38·4	15·7	22	.	.	.	.	.	.	.	.	2	2	.	1	3	7	1	1	1	.
	Aug. 5,	26·2	14·0	15	1	.	.	2	.	.	.	.	2	.	1	.	.	3	1	1	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 39,902.	June 17,	18·3	1·3	14	.	.	.	1	.	.	.	.	2	1	1	1	2	.	.	.	.	2
	„ 24,	19·6	1·3	15	.	.	.	.	.	.	1	.	1	1	.	2	1	.	.	.	.	.
	July 1,	19·6	2·6	15	.	.	.	2	.	.	.	.	2	.	2	2	.	.	.	.	.	.
	„ 8,	14·4	.	11	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.
	„ 15,	26·1	3·9	20	2	.	.	.	1	.	.	.	2	.	.	2	4	.	.	.	.	1
	„ 22,	13·1	1·3	10	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.	1	.	.
	„ 29,	24·8	3·9	19	.	.	.	1	1	.	.	.	.	2	.	3	1	1	.	.	.	.
	Aug. 5,	22·2	5·2	17	.	.	.	.	.	.	.	.	2	1	.	.	1	2	.	2	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 30,689.	June 17,	18·7	3·4	11	.	.	.	.	.	.	1	.	.	.	.	1	2	1	.	.	.	.
	„ 24,	20·4	5·1	12	.	.	.	1	.	2	.	.	1	.	1	.	2	.	.	.	.	.
	July 1,	15·3	1·7	9	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.
	„ 8,	17·0	1·7	10	.	.	.	.	.	.	1	.	.	3	.	1	2	.	.	.	.	.
	„ 15,	25·5	10·2	15	1	.	.	3	.	.	1	.	2	1	.	.	.	1	.	.	.	.
	„ 22,	18·7	5·1	11	.	.	.	.	.	1	.	.	2	1	1	1	1	2	.	.	.	.
	„ 29,	34·0	8·5	20	.	.	.	.	1	1	.	.	2	2	.	3	2	2	1	.	1	.
	Aug. 5,	27·2	10·2	16	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	1	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,498.	June 17,	15·6	3·1	10	.	.	.	1	.	.	.	.	.	1	.	2	1	1	.	.	.	.
	„ 24,	15·6	3·1	10	.	.	.	2	.	.	.	.	.	1	1	1	1	.	.	.	.	.
	July 1,	18·7	3·1	12	.	.	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	„ 8,	21·8	3·1	14	.	.	.	2	.	.	.	.	1	.	3	1	1	.	.	.	2	1
	„ 15,	15·6	.	10	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	1	.
	„ 22,	23·3	4·7	15	1	.	.	1	.	.	.	.	2	.	2	.	1	1	.	.	.	1
	„ 29,	26·5	7·8	17	.	.	.	.	.	1	.	.	2	2	.	1	2	2	1	1	.	.
	Aug. 5,	14·0	4·7	9	.	.	.	1	.	.	.	.	2	.	1	.	.	1	.	1	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,401.	June 17,	23·9	.	19	.	.	.	.	.	.	.	.	1	1	.	2	2	.	.	.	1	2
	„ 24,	10·1	3·8	8	.	.	.	2	.	.	1	.	.	1	.	2	.	.	.	.	.	.
	July 1,	30·2	2·5	24	.	.	.	.	.	.	1	.	5	1	.	.	5	.	.	1	.	1
	„ 8,	22·7	5·0	18	.	.	.	1	.	.	1	.	2	1	.	1	.	.	.	2	3	1
	„ 15,	31·5	3·8	25	.	.	.	1	.	.	.	.	3	1	1	.	1	1	.	1	.	.
	„ 22,	23·9	.	19	.	.	.	.	.	.	.	.	3	.	1	1	2	.	.	.	1	.
	„ 29,	13·9	5·0	11	.	.	.	.	.	.	.	.	1	1	1	1	1	1	.	3	.	.
	Aug. 5,	18·9	5·0	15	.	.	.	.	.	1	.	.	.	3	.	.	.	2	.	1	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,715.	June 17,	31·2	.	13	.	.	.	.	.	.	.	.	1	1	2	2	2	.	.	.	1	.
	„ 24,	12·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
	July 1,	19·2	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
	„ 8,	28·8	2·4	12	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 15,	21·6	4·8	9	.	.	.	.	1	.	.	.	.	1	.	.	3	.	.	1	.	1
	„ 22,	28·8	2·4	12	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.
	„ 29,	24·0	9·6	10	.	.	.	.	.	.	.	.	.	1	.	.	.	3	1	.	.	.
	Aug. 5,	21·6	7·2	9	1	.	.	.	.	1	.	.	1	1	.	1	.	1	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,149.	June 17,	15·7	2·4	13	.	.	.	.	.	2	.	.	4	.	.	.	3	.	.	.	.	.
	„ 24,	16·9	2·4	14	.	.	.	1	.	.	.	.	1	3	.	1	.	.	.	1	2	.
	July 1,	21·8	.	18	.	.	.	.	.	.	.	.	3	2	2	1	2	.	.	.	.	.
	„ 8,	15·7	2·4	13	1	.	.	.	1	.	.	.	1	2	.	.	.	.	.	.	1	1
	„ 15,	23·0	4·8	19	.	.	.	2	1	.	1	.	1	2	.	.	2	.	.	.	1	1
	„ 22,	29·0	7·3	24	.	.	.	1	.	1	1	.	2	3	1	4	1	3	.	.	.	.
	„ 29,	24·2	9·7	20	.	.	.	5	.	.	.	.	3	2	.	1	1	2	.	1	.	1
	Aug. 5,	18·1	7·3	15	.	.	.	2	.	.	.	.	1	.	.	.	1	3	.	1	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 35,816.	June 17,	14·6	1·5	10	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	1	.
	„ 24,	11·6	.	8	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1	.
	July 1,	17·5	2·9	12	.	.	.	.	.	1	.	.	3	1	.	.	1	.	.	1	.	2
	„ 8,	11·6	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	3
	„ 15,	24·7	1·5	17	.	.	.	.	.	.	.	.	6	1	.	1	.	1	.	.	1	.
	„ 22,	11·6	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	„ 29,	18·9	2·9	13	.	.	.	.	.	.	1	.	1	1	.	.	2	1	.	.	1	.
	Aug. 5,	11·6	.	8	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	June 17,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	,, 24,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.	.
	July 1,	13·6	.	10	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.
	,, 8,	6·8	2·7	5	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	,, 15,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	1
Pop. in 1911 (Est.) 38,330.	,, 22,	13·6	1·4	10	.	.	.	.	.	.	1	.	2	.	1	1	1	.	.	.	1	.
	,, 29,	23·1	10·9	17	.	.	.	1	.	.	.	.	.	1	1	1	.	6	.	1	.	1
	Aug. 5,	16·3	5·4	12	.	.	.	.	1	.	.	.	1	1	.	.	.	2	.	1	1	1
Pembroke Urban District.	June 17,	12·4	1·8	7	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.
	,, 24,	24·9	1·8	14	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	1	.
	July 1,	21·3	1·8	12	.	.	.	1	.	.	.	.	1	1	1	1	2	.	.	.	.	.
	,, 8,	17·8	.	10	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	2
	,, 15,	7·1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Pop. in 1911 (Est.) 29,347.	,, 22,	14·2	1·8	8	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.
	,, 29,	17·8	5·3	10	.	.	.	.	.	1	.	.	1	.	.	.	1	1	1	.	.	.
	Aug. 5,	19·5	5·3	11	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	1	.	.
Kingstown Urban District.	June 17,	45·4	.	15	.	.	.	.	.	.	.	.	2	.	2	.	3	.	.	.	1	.
	,, 24,	21·2	6·1	7	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	1	.
	July 1,	33·3	.	11	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	1
	,, 8,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	,, 15,	27·2	.	9	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.
Pop. in 1911 17,227.	,, 22,	24·2	3·0	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	,, 29,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1
	Aug. 5,	12·1	3·0	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
Belfast.	June 17,	14·4	0·8	107	.	.	.	.	1	4	.	.	13	10	6	9	13	1	.	.	3	.
	,, 24,	11·1	0·7	82	.	.	.	.	.	.	.	.	13	2	6	5	10	1	3	1	1	3
	July 1,	15·7	0·7	116	.	1	.	.	.	1	.	.	23	2	7	5	8	2	.	1	4	3
	,, 8,	12·4	0·5	92	.	.	.	.	1	.	1	.	16	5	4	7	11	1	.	1	.	.
Pop. in 1911 (Est.) 386,449.	,, 15,	16·6	1·5	123	.	.	.	.	1	1	.	.	18	8	6	2	14	6	.	3	3	1
	,, 22,	16·3	3·0	121	1	.	.	.	.	1	2	.	20	6	3	4	10	10	.	8	5	.
	,, 29,	14·2	3·4	105	.	.	.	.	.	1	.	.	10	5	3	6	3	14	1	9	3	2
	Aug. 5,	16·6	3·9	123	.	.	.	.	.	2	2	.	13	7	9	2	4	9	4	12	2	.
Cork.	June 17,	15·0	.	22	.	.	.	.	.	.	.	.	7	.	1	.	.	.	.	.	.	1
	,, 24,	19·7	0·7	29	.	.	.	.	.	.	.	.	5	2	.	1	4	.	.	1	.	3
	July 1,	18·4	0·7	27	.	.	.	1	.	.	.	.	2	.	1	.	3	.	.	.	2	2
	,, 8,	15·6	2·0	23	.	1	.	2	.	.	.	.	2	2	2	.	1	.	.	.	.	.
Pop. in 1911 76,632.	,, 15,	11·6	.	17	.	.	.	.	.	.	.	.	3	1	1	.	5	.	.	.	.	1
	,, 22,	12·9	1·4	19	.	.	.	1	.	.	.	.	1	.	.	.	1	1	.	.	1	1
	,, 29,	16·3	1·4	24	.	.	.	.	.	1	.	.	5	.	2	.	3	1	.	.	.	1
	Aug. 5,	15·6	2·0	23	.	.	.	.	.	1	.	.	.	4	3	.	1	1	.	1	1	2
Londonderry.	June 17,	10·2	1·3	8	.	.	.	.	.	.	.	.	3	.	.	.	2	1	.	.	.	1
	,, 24,	8·9	1·3	7	.	.	.	.	1	.	.	.	.	.	.	1	2	.	.	.	.	.
	July 1,	14·1	.	11	.	.	.	.	.	.	.	.	2	3	1	.	1	.	.	.	.	1
	,, 8,	8·9	1·3	7	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.
Pop. in 1911 40,799.	,, 15,	19·2	.	15	.	.	.	.	.	.	.	.	3	1	.	1	4	.	.	.	1	.
	,, 22,	19·2	3·8	15	.	.	.	.	.	1	.	.	2	.	3	.	1	2	.	.	.	.
	,, 29,	11·5	3·8	9	.	.	.	.	.	1	.	.	1	1	.	1	1	1	1	.	.	.
	Aug. 5,	19·2	3·8	15	.	.	.	.	.	.	.	.	3	1	2	2	.	1	.	2	.	.
Limerick.	June 17,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	.	5	.	.	.	.	2
	,, 24,	6·8	1·4	5	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	1
	July 1,	14·9	.	11	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	3
	,, 8,	16·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1
Pop. in 1911 38,403.	,, 15,	10·9	.	8	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3
	,, 22,	20·4	4·1	15	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	2	.	3
	,, 29,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.
	Aug. 5,	12·2	.	9	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	2
Waterford.	June 17,	17·1	.	9	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2
	,, 24,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	July 1,	5·7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	,, 8,	28·5	.	15	.	.	.	.	.	.	.	.	6	1	.	.	1	.	.	.	.	4
Pop. in 1911 27,430.	,, 15,	5·7	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	,, 22,	19·0	.	10	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2	3
	,, 29,	15·2	1·9	8	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	1
	Aug. 5,	17·1	1·9	9	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 5th August, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 25 years.	Ages at Death: 25 and under 45 years.	Ages at Death: 45 and under 65 years.	Ages at Death: 65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa: Of children under 2 years of age.	Diarrhœa: 2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	385,492	12	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	1	1	.	2	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.	.	2	.
Do. 2 do.		19			16	4	.	.	6	3	3	.	.	.	.	.	.	.	.	4	.	2	.	.	2	.	.	.	.	5	.
Do. 3 do.		34			15	5	.	1	2	4	3	.	.	.	.	.	.	.	.	1	1	1	.	1	3	.	.	.	.	5	.
Do. 4 do.		15			17	6	1	1	2	3	4	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	3	1	1	11	.
Do. 5 do.		4			10	5	.	.	2	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	5	.
Do. 6 do.		10			6	1	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1	2	.
Do. 7 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		.			2	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		15			6	.	1	1	2	.	2	.	.	.	.	.	.	.	.	2	.	.	.	.	1	2	.	.	.	2	.
Do. 10 do.		23			5	1	3	1	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 11 do.		16			7	3	.	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	1	.	.
Do. 12 do.		37			18	10	2	.	1	2	3	.	.	.	.	.	.	.	.	.	4	.	.	2	.	2	6	.	2	.	.
Do. 13 do.		11			5	.	1	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		7			11	2	2	1	.	5	1	.	.	.	.	.	.	.	.	1	1	3	1	.	.	.	.	1	1	3	.
Total,	—	203			123	39	12	7	21	23	21	.	.	.	.	.	2	2	.	13	7	9	2	4	9	4	12	2	6	39	.
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	76,632	4	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	1	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.
Do. 2 do.		2			4	1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	1
Do. 3 do.		6			2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.
Do. 4 do.		3			3	.	1	.	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	1	1	.
Do. 5 do.		1			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 6 do.		7			2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Do. 7 do.		11			6	2	.	.	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	1	1	1
Total,	—	34	15·6	2·0	23	5	1	2	3	8	4	.	.	.	.	.	1	.	.	.	4	3	.	1	1	.	1	1	3	7	2

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	Feb 11.	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.
No. of weeks in Annual Series,	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
BIRTHS registered, ...	218	216	213	232	193	220	218	232	228	204	189	236	232	229	180	214	233	215	258	201	264	213	207	268	236	203
DEATHS registered, ...	146	149	141	133	118	118	147	138	172	161	154	160	109	120	123	123	125	115	107	82	116	92	123	121	105	123
Annual Death rate per 1,000 of estimated population, ...	19·1	19·5	18·5	17·4	15·4	15·4	19·2	18·1	22·5	21·1	20·2	20·9	14·3	15·7	16·1	16·1	16·4	15·5	14·4	11·1	15·7	12·4	16·6	16·3	14·2	16·6
AGES, Under 1 year, ...	24	31	21	25	20	33	23	26	36	24	23	23	19	19	25	22	18	19	23	16	18	11	25	32	38	39
1—5 years, ...	7	10	14	9	10	6	17	11	7	10	14	13	10	9	9	13	7	7	10	7	9	7	9	11	8	12
5—25 ,, ...	11	21	17	18	9	10	19	11	14	17	13	21	13	17	15	17	14	14	16	7	16	15	16	14	11	7
25—45 ,, ...	27	30	29	16	23	14	28	23	36	32	26	27	25	23	26	22	24	26	22	18	20	21	25	22	13	21
45—65 ,, ...	34	32	26	35	29	27	30	38	45	37	39	46	22	29	31	27	34	20	20	20	37	25	29	23	17	23
65 and upwards, ...	43	25	34	30	27	28	30	29	34	41	39	30	20	23	17	22	28	29	16	14	16	13	19	19	18	21
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	.	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1	.	.	1	1	.	.	.
Whooping-cough, ...	.	.	1	1	1	1	.	.	.	3	2	1	.	.	1	1	.	.	4	.	1	.	1	1	1	2
Diphtheria, ...	.	.	.	.	.	.	1	1	.	2	1	.	.	.	.	.	.	1	.	.	.	1	.	2	.	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.
Tuberculous Disease. Phthisis, ...	11	22	15	13	19	7	22	24	26	25	14	17	16	25	21	21	16	14	13	13	23	16	18	20	10	13
Tuberculous Disease. Other Forms,	4	11	10	10	7	8	9	8	8	4	11	15	12	7	10	12	11	6	10	2	2	5	8	6	5	7
Cancer, ...	5	5	8	3	6	11	8	4	5	5	6	12	3	6	1	4	6	8	6	6	7	4	6	3	3	9
Diseases of Respiratory System, Pneumonia,	11	14	11	15	10	10	14	16	13	19	23	18	10	10	13	6	11	9	9	5	5	7	2	4	6	2
Diseases of Respiratory System, Others, ...	26	25	20	20	20	14	16	19	26	29	34	16	20	15	19	11	18	18	13	10	8	11	14	10	3	4
Diarrhœa, Under 2 years, ...	1	.	.	1	.	1	.	.	1	.	.	.	.	1	1	2	1	.	1	1	2	1	6	10	14	9
Diarrhœa, 2 years & upwards	1	.	.	.	1	.	3	1	.	1	.	.	.	.	.	.	.	1	.	3	.	.	.	.	1	4
Enteritis, under 2 years, ...	3	2	2	1	.	.	3	2	1	2	2	1	1	1	3	3	4	2	.	1	1	1	3	8	9	12
Violent Deaths, ...	4	.	4	3	2	1	3	4	8	2	3	3	3	4	1	1	.	3	3	1	4	.	3	5	3	2
Number of Uncertified Deaths, ...	1	.	.	3	2	1	.	1	3	2	.	1	2	1	1	1	2	1	.	3	3	.	1	.	2	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	Aug. 5,	2,295	1,344	15·5	2	.	21	3	13	8	318a
Edinburgh, ...	320,829	„ 5,	126	82	13·3	.	.	1	.	.	1	4
Glasgow, ...	784,621	„ 5,	426	232	15·4	3	.	9	1	6	5	17
Calcutta, ...	890,493	July 1,	.	405	23·6	94*	.	.	.	.	.	58‡
Bombay, ...	977,822	„ 1,	387	458	24·4	90*	3	3	.	.	.	31‡
Madras, ...	509,346	June 10,	345	321	32·7	76*	2	.	?	?	?	78‡
Cairo, ...	689,439	„ 10,	543	766	57·9	2*	2	12	15	.	15	266
Paris	2,846,986	July 8,	958	888	16·8	7	.	30	1	8	4†	37a
Brussels, ...	739,684	„ 8,	235	159	11·2	1	.	.	2	2	1	18
Antwerp, ...	320,640	„ 15,	114	79	12·9	.	.	4	.	.	.	13a
Amsterdam, ...	577,188	„ 15,	247	119	10·8	1	.	.	.	.	.	8a
Copenhagen, ...	462,132	„ 15,	208	142	16·0	.	.	1	1	10	2†	7a
Stockholm, ...	343,832	„ 8,	154	77	11·6	.	.	.	.	.	4†	6a
Christiania, ...	244,038	„ 22,	110	67	14·3	.	.	2	.	1	.	7
St. Petersburg, ...	1,639,266	„ 1,	737	633	20·1	6	.	36	5	6	4	114
Moscow, ...	1,493,600	„ 1,	.	1,143	39·9	2	6	25	17	6	7†	480
Berlin, ...	2,067,223	„ 1,	846	544	13·7	.	.	7	6	10	13†	42
Hamburg, ...	932,166	„ 15,	.	237	13·2	1	.	5	3	5	12†	21
Breslau, ...	518,860	„ 15,	.	209	21·0	.	.	2	.	1	.	37
Munich, ...	597,000	„ 22,	.	181	15·8	.	.	.	.	2	1†	29
Vienna (with suburbs),	2,047,968	„ 15,	720	568	14·4	1	.	10	4	1	1†	58a
Buda-Pesth, ...	891,585	„ 15,	421	305	17·7	2	.	5	6	.	4†	28a
Prague and Faubourgs,	508,810	„ 1,	182	144	14·7	1	.	.	.	.	.	5a
Trieste, ...	229,499	„ 8,	121	97	22·0	3	.	4	.	1	.	14
Rome, ...	602,068	May 13,	282	174	15·1	.	.	2	.	4	.	8
		„ 20,	275	159	13·8	1	.	2	1	1	1	13
Venice, ...	184,325	June 10,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	„ 24,	2,749	1,273	13·3	6	.	31	15	12	18†	57a
Philadelphia, ...	1,580,250	„ 10,	.	408	13·4	2	.	7	2	5	5†	18a
Boston, ...	686,912	„ 15,	.	394	29·8	1	.	1	.	2	3	26

* Deaths from "fever," including 8 deaths from enteric fever and 43 deaths from plague in Calcutta, 2 from enteric fever and 39 from plague in Bombay, 2 from enteric fever in Madras and 2 from enteric fever, and one from plague in Cairo.

† Including deaths from croup.

‡ Including 25 deaths from cholera in Calcutta, one in Bombay and one in Madras

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending August 5th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 1, West, ...	.	.	.	.	.	.	.	1	.	.	.	1	2
„ „ 2, ...	.	2	.	.	2	.	.	.	.	.	.	3	7
„ „ 3, ...	.	5	.	.	.	.	1	.	.	.	.	5	11
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	1	1
South City No. 1, ...	.	1	1	.	2	.	.	1	5	.	.	7	17
„ „ 2, ...	.	3	.	.	1	.	.	.	.	.	.	2	6
„ „ 3, ...	.	3	.	.	3	.	.	1	1	.	.	1	9
„ „ 4, ...	.	.	.	.	1	.	.	1	.	.	.	.	2
New Kilmainham, ...	.	.	.	.	.	.	.	1	.	.	.	.	1
Total, ...	.	14	1	.	9	.	1	5	6	.	.	20	56

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 5th August, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 5th August.			
	July 15.	July 22.	July 29.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	34	29	35	10	7	.	38
Scarlet Fever, ...	59	66	70	15	18	1	66*
Typhus, ...	.	.	1	.	.	.	1
Diphtheria, ...	39	29	28	8	9	.	27
Enteric Fever, ...	37	35	31	7	2	2	34
Pneumonia, ...	17	18	13	5	1	.	17

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 5th August, 1911:—

"Changeable, breezy, cloudy at times and showery, the weather was nevertheless favourable from the agricultural and health points of view. Temperature still ruled high, but there was an absence of torrid heat except in the S. and S.E. of England. Even in those districts 85° or 86°, recorded at certain London stations on Monday and Tuesday, compared favourably with the unusual maxima reported in the previous week—93° in the English Midlands, 92° in England S.E., and 91° in England N.E. Throughout the week atmospheric pressure was relatively low on the Atlantic to the west and northwest of the British Isles, and numerous secondary eddies of low pressure passed northwards or north-eastwards across Ireland and Scotland. England, on the other hand, came at times—notably on Wednesday and Friday—under the influence of a tongue or ridge of high pressure stretching northeastwards from the Azores across the Peninsula and France to Germany. On Sunday a cyclonic system off the west coast of Ireland caused brisk S. winds in this country and copious rainfalls in the south, and over the midland counties. Even in Dublin rain fell abundantly on Tuesday morning (.249 inch); but at Valentia, Co. Kerry, the rainfall up to Saturday morning was 1·97 inches. On Friday afternoon a somewhat energetic depression came in from the Atlantic, and this system carried the unsettled weather to England, rain falling heavily in many places. Saturday was changeable, sharp showers falling at intervals here and there; in the evening the sky cleared and temperature fell. In Dublin the mean height of the barometer was 29·817 inches, pressure ranging between 29·998 inches at 9 a.m. of Wednesday (wind, S.) and 29·647 inches at 9 a.m. of Saturday (wind, W.S.W.). The corrected mean temperature was 62·7°, a figure which also represented the mean reading of the dry bulb thermometer at 9 a.m. and 9 p.m. The screened thermometers rose to 73·2° on Sunday and fell to 55·0°. on Friday. Solar halos were seen on Friday and Saturday. Rain fell on 6 days to the amount of ·440 inch, of which ·249 inch was recorded on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·646 inches. The highest reading (29·822) was on Wednesday at 9 a.m., wind S.S.E., and the lowest (29·474) on Saturday at 9 a.m., wind W.S.W.

The mean temperature for the week was 62·5°, being 3·9° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Monday, on which day the thermometer registered 73·6°, and was lowest on Wednesday, the mercury having fallen to 49·8°. The mean of the Dry Bulb for the week was 61·8° and of the Wet Bulb, 60·4°. The mean humidity of the air was ·92, complete saturation being represented by 1·0. The rainfall during the week measured 0·430 inch.

At Greenwich the mean temperature for the week was 68·0°, the maximum 86·2°, and the minimum 53·7°; at Glasgow the maximum was 77·0°, the minimum 48·0°, and the mean 64·0°; and at Edinburgh the maximum was 76·4°, the minimum 51·2°, and the mean 63·4°. The rainfall at Greenwich measured 0·06 in.; at Glasgow 1·20 ins., and at Edinburgh 0·24 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, July 30,	29·557	73·3	57·5	65·4	65·2	63·7	·91	·6	8·6	·000	S.S.E.	S.S.W.
Monday, „ 31,	29·640	73·6	59·9	66·8	63·3	62·2	·93	·4	3·8	·100	S.E.	S.S.E.
Tuesday, August 1,	29·670	72·6	59·9	66·3	63·3	61·2	·89	·5	6·5	·000	S.S.W.	S.W.
Wednesday, „ 2,	29·784	67·3	49·8	58·6	63·3	61·5	·90	·6	2·2	·030	S.S.E.	S.S.W.
Thursday, „ 3,	29·705	70·0	56·0	63·0	60·4	59·8	·97	·6	8·0	·060	S.S.W.	Calm.
Friday, „ 4,	29·668	62·8	50·8	56·8	60·8	59·1	·89	·5	5·2	·070	S.W.	E.S.E.
Saturday, „ 5,	29·500	68·6	52·8	60·7	56·6	55·5	·93	·7	4·1	·170	W.S.W.	Calm.
Mean, ...	29·646	69·7	55·2	62·5	61·8	60·4	·92	·6	Total 38·4	Total ·430	Prevailing Wind, S.S.W.	

Sunday—Day cloudy, fine; night cloudy. *Monday*—Day cloudy to overcast, rain 10.30 to 11 a.m.; night overcast, rain midnight to 2.30 a.m. *Tuesday*—Day cloudy, fine; night cloudy. *Wednesday*—Day cloudy, rain 2.15 to 4 p.m. and 7.30 to 7.40 p.m.; night clear. *Thursday*—Day cloudy, rain 1.15 to 2 p.m. and 2.40 to 3.15 p.m.; night cloudy. *Friday*—Day cloudy to overcast, rain 4.45 to 6.45 p.m.; night cloudy, drizzling rain at intervals. *Saturday*—Day overcast to cloudy, heavy rain 6 to 6.30 p.m.; night cloudy, rain 4 to 4.20 a.m. and 6.15 to 6.20 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, August 5th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, July 30,	67·0	65·4	60·0	73·7	58·2	66·0	8·8	·005
Monday, „ 31,	62·0	65·5	60·4	73·4	59·9	66·7	3·0	·235
Tuesday, August 1,	69·5	65·5	61·0	73·5	59·3	66·4	7·3	—
Wednesday, „ 2,	66·4	64·5	60·7	68·4	55·2	61·8	3·2	—
Thursday, „ 3,	66·4	63·3	60·7	71·5	57·5	64·5	10·7	—
Friday, „ 4,	66·0	63·8	61·0	70·0	53·5	61·8	6·1	·015
Saturday, „ 5,	61·7	63·6	60·5	69·0	57·0	63·0	5·5	·075
Weekly Mean, .	65·6	64·5	60·6	71·4	57·2	64·3	Total 44·6	Total ·330

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31062. Wt. P. 110-81/138. 375. 8. 1911. Sch. C 7.

FOR OFFICIAL USE

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 12TH AUGUST, 1911. [No. 32.

General Register Office, Charlemont House,
Dublin, 14th August, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending July 22	Week ending July 29	Week ending Aug. 5	Week ending Aug. 12	Average Rate for 4 weeks.
22 Town Districts, ...	**16·8**	**16·4**	**16·8**	**17·1**	**16·8**
Armagh	6·9	6·9	6·9	6·9	6·9
Ballymena	18·3	9·2	13·8	27·5	17·2
Belfast	16·3	14·2	16·6	16·3	15·9
Clonmel	20·3	.	15·2	10·1	11·4
Cork	12·9	16·3	15·6	9·5	13·6
Drogheda	16·8	8·4	21·0	4·2	12·6
Dublin Reg. Area ...	19·8	22·5	18·9	20·7	20·5
Dundalk	7·9	15·9	11·9	11·9	11·9
Galway	11·8	11·8	7·9	7·9	9·9
Kilkenny	9·9	9·9	14·9	39·7	18·6
Limerick	20·4	13·6	12·2	13·6	15·0
Lisburn	8·6	8·6	21·4	8·6	11·8
Londonderry	19·2	11·5	19·2	11·5	15·4
Lurgan	17·2	8·6	8·6	8·6	10·8
Newry	8·7	26·2	17·4	21·8	18·5
Newtownards	.	17·2	22·9	34·3	18·6
Portadown	4·4	4·4	8·9	17·8	8·9
Queenstown	.	6·6	.	13·2	5·0
Sligo	9·3	4·7	14·0	14·0	10·5
Tralee	10·6	.	15·9	5·3	8·0
Waterford	19·0	15·2	17·1	20·9	18·1
Wexford	22·8	9·1	13·7	18·2	16·0

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 5·4 per 1,000, the rates varying from 0·0 in nine of the districts to 11·4 in Newtownards, the 6 deaths from all causes for that district including one from each of measles and *enteritis* of a child under 2 years of age. Among the 121 deaths from all causes for Belfast are one from each of enteric fever, scarlet fever and whooping-cough, and 42 from diarrhœal diseases. Three of the 14 deaths for Cork are from diarrhœa, and 2 of the 10 deaths for Limerick are from diarrhœal diseases. Included in the 11 deaths from all causes for Waterford are 2 from *enteritis* of children under 2 years of age. Two deaths from diarrhœa are included in the 3 deaths for Dundalk, and among the 4 deaths for Portadown are 2 from *enteritis* of children under 2 years of age.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 210—112 boys and 98 girls—and the deaths to 169—86 males and 83 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·7 per 1,000 of the population. During the thirty-two weeks ending with Saturday last the death-rate averaged 21·2, and was 1·8 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 169, represent an annual rate of 21·8 per 1,000; the annual rate for the past thirty-two weeks was 22·4 per 1,000, and the average annual rate for the corresponding period of the past ten years was 24·0 per 1,000 of the mean population for all deaths registered.

Among the total deaths from all causes registered were 2 from enteric fever, 2* from measles, 3 from scarlet fever, one death from whooping-cough, one death from dysentery, and 41 deaths from diarrhœa and *enteritis* of children under 2 years of age. There was one death from *cerebro-spinal meningitis*, and one death from influenza. In each of the three preceding weeks, deaths from enteric fever were 2, one, and 2; deaths from measles were 3, 7, and 5; deaths from scarlet fever were 0, 2, and one; deaths from whooping-cough were 4, 3, and 4; and deaths from diarrhœa and *enteritis* of children under 2 years of age were 11, 34, and 29 (rising to 41 deaths in the week under notice).

The deaths from tuberculous disease comprised 13 deaths from pulmonary tuberculosis, 2 deaths from tuberculous meningitis, one death from abdominal tuberculosis, and 2 deaths from disseminated tuberculosis. In the three preceding weeks tuberculosis caused 27, 32 and 25 deaths, respectively.

There were 11 deaths attributed to cancer.

Of 8 deaths from pneumonia, there was one from broncho-pneumonia, and 7 were from *pneumonia* (type not distinguished).

Diseases of the brain and nervous system caused the deaths of 16 persons, and include the deaths of 3 children under 2 years of age from meningitis, and 3 deaths from *convulsions* at the same age-period.

There were 9 deaths from organic diseases of the heart, and 8 deaths from bronchitis.

The deaths of 2 infants were from congenital defects, 3 were from prematurity, and one was caused by congenital debility.

There were 2 accidental deaths, one being caused by a railway wagon and one by a carriage.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 children under 5 years of age (including one infant under one year), and the death of one person aged 68 years.

Seventy-two of the persons whose deaths were registered during the week were under 5 years of age (52 being infants under one year, of whom 11 were under one month old) and 26 were aged 65 years and upwards, including 21 persons aged 70 and upwards; among the latter were 12 aged 75 and upwards, of whom 3 (a male and 2 females) were stated to have been aged 90, 91, and 95 years respectively.

Fifty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse and 2 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·7 per 1,000; the rate in the City was 22·6 (North City Districts, 26·3; South, 18·6) and in the Suburbs, 14·4.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 7·1 per 1,000 inhabitants, the rate for the City being 8·4 (9·2 in the North City Districts, and 7·6 in the South), and for the Suburbs, 2·8 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (16) are equal to an annual rate of 27·9 per 1,000. Of the total, 6 were from diarrhœal diseases, one was from pulmonary tuberculosis, 2 were from *pneumonia* (type not distinguished), and one was from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (24) are equal to an annual rate of 31·4 per 1,000. Among them are one from dysentery, 9 from diarrhœa, 2 from tuberculous disease, one from *pneumonia* (type not distinguished), 2 from bronchitis, and one death by a railway accident.

No. 2 *North City District* (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 30·6 per 1,000. Included in the total are one from scarlet fever, 3 from diarrhœa and *enteritis* of children under 2 years of age, one from influenza, one from pulmonary tuberculosis, one from *pneumonia* (type not distinguished), and one from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (10) represent an annual rate of 15·6 per 1,000, and include one death from scarlet fever, 3 deaths from diarrhœa and *enteritis* of children under 2 years of age, and 2 deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 38·8 per 1,000 inhabitants; Coolock and Drumcondra, part of, 22·5; and Finglas and Glasnevin, part of, 20·4. Of the 4 deaths from all causes for Clontarf and Howth, No. 1, part of, 2 were from diarrhœa. Among the 5 deaths from all causes for Coolock and Drumcondra, part of, was one from enteric fever; and of the 3 deaths for Finglas and Glasnevin, part of, one was from diarrhœa.

No. 1 *South City District* (South Earl-street).—The deaths (19) represent an annual rate of 23·9 per 1,000. One death from enteric fever, 9 deaths from diarrhœal diseases, and 3 deaths from tuberculous disease are included in the total.

No. 2 *South City District* (Castle-street).—The deaths (4) are equal to an annual rate of 9·6 per 1,000. One death from diarrhœa of a child under 2 years of age, one from tuberculous meningitis, and one from bronchitis were registered.

No. 3 *South City District* (Peter-street).—The deaths (20) are equal to an annual rate of 24·2 per 1,000. Included in the total are one from measles, 5 from diarrhœa and *enteritis* of children under 2 years of age, 6 from tuberculous disease, one from *cerebro-spinal meningitis*, and one accidental death.

No. 4 *South City District* (Grand Canal Street).—The deaths (8) are equivalent to an annual rate of 11·6 per 1,000. Among them are 3 from diarrhœa and one from pulmonary tuberculosis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·3 per 1,000. The 3 deaths include one from scarlet fever and one from diarrhœa of a child under 2 years of age.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 15·0; Pembroke, 8·9; Blackrock, 11·5; and Kingstown, 24·2. The deaths from the principal epidemic diseases tabulated for these districts comprise one from whooping-cough, and 3 from diarrhœa and *enteritis* of children under 2 years of age for Rathmines and Rathgar, and one from diarrhœa of a child under 2 years of age for Kingstown. Of the 5 deaths from all causes for Pembroke one was from pulmonary tuberculosis and one from broncho-pneumonia. Included in the 8 deaths from all causes for Kingstown are 2 from pulmonary tuberculosis, and 3 from *pneumonia* (type not distinguished).

* See note (*c*), Table II. † See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 12th August, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	July 22,	.	—	—	18	.	.	10	.	1	9	12	.	—	—	.	—	10	—	60
	July 29,	.	—	—	8	.	.	7	.	1	7	5	.	—	—	.	—	12	—	40
	Aug. 5,	.	—	—	14	1	.	9	.	1	5	6	.	—	—	.	—	20	—	56
	Aug. 12,	.	—	—	8	.	.	3	.	.	10	7	.	—	—	1	—	8	—	37
Rathmines and Rathgar Urban District.	July 22,	.	—	—	.	.	.	1	.	.	.	.	.	1	—	—	—	—	—	2
	July 29,	.	—	—	.	.	.	3	.	.	.	3	.	.	—	—	—	—	—	6
	Aug. 5,	.	—	—	.	.	.	2	.	.	.	1	.	.	—	—	—	—	—	3
	Aug. 12,	.	—	—	1	.	.	1	.	.	.	.	.	.	—	—	—	—	—	2
Pembroke Urban District.	July 22,	.	.	.	2	.	.	.	.	.	.	.	.	.	16	.	—	.	—	18
	July 29,	.	11	.	1	.	.	1	.	.	.	1	.	.	.	.	—	.	—	14
	Aug. 5,	.	1	.	.	.	.	.	.	.	.	1	.	.	10	.	—	.	—	12
	Aug. 12,	.	.	.	.	.	.	.	.	.	1	.	.	.	9	.	—	.	—	10
Blackrock Urban District.	July 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	July 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	July 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Aug. 5,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Aug. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	July 22,	.	—	—	6	.	.	6	.	.	5	2	.	—	—	.	—	12	—	31
	July 29,	.	—	—	8	.	.	7	1	.	5	1	.	—	—	1	—	13	—	36
	Aug. 5,	.	—	—	8	.	.	6	.	1	2	1	.	—	—	.	—	16	—	34
	Aug. 12,	.	—	—	10	.	.	3	.	.	2	7	.	—	—	.	—	10	—	32

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 12th August, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Five cases of measles were admitted to hospital during the week, 2 were discharged; there were 2 deaths, and 39 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 29, 35, and 38, respectively.

Sixteen cases of scarlet fever were admitted to hospital, 15 were discharged, there were 3 deaths, and 64* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 66, 70, and 66, respectively.

One case of typhus remained under treatment in hospital at the close of the week.

Seven cases of diphtheria were admitted to hospital during the week, and 9 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 29, 28, and 27, respectively, were 25 at the close of last week.

Two cases of enteric fever were admitted to hospital during the week, 5 were discharged, there were 2 deaths, and 29 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 35, 31, and 34.

In addition to the above-named diseases, 2 cases of pneumonia were admitted to hospital, 3 were discharged, there were 2 deaths, and 14 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 18·7) was equal to an average annual death-rate of 18·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 14·4 per 1,000, the rate for Glasgow being 15·2 and for Edinburgh 12·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a statement of the number of cases of Infectious Diseases notified during the week ended 12th August. From this Report it appears that of a total of 48 cases notified, 17 were diphtheria, 15 phthisis, 14 scarlet fever, and 2 erysipelas. There were 309 cases of infectious diseases in hospital at the close of the week.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 12th August, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 12th August, 1911. Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 Year of Age.	Deaths. At 65 Years and upwards.	Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa. Of children under 2 years of age.	Diarrhœa. 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 12th August, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 5th August, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 29th July, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
TOTAL OF 22 TOWN DISTRICTS, ...	1,149,495	20·2	27·0	17·1	5·4	595	377	128	59	3	...	...	2	4	2	...	1	35	15	14	12	26	57	12	37	4	11	85	14	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:—TOTAL, (c.) ...	403,732	29·3	27·1	20·7	7·1	210	160	52	24	2	...	...	1	3	1	...	1	13	5	9	8	8	29	6	12	2	5	42	7	e74·3	41·4	60·8	0·17	e73·6	49·8	62·5	0·43	e75·3	46·9	62·7	1·86
CITY OF DUBLIN.	309,738	39·2	31·6	22·6	8·4	188	134	44	18	2	...	...	1	3	...	...	1	10	5	8	4	8	26	6	11	2	4	40	5	f74·2 g73·9	53·1 45·4	63·4 62·5	0·15 0·16	f73·2 g73·9	55·0 51·0	64·0 63·6	0·44 0·48	f74·4 g73·5	53·6 46·0	63·8 63·1	2·29 2·18
Urban Districts. RATHMINES AND RATHGAR.	38,330	22·4	16·3	15·0	5·4	12	11	4	3	...	...	...	...	...	1	...	...	...	...	...	...	...	2	...	1	..	1	2	2	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,347	18·5	8·9	8·9	.	5	5	...	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,090	8·4	5·7	11·5	.	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	12·1	24·2	3·0	4	8	3	2	...	...	...	...	...	...	...	...	2	...	1	3	...	1	...	...	.	...	...	...	73	54	63·7	0·04	72	54	62·9	0·54	69	50	62·9	1·73
Urban Districts. BELFAST ...	386,449	26·3	30·4	16·3	6·1	225	121	45	17	1	...	...	...	1	1	...	...	9	3	4	3	5	19	4	19	2	6	22	1	73·0	50·8	62·3	0·91	71·0	52·0	61·7	1·06	72·8	47·0	64·5	0·80
CORK, ...	76,632	33·8	17·7	9·5	2·0	26	14	3	1	...	...	...	...	...	...	...	...	1	3	...	1	1	3	...	...	...	...	8	...	72	52	61·0	0·51	67	55	62·0	2·00	70	50	61·1	1·46
LONDONDERRY...	40,799	18·9	19·2	11·5	1·3	15	9	3	...	...	...	...	...	...	...	...	...	4	1	..	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,403	18·2	9·5	13·6	2·7	7	10	3	1	...	...	...	...	...	...	...	...	1	...	...	...	2	...	1	1	...	...	3	...	73·1	41·4	60·5	0·20	72·0	49·9	61·2	1·35	73·6	46·4	61·3	1·25
WATERFORD, ...	27,430	19·1	22·8	20·9	3·8	12	11	5	4	...	...	...	...	...	...	...	...	1	1	...	...	2	...	...	2	...	...	4	1	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,249	2·5	15·7	7·9	.	4	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	1	74	50	63	0·33	75	55	63	1·55	69	47	61	1·20
DUNDALK, ...	13,128	9·5	47·7	11·9	7·9	12	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	8·4	4·2	.	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,956	17·2	17·4	21·8	.	4	5	1	1	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	...	2	...	74·0	46·0	61·7	0·02	72·0	50·6	61·6	1·18	74·0	46·7	61·8	1·41
LURGAN, ...	12,135	14·3	38·7	8·6	.	9	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	74·0	46·0	61·7	0·02	72·0	50·6	61·6	1·18	74·0	46·7	61·8	1·41
LISBURN, ...	12,172	10·7	47·1	8·6	4·3	11	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	74·0	46·0	61·7	0·02	72·0	50·6	61·6	1·18	74·0	46·7	61·8	1·41
WEXFORD, ...	11,455	23·8	31·9	18·2	4·6	7	4	2	...	...	...	...	...	...	...	...	...	1	..	...	...	1	1	...	...	..	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA, ...	11,376	9·3	4·6	27·5	4·6	1	6	1	4	...	...	...	...	...	...	...	...	2	...	...	...	2	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	18·7	14·0	4·7	4	3	2	...	..	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	1	74·8	43·3	62·0	0·19	71·9	45·0	60·6	1·67	77·0	41·0	59·0	1·54
KILKENNY, ...	10,513	11·4	39·7	39·7	.	8	8	1	2	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	...	...	...	72	46	62·2	0·36	71	48	61·8	1·76	79	44	63·3	3·59
CLONMEL, ...	10,277	7·9	35·5	10·1	.	7	2	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	57·8	17·8	8·9	13	4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	74·0	46·0	61·7	0·02	72·0	50·6	61·6	1·18	74·0	46·7	61·8	1·41
TRALEE, ...	9,867	16·6	10·6	5·3	.	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	34·3	34·3	11·4	6	6	4	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	72	50	60·6	0·32	68	50	59·9	0·79	70	48	58·7	0·95
QUEENSTOWN, ...	7,909	14·4	33·0	13·2	.	5	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	72	52	61·0	0·51	67	55	62·0	2·00	70	50	61·1	1·46
ARMAGH, ...	7,588	22·2	34·4	6·9	.	5	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	74·0	46·0	61·7	0·02	72·0	50·6	61·6	1·18	74·0	46·7	61·8	1·41

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 9 deaths of persons (including 2 at 65 years or upwards), admitted to hospital from localities outside the Area: of the 9 deaths one was from measles. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 12th of August, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1
Scarlet Fever,	.	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	3	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Tuberculous Disease. — Pulmonary Tuberculosis,	1	1	1	.	.	.	.	2	.	4	1	.	.	1	.	2	13	.
Tuberculous Disease. — Other Forms,	.	1	.	.	.	.	.	1	1	2	.	.	.	.	.	.	5	.
Cancer,	1	1	1	.	1	1	.	.	1	2	.	.	.	.	.	1	9	2
Diseases of Nervous System,	.	3	2	3	.	1	.	2	.	2	.	.	2	1	.	.	16	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	2	.	4	1	.	.	.	1	.	1	1	.	1	.	.	.	11	2
" Respiratory System. — Pneumonia,	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	3	8	.
" Respiratory System. — Others,	1	2	1	2	.	.	.	.	1	1	.	.	.	.	.	.	8	.
" Digestive System. — Diarrhœa, under 2 years,	3	7	2	2	1	.	1	2	1	4	2	1	2	.	.	1	29	.
" Digestive System. — Diarrhœa, 2 years and upwards,	1	2	.	.	1	.	.	1	.	.	1	.	.	.	.	.	6	.
" Digestive System. — *Enteritis*, under 2 years,	2	.	1	1	.	.	.	6	.	1	.	.	1	.	.	.	12	.
" Digestive System. — Enteritis, 2 years and upwards.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. — Others,	1	.	.	.	1	.	1	.	.	.	1	1	1	.	.	.	6	3
" Genito-urinary System,	1	1	.	.	.	.	.	1	.	1	1	.	.	1	.	.	6	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Other specified Causes,	1	2	3	.	.	.	1	2	.	.	1	.	1	.	2	1	14	.
Violent Deaths,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Ill-defined, &c. Causes,	.	1	.	.	.	1	.	.	.	.	.	.	2	.	.	.	4	.
Deaths from All Causes	16	24	18	10	4	5	3	19	4	20	8	3	11	5	2	8	160	9
Annual Rate of Mortality from All Causes in every 1,000 of the population.	27·9	31·4	30·6	15·6	38·8	22·5	20·4	23·9	9·6	24·2	11·6	17·3	15·0	8·9	11·5	24·2	20·7	.
	26·3							18·6					14·4					
	22·6																	
Ages at Death. — Under 1 year,	5	8	4	6	1	.	1	7	1	7	3	1	4	.	1	3	52	.
1 and under 2 years,	1	.	2	.	.	.	.	2	1	1	.	1	2	2	.	.	12	.
2 " 5 "	1	2	1	1	.	.	.	.	.	1	1	.	.	1	.	.	8	.
5 " 15 "	.	.	2	.	.	1	.	.	.	3	.	.	.	.	1	.	7	1
15 " 25 "	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	1	4	.
25 " 45 "	1	4	2	.	.	1	1	.	.	2	3	.	2	1	.	.	17	2
45 " 65 "	6	5	6	1	2	2	.	4	2	4	1	1	.	.	.	2	36	4
65 and upwards,	2	5	1	2	1	1	1	3	.	2	.	.	3	1	.	2	24	2
Number of Uncertified Deaths,	1	2	1	1	.	.	.	.	.	.	.	.	2	.	.	.	7	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	8	5	2	.	2	.	3	.	3	1	2	2	.	.	.	30	9
Workhouse Hospitals,	1	3	3	3	.	.	.	.	.	1	1	.	.	.	.	.	12	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 32nd Week of the 10 years 1901–1910.	In the Week ending Saturday, 12th August, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Aug. 10, 1901.	Aug. 9, 1902.	Aug. 15, 1903.	Aug. 13, 1904.	Aug. 12, 1905.	Aug. 11, 1906.	Aug. 10, 1907.	Aug. 8, 1908.	Aug. 14, 1909.	Aug 13, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 61·2	° 54·4	° 54·7	° 57·1	° 57·3	° 61·3	° 58·3	° 59·5	° 62·4	° 59·2	° 58·5	° 60·8										
ALL CAUSES.	166	154	136	199	151	130	118	149	113	143	145·9	169	11	41	12	8	8	4	19	40	14	12
Enteric Fever, ...	1	4	2	1	.	1	1	1	.	.	1·1	2	.	.	.	.	.	1	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	20	1	5	.	2	5	2	1	1	3·7	2	.	.	1	.	1	.	.	.	.	.
Scarlet Fever, ...	.	1	.	1	.	.	.	.	.	1	·3	3	.	.	1	2	.	.	.	.	.	.
Whooping-cough, ...	.	1	1	4	.	3	1	1	2	3	1·6	1	.	.	1	.	.	.	.	.	.	.
Diphtheria, ...	2	2	1	2	1	2	1	1	.	.	1·2	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	1	.	.	1	.	2	.	.	·5	1	.	.	.	.	.	.	.	.	.	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.
Erysipelas, ...	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	1	.	1	.	.	1	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	2	.	.	1	.	.	.	1	2	.	·6	1	.	.	.	.	.	.	1	.	.	.
Tetanus, ...	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	20	15	23	25	22	18	15	13	9	14	17·4	13	.	1	.	2	1	2	1	6	.	.
Tuberculous Meningitis, ...	3	9	3	2	3	.	6	4	5	7	4·2	2	.	1	1	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	4	1	3	1	.	.	3	1	1	1	1·5	1	.	1	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	4	4	1	9	6	7	6	5	4	7	5·3	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												2	.	.	1	.	1	.	.	.	.	.
Venereal Diseases, ...	.	.	.	2	1	2	1	.	4	.	1·0	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	8	5	7	5	8	4	3	9	6	8	6·3	11	.	.	.	.	.	.	1	6	3	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	1	.	1	.	2	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	1	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Alcoholism, ...	1	1	.	.	.	1	1	.	2	.	·6	1	.	.	.	.	.	.	1	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.
Simple Meningitis, ...												3	.	2	1	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*												5	.	.	.	.	.	.	.	3	1	1
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												2	.	.	.	.	.	.	1	1	.	.
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												4	1	1	1	.	1	.	.	.	.	.
Other Diseases of Nervous System.	37	31	35	40	30	35	18	37	28	32	32·3	1	.	.	.	.	.	.	.	1	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												1	.	.	.	.	.	.	.	1	.	.
Organic Diseases of the Heart,												9	.	.	.	.	.	.	2	5	1	1
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												3	.	.	.	.	.	.	.	3	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	5	16	12	8	5	8	16	6	9	7	9·2	8	.	.	.	.	.	.	1	2	3	2
Broncho-pneumonia, ...		2	2	3	.	.	3	2	.	1		1	.	.	1	.	.	.	.	.	.	.
Lobar-pneumonia, ...	5	.	1	.	.	1	.	1	1	3	6·1	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)		6	3	6	4	4	5	3	1	4		7	.	1	.	.	.	1	1	3	1	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	4	2	3	1	2	.	2	.	1	1·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												.	.	.	.	.	.	.	.	.	.	.

THIRTY-SECOND WEEK ending Saturday, 12th August, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 32nd Week of the 10 years 1901–1910.	In the Week ending Saturday, 12th August, 1911.										
													Deaths of Persons of the Ages of									
	Aug. 10, 1901.	Aug. 9, 1902.	Aug. 15, 1903.	Aug 13, 1904.	Aug. 12, 1905.	Aug. 11, 1906.	Aug. 10, 1907.	Aug 8, 1908.	Aug. 14, 1909.	Aug. 13, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 61·2	° 54·4	° 54·7	° 57·1	° 57·3	° 61·3	° 58·3	° 59·5	° 62·4	° 59·2	° 58·5	° 60·8										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
Diseases of Stomach,	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	1	1	.
Diarrhœa of Children under 2 years.	33	3	2	33	24	10	5	18	9	14	15·1	29	3	25	1	.	.	.	.	.	.	.
,, 2 years and upwards,												6	.	.	.	4	.	.	.	.	.	2
Enteritis of Children under 2 years.	4	.	2	10	9	5	2	2	4	2	4·0	12	2	7	3	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												1	.	.	.	.	1	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	1	1	.
Cirrhosis of Liver, ...	1	1	2	.	.	2	2	.	.	2	1·6	3	.	.	.	.	.	.	2	1	.	.
Other Diseases of Liver, ...		1	1	1	.	.	.	1	2	.		1	.	.	.	.	.	.	1	.	.	.
Peritonitis (cause unknown),	.	1	1	.	2	.	.	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	4	4	5	5	5	10	.	5	2	1	4·1	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	.	2	4	6	7	.	2	8	3	5	3·7	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...												6	.	.	.	.	.	.	3	2	.	1
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	
Other Diseases of Genito-urinary System.												1	.	.	.	.	.	.	.	1	.	.
Puerperal Septicæmia, &c., ...	1	.	.	1	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	.	1	.	2	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	1	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	2	1	1	.	.	.	.	.	.	.	.
Premature Birth, ...	4	2	6	2	2	2	3	2	2	3	2·8	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	1	.	.	.	.	.	.	.	.
Old Age, ...	2	4	6	6	3	.	2	2	3	6	3·4	3	.	.	.	.	.	.	.	.	.	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	.	.	.	.	.	1	.	.
By Vehicles and Horses, ...	1	.	.	.	1	2	.	1	.	2	·7	1	.	.	.	.	1	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	1	.	.	1	.	.	.	1	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
By Drowning, ...	3	.	.	1	.	1	.	2	2	1	1·0	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	1	.	1	1	.	.	2	.	2	·9	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	4	.	.	.	.	.	.	2	.	2	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.
No. of weeks in Annual Series,	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
BIRTHS registered.	192	214	217	238	203	276	230	198	171	174	259	260	242	226	246	261	228	232	185	324	190	190	294	233	198	210
Average Births in corresponding week of previous 10 years, ...	212	209	216	223	212	212	233	202	210	223	199	268	231	210	204	238	226	207	224	237	205	204	208	221	217	208
DEATHS registered, ...	208	195	180	174	170	214	177	191	174	196	181	176	170	129	158	150	149	159	127	155	120	172	162	186	153	169
Annual Death-rate per 1,000, ...	26·6	25·0	23·1	22·3	21·8	27·4	22·7	24·5	22·3	25·1	23·2	22·5	21·8	16·5	20·2	19·2	19·2	20·5	16·4	20·0	15·5	22·2	20·9	24·0	19·8	21·8
Average Deaths in corresponding week of previous 10 years, ...	200	210	218	210	194	201	203	199	195	197	190	177	178	171	169	154	151	149	148	134	140	141	144	147	145	146
Ages, Under 5 years, ...	57	57	70	59	39	56	48	54	63	54	50	56	48	40	37	43	34	42	44	56	43	41	51	88	73	72
5—15 „ ...	6	10	9	12	9	7	14	17	4	5	11	14	7	6	14	10	8	4	9	10	4	13	6	5	6	8
15—25 „ ...	5	6	6	7	7	13	8	10	10	14	7	6	8	9	11	9	9	13	2	7	7	11	10	6	6	4
25—45 „ ...	36	35	32	24	24	42	19	33	25	31	33	15	35	21	21	29	26	32	18	20	19	31	26	21	22	19
45—65 „ ...	49	35	36	36	42	44	36	44	43	45	35	30	38	36	39	29	33	31	34	28	20	33	37	29	21	40
65—75 „ ...	33	29	19	19	28	32	29	27	19	29	25	34	19	10	24	17	26	18	13	16	15	24	18	24	15	14
75 and upwards, ...	22	23	8	17	21	20	23	6	10	18	20	21	15	7	12	13	13	19	7	18	12	19	14	13	10	12
Deaths from :—																										
Enteric Fever, ...	2	2	4	3	1	2	1	3	1	1	.	1	1	1	1	1	.	.	1	.	1	3	2	1	2	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	3	7	7	7	3	2	1	7	11	5	8	17	4	6	3	4	2	8	7	4	7	3	7	5	2
Scarlet Fever, ...	6	2	2	.	.	1	.	1	4	1	.	1	1	.	2	2	2	.	.	.	1	3	.	2	1	3
Whooping-cough, ...	6	7	11	4	4	6	5	3	6	.	2	3	2	4	1	4	1	3	2	2	.	1	4	3	4	1
Diphtheria, ...	3	2	.	2	.	1	1	4	3	4	1	2	3	1	.	1	4	1	4	2	2	3	2	1	.	.
Influenza, ...	5	7	2	2	2	1	2	2	.	3	.	3	2	1	2	.	.	1	.	1	1	1	2	1	.	1
Dysentery, ...	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Tuberculous Disease, Phthisis, ...	22	18	20	17	28	32	16	29	21	33	22	21	17	25	22	22	25	23	7	21	7	20	17	17	16	13
Tuberculous Disease, Other Forms,	8	7	7	8	8	15	13	10	3	8	10	6	6	6	9	9	8	7	11	6	7	12	10	15	9	5
Cancer, ...	4	6	5	8	6	10	13	11	8	7	9	6	5	6	11	9	12	10	7	8	12	4	10	6	5	11
Diseases of Circulatory System,	17	21	14	13	24	27	22	23	14	15	24	17	23	7	19	12	12	23	14	22	16	22	20	15	10	13
Diseases of Respiratory System, Pneumonia,	15	21	13	16	14	13	13	18	19	16	18	22	15	12	6	10	8	9	8	9	9	10	8	12	1	8
Diseases of Respiratory System, Others, ...	44	28	29	25	23	27	24	24	26	26	16	34	20	15	14	15	16	17	9	17	6	11	10	13	3	8
Diarrhœa, Under 2 years, ...	3	3	1	1	2	5	1	3	2	1	2	2	1	2	1	6	.	3	3	.	1	3	9	27	20	29
Diarrhœa, 2 years & upwards,	.	1	1	.	3	.	1	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	5	1	6
Enteritis, under 2 years, ...	1	1	1	2	1	3	1	3	3	2	2	2	.	1	1	4	1	1	1	3	3	2	2	7	9	12
Violent Deaths, ...	2	5	2	4	5	5	5	6	1	7	9	3	.	1	5	2	3	6	5	2	6	7	2	5	2	2
Number of Uncertified Deaths,	2	4	7	8	7	2	5	1	1	2	8	4	3	1	5	4	3	4	.	5	9	5	2	3	3	7
Mean Temperature of the Air (Phœnix Park)	46·4	43·4	46·5	41·1	38·0	41·7	42·7	39·4	43·7	50·5	50·5	49·6	52·6	49·5	55·3	56·2	55·6	52·6	56·2	55·5	59 6	60·9	62·9	62·7	62·5	60·8
Average Mean Temperature in corresponding week of previous 10 years, ...	39·8	39·9	40·5	41·7	42·7	42·6	42·4	44·1	43·1	45·1	46·2	46·7	48·1	49·1	50·9	53·7	53·5	53·6	55·5	56·5	57·5	58·5	59·8	58·2	58·6	58·5
Rainfall in inches, ...	·582	·523	·681	·316	·206	·000	·770	·131	·000	·501	·606	·780	·127	·262	·010	·000	·000	·605	·782	·166	·018	·000	·316	1·860	·430	·170
Mean Humidity of the Air, complete Saturation 1·0, ...	·91	·91	·92	·91	·89	·87	·90	·86	·86	·89	·91	·93	·94	·92	·89	·89	·88	·86	·91	·91	·92	·84	·92	·92	·92	·82

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 12th August, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 12TH AUGUST, 1911.

Class	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	169	72	8	4	19	40	14	12	2	.	.	2	3	1	.	1	13	5	11	4	8	8	29	6	12	2	62	7
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	15·0	5	.	1	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	21·5	36	11	.	1	5	11	5	3	1	.	.	.	.	.	.	.	.	.	4	.	.	2	8	1	1	.	19	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	18·9	40	17	2	.	5	14	1	1	1	.	.	.	1	.	.	.	5	2	.	1	4	2	7	2	.	2	13	1
IV.	GENERAL SERVICE CLASS, ...	154,279	25·7	76	42	5	3	7	10	5	4	.	.	.	2	2	1	.	1	7	3	6	3	2	1	12	3	11	.	22	5
V.	INMATES OF WORKHOUSES, ...	6,024	—	12	2	.	.	2	4	1	3	.	.	.	.	.	.	.	.	1	.	.	.	1	3	2	.	.	.	5	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	23·7	10	5	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	1	.	5	1
	6. Clerks and Commercial Assistants, ...	30,432	20·6	12	4	.	.	2	4	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	2	3	.	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	23·2	12	2	.	1	2	3	2	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	31·7	6	3	.	.	.	3	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	1	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	14·0	8	5	.	.	1	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1	.	.	3	.
	10. Clothing Trades, ...	23,260	15·7	7	3	1	.	.	3	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	2	.	.	.	2	.
	11. Food Supply Trades, ...	9,242	16·9	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	24·1	14	4	1	.	3	6	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	1	2	.	.	2	5	1
	13. Petty Shopkeepers, ...	7,894	13·2	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	27·2	7	4	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	4	.
	15. Domestic Servants, ...	36,603	5·7	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	29·0	8	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	1	.	3	3
	17. Hawkers, Porters, Labourers, &c., ...	89,861	33·1	57	33	4	2	3	8	4	3	.	.	.	2	2	1	.	1	6	2	4	1	2	1	11	3	9	.	12	2
	INMATES OF WORKHOUSES.																														
V.	18. Workhouse Inmates, ...	6,024	—	12	2	.	.	2	4	1	3	.	.	.	.	.	.	.	.	1	.	.	.	1	3	2	.	.	.	5	

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (Office, Clarence-st. Nth.) Pop. in 1911 (Est.) 29,854.	June 24,	21·0	7·0	12	1	.	.	1	.	.	1	.	1	.	.	.	1	1	.	.	.	.
		July 1,	14·0	1·7	8	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	.	.	.
		„ 8,	5·2	.	3	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
		„ 15,	21·0	3·5	12	.	.	.	1	.	1	.	.	1	2	1	3	.	.	.	.	.	.
		„ 22,	24·5	8·7	14	1	.	.	1	.	1	.	.	.	.	1	.	1	1	.	1	.	.
		„ 29,	38·4	15·7	22	.	.	.	.	.	.	.	.	2	2	.	1	3	7	1	1	1	.
		Aug. 5,	26·2	14·0	15	1	.	.	2	.	.	.	.	2	.	1	.	.	3	1	1	.	.
		„ 12,	27·9	10·5	16	.	.	.	.	.	.	.	.	1	.	1	2	1	3	1	2	.	1
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1911 (Est.) 39,902.	June 24,	19·6	1·3	15	.	.	.	.	.	.	1	.	1	1	.	2	1	.	.	.	.	.
		July 1,	19·6	2·6	15	.	.	.	2	.	.	.	.	2	.	2	2	.	.	.	.	.	.
		„ 8,	14·4	.	11	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.
		„ 15,	26·1	3·9	20	2	.	.	.	1	.	.	.	2	.	.	2	4	.	.	.	.	1
		„ 22,	13·1	1·3	10	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.	1	.	.
		„ 29,	24·8	3·9	19	.	.	.	1	1	.	.	.	.	2	.	3	1	1	.	.	.	.
		Aug. 5,	22·2	5·2	17	.	.	.	.	.	.	.	.	2	1	.	.	1	2	.	2	.	.
		„ 12,	31·4	13·1	24	.	.	.	.	.	.	.	1	1	1	1	1	2	7	2	.	1	2
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1911 (Est.) 30,689.	June 24,	20·4	5·1	12	.	.	.	1	.	2	.	.	1	.	1	.	2	.	.	.	.	.
		July 1,	15·3	1·7	9	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.
		„ 8,	17·0	1·7	10	.	.	.	.	.	.	1	.	.	3	.	1	2	.	.	.	.	.
		„ 15,	25·5	10·2	15	1	.	.	3	.	.	1	.	2	1	.	.	.	1	.	.	.	.
		„ 22,	18·7	5·1	11	.	.	.	.	.	1	.	.	2	1	1	1	1	2	.	.	.	.
		„ 29,	34·0	8·5	20	.	.	.	.	1	1	.	.	2	2	.	3	2	2	1	.	1	.
		Aug. 5,	27·2	10·2	16	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	1	1	.
		„ 12,	30·6	6·8	18	.	.	.	.	1	.	.	.	1	.	1	1	1	2	.	1	.	1
	North City, No. 3. (Office, Benburb-street.) Pop. in 1911 (Est.) 33,498.	June 24,	15·6	3·1	10	.	.	.	2	.	.	.	.	.	1	1	1	1	.	.	.	.	.
		July 1,	18·7	3·1	12	.	.	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.
		„ 8,	21·8	3·1	14	.	.	.	2	.	.	.	.	1	.	3	1	1	.	.	.	2	1
		„ 15,	15·6	.	10	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	1	.
		„ 22,	23·3	4·7	15	1	.	.	1	.	.	.	.	2	.	2	.	1	1	.	.	.	1
		„ 29,	26·5	7·8	17	.	.	.	.	.	1	.	.	2	2	.	1	2	2	1	1	.	.
		Aug. 5,	14·0	4·7	9	.	.	.	1	.	.	.	.	2	.	1	.	.	1	.	1	.	.
		„ 12,	15·6	6·2	10	.	.	.	.	1	.	.	.	.	.	.	.	2	2	.	1	.	1
	South City, No. 1. (Office, Sth. Earl-street.) Pop. in 1911. (Est.) 41,401.	June 24,	10·1	3·8	8	.	.	.	2	.	.	1	.	.	1	.	2	.	.	.	.	.	.
		July 1,	30·2	2·5	24	.	.	.	.	.	.	1	.	5	1	.	.	5	.	.	1	.	1
		„ 8,	22·7	5·0	18	.	.	.	1	.	.	1	.	2	1	.	1	.	.	.	2	3	1
		„ 15,	31·5	3·8	25	.	.	.	1	.	.	.	.	3	1	1	.	1	1	.	1	.	.
		„ 22,	23·9	.	19	.	.	.	.	.	.	.	.	3	.	1	1	2	.	.	.	1	.
		„ 29,	13·9	5·0	11	.	.	.	.	.	.	.	.	1	1	1	1	1	1	.	3	.	.
		Aug. 5,	18·9	5·0	15	.	.	.	.	.	1	.	.	.	3	.	.	.	2	.	1	.	.
		„ 12,	23·9	12·6	19	1	.	.	.	.	.	.	.	2	1	.	.	.	2	1	6	.	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1911 (Est.) 21,715.	June 24,	12·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
		July 1,	19·2	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
		„ 8,	28·8	2·4	12	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
		„ 15,	21·6	4·8	9	.	.	.	.	1	.	.	.	.	1	.	.	3	.	.	1	.	1
		„ 22,	28·8	2·4	12	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.
		„ 29,	24·0	9·6	10	.	.	.	.	.	.	.	.	.	1	.	.	.	3	1	.	.	.
		Aug. 5,	21·6	7·2	9	1	.	.	.	.	1	.	.	1	1	.	1	.	1	.	.	.	.
		„ 12,	9·6	2·4	4	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1911 (Est.) 43,149.	June 24,	16·9	2·4	14	.	.	.	1	.	.	.	.	1	3	.	1	.	.	.	1	2	.
		July 1,	21·8	.	18	.	.	.	.	.	.	.	.	3	2	2	1	2	.	.	.	.	.
		„ 8,	15·7	2·4	13	1	.	.	.	1	.	.	.	1	2	.	.	.	.	.	.	1	1
		„ 15,	23·0	4·8	19	.	.	.	2	1	.	1	.	1	2	.	.	2	.	.	.	1	1
		„ 22,	29·0	7·3	24	.	.	.	1	.	1	1	.	2	3	1	4	1	3	.	.	.	.
		„ 29,	24·2	9·7	20	.	.	.	5	.	.	.	.	3	2	.	1	1	2	.	1	.	1
		Aug. 5,	18·1	7·3	15	.	.	.	2	.	.	.	.	1	.	.	.	1	3	.	1	.	.
		„ 12,	24·2	7·3	20	.	.	.	1	.	.	.	.	4	2	2	.	1	4	.	1	1	.
	South City, No. 4. (Office, Grand Canal-st.) Pop. in 1911 (Est.) 35,816.	June 24,	11·6	.	8	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1	.
		July 1,	17·5	2·9	12	.	.	.	.	.	1	.	.	3	1	.	.	1	.	.	1	.	2
		„ 8,	11·6	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	3
		„ 15,	24·7	1·5	17	.	.	.	.	.	.	.	.	6	1	.	1	.	1	.	.	1	.
		„ 22,	11·6	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
		„ 29,	18·9	2·9	13	.	.	.	.	.	.	1	.	1	1	.	.	2	1	.	.	1	.
		Aug. 5,	11·6	.	8	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
		„ 12,	11·6	4·4	8	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes.	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa: Children under 2 years.	Diarrhœa: 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	June 24,	12·2	...	9	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.	.
	July 1,	13·6	.	10	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.
	„ 8,	6·8	2·7	5	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 15,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	1
	„ 22,	13·6	1·4	10	.	.	.	.	.	.	1	.	2	.	1	1	1	.	.	.	1	.
	„ 29,	23·1	10·9	17	.	.	.	1	.	.	.	.	.	1	1	1	.	6	.	1	.	1
	Aug. 5,	16·3	5·4	12	.	.	.	.	1	.	.	.	1	1	.	.	.	2	.	1	1	1
	„ 12,	15·0	5·4	11	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	1	.	2
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	June 24,	24·9	1·8	14	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	1	.
	July 1,	21·3	1·8	12	.	.	.	1	.	.	.	.	1	1	1	1	2	.	.	.	.	.
	„ 8,	17·8	.	10	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	2
	„ 15,	7·1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
	„ 22,	14·2	1·8	8	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.
	„ 29,	17·8	5·3	10	.	.	.	.	.	1	.	.	1	.	.	.	1	1	1	.	.	.
	Aug. 5,	19·5	5·3	11	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	1	.	.
	„ 12,	8·9	.	5	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 17,227.	June 24,	21·2	6·1	7	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	1	.
	July 1,	33·3	.	11	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	1
	„ 8,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 15,	27·2	.	9	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.
	„ 22,	24·2	3·0	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	„ 29,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1
	Aug. 5,	12·1	3·0	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	„ 12,	24·2	3·0	8	.	.	.	.	.	.	.	.	2	.	1	3	.	1	.	.	.	.
Belfast. Pop. in 1911 (Est.) 386,449.	June 24,	11·1	0·7	82	.	.	.	.	.	.	.	.	13	2	6	5	10	1	3	1	1	3
	July 1,	15·7	0·7	116	.	1	.	.	.	1	.	.	23	2	7	5	8	2	.	1	4	3
	„ 8,	12·4	0·5	92	.	.	.	.	1	.	1	.	16	5	4	7	11	1	.	1	.	.
	„ 15,	16·6	1·5	123	.	.	.	.	1	1	.	.	18	8	6	2	14	6	.	3	3	1
	„ 22,	16·3	3·0	121	1	.	.	.	.	1	2	.	20	6	3	4	10	10	.	8	5	.
	„ 29,	14·2	3·4	105	.	.	.	.	.	1	.	.	10	5	3	6	3	14	1	9	3	2
	Aug. 5,	16·6	3·9	123	.	.	.	.	.	2	2	.	13	7	9	2	4	9	4	12	2	.
	„ 12,	16·3	6·1	121	1	.	.	.	1	1	.	.	9	3	4	3	5	19	4	19	2	1
Cork. Pop. in 1911 76,632.	June 24,	19·7	0·7	29	.	.	.	.	.	.	.	.	5	2	.	1	4	.	.	1	.	3
	July 1,	18·4	0·7	27	.	.	.	1	.	.	.	.	2	.	1	.	3	.	.	.	2	2
	„ 8,	15·6	2·0	23	.	1	.	2	.	.	.	.	2	2	2	.	1	.	.	.	.	.
	„ 15,	11·6	.	17	.	.	.	.	.	.	.	.	3	1	1	.	5	.	.	.	.	1
	„ 22,	12·9	1·4	19	.	.	.	1	.	.	.	.	1	.	.	.	1	1	.	.	1	1
	„ 29,	16·3	1·4	24	.	.	.	.	.	1	.	.	5	.	2	.	3	1	.	.	.	1
	Aug. 5,	15·6	2·0	23	.	.	.	.	.	1	.	.	.	4	3	.	1	1	.	1	1	2
	„ 12,	9·5	2·0	14	.	.	.	.	.	.	.	.	1	3	.	1	1	3	.	.	.	.
Londonderry. Pop. in 1911 40,799.	June 24,	8·9	1·3	7	.	.	.	.	1	.	.	.	.	.	.	1	2	.	.	.	.	.
	July 1,	14·1	.	11	.	.	.	.	.	.	.	.	2	3	1	.	1	.	.	.	.	1
	„ 8,	8·9	1·3	7	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.
	„ 15,	19·2	.	15	.	.	.	.	.	.	.	.	3	1	.	1	4	.	.	.	1	.
	„ 22,	19·2	3·8	15	.	.	.	.	.	1	.	.	2	.	3	.	1	2	.	.	.	.
	„ 29,	11·5	3·8	9	.	.	.	.	.	1	.	.	1	1	.	1	1	1	1	.	.	.
	Aug. 5,	19·2	3·8	15	.	.	.	.	.	.	.	.	3	1	2	2	.	1	.	2	.	.
	„ 12,	11·5	1·3	9	.	.	.	.	.	.	.	.	4	1	.	.	.	1	.	.	.	.
Limerick. Pop. in 1911 38,403.	June 24,	6·8	1·4	5	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	1
	July 1,	14·9	.	11	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	3
	„ 8,	16·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1
	„ 15,	10·9	.	8	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3
	„ 22,	20·4	4·1	15	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	2	.	3
	„ 29,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.
	Aug. 5,	12·2	.	9	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	2
	„ 12,	13·6	2·7	10	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1	1	.	.
Waterford. Pop. in 1911 27,430.	June 24,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	July 1,	5·7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 8,	28·5	.	15	.	.	.	.	.	.	.	.	6	1	.	.	1	.	.	.	.	4
	„ 15,	5·7	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 22,	19·0	.	10	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2	3
	„ 29,	15·2	1·9	8	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	1
	Aug. 5,	17·1	1·9	9	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1	.	.
	„ 12,	20·9	3·8	11	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	2	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 12th August, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa: Of children under 2 years of age.	Diarrhœa: 2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.			The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																												
BELFAST URBAN No. 1 DISTRICT,	385,492	8			9	6	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	3	.	1	3	.
Do. 2 do.		23			17	5	2	3	3	1	3	.	.	.	.	.	.	.	.	2	.	.	.	.	5	.	2	1	2	4	1
Do. 3 do.		30			13	4	1	3	1	1	3	.	.	.	.	1	.	.	.	1	.	.	.	.	2	.	1	.	.	2	.
Do 4 do.		34			16	9	1	.	3	1	2	.	.	.	.	.	.	.	.	1	.	.	.	2	4	.	1	.	.	3	.
Do. 5 do.		13			4	.	1	.	.	2	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	1	.
Do. 6 do.		11			9	2	.	1	.	4	2	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	1	.	.	2	.
Do. 7 do.		1			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		20			4	1	.	2	.	1	.	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.
Do. 10 do.		18			9	2	1	1	1	3	1	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.
Do 11 do.		17			11	5	1	1	1	1	2	.	.	.	.	.	1	.	.	.	.	.	1	.	3	2	.	1	1	1	.
Do 12 do.		22			18	9	3	3	.	2	1	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	10	.	1	5	.
Do. 13 do.		11			4	1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	1	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		15			6	1	.	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1	.
Total,	—	225			121	45	11	14	11	23	17	1	.	.	.	1	1	.	.	9	3	4	3	5	19	4	19	2	6	22	1
City of Cork.			The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																												
CORK URBAN No. 1 DISTRICT,	76,632	6			2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Do. 2 do.		3			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 3 do.		2			4	1	1	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.	.	.	.	1	.
Do. 4 do.		2			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.		6			4	1	.	.	2	.	1	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	4	.
Do. 7 do.		6			2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Total,	—	26	9·5	2·0	14	3	1	.	7	2	1	.	.	.	.	.	.	.	.	1	3	.	1	1	3	.	.	.	.	8	.

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	Feb. 18.	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.
No. of weeks in Annual Series,	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
BIRTHS registered, ...	216	213	232	193	220	218	232	228	204	189	236	232	229	180	214	233	215	258	201	264	213	207	268	236	203	225
DEATHS registered, ...	149	141	133	118	118	147	138	172	161	154	160	109	120	123	123	125	115	107	82	116	92	123	121	105	123	121
Annual Death rate per 1,000 of estimated population, ...	19·5	18·5	17·4	15·4	15·4	19·2	18·1	22·5	21·1	20·2	20·9	14·3	15·7	16·1	16·1	16·4	15·5	14·4	11·1	15·7	12·4	16·6	16·3	14·2	16·6	16·3
AGES, Under 1 year, ...	31	21	25	20	33	23	26	36	24	23	23	19	19	25	22	18	19	23	16	18	11	25	32	38	39	45
1—5 years, ...	10	14	9	10	6	17	11	7	10	14	13	10	9	9	13	7	7	10	7	9	7	9	11	8	12	11
5—25 „ ...	21	17	18	9	10	19	11	14	17	13	21	13	17	15	17	14	14	16	7	16	15	16	14	11	7	14
25—45 „ ...	30	29	16	23	14	28	23	36	32	26	27	25	23	26	22	24	26	22	18	20	21	25	22	13	21	11
45—65 „ ...	32	26	35	29	27	30	38	45	37	39	46	22	29	31	27	34	20	20	20	37	25	29	23	17	23	23
65 and upwards, ...	25	34	30	27	28	30	29	34	41	39	30	20	23	17	22	28	29	16	14	16	13	19	19	18	21	17
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Typhus, ...	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1	.	.	1	1	.	.	.	1
Whooping-cough, ...	.	1	1	1	1	.	.	.	3	2	1	.	.	1	1	.	.	4	.	1	.	1	1	1	2	1
Diphtheria, ...	.	.	.	.	.	1	1	.	2	1	.	.	.	.	.	.	1	.	.	.	1	.	2	.	2	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	22	15	13	19	7	22	24	26	25	14	17	16	25	21	21	16	14	13	13	23	16	18	20	10	13	9
Tuberculous Disease. Other Forms,	11	10	10	7	8	9	8	8	4	11	15	12	7	10	12	11	6	10	2	2	5	8	6	5	7	3
Cancer, ...	5	8	3	6	11	8	4	5	5	6	12	3	6	1	4	6	8	6	6	7	4	6	3	3	9	4
Diseases of Respiratory System, Pneumonia,	14	11	15	10	10	14	16	13	19	23	18	10	10	13	6	11	9	9	5	5	7	2	4	6	2	3
Diseases of Respiratory System, Others, ...	25	20	20	20	14	16	19	26	29	34	16	20	15	19	11	18	18	13	10	8	11	14	10	3	4	5
Diarrhœa, Under 2 years, ...	.	.	1	.	1	.	.	1	.	.	.	.	1	1	2	1	.	1	1	2	1	6	10	14	9	19
Diarrhœa, 2 years & upwards	.	.	.	1	.	3	1	.	1	.	.	.	.	.	.	.	1	.	3	.	.	.	.	1	4	4
Enteritis, under 2 years, ...	2	2	1	.	.	3	2	1	2	2	1	1	1	3	3	4	2	.	1	1	1	3	8	9	12	19
Violent Deaths, ...	.	4	3	2	1	3	4	8	2	3	3	3	4	1	1	.	3	3	1	4	.	3	5	3	2	2
Number of Uncertified Deaths, ...	.	.	3	2	1	.	1	3	2	.	1	2	1	1	1	2	1	.	3	3	.	1	.	2	.	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	Aug. 12,	1,880	1,619	18·7	5	.	12	6	24	6	548*a*
Edinburgh, ...	320,829	„ 12,	121	75	12·2	1	.	.	.	.	1	6
Glasgow, ...	784,621	„ 12,	393	229	15·2	1	.	4	1	5	2	49
Calcutta, ...	890,493	July 8,	.	386	22·5	97*	.	1	.	.	2	48‡
Bombay, ...	977,822	„ 8,	390	554	29·5	73*	9	4	.	1	.	70
Madras, ...	509,346	June 17,	355	326	33·2	65*	8	2	?	?	?	55
Cairo, ...	689,439	„ 17,	566	752	56·9	4	1	19	3	.	5	267
Paris	2,846,986	July 15,	989	879	16·7	3	.	26	3	10	4†	62*a*
Brussels, ...	739,684	„ 22,	238	161	11·3	.	.	3	1	.	2	22
Antwerp, ...	320,640	„ 22,	120	88	14·3	1	.	1	.	1	.	24*a*
Amsterdam, ...	577,188	„ 22,	223	105	9·5	.	.	1	.	2	1†	10*a*
Copenhagen, ...	462,132	„ 22,	209	98	11·1	.	.	2	.	5	.	1*a*
Stockholm, ...	343,832	„ 15,	142	73	11·0	.	.	.	1	.	.	3*a*
Christiania, ...	244,038	„ 29,	92	46	9·8	.	.	2	.	.	1†	2
St. Petersburg, ...	1,639,266	„ 8,	633	637	20·3	7	4	32	4	4	5	144
Moscow, ...	1,493,600	„ 8,	.	1,276	44·5	3	8	17	9	4	9†	845
Berlin, ...	2,066,096	„ 8,	825	558	14·1	.	.	6	6	6	8†	43
Hamburg, ...	932,166	„ 22,	.	242	13·5	1	.	6	6	2	9†	28
Breslau, ...	518,860	„ 22,	.	195	19·6	.	.	1	.	1	.	43
Munich, ...	597,000	„ 29,	.	223	19·5	.	.	.	.	1	.	44
Vienna (with suburbs),	2,047,968	„ 22,	729	558	14·2	1	.	8	2	4	3†	55*a*
Buda-Pesth, ...	891,585	„ 22,	397	378	22·0	1	.	7	5	4	5†	69*a*
Prague and Faubourgs,	508,310	„ 8,	147	184	18·8	1	.	3	2	2	2†	12*a*
Trieste, ...	229,499	„ 15,	131	111	25·2	.	.	2	.	.	1†	15‡
Rome, ...	602,068	May 27,	255	145	12·6	.	.	2	1	1	.	14
		June 3,	244	162	14·0	.	.	2	1	3	1	10
Venice, ...	184,325	„ 10,	89	60	17·0	1	.	.	.	1	1	4
New York, ...	4,983,385	July 1,	2,588	1,212	12·7	11	.	21	10	8	18†	76*a*
Philadelphia, ...	1,580,250	„ 17,	.	437	14·3	4	.	3	4	3	3†	26*a*
Boston, ...	688,912	„ 22,	.	212	16·1	.	.	.	4	2	2	43

* Deaths from "fever," including 3 deaths from enteric fever and 47 deaths from plague in Calcutta, and 4 from enteric fever, and 28 from plague in Bombay.

† Including deaths from croup.

‡ Including 21 deaths from cholera in Calcutta, and one in Trieste.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending August 12th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	1	.	.	.	1	2
„ „ 1, West, ...	.	.	.	.	.	.	.	1	1	.	.	1	3
„ „ 2, ...	.	1	.	.	.	.	.	.	.	.	.	.	1
„ „ 3, ...	.	3	.	.	1	.	.	.	.	.	.	1	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	5	.	.	.	.	5
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	1	.	.	.	.	.	1	6	.	.	3	11
„ „ 2, ...	.	1	.	.	.	.	.	1	.	.	.	1	3
„ „ 3, ...	.	1	.	.	1	.	.	.	.	.	1	1	4
„ „ 4, ...	.	.	.	.	1	.	.	1	.	.	.	.	2
New Kilmainham, ...	.	1	.	.	.	.	.	.	.	.	.	.	1
Total, ...	.	8	.	.	3	.	.	10	7	.	1	8	37

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 12th August, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 12th August.			
	July 22.	July 29.	Aug. 5.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	29	35	38	5	2	2	39
Scarlet Fever, ...	66	70	66	16	15	3	64*
Typhus, ...	.	1	1	.	.	.	1
Diphtheria, ...	29	28	27	7	9	.	25
Enteric Fever, ...	35	31	34	2	5	2	29
Pneumonia, ...	18	13	17	2	3	2	14

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 12th August, 1911:—

"One more week of fine, summerlike weather has to be added to the record of the present extraordinary season of sunshine, warmth and drought. The tropical heat experienced in England culminated on Wednesday, August 9, when phenomenally high temperatures were reported from the midland and south-eastern counties of that country. Even on the sea coast the thermometer rose in the shade to 90° at Folkestone and 92° at Margate. Bath reported 91°, Birmingham and Nottingham 94°, Oxford and Kew 95°, South Kensington, Camden Square and Hillington (in Norfolk) 97°, and Greenwich Observatory 100°. The London readings on that remarkable day were the highest on record. On that day of tropical heat, Dublin experienced a maximum of only 70·3°, and at Birr Castle the thermometer did not rise above 65°, although the day was very fine. Until Wednesday England remained under the influence of an anticyclone of moderate intensity (30·2 to 30·3 inches), which had moved northeastwards from the Atlantic across the Bay of Biscay to France and Germany. During the same period Ireland and Scotland were alike affected by atmospheric depressions passing northwards over the Atlantic to Iceland. These systems caused fresh S. and S.W. winds and changeable weather in the countries named. Rain fell freely on Sunday in parts of Ireland, Wales, and the N.W. of England. In Dublin the weather cleared at noon and the bright afternoon which followed was a precursor of a succession of beautiful days. A shallow depression over Great Britain on Thursday brought N.W. to N.E. winds and cooler weather. On Friday the barometer fell slowly and the atmosphere became thick, some electrical clouds, including turreted cumulus, coming up from S. Thunder was heard rumbling in the Dublin and Wicklow Mountains on the afternoon of this day, and lightning was seen in the east about 11 p.m. A thunderstorm, with heavy showers, passed over Dublin between 5 and 6 a.m. of Saturday, which day, however, afterwards proved fine and warm, though hazy. In Dublin the mean height of the barometer was 30·061 inches, the range of pressure being from 29·669 inches at 9 a.m. of Sunday (wind, W.S.W.) and 30·263 inches at 9 a.m. of Thursday (wind, W.N.W.). The corrected mean temperature was 63·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 63·3°. The screened thermometers rose to 74·2° on Monday and fell to 53·1° on Friday. The wind was variable, chiefly S.W. The rainfall was ·154 inch on 3 days, ·080 inch being measured on Friday."

Erratum in last week's Report.—On page 495 the fourth sentence from the foot of the page should read: "The corrected mean temperature was 64·0°, while 62·7° represented the mean reading of the dry bulb thermometer at 9 a.m. and 9 p.m."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·885 inches. The highest reading (30·073) was on Thursday at 9 p.m., air calm, and the lowest (29·504) on Sunday at 9 a.m., wind S.W.

The mean temperature for the week was 60·8°, being 2·3° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Tuesday, on which day the thermometer registered 74·3°, and was lowest on Friday, the mercury having fallen to 41·4°. The mean of the Dry Bulb for the week was 60·8° and of the Wet Bulb, 57·6°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The rainfall during the week measured 0·170 inch.

At Greenwich the mean temperature for the week was 72·5°, the maximum 87·9°, and the minimum 58·8°, and at Edinburgh the maximum was 78·7°, the minimum 50·7°, and the mean 61·8°. The rainfall at Edinburgh measured 0·14 in. There was no rainfall recorded at Greenwich.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, August 6,	29·612	69·2	50·3	59·8	60·9	58·8	·88	·7	3·9	·090	S.W.	S.W.
Monday, " 7,	29·857	72·6	58·5	65·6	62·9	58·8	·77	·4	9·5	·000	S.W.	S.S.W.
Tuesday, " 8,	29·863	74·3	60·1	67·2	67·6	61·8	·70	·5	12·3	·000	S.S.W.	S.E.
Wednesday, " 9,	29·939	68·2	50·9	59·6	57·6	55·8	·89	·5	4·4	·000	W.S.W.	Calm.
Thursday, " 10,	30·069	68·4	49·6	59·0	52·5	51·3	·92	·3	8·8	·000	Calm.	Calm.
Friday, " 11,	29·978	65·9	41·4	53·7	60·5	56·4	·77	·6	9·0	·070	E.N.E.	Calm.
Saturday, " 12,	29·876	69·3	51·7	60·5	63·5	60·1	·82	·3	1·1	·010	E.N.E.	Calm.
Mean, ...	29·885	69·7	51·8	60·8	60·8	57·6	·82	·5	Total 49·0	Total ·170	—	

Sunday—Day overcast to cloudy, rain from 7 a.m. to 8 a.m. and 9.50 a.m. to 11.20 a.m.; night cloudy. *Monday*—Day cloudy, fine; night clear. *Tuesday*—A fine bright day; night clear. *Wednesday*—Day cloudy, fine; night clear. *Thursday*—Day cloudy, fine; night clear. *Friday*—Day fine a.m., cloudy p.m.; night overcast, thunderstorm with heavy rain on Saturday morning from 5.20 a.m. to 5.45 a.m. *Saturday*—Day cloudy; night cloudy, thunder and lightning with light rain, midnight o 3.30 a.m. Sunday morning.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, August 5th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, July 30,	67·0	65·4	60·0	73·7	58·2	66·0	8·8	·005
Monday, " 31,	62·0	65·5	60·4	73·4	59·9	66·7	3·0	·235
Tuesday, August 1,	69·5	65·5	61·0	73·5	59·3	66·4	7·3	—
Wednesday, " 2,	66·4	64·5	60·7	68·4	55·2	61·8	3·2	—
Thursday, " 3,	66·4	63·3	60·7	71·5	57·5	64·5	10·7	—
Friday, " 4,	66·0	63·8	61·0	70·0	53·5	61·8	6·1	·015
Saturday, " 5,	61·7	63·6	60·5	69·0	57·0	63·0	5·5	·075
Weekly Mean,	65·6	64·5	60·6	71·4	57·2	64·3	Total 44·6	Total ·330

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31062. Wt. P. 110-81/138. 375. 8. 1911. Sch. C 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 19TH AUGUST, 1911. [No. 33.

General Register Office, Charlemont House, Dublin, 21*st August,* 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending July 29	Week ending Aug. 5	Week ending Aug. 12	Week ending Aug. 19	Average Rate for 4 weeks.
22 Town Districts, ...	**16·4**	**16·8**	**17·1**	**19·4**	**17·4**
Armagh	6·9	6·9	6·9	.	5·2
Ballymena	9·2	13·8	27·5	36·7	21·8
Belfast	14·2	16·6	16·3	18·8	16·5
Clonmel	.	15·2	10·1	5·1	7·6
Cork	16·3	15·6	9·5	12·9	13·6
Drogheda	8·4	21·0	4·2	4·2	9·5
Dublin Reg. Area ...	22·5	18·9	20·7	25·1	21·8
Dundalk	15·9	11·9	11·9	15·9	13·9
Galway	11·8	7·9	7·9	19·7	11·8
Kilkenny	9·9	14·9	39·7	5·0	17·4
Limerick	13·6	12·2	13·6	10·9	12·6
Lisburn	8·6	21·4	8·6	12·9	12·9
Londonderry	11·5	19·2	11·5	16·6	14·7
Lurgan	8·6	8·6	8·6	.	6·5
Newry	26·2	17·4	21·8	8·7	18·5
Newtownards	17·2	22·9	34·3	22·9	24·3
Portadown	4·4	8·9	17·8	17·8	12·2
Queenstown	6·6	.	13·2	19·8	9·9
Sligo	4·7	14·0	14·0	4·7	9·4
Tralee	.	15·9	5·3	.	5·3
Waterford	15·2	17·1	20·9	22·8	19·0
Wexford	9·1	13·7	18·2	22·8	16·0

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 5·2 per 1,000, the rates varying from 0·0 in ten of the districts to 17·2 in Newtownards, the 4 deaths from all causes for that district including one from measles and 2 from enteritis of children under 2 years of age. Among the 139 deaths from all causes for Belfast are one from each of enteric fever and diphtheria, and 30 from diarrhœal diseases. Included in the 19 deaths from all causes for Cork are 3 from diarrhœa of children under 2 years of age, and among the 13 deaths from all causes for Londonderry are 3 from diarrhœal diseases. Of the 12 deaths for Waterford 3 are from enteritis of children under 2 years of age, one of the 4 deaths for Dundalk is from diphtheria, and 3 of the 4 deaths from all causes for Portadown are from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 233—124 boys and 109 girls—and the deaths to 199—108 males and 91 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 25·1 per 1,000 of the population. During the thirty-three weeks ending with Saturday last the death-rate averaged 21·3, and was 1·6 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 199, represent an annual rate of 25·7 per 1,000; the annual rate for the past thirty-three weeks was 22·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·9 per 1,000 of the mean population for all deaths registered.

The total deaths registered include 2 from enteric fever, 3 from whooping-cough, one death from diphtheria, and 49 deaths from diarrhœa and *enteritis* of infants under 2 years. In each of the three preceding weeks, deaths from enteric fever were one, 2, and 2; deaths from whooping-cough were 3, 4, and one; deaths from diphtheria were one, 0, and 0; and deaths from diarrhœa and *enteritis* of children under 2 years 34, 29, and 41, rising to 49 in the week under notice as aforesaid.

Deaths from all forms of tuberculosis numbered 28, this figure comprises 19 deaths from pulmonary tuberculosis, 5 deaths from abdominal tuberculosis, 2 deaths from tuberculosis of other organs, and 2 deaths from disseminated tuberculosis. In the three preceding weeks deaths from tuberculosis were 32, 25, and 18, respectively.

There were 7 deaths attributed to cancer.

Two deaths from broncho-pneumonia and one death from *pneumonia* (type not distinguished) were registered.

Of 15 deaths from diseases of the brain and nervous system 5 were from convulsions—4 of these were of infants under one year and one was a death between the ages of one year and 2 years.

Twelve deaths were assigned to organic diseases of the heart, and bronchitis was accountable for 11 deaths.

Five deaths of infants were attributed to prematurity, and 8 to congenital debility.

Of 5 accidental deaths, one was caused by a tramcar, one was by burning, and 2 were by drowning.

Three deaths by suicide were registered during the week.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 infants under one year old and the death of one person aged 80 years.

Ninety-four of the persons whose deaths were registered during the week were under 5 years of age (65 being infants under one year, of whom 11 were under one month old) and 25 were aged 65 years and upwards, including 21 persons aged 70 and upwards; among the latter were 14 aged 75 years and upwards, of whom one (a female) was stated to have been aged 93 years.

Seventy-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the North Dublin Union Workhouse and 26 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 25·1 per 1,000; the rate in the City was 26·1 (North City Districts, 27·3; South, 24·8) and in the Suburbs, 21·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 8·0 per 1,000 inhabitants, the rate for the City being 9·3 (8·5 in the North City Districts, and 10·0 in the South), and for the Suburbs, 3·9 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (14) are equal to an annual rate of 24·5 per 1,000. There were 4 deaths from diarrhœa and *enteritis* of children under 2 years of age, and 3 deaths from diseases of the respiratory system.

No. 1 *North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 23·5 per 1,000. Eight deaths from diarrhœa, one death from pulmonary tuberculosis, one death from bronchitis, and one death caused by accidental drowning were recorded.

No. 2 *North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 25·5 per 1,000. Among them are one death from diphtheria, 6 deaths from diarrhœa, and one death from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (27) represent an annual rate of 42·0 per 1,000, and include one death from enteric fever, 2 deaths from diarrhœa of children under 2 years of age, 6 deaths from tuberculous disease, and one death from *pneumonia* (type not distinguished).

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 18·0 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 34·0. The 4 deaths from all causes for Coolock and Drumcondra, part of, comprise 3 from diarrhœa of children under 2 years of age, and one from drowning, and included in the 5 deaths from all causes for Finglas and Glasnevin, part of, is one from *enteritis* of a child under 2 years of age, and 2 accidental deaths.

No. 1 *South City District* (South Earl-street).—The deaths (22) represent an annual rate of 27·7 per 1,000. One death from enteric fever, 7 deaths from diarrhœa and *enteritis* of children under 2 years of age, 6 deaths from tuberculous disease, and one accidental death were recorded.

No. 2 *South City District* (Castle-street).—The deaths (5) are equal to an annual rate of 12·0 per 1,000. There were 3 deaths from diarrhœa and *enteritis* of children under 2 years of age, and one death from pulmonary tuberculosis.

No. 3 *South City District* (Peter-street).—The deaths (20) are equal to an annual rate of 24·2 per 1,000. Among them were one death from whooping-cough, 6 deaths from diarrhœa and *enteritis* of children under 2 years of age, 4 deaths from tuberculous disease, one death from broncho-pneumonia, and 2 deaths from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (20) are equivalent to an annual rate of 29·1 per 1,000, and include one death from whooping cough, 6 deaths from diarrhœa of children under 2 years of age, 2 deaths from pulmonary tuberculosis, one death from broncho-pneumonia, 2 deaths from bronchitis, and one death caused suicidally.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 28·8 per 1,000. There were 4 deaths from diarrhœa and one death from tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 20·4; Pembroke, 17·8; Blackrock, 28·7; and Kingstown, 27·2. The deaths from the principal epidemic diseases tabulated for these districts include one death from diarrhœa for Rathmines and Rathgar, 3 deaths from diarrhœal diseases and one death from whooping-cough for Pembroke, one death from *enteritis* of a child under 2 years of age for Blackrock, and one death from diarrhœa for Kingstown. Among the 15 deaths from all causes for Rathmines and Rathgar are 5 deaths from tuberculous disease, one death from bronchitis, and 2 deaths caused by suicide; of the 10 deaths from all causes for Pembroke one is from pulmonary tuberculosis, and one from bronchitis; and the 9 deaths from all causes for Kingstown include one from bronchitis.

* See note (‡) at foot of first page.

Note.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 19th August, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	July 29,	.	—	—	8	.	.	7	.	1	7	5	.	—	—	.	—	12	—	40
	Aug. 5,	.	—	—	14	1	.	9	.	1	5	6	.	—	—	.	—	20	—	56
	Aug. 12,	.	—	—	8	.	.	3	.	.	10	7	.	—	—	1	—	8	—	37
	Aug. 19,	.	—	—	14	.	.	6	.	3	7	3	.	—	—	.	—	1	—	34
Rathmines and Rathgar Urban District.	July 29,	.	—	—	.	.	.	3	.	.	.	3	.	.	—	—	—	—	—	6
	Aug. 5,	.	—	—	.	.	.	2	.	.	.	1	.	.	—	—	—	—	—	3
	Aug. 12,	.	—	—	1	.	.	1	.	.	.	.	.	.	—	—	—	—	—	2
	Aug. 19,	.	—	—	.	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Pembroke Urban District.	July 29,	.	11	.	1	.	.	1	.	.	.	1	.	.	.	.	—	.	—	14
	Aug. 5,	.	1	.	.	.	.	.	.	.	.	1	.	.	10	.	—	.	—	12
	Aug. 12,	.	.	.	.	.	.	.	.	.	1	.	.	.	9	.	—	.	—	10
	Aug. 19,	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	—	.	—	4
Blackrock Urban District.	July 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 19,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	July 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Aug. 5,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Aug. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Aug. 19,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	July 29,	.	—	—	8	.	.	7	1	.	5	1	.	—	—	1	—	13	—	36
	Aug. 5,	.	—	—	8	.	.	6	.	1	2	1	.	—	—	.	—	16	—	34
	Aug. 12,	.	—	—	10	.	.	3	.	.	2	7	.	—	—	.	—	10	—	32
	Aug. 19,	.	—	—	9	.	.	8	.	1	4	4	1	—	—	.	—	6	—	33

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 19th August, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Four cases of measles were admitted to hospital during the week, 11 were discharged, and 32 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 35, 38, and 39, respectively.

Fifteen cases of scarlet fever were admitted to hospital, 19 were discharged, there was one death, and 59* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 70, 66, and 64, respectively.

One case of typhus remained under treatment in hospital at the close of the week.

Eight cases of diphtheria were admitted to hospital during the week, 5 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 28, 27, and 25, respectively, were 27 at the close of last week.

Eleven cases of enteric fever were admitted to hospital during the week, 9 were discharged, there were 2 deaths, and 29 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 31, 34, and 29.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 7 were discharged, there was one death, and 11 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 19·1) was equal to an average annual death-rate of 20·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 14·2 per 1,000, the rate for Glasgow being 16·4 and for Edinburgh 10·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 19th August. From this Report it appears that of a total of 42 cases notified, 16 were phthisis, 9 diphtheria, 9 scarlet fever, and 8 erysipelas. Among the 315 cases of infectious diseases in hospital at the close of the week, were 109 cases of scarlet fever, 60 of diphtheria, 58 of phthisis, 45 of whooping-cough, 22 of measles, 7 of chicken-pox, and 6 of erysipelas.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 19th August, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 19th August, 1911. Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 19th August, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 12th August, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 5th August, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
Total of 22 Town Districts, ...	1,149,495	20·2	27·9	19·4	5·2	614	427	133	72	3	...	...	1	...	3	3	...	32	21	12	15	24	62	11	31	16	22	123	14	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:— Total. (c.) ...	403,732	29·3	30·1	25·1	8·0	233	194	65	25	2	...	...	...	...	3	1	...	18	9	6	3	13	37	7	12	8	8	68	7	e78·3	45·1	61·2	0·01	e74·3	41·4	60·8	0·17	e73·6	49·8	62·5	0·43
City of Dublin.	309,738	39·2	34·2	26·1	9·3	203	155	53	18	2	...	...	...	...	2	1	...	14	7	3	3	10	34	6	10	6	6	62	3	f78·1 g79·9	55·2 47·0	64·8 63·6	0·01 0·01	f74·2 g73·9	53·1 45·4	63·4 62·5	0·15 0·16	f73·2 g73·9	55·0 51·0	64·0 63·6	0·44 0·48
Urban Districts. Rathmines and Rathgar.	38,330	22·4	13·6	20·4	1·4	10	15	4	3	...	...	...	...	...	...	...	...	3	2	2	...	1	1	...	...	2	2	3	2	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,347	18·5	17·8	17·8	7·1	10	10	4	1	...	...	...	...	...	1	...	...	1	..	1	...	1	1	1	1	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,090	8·4	11·5	28·7	5·7	2	5	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,227	11·8	24·2	27·2	3·	8	9	2	2	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	...	76	53	63·4	0·00	73	54	63·7	0·04	72	54	62·9	0·54
Urban Districts. Belfast ...	386,449	26·3	29·0	18·8	4·3	215	139	44	24	1	...	...	...	...	...	1	...	6	7	4	9	6	17	3	10	6	9	32	1	79·8	47·5	64·2	0·12	73·0	50·8	62·3	0·91	71·0	52·0	61·7	1·06
Cork, ...	76,632	33·8	33·3	12·9	2·0	49	19	6	5	...	...	...	...	...	...	...	...	2	1	...	1	1	3	...	...	...	1	7	...	74	55	64·3	0·15	72	52	61·0	0·51	67	55	62·0	2·00
Londonderry...	40,799	18·9	19·2	16·6	3·8	15	13	3	2	...	...	...	...	...	...	...	...	2	...	1	...	1	2	...	1	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,403	18·2	13·6	10·9	.	10	8	2	2	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	1	1	4	1	83·8	50·2	65·1	0·02	73·1	41·4	60·5	0·2)	72·0	49·9	61·2	1·35
Waterford, ...	27,430	19·1	15·2	22·8	5·7	8	12	3	3	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	3	...	1	6	2	...	..	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,249	2·5	31·5	19·7	.	8	5	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	2	...	87	54	68	0·00	74	50	63	0·33	75	55	63	1·55
Dundalk, ...	13,128	9·5	27·8	15·9	4·0	7	4	...	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,425	8·4	4·2	4·2	.	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	11,956	17·2	26·2	8·7	.	6	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	1	...	...	80·1	47·0	64·5	0·57	74·0	46·0	61·7	0·02	72·0	50·6	61·6	1·18
Lurgan, ...	12,135	14·3	8·6	.	.	2	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	80·1	47·0	64·5	0·57	74·0	46·0	61·7	0·02	72·0	50·6	61·6	1·18
Lisburn, ...	12,172	10·7	17·1	12·9	4·3	4	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	80·1	47·0	64·5	0·57	74·0	46·0	61·7	0·02	72·0	50·6	61·6	1·18
Wexford, ...	11,455	23·8	36·4	22·8	4·6	8	5	2	3	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	..	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena, ...	11,376	9·3	36·7	36·7	4·6	8	8	1	3	...	...	...	...	...	...	...	...	1	...	...	1	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8	18·7	4·7	4·7	4	1	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	82·2	48·4	65·2	0·08	74·8	43·3	62·0	0·19	71·9	45·0	60·6	1·67
Kilkenny, ...	10,513	11·4	44·6	5·0	.	9	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	82	53	65·7	0·10	72	46	62·2	0·36	71	48	61·8	1·76
Clonmel, ...	10,277	7·9	25·4	5·1	.	5	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	11,727	15·3	40·0	17·8	13·3	9	4	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	2	...	...	...	...	80·1	47·0	64·5	0·57	74·0	46·0	61·7	0·02	72·0	50·6	61·6	1·18
Tralee, ...	9,867	16·6	31·7	.	.	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	28·6	22·9	17·2	5	4	3	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	70	51	60·1	0·00	72	50	60·6	0·32	68	50	59·9	0·79
Queenstown, ...	7,909	14·4	6·6	19·8	.	1	3	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	74	55	64·3	0·15	72	52	61·0	0·51	67	55	62·0	2·00
Armagh, ...	7,588	22·2	6·9	.	.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	80·1	47·0	64·5	0·57	74·0	46·0	61·7	0·02	72·0	50·6	61·6	1·18

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 5 deaths of persons, admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 19th of August, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	3	.
Diphtheria,	.	.	1	.	.	.	.	.	.	.	.	.	.	.		.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	.	1	.	4	.	.	.	3	1	3	2	.	3	1	.	.	18	1
Tuberculous Disease. — Other Forms,	.	.	.	2	.	.	.	3	.	1	.	1	2	.	.	.	9	.
Cancer,	1	.	.	.	.	.	.	.	.	1	1	.	2	1	.	.	6	1
Diseases of Nervous System,	3	1	1	1	.	.	1	.	.	1	1	.	2	1	.	3	15	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	5	.	3	.	.	.	.	.	.	.	.	.	.	3	1	13	.
" Respiratory System. — Pneumonia,	.	.	.	1	.	.	.	.	.	1	1	.	.	.	.	.	3	.
" Respiratory System. — Others,	3	1	1	1	.	.	.	.	.	2	2	.	1	1	.	1	13	.
" Digestive System. — Diarrhœa, under 2 years,	3	7	2	2	.	3	.	4	1	3	6	3	1	1	.	1	37	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	1	4	.	.	.	.	.	.	.	.	1	.	1	.	.	7	.
" Digestive System. — *Enteritis*, under 2 years,	1	.	.	.	.	.	1	3	2	3	.	.	.	1	1	.	12	.
" Digestive System. — Enteritis, 2 years and upwards,	.	1	.	2	.	.	.	1	.	.	1	.	.	.	.	.	5	1
" Digestive System. — Others,	.	.	1	2	.	.	1	3	.	1	.	.	.	.	.	1	9	.
" Genito-urinary System,	.	.	3	.	.	.	.	1	.	.	1	.	.	1	.	.	6	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	.	1	6	.	.	.	1	1	3	2	.	2	1	1	2	21	2
Violent Deaths,	.	1	.	.	.	1	2	1	.	.	1	.	2	.	.	.	8	.
Ill-defined, &c. Causes,	.	.	1	1	.	.	.	1	.	.	1	.	.	.	.	.	4	.
Deaths from All Causes	14	18	15	27	.	4	5	22	5	20	20	5	15	10	5	9	194	5
Annual Rate of Mortality from All Causes in every 1,000 of the population.	24·5	23·5	25·5	42·0	.	18·0	34·0	27·7	12·0	24·2	29·1	28·8	20·4	17·8	28·7	27·2	25·1	.
	27·3							24·8					21·6					
	26·1																	
Ages at Death. — Under 1 year,	7	7	3	7	.	3	1	5	4	6	7	3	4	4	2	2	65	.
1 and under 2 years,	1	1	2	1	.	.	.	4	1	2	2	.	1	.	.	2	17	1
2 " 5 "	.	.	3	2	.	.	.	2	.	1	2	1	.	.	.	.	11	.
5 " 15 "	1	1	1	.	.	.	.	2	.	.	.	.	.	.	.	.	5	.
15 " 25 "	.	.	.	1	.	.	.	1	.	2	.	1	1	.	.	1	7	.
25 " 45 "	1	4	2	5	.	.	2	2	.	2	4	.	5	1	1	.	29	2
45 " 65 "	3	4	3	6	.	1	2	4	.	3	1	.	1	4	1	2	35	2
65 and upwards,	1	1	1	5		.	.	2	.	4	4	.	3	1	1	2	25	.
Number of Uncertified Deaths,	1	.	1	.	.	.	1	.	.	.		.	2	1	1	.	7	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	2	2	4	.	2	3	4	.	4	3	.	.	1	.	1	27	3
Workhouse Hospitals,	.	3	1	12	.	.	.	6	1	7	7	.	3	1	.	.	41	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday Aug. 17, 1901.	Aug. 16, 1902.	Aug. 22, 1903.	Aug. 20, 1904.	Aug. 19, 1905.	Aug. 18, 1906.	Aug. 17, 1907.	Aug. 15, 1908.	Aug. 21, 1909.	Aug 20, 1910.	Averages in 33rd Week of the 10 years 1901–1910.	In the Week ending Saturday, 19th August, 1911. Mean Temp.	Deaths of Persons of the Ages of 0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 58·9	° 57·0	° 53·3	° 55·8	° 58·2	° 58·9	° 58·9	° 56·8	° 58·8	° 58·8	° 57·5	° 61·2										
ALL CAUSES.	148	145	169	183	151	151	145	167	157	126	154·2	199	11	54	18	11	5	7	31	37	11	14
Enteric Fever, ...	.	1	.	1	1	.	1	.	.	2	·6	2	.	.	.	.	.	2	.	.	.	.
Typhus, ...	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	20	.	4	1	1	7	3	.	.	3·6	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	1	.	.	1	.	.	.	1	1	·5	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	3	.	1	3	.	1	3	1	1	2	1·5	3	.	1	1	1	.	.	.	.	.	.
Diphtheria, ...	.	.	1	1	.	.	.	1	1	2	·6	1	.	.	.	.	1	.	.	.	.	.
Croup, ...	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	2	.	1	.	.	.	1	1	1	·7	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	2	.	.	2	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	1	.	1	.	.	2	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	24	18	22	21	23	21	19	14	18	17	19·7	19	.	1	.	.	2	1	12	3	.	.
Tuberculous Meningitis, ...	1	3	4	6	3	1	2	5	5	.	3·0	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	4	.	1	4	2	2	2	2	.	1	1·8	5	.	1	3	1	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	6	2	8	8	10	6	3	4	2	6	5·5	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												2	.	.	.	.	.	1	1	.	.	.
Scrofula												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												2	.	.	1	1	.	.	.	.	.	.
Venereal Diseases, ...	.	1	.	.	.	1	2	1	1	.	·6	2	1	1	.	.	.	.	.	.	.	.
Cancer, ...	3	8	12	3	5	12	6	12	10	9	8·0	7	.	.	.	.	.	.	1	4	1	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	1	.	3	1	2	1	1	·9	1	.	.	.	.	.	1	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	2	.	.
Alcoholism, ...	.	1	1	.	.	1	4	.	.	.	·7	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	1	1	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												1	.	.	1	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												2	.	.	.	.	.	.	.	1	.	1
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												2	.	.	.	.	.	.	.	1	.	1
Epilepsy, ...												2	.	.	.	.	.	1	.	.	.	1
Convulsions (non-puerperal),												5	1	3	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	30	40	27	43	34	31	24	24	30	23	30·6	3	.	.	.	.	.	.	.	3	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,												12	.	.	.	.	.	.	4	4	2	2
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												1	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	9	8	13	3	9	11	15	9	6	9	9·2	11	.	1	1	1	1	1	2	3	.	1
Broncho-pneumonia, ...	8	6	1	.	1	2	3	2	1	2	5·8	2	.	1	.	1	.	.	.	.	.	.
Lobar-pneumonia, ...		.	.	.	1	.	.	.	2	1		.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)		3	4	4	.	2	4	2	5	4		1	.	.	.	.	.	.	.	1	.	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	1	4	1	1	.	3	3	2	1	1·7	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												2	.	.	.	.	.	.	.	2	.	.

THIRTY-THIRD WEEK ending Saturday, 19th August, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 33rd Week of the 10 years 1901–1910.	In the Week ending Saturday, 19th August, 1911.										
													Deaths of Persons of the Ages of									
	Aug. 17, 1901.	Aug. 16, 1902.	Aug. 22, 1903.	Aug. 20, 1904.	Aug. 19, 1905.	Aug. 18, 1906.	Aug. 17, 1907.	Aug. 15, 1908.	Aug. 21, 1909.	Aug. 20, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 58·9	° 57·0	° 53·3	° 55·8	° 58·2	° 58·9	° 58·9	° 56·8	° 58·8	° 58·8	° 57·5	° 61·2										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	4	.	.	1	.	.	.	.	1	2	.
Diarrhœa of Children under 2 years.	30	1	11	33	20	29	6	37	20	6	19·3	37	1	29	7	.	.	.	.	.	.	.
,, 2 years and upwards,												7	.	.	.	4	.	.	1	1	.	1
Enteritis of Children under 2 years.	1	.	6	10	7	2	2	6	10	4	4·8	12	1	11	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												6	.	.	.	1	.	.	3	2	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	1	2	3	2	1	3	1	.	1	.	2·0	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...		2	.	.	.	.	1	1	1	1		1	.	.	.	.	.	.	.	.	1	.
Peritonitis (cause unknown),	1	.	3	1	.	2	.	2	.	.	·9	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	2	5	9	8	7	3	6	4	5	4	5·3	3	.	.	1	1	.	.	1	.	.	.
Acute Nephritis, ...												1	.	.	.	.	.	.	.	1	.	.
Chronic Bright's Disease, ...												5	.	.	.	.	.	.	2	3	.	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	4	4	7	5	1	2	2	4	8	9	4·6	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	
Other Diseases of Genito-urinary System.												.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	1	1	.	1	3	.	.	1	.	·8	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	1	1	5	4	2	1	3	2	3	4	2·6	5	5	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	8	2	5	1	.	.	.	.	.	.	.
Old Age, ...	6	3	3	2	4	2	.	1	3	4	2·8	5	.	.	.	.	.	.	.	.	1	4
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	2	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	1	.	.	.	.	.	.	1	1	1	·4	1	.	.	.	.	.	.	1	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	.	.	1	1	2	.	.	2	.	.	·6	1	.	.	.	.	.	.	1	.	.	.
By Drowning, ...	.	.	1	1	.	1	.	1	.	.	·4	2	.	.	.	.	1	.	.	1	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	.	3	1	.	1	1	1	4	1	1	1·3	1	.	.	.	.	.	.	1	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	1	1	.	.	.	.	.	.	·2	3	.	.	.	.	.	.	.	1	2	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	4	.	.	.	.	.	.	.	.	2	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.
No. of weeks in Annual Series,	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
BIRTHS registered.	214	217	238	203	276	230	198	171	174	259	260	242	226	246	261	228	232	185	324	190	190	294	233	198	210	233
Average Births in corresponding week of previous 10 years, ...	209	216	223	212	212	233	202	210	223	199	268	231	210	204	238	226	207	224	237	205	204	208	221	217	208	217
DEATHS registered, ...	195	180	174	170	214	177	191	174	196	181	176	170	129	158	150	149	159	127	155	120	172	162	186	153	169	199
Annual Death-rate per 1,000, ...	25·0	23·1	22·3	21·8	27·4	22·7	24·5	22·3	25·1	23·2	22·5	21·8	16·5	20·2	19·2	19·2	20·5	16·4	20·0	15·5	22·2	20·9	24·0	19·8	21·8	25·7
Average Deaths in corresponding week of previous 10 years, ...	210	218	210	194	201	203	199	195	197	190	177	178	171	169	154	151	149	148	134	140	141	144	147	145	146	154
Ages, Under 5 years, ...	57	70	59	39	56	48	54	63	54	50	56	48	40	37	43	34	42	44	56	43	41	51	88	73	72	94
5—15 ,, ...	10	9	12	9	7	14	17	4	5	11	14	7	6	14	10	8	4	9	10	4	13	6	5	6	8	5
15—25 ,, ...	6	6	7	7	13	8	10	10	14	7	6	8	9	11	9	9	13	2	7	7	11	10	6	6	4	7
25—45 ,, ...	35	32	24	24	42	19	33	25	31	33	15	35	21	21	29	26	32	18	20	19	31	26	21	22	19	31
45—65 ,, ...	35	36	36	42	44	36	44	43	45	35	30	38	36	39	29	33	31	34	28	20	33	37	29	21	40	37
65—75 ,, ...	29	19	19	28	32	29	27	19	29	25	34	19	10	24	17	26	18	13	16	15	24	18	24	15	14	11
75 and upwards, ...	23	8	17	21	20	23	6	10	18	20	21	15	7	12	13	13	19	7	18	12	19	14	13	10	12	14
Deaths from :—																										
Enteric Fever, ...	2	4	3	1	2	1	3	1	1	.	1	1	1	1	1	.	.	1	.	1	3	2	1	2	2	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	7	7	7	3	2	1	7	11	5	8	17	4	6	3	4	2	8	7	4	7	3	7	5	2	.
Scarlet Fever, ...	2	2	.	.	1	.	1	4	1	.	1	1	.	2	2	2	.	.	.	1	3	.	2	1	3	.
Whooping-cough, ...	7	11	4	4	6	5	3	6	.	2	3	2	4	1	4	1	3	2	2	.	1	4	3	4	1	3
Diphtheria, ...	2	.	2	.	1	1	4	3	4	1	2	3	1	.	1	4	1	4	2	2	3	2	1	.	.	1
Influenza, ...	7	2	2	2	1	2	2	.	3	.	3	2	1	2	.	.	1	.	1	1	1	2	1	.	1	.
Dysentery, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Tuberculous Disease, Phthisis, ...	18	20	17	28	32	16	29	21	33	22	21	17	25	22	22	25	23	7	21	7	20	17	17	16	13	19
Tuberculous Disease, Other Forms,	7	7	8	8	15	13	10	3	8	10	6	6	6	9	9	8	7	11	6	7	12	10	15	9	5	9
Cancer, ...	6	5	8	6	10	13	11	8	7	9	6	5	6	11	9	12	10	7	8	12	4	10	6	5	11	7
Diseases of Circulatory System,	21	14	13	24	27	22	23	14	15	24	17	23	7	19	12	12	23	14	22	16	22	20	15	10	13	13
Diseases of Respiratory System, Pneumonia,	21	13	16	14	13	13	18	19	16	18	22	15	12	6	10	8	9	8	9	9	10	8	12	1	8	3
Diseases of Respiratory System, Others, ...	28	29	25	23	27	24	24	26	26	16	34	20	15	14	15	16	17	9	17	6	11	10	13	3	8	13
Diarrhœa, Under 2 years, ...	3	1	1	2	5	1	3	2	1	2	2	1	2	1	6	.	3	3	.	1	3	9	27	20	29	37
Diarrhœa, 2 years & upwards,	1	1	.	3	.	1	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	5	1	6	7
Enteritis, under 2 years, ...	1	1	2	1	3	1	3	3	2	2	2	.	1	1	4	1	1	1	3	3	2	2	7	9	12	12
Violent Deaths, ...	5	2	4	5	5	5	6	1	7	9	3	.	1	5	2	3	6	5	2	6	7	2	5	2	2	8
Number of Uncertified Deaths,	4	7	8	7	2	5	1	1	2	8	4	3	1	5	4	3	4	.	5	9	5	2	3	3	7	7
Mean Temperature of the Air (Phœnix Park)	43·4	46·5	41·1	38·0	41·7	42·7	39·4	43·7	50·5	50·5	49·6	52·6	49·5	55·3	56·2	55·6	52·6	56·2	55·5	59·6	60·9	62·9	62·7	62·5	60·8	61·2
Average Mean Temperature in corresponding week of previous 10 years, ...	39·9	40·5	41·7	42·7	42·6	42·4	44·1	43·1	45·1	46·2	46·7	48·1	49·1	50·9	53·7	53·5	53·6	55·5	56·5	57·5	58·5	59·8	58·2	58·6	58·5	57·5
Rainfall in inches, ...	·523	·681	·316	·206	·000	·770	·131	·000	·501	·606	·780	·127	·262	·010	·000	·000	·605	·782	·166	·018	·000	·316	1·860	·430	·170	·010
Mean Humidity of the Air, complete Saturation 1·0, ...	·91	·92	·91	·89	·87	·90	·86	·86	·89	·91	·93	·94	·92	·89	·89	·88	·86	·91	·91	·92	·84	·92	·92	·92	·82	·82

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 19th August, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 19TH AUGUST, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	199	94	5	7	31	37	11	14	2	.	.	.	.	3	1	.	19	9	7	5	3	13	37	7	12	8	73	7
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	12·0	4	.	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	.
II.	MIDDLE CLASS, ...	87,188	16·7	28	7	.	1	5	11	1	3	.	.	.	.	.	.	.	.	.	2	3	1	1	2	4	.	.	4	11	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	19·8	42	17	2	2	7	9	1	4	1	.	.	.	.	.	.	.	7	.	1	1	1	2	6	3	3	1	16	2
IV.	GENERAL SERVICE CLASS, ...	154,279	27·7	82	54	3	2	8	7	5	3	1	.	.	.	.	1	1	.	5	3	1	3	1	5	25	4	7	2	23	4
V.	INMATES OF WORKHOUSES, ...	6,024	—	43	16	.	2	11	8	3	3	.	.	.	.	.	2	.	.	7	4	1	.	.	4	2	.	2	.	21	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4	.	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	30·8	13	4	.	.	2	7	.	.	.	.	.	.	.	.	.	.	.	1	3	1	1	.	2	.	.	1	4	.
	6. Clerks and Commercial Assistants, ...	30,432	15·4	9	2	.	1	1	4	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.	1	4	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	7·7	4	1	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	42·2	8	3	.	1	2	1	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	1	.	.	4	1
	9. Building and Furnishing Trades, ...	29,801	12·2	7	5	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	3	1	1	.
	10. Clothing Trades, ...	23,260	6·7	3	.	.	1	.	1	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
	11. Food Supply Trades, ...	9,242	11·3	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	32·6	19	6	1	.	4	6	1	1	.	.	.	.	.	.	.	.	4	.	1	1	.	1	3	2	.	.	7	1
	13. Petty Shopkeepers, ...	7,894	19·8	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	23·3	6	2	1	.	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	3	1
	15. Domestic Servants, ...	36,603	7·1	5	1	1	1	1	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	1	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	32·6	9	7	.	.	1	.	.	1	.	.	.	.	.	1	.	.	1	1	.	.	.	.	3	.	2	.	1	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	36·0	62	44	1	1	5	7	2	2	.	.	.	.	.	.	.	.	3	2	1	3	1	4	21	4	4	1	18	3
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	43	16	.	2	11	8	3	3	.	.	.	.	.	2	.	.	7	4	1	.	.	4	2	.	2	.	21	

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 29,854.	July 1,	14·0	1·7	8	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	.	.	.
	„ 8,	5·2	.	3	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
	„ 15,	21·0	3·5	12	.	.	.	1	.	1	.	.	1	2	1	3	.	.	.	.	.	.
	„ 22,	24·5	8·7	14	1	.	.	1	.	1	.	.	.	.	1	.	1	1	.	1	.	.
	„ 29,	38·4	15·7	22	.	.	.	.	.	.	.	.	2	2	.	1	3	7	1	1	1	.
	Aug. 5,	26·2	14·0	15	1	.	.	2	.	.	.	.	2	.	1	.	.	3	1	1	.	.
	„ 12,	27·9	10·5	16	.	.	.	.	.	.	.	.	1	.	1	2	1	3	1	2	.	1
	„ 19,	24·5	7·0	14	.	.	.	.	.	.	.	.	.	.	1	.	3	3	.	1	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 39,902.	July 1,	19·6	2·6	15	.	.	.	2	.	.	.	.	2	.	2	2	.	.	.	.	.	.
	„ 8,	14·4	.	11	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.
	„ 15,	26·1	3·9	20	2	.	.	.	1	.	.	.	2	.	.	2	4	.	.	.	.	1
	„ 22,	13·1	1·3	10	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.	1	.	.
	„ 29,	24·8	3·9	19	.	.	.	1	1	.	.	.	.	2	.	3	1	1	.	.	.	.
	Aug. 5,	22·2	5·2	17	.	.	.	.	.	.	.	.	2	1	.	.	1	2	.	2	.	.
	„ 12,	31·4	13·1	24	.	.	.	.	.	.	.	1	1	1	1	1	2	7	2	.	1	2
	„ 19,	23·5	10·5	18	.	.	.	.	.	.	.	.	1	.	.	.	1	7	1	.	1	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 30,689.	July 1,	15·3	1·7	9	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.
	„ 8,	17·0	1·7	10	.	.	.	.	.	.	1	.	.	3	.	1	2	.	.	.	.	.
	„ 15,	25·5	10·2	15	1	.	.	3	.	.	1	.	2	1	.	.	.	1	.	.	.	.
	„ 22,	18·7	5·1	11	.	.	.	.	.	1	.	.	2	1	1	1	1	2	.	.	.	.
	„ 29,	34·0	8·5	20	.	.	.	.	1	1	.	.	2	2	.	3	2	2	1	.	1	.
	Aug. 5,	27·2	10·2	16	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	1	1	.
	„ 12,	30·6	6·8	18	.	.	.	.	1	.	.	.	1	.	1	1	1	2	.	1	.	1
	„ 19,	25·5	11·9	15	.	.	.	.	.	.	1	.	.	.	.	.	1	2	4	.	.	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,498.	July 1,	18·7	3·1	12	.	.	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	„ 8,	21·8	3·1	14	.	.	.	2	.	.	.	.	1	.	3	1	1	.	.	.	2	1
	„ 15,	15·6	.	10	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	1	.
	„ 22,	23·3	4·7	15	1	.	.	1	.	.	.	.	2	.	2	.	1	1	.	.	.	1
	„ 29,	26·5	7·8	17	.	.	.	.	.	1	.	.	2	2	.	1	2	2	1	1	.	.
	Aug. 5,	14·0	4·7	9	.	.	.	1	.	.	.	.	2	.	1	.	.	1	.	1	.	.
	„ 12,	15·6	6·2	10	.	.	.	.	1	.	.	.	.	.	.	.	2	2	.	1	.	1
	„ 19,	42·0	4·7	27	1	.	.	.	.	.	.	.	4	2	.	1	1	2	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,401.	July 1,	30·2	2·5	24	.	.	.	.	.	.	1	.	5	1	.	.	5	.	.	1	.	1
	„ 8,	22·7	5·0	18	.	.	.	1	.	.	1	.	2	1	.	1	.	.	.	2	3	1
	„ 15,	31·5	3·8	25	.	.	.	1	.	.	.	.	3	1	1	.	1	1	.	1	.	.
	„ 22,	23·9	.	19	.	.	.	.	.	.	.	.	3	.	1	1	2	.	.	.	1	.
	„ 29,	13·9	5·0	11	.	.	.	.	.	.	.	.	1	1	1	1	1	1	.	3	.	.
	Aug. 5,	18·9	5·0	15	.	.	.	.	.	1	.	.	.	3	.	.	.	2	.	1	.	.
	„ 12,	23·9	12·6	19	1	.	.	.	.	.	.	.	2	1	.	.	.	2	1	6	.	.
	„ 19,	27·7	10·1	22	1	.	.	.	.	.	.	.	3	3	.	.	.	4	.	3	1	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,715.	July 1,	19·2	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
	„ 8,	28·8	2·4	12	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 15,	21·6	4·8	9	.	.	.	.	1	.	.	.	.	1	.	.	3	.	.	1	.	1
	„ 22,	28·8	2·4	12	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.
	„ 29,	24·0	9·6	10	.	.	.	.	.	.	.	.	.	1	.	.	.	3	1	.	.	.
	Aug. 5,	21·6	7·2	9	1	.	.	.	.	1	.	.	1	1	.	1	.	1	.	.	.	.
	„ 12,	9·6	2·4	4	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 19,	12·0	7·2	5	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,149.	July 1,	21·8	.	18	.	.	.	.	.	.	.	.	3	2	2	1	2	.	.	.	.	.
	„ 8,	15·7	2·4	13	1	.	.	.	1	.	.	.	1	2	.	.	.	.	.	.	1	1
	„ 15,	23·0	4·8	19	.	.	.	2	1	.	1	.	1	2	.	.	2	.	.	.	1	1
	„ 22,	29·0	7·3	24	.	.	.	1	.	1	1	.	2	3	1	4	1	3	.	.	.	.
	„ 29,	24·2	9·7	20	.	.	.	5	.	.	.	.	3	2	.	1	1	2	.	1	.	1
	Aug. 5,	18·1	7·3	15	.	.	.	2	.	.	.	.	1	.	.	.	1	3	.	1	.	.
	„ 12,	24·2	7·3	20	.	.	.	1	.	.	.	.	4	2	2	.	1	4	.	1	1	.
	„ 19,	24·2	8·5	20	.	.	.	.	.	1	.	.	3	1	1	1	2	3	.	3	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 35,816.	July 1,	17·5	2·9	12	.	.	.	.	.	1	.	.	3	1	.	.	1	.	.	1	.	2
	„ 8,	11·6	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	3
	„ 15,	24·7	1·5	17	.	.	.	.	.	.	.	.	6	1	.	1	.	1	.	.	1	.
	„ 22,	11·6	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	„ 29,	18·9	2·9	13	.	.	.	.	.	.	1	.	1	1	.	.	2	1	.	.	1	.
	Aug. 5,	11·6	.	8	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
	„ 12,	11·6	4·4	8	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1	.	.	.
	„ 19,	29·1	10·2	20	.	.	.	.	.	1	.	.	2	.	1	1	2	6	.	.	1	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes.	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa: Children under 2 years.	Diarrhœa: 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	July 1,	13·6	.	10	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.
	„ 8,	6·8	2·7	5	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 15,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	1
	„ 22,	13·6	1·4	10	.	.	.	.	.	.	1	.	2	.	1	1	1	.	.	.	1	.
	„ 29,	23·1	10·9	17	.	.	.	1	.	.	.	.	.	1	1	1	.	6	.	1	.	1
	Aug. 5,	16·3	5·4	12	.	.	.	.	1	.	.	.	1	1	.	.	.	2	.	1	1	1
	„ 12,	15·0	5·4	11	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	1	.	2
	„ 19,	20·4	1·4	15	.	.	.	.	.	.	.	.	3	2	2	.	1	1	.	.	2	2
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	July 1,	21·3	1·8	12	.	.	.	1	.	.	.	.	1	1	1	1	2	.	.	.	.	.
	„ 8,	17·8	.	10	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	2
	„ 15,	7·1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
	„ 22,	14·2	1·8	8	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.
	„ 29,	17·8	5·3	10	.	.	.	.	.	1	.	.	1	.	.	.	1	1	1	.	.	.
	Aug. 5,	19·5	5·3	11	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	1	.	.
	„ 12,	8·9	.	5	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
	„ 19,	17·8	7·1	10	.	.	.	.	.	1	.	.	1	.	1	.	1	1	1	1	.	1
Kingstown Urban District. Pop. in 1911 17,227.	July 1,	33·3	.	11	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	1
	„ 8,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 15,	27·2	.	9	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.
	„ 22,	24·2	3·0	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	„ 29,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1
	Aug. 5,	12·1	3·0	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	„ 12,	24·2	3·0	8	.	.	.	.	.	.	.	.	2	.	1	3	.	1	.	.	.	.
	„ 19,	27·2	3·0	9	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Belfast. Pop. in 1911 (Est.) 386,449.	July 1,	15·7	0·7	116	.	1	.	.	.	1	.	.	23	2	7	5	8	2	.	1	4	3
	„ 8,	12·4	0·5	92	.	.	.	.	1	.	1	.	16	5	4	7	11	1	.	1	.	.
	„ 15,	16·6	1·5	123	.	.	.	.	1	1	.	.	18	8	6	2	14	6	.	3	3	1
	„ 22,	16·3	3·0	121	1	.	.	.	.	1	2	.	20	6	3	4	10	10	.	8	5	.
	„ 29,	14·2	3·4	105	.	.	.	.	.	1	.	.	10	5	3	6	3	14	1	9	3	2
	Aug. 5,	16·6	3·9	123	.	.	.	.	.	2	2	.	13	7	9	2	4	9	4	12	2	.
	„ 12,	16·3	6·1	121	1	.	.	.	1	1	.	.	9	3	4	3	5	19	4	19	2	1
	„ 19,	18·8	4·3	139	1	.	.	.	.	.	1	.	6	7	4	9	6	17	3	10	6	1
Cork. Pop. in 1911 76,632.	July 1,	18·4	0·7	27	.	.	.	1	.	.	.	.	2	.	1	.	3	.	.	.	2	2
	„ 8,	15·6	2·0	23	.	1	.	2	.	.	.	.	2	2	2	.	1	.	.	.	.	.
	„ 15,	11·6	.	17	.	.	.	.	.	.	.	.	3	1	1	.	5	.	.	.	.	1
	„ 22,	12·9	1·4	19	.	.	.	1	.	.	.	.	1	.	.	.	1	1	.	.	1	1
	„ 29,	16·3	1·4	24	.	.	.	.	.	1	.	.	5	.	2	.	3	1	.	.	.	1
	Aug. 5,	15·6	2·0	23	.	.	.	.	.	1	.	.	.	4	3	.	1	1	.	1	1	2
	„ 12,	9·5	2·0	14	.	.	.	.	.	.	.	.	1	3	.	1	1	3	.	.	.	.
	„ 19,	12·9	2·0	19	.	.	.	.	.	.	.	.	2	1	.	1	1	3	.	.	.	.
Londonderry. Pop. in 1911 40,799.	July 1,	14·1	.	11	.	.	.	.	.	.	.	.	2	3	1	.	1	.	.	.	.	1
	„ 8,	8·9	1·3	7	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.
	„ 15,	19·2	.	15	.	.	.	.	.	.	.	.	3	1	.	1	4	.	.	.	1	.
	„ 22,	19·2	3·8	15	.	.	.	.	.	1	.	.	2	.	3	.	1	2	.	.	.	.
	„ 29,	11·5	3·8	9	.	.	.	.	.	1	.	.	1	1	.	1	1	1	1	.	.	.
	Aug. 5,	19·2	3·8	15	.	.	.	.	.	.	.	.	3	1	2	2	.	1	.	2	.	.
	„ 12,	11·5	1·3	9	.	.	.	.	.	.	.	.	4	1	.	.	.	1	.	.	.	.
	„ 19,	16·6	3·8	13	.	.	.	.	.	.	.	.	2	.	1	.	1	2	.	1	.	.
Limerick. Pop. in 1911 38,403.	July 1,	14·9	.	11	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	3
	„ 8,	16·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1
	„ 15,	10·9	.	8	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3
	„ 22,	20·4	4·1	15	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	2	.	3
	„ 29,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.
	Aug. 5,	12·2	.	9	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	2
	„ 12,	13·6	2·7	10	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1	1	.	.
	„ 19,	10·9	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	1
Waterford. Pop. in 1911 27,430.	July 1,	5·7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 8,	28·5	.	15	.	.	.	.	.	.	.	.	6	1	.	.	1	.	.	.	.	4
	„ 15,	5·7	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 22,	19·0	.	10	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2	3
	„ 29,	15·2	1·9	8	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	1
	Aug. 5,	17·1	1·9	9	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1	.	.
	„ 12,	20·9	3·8	11	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	2	.	1
	„ 19,	22·8	5·7	12	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.	2

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 19th August, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	385,492	5	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	.	1	1	.	3	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	1	.
Do. 2 do.		16			18	6	2	1	1	3	5	1	.	.	.	.	.	.	.	.	.	.	.	2	6	.	1	1	1	3	.
Do. 3 do.		30			21	6	1	5	.	5	4	.	.	.	.	.	.	.	.	.	2	.	.	2	2	.	1	1	1	6	.
Do 4 do.		28			8	2	.	.	4	.	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	4	.
Do. 5 do.		10			3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
Do. 6 do.		13			11	1	1	3	2	2	2	.	.	.	.	.	.	.	.	3	.	.	.	1	1	1	.	2	2	1	.
Do. 7 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		1			3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.
Do. 9 do.		20			4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1
Do. 10 do.		16			15	10	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	2	.	3	.	2	1	1	3	.
Do 11 do.		25			19	5	3	.	4	3	4	.	.	.	.	.	.	1	.	.	.	.	4	1	2	.	1	.	1	3	.
Do 12 do.		23			16	7	1	3	2	2	1	.	.	.	.	.	.	.	.	.	3	.	.	.	2	.	3	.	1	3	.
Do. 13 do.		14			9	1	.	1	1	6	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	1	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		14			6	2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	1	1	4	.
Total,	—	215			139	44	11	15	17	28	24	1	.	.	.	.	.	1	.	6	7	4	9	6	17	3	10	6	9	32	1
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	76,632	7	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Do. 2 do.		5			3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	1	.
Do. 3 do.		11			2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Do. 4 do.		5			5	.	.	.	1	2	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	4	.
Do. 5 do.		4			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.		4			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 7 do.		13			5	2	.	.	.	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Total,	—	49	12·9	2·0	19	6	.	.	3	5	5	.	.	.	.	.	.	.	.	2	1	.	1	1	3	.	.	.	1	7	.

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	Feb. 25.	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.
No. of weeks in Annual Series,	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
BIRTHS registered, ...	213	232	193	220	218	232	228	204	189	236	232	229	180	214	233	215	258	201	264	213	207	268	236	203	225	215
DEATHS registered, ...	141	133	118	118	147	138	172	161	154	160	109	120	123	123	125	115	107	82	116	92	123	121	105	123	121	139
Annual Death rate per 1,000 of estimated population, ...	18·5	17·4	15·4	15·4	19·2	18·1	22·5	21·1	20·2	20·9	14·3	15·7	16·1	16·1	16·4	15·5	14·4	11·1	15·7	12·4	16·6	16·3	14·2	16·6	16·3	18·8
AGES, Under 1 year, ...	21	25	20	33	23	26	36	24	23	23	19	19	25	22	18	19	23	16	18	11	25	32	38	39	45	44
1—5 years, ...	14	9	10	6	17	11	7	10	14	13	10	9	9	13	7	7	10	7	9	7	9	11	8	12	11	11
5—25 „ ...	17	18	9	10	19	11	14	17	13	21	13	17	15	17	14	14	16	7	16	15	16	14	11	7	14	15
25—45 „ ...	29	16	23	14	28	23	36	32	26	27	25	23	26	22	24	26	22	18	20	21	25	22	13	21	11	17
45—65 „ ...	26	35	29	27	30	38	45	37	39	46	22	29	31	27	34	20	20	20	37	25	29	23	17	23	23	28
65 and upwards, ...	34	30	27	28	30	29	34	41	39	30	20	23	17	22	28	29	16	14	16	13	19	19	18	21	17	24
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
Typhus, ...	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.
Scarlet Fever, ...	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1	.	.	1	1	.	.	.	1	.
Whooping-cough, ...	1	1	1	1	.	.	.	3	2	1	.	.	1	1	.	.	4	.	1	.	1	1	1	2	1	.
Diphtheria, ...	.	.	.	.	1	1	.	2	1	.	.	.	.	.	.	1	.	.	.	1	.	2	.	2	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	15	13	19	7	22	24	26	25	14	17	16	25	21	21	16	14	13	13	23	16	18	20	10	13	9	6
Tuberculous Disease. Other Forms,	10	10	7	8	9	8	8	4	11	15	12	7	10	12	11	6	10	2	2	5	8	6	5	7	3	7
Cancer, ...	8	3	6	11	8	4	5	5	6	12	3	6	1	4	6	8	6	6	7	4	6	3	3	9	4	4
Diseases of Respiratory System, Pneumonia,	11	15	10	10	14	16	13	19	23	18	10	10	13	6	11	9	9	5	5	7	2	4	6	2	3	9
Diseases of Respiratory System, Others, ...	20	20	20	14	16	19	26	29	34	16	20	15	19	11	18	18	13	10	8	11	14	10	3	4	5	6
Diarrhœa, Under 2 years, ...	.	1	.	1	.	.	1	.	.	.	.	1	1	2	1	.	1	1	2	1	6	10	14	9	19	17
Diarrhœa, 2 years & upwards	.	.	1	.	3	1	.	1	.	.	.	.	.	.	.	1	.	3	.	.	.	.	1	4	4	3
Enteritis, under 2 years, ...	2	1	.	.	3	2	1	2	2	1	1	1	3	3	4	2	.	1	1	1	3	8	9	12	19	10
Violent Deaths, ...	4	3	2	1	3	4	8	2	3	3	3	4	1	1	.	3	3	1	4	.	3	5	3	2	2	6
Number of Uncertified Deaths, ...	.	3	2	1	.	1	3	2	.	1	2	1	1	1	2	1	.	3	3	.	1	.	2	.	1	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	Aug. 19,	2,311	1,654*b*	19·1	2	.	13	2	11	13	629*a*
Edinburgh, ...	320,829	„ 19,	120	67	10·9	.	.	.	.	2	1	3
Glasgow, ...	784,621	„ 19,	405	247	16·4	1	.	4	3	3	1	50
Calcutta, ...	890,493	July 15,	.	324	18·9	67*	.	1	.	6	.	47‡
Bombay, ...	977,822	„ 15,	375	555	29·5	73*	3	3	.	.	.	78‡
Madras, ...	509,346	June 24,	352	297	30·3	65*	2	1	?	?	?	62
Cairo, ...	689,439	„ 24,	548	714	54·0	3	.	14	2	?	11†	299
Paris	2,846,986	July 22,	945	925	17·5	8	.	36	5	6	7†	92*a*
Brussels, ...	739,684	„ 29,	212	219	15·5	1	.	1	1	.	1	25
Antwerp, ...	320,640	„ 29,	125	92	15·0	.	.	1	.	.	.	30*a*
Amsterdam, ...	577,188	„ 29,	269	139	12·6	1	.	2	.	4	.	10*a*
Copenhagen, ...	462,132	„ 29,	229	115	13·0	1	.	1	1	3	.	4*a*
Stockholm, ...	343,832	„ 22,	136	53	8·0	.	.	.	.	2	1†	.
Christiania, ...	244,038	Aug. 5,	83	71	15·1	.	.	2	.	1	1†	17
St. Petersburg, ...	1,639,266	July 15,	727	680	21·6	8	2	34	2	6	10	150‡
Moscow, ...	1,493,600	„ 15,	.	1,379	48·1	1	10	33	7	7	11†	805
Berlin, ...	2,065,184	„ 15,	839	569	14·4	3	.	1	8	8	9†	65
Hamburg, ...	932,166	„ 29,	.	277	15·5	1	.	3	6	3	13†	47
Breslau, ...	518,860	„ 29,	.	281	28·2	2	.	3	.	.	1†	77
Munich, ...	597,000	Aug. 5,	.	188	16·4	.	.	1	.	1	.	42
Vienna (with suburbs),	2,047,968	July 29,	860	715	18·2	2	.	7	2	2	2†	124*a*
Buda-Pesth, ...	891,585	„ 29,	426	384	22·4	1	.	8	10	.	3†	67*a*
Prague and Faubourgs,	508,310	„ 15,	158	134	13·7	1	.	.	2	.	.	5*a*
Trieste, ...	229,499	„ 22,	148	106	24·1	.	.	1	.	1	.	21‡
Rome, ...	602,068	June 10,	280	176	15·2	.	.	1	.	3	.	26
		„ 17,	232	182	15·8	1	.	1	3	1	1	38
Venice, ...	184,325	„ 17,	85	60	17·0	3	.	.	.	1	.	3
New York, ...	4,983,385	July 8,	2,532	1,754	18·4	17	.	25	17	11	23†	150*a*
Philadelphia, ...	1,580,250	June 24,	.	419	13·8	3	.	1	5	1	8†	33*a*
Boston, ...	686,912	July 29,	.	212	16·1	.	.	1	1	1	2	51

* Deaths from "fever," including 6 deaths from enteric fever and 17 deaths from plague in Calcutta, one from enteric fever and 17 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 21 deaths from cholera in Calcutta, 2 in Bombay, one in St. Petersburg, and 2 in Trieste.

a Deaths from diarrhœa and from enteritis of children under two years of age.

b Including one death from cerebro-spinal fever.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending August 19th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	2	.	.	.	.	.	.	.	.	.	.	2
" " 1, West, ...	.	.	.	.	.	.	.	2	.	.	.	.	2
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3, ...	.	2	.	.	2	.	2	1	1	.	.	.	8
Clontarf and Howth No. 1 (part of),	.	1	.		.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	1	.	.	.	2
South City No. 1, ...	.	3	.	.	1	.	.	3	.	.	.	1	8
" " 2, ...	.	2	.	.	.	.	.	.	.	.	.	.	2
" " 3, ...	.	1	.	.	3	.	1	1	.	.	.	.	6
" " 4, ...	.	2	.	.	.	.	.	.	.	.	.	.	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	1	.	.	.	1
Total, ...	.	14	.	.	6	.	3	7	3	.	.	1	34

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 19th August, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 19th August.			
	July 29.	Aug. 5.	Aug. 12.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	35	38	39	4	11	.	32
Scarlet Fever, ...	70	66	64	15	19	1	59*
Typhus, ...	1	1	1	.	.	.	1
Diphtheria, ...	28	27	25	8	5	1	27
Enteric Fever, ...	31	34	29	11	9	2	29
Pneumonia, ...	13	17	14	5	7	1	11

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 19th August, 1911:—

"Until Thursday Ireland remained under the influence of an anticyclone of moderate intensity the central area of which lay on the ocean between Scotland and Iceland. The weather was therefore extremely fine, warm and dry. Already on Monday a barometric depression had appeared over Lapland, and this system subsequently travelled down the Baltic to Germany, carrying with it broken, cloudy, cool weather. Its northerly winds affected the eastern parts of Great Britain, relieving the torrid heat of Sunday, on which day the thermometer rose in the shade to 87° at Liverpool, Southport, Colwyn Bay, Manchester and Dover; 88° at Worthing; 89° at Rhyl, Southsea and Nottingham; 90° at Oxford, Birmingham, and some London stations; 91° at Kew and Greenwich, and 93° at Camden Square, London, N.W. The highest shade temperature on that day in Dublin was 74·3°, and at Birr Castle, 79°. At the latter station three very warm days followed, the maxima being 83°, 81° and 81° respectively. But the cooling influence of the polar air-current was felt even in London after Monday, for the maximum was not more than 75° at Kew on both Tuesday and Wednesday. In the course of Wednesday night or Thursday morning the thermometer dipped to 39° in the screen at Wick and Nairn in the N. and N.E. of Scotland. On Thursday a shallow depression spread over Ireland from the Atlantic, and its S.W. wind, coupled with sunshine, sent the screened thermometer up to 78·1° in Dublin—the highest recorded since July 13. Friday was much cooler and about 6.30 a.m. a slight drizzling shower fell, yielding however only ·003 inch in the rain-gauge. The wind was light from N.W. at the time, but an easterly sea breeze soon sprang up when the sky had cleared in the forenoon, permitting unclouded sunshine to heat the land. In the course of Saturday the barometer fell steadily as another shallow depression drew near from the Atlantic, and opposing wind currents—the clouds coming from W.S.W. and the wind from E.—suggested an approaching break in the weather. In Dublin the mean height of the barometer was 30·078 inches, the range of atmospheric pressure being from 30·220 inches at 9 a.m. of Monday (wind, E.N.E.) to 29·811 inches at 9 p.m. of Saturday (wind, N.). The corrected mean temperature was 64·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 63·7°. On Thursday the screened thermometers both fell to 55·2° and rose to 78·1°, these figures representing the extremes of the week. The dominant wind was N.E. Only ·012 inch of rain fell, ·009 inch being recorded on Saturday, the only 'rain-day.'"

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·914 inches. The highest reading (30·051) was on Monday at 9 a.m., wind N.E., and the lowest (29·653) on Saturday at 9 p.m., air calm.

The mean temperature for the week was 61·2°, being 3·7° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Thursday, on which day the thermometer registered 78·3°, and was lowest on Wednesday, the mercury having fallen to 45·1°. The mean of the Dry Bulb for the week was 61·1° and of the Wet Bulb, 58·0°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The rainfall during the week measured 0·010 inch.

At Greenwich the mean temperature for the week was 69·4°, the maximum 84·2°, and the minimum 57·4°, and at Edinburgh the maximum was 77·9°, the minimum 45·6°, and the mean 59·2°. The rainfall at Greenwich measured 0·58 in., and at Edinburgh 0·13 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, August 13,	29·947	76·7	50·4	63·6	62·8	60·0	·85	·4	8·8	·000	N.N.E.	Calm.
Monday, „ 14,	30·041	75·4	52·2	63·8	59·2	56·4	·84	·2	8·7	·000	N.E.	Calm.
Tuesday, „ 15,	30·005	70·7	50·7	60·7	59·7	57·2	·85	·2	11·3	·000	Calm.	Calm.
Wednesday, „ 16,	29·967	71·7	45·1	58·4	63·2	59·1	·78	·0	11·2	·000	Calm.	Calm.
Thursday, „ 17,	29·890	78·3	47·0	62·7	66·9	62·2	·74	·6	7·7	·000	Calm.	S.W.
Friday, „ 18,	29·852	70·6	52·2	61·4	55·7	53·6	·87	·3	7·1	·000	Calm.	Calm.
Saturday, „ 19,	29·696	66·2	48·7	57·5	60·2	57·4	·84	·3	1·9	·010	Calm.	Calm.
Mean, ...	29·914	72·8	49·5	61·2	61·1	58·0	·82	·3	Total 56·7	Total ·010	——	

Sunday—Day cloudy, fine, thunder at intervals from 11 a.m. to 2 p.m.; night clear, no rain. *Monday*—Day fine; night clear. *Tuesday*—A beautiful bright day; night clear. *Wednesday*—Day bright, fine; night clear. *Thursday*—Day cloudy, fine; night cloudy. *Friday*—Day cloudy, fine; night clear. *Saturday*—Day cloudy to overcast; night cloudy, drizzling rain from 1.15 a.m. to 3 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, August 19th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, August 13,	68·0	64·7	60·7	76·8	58·5	67·6	7·7	·010
Monday, „ 14,	66·2	64·9	60·5	75·6	59·2	67·4	8·6	—
Tuesday, „ 15,	66·3	64·9	61·0	70·0	54·0	62·0	9·8	—
Wednesday, „ 16,	67·7	64·7	61·0	71·5	52·3	61·9	11·2	—
Thursday, „ 17,	68·4	64·5	61·0	79·7	53·5	66·6	7·3	—
Friday, „ 18,	59·3	65·0	61·0	69·7	57·0	63·3	7·5	—
Saturday, „ 19,	62·2	64·6	61·0	64·8	56·4	60·6	2·9	—
Weekly Mean, .	65·4	64·8	60·9	72·6	55·8	64·2	Total 55·0	Total ·010

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31062. Wt. P.18 110–/138. 375. 8. 1911. Sch. C 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 26TH AUGUST, 1911. [No. 34.

General Register Office, Charlemont House,
Dublin, 28th August, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Aug. 5	Aug. 12	Aug. 19	Aug. 26	Average Rate for 4 weeks.
22 Town Districts, ...	**16·8**	**17·1**	**19·4**	**19·3**	**18·1**
Armagh	6·9	6·9	.	13·7	6·9
Ballymena	13·8	27·5	36·7	13·8	22·9
Belfast	16·6	16·3	18·8	17·8	17·4
Clonmel	15·2	10·1	5·1	20·3	12·7
Cork	15·6	9·5	12·9	19·1	14·3
Drogheda	21·0	4·2	4·2	4·2	8·4
Dublin Reg. Area ...	18·9	20·7	25·1	20·1	21·2
Dundalk	11·9	11·9	15·9	19·9	14·9
Galway	7·9	7·9	19·7	11·8	11·8
Kilkenny	14·9	39·7	5·0	5·0	16·2
Limerick	12·2	13·6	10·9	25·8	15·6
Lisburn	21·4	8·6	12·9	17·1	15·0
Londonderry	19·2	11·5	16·6	14·1	15·4
Lurgan	8·6	8·6	.	8·6	6·5
Newry	17·4	21·8	8·7	30·5	19·6
Newtownards	22·9	34·3	22·9	74·4	38·6
Portadown	8·9	17·8	17·8	35·6	20·0
Queenstown	.	13·2	19·8	26·4	14·9
Sligo	14·0	14·0	4·7	42·0	18·7
Tralee	15·9	5·3	.	15·9	9·3
Waterford	17·1	20·9	22·8	13·3	18·5
Wexford	13·7	18·2	22·8	18·2	18·2

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 6·1 per 1,000, the rates varying from 0·0 in eight of the districts to 51·5 in Newtownards, the 13 deaths from all causes for that district including 2 from measles and 7 from diarrhœal diseases. Among the 132 deaths from all causes for Belfast are 2 from enteric fever, one from whooping-cough, and 33 from diarrhœal diseases. Included in the 28 deaths from all causes for Cork are 6 from diarrhœa of children under 2 years of age, and of the 11 deaths for Londonderry one is from whooping-cough and one from diarrhœa of a child under 2 years of age. Of the 19 deaths from all causes for Limerick one is from enteric fever and 5 are from diarrhœal diseases. Two of the 7 deaths for Waterford are from enteritis of children under 2 years of age, and 4 of the 8 deaths from all causes for Portadown are from the same cause.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 218—115 boys and 103 girls—and the deaths to 162—83 males and 79 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·1 per 1,000 of the population. During the thirty-four weeks ending with Saturday last the death-rate averaged 21·3, and was 1·5 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 162, represent an annual rate of 20·9 per 1,000; the annual rate for the past thirty-four weeks was 22·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·9 per 1,000 of the mean population for all deaths registered.

The total deaths registered include one death from enteric fever, one death from measles, one death from scarlet fever, 6 deaths from whooping-cough, 5 deaths from diphtheria, one death from dysentery, and 38 deaths of children under 2 years of age from diarrhœa and *enteritis*. In each of the 3 preceding weeks, deaths from enteric fever were 2, 2, and 2; deaths from measles were 5, 2, and 0; deaths from scarlet fever were one, 3, and 0; deaths from whooping-cough were 4, one, and 3; deaths from diphtheria were 0, 0, and 1; deaths from dysentery were 0, 1, and 0; and deaths from diarrhœa and *enteritis* of children under 2 years were 29, 41, and 49—declining to 38 in the week under notice.

Tuberculosis accounted for the deaths of 19 persons, namely, 15 deaths from pulmonary tuberculosis, one death from tuberculous meningitis, 2 deaths from abdominal tuberculosis, and one death from disseminated tuberculosis. In each of the three preceding weeks deaths from all forms of tuberculosis were 25, 18, and 28.

There was one death from lobar-pneumonia, and there were 5 deaths from *pneumonia* (type not distinguished).

The deaths of 6 persons were assigned to cancer.

Convulsions was the registered cause of the deaths of five infants under one year of age.

Seven deaths were caused by organic diseases of the heart.

There were 5 deaths from bronchitis.

There was one death of an infant from a congenital defect; the deaths of 3 infants were ascribed to prematurity, and 5 to congenital debility.

Of 5 deaths classified to accidental causes, one was caused by a fall from a tramcar, and 2 were by drowning.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 children under 5 years of age (including 4 infants under one year old).

Eighty of the persons whose deaths were registered during the week were under 5 years of age (62 being infants under one year, of whom 15 were under one month old) and 20 were aged 65 years and upwards, including 14 persons aged 70 and upwards; among the latter were 11 aged 75 years and upwards.

Fifty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 7 took place in the North Dublin Union Workhouse and 11 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·1 per 1,000; the rate in the City was 21·7 (North City Districts, 22·0; South, 21·7) and in the Suburbs, 14·4.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 8·1 per 1,000 inhabitants, the rate for the City being 8·9 (10·2 in the North City Districts, and 7·6 in the South), and for the Suburbs, 5·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·2 per 1,000, and include one death from whooping-cough, one death from pulmonary tuberculosis, one death from *pneumonia* (type not distinguished), and 6 deaths from diarrhœa and *enteritis* of children under 2 years of age.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 19·6 per 1,000. The deaths included one from whooping-cough, 2 from pulmonary tuberculosis, one from *pneumonia* (type not distinguished), 2 from bronchitis, and 2 deaths from diarrhœa of children under 2 years of age.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 23·8 per 1,000. Whooping-cough and diphtheria each caused one death; there were 2 deaths from tuberculosis, one from *pneumonia* (type not distinguished), 2 from bronchitis, and 2 deaths from diarrhœa of children under 2 years of age.

No. 3 North City District (Benburb-street).—The deaths (17) represent an annual rate of 26·5 per 1,000. There was one death from diphtheria, there were 2 deaths from pulmonary tuberculosis, and 4 deaths from diarrhœa of children under 2 years of age.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 18·0; and Finglas and Glasnevin, part of, 27·2. One of the 2 deaths for the first-named district is from *enteritis* of a child under 2 years of age. Included in the 4 deaths from all causes for Coolock and Drumcondra, part of, is one from each of measles and pulmonary tuberculosis; and 2 of the 4 deaths for Finglas and Glasnevin, part of, are from diarrhœa of children under 2 years of age

No. 1 South City District (South Earl-street).—The deaths (13) represent an annual rate of 16·4 per 1,000. The deaths include one death from dysentery, one death from lobar pneumonia, and 4 deaths from diarrhœa and *enteritis* of children under 2 years of age.

No. 2 South City District (Castle-street).—The deaths (14) are equal to an annual rate of 33·6 per 1,000, and included one death from pulmonary tuberculosis and 4 deaths from diarrhœa of infants under 2 years of age.

No. 3 South City District (Peter-street).—The deaths (23) are equal to an annual rate of 27·8 per 1,000. Enteric fever, scarlet fever, and diphtheria each caused one death; there were 5 deaths from pulmonary tuberculosis, one death from each of *pneumonia* (type not distinguished) and bronchitis, 3 deaths from diarrhœa and *enteritis* of children under 2 years of age, and one death by a fall from a tramcar.

No. 4 South City District (Grand Canal Street).—The deaths (11) are equivalent to an annual rate of 16·0 per 1,000. There were 2 deaths from diphtheria, one death from whooping-cough, one death from disseminated tuberculosis, one death from diarrhœa, and 2 deaths by drowning.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·5 per 1,000. Diarrhœa and *enteritis* caused the deaths of 2 children under 2 years of age.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 10·9; Pembroke, 19·5; Blackrock, 5·7; and Kingstown, 18·2. The deaths from the principal epidemic diseases tabulated for these districts include 4 from diarrhœa and *enteritis* of children under 2 years of age for Rathmines and Rathgar, 2 from whooping-cough and 3 from diarrhœa and *enteritis* of children under 2 years of age for Pembroke; and one from diarrhœa of a child under 2 years of age for Kingstown. Among the 8 deaths from all causes for Rathmines and Rathgar is one from tuberculous disease. Included in the 11 deaths from all causes for Pembroke are one from each of pulmonary tuberculosis and *pneumonia* (type not distinguished); and of the 6 deaths for Kingstown one is from each of pulmonary tuberculosis and heat exhaustion.

* See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 26th August, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Aug. 5,	.	—	—	14	1	.	9	.	1	5	6	.	—	—	.	—	20	—	56
	Aug. 12,	.	—	—	8	.	.	3	.	.	10	7	.	—	—	1	—	8	—	37
	Aug. 19,	.	—	—	14	.	.	6	.	3	7	3	.	—	—	.	—	1	—	34
	Aug. 26,	.	—	—	19	.	.	5	.	.	11	9	.	—	—	.	—	10	—	54
Rathmines and Rathgar Urban District.	Aug. 5,	.	—	—	.	.	.	2	.	.	.	1	.	.	—	—	—	—	—	3
	Aug. 12,	.	—	—	1	.	.	1	.	.	.	.	.	.	—	—	—	—	—	2
	Aug. 19,	.	—	—	.	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 26,	.	—	—	.	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Pembroke Urban District.	Aug. 5,	.	1	.	.	.	.	.	.	.	.	1	.	.	10	.	—	.	—	12
	Aug. 12,	.	.	.	.	.	.	.	.	.	1	.	.	.	9	.	—	.	—	10
	Aug. 19,	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	—	.	—	4
	Aug. 26,	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	—	1	—	4
Blackrock Urban District.	Aug. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 19,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
	Aug. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Aug. 5,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Aug. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Aug. 19,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Aug. 26,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	Aug. 5,	.	—	—	8	.	.	6	.	1	2	1	.	—	—	.	—	16	—	34
	Aug. 12,	.	—	—	10	.	.	3	.	.	2	7	.	—	—	.	—	10	—	32
	Aug. 19,	.	—	—	9	.	.	8	.	1	4	4	1	—	—	.	—	6	—	33
	Aug. 26,	.	—	—	6	.	.	3	.	3	7	1	.	—	—	.	—	6	—	26

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 26th August, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Seven cases of measles were admitted to hospital during the week, 18 were discharged, and 21 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 38, 39, and 32, respectively.

Twenty-eight cases of scarlet fever were admitted to hospital, 18 were discharged, there was one death, and 68* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 66, 64, and 59, respectively.

Two cases of typhus were admitted to hospital, one was discharged, and two cases remained under treatment at the end of the week.

Seven cases of diphtheria were admitted to hospital during the week, 7 were discharged, and there were three deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 27, 25, and 27, respectively, were 24 at the close of last week.

Eight cases of enteric fever were admitted to hospital during the week, 3 were discharged, there were 2 deaths, and 32 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 34, 29, and 29.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 2 were discharged, there were two deaths, and 10 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 19·0) was equal to an average annual death-rate of 21·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 15·5 per 1,000, the rate for Glasgow being 16·7 and for Edinburgh 12·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 26th August. From this Report it appears that of a total of 32 cases notified, 13 were scarlet fever, 10 phthisis, 6 diphtheria, and 3 erysipelas. Among the 307 cases of infectious diseases in hospital at the close of the week, were 107 cases of scarlet fever, 62 of diphtheria, 58 of phthisis, 45 of whooping-cough, 17 of measles, 7 of chicken-pox, and 6 of erysipelas.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 26th August, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 26th August, 1911. Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 26th August, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 19th August, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 12th August, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
Total of 22 Town Districts, ...	1,149,495	20·2	28·3	19·3	6·1	623	426	136	74	4	...	...	3	1	8	5	1	51	18	14	11	19	50	19	43	11	17	111	16	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:— Total, (c.) ...	403,732	29·3	28·2	20·1	8·1	218	156	62	20	1	...	...	1	1	6	5	1	14	4	6	6	7	25	10	13	4	4	47	7	e68·9	48·5	59·7	0·34	e78·3	45·1	61·2	0·01	e74·3	41·4	60·8	0·17
City of Dublin,	309,738	39·2	31·1	21·7	8·9	185	130	47	16	1	...	...	1	1	4	5	1	12	3	5	5	7	22	10	8	3	4	45	5	f69·4 g70·9	54·3 50·4	61·7 61·1	0·19 0·32	f78·1 g79·9	55·2 47·0	64·8 63·6	0·01 0·01	f74·2 g73·9	53·1 45·4	63·4 62·5	0·15 0·16
Urban Districts. Rathmines and Rathgar.	38,330	22·4	13·6	10·9	5·4	10	8	6	1	...	...	...	...	...	...	...	...	..	1	...	...	...	1	...	3	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,347	18·5	19·5	19·5	8·9	11	11	7	2	...	...	...	...	...	2	...	...	1	..	...	1	...	1	...	2	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,090	8·4	5·7	5·7	.	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,227	11·8	33·3	18·2	3·0	11	6	2	1	...	...	...	...	...	...	...	...	1	...	1	...	...	1	...	...	1	...	1	...	71·0	57·0	60·6	0·36	76	53	63·4	0·00	73	54	63·7	0·04
Urban Districts. Belfast ...	386,449	26·3	29·7	17·8	4·9	220	132	36	20	2	...	...	...	...	1	...	...	19	5	1	3	5	15	5	13	4	8	32	2	69·0	43·0	64·9	0·57	79·8	47·5	64·2	0·12	73·0	50·8	62·3	0·91
Cork, ...	76,632	33·8	25·9	19·1	4·1	38	28	8	5	...	...	...	...	...	...	...	...	5	2	1	1	3	6	...	...	1	1	12	...	73	53	61·9	0·62	74	55	64·3	0·15	72	52	61·0	0·51
Londonderry ...	40,799	18·9	25·6	14·1	2·6	20	11	1	2	...	...	...	...	...	1	...	...	1	1	1	...	1	1	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,403	18·2	17·7	25·8	8·1	13	19	7	2	1	...	...	...	...	...	...	...	...	1	2	...	...	3	1	1	...	...	5	2	72·3	45·4	60·3	0·19	83·8	50·2	65·1	0·02	73·1	41·4	60·5	0·20
Waterford, ...	27,430	19·1	32·3	13·3	3·8	17	7	2	3	...	...	...	...	...	...	...	...	1	3	...	...	...	...	...	2	...	...	5	...	...	...	...	...	...	..	...	...	...	...	...	...	...
Galway, ...	13,249	2·5	31·5	11·8	.	8	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	72	47	62	1·26	87	54	68	0·00	74	50	63	0·33
Dundalk, ...	13,128	9·5	31·8	19·9	4·0	8	5	2	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,425	8·4	12·6	4·2	.	3	1	...	1	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	11,956	17·2	30·5	30·5	4·4	7	7	2	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	1	...	...	69·1	43·3	59·0	0·42	80·1	47·0	64·5	0·57	74·0	46·0	61·7	0·02
Lurgan, ...	12,135	14·3	21·5	8·6	.	5	2	...	1	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	1	69·1	43·3	59·0	0·42	80·1	47·0	64·5	0·57	74·0	46·0	61·7	0·02
Lisburn, ...	12,172	10·7	21·4	17·1	4·3	5	4	1	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	1	...	...	...	...	69·1	43·3	59·0	0·42	80·1	47·0	64·5	0·57	74·0	46·0	61·7	0·02
Wexford, ...	11,455	23·8	22·8	18·2	4·6	5	4	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	..	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena, ...	11,376	9·3	50·4	13·8	4·6	11	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8	37·4	42·0	4·7	8	9	1	3	..	...	...	...	...	...	...	...	3	...	...	...	...	...	...	1	...	1	6	...	69·7	35·5	57·9	1·30	82·2	48·4	65·2	0·08	74·8	43·3	62·0	0·19
Kilkenny, ...	10,513	11·4	.	5·0	.	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	71	50	60·4	0·68	82	53	65·7	0·10	72	46	62·2	0·36
Clonmel, ...	10,277	7·9	35·5	20·3	.	7	4	...	3	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	11,727	15·3	22·2	35·6	17·8	5	8	4	1	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	4	...	...	...	...	69·1	43·3	59·0	0·42	80·1	47·0	64·5	0·57	74·0	46·0	61·7	0·02
Tralee, ...	9,867	16·6	26·4	15·9	.	5	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	45·8	74·4	51·5	8	13	5	3	...	...	...	2	...	...	...	...	...	1	...	1	2	...	2	5	...	...	1	...	68	45	58·3	0·98	70	51	60·1	0·00	72	50	60·6	0·32
Queenstown, ...	7,909	14·4	52·7	26·4	.	8	4	1	2	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	1	73	53	61·9	0·62	74	55	64·3	0·15	72	52	61·0	0·51
Armagh, ...	7,588	22·2	27·5	13·7	.	4	2	...	1	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	69·1	43·3	59·0	0·42	80·1	47·0	64·5	0·57	74·0	46·0	61·7	0·02

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 6 deaths of persons, admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 26th of August, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN. REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Whooping-cough,	1	1	1	.	.	.	.	.	.	.	1	.	.	2	.	.	6	.
Diphtheria,	.	.	1	1	.	.	.	.	.	1	2	.	.	.	.	.	5	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Tuberculous Disease. — Pulmonary Tuberculosis,	1	2	.	2	.	1	.	.	1	5	.	.	.	1	.	1	14	1
Tuberculous Disease. — Other Forms,	.	.	2	.	.	.	.	.	.	.	1	.	1	.	.	.	4	.
Cancer,	.	1	.	1	.	.	1	.	1	.	1	.	.	.	.	1	6	.
Diseases of Nervous System,	1	.	2	.	1	.	.	1	1	2	.	.	2	1	.	.	11	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
" Circulatory System,	.	1	.	1	.	1	.	1	1	.	.	.	.	.	1	1	7	1
" Respiratory System. — Pneumonia,	1	1	1	.	.	.	.	1	.	1	.	.	.	1	.	.	6	.
" Respiratory System. — Others,	.	2	2	1	.	.	.	.	.	2	.	.	.	.	.	.	7	.
" Digestive System. — Diarrhœa, under 2 years,	4	2	2	4	.	.	2	1	4	2	.	1	1	1	.	1	25	.
" Digestive System. — Diarrhœa, 2 years and upwards,	1	3	2	2	.	.	.	.	.	1	1	.	.	.	.	.	10	.
" Digestive System. — *Enteritis*, under 2 years,	2	.	.	.	1	.	.	3	.	1	.	1	3	2	.	.	13	.
" Digestive System. — Enteritis, 2 years and upwards.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	3	1
" Digestive System. — Others,	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	3	.
" Genito-urinary System,	.	1	.	.	.	.	.	2	.	.	1	.	.	.	.	.	4	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy & Childbirth.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	1	.	2	.	.	1	2	4	2	.	.	1	3	.	1	17	.
Violent Deaths,	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1	4	1
Ill-defined, &c. Causes,	.	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	3	.
Deaths from All Causes	11	15	14	17	2	4	4	13	14	23	11	2	8	11	1	6	156	6
Annual Rate of Mortality from All Causes in every 1,000 of the population.	19·2	19·6	23·8	26·5	19·4	18·0	27·2	16·4	33·6	27·8	16·0	11·5	10·9	19·5	5·7	18·2	20·1	.
	22·0							21·7					14·4					
	21·7																	
Ages at Death. — Under 1 year,	6	4	6	5	1	1	3	5	8	4	2	2	6	7	.	2	62	.
1 and under 2 years,	2	1	.	1	.	.	.	.	.	3	1	.	.	.	.	1	9	.
2 " 5 "	1	.	1	2	.	.	.	.	.	4	.	.	1	.	.	.	9	.
5 " 15 "	.	4	.	1	.	.	.	.	.	.	3	.	.	.	.	.	8	.
15 " 25 "	1	.	1	2	.	1	.	1	.	.	.	.	.	.	.	1	7	.
25 " 45 "	.	2	.	1	.	1	.	2	1	5	2	.	.	1	.	.	15	4
45 " 65 "	1	3	5	2	.	.	1	3	3	2	3	.	.	1	1	1	26	2
65 and upwards,	.	1	1	3	1	1	.	2	2	5	.	.	1	2	.	1	20	.
Number of Uncertified Deaths,	1	.	1	1	.	.	.	1	.	.	1	.	2	.	.	.	7	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	4	3	4	.	1	1	1	1	7	5	.	.	.	.	1	29	6
Workhouse Hospitals,	.	2	2	2	.	1	.	3	4	1	.	2	.	1	.	.	18	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 34th Week of the 10 years 1901–1910.	In the Week ending Saturday, 26th August, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Aug. 24, 1901.	Aug. 23, 1902.	Aug. 29, 1903.	Aug. 27, 1904.	Aug. 26, 1905.	Aug. 25, 1906.	Aug. 24, 1907.	Aug. 22, 1908.	Aug. 28, 1909.	Aug. 27, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 56·4	° 59·3	° 54·5	° 54·6	° 54·7	° 61·8	° 55·0	° 55·9	° 56·2	° 56·6	° 56·5	° 59·7										
ALL CAUSES.	179	146	176	178	153	167	122	187	162	146	161·6	162	15	47	9	9	8	7	19	28	9	11
Enteric Fever, ...	.	2	3	1	2	.	2	1	1	.	1·2	1	.	.	.	1	.	.	.	.	.	.
Typhus, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	16	.	7	1	.	2	2	.	.	2·8	1	.	1	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	.	.	1	.	.	.	.	.	2	·4	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	1	2	3	4	.	.	4	.	5	.	1·9	6	1	4	1	.	.	.	.	.	.	.
Diphtheria, ...	.	.	2	1	1	.	2	2	1	4	1·3	5	.	3	1	.	1	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	.	1	.	.	1	1	1	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Erysipelas, ...	2	1	.	.	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	1	.	.	.	1	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	.	2	.	.	.	.	2	.	·5	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	2	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	30	21	28	19	10	21	14	26	19	12	20·0	15	.	.	.	.	1	4	9	1	.	.
Tuberculous Meningitis, ...	.	5	4	1	2	2	5	6	7	2	3·4	1	.	1	.	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	6	1	1	.	1	.	.	1	.	1	1·1	2	.	1	.	1	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	5	4	7	7	7	6	7	7	8	2	6·0	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												1	.	.	.	.	1	.	.	.	.	.
Venereal Diseases, ...	1	1	2	4	.	2	.	1	1	.	1·2	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	7	5	5	10	11	11	6	6	7	10	7·8	6	.	.	.	.	.	.	1	3	2	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	1	1	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	1	.	.	.	1	.	1	·3	1	.	.	.	.	.	.	.	.	.	1
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	1	.	.	.
Alcoholism, ...	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	1	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												2	.	.	.	.	.	.	.	1	.	1
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												2	.	.	.	.	.	.	.	.	1	1
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												5	1	4	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	32	36	35	30	36	31	24	27	22	27	30·0	3	.	.	.	1	.	1	.	1	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												1	.	.	.	.	.	.	.	1	.	.
Organic Diseases of the Heart,												7	.	.	.	.	.	.	2	4	1	.
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	4	7	10	11	10	9	8	6	11	9	8·5	5	.	.	1	.	.	.	.	1	1	2
Broncho-pneumonia, ...	7	2	3	1	3	3	3	.	1	3	6·4	.	.	.	.	.	.	.	.	.	.	.
Lobar-pneumonia, ...		.	.	1	.	1	.	.	.	.		1	.	.	.	.	.	.	.	1	.	.
Pneumonia (type not distinguished)		8	2	2	6	4	3	6	2	3		5	.	.	1	.	1	.	.	3	.	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	.	1	2	5	3	1	3	3	1	2	2·1	2	.	.	.	.	.	.	.	2	.	.
Other Diseases of Respiratory System.												.	.	.	.	.	.	.	.	.	.	.

THIRTY-FOURTH WEEK ending Saturday, 26th August, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 34th Week of the 10 years 1901–1910.	In the Week ending Saturday, 26th August, 1911.										
													Deaths of Persons of the Ages of									
	Aug. 24, 1901.	Aug. 23, 1902.	Aug. 29, 1903.	Aug 27, 1904.	Aug. 26, 1905.	Aug. 25, 1906.	Aug. 24, 1907.	Aug. 22, 1908.	Aug. 28, 1909.	Aug. 27, 1910.		Mean Temp.	0—5. Under 1 month.	0—5. 1 month and under a year.	0—5. 1—2.	0—5. 2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 56·4	° 59·3	° 54·5	° 54·6	° 54·7	° 61·8	° 55·0	° 55·9	° 56·2	° 56·6	° 56·5	° 59·7										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.
Diarrhœa of Children under 2 years.	33	3	9	35	25	27	4	39	30	17	22·2	25	2	18	5	.	.	.	.	.	.	.
„ 2 years and upwards,												10	.	.	.	5	1	.	.	4	.	.
Enteritis of Children under 2 years.	1	.	6	5	3	10	5	8	8	6	5·2	13	.	13	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												4	.	.	.	.	.	.	1	1	1	1
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	1	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.
Cirrhosis of Liver, ...	.	2	1	1	1	1	1	2	2	.	2·0	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...		1	4	.	1	1	2	.	.	.		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	1	.	2	2	1	.	.	2	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	6	2	6	7	5	8	7	8	4	8	6·1	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...												2	.	.	.	.	1	1	.	.	.	.
Chronic Bright's Disease, ...												2	.	.	.	.	.	.	1	1	.	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	7	8	6	3	3	5	2	9	3	8	5·4	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	
Other Diseases of Genito-urinary System.												.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	2	.	·2	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	1	.	.	1	1	.	1	.	·4	2	.	.	.	.	.	.	2	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	4	3	4	6	3	1	3	4	3	7	3·8	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	5	4	1	.	.	.	.	.	.	.	.
Old Age, ...	9	3	4	1	.	4	.	1	.	1	2·3	4	.	.	.	.	.	.	.	.	.	4
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	3	2	1	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	1	.	1	2	1	.	1	1	.	·7	1	.	.	.	.	.	.	.	1	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	.	1	1	.	3	.	.	1	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
By Drowning, ...	1	1	.	.	.	.	1	2	.	1	·6	2	.	.	.	.	2	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	1	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	1	4	1	1	6	2	.	1	3	2·1	2	1	.	.	.	.	.	1	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	.	.	.	.	2	.	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.
No. of weeks in Annual Series,	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
BIRTHS registered.	217	238	203	276	230	198	171	174	259	260	242	226	246	261	228	232	185	324	190	190	294	233	198	210	233	218
Average Births in corresponding week of previous 10 years, ...	216	223	212	212	233	202	210	223	199	268	231	210	204	238	226	207	224	237	205	204	208	221	217	208	217	216
DEATHS registered, ...	180	174	170	214	177	191	174	196	181	176	170	129	158	150	149	159	127	155	120	172	162	186	153	169	199	162
Annual Death-rate per 1,000, ...	23·1	22·3	21·8	27·4	22·7	24·5	22·3	25·1	23·2	22·5	21·8	16·5	20·2	19·2	19·2	20·5	16·4	20·0	15·5	22·2	20·9	24·0	19·8	21·8	25·7	20·9
Average Deaths in corresponding week of previous 10 years, ...	218	210	194	201	203	199	195	197	190	177	178	171	169	154	151	149	148	134	140	141	144	147	145	146	154	162
Ages, Under 5 years, ...	70	59	39	56	48	54	63	54	50	56	48	40	37	43	34	42	44	56	43	41	51	88	73	72	94	80
5—15 „ ...	9	12	9	7	14	17	4	5	11	14	7	6	14	10	8	4	9	10	4	13	6	5	6	8	5	8
15—25 „ ...	6	7	7	13	8	10	10	14	7	6	8	9	11	9	9	13	2	7	7	11	10	6	6	4	7	7
25—45 „ ...	32	24	24	42	19	33	25	31	33	15	35	21	21	29	26	32	18	20	19	31	26	21	22	19	31	19
45—65 „ ...	36	36	42	44	36	44	43	45	35	30	38	36	39	29	33	31	34	28	20	33	37	29	21	40	37	28
65—75 „ ...	19	19	28	32	29	27	19	29	25	34	19	10	24	17	26	18	13	16	15	24	18	24	15	14	11	9
75 and upwards, ...	8	17	21	20	23	6	10	18	20	21	15	7	12	13	13	19	7	18	12	19	14	13	10	12	14	11
Deaths from :—																										
Enteric Fever, ...	4	3	1	2	1	3	1	1	.	1	1	1	1	1	.	.	1	.	1	3	2	1	2	2	2	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	7	7	7	3	2	1	7	11	5	8	17	4	6	3	4	2	8	7	4	7	3	7	5	2	.	1
Scarlet Fever, ...	2	.	.	1	.	1	4	1	.	1	1	.	2	2	2	.	.	.	1	3	.	2	1	3	.	1
Whooping-cough, ...	11	4	4	6	5	3	6	.	2	3	2	4	1	4	1	3	2	2	.	1	4	3	4	1	3	6
Diphtheria, ...	.	2	.	1	1	4	3	4	1	2	3	1	.	1	4	1	4	2	2	3	2	1	.	.	1	5
Influenza, ...	2	2	2	1	2	2	.	3	.	3	2	1	2	.	.	1	.	1	1	1	2	1	.	1	.	.
Dysentery, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1
Tuberculous Disease, Phthisis, ...	20	17	28	32	16	29	21	33	22	21	17	25	22	22	25	23	7	21	7	20	17	17	16	13	19	15
Tuberculous Disease, Other Forms,	7	8	8	15	13	10	3	8	10	6	6	6	9	9	8	7	11	6	7	12	10	15	9	5	9	4
Cancer, ...	5	8	6	10	13	11	8	7	9	6	5	6	11	9	12	10	7	8	12	4	10	6	5	11	7	6
Diseases of Circulatory System,	14	13	24	27	22	23	14	15	24	17	23	7	19	12	12	23	14	22	16	22	20	15	10	13	13	8
Diseases of Respiratory System, Pneumonia,	13	16	14	13	13	18	19	16	18	22	15	12	6	10	8	9	8	9	9	10	8	12	1	8	3	6
Diseases of Respiratory System, Others, ...	29	25	23	27	24	24	26	26	16	34	20	15	14	15	16	17	9	17	6	11	10	13	3	8	13	7
Diarrhœa, Under 2 years, ...	1	1	2	5	1	3	2	1	2	2	1	2	1	6	.	3	3	.	1	3	9	27	20	29	37	25
Diarrhœa, 2 years & upwards,	1	.	3	.	1	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	5	1	6	7	10
Enteritis, under 2 years, ...	1	2	1	3	1	3	3	2	2	2	.	1	1	4	1	1	1	3	3	2	2	7	9	12	12	13
Violent Deaths, ...	2	4	5	5	5	6	1	7	9	3	.	1	5	2	3	6	5	2	6	7	2	5	2	2	8	5
Number of Uncertified Deaths,	7	8	7	2	5	1	1	2	8	4	3	1	5	4	3	4	.	5	9	5	2	3	3	7	7	7
Mean Temperature of the Air (Phœnix Park)	46·5	41·1	38·0	41·7	42·7	39·4	43·7	50·5	50·5	49·6	52·6	49·5	55·3	56·2	55·6	52·6	56·2	55·5	59·6	60·9	62·9	62·7	62·5	60·8	61·2	59·7
Average Mean Temperature in corresponding week of previous 10 years, ...	40·5	41·7	42·7	42·6	42·4	44·1	43·1	45·1	46·2	46·7	48·1	49·1	50·9	53·7	53·5	53·6	55·5	56·5	57·5	58·5	59·8	58·2	58·6	58·5	57·5	56·5
Rainfall in inches, ...	·681	·316	·206	·000	·770	·131	·000	·501	·606	·780	·127	·262	·010	·000	·000	·605	·782	·166	·018	·000	·316	1·860	·430	·170	·010	·338
Mean Humidity of the Air, complete Saturation 1·0, ...	·92	·91	·89	·87	·90	·86	·86	·89	·91	·93	·94	·92	·89	·89	·88	·86	·91	·91	·92	·84	·92	·92	·92	·82	·82	·82

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 26th August, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 26TH AUGUST, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	162	80	8	7	19	28	9	11	1	.	.	1	1	6	5	1	15	4	6	5	6	7	25	10	13	5	51	7
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	12·0	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	1	.
II.	MIDDLE CLASS, ...	87,188	18·5	31	15	.	4	.	5	1	6	.	.	.	.	.	1	.	1	3	1	.	1	1	1	5	.	4	1	12	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	19·4	41	18	4	2	7	8	.	2	.	.	.	.	1	1	.	.	5	1	2	2	2	4	5	2	3	2	11	3
IV.	GENERAL SERVICE CLASS, ...	154,279	23·0	68	41	2	1	7	11	5	1	1	.	.	1	.	4	5	.	3	2	1	2	3	2	13	5	4	.	22	4
V.	INMATES OF WORKHOUSES, ...	6,024	—	18	5	2	.	4	3	2	2	.	.	.	.	.	.	.	.	4	.	2	.	.	.	2	3	2	.	5	...
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	13·4	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	21·3	9	5	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	2	.	4	.
	6. Clerks and Commercial Assistants, ...	30,432	24·0	14	6	.	4	.	2	.	2	.	.	.	.	.	.	.	.	3	.	.	1	.	.	3	.	1	1	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	13·5	7	3	.	.	.	2	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	1	.	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	26·4	5	3	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	17·5	10	4	.	.	2	2	.	2	.	.	.	.	.	.	.	.	2	1	1	1	.	2	.	.	1	.	2	1
	10. Clothing Trades, ...	23,260	20·2	9	4	2	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	2	1	1	.	2	.
	11. Food Supply Trades, ...	9,242	5·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	25·8	15	6	2	2	3	2	.	.	.	.	.	.	1	1	.	.	2	.	1	1	1	.	.	.	1	2	5	2
	13. Petty Shopkeepers, ...	7,894	6·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	15·5	4	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	1
	15. Domestic Servants, ...	36,603	8·5	6	4	.	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	18·1	5	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	1	.	1	1
	17. Hawkers, Porters, Labourers, &c., ...	89,861	30·8	53	33	1	1	3	9	5	1	1	.	.	1	.	3	4	.	2	2	1	1	3	1	10	5	3	.	16	2
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	6,024	—	18	5	2	.	4	3	2	2	.	.	.	.	.	.	.	.	4	.	2	.	.	.	2	3	2	.	5	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 29,854.	July 8,	5·2	.	3	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
		„ 15,	21·0	3·5	12	.	.	.	1	.	1	.	.	1	2	1	3	.	.	.	.	.	.
		„ 22,	24·5	8·7	14	1	.	.	1	.	1	.	.	.	.	1	.	1	1	.	1	.	.
		„ 29,	38·4	15·7	22	.	.	.	.	.	.	.	.	2	2	.	1	3	7	1	1	1	.
		Aug. 5,	26·2	14·0	15	1	.	.	2	.	.	.	.	2	.	1	.	.	3	1	1	.	.
		„ 12,	27·9	10·5	16	.	.	.	.	.	.	.	.	1	.	1	2	1	3	1	2	.	1
		„ 19,	24·5	7·0	14	.	.	.	.	.	.	.	.	.	.	1	.	3	3	.	1	.	1
		„ 26,	19·2	14·0	11	.	.	.	.	.	1	.	.	1	.	.	1	.	4	1	2	.	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 39,902.	July 8,	14·4	.	11	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.
		„ 15,	26·1	3·9	20	2	.	.	.	1	.	.	.	2	.	.	2	4	.	.	.	.	1
		„ 22,	13·1	1·3	10	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.	1	.	.
		„ 29,	24·8	3·9	19	.	.	.	1	1	.	.	.	.	2	.	3	1	1	.	.	.	.
		Aug. 5,	22·2	5·2	17	.	.	.	.	.	.	.	.	2	1	.	.	1	2	.	2	.	.
		„ 12,	31·4	13·1	24	.	.	.	.	.	.	.	1	1	1	1	1	2	7	2	.	1	2
		„ 19,	23·5	10·5	18	.	.	.	.	.	.	.	.	1	.	.	.	1	7	1	.	1	.
		„ 26,	19·6	7·8	15	.	.	.	.	.	1	.	.	2	.	1	1	2	2	3	.	.	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 30,689.	July 8,	17·0	1·7	10	.	.	.	.	.	.	1	.	.	3	.	1	2	.	.	.	.	.
		„ 15,	25·5	10·2	15	1	.	.	3	.	.	1	.	2	1	.	.	.	1	.	.	.	.
		„ 22,	18·7	5·1	11	.	.	.	.	.	1	.	.	2	1	1	1	1	2	.	.	.	.
		„ 29,	34·0	8·5	20	.	.	.	.	1	1	.	.	2	2	.	3	2	2	1	.	1	.
		Aug. 5,	27·2	10·2	16	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	1	1	.
		„ 12,	30·6	6·8	18	.	.	.	.	1	.	.	.	1	.	1	1	1	2	.	1	.	1
		„ 19,	25·5	11·9	15	.	.	.	.	.	.	1	.	.	.	.	.	1	2	4	.	.	1
		„ 26,	23·8	10·2	14	.	.	.	.	.	1	1	.	.	2	.	1	2	2	2	.	.	1
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,498.	July 8,	21·8	3·1	14	.	.	.	2	.	.	.	.	1	.	3	1	1	.	.	.	2	1
		„ 15,	15·6	.	10	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	1	.
		„ 22,	23·3	4·7	15	1	.	.	1	.	.	.	.	2	.	2	.	1	1	.	.	.	1
		„ 29,	26·5	7·8	17	.	.	.	.	.	1	.	.	2	2	.	1	2	2	1	1	.	.
		Aug. 5,	14·0	4·7	9	.	.	.	1	.	.	.	.	2	.	1	.	.	1	.	1	.	.
		„ 12,	15·6	6·2	10	.	.	.	.	1	.	.	.	.	.	.	.	2	2	.	1	.	1
		„ 19,	42·0	4·7	27	1	.	.	.	.	.	.	.	4	2	.	1	1	2	.	.	.	.
		„ 26,	26·5	10·9	17	.	.	.	.	.	.	1	.	2	.	1	.	1	4	2	.	.	1
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,401.	July 8,	22·7	5·0	18	.	.	.	1	.	.	1	.	2	1	.	1	.	.	.	2	3	1
		„ 15,	31·5	3·8	25	.	.	.	1	.	.	.	.	3	1	1	.	1	1	.	1	.	.
		„ 22,	23·9	.	19	.	.	.	.	.	.	.	.	3	.	1	1	2	.	.	.	1	.
		„ 29,	13·9	5·0	11	.	.	.	.	.	.	.	.	1	1	1	1	1	1	.	3	.	.
		Aug. 5,	18·9	5·0	15	.	.	.	.	.	1	.	.	.	3	.	.	.	2	.	1	.	.
		„ 12,	23·9	12·6	19	1	.	.	.	.	.	.	.	2	1	.	.	.	2	1	6	.	.
		„ 19,	27·7	10·1	22	1	.	.	.	.	.	.	.	3	3	.	.	.	4	.	3	1	.
		„ 26,	16·4	6·3	13	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	3	.	1
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,715.	July 8,	28·8	2·4	12	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
		„ 15,	21·6	4·8	9	.	.	.	.	1	.	.	.	.	1	.	.	3	.	.	1	.	1
		„ 22,	28·8	2·4	12	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.
		„ 29,	24·0	9·6	10	.	.	.	.	.	.	.	.	.	1	.	.	.	3	1	.	.	.
		Aug. 5,	21·6	7·2	9	1	.	.	.	.	1	.	.	1	1	.	1	.	1	.	.	.	.
		„ 12,	9·6	2·4	4	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
		„ 19,	12·0	7·2	5	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2	.	.
		„ 26,	33·6	9·6	14	.	.	.	.	.	.	.	.	1	.	1	.	.	4	.	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,149.	July 8,	15·7	2·4	13	1	.	.	.	1	.	.	.	1	2	.	.	.	.	.	.	1	1
		„ 15,	23·0	4·8	19	.	.	.	2	1	.	1	.	1	2	.	.	2	.	.	.	1	1
		„ 22,	29·0	7·3	24	.	.	.	1	.	1	1	.	2	3	1	4	1	3	.	.	.	.
		„ 29,	24·2	9·7	20	.	.	.	5	.	.	.	.	3	2	.	1	1	2	.	1	.	1
		Aug. 5,	18·1	7·3	15	.	.	.	2	.	.	.	.	1	.	.	.	1	3	.	1	.	.
		„ 12,	24·2	7·3	20	.	.	.	1	.	.	.	.	4	2	2	.	1	4	.	1	1	.
		„ 19,	24·2	8·5	20	.	.	.	.	.	1	.	.	3	1	1	1	2	3	.	3	.	.
		„ 26,	27·8	8·5	23	1	.	.	.	1	.	1	.	5	.	.	1	2	2	1	1	1	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 35,816.	July 8,	11·6	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	3
		„ 15,	24·7	1·5	17	.	.	.	.	.	.	.	.	6	1	.	1	.	1	.	.	1	.
		„ 22,	11·6	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
		„ 29,	18·9	2·9	13	.	.	.	.	.	.	1	.	1	1	.	.	2	1	.	.	1	.
		Aug. 5,	11·6	.	8	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
		„ 12,	11·6	4·4	8	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1	.	.	.
		„ 19,	29·1	10·2	20	.	.	.	.	.	1	.	.	2	.	1	1	2	6	.	.	1	.
		„ 26,	16·0	5·8	11	.	.	.	.	.	1	2	.	.	1	1	.	.	.	1	.	2	1

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	July 8,	6·8	2·7	5	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	„ 15,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	1
	„ 22,	13·6	1·4	10	.	.	.	.	.	.	1	.	2	.	1	1	1	.	.	.	1	.
	„ 29,	23·1	10·9	17	.	.	.	1	.	.	.	.	.	1	1	1	.	6	.	1	.	1
	Aug. 5,	16·3	5·4	12	.	.	.	.	1	.	.	.	1	1	.	.	.	2	.	1	1	1
	„ 12,	15·0	5·4	11	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	1	.	2
	„ 19,	20·4	1·4	15	.	.	.	.	.	.	.	.	3	2	2	.	1	1	.	.	2	2
	„ 26,	10·9	5·4	8	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	3	.	2
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	July 8,	17·8	.	10	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	2
	„ 15,	7·1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
	„ 22,	14·2	1·8	8	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.
	„ 29,	17·8	5·3	10	.	.	.	.	.	1	.	.	1	.	.	.	1	1	1	.	.	.
	Aug. 5,	19·5	5·3	11	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	1	.	.
	„ 12,	8·9	.	5	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
	„ 19,	17·8	7·1	10	.	.	.	.	.	1	.	.	1	.	1	.	1	1	1	1	.	1
	„ 26,	19·5	8·9	11	.	.	.	.	.	2	.	.	1	.	.	1	.	1	.	2	.	.
Kingstown Urban District. Pop. in 1911 17,227.	July 8,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 15,	27·2	.	9	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.
	„ 22,	24·2	3·0	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	„ 29,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1
	Aug. 5,	12·1	3·0	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	„ 12,	24·2	3·0	8	.	.	.	.	.	.	.	.	2	.	1	3	.	1	.	.	.	.
	„ 19,	27·2	3·0	9	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 26,	18·2	3·0	6	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	1	.
Belfast. Pop. in 1911 (Est.) 386,449.	July 8,	12·4	0·5	92	.	.	.	.	1	.	1	.	16	5	4	7	11	1	.	1	.	.
	„ 15,	16·6	1·5	123	.	.	.	.	1	1	.	.	18	8	6	2	14	6	.	3	3	1
	„ 22,	16·3	3·0	121	1	.	.	.	.	1	2	.	20	6	3	4	10	10	.	8	5	.
	„ 29,	14·2	3·4	105	.	.	.	.	.	1	.	.	10	5	3	6	3	14	1	9	3	2
	Aug. 5,	16·6	3·9	123	.	.	.	.	.	2	2	.	13	7	9	2	4	9	4	12	2	.
	„ 12,	16·3	6·1	121	1	.	.	.	1	1	.	.	9	3	4	3	5	19	4	19	2	1
	„ 19,	18·8	4·3	139	1	.	.	.	.	.	1	.	6	7	4	9	6	17	3	10	6	1
	„ 26,	17·8	4·9	132	2	.	.	.	.	1	.	.	19	5	1	3	5	15	5	13	4	2
Cork. Pop. in 1911 76,632.	July 8,	15·6	2·0	23	.	1	.	2	.	.	.	.	2	2	2	.	1	.	.	.	.	.
	„ 15,	11·6	.	17	.	.	.	.	.	.	.	.	3	1	1	.	5	.	.	.	.	1
	„ 22,	12·9	1·4	19	.	.	.	1	.	.	.	.	1	.	.	.	1	1	.	.	1	1
	„ 29,	16·3	1·4	24	.	.	.	.	.	1	.	.	5	.	2	.	3	1	.	.	.	1
	Aug. 5,	15·6	2·0	23	.	.	.	.	.	1	.	.	.	4	3	.	1	1	.	1	1	2
	„ 12,	9·5	2·0	14	.	.	.	.	.	.	.	.	1	3	.	1	1	3	.	.	.	.
	„ 19,	12·9	2·0	19	.	.	.	.	.	.	.	.	2	1	.	1	1	3	.	.	.	.
	„ 26,	19·1	4·1	28	.	.	.	.	.	.	.	.	5	2	1	1	3	6	.	.	1	.
Londonderry. Pop. in 1911 40,799.	July 8,	8·9	1·3	7	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.
	„ 15,	19·2	.	15	.	.	.	.	.	.	.	.	3	1	.	1	4	.	.	.	1	.
	„ 22,	19·2	3·8	15	.	.	.	.	.	1	.	.	2	.	3	.	1	2	.	.	.	.
	„ 29,	11·5	3·8	9	.	.	.	.	.	1	.	.	1	1	.	1	1	1	1	.	.	.
	Aug. 5,	19·2	3·8	15	.	.	.	.	.	.	.	.	3	1	2	2	.	1	.	2	.	.
	„ 12,	11·5	1·3	9	.	.	.	.	.	.	.	.	4	1	.	.	.	1	.	.	.	.
	„ 19,	16·6	3·8	13	.	.	.	.	.	.	.	.	2	.	1	.	1	2	.	1	.	.
	„ 26,	14·1	2·6	11	.	.	.	.	.	1	.	.	1	1	1	.	1	1	.	.	1	.
Limerick. Pop. in 1911 38,403.	July 8,	16·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1
	„ 15,	10·9	.	8	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3
	„ 22,	20·4	4·1	15	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	2	.	3
	„ 29,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.
	Aug. 5,	12·2	.	9	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	2
	„ 12,	13·6	2·7	10	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1	1	.	.
	„ 19,	10·9	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	1
	„ 26,	25·8	8·1	19	1	.	.	.	.	.	.	.	.	1	2	.	.	3	1	1	.	2
Waterford. Pop. in 1911 27,430.	July 8,	28·5	.	15	.	.	.	.	.	.	.	.	6	1	.	.	1	.	.	.	.	4
	„ 15,	5·7	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 22,	19·0	.	10	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2	3
	„ 29,	15·2	1·9	8	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	1
	Aug. 5,	17·1	1·9	9	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1	.	.
	„ 12,	20·9	3·8	11	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	2	.	1
	„ 19,	22·8	5·7	12	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.	2
	„ 26,	13·3	3·8	7	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	2	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 26th August, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa: Of children under 2 years of age.	Diarrhœa: 2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	385,492	9	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		10	4	.	2	1	2	1	.	.	.	.	.	.	.	.	4	.	1	.	1	3	.	.	.	.	3	.
Do. 2 do.		35			19	6	2	2	.	6	3	.	.	.	.	.	.	.	.	1	.	.	1	1	2	.	4	.	.	1	.
Do. 3 do.		24			18	3	.	3	5	5	2	.	.	.	.	.	.	.	.	3	.	.	.	1	2	2	1	.	1	7	.
Do 4 do.		28			10	5	.	.	2	1	2	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	2	1	1	7	.
Do. 5 do.		6			8	2	.	.	2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	3	.
Do. 6 do.		14			15	4	.	2	1	5	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	1	2
Do. 7 do.		1			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		3			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		7			9	.	.	1	4	3	1	2	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	5	.
Do. 10 do.		22			4	.	.	1	1	1	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	.	.
Do 11 do.		22			15	6	3	4	1	1	.	.	.	.	.	.	1	.	.	2	1	.	.	.	4	1	.	3	5	1	.
Do 12 do.		22			9	3	2	1	.	1	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	2	.	.	.	.
Do. 13 do.		11			3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		16			11	2	1	1	2	3	2	.	.	.	.	.	.	.	.	3	1	.	.	1	2	.	1	.	.	3	.
Total,	—	220			132	36	8	18	19	31	20	2	.	.	.	.	1	.	.	19	5	1	3	5	15	5	13	4	8	32	2
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	76,632	4	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	3	.
Do. 2 do.		6			6	1	2	.	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.	.	2	.
Do. 3 do.		8			7	3	1	.	.	2	1	.	.	.	.	.	.	.	.	1	1	.	.	1	3	.	.	.	.	2	.
Do. 4 do.		2			6	2	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2	.
Do. 5 do.		6			3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	2	.
Do. 6 do.		4			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Do. 7 do.		8			2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Total,	—	38	19·1	4·1	28	8	4	.	6	5	5	.	.	.	.	.	.	.	.	5	2	1	1	3	6	.	.	1	1	12	.

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	Mar. 4.	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.
No. of weeks in Annual Series,	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
BIRTHS registered, ...	232	193	220	218	232	228	204	189	236	232	229	180	214	233	215	258	201	264	213	207	268	236	203	225	215	220
DEATHS registered, ...	133	118	118	147	138	172	161	154	160	109	120	123	123	125	115	107	82	116	92	123	121	105	123	121	139	132
Annual Death rate per 1,000 of estimated population, ...	17·4	15·4	15·4	19·2	18·1	22·5	21·1	20·2	20·9	14·3	15·7	16·1	16·1	16·4	15·5	14·4	11·1	15·7	12·4	16·6	16·3	14·2	16·6	16·3	18·8	17·8
AGES, Under 1 year, ...	25	20	33	23	26	36	24	23	23	19	19	25	22	18	19	23	16	18	11	25	32	38	39	45	44	36
AGES, 1—5 years, ...	9	10	6	17	11	7	10	14	13	10	9	9	13	7	7	10	7	9	7	9	11	8	12	11	11	8
AGES, 5—25 ,, ...	18	9	10	19	11	14	17	13	21	13	17	15	17	14	14	16	7	16	15	16	14	11	7	14	15	18
AGES, 25—45 ,, ...	16	23	14	28	23	36	32	26	27	25	23	26	22	24	26	22	18	20	21	25	22	13	21	11	17	19
AGES, 45—65 ,, ...	35	29	27	30	38	45	37	39	46	22	29	31	27	34	20	20	20	37	25	29	23	17	23	23	28	31
AGES, 65 and upwards, ...	30	27	28	30	29	34	41	39	30	20	23	17	22	28	29	16	14	16	13	19	19	18	21	17	24	20
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.
Whooping-cough, ...	1	1	1	.	.	.	3	2	1	.	.	1	1	.	.	4	.	1	.	1	1	1	2	1	.	1
Diphtheria, ...	.	.	.	1	1	.	2	1	.	.	.	.	.	.	1	.	.	.	1	.	2	.	2	.	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	13	19	7	22	24	26	25	14	17	16	25	21	21	16	14	13	13	23	16	18	20	10	13	9	6	19
Tuberculous Disease. Other Forms,	10	7	8	9	8	8	4	11	15	12	7	10	12	11	6	10	2	2	5	8	6	5	7	3	7	5
Cancer, ...	3	6	11	8	4	5	5	6	12	3	6	1	4	6	8	6	6	7	4	6	3	3	9	4	4	1
Diseases of Respiratory System, Pneumonia,	15	10	10	14	16	13	19	23	18	10	10	13	6	11	9	9	5	5	7	2	4	6	2	3	9	3
Diseases of Respiratory System, Others, ...	20	20	14	16	19	26	29	34	16	20	15	19	11	18	18	13	10	8	11	14	10	3	4	5	6	5
Diarrhœa, Under 2 years, ...	1	.	1	.	.	1	.	.	.	.	1	1	2	1	.	1	1	2	1	6	10	14	9	19	17	15
Diarrhœa, 2 years & upwards	.	1	.	3	1	.	1	.	.	.	.	.	.	.	1	.	3	.	.	.	.	1	4	4	3	5
Enteritis, under 2 years, ...	1	.	.	3	2	1	2	2	1	1	1	3	3	4	2	.	1	1	1	3	8	9	12	19	10	13
Violent Deaths, ...	3	2	1	3	4	8	2	3	3	3	4	1	1	.	3	3	1	4	.	3	5	3	2	2	6	4
Number of Uncertified Deaths, ...	3	2	1	.	1	3	2	.	1	2	1	1	1	2	1	.	3	3	.	1	.	2	.	1	1	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	Aug. 26,	2,223	1,646	19·0	3	.	12	.	11	9	635*a*
Edinburgh, ...	320,829	„ 26,	127	76	12·4	.	.	.	.	2	.	8
Glasgow, ...	784,621	„ 26,	435	251	16·7	2	.	3	.	6	5	50
Calcutta, ...	890,493	July 22,	.	388	22·6	74*	.	.	.	.	1	53‡
Bombay, ...	977,822	„ 22,	395	532	28·3	70*	4	4	.	.	.	76‡
Madras, ...	509,346	„ 1,	353	336	34·3	157*	4	2	?	?	?	87‡
Cairo, ...	689,439	„ 1,	578	765	57·9	3	.	13	4	?	6†	331
Paris	2,846,986	„ 29,	986	1,159	22·9	6	.	33	2	7	12†	162*a*
Brussels, ...	739,684	Aug. 5,	245	217	15·3	2	.	4	.	.	1	57
Antwerp, ...	320,640	„ 5,	119	93	15·1	.	.	3	1	.	.	38*a*
Amsterdam, ...	577,188	„ 5,	225	129	11·7	.	.	2	.	1	.	19*a*
Copenhagen, ...	462,132	„ 5,	197	123	13·9	1	.	.	.	3	.	7*a*
Stockholm, ...	343,832	July 29,	154	77	11·6	.	.	.	.	.	2†	3
Christiania, ...	244,038	Aug. 12,	126	69	14·7	.	.	.	.	3	.	16
St. Petersburg, ...	1,639,266	July 22,	552	618	19·7	15	.	28	8	7	.	158
Moscow, ...	1,493,600	„ 22,	.	1,088	38·0	2	5	26	15	2	5†	583
Berlin, ...	2,065,184	„ 22,	745	532	13·4	.	.	6	1	11	8†	63
Hamburg, ...	932,166	Aug. 5,	.	341	19·0	2	.	3	1	3	3†	93
Breslau, ...	518,860	„ 5,	.	288	28·9	.	.	2	.	1	.	95
Munich, ...	597,000	„ 12,	.	185	16·2	.	.	.	.	1	.	34
Vienna (with suburbs),	2,047,968	„ 5,	762	681	17·3	1	.	7	1	2	8†	118*a*
Buda-Pesth, ...	891,585	„ 5,	440	347	20·2	5	.	7	5	1	3†	94*a*
Prague and Faubourgs,	508,310	July 22,	149	137	14·0	1	.	.	.	.	1†	11*a*
Trieste, ...	229,499	„ 29,	132	123	27·9	2	.	2	.	1	2†	18‡
Rome, ...	602,068	June 24,	233	193	16·7	.	.	1	.	.	.	38
		July 1,	264	190	16·5	.	.	4	.	2	1	29
Venice, ...	184,325	June 24,	102	52	14·7	3	.	.	.	.	2	3
New York, ...	4,983,385	July 15,	2,930	1,740	18·2	14	.	17	6	7	25†	268*a*
Philadelphia, ...	1,580,250	„ 1,	.	440	14·5	.	.	4	4	2	4†	54*a*
Boston, ...	688,912	Aug. 5,	.	193	14·6	.	2	2	2	1	1	36

* Deaths from "fever," including 3 deaths from enteric fever and 17 deaths from plague in Calcutta, one from enteric fever and 30 from plague in Bombay.]

† Including deaths from croup.

‡ Including 13 deaths from cholera in Calcutta, 3 in Bombay, one in Madras, and 2 in Trieste.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending August 26th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	2	.	.	.	.	3
„ „ 1, West, ...	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ 2, ...	.	2	.	.	.	.	.	1	.	.	.	.	3
„ „ 3, ...	.	4	.	.	.	.	.	2	1	.	.	5	12
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	3	.	.	3	.	.	4	8	.	.	3	21
„ „ 2, ...	.	3	.	.	.	.	.	1	.	.	.	1	5
„ „ 3, ...	.	1	.	.	1	.	.	.	.	.	.	.	2
„ „ 4, ...	.	1	.	.	1	.	.	1	.	.	.	.	3
New Kilmainham, ...	.	2	.	.	.	.	.	.	.	.	.	.	2
Total, ...	.	19	.	.	5	.	.	11	9	.	.	10	54

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 26th August, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 26th August.			
	Aug. 5.	Aug. 12.	Aug. 19.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	38	39	32	7	18	.	21
Scarlet Fever, ...	66	64	59	28	18	1	68*
Typhus, ...	1	1	1	2	1	.	2
Diphtheria, ...	27	25	27	7	7	3	24
Enteric Fever, ...	34	29	29	8	3	2	32
Pneumonia, ...	17	14	11	3	2	2	10

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 26th August, 1911:—

"The atmosphere was in a state of much less stable equilibrium during this week, and the weather was consequently less settled, cooler and more cloudy than of late, showers falling at one time or another in all parts of the British Islands, France, the Low Countries, and Germany. On Sunday the barometer fell slowly, and the distribution of pressure became irregular, shallow depressions forming over all parts of Northern and Northwestern Europe. That day was very fine in Dublin, but sheet lightning was seen at night. Rain fell in most parts of Great Britain and thunderstorms were experienced in many places, the accompanying rainfall amounting to ·67 inch at Dover, ·63 inch at Nottingham, and ·60 inch at both Liverpool and Bexhill-on-Sea. In the course of Monday and Tuesday morning the rainfall at North Shields measured 1·28 inches. In Ireland the weather remained dry until Thursday morning, northerly winds prevailing, with much cloud in the mornings but sunny afternoons in the Dublin district. During Wednesday night a great change took place—a deep depression suddenly developed off the West Coast of Ireland, and the wind rose from S. with clouds and rain. At 7 a.m. of Thursday the barometer was down to 29·40 inches at Blacksod Point, whereas the reading at Yarmouth was 29·90 inches. This atmospheric disturbance subsequently travelled northwards surging eastwards at the same time. Fresh to squally S. to W. winds and showers prevailed in all parts, and cooler, changeable weather continued to the close of the week in connection with secondary depressions arriving from the Atlantic or developing over the United Kingdom. In Dublin the mean height of the barometer was 29·759 inches, the range of pressure being from 29·902 inches at 9 a.m. of Wednesday (wind, N.E.) to 29·515 inches at 9 a.m. of Thursday (wind, S.S.W.). The corrected mean temperature was 61·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 60·6°. The screened thermometers fell to 54·3° on Friday and rose to 69·4° on Saturday. The prevailing winds were at first N., later S.W. Rain fell on 3 days, the measurement being ·186 inch, of which ·102 inch was recorded on Wednesday. The increased cloudiness checked radiation, so that no extreme temperatures were recorded."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·594 inches. The highest reading (29·731) was on Wednesday at 9 a.m., air calm, and the lowest (29·352) on Thursday at 9 a.m., wind S.S.W.

The mean temperature for the week was 59·7°, being 3·2° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Sunday, Thursday, and Saturday, on which days the thermometer registered 68·9°, and was lowest on Monday, the mercury having fallen to 48·5°. The mean of the Dry Bulb for the week was 59·4° and of the Wet Bulb, 56·1°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The rainfall during the week measured 0·338 inch.

At Greenwich the mean temperature for the week was 63·9°, the maximum 82·2°, and the minimum 52·7°, and at Edinburgh the maximum was 68·0°, the minimum 50·7°, and the mean 58·4°. The rainfall at Greenwich measured 0·29 in., and at Edinburgh 0·34 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, August 20,	29·549	68·9	53·3	61·1	59·5	56·4	·83	·3	6·1	·000	Calm.	Calm.
Monday, „ 21,	29·533	67·4	48·5	58·0	59·2	55·8	·80	·6	0·6	·000	N.	N.N.E.
Tuesday, „ 22,	29·693	67·0	49·8	58·4	58·3	55·6	·83	·5	5·5	·000	Calm.	Calm.
Wednesday, „ 23,	29·678	64·0	51·6	57·8	59·9	55·3	·74	·6	5·9	·200	Calm.	Calm.
Thursday, „ 24,	29·409	68·9	53·4	61·2	57·8	55·9	·88	·6	5·1	·065	S.S.W.	S.W.
Friday, „ 25,	29·626	66·8	53·0	59·9	59·7	55·6	·82	·6	9·8	·038	S.W.	W.S.W.
Saturday, „ 26,	29·667	68·9	54·1	61·5	61·6	58·4	·81	·5	1·0	·035	S.S.W.	W.
Mean, ...	29·594	67·4	52·0	59·7	59·4	56·1	·82	·5	Total 34·0	Total ·338	——	

Sunday—Day cloudy, fine; night clear. *Monday*—Day overcast to cloudy; night cloudy. *Tuesday*—Day cloudy, fine; night cloudy. *Wednesday*—Day cloudy, fine; night overcast, heavy rain from 3.0 a.m. to 6.15 a.m., 7 a.m. to 7.15 a.m., and 7.25 a.m. to 8.0 a.m. *Thursday*—Day cloudy, rain 1.5 to 1.25 p.m. and 2.5 to 2.30 p.m.; night clear. *Friday*—Day cloudy, heavy shower 2.5 to 2.30 p.m.; night cloudy. *Saturday*—Day cloudy, showers at intervals, a.m. and p.m.; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, August 26th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, August 20,	61·8	64·7	61·0	69·2	57·9	63·5	6·5	—
Monday, „ 21,	61·0	64·3	61·0	68·6	55·0	61·8	1·0	—
Tuesday, „ 22,	60·0	63·2	60·8	67·2	52·3	59·7	4·8	—
Wednesday, „ 23,	62·0	63·4	61·5	63·7	59·5	61·6	7·0	·09
Thursday, „ 24,	59·9	63·0	60·9	70·6	55·8	63·2	4·8	·035
Friday, „ 25,	64·2	62·3	61·1	69·2	54·8	62·0	9·5	·034
Saturday, „ 26,	64·7	62·3	60·7	70·0	55·2	62·8	2·75	·002
Weekly Mean, .	61·9	63·3	61·0	68·4	55·8	62·1	Total 36·35	Total ·161

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31062. Wt. P.18 110–/138. 375. 8. 1911. Sch. C 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 2ND SEPTEMBER, 1911. [No. 35.

General Register Office, Charlemont House, Dublin, 4th September, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Aug. 12	Aug. 19	Aug. 26	Sept. 2	Average Rate for 4 weeks.
22 Town Districts, ...	**17·1**	**19·4**	**19·3**	**21·0**	**19·2**
Armagh	6·9	.	13·7	6·9	6·9
Ballymena	27·5	36·7	13·8	22·9	25·2
Belfast	16·3	18·8	17·8	18·6	17·9
Clonmel	10·1	5·1	20·3	5·1	10·2
Cork	9·5	12·9	19·1	24·5	16·5
Drogheda	4·2	4·2	4·2	4·2	4·2
Dublin Reg. Area ...	20·7	25·1	20·1	25·8	22·9
Dundalk	11·9	15·9	19·9	7·9	13·9
Galway	7·9	19·7	11·8	19·7	14·8
Kilkenny	39·7	5·0	5·0	49·6	24·8
Limerick	13·6	10·9	25·8	17·7	17·0
Lisburn	8·6	12·9	17·1	12·9	12·9
Londonderry	11·5	16·6	14·1	12·8	13·8
Lurgan	8·6	.	8·6	12·9	7·5
Newry	21·8	8·7	30·5	4·4	16·4
Newtownards	34·3	22·9	74·4	57·2	47·2
Portadown	17·8	17·8	35·6	22·2	23·4
Queenstown	13·2	19·8	26·4	26·4	21·5
Sligo	14·0	4·7	42·0	4·7	16·4
Tralee	5·3	.	15·9	15·9	9·3
Waterford	20·9	22·8	13·3	9·5	16·6
Wexford	18·2	22·8	18·2	22·8	20·5

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 6·9 per 1,000, the rates varying from 0·0 in seven of the districts to 40·1 in Newtownards, the 10 deaths from all causes for that district including one from measles and 6 from *enteritis* of children under 2 years of age. Among the 138 deaths from all causes for Belfast are one from enteric fever and 49 from diarrhœal diseases. Included in the 36 deaths for Cork are 6 from diarrhœa of children under 2 years of age. Among the 13 deaths from all causes for Limerick are 4 from diarrhœa, and 3 of the 5 deaths for Waterford are from diarrhœal diseases. Two of the 3 deaths for Lurgan are from diarrhœa and *enteritis* of children under 2 years of age, and 2 of the 3 deaths for Lisburn are from diarrhœa of children under 2 years of age. Of the 5 deaths for Wexford 3 are from diarrhœa of children under 2 years of age. Two of the 5 deaths for Portadown are from *enteritis* of children under 2 years of age, and 2 of the 4 deaths for Queenstown are from diarrhœa and *enteritis* of children under 2 years of age.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 198—97 boys and 101 girls—and the deaths to 210—101 males and 109 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 25·8 per 1,000 of the population. During the thirty-five weeks ending with Saturday last the death-rate averaged 21·4, and was 1·3 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 210, represent an annual rate of 27·1 per 1,000; the annual rate for the past thirty-five weeks was 22·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·8 per 1,000 of the mean population for all deaths registered.

Included in the total there were 2* deaths from enteric fever, one death from measles, 7 deaths from whooping-cough, one death from diphtheria, one death from English cholera, 52* deaths from diarrhœa and *enteritis* of children under 2 years of age, and one death from influenza. In each of the 3 preceding weeks, deaths from enteric fever were 2, 2, and one; deaths from measles were 2, 0, and one; deaths from whooping-cough were one, 3, and 6; deaths from diphtheria were 0, one, and 5; deaths from diarrhœa and *enteritis* of children under 2 years were 41, 49, and 38 (rising to 52 in the week under notice), and deaths from influenza were one, 0, and 0.

There were 32 deaths from all forms of tuberculous disease; this figure includes 22 deaths from pulmonary tuberculosis, 4 deaths from tuberculous meningitis, 4 deaths from abdominal tuberculosis, and 2 deaths from disseminated tuberculosis. In each of the three preceding weeks deaths from all forms of tuberculosis were 18, 28, and 19.

Broncho-pneumonia caused 5 deaths, lobar pneumonia 2 deaths, and *pneumonia* (type not distinguished) 5 deaths.

Ten deaths were assigned to cancer.

Of ten deaths from diseases of the brain and nervous system, 2 were from *convulsions* of children, one under one month old and one between the ages of one year and 2 years.

Organic diseases of the heart accounted for 9 deaths, and bronchitis caused the deaths of 4 persons.

The deaths of 4 infants were attributed to prematurity, and 8 to congenital debility.

There were 3 deaths from accidental causes, one being due to chloroform and ether anæsthesia.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 children under 5 years of age and the death of one person aged 65 years.

Ninety-four of the persons whose deaths were registered during the week were under 5 years of age (69 being infants under one year, of whom 18 were under one month old) and 38 were aged 65 years and upwards, including 28 persons aged 70 and upwards; among the latter were 17 aged 75 years and upwards, of whom 3 (a male and 2 females) were stated to have been aged 98, 94, and 91 years respectively.

Sixty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse and 11 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 25·8 per 1,000; the rate in the City was 27·6 (North City Districts, 30·2; South, 24·8) and in the Suburbs, 20·0.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 8·8 per 1,000 inhabitants, the rate for the City being 10·3 (10·5 in the North City Districts, and 10·0 in the South), and for the Suburbs, 3·9 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (17) are equal to an annual rate of 29·7 per 1,000, and included one death from whooping-cough, 4 deaths from tuberculous disease, 4 deaths from diarrhœa and *enteritis* of children under 2 years of age, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (28) are equal to an annual rate of 36·6 per 1,000. Whooping-cough caused 2 deaths; there were 3 deaths from tuberculous disease, one death from broncho-pneumonia, 8 deaths from diarrhœa of children under 2 years of age, and one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 15·3 per 1,000. Pulmonary tuberculosis caused 2 deaths; and there were 4 deaths from diarrhœa of children under 2 years of age.

No. 3 North City District (Benburb-street).—The deaths (31) represent an annual rate of 48·3 per 1,000. There were 4 deaths from pulmonary tuberculosis, one death from each of lobar pneumonia and *pneumonia* (type not distinguished), and 7 deaths from diarrhœa and *enteritis* of children under 2 years of age.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 22·5 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 13·6. Among the 5 deaths from all causes for the first-named district are one from each of pulmonary tuberculosis, *pneumonia* (type not distinguished), and *enteritis* of a child under 2 years of age; and one of the 2 deaths for Finglas and Glasnevin, part of, is from diarrhœa of a child under 2 years of age

No. 1 South City District (South Earl-street).—The deaths (23) represent an annual rate of 29·0 per 1,000. The deaths include one from diphtheria, 2 from pulmonary tuberculosis, one from broncho-pneumonia, and 11 from diarrhœa and *enteritis* of children under 2 years of age.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 21·6 per 1,000. Of the deaths 4 were caused by tuberculosis.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 26·6 per 1,000. Whooping-cough caused 2 deaths; there were 2 deaths from tuberculous disease, one death from broncho-pneumonia, one from bronchitis, and 6 deaths from diarrhœa and *enteritis* of children under 2 years.

No. 4 South City District (Grand Canal Street).—The deaths (15) are equivalent to an annual rate of 21·8 per 1,000, and include one death from enteric fever, one death from whooping-cough, 3 deaths from tuberculous disease, one death from each of broncho-pneumonia and *pneumonia* (type not distinguished), one death from bronchitis, and 4 deaths from diarrhœa of children under 2 years of age.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·3 per 1,000. Of the deaths one was from whooping-cough and one was of a child under 2 years from *enteritis*.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·7; Pembroke, 17·8; Blackrock, 22·9; and Kingstown, 27·2. The deaths from the principal epidemic diseases tabulated for these districts include one from measles and 3 from diarrhœa for Rathmines and Rathgar, 2 from diarrhœa of children under 2 years of age for Pembroke, and one from diarrhœa of a child under 2 years of age for Kingstown. Included in the 13 deaths from all causes for Rathmines and Rathgar is one from each of *pneumonia* (type not distinguished) and bronchitis; and 4 of the 10 deaths for Pembroke are from tuberculous disease. Among the 4 deaths from all causes for Blackrock 2 are from tuberculous disease; and included in the 9 deaths for Kingstown is one from each of influenza, pulmonary tuberculosis, *pneumonia* (type not distinguished), and bronchitis.

* See note (*c*), Table II. † See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 2nd September, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Aug. 12,	.	—	—	8	.	.	3	.	.	10	7	.	—	—	1	—	8	—	37
	Aug. 19,	.	—	—	14	.	.	6	.	3	7	3	.	—	—	.	—	1	—	34
	Aug. 26,	.	—	—	19	.	.	5	.	.	11	9	.	—	—	.	—	10	—	54
	Sept. 2,	.	—	—	16	.	.	4	.	5	10	5	.	—	—	.	—	4	—	44
Rathmines and Rathgar Urban District.	Aug. 12,	.	—	—	1	.	.	1	.	.	.	.	.	.	—	—	—	—	—	2
	Aug. 19,	.	—	—	.	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 26,	.	—	—	.	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept 2,	.	—	—	1	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1
Pembroke Urban District.	Aug. 12,	.	.	.	.	.	.	.	.	.	1	.	.	.	9	.	—	.	—	10
	Aug. 19,	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	—	.	—	4
	Aug. 26,	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	—	1	—	4
	Sept. 2,	.	1	.	2	.	.	.	.	.	1	.	.	.	5	.	—	.	—	9
Blackrock Urban District.	Aug. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 19,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
	Aug. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 2,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	Aug. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Aug. 19,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Aug. 26,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Sept. 2,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	.	—	1
City of Belfast.	Aug. 12,	.	—	—	10	.	.	3	.	.	2	7	.	—	—	.	—	10	—	32
	Aug. 19,	.	—	—	9	.	.	8	.	1	4	4	1	—	—	.	—	6	—	33
	Aug 26,	.	—	—	6	.	.	3	.	3	7	1	.	—	—	.	—	6	—	26
	Sept. 2,	.	—	—	4	.	.	3	.	.	2	2	.	—	—	.	—	5	—	16

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 2nd September, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Two cases of measles were admitted to hospital during the week, 9 were discharged, one died, and 13 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 39, 32, and 21, respectively.

Sixteen cases of scarlet fever were admitted to hospital, 8 were discharged, and 76* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 64, 59, and 68, respectively.

Two cases of typhus remained under treatment at the end of the week.

Ten cases of diphtheria were admitted to hospital during the week, 2 were discharged, and there were two deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 25, 27, and 24, respectively, were 30 at the close of last week.

Twenty-three cases of enteric fever were admitted to hospital during the week, 7 were discharged, and 48 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 29, 29, and 32.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 5 were discharged, and 9 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 17·6) was equal to an average annual death-rate of 20·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·2 per 1,000, the rate for Glasgow being 18·0 and for Edinburgh 15·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 2nd September. From this Report it appears that of a total of 52 cases notified, 22 were phthisis, 15 scarlet fever, 11 diphtheria, and 4 erysipelas. Among the 305 cases of infectious diseases in hospital at the close of the week were 114 cases of scarlet fever, 67 of diphtheria, 58 of phthisis, 36 of whooping-cough, 15 of measles, 7 of chicken-pox, and 6 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 2nd September, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 2nd September, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 26th August, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 19th August, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
TOTAL OF 22 TOWN DISTRICTS, ...	1,149,495	20·2	27·6	21·0	6·9	609	462	156	80	2	...	...	2	...	7	1	...	51	19	23	17	14	78	15	48	8	10	109	15	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:—TOTAL, (c.) ...	403,732	29·3	25·6	25·8	8·8	198	200	68	34	1	...	...	1	...	7	1	...	22	10	9	10	5	37	7	14	2	2	52	7	e70·9	45·0	59·1	0·41	e68·9	48·5	59·7	0·34	e78·3	45·1	61·2	0·01
CITY OF DUBLIN.	309,738	39·2	28·8	27·6	10·3	171	164	58	23	1	...	...	...	...	7	1	...	17	8	6	8	2	33	5	14	2	2	46	5	f71·2	50·9	61·1	0·33	f69·4	54·3	61·7	0·19	f78·1	55·2	64·8	0·01
Urban Districts. RATHMINES AND RATHGAR.	38,330	22·4	12·2	17·7	5·4	9	13	3	4	...	...	...	1	...	...	...	...	...	...	2	1	2	1	2	...	...	...	5	2	g71·9 ...	47·6 ...	60·1 ...	0·52 ...	g70·9 ...	50·4 ...	61·1 ...	0·32 ...	g79·9 ...	47·0 ...	63·6 ...	0·01 ...
PEMBROKE. ...	29,347	18·5	21·3	17·8	3·6	12	10	4	2	...	...	...	...	...	...	...	...	3	1	...	...	...	2	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,090	8·4	17·2	22·9	.	3	4	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	9·1	27·2	3·0	3	9	3	4	...	...	...	...	...	...	...	...	1	...	1	1	1	1	...	...	...	...	...	...	74	50	61·4	0·25	71·0	57·0	60·6	0·36	76	53	63·4	0·00
Urban Districts. BELFAST ...	386,449	26·3	26·6	18·6	6·7	197	138	52	18	1	...	...	...	...	...	...	...	17	3	7	4	1	21	6	22	5	6	39	...	69·0	47·0	56·2	0·73	69·0	43·0	64·9	0·57	79·8	47·5	64·2	0·12
CORK, ...	76,632	33·8	29·3	24·5	4·1	43	36	9	8	...	...	...	...	...	...	...	...	5	1	4	...	1	6	...	...	1	2	10	1	68	50	59·7	0·24	73	53	61·9	0·62	74	55	64·3	0·15
LONDONDERRY...	40,799	18·9	26·8	12·8	1·3	21	10	2	2	...	...	...	...	...	...	...	...	...	1	...	1	3	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,403	18·2	54·3	17·7	5·4	40	13	4	3	...	...	...	...	...	...	...	...	1	1	...	1	...	3	1	...	...	...	1	1	72·4	42·2	58·1	0·16	72·3	45·4	60·3	0·19	83·8	50·2	65·1	0·02
WATERFORD, ...	27,430	19·1	34·2	9·5	5·7	18	5	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY. ...	13,249	2·5	27·5	19·7	.	7	5	1	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	...	65	50	61	0·29	72	47	62	1·26	87	54	68	0·00
DUNDALK, ...	13,128	9·5	35·7	7·9	.	9	2	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	16·8	4·2	4·2	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY. ...	11,956	17·2	21·8	4·4	.	5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	70·2	47·9	59·7	0·06	69·1	43·3	59·0	0·42	80·1	47·0	64·5	0·57
LURGAN, ...	12,135	14·3	25·8	12·9	8·6	6	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	70·2	47·9	59·7	0·06	69·1	43·3	59·0	0·42	80·1	47·0	64·5	0·57
LISBURN. ...	12,172	10·7	25·7	12·9	8·6	6	3	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	...	...	70·2	47·9	59·7	0·06	69·1	43·3	59·0	0·42	80·1	47·0	64·5	0·57
WEXFORD. ...	11,455	23·8	27·3	22·8	13·7	6	5	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA. ...	11,376	9·3	4·6	22·9	4·6	1	5	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO. ...	11,163	3·8	46·7	4·7	.	10	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	67·8	43·9	57·9	0·87	69·7	35·5	57·9	1·30	82·2	48·4	65·2	0·08
KILKENNY, ...	10,513	11·4	34·7	49·6	.	7	10	...	5	...	...	...	...	...	...	...	...	2	...	1	1	1	...	...	...	...	...	3	2	70	44	57·7	0·23	71	50	60·4	0·68	82	53	65·7	0·10
CLONMEL, ...	10,277	7·9	30·4	5·1	.	6	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN. ...	11,727	15·3	40·0	22·2	8·9	9	5	2	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	2	...	...	...	...	70·2	47·9	59·7	0·06	69·1	43·3	59·0	0·42	80·1	47·0	64·5	0·57
TRALEE. ...	9,867	16·6	15·9	15·9	5·3	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	34·3	57·2	40·1	6	10	4	1	...	...	...	1	...	...	...	...	2	...	...	...	...	...	...	6	...	...	...	1	68	46	58·4	0·37	68	45	58·3	0·98	70	51	60·1	0·00
QUEENSTOWN, ...	7,909	14·4	13·2	26·4	13·2	2	4	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	1	...	...	...	...	68	50	59·7	0·24	73	53	61·9	0·62	74	55	64·3	0·15
ARMAGH. ...	7,588	22·2	34·4	6·9	.	5	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	70·2	47·9	59·7	0·06	69·1	43·3	59·0	0·42	80·1	47·0	64·5	0·57

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 10 deaths of persons (including one under one year old and 4 at 65 years or upwards), admitted to hospital from localities outside the Area; of the 10 deaths one is from each of enteric fever and of diarrhœa of a child under 2 years of age. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 2nd of September, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	2	.	.	.	.	.	.	.	2	1	1	.	.	.	.	7	.
Diphtheria,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	2	2	2	4	.	1	.	2	1	1	2	.	.	3	1	1	22	.
Tuberculous Disease. — Other Forms,	2	1	.	.	.	.	.	.	3	1	1	.	.	1	1	.	10	.
Cancer,	2	2	.	2	.	.	.	.	.	.	.	.	2	.	.	1	9	1
Diseases of Nervous System,	.	1	.	2	.	.	.	.	1	2	.	.	1	1	1	.	9	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	2	.	2	.	.	.	1	1	2	.	1	.	1	.	1	11	2
" Respiratory System. — Pneumonia,	.	1	.	2	.	1	.	1	.	1	2	.	1	.	.	1	10	2
" Respiratory System. — Others,	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	1	5	.
" Digestive System. — Diarrhœa, under 2 years,	3	8	4	3	.	.	1	5	.	5	4	.	1	2	.	1	37	1
" Digestive System. — Diarrhœa, 2 years and upwards,	1	1	.	1	.	1	.	1	.	.	.	.	2	.	.	.	7	.
" Digestive System. — *Enteritis*, under 2 years,	1	.	.	4	.	1	.	6	.	1	.	1	.	.	.	.	14	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	1	.	.	.	1	.	2	.	.	.	.	1	.	5	.
" Digestive System. — Others,	1	1	1	1	.	.	.	1	.	1	.	.	.	1	.	.	7	.
" Genito-urinary System,	.	.	1	3	.	.	.	.	.	1	1	.	1	.	.	.	7	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth,	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	.	3	.
Other specified Causes,	2	6	1	1	.	1	1	2	2	1	.	.	1	1	.	2	21	1
Violent Deaths,	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
Ill-defined, &c. Causes,	1	.	.	3	.	.	.	1	.	1	1	.	1	.	.	.	8	.
Deaths from All Causes	17	28	9	31	.	5	2	23	9	22	15	3	13	10	4	9	200	10
Annual Rate of Mortality from All Causes in every 1,000 of the population.	29·7	36·6	15·3	18·3	.	22·5	13·6	29·0	21·6	26·6	21·8	17·3	17·7	17·8	22·9	27·2	25·8	.
	30·2							24·8					20·0					
	27·6																	
Ages at Death. — Under 1 year,	7	11	5	6	.	2	1	9	3	6	6	2	3	4	.	3	68	1
1 and under 2 years,	2	4	1	3	.	.	.	5	2	2	.	.	2	.	1	.	22	.
2 " 5 "	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	3	.
5 " 15 "	1	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	5	.
15 " 25 "	.	2	.	1	.	.	.	2	.	2	1	.	.	1	2	.	11	1
25 " 45 "	2	3	.	6	.	1	.	1	3	2	1	.	.	2	.	1	22	1
45 " 65 "	3	3	2	9	.	1	1	2	1	3	4	1	3	1	.	1	35	3
65 and upwards,	2	5	1	6	.	1	.	2	.	5	1	.	4	2	1	4	34	4
Number of Uncertified Deaths,	.	.	.	3	.	.	1	.	1	.	.	.	2	.	.	.	7	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	3	2	4	.	2	.	2	2	5	2	1	4	.	.	.	30	9
Workhouse Hospitals,	1	5	1	5	.	.	.	5	1	2	.	.	1	1	.	.	22	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 35th Week of the 10 years 1901–1910.	In the Week ending Saturday, 2nd September, 1911.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Aug. 31, 1901.	Aug. 30, 1902.	Sept. 5, 1903.	Sept. 3, 1904.	Sept. 2, 1905.	Sept. 1, 1906.	Aug. 31, 1907.	Aug. 29, 1908.	Sept. 4, 1909.	Sept. 3, 1910.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 54·8	° 53·5	° 54·9	° 58·8	° 55·7	° 62·6	° 53·9	° 57·3	° 53·7	° 57·2	° 56·3	° 59·1										
ALL CAUSES.	176	156	116	150	165	166	149	179	149	120	152·6	210	18	51	22	3	5	12	23	38	21	17
Enteric Fever, ...	2	2	1	1	2	2	2	.	1	1	1·4	2	.	.	.	.	.	.	.	2	.	.
Typhus, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	11	.	1	2	.	7	8	.	.	2·9	1	.	.	.	.	1	.	.	.	.	.
Scarlet Fever, ...	2	2	1	.	.	.	.	1	2	1	·9	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	1	.	4	1	.	.	.	.	.	4	1·0	7	.	5	1	1	.	.	.	.	.	.
Diphtheria, ...	2	2	.	.	1	.	.	.	3	1	·9	1	.	.	1	.	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	1	1	.	.	.	1	1	.	.	·5	1	.	.	.	.	.	.	.	.	.	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	2	3	.	.	.	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Pyæmia and Septicæmia (non-puerperal).	1	.	.	1	1	1	.	1	.	.	·5	2	.	1	.	.	.	.	.	1	.	.
Tetanus, ...	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	20	19	16	21	21	18	15	28	18	17	19·3	22	.	1	.	.	2	8	7	4	.	.
Tuberculous Meningitis, ...	2	2	3	2	1	5	3	2	2	2	2·4	4	.	1	2	.	.	1	.	.	.	.
Abdominal Tuberculosis, ...	10	1	.	4	.	.	.	3	1	1	2·0	4	.	2	.	.	.	.	2	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	3	3	3	3	5	4	4	3	3	2	3·3	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												2	.	.	1	.	1	.	.	.	.	.
Venereal Diseases, ...	1	.	1	.	1	2	1	1	5	.	1·2	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	7	7	5	3	10	10	10	7	8	8	7·5	10	.	.	.	.	.	.	1	6	3	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	1	.	1	.	.	.	.	.	·3	1	.	.	.	.	.	.	.	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	.	1	2	1	1	.	.	1	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												2	.	.	2	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												2	.	.	.	.	.	.	.	.	2	.
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												2	.	.	.	.	.	.	1	.	.	1
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												2	1	.	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	40	32	26	28	42	33	35	36	26	21	31·9	2	.	.	.	.	.	1	.	1	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,												1	.	.	.	.	.	.	.	1	.	.
Embolism and Thrombosis (including Cerebral)												9	.	.	.	.	.	2	2	3	1	1
Other Diseases of Circulatory System.												.	.	.	.	.	.	.	.	.	.	.
												3	.	.	.	.	.	.	.	2	.	1
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	7	9	10	7	13	2	9	12	8	6	8·3	4	.	.	.	.	.	.	.	1	1	2
Broncho-pneumonia, ...		2	.	3	2	2	3	1	.	4		5	.	1	2	.	.	.	.	.	1	1
Lobar-pneumonia, ...	4	1	1	.	.	1	.	3	1	1	6·5	2	.	.	.	.	.	.	1	1	.	.
Pneumonia (type not distinguished)		4	4	3	7	2	8	2	6	.		5	.	1	1	.	.	.	1	1	1	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	.	1	1	1	1	2	1	2	.	.	·9	1	.	.	1	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												.	.	.	.	.	.	.	.	.	.	.

THIRTY-FIFTH WEEK ending Saturday, 2nd September, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 35th Week of the 10 years 1901–1910.	In the Week ending Saturday, 2nd September, 1911.										
													Deaths of Persons of the Ages of									
	Aug. 31, 1901.	Aug. 30, 1902.	Sept. 5, 1903.	Sept. 3, 1904.	Sept. 2, 1905.	Sept. 1, 1906.	Aug. 31, 1907.	Aug. 29, 1908.	Sept. 4, 1909.	Sept. 3, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 54·8	° 53·5	° 54·9	° 58·8	° 55·7	° 62·6	° 53·9	° 57·3	° 53·7	° 57·2	° 56·3	° 59·1										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	1	.	.	.	.	1	.	.
Diarrhœa of Children under 2 years.	28	7	10	26	19	28	8	26	20	12	18·4	38	6	28	4	.	.	.	.	.	.	.
„ 2 years and upwards,												7	.	.	.	.	.	.	1	2	2	2
Enteritis of Children under 2 years.	3	6	3	4	6	7	4	5	6	10	5·4	14	3	6	5	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												5	.	.	.	.	.	.	.	3	2	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	1	.	.	.
Cirrhosis of Liver, ...	.	.	1	1	1	2	1	1	1	1	1·9	2	.	.	.	.	.	.	1	.	1	.
Other Diseases of Liver, ...		4	1	1	1	2	1	.	.	.		1	.	.	.	.	.	.	.	1	.	.
Peritonitis (cause unknown),	1	2	.	3	1	.	1	.	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	4	3	4	3	3	9	6	6	2	4	4·4	1	.	.	.	1	.	.	.	.	.	.
Acute Nephritis, ...												.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...												7	.	.	.	.	.	.	2	4	1	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	4	4	2	6	6	7	8	3	3	9	5·2	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	
Other Diseases of Genito-urinary System.												.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	1	.	1	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	.	1	1	.	.	.	.	1	.	·4	2	.	.	.	.	.	.	2	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	1	1	.	.	1	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	.	1	2	10	5	3	2	3	3	1	3·0	4	3	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	8	5	3	.	.	.	.	.	.	.	.
Old Age, ...	11	4	2	3	4	1	4	1	3	2	3·5	5	.	.	.	.	.	.	.	.	2	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	2	.	.	.	.	1	1	1	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	1	1	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	2	2	1	.	1	.	.	1	2	1	1·0	.	.	.	.	.	.	.	.	.	.	.
By Drowning, ...	.	1	1	2	.	2	2	2	2	1	1·3	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	1	.	1	1	·3	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
Other Deaths by Accident, ...	1	.	.	2	2	4	1	.	2	1	1·3	2	.	.	.	.	.	.	1	.	1	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	8	.	1	.	.	.	.	.	.	3	4

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.
No. of weeks in Annual Series,	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
BIRTHS registered.	238	203	276	230	198	171	174	259	260	242	226	246	261	228	232	185	324	190	190	294	233	198	210	233	218	198
Average Births in corresponding week of previous 10 years, ...	223	212	212	233	202	210	223	199	268	231	210	204	238	226	207	224	237	205	204	208	221	217	208	217	216	207
DEATHS registered, ...	174	170	214	177	191	174	196	181	176	170	129	158	150	149	159	127	155	120	172	162	186	153	169	199	162	210
Annual Death-rate per 1,000, ...	22·3	21·8	27·4	22·7	24·5	22·3	25·1	23·2	22·5	21·8	16·5	20·2	19·2	19·2	20·5	16·4	20·0	15·5	22·2	20·9	24·0	19·8	21·8	25·7	20·9	27·1
Average Deaths in corresponding week of previous 10 years, ...	210	194	201	203	199	195	197	190	177	178	171	169	154	151	149	148	134	140	141	144	147	145	146	154	162	153
Ages, Under 5 years, ...	59	39	56	48	54	63	54	50	56	48	40	37	43	34	42	44	56	43	41	51	88	73	72	94	80	94
5—15 " ...	12	9	7	14	17	4	5	11	14	7	6	14	10	8	4	9	10	4	13	6	5	6	8	5	8	5
15—25 " ...	7	7	13	8	10	10	14	7	6	8	9	11	9	9	13	2	7	7	11	10	6	6	4	7	7	12
25—45 " ...	24	24	42	19	33	25	31	33	15	35	21	21	29	26	32	18	20	19	31	26	21	22	19	31	19	23
45—65 " ...	36	42	44	36	44	43	45	35	30	38	36	39	29	33	31	34	28	20	33	37	29	21	40	37	28	38
65—75 " ...	19	28	32	29	27	19	29	25	34	19	10	24	17	26	18	13	16	15	24	18	24	15	14	11	9	21
75 and upwards, ...	17	21	20	23	6	10	18	20	21	15	7	12	13	13	19	7	18	12	19	14	13	10	12	14	11	17
Deaths from :—																										
Enteric Fever, ...	3	1	2	1	3	1	1	.	1	1	1	1	1	.	.	1	.	1	3	2	1	2	2	2	1	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	7	7	3	2	1	7	11	5	8	17	4	6	3	4	2	8	7	4	7	3	7	5	2	.	1	1
Scarlet Fever, ...	.	.	1	.	1	4	1	.	1	1	.	2	2	2	.	.	.	1	3	.	2	1	3	.	1	.
Whooping-cough, ...	4	4	6	5	3	6	.	2	3	2	4	1	4	1	3	2	2	.	1	4	3	4	1	3	6	7
Diphtheria, ...	2	.	1	1	4	3	4	1	2	3	1	.	1	4	1	4	2	2	3	2	1	.	.	1	5	1
Influenza, ...	2	2	1	2	2	.	3	.	3	2	1	2	.	.	1	.	1	1	1	2	1	.	1	.	.	1
Dysentery, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.
Tuberculous Disease, Phthisis, ...	17	28	32	16	29	21	33	22	21	17	25	22	22	25	23	7	21	7	20	17	17	16	13	19	15	22
Tuberculous Disease, Other Forms,	8	8	15	13	10	3	8	10	6	6	6	9	9	8	7	11	6	7	12	10	15	9	5	9	4	10
Cancer, ...	8	6	10	13	11	8	7	9	6	5	6	11	9	12	10	7	8	12	4	10	6	5	11	7	6	10
Diseases of Circulatory System,	13	24	27	22	23	14	15	24	17	23	7	19	12	12	23	14	22	16	22	20	15	10	13	13	8	13
Diseases of Respiratory System, Pneumonia,	16	14	13	13	18	19	16	18	22	15	12	6	10	8	9	8	9	9	10	8	12	1	8	3	6	12
Diseases of Respiratory System, Others, ...	25	23	27	24	24	26	26	16	34	20	15	14	15	16	17	9	17	6	11	10	13	3	8	13	7	5
Diarrhœa, Under 2 years, ...	1	2	5	1	3	2	1	2	2	1	2	1	6	.	3	3	.	1	3	9	27	20	29	37	25	38
Diarrhœa, 2 years & upwards,	.	3	.	1	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	5	1	6	7	10	7
Enteritis, under 2 years, ...	2	1	3	1	3	3	2	2	2	.	1	1	4	1	1	1	3	3	2	2	7	9	12	12	13	14
Violent Deaths, ...	4	5	5	5	6	1	7	9	3	.	1	5	2	3	6	5	2	6	7	2	5	2	2	8	5	3
Number of Uncertified Deaths,	8	7	2	5	1	1	2	8	4	3	1	5	4	3	4	.	5	9	5	2	3	3	7	7	7	7
Mean Temperature of the Air (Phœnix Park)	41·1	38·0	41·7	42·7	39·4	43·7	50·5	50·5	49·6	52·6	49·5	55·3	56·2	55·6	52·6	56·2	55·5	59·6	60·9	62·9	62·7	62·5	60·8	61·2	59·7	59·1
Average Mean Temperature in corresponding week of previous 10 years, ...	41·7	42·7	42·6	42·4	44·1	43·1	45·1	46·2	46·7	48·1	49·1	50·9	53·7	53·5	53·6	55·5	56·5	57·5	58·5	59·8	58·2	58·6	58·5	57·5	56·5	56·3
Rainfall in inches, ...	·316	·206	·000	·770	·131	·000	·501	·606	·780	·127	·262	·010	·000	·000	·605	·782	·166	·018	·000	·316	1·860	·430	·170	·010	·338	·405
Mean Humidity of the Air, complete Saturation 1·0, ...	·91	·89	·87	·90	·86	·86	·89	·91	·93	·94	·92	·89	·89	·88	·86	·91	·91	·92	·84	·92	·92	·92	·82	·82	·82	·78

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 2nd September, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 2ND SEPTEMBER, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	210	94	5	12	23	38	21	17	2	.	.	1	.	7	1	.	22	10	10	2	12	5	38	7	14	3	76	7
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	20·9	7	.	.	1	.	3	.	3	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	22·1	37	14	.	2	5	7	5	4	.	.	.	.	.	1	.	.	3	2	1	.	4	.	6	2	1	.	17	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	23·6	50	24	1	4	5	9	5	2	.	.	.	1	.	2	.	.	6	2	3	.	3	1	12	2	5	.	13	2
IV.	GENERAL SERVICE CLASS, ...	154,279	31·4	93	53	3	3	9	13	7	5	1	.	.	.	.	4	1	.	10	5	2	2	5	3	18	2	8	2	30	4
V.	INMATES OF WORKHOUSES, ...	6,024	—	23	3	1	2	4	6	4	3	.	.	.	.	.	.	.	.	2	1	4	.	.	.	2	.	.	1	13	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	33·4	5	.	.	1	.	3	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	33·8	5	1	.	1	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	.	2	1
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	37·9	16	8	.	.	1	4	2	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	1	1	1	.	11	.
	6. Clerks and Commercial Assistants, ...	30,432	15·4	9	4	.	1	3	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	4	.	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	13·5	7	1	.	.	.	1	2	3	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	.	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	3	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	1	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	22·7	13	5	.	1	2	2	1	2	.	.	.	.	.	1	.	.	3	.	.	.	2	.	3	.	.	.	4	1
	10. Clothing Trades, ...	23,260	13·5	6	1	.	1	.	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2	1	.	1	1
	11. Food Supply Trades, ...	9,242	16·9	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	34·4	20	11	.	2	2	4	1	.	.	.	.	.	.	.	.	.	2	.	2	.	1	.	5	.	3	.	7	.
	13. Petty Shopkeepers, ...	7,894	26·4	4	1	1	.	.	2	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	23·3	6	4	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	3	.
	15. Domestic Servants, ...	36,603	15·7	11	3	.	.	1	2	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	1	.	1	5	1
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	29·0	8	4	1	.	1	2	.	.	.	.	.	.	.	1	.	.	4	.	.	1	.	.	1	.	.	.	1	1
	17. Hawkers, Porters, Labourers, &c., ...	89,861	39·5	68	42	2	3	6	9	4	2	1	.	.	.	.	3	1	.	6	5	2	1	4	2	13	1	7	1	21	2
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	23	3	1	2	4	6	4	3	.	.	.	.	.	.	.	.	2	1	4	.	.	.	2	.	.	1	13	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 29,854.	July 15,	21·0	3·5	12	.	.	.	1	.	1	.	.	1	2	1	3	.	.	.	.	.	.
	" 22,	24·5	8·7	14	1	.	.	1	.	1	.	.	.	.	1	.	1	1	.	1	.	.
	" 29,	38·4	15·7	22	.	.	.	.	.	.	.	.	2	2	.	1	3	7	1	1	1	.
	Aug. 5,	26·2	14·0	15	1	.	.	2	.	.	.	.	2	.	1	.	.	3	1	1	.	.
	" 12,	27·9	10·5	16	.	.	.	.	.	.	.	.	1	.	1	2	1	3	1	2	.	1
	" 19,	24·5	7·0	14	.	.	.	.	.	.	.	.	.	.	1	.	3	3	.	1	.	1
	" 26,	19·2	14·0	11	.	.	.	.	.	1	.	.	1	.	.	1	.	4	1	2	.	1
	Sept. 2,	29·7	10·5	17	.	.	.	.	.	1	.	.	2	2	2	.	.	3	1	1	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 39,902.	July 15,	26·1	3·9	20	2	.	.	.	1	.	.	.	2	.	.	2	4	.	.	.	.	1
	" 22,	13·1	1·3	10	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.	1	.	.
	" 29,	24·8	3·9	19	.	.	.	1	1	.	.	.	.	2	.	3	1	1	.	.	.	.
	Aug. 5,	22·2	5·2	17	.	.	.	.	.	.	.	.	2	1	.	.	1	2	.	2	.	.
	" 12,	31·4	13·1	24	.	.	.	.	.	.	.	1	1	1	1	1	2	7	2	.	1	2
	" 19,	23·5	10·5	18	.	.	.	.	.	.	.	.	1	.	.	.	1	7	1	.	1	.
	" 26,	19·6	7·8	15	.	.	.	.	.	1	.	.	2	.	1	1	2	2	3	.	.	.
	Sept. 2,	36·6	14·4	28	.	.	.	.	.	2	.	.	2	1	2	1	.	8	1	.	1	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 30,689.	July 15,	25·5	10·2	15	1	.	.	3	.	.	1	.	2	1	.	.	.	1	.	.	.	.
	" 22,	18·7	5·1	11	.	.	.	.	.	1	.	.	2	1	1	1	1	2	.	.	.	.
	" 29,	34·0	8·5	20	.	.	.	.	1	1	.	.	2	2	.	3	2	2	1	.	1	.
	Aug. 5,	27·2	10·2	16	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	1	1	.
	" 12,	30·6	6·8	18	.	.	.	.	1	.	.	.	1	.	1	1	1	2	.	1	.	1
	" 19,	25·5	11·9	15	.	.	.	.	.	.	1	.	.	.	.	.	1	2	4	.	.	1
	" 26,	23·8	10·2	14	.	.	.	.	.	1	1	.	.	2	.	1	2	2	2	.	.	1
	Sept. 2,	15·3	6·8	9	.	.	.	.	.	.	.	.	2	.	.	.	.	4	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,498.	July 15,	15·6	.	10	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	1	.
	" 22,	23·3	4·7	15	1	.	.	1	.	.	.	.	2	.	2	.	1	1	.	.	.	1
	" 29,	26·5	7·8	17	.	.	.	.	.	1	.	.	2	2	.	1	2	2	1	1	.	.
	Aug. 5,	14·0	4·7	9	.	.	.	1	.	.	.	.	2	.	1	.	.	1	.	1	.	.
	" 12,	15·6	6·2	10	.	.	.	.	1	.	.	.	.	.	.	.	2	2	.	1	.	1
	" 19,	42·0	4·7	27	1	.	.	.	.	.	.	.	4	2	.	1	1	2	.	.	.	.
	" 26,	26·5	10·9	17	.	.	.	.	.	.	1	.	2	.	1	.	1	4	2	.	.	1
	Sept. 2,	48·3	12·5	31	.	.	.	.	.	.	.	.	4	.	2	2	.	3	1	4	.	3
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,401.	July 15,	31·5	3·8	25	.	.	.	1	.	.	.	.	3	1	1	.	1	1	.	1	.	.
	" 22,	23·9	.	19	.	.	.	.	.	.	.	.	3	.	1	1	2	.	.	.	1	.
	" 29,	13·9	5·0	11	.	.	.	.	.	.	.	.	1	1	1	1	1	1	.	3	.	.
	Aug. 5,	18·9	5·0	15	.	.	.	.	.	1	.	.	.	3	.	.	.	2	.	1	.	.
	" 12,	23·9	12·6	19	1	.	.	.	.	.	.	.	2	1	.	.	.	2	1	6	.	.
	" 19,	27·7	10·1	22	1	.	.	.	.	.	.	.	3	3	.	.	.	4	.	3	1	.
	" 26,	16·4	6·3	13	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	3	.	1
	Sept. 2,	29·0	16·4	23	.	.	.	.	.	.	1	.	2	.	.	1	.	5	1	6	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,715.	July 15,	21·6	4·8	9	.	.	.	.	1	.	.	.	.	1	.	.	3	.	.	1	.	1
	" 22,	28·8	2·4	12	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.
	" 29,	24·0	9·6	10	.	.	.	.	.	.	.	.	.	1	.	.	.	3	1	.	.	.
	Aug. 5,	21·6	7·2	9	1	.	.	.	.	1	.	.	1	1	.	1	.	1	.	.	.	.
	" 12,	9·6	2·4	4	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	" 19,	12·0	7·2	5	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2	.	.
	" 26,	33·6	9·6	14	.	.	.	.	.	.	.	.	1	.	1	.	.	4	.	.	.	.
	Sept. 2,	21·6	.	9	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,149.	July 15,	23·0	4·8	19	.	.	.	2	1	.	1	.	1	2	.	.	2	.	.	.	1	1
	" 22,	29·0	7·3	24	.	.	.	1	.	1	1	.	2	3	1	4	1	3	.	.	.	.
	" 29,	24·2	9·7	20	.	.	.	5	.	.	.	.	3	2	.	1	1	2	.	1	.	1
	Aug. 5,	18·1	7·3	15	.	.	.	2	.	.	.	.	1	.	.	.	1	3	.	1	.	.
	" 12,	24·2	7·3	20	.	.	.	1	.	.	.	.	4	2	2	.	1	4	.	1	1	.
	" 19,	24·2	8·5	20	.	.	.	.	.	1	.	.	3	1	1	1	2	3	.	3	.	.
	" 26,	27·8	8·5	23	1	.	.	.	1	.	1	.	5	.	.	1	2	2	1	1	1	.
	Sept. 2,	26·6	9·7	22	.	.	.	.	.	2	.	.	1	1	.	1	1	5	.	1	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 35,816.	July 15,	24·7	1·5	17	.	.	.	.	.	.	.	.	6	1	.	1	.	1	.	.	1	.
	" 22,	11·6	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	" 29,	18·9	2·9	13	.	.	.	.	.	.	1	.	1	1	.	.	2	1	.	.	1	.
	Aug. 5,	11·6	.	8	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
	" 12,	11·6	4·4	8	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1	.	.	.
	" 19,	29·1	10·2	20	.	.	.	.	.	1	.	.	2	.	1	1	2	6	.	.	1	.
	" 26,	16·0	5·8	11	.	.	.	.	.	1	2	.	.	1	1	.	.	.	1	.	2	1
	Sept 2,	21·8	8·7	15	1	.	.	.	.	1	.	.	2	1	.	2	1	4	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths. *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa. Children under 2 years.	2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	July 15,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	1
	„ 22,	13·6	1·4	10	.	.	.	.	.	.	1	.	2	.	1	1	1	.	.	.	1	.
	„ 29,	23·1	10·9	17	.	.	.	1	.	.	.	.	.	1	1	1	.	6	.	1	.	1
	Aug. 5,	16·3	5·4	12	.	.	.	.	1	.	.	.	1	1	.	.	.	2	.	1	1	1
	„ 12,	15·0	5·4	11	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	1	.	2
	„ 19,	20·4	1·4	15	.	.	.	.	.	.	.	.	3	2	2	.	1	1	.	.	2	2
	„ 26,	10·9	5·4	8	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	3	.	2
	Sept. 2,	17·7	5·4	13	.	.	.	1	.	.	.	.	.	.	2	1	2	1	2	.	.	2
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	July 15,	7·1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
	„ 22,	14·2	1·8	8	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.
	„ 29,	17·8	5·3	10	.	.	.	.	.	1	.	.	1	.	.	.	1	1	1	.	.	.
	Aug. 5,	19·5	5·3	11	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	1	.	.
	„ 12,	8·9	.	5	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
	„ 19,	17·8	7·1	10	.	.	.	.	.	1	.	.	1	.	1	.	1	1	1	1	.	1
	„ 26,	19·5	8·9	11	.	.	.	.	.	2	.	.	1	.	.	1	.	1	.	2	.	.
	Sept. 2,	17·8	3·6	10	.	.	.	.	.	.	.	.	3	1	.	.	.	2	.	.	.	.
Kingstown Urban District. Pop. in 1911 17,227.	July 15,	27·2	.	9	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.
	„ 22,	24·2	3·0	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	„ 29,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1
	Aug. 5,	12·1	3·0	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	„ 12,	24·2	3·0	8	.	.	.	.	.	.	.	.	2	.	1	3	.	1	.	.	.	.
	„ 19,	27·2	3·0	9	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 26,	18·2	3·0	6	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	1	.
	Sept. 2,	27·2	3·0	9	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	.	.
Belfast. Pop. in 1911 (Est.) 386,449.	July 15,	16·6	1·5	123	.	.	.	.	1	1	.	.	18	8	6	2	14	6	.	3	3	1
	„ 22,	16·3	3·0	121	1	.	.	.	.	1	2	.	20	6	3	4	10	10	.	8	5	.
	„ 29,	14·2	3·4	105	.	.	.	.	.	1	.	.	10	5	3	6	3	14	1	9	3	2
	Aug. 5,	16·6	3·9	123	.	.	.	.	.	2	2	.	13	7	9	2	4	9	4	12	2	.
	„ 12,	16·3	6·1	121	1	.	.	.	1	1	.	.	9	3	4	3	5	19	4	19	2	1
	„ 19,	18·8	4·3	139	1	.	.	.	.	.	1	.	6	7	4	9	6	17	3	10	6	1
	„ 26,	17·8	4·9	132	2	.	.	.	.	1	.	.	19	5	1	3	5	15	5	13	4	2
	Sept. 2,	18·6	6·7	138	1	.	.	.	.	.	.	.	17	3	7	4	1	21	6	22	5	.
Cork. Pop. in 1911 76,632.	July 15,	11·6	.	17	.	.	.	.	.	.	.	.	3	1	1	.	5	.	.	.	.	1
	„ 22,	12·9	1·4	19	.	.	.	1	.	.	.	.	1	.	.	.	1	1	.	.	1	1
	„ 29,	16·3	1·4	24	.	.	.	.	.	1	.	.	5	.	2	.	3	1	.	.	.	1
	Aug. 5,	15·6	2·0	23	.	.	.	.	.	1	.	.	.	4	3	.	1	1	.	1	1	2
	„ 12,	9·5	2·0	14	.	.	.	.	.	.	.	.	1	3	.	1	1	3	.	.	.	.
	„ 19,	12·9	2·0	19	.	.	.	.	.	.	.	.	2	1	.	1	1	3	.	.	.	.
	„ 26,	19·1	4·1	28	.	.	.	.	.	.	.	.	5	2	1	1	3	6	.	.	1	.
	Sept. 2,	24·5	4·1	36	.	.	.	.	.	.	.	.	5	1	4	.	1	6	.	.	1	1
Londonderry. Pop. in 1911 40,799.	July 15,	19·2	.	15	.	.	.	.	.	.	.	.	3	1	.	1	4	.	.	.	1	.
	„ 22,	19·2	3·8	15	.	.	.	.	.	1	.	.	2	.	3	.	1	2	.	.	.	.
	„ 29,	11·5	3·8	9	.	.	.	.	.	1	.	.	1	1	.	1	1	1	1	.	.	.
	Aug. 5,	19·2	3·8	15	.	.	.	.	.	.	.	.	3	1	2	2	.	1	.	2	.	.
	„ 12,	11·5	1·3	9	.	.	.	.	.	.	.	.	4	1	.	.	.	1	.	.	.	.
	„ 19,	16·6	3·8	13	.	.	.	.	.	.	.	.	2	.	1	.	1	2	.	1	.	.
	„ 26,	14·1	2·6	11	.	.	.	.	.	1	.	.	1	1	1	.	1	1	.	.	1	.
	Sept. 2,	12·8	1·3	10	.	.	.	.	.	.	.	.	.	1	.	1	3	1	.	.	.	.
Limerick. Pop. in 1911 38,403.	July 15,	10·9	.	8	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3
	„ 22,	20·4	4·1	15	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	2	.	3
	„ 29,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.
	Aug. 5,	12·2	.	9	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	2
	„ 12,	13·6	2·7	10	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1	1	.	.
	„ 19,	10·9	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	1
	„ 26,	25·8	8·1	19	1	.	.	.	.	.	.	.	.	1	2	.	.	3	1	1	.	2
	Sept. 2,	17·7	5·4	13	.	.	.	.	.	.	.	.	1	1	.	1	.	3	1	.	.	1
Waterford. Pop. in 1911 27,430.	July 15,	5·7	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 22,	19·0	.	10	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2	3
	„ 29,	15·2	1·9	8	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	1
	Aug. 5,	17·1	1·9	9	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1	.	.
	„ 12,	20·9	3·8	11	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	2	.	1
	„ 19,	22·8	5·7	12	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.	2
	„ 26,	13·3	3·8	7	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	2	.	.
	Sept. 2,	9·5	5·7	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 2nd September, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	Total Number of DEATHS.	DEATHS. Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	385,492	4	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	3	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	1	1	1	.
Do. 2 do.		22			19	11	.	1	2	2	3	.	.	.	.	.	.	.	.	2	.	.	.	.	9	.	2	1	1	5	.
Do. 3 do.		21			24	8	1	3	7	1	4	.	.	.	.	.	.	.	.	6	1	.	1	.	4	1	2	1	2	4	.
Do 4 do.		34			14	2	.	1	8	2	1	1	.	.	.	.	.	.	.	2	.	1	.	.	.	1	.	.	.	9	.
Do. 5 do.		8			4	1	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.
Do. 6 do.		12			5	3	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.
Do. 7 do.		2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		6			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 9 do.		12			5	1	.	1	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	3	.
Do. 10 do.		14			12	5	1	1	.	3	2	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	1	1	1	3	.
Do 11 do.		20			11	1	2	.	1	4	3	.	.	.	.	.	.	.	.	1	.	2	1	.	2	1	.	.	.	3	.
Do 12 do.		23			22	13	1	.	2	4	2	.	.	.	.	.	.	.	.	1	1	1	.	.	2	2	11	1	1	4	.
Do. 13 do.		9			4	1	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		10			12	3	.	3	2	4	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	1	2	.	.	5	.
Total,	—	197			138	52	6	11	24	27	18	1	.	.	.	.	.	.	.	17	3	7	4	1	21	6	22	5	6	39	.
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	76,632	9	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	1	.	.	.	3	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	1	.
Do. 2 do.		6			6	2	1	.	1	2	.	.	.	.	.	.	.	.	.	1	.	2	.	.	2	.	.	.	.	.	1
Do. 3 do.		4			2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1	.
Do. 4 do.		3			5	2	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Do. 5 do.		4			4	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
Do. 6 do.		4			4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.
Do. 7 do.		13			10	.	2	1	.	3	4	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	1	2	3	.
Total,	—	43	24·5	4·1	36	9	3	1	2	13	8	.	.	.	.	.	.	.	.	5	1	4	.	1	6	.	.	1	2	10	1

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	Mar. 11.	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.
No. of weeks in Annual Series,	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
BIRTHS registered, ...	193	220	218	232	228	204	189	236	232	229	180	214	233	215	258	201	264	213	207	268	236	203	225	215	220	197
DEATHS registered, ...	118	118	147	138	172	161	154	160	109	120	123	123	125	115	107	82	116	92	123	121	105	123	121	139	132	138
Annual Death rate per 1,000 of estimated population, ...	15·4	15·4	19·2	18·1	22·5	21·1	20·2	20·9	14·3	15·7	16·1	16·1	16·4	15·5	14·4	11·1	15·7	12·4	16·6	16·3	14·2	16·6	16·3	18·8	17·8	18·6
AGES, Under 1 year, ...	20	33	23	26	36	24	23	23	19	19	25	22	18	19	23	16	18	11	25	32	38	39	45	44	36	52
AGES, 1—5 years, ...	10	6	17	11	7	10	14	13	10	9	9	13	7	7	10	7	9	7	9	11	8	12	11	11	8	6
AGES, 5—25 " ...	9	10	19	11	14	17	13	21	13	17	15	17	14	14	16	7	16	15	16	14	11	7	14	15	18	11
AGES, 25—45 " ...	23	14	28	23	36	32	26	27	25	23	26	22	24	26	22	18	20	21	25	22	13	21	11	17	19	24
AGES, 45—65 " ...	29	27	30	38	45	37	39	46	22	29	31	27	34	20	20	20	37	25	29	23	17	23	23	28	31	27
AGES, 65 and upwards, ...	27	28	30	29	34	41	39	30	20	23	17	22	28	29	16	14	16	13	19	19	18	21	17	24	20	18
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	.
Whooping-cough, ...	1	1	.	.	.	3	2	1	.	.	1	1	.	.	4	.	1	.	1	1	1	2	1	.	1	.
Diphtheria, ...	.	.	1	1	.	2	1	.	.	.	.	.	.	1	.	.	.	1	.	2	.	2	.	1	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	19	7	22	24	26	25	14	17	16	25	21	21	16	14	13	13	23	16	18	20	10	13	9	6	19	17
Tuberculous Disease. Other Forms,	7	8	9	8	8	4	11	15	12	7	10	12	11	6	10	2	2	5	8	6	5	7	3	7	5	3
Cancer, ...	6	11	8	4	5	5	6	12	3	6	1	4	6	8	6	6	7	4	6	3	3	9	4	4	1	7
Diseases of Respiratory System, Pneumonia,	10	10	14	16	13	19	23	18	10	10	13	6	11	9	9	5	5	7	2	4	6	2	3	9	3	4
Diseases of Respiratory System, Others, ...	20	14	16	19	26	29	34	16	20	15	19	11	18	18	13	10	8	11	14	10	3	4	5	6	5	1
Diarrhœa, Under 2 years, ...	.	1	.	.	1	.	.	.	.	1	1	2	1	.	1	1	2	1	6	10	14	9	19	17	15	21
Diarrhœa, 2 years & upwards	1	.	3	1	.	1	.	.	.	.	.	.	.	1	.	3	.	.	.	.	1	4	4	3	5	6
Enteritis, under 2 years, ...	.	.	3	2	1	2	2	1	1	1	3	3	4	2	.	1	1	1	3	8	9	12	19	10	13	22
Violent Deaths, ...	2	1	3	4	8	2	3	3	3	4	1	1	.	3	3	1	4	.	3	5	3	2	2	6	4	5
Number of Uncertified Deaths, ...	2	1	.	1	3	2	.	1	2	1	1	1	2	1	.	3	3	.	1	.	2	.	1	1	2	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	Sept. 2,	2,200	1,529	17·6	.	.	6	1	13	10	537*a*
Edinburgh, ...	320,829	„ 2,	122	95	15·4	.	.	.	1	4	.	8
Glasgow, ...	784,621	„ 2,	370	271	18·0	1	.	2	.	3	1	72
Calcutta, ...	890,493	July 29,	.	414	24·1	111*	.	.	.	5	2	61‡
Bombay, ...	977,822	„ 29,	411	552	29·4	80*	3	1	.	.	.	65‡
Madras, ...	509,346	„ 8,	355	304	31·0	49*	3	3	?	?	?	54
Cairo, ...	693,806	„ 8,	579	757	56·9	4	.	19	5	?	12†	309
Paris	2,846,986	Aug. 5,	935	1,029	19·4	2	.	18	3	6	3†	131*a*
Brussels, ...	739,684	„ 12,	201	226	15·9	2	.	1	1	.	.	60
Antwerp, ...	320,640	„ 12,	103	116	18·9	.	.	.	.	.	.	54*a*
Amsterdam, ...	577,346	„ 12,	227	137	12·4	1	.	3	.	1	.	21*a*
Copenhagen, ...	462,132	„ 12,	221	105	11·8	2	.	.	.	1	.	12*a*
Stockholm, ...	343,832	„ 5,	149	91	13·8	.	.	.	1	.	2†	3
Christiania, ...	244,038	„ 19,	86	70	14·9	.	.	.	.	1	.	17
St. Petersburg, ...	1,639,266	July 29,	936	565	18·0	8	1	25	4	3	4	127
Moscow, ...	1,493,600	„ 29,	.	862	30·1	5	2	18	8	2	12†	388
Berlin, ...	2,066,673	„ 29,	786	654	16·5	1	.	4	10	11	15†	123
Hamburg, ...	932,166	Aug. 12,	.	312	17·4	2	.	2	1	2	6†	75
Breslau, ...	518,860	„ 12,	.	283	28·4	.	.	1	.	3	1	97
Munich, ...	597,000	„ 19,	.	173	15·1	.	.	.	.	2	1†	45
Vienna (with suburbs),	2,047,968	„ 12,	697	628	15·9	1	.	1	1	2	3†	118*a*
Buda-Pesth, ...	891,585	„ 12,	396	381	22·2	1	.	11	3	.	1†	93*a*
Prague and Faubourgs,	508,310	July 29,	171	196	20·2	1	.	.	1	1	1†	14*a*
Trieste, ...	230,820	Aug. 5,	146	146	33·0	.	.	.	.	2	.	30‡
Rome, ...	602,068	July 8,	270	220	19·1	1	.	3	.	1	1†	46
		„ 15,	264	203	17·6	2	.	3	1	2	.	48
Venice, ...	184,325	„ 1,	88	56	15·8	.	.	.	.	1	.	5
New York, ...	4,983,385	„ 22,	2,745	1,316	16·9	7	.	20	7	7	13†	180*a*
Philadelphia, ...	1,580,250	„ 8,	.	565	18·6	4	.	4	4	4	3†	92*a*
Boston, ...	686,912	Aug. 12,	.	216	16·4	.	.	1	1	1	.	53

* Deaths from "fever," including 10 deaths from enteric fever and 23 deaths from plague in Calcutta, 7 from enteric fever and 21 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 7 deaths from cholera in Calcutta, 2 in Bombay, and 2 in Trieste.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending September 2nd, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	1	.	.	.	.	3	2	.	.	.	.	6
" " 1, West, ...	.	3	.	.	.	.	.	1	3	.	.	1	8
" " 2, ...	.	2	.	.	.	.	.	3	.	.	.	.	5
" " 3, ...	.	.	.	.	1	.	1	1	.	.	.	.	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.		.	.	.	.	.
South City No. 1, ...	.	5	.	.	1	.	1	1	1	.	.	1	10
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3, ...	.	2	.	.	2	.	.	.	.	.	.	2	6
" " 4, ...	.	.	.	.	.		.	2	.	.	.	.	2
New Kilmainham, ...	.	2	.	.	.	.	.	.	1	.	.	.	3
Total, ...	.	16	.	.	4	.	5	10	5	.	.	4	44

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 2nd September, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 2nd September.			
	Aug. 12.	Aug. 19.	Aug. 26.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	39	32	21	2	9	1	13
Scarlet Fever, ...	64	59	68	16	8	.	76*
Typhus, ...	1	1	2	.	.	.	2
Diphtheria, ...	25	27	24	10	2	2	30
Enteric Fever, ...	29	29	32	23	7	.	48
Pneumonia, ...	14	11	10	4	5	.	9

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 2nd September, 1911:—

"Weather of the south-westerly type—changeable, showery and breezy, held throughout the greater part of this week. The barometer stood comparatively high for the most part over France, England, and Germany, whereas areas of relatively low atmospheric pressure travelled northeastwards across the Atlantic between the British Isles and Iceland. On Sunday rain fell in Dublin from 11 a.m. to 2 p.m., the measurement in the gauge being ·118 inch. A much larger precipitation took place in Wales and along the Lancashire coast, Pembroke receiving ·94 inch and Liverpool ·45 inch. Thunderstorms occurred in Ireland on Monday—in Dublin a shower, accompanied by thunder, fell at 2.45 p.m.; an hour later there was a thunderstorm with heavy rain. The product of these showers was ·160 inch. Tuesday was fair to showery, and again fair at night. Wednesday was chiefly fine, but in the evening streamers of cirrus cloud crossed the sky from N.W. This was the herald of a vast and deep depression which was central over Iceland at 7 a.m. of Thursday, when the barometer was down to 28·60 inches at both Isafjord and Reykjavik. The S.W. wind rose to gale-force on the exposed Irish and Scottish coasts, and in Dublin it blew in squalls for several hours. Friday was brilliant in this City, the sky being of an intensely deep blue colour. Previous to the Icelandic disturbance two interesting things occurred—an autumnal night chill sent the screened thermometer down to 37° at Nairn in Scotland early on Wednesday morning, and on the afternoon of the same day a very shallow depression within the confines of an anticyclone caused thunderstorms and rain locally in central and south-eastern England, including the London district. On Saturday afternoon there was marked visibility, the Welsh mountains coming into view from the uplands of the Co. Wicklow. In Dublin the mean height of the barometer was 29·988 inches, the range of pressure being from 29·771 inches at 9 p.m. of Monday (wind, W.S.W.) to 30·226 inches at 9 p.m. of Wednesday (wind, W.). The corrected mean temperature was 61·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 60·0°. The screened thermometers fell to 50·9° on Wednesday and rose to 71·2° on Friday. The prevalent wind was S.W. Rain fell on 4 days to the amount of ·334 inch, of which ·160 inch was measured in the thundershowers of Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·830 inches. The highest reading (30·061) was on Wednesday at 9 p.m., wind S.W., and the lowest (29·610) on Monday at 9 p.m., wind S.W.

The mean temperature for the week was 59·1°, being 2·8° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Saturday, on which day the thermometer registered 70·9°, and was lowest on Thursday, the mercury having fallen to 45·0°. The mean of the Dry Bulb for the week was 58·7° and of the Wet Bulb, 54·8°. The mean humidity of the air was ·78, complete saturation being represented by 1·0. The rainfall during the week measured 0·405 inch.

At Greenwich the mean temperature for the week was 65·3°, the maximum 89·1°, and the minimum 48·1°; at Glasgow the maximum was 70·8°, the minimum 45·5°, and the mean 59·3°; and at Edinburgh the maximum was 69·0°, the minimum 46·6°, and the mean 58·9°. The rainfall at Greenwich measured 0·41 in.; at Glasgow 0·82 in.; and at Edinburgh 0·37 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, August 27,	29·650	63·4	48·4	55·9	60·3	57·1	·81	·5	0·0	·120	Calm.	S.S.W.
Monday, „ 28,	29 621	70·4	50·8	60·6	60·0	55·1	·73	·7	8·7	·260	S.W.	S.W.
Tuesday, „ 29,	29·823	66·2	51·9	59·1	56·5	53·3	·81	·5	10·7	·020	W.S.W.	Calm.
Wednesday, „ 30,	30·052	67·1	47·7	57·4	54·2	52·0	·86	·7	7·0	·005	W.	S.W.
Thursday, „ 31,	29·858	64·6	45·0	54·8	59·7	55·1	·73	·5	0·3	·000	S.S.W.	S.W.
Friday, September 1,	29·805	70·7	56·3	63·5	62·1	56·8	·72	·7	12·0	·000	S.W.	S.S.W.
Saturday, „ 2,	30·003	70·9	53·4	62·2	58·0	54·3	·81	·5	9·4	·000	W.	Calm.
Mean, ...	29·830	67·6	50·5	59·1	58·7	54·8	·78	·6	Total 48·1	Total ·405	Prevailing Wind, S.W.	

Sunday—Day overcast, light rain 11 55 a.m. to 3 p.m.; night clear. *Monday*—Day cloudy, thunderstorm 2.50 to 3.15 p.m. and 3.30 to 3.55 p.m.; night clear. *Tuesday*—A fine bright day, heavy shower 11.10 to 11.25 a.m.; night clear. *Wednesday*—Day cloudy, heavy shower 3.10 to 3 25 p.m.; night clear. *Thursday*—A dull day; night clear. *Friday*—A beautiful bright day; night clear. *Saturday*—A fine day, light clouds; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, September 2nd, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, August 27,	64·0	62·1	60·8	64·7	55·0	59·8	8·7	·002
Monday, „ 28,	65·6	61·8	60·6	72·5	53·7	63·1	9·8	·116
Tuesday, „ 29,	61·8	61·4	60·5	67·5	53·5	60·5	11·4	·261
Wednesday, „ 30,	59·8	61·0	60·3	67·8	50·7	58·5	8·7	·055
Thursday, „ 31,	62·5	61·0	60·1	66·3	53·0	59·6	0·5	—
Friday, September 1,	65·3	60·9	60·0	72·5	57·2	64·9	11·1	·005
Saturday, „ 2,	63·0	61·7	60·0	71·2	56·5	63·8	8·2	—
Weekly Mean, .	63·1	61·4	60·3	68·9	54·2	61·5	Total 58·4	Total ·439

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31197. Wt. P.18 110-/138. 375. 9. 1911. Sch. C 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., Fetter Lane, E.C.; or
OLIVER & BOYD, Tweeddale Court, Edinburgh.

Printed by ALEX. THOM & Co., Limited, Abbey Street, Dublin. *Price* 1½*d.*

Vol. XLVIII.] Week ending Saturday, 9th September, 1911. [No. 36.

General Register Office, Charlemont House, Dublin, 11th September, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Aug. 19	Aug. 26	Sept. 2	Sept. 9	Average Rate for 4 weeks.	Towns, &c.	Week ending Aug. 19	Aug. 26	Sept. 2	Sept. 9	Average Rate for 4 weeks.
22 Town Districts, ...	**19·4**	**19·3**	**21·0**	**22·1**	**20·4**	Limerick	10·9	25·8	17·7	17·7	18·0
						Lisburn	12·9	17·1	12·9	25·7	17·2
Armagh	.	13·7	6·9	27·5	12·0	Londonderry	16·6	14·1	12·8	16·6	15·0
Ballymena	36·7	13·8	22·9	27·5	25·2	Lurgan	.	8·6	12·9	8·6	7·5
Belfast	18·8	17·8	18·6	19·7	18·7	Newry	8·7	30·5	4·4	17·4	15·3
Clonmel	5·1	20·3	5·1	10·1	10·2	Newtownards	22·9	74·4	57·2	5·7	40·0
Cork	12·9	19·1	24·5	25·2	20·4	Portadown	17·8	35·6	22·2	26·7	25·6
Drogheda	4·2	4·2	4·2	4·2	4·2	Queenstown	19·8	26·4	26·4	13·2	21·4
Dublin Reg. Area ...	25·1	20·1	25·8	27·1	24·5	Sligo	4·7	42·0	4·7	14·0	16·4
Dundalk	15·9	19·9	7·9	7·9	12·9	Tralee	.	15·9	15·9	10·6	10·6
Galway	19·7	11·8	19·7	3·9	13·8	Waterford	22·8	13·3	9·5	26·6	18·1
Kilkenny	5·0	5·0	49·6	24·8	21·1	Wexford	22·8	18·2	22·8	31·9	23·9

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 5·9 per 1,000, the rates varying from 0·0 in nine of the districts to 13·7 in Armagh, the 4 deaths from all causes for that district including 2 from diarrhœa. Among the 146 deaths from all causes for Belfast are 2 from enteric fever, one from each of scarlet fever and whooping-cough, and 44 from diarrhœal diseases. Included in the 37 deaths from all causes for Cork are one from whooping-cough and 8 from diarrhœa of children under 2 years of age. Two of the 13 deaths for Limerick are from diarrhœa of children under 2 years of age, and 3 of the 14 deaths for Waterford are from *enteritis* of children under 2 years of age. One of the 2 deaths for Dundalk is from diphtheria, and among the 6 deaths from all causes for Lisburn are 2 from diarrhœa of children under 2 years of age. Two of the 7 deaths for Wexford are from diarrhœa and *enteritis* of children under 2 years of age, and included in the 6 deaths from all causes for Portadown are 2 from *enteritis* of children under 2 years of age.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 212—115 boys and 97 girls—and the deaths to 219—106 males and 113 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 27·1 per 1,000 of the population. During the thirty-six weeks ending with Saturday last the death-rate averaged 21·6, and was 1·1 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 219, represent an annual rate of 28·3 per 1,000; the annual rate for the past thirty-six weeks was 22·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·7 per 1,000 of the mean population for all deaths registered.

Among the deaths there was one from scarlet fever, there were 4 deaths from whooping-cough, 2 deaths from diphtheria, 45 deaths from diarrhœa and *enteritis* of children under 2 years, 14 deaths from diarrhœa and *enteritis* of persons aged 2 years and upwards, and 2 deaths from influenza. In each of the 3 preceding weeks, deaths from scarlet fever were 0, one, and 0; deaths from whooping-cough were 3, 6, and 7; deaths from diphtheria were one, 5, and one; deaths from diarrhœa and *enteritis* of children under 2 years of age were 49, 38, and 52 (declining to 45 in the week under notice) and deaths from influenza were 0, 0, and one.

There were 34 deaths from tuberculous disease, including 22 deaths from pulmonary tuberculosis, 5 deaths from abdominal tuberculosis, 2 deaths from tuberculosis of the vertebral column, 2 deaths from tuberculosis of joints, and 3 deaths from disseminated tuberculosis. In the three preceding weeks deaths from tuberculosis numbered 28, 19, and 32, respectively.

There was one death from broncho-pneumonia, and the deaths of 4 persons were attributed to *pneumonia* (type not distinguished).

Ten deaths were caused by cancer.

Convulsions caused the deaths of 3 infants.

Thirteen deaths were accounted for by organic diseases of the heart, and there were 11 deaths from bronchitis.

There were 2 deaths of infants from congenital malformations, 3 were from prematurity, and 6 were from congenital debility.

Of 4 deaths from accidental causes, one was caused by a tram accident, one by scalding of a child between the ages of 2 years and 5 years, one by drowning, and one of an infant by suffocation in bed.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 children under 5 years of age (including one of an infant under one year old) and the death of one person aged 67 years.

Ninety-three of the persons whose deaths were registered during the week were under 5 years of age (64 being infants under one year, of whom 11 were under one month old) and 48 were aged 65 years and upwards, including 30 persons aged 70 and upwards; among the latter were 20 aged 75 years and upwards, of whom one (a female) was stated to have been aged 90 years.

Eighty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, 15 in the South Dublin Union Workhouse, and 7 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 27·1 per 1,000; the rate in the City was 28·5 (North City Districts, 30·9; South, 25·9) and in the Suburbs, 22·7.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 7·2 per 1,000 inhabitants, the rate for the City being 9·3 (10·8 in the North City Districts, and 7·6 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (19) are equal to an annual rate of 33·2 per 1,000, and include one death from each of influenza and pulmonary tuberculosis, 6 deaths from diarrhœa and *enteritis* of children under 2 years of age, 3 deaths from diseases of the respiratory system, and one death by suffocation in bed of an infant.

No. 1 North City District, West (Summer-hill).—The deaths (28) are equal to an annual rate of 36·6 per 1,000. Whooping-cough caused 2 deaths; there were 6 deaths from tuberculous disease, 8 deaths from diarrhœa and *enteritis* of children under 2 years of age, and 3 deaths from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (22) are equivalent to an annual rate of 37·4 per 1,000. Whooping-cough and influenza each caused one death; there were 5 deaths from tuberculous disease, and 5 deaths from diarrhœa of children under 2 years of age.

No. 3 North City District (Benburb-street).—The deaths (18) represent an annual rate of 28·0 per 1,000. Diphtheria caused one death; there were 2 deaths from tuberculous disease, one death from broncho-pneumonia, one death from bronchitis, and 5 deaths from diarrhœa of children under 2 years of age.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 38·8 per 1,000 inhabitants; Coolock and Drumcondra, part of, 9·0; and Finglas and Glasnevin, part of, 6·8. One of the 2 deaths for Coolock and Drumcondra, part of, is from *enteritis* of a child under 2 years of age; and the only death for Finglas and Glasnevin, part of, is also from this cause.

No. 1 South City District (South Earl-street).—The deaths (23) represent an annual rate of 29·0 per 1,000, and include one death from whooping-cough, 4 deaths from tuberculous disease, and 9 from diarrhœa and *enteritis* of children under 2 years of age.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 28·8 per 1,000. Of the deaths 3 were from tuberculous disease, one was from *pneumonia* (type not distinguished), one was from bronchitis, 2 were from diarrhœa of children under 2 years, and there were 2 accidental deaths.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 24·2 per 1,000. Scarlet fever and diphtheria each caused one death; there were 3 deaths from pulmonary tuberculosis, one from *pneumonia* (type not distinguished), 3 deaths from diseases of the respiratory system, and 3 deaths from diarrhœa and *enteritis* of children under 2 years of age.

No. 4 South City District (Grand Canal Street).—The deaths (18) are equivalent to an annual rate of 26·2 per 1,000. There were 2 deaths from tuberculous disease and 4 deaths from diarrhœa of children under 2 years of age.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·5 per 1,000. Both deaths were from diseases of the circulatory system.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·6; Pembroke, 12·4; Blackrock, 28·7; and Kingstown, 57·5. The only death from any of the principal epidemic diseases tabulated for these districts is one from diarrhœa of a child under 2 years of age for Pembroke. Included in the 10 deaths from all causes for Rathmines and Rathgar are 2 from pulmonary tuberculosis and one from accidental scalds. One of the 7 deaths from all causes for Pembroke is from tuberculous disease. One of the 5 deaths for Blackrock is from bronchitis, and included in the 19 deaths from all causes for Kingstown are 3 from pulmonary tuberculosis, 2 from *pneumonia* (type not distinguished), and one from bronchitis.

* See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 9th September, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Aug. 19,	.	—	—	14	.	.	6	.	3	7	3	.	—	—	.	—	1	—	34
	Aug. 26,	.	—	—	19	.	.	5	.	.	11	9	.	—	—	.	—	10	—	54
	Sept. 2,	.	—	—	16	.	.	4	.	5	10	5	.	—	—	.	—	4	—	44
	Sept. 9,	.	—	—	17	.	.	10	.	1	16	7	1	—	—	.	—	7	—	59
Rathmines and Rathgar Urban District.	Aug. 19,	.	—	—	.	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 26,	.	—	—	.	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept 2,	.	—	—	1	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Sept. 9,	.	—	—	.	.	.	3	.	.	2	.	.	.	—	—	—	—	—	5
Pembroke Urban District.	Aug. 19,	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	—	.	—	4
	Aug. 26,	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	—	1	—	4
	Sept. 2,	.	1	.	2	.	.	.	.	.	1	.	.	.	5	.	—	.	—	9
	Sept. 9,	.	1	.	.	.	.	1	.	.	.	.	.	.	3	.	—	.	—	5
Blackrock Urban District.	Aug. 19,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
	Aug. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 2,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Sept. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Aug. 19,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Aug. 26,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Sept. 2,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	.	—	1
	Sept. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Aug. 19,	.	—	—	9	.	.	8	.	1	4	4	1	—	—	.	—	6	—	33
	Aug 26,	.	—	—	6	.	.	3	.	3	7	1	.	—	—	.	—	6	—	26
	Sept. 2,	.	—	—	4	.	.	3	.	.	2	2	.	—	—	.	—	5	—	16
	Sept. 9,	.	—	—	10	.	.	5	.	.	2	5	.	—	—	.	—	10	—	32

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 9th September, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Three cases of measles were admitted to hospital during the week, 7 were discharged, and 9 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 32, 21, and 13, respectively.

Twenty cases of scarlet fever were admitted to hospital, 14 were discharged, there was one death, and 81* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 59, 68, and 76, respectively.

Two cases of typhus were discharged from hospital during the week.

Fourteen cases of diphtheria were admitted to hospital during the week, and 11 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 27, 24, and 30, respectively, were 33 at the close of last week.

Eighteen cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 60 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 29, 32, and 48.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 2 were discharged, there were 2 deaths, and 9 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 17·4) was equal to an average annual death-rate of 19·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·4 per 1,000, the rate for Glasgow being 17·4 and for Edinburgh 12·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 9th September. From this Report it appears that of a total of 62 cases notified, 26 were scarlet fever, 22 phthisis, 9 diphtheria, and 5 erysipelas. Among the 303 cases of infectious diseases in hospital at the close of the week were 127 cases of scarlet fever, 61 of diphtheria, 55 of phthisis, 31 of whooping-cough, 11 of measles, 8 of erysipelas, and 5 of chicken-pox.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 9th September, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa. Of children under 2 years of age.	Diarrhœa. 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) Week ending 9th September, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 2nd September, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 26th August, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
TOTAL OF 22 TOWN DISTRICTS, ...	1,149,495	20·2	27·1	22·1	5·9	598	487	148	97	2	...	...	...	2	6	3	...	45	24	17	14	30	71	12	31	8	15	137	8	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL. (c) ...	403,732	29·3	27·1	27·1	7·2	212	210	64	47	...	...	...	...	1	4	2	...	22	10	8	5	14	31	4	14	4	6	71	5	e73·9	40·9	57·5	0·02	e70·9	45·0	59·1	0·41	e68·9	48·5	59·7	0·34
CITY OF DUBLIN.	309,738	39·2	30·6	28·5	9·3	182	169	61	30	...	...	...	...	1	4	2	...	17	9	3	3	11	30	4	14	3	6	57	3	f73·1 g75·5	50·9 44·0	60·6 59·0	0·07 0·04	f71·2 g71·9	50·9 47·6	61·1 60·1	0·33 0·52	f69·4 g70·9	54·3 50·4	61·7 61·1	0·19 0·32
Urban Districts. RATHMINES AND RATHGAR.	38,330	22·4	12·2	13·6	.	9	10	...	4	...	...	...	...	...	...	...	...	2	..	1	...	...	...	...	...	1	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE. ...	29,347	18·5	23·1	12·4	1·8	13	7	1	1	...	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	3	2	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK. ...	9,090	8·4	.	28·7	.	...	5	...	3	...	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	24·2	57·5	.	8	19	2	9	...	...	...	...	...	...	...	...	3	...	2	2	1	...	...	...	...	...	7	...	75	50	60·8	0·00	74	50	61·4	0·25	71·0	57·0	60·6	0·36
Urban Districts. BELFAST ...	386,449	26·3	29·0	19·7	6·5	215	146	49	21	2	...	...	...	1	1	...	...	11	7	4	7	9	26	7	11	3	6	30	...	71·0	44·5	57·6	0·00	69·0	47·0	56·2	0·73	69·0	43·0	61·9	0·57
CORK. ...	76,632	33·8	23·8	25·2	6·1	35	37	9	6	...	...	...	...	...	1	...	...	4	2	1	1	2	8	...	...	...	...	13	...	73	51	59·7	0·08	68	50	59·7	0·24	73	53	61·9	0·62
LONDONDERRY ...	40,799	18·9	34·5	16·6	1·3	27	13	3	3	...	...	...	...	...	...	...	...	1	...	1	1	2	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK. ...	38,403	18·2	20·4	17·7	2·7	15	13	3	4	...	...	...	...	...	...	...	...	1	1	1	...	2	2	...	...	1	1	5	...	74·9	39·8	59·1	0·00	72·4	42·2	58·1	0·16	72·3	45·4	60·3	0·19
WATERFORD, ...	27,430	19·1	24·7	26·6	5·7	13	14	4	5	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	3	...	...	4	...	...	..	...	...	...	...	...	...	...	...	...	..
GALWAY. ...	13,249	2·5	27·5	3·9	.	7	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	73	45	59	0·00	65	50	61	0·29	72	47	62	1·26
DUNDALK, ...	13,128	9·5	19·9	7·9	4·0	5	2	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	4·2	4·2	.	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY. ...	11,956	17·2	30·5	17·4	.	7	4	...	2	...	...	...	...	...	...	...	...	1	..	...	...	...	...	...	...	...	1	1	...	71·0	43·5	57·7	0·01	70·2	47·9	59·7	0·06	69·1	43·3	59·0	0·42
LURGAN, ...	12,135	14·3	38·7	8·6	.	9	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	71·0	43·5	57·7	0·01	70·2	47·9	59·7	0·06	69·1	43·3	59·0	0·42
LISBURN. ...	12,172	10·7	38·6	25·7	8·6	9	6	2	1	...	...	...	...	...	...	...	...	1	1	...	...	...	2	...	...	...	1	2	...	71·0	43·5	57·7	0·01	70·2	47·9	59·7	0·06	69·1	43·3	59·0	0·42
WEXFORD. ...	11,455	23·8	45·5	31·9	9·1	10	7	5	1	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	1	..	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA. ...	11,376	9·3	18·3	27·5	4·6	4	6	1	2	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO. ...	11,163	3·8	14·0	14·0	.	3	3	...	1	..	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	70·3	33·7	55·7	0·00	67·8	43·9	57·9	0·87	69·7	35·5	57·9	1·30
KILKENNY, ...	10,513	11·4	14·9	24·8	.	3	5	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	3	...	77	44	60·2	0·15	70	44	57·7	0·23	71	50	60·4	0·68
CLONMEL, ...	10,277	7·9	25·4	10·1	.	5	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN. ...	11,727	15·3	26·7	26·7	8·9	6	6	3	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	2	...	...	...	...	71·0	43·5	57·7	0·01	70·2	47·9	59·7	0·06	69·1	43·3	59·0	0·42
TRALEE. ...	9,867	16·6	26·4	10·6	5·3	5	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	11·4	5·7	.	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	69	47	57·7	0·00	68	46	58·4	0·37	68	45	58·3	0·98
QUEENSTOWN, ...	7,909	14·4	13·2	13·2	.	2	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	73	51	59·7	0·08	68	50	59·7	0·21	73	53	61·9	0·62
ARMAGH. ...	7,588	22·2	20·6	27·5	13·7	3	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	1	...	71·0	43·5	57·7	0·01	70·2	47·9	59·7	0·06	69·1	43·3	59·0	0·42

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 9 deaths of persons (including one at 78 years), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 9th of September, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Whooping-cough,	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	4	.
Diphtheria,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Pulmonary Tuberculosis,	1	4	3	1	.	.	.	2	2	3	1	.	2	.	.	3	22	.
Tuberculous Disease. Other Forms,	.	2	2	1	.	.	.	2	1	.	1	.	.	1	.	.	10	2
Cancer,	.	1	.	.	1	.	.	1	.	.	.	.	1	1	1	2	8	2
Diseases of Nervous System,	.	.	1	1	.	.	.	3	1	1	1	.	4	.	.	3	15	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
" Circulatory System,	1	.	4	.	1	.	.	.	.	.	3	2	1	.	.	3	15	.
" Respiratory System. Pneumonia,	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	2	5	.
" Respiratory System. Others,	3	3	.	1	.	.	.	.	1	3	.	.	.	.	2	1	14	.
" Digestive System. Diarrhœa, under 2 years,	3	6	5	5	.	.	.	3	2	2	4	.	.	1	.	.	31	.
" Digestive System. Diarrhœa, 2 years and upwards,	1	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	.
" Digestive System. *Enteritis*, under 2 years,	3	2	.	.	.	1	1	6	.	1	.	.	.	.	.	.	14	.
" Digestive System. Enteritis, 2 years and upwards,	2	1	1	1	.	1	.	2	.	1	1	.	.	.	.	.	10	.
" Digestive System. Others,	.	2	.	.	.	.	.	.	.	2	1	.	.	1	1	2	9	1
" Genito-urinary System,	1	.	1	1	.	.	.	.	1	.	1	.	.	.	1	.	6	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	3	2	5	2	.	.	1	1	2	3	.	1	2	.	2	26	1
Violent Deaths,	1	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	4	.
Ill-defined, &c. Causes,	.	.	1	.	.	.	.	1	.	2	1	.	.	1	.	1	7	.
Deaths from All Causes	19	28	22	18	4	2	1	23	12	20	18	2	10	7	5	19	210	9
Annual Rate of Mortality from All Causes in every 1,000 of the population.	33·2	36·6	37·4	28·0	38·8	9·0	6·8	29·0	28·8	24·2	26·2	11·5	13·6	12·4	28·7	57·5	27·1	.
	30·9							25·9					22·7					
	28·5																	
Ages at Death. Under 1 year,	7	13	7	8	1	1	.	9	4	6	5	.	.	1	.	2	64	.
1 and under 2 years,	2	2	1	2	.	.	1	5	.	.	2	.	.	1	.	.	16	1
2 " 5 "	.	.	1	2	.	.	.	1	1	2	2	.	1	.	.	1	11	1
5 " 15 "	.	3	.	.	.	.	.	.	1	.	2	.	.	.	.	1	7	1
15 " 25 "	.	2	2	.	.	.	.	1	1	.	.	.	.	.	.	.	6	1
25 " 45 "	2	5	2	.	.	.	.	2	1	3	1	.	3	2	2	2	25	1
45 " 65 "	5	2	6	.	.	.	.	2	4	6	1	.	2	2	.	4	34	3
65 and upwards,	3	1	3	6	3	1	.	3	.	3	5	2	4	1	3	9	47	1
Number of Uncertified Deaths,	.	.	2	1	.	.	.	.	.	.	.	.	.	2	.	.	5	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	3	4	2	1	.	.	4	2	7	6	.	3	3	1	.	37	8
Workhouse Hospitals,	2	4	3	3	.	.	.	6	3	3	3	.	.	.	.	7	34	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 36th Week of the 10 years 1901–1910.	In the Week ending Saturday, 9th September, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Sept. 7, 1901.	Sept. 6, 1902.	Sept. 12, 1903.	Sept. 10, 1904.	Sept. 9, 1905.	Sept. 8, 1906.	Sept. 7, 1907.	Sept. 5, 1908.	Sept. 11, 1909.	Sept. 10, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 53·8	° 57·2	° 50·4	° 55·5	° 58·3	° 60·5	° 52·9	° 50·7	° 50·9	° 54·8	° 54·5	° 57·5										
ALL CAUSES.	154	170	145	157	143	184	159	170	134	141	155·7	219	11	53	17	12	8	7	26	37	28	20
Enteric Fever, ...	.	3	1	.	4	2	.	2	2	1	1·5	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	11	.	1	.	.	3	6	2	.	2·3	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	2	3	.	.	.	.	1	.	.	1	·7	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	2	.	1	4	.	1	2	.	1	3	1·4	4	.	2	2	.	.	.	.	.	.	.
Diphtheria, ...	1	2	1	.	1	.	.	1	1	.	·7	2	.	.	1	1	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	.	.	1	.	1	2	1	.	.	·6	2	.	.	.	.	.	.	.	1	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	2	1	1	.	.	.	.	.	·4	1	.	.	.	.	1	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	1	1	.	1	3	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	1	.	1	1	.	.	.	1	·4	1	.	.	.	.	.	.	1	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	25	24	29	20	12	21	25	19	20	23	21·8	22	.	.	.	1	1	3	11	4	2	.
Tuberculous Meningitis, ...	3	3	.	2	5	5	4	2	1	7	3·2	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	4	3	1	2	1	1	.	2	.	.	1·4	5	.	1	1	1	1	.	1	.	.	.
Tuberculosis of the Vertebral Column.	2	1	1	6	6	3	6	1	.	6	3·2	2	.	.	.	1	1	.	.	.	.	.
Tuberculosis of Joints, ...												2	.	.	.	.	.	1	1	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												3	.	1	.	1	.	.	.	1	.	.
Venereal Diseases, ...	1	.	.	2	1	1	.	1	1	.	·7	1	1	.	.	.	.	.	.	.	.	.
Cancer, ...	6	9	3	5	6	7	7	4	9	9	6·5	10	.	.	.	.	.	.	3	3	2	2
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	.	.	.	1	1	.	.	·3	1	.	.	.	.	.	.	1	.	.	.
Diabetes, ...	.	.	.	.	1	2	3	.	2	.	·8	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	.	1
Alcoholism, ...	.	1	1	1	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												2	.	2	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												7	.	.	.	.	.	.	1	.	3	3
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												1	.	.	.	.	.	.	.	.	1	.
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												3	.	3	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	29	37	38	33	35	33	43	38	23	32	34·1	3	.	.	.	.	.	.	.	3	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,												13	.	.	.	.	.	.	3	3	5	2
Embolism and Thrombosis (including Cerebral)												2	.	.	.	.	.	.	.	1	.	1
Other Diseases of Circulatory System.												.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	6	13	9	9	10	7	10	10	10	9	9·3	11	.	2	.	.	.	.	.	3	6	.
Broncho-pneumonia, ...	5	3	.	2	1	1	2	2	1	2	4·8	1	.	.	.	1	.	.	.	.	.	.
Lobar-pneumonia, ...		.	1	.	.	1	.	.	.	1		.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)		4	1	1	2	2	4	4	5	3		4	.	.	.	1	.	.	.	3	.	.
Pleurisy, ...												2	.	.	.	.	.	.	2	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	.	.	.	3	1	1	3	2	1	1·2	1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Respiratory System.												.	.	.	.	.	.	.	.	.	.	.

THIRTY-SIXTH WEEK ending Saturday, 9th September, 1911, with, as far as practicable, the deaths from each cause in the 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 36th Week of the 10 years 1901–1910.	In the Week ending Saturday, 9th September, 1911.										
													Deaths of Persons of the Ages of									
	Sept. 7, 1901.	Sept. 6, 1902.	Sept. 12, 1903.	Sept. 10, 1904.	Sept. 9, 1905.	Sept. 8, 1906.	Sept. 7, 1907.	Sept. 5, 1908.	Sept. 11, 1909.	Sept. 10, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 53·8	° 57·2	° 50·4	° 55·5	° 58·3	° 60·5	° 52·9	° 50·7	° 50·9	° 54·8	° 54·5	° 57·5										
Diseases of the Pharynx, Tonsillitis.	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	2	.	.	.	.	.	.	.	.
Diarrhœa of Children under 2 years.	30	10	7	26	12	49	5	28	15	11	19·3	31	2	21	8	.	.	.	.	.	.	.
„ 2 years and upwards,												4	.	.	.	.	1	.	.	2	.	1
Enteritis of Children under 2 years.	2	4	.	4	3	12	2	11	7	8	5·3	14	.	10	4	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												10	.	.	.	2	1	.	.	4	2	1
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	1	.	1	.	1	.	.
Cirrhosis of Liver, ...	1	1	2	3	1	3	.	2	3	1	2·7	2	.	.	.	.	.	.	1	1	.	.
Other Diseases of Liver, ...		1	1	3	.	3	1	.	1	.		2	.	.	.	.	.	.	1	.	1	.
Peritonitis (cause unknown),	1	2	1	2	1	.	.	.	1	.	·8	1	.	.	.	.	.	1	.	.	.	.
Other Diseases of Digestive System.	2	7	6	3	10	9	5	5	3	1	5·1	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	5	4	9	4	3	5	3	5	4	9	5·1	1	.	.	.	.	.	.	.	1	.	.
Chronic Bright's Disease, ...												3	.	.	.	.	.	.	.	1	1	1
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												3	.	.	.	.	.	.	.	2	1	.
Puerperal Septicæmia, &c., ...	.	.	1	.	.	.	.	.	.	2	·3	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	1	.	.	1	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	2	1	1	.	.	.	.	.	.	.	.
Premature Birth, ...	1	2	3	5	3	1	5	5	6	2	3·3	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	6	1	5	.	.	.	.	.	.	.	.
Old Age, ...	7	6	2	7	5	1	8	2	3	.	4·1	6	.	.	.	.	.	.	.	.	1	5
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	6	3	2	.	.	1	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	1	.	2	.	1	1	1	.	1	.	·7	1	.	.	.	.	1	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	.	.	.	.	1	1	.	2	.	.	·4	1	.	.	.	1	.	.	.	.	.	.
By Drowning, ...	.	2	1	.	.	2	.	1	.	2	·8	1	.	.	.	.	.	1	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	1	1	.	1	.	·3	1	.	1	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	.	1	2	.	.	.	2	2	1	.	·8	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	1	.	.	1	.	.	1	1	1	·5	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	7	.	.	.	.	.	.	.	3	1	3

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.
No. of weeks in Annual Series,	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
BIRTHS registered.	203	276	230	198	171	174	259	260	242	226	246	261	228	232	185	324	190	190	294	233	198	210	233	218	198	212
Average Births in corresponding week of previous 10 years, ...	212	212	233	202	210	223	199	268	231	210	204	238	226	207	224	237	205	204	208	221	217	208	217	216	207	235
DEATHS registered, ...	170	214	177	191	174	196	181	176	170	129	158	150	149	159	127	155	120	172	162	186	153	169	199	162	210	219
Annual Death-rate per 1,000, ...	21·8	27·4	22·7	24·5	22·3	25·1	23·2	22·5	21·8	16·5	20·2	19·2	19·2	20·5	16·4	20·0	15·5	22·2	20·9	24·0	19·8	21·8	25·7	20·9	27·1	28·3
Average Deaths in corresponding week of previous 10 years, ...	194	201	203	199	195	197	190	177	178	171	169	154	151	149	148	134	140	141	144	147	145	146	154	162	153	156
Ages, Under 5 years, ...	39	56	48	54	63	54	50	56	48	40	37	43	34	42	44	56	43	41	51	88	73	72	94	80	94	93
5—15 „ ...	9	7	14	17	4	5	11	14	7	6	14	10	8	4	9	10	4	13	6	5	6	8	5	8	5	8
15—25 „ ...	7	13	8	10	10	14	7	6	8	9	11	9	9	13	2	7	7	11	10	6	6	4	7	7	12	7
25—45 „ ...	24	42	19	33	25	31	33	15	35	21	21	29	26	32	18	20	19	31	26	21	22	19	31	19	23	26
45—65 „ ...	42	44	36	44	43	45	35	30	38	36	39	29	33	31	34	28	20	33	37	29	21	40	37	28	38	37
65—75 „ ...	28	32	29	27	19	29	25	34	19	10	24	17	26	18	13	16	15	24	18	24	15	14	11	9	21	28
75 and upwards, ...	21	20	23	6	10	18	20	21	15	7	12	13	13	19	7	18	12	19	14	13	10	12	14	11	17	20
Deaths from :—																										
Enteric Fever, ...	1	2	1	3	1	1	.	1	1	1	1	1	.	.	1	.	1	3	2	1	2	2	2	1	2	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	7	3	2	1	7	11	5	8	17	4	6	3	4	2	8	7	4	7	3	7	5	2	.	1	1	.
Scarlet Fever, ...	.	1	.	1	4	1	.	1	1	.	2	2	2	.	.	.	1	3	.	2	1	3	.	1	.	1
Whooping-cough, ...	4	6	5	3	6	.	2	3	2	4	1	4	1	3	2	2	.	1	4	3	4	1	3	6	7	4
Diphtheria, ...	.	1	1	4	3	4	1	2	3	1	.	1	4	1	4	2	2	3	2	1	.	.	1	5	1	2
Influenza, ...	2	1	2	2	.	3	.	3	2	1	2	.	.	1	.	1	1	1	2	1	.	1	.	.	1	2
Dysentery, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.
Tuberculous Disease, Phthisis, ...	28	32	16	29	21	33	22	21	17	25	22	22	25	23	7	21	7	20	17	17	16	13	19	15	22	22
Tuberculous Disease, Other Forms,	8	15	13	10	3	8	10	6	6	6	9	9	8	7	11	6	7	12	10	15	9	5	9	4	10	12
Cancer, ...	6	10	13	11	8	7	9	6	5	6	11	9	12	10	7	8	12	4	10	6	5	11	7	6	10	10
Diseases of Circulatory System,	24	27	22	23	14	15	24	17	23	7	19	12	12	23	14	22	16	22	20	15	10	13	13	8	13	15
Diseases of Respiratory System, Pneumonia,	14	13	13	18	19	16	18	22	15	12	6	10	8	9	8	9	9	10	8	12	1	8	3	6	12	5
Diseases of Respiratory System, Others, ...	23	27	24	24	26	26	16	34	20	15	14	15	16	17	9	17	6	11	10	13	3	8	13	7	5	14
Diarrhœa, Under 2 years, ...	2	5	1	3	2	1	2	2	1	2	1	6	.	3	3	.	1	3	9	27	20	29	37	25	38	31
Diarrhœa, 2 years & upwards,	3	.	1	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	5	1	6	7	10	7	4
Enteritis, under 2 years, ...	1	3	1	3	3	2	2	2	.	1	1	4	1	1	1	3	3	2	2	7	9	12	12	13	14	14
Violent Deaths, ...	5	5	5	6	1	7	9	3	.	1	5	2	3	6	5	2	6	7	2	5	2	2	8	5	3	4
Number of Uncertified Deaths,	7	2	5	1	1	2	8	4	3	1	5	4	3	4	.	5	9	5	2	3	3	7	7	7	7	5
Mean Temperature of the Air (Phœnix Park)	38·0	41·7	42·7	39·4	43·7	50·5	50·5	49·6	52·6	49·5	55·3	56·2	55·6	52·6	56·2	55·5	59·6	60·9	62·9	62·7	62·5	60·8	61·2	59·7	59·1	57·5
Average Mean Temperature in corresponding week of previous 10 years, ...	42·7	42·6	42·4	44·1	43·1	45·1	46·2	46·7	48·1	49·1	50·9	53·7	53·5	53·6	55·5	56·5	57·5	58·5	59·8	58·2	58·6	58·5	57·5	56·5	56·3	54·5
Rainfall in inches, ...	·206	·000	·770	·131	·000	·501	·606	·780	·127	·262	·010	·000	·000	·605	·782	·166	·018	·000	·316	1·860	·430	·170	·010	·338	·405	·020
Mean Humidity of the Air, complete Saturation 1·0, ...	·89	·87	·90	·86	·86	·89	·91	·93	·94	·92	·89	·89	·88	·86	·91	·91	·92	·84	·92	·92	·92	·82	·82	·82	·78	·85

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 9th September, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 9TH SEPTEMBER, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	219	93	8	7	26	37	28	20	.	.	.	.	1	4	2	.	22	12	10	3	5	14	31	4	14	4	93	5
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	17·9	6	.	.	.	.	2	1	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	4	.
II.	MIDDLE CLASS, ...	87,188	22·1	37	9	2	1	6	7	6	6	.	.	.	.	.	.	.	.	4	1	2	.	.	2	3	.	2	1	22	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	20·8	44	18	2	1	8	6	5	4	.	.	.	.	.	1	.	.	8	2	1	.	1	3	8	.	.	2	18	.
IV.	GENERAL SERVICE CLASS, ...	154,279	32·8	97	55	4	5	8	13	9	3	.	.	.	.	1	2	2	.	7	6	3	1	2	6	15	3	12	1	36	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	35	11	.	.	4	9	7	4	.	.	.	.	.	1	.	.	3	3	2	2	2	3	5	1	.	.	13	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4	.	.	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	27·0	4	.	1	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	23·7	10	4	.	.	3	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	7	1
	6. Clerks and Commercial Assistants, ...	30,432	18·8	11	1	.	1	2	3	3	1	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	.	1	.	5	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	23·2	12	4	1	.	.	2	1	4	.	.	.	.	.	.	.	.	1	.	1	.	.	1	1	.	1	1	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	9. Building and Furnishing Trades, ...	29,801	29·7	17	8	.	1	4	2	2	.	.	.	.	.	.	.	.	.	4	2	.	.	1	.	3	.	.	1	6	.
	10. Clothing Trades, ...	23,260	17·9	8	3	1	.	2	.	1	1	.	.	.	.	.	.	.	.	3	.	.	.	.	.	1	.	.	1	3	.
	11. Food Supply Trades, ...	9,242	11·3	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	22·3	13	5	1	.	1	4	1	1	.	.	.	.	.	1	.	.	1	.	.	.	.	3	4	.	.	.	4	.
	13. Petty Shopkeepers, ...	7,894	6·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	27·2	7	2	.	.	1	3	.	1	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1	.	.	3	.
	15. Domestic Servants, ...	36,603	12·8	9	2	.	3	2	.	1	1	.	.	.	.	.	.	.	.	3	.	.	.	.	.	2	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	50·7	14	9	1	.	.	1	3	.	.	.	.	.	1	1	.	.	.	2	1	.	.	2	2	.	2	.	3	1
	17. Hawkers, Porters, Labourers, &c., ...	89,861	38·9	67	42	3	2	5	9	5	1	.	.	.	.	.	1	2	.	3	3	1	1	2	4	11	2	10	1	26	2
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	35	11	.	.	4	9	7	4	.	.	.	.	.	1	.	.	3	3	2	2	2	3	5	1	.	.	13	

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa. Children under 2 years.	2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),																						
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 29,854.	July 22,	24·5	8·7	14	1	.	.	1	.	1	.	.	.	.	1	.	1	1	.	1	.	.
	„ 29,	38·4	15·7	22	.	.	.	.	.	.	.	.	2	2	.	1	3	7	1	1	1	.
	Aug. 5,	26·2	14·0	15	1	.	.	2	.	.	.	.	2	.	1	.	.	3	1	1	.	.
	„ 12,	27·9	10·5	16	.	.	.	.	.	.	.	.	1	.	1	2	1	3	1	2	.	1
	„ 19,	24·5	7·0	14	.	.	.	.	.	.	.	.	.	.	1	.	3	3	.	1	.	1
	„ 26,	19·2	14·0	11	.	.	.	.	.	1	.	.	1	.	.	1	.	4	1	2	.	1
	Sept. 2,	29·7	10·5	17	.	.	.	.	.	1	.	.	2	2	2	.	.	3	1	1	1	.
	„ 9,	33·2	12·2	19	.	.	.	.	.	.	.	.	1	.	.	.	3	3	1	3	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 39,902.	July 22,	13·1	1·3	10	.	.	.	.	.	.	.	.	1	3	.	.	1	.	.	1	.	.
	„ 29,	24·8	3·9	19	.	.	.	1	1	.	.	.	.	2	.	3	1	1	.	.	.	.
	Aug. 5,	22·2	5·2	17	.	.	.	.	.	.	.	.	2	1	.	.	1	2	.	2	.	.
	„ 12,	31·4	13·1	24	.	.	.	.	.	.	.	1	1	1	1	1	2	7	2	.	1	2
	„ 19,	23·5	10·5	18	.	.	.	.	.	.	.	.	1	.	.	.	1	7	1	.	1	.
	„ 26,	19·6	7·8	15	.	.	.	.	.	1	.	.	2	.	1	1	2	2	3	.	.	.
	Sept. 2,	36·6	14·4	28	.	.	.	.	.	2	.	.	2	1	2	1	.	8	1	.	1	.
	„ 9,	36·6	15·7	28	.	.	.	.	.	2	.	.	4	2	1	.	3	6	2	2	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 30,689.	July 22,	18·7	5·1	11	.	.	.	.	.	1	.	.	2	1	1	1	1	2	.	.	.	.
	„ 29,	34·0	8·5	20	.	.	.	.	1	1	.	.	2	2	.	3	2	2	1	.	1	.
	Aug. 5,	27·2	10·2	16	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	1	1	.
	„ 12,	30·6	6·8	18	.	.	.	.	1	.	.	.	1	.	1	1	1	2	.	1	.	1
	„ 19,	25·5	11·9	15	.	.	.	.	.	.	1	.	.	.	.	.	1	2	4	.	.	1
	„ 26,	23·8	10·2	14	.	.	.	.	.	1	1	.	.	2	.	1	2	2	2	.	.	1
	Sept. 2,	15·3	6·8	9	.	.	.	.	.	.	.	.	2	.	.	.	.	4	.	.	.	.
	„ 9,	37·4	10·2	22	.	.	.	.	.	1	.	.	3	2	.	.	.	5	.	.	.	2
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,498.	July 22,	23·3	4·7	15	1	.	.	1	.	.	.	.	2	.	2	.	1	1	.	.	.	1
	„ 29,	26·5	7·8	17	.	.	.	.	.	1	.	.	2	2	.	1	2	2	1	1	.	.
	Aug. 5,	14·0	4·7	9	.	.	.	1	.	.	.	.	2	.	1	.	.	1	.	1	.	.
	„ 12,	15·6	6·2	10	.	.	.	.	1	.	.	.	.	.	.	.	2	2	.	1	.	1
	„ 19,	42·0	4·7	27	1	.	.	.	.	.	.	.	4	2	.	1	1	2	.	.	.	.
	„ 26,	26·5	10·9	17	.	.	.	.	.	.	1	.	2	.	1	.	1	4	2	.	.	1
	Sept. 2,	48·3	12·5	31	.	.	.	.	.	.	.	.	4	.	2	2	.	3	1	4	.	3
	„ 9,	28·0	9·3	18	.	.	.	.	.	.	1	.	1	1	.	1	1	5	.	.	.	1
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,401.	July 22,	23·9	.	19	.	.	.	.	.	.	.	.	3	.	1	1	2	.	.	.	1	.
	„ 29,	13·9	5·0	11	.	.	.	.	.	.	.	.	1	1	1	1	1	1	.	3	.	.
	Aug. 5,	18·9	5·0	15	.	.	.	.	.	1	.	.	.	3	.	.	.	2	.	1	.	.
	„ 12,	23·9	12·6	19	1	.	.	.	.	.	.	.	2	1	.	.	.	2	1	6	.	.
	„ 19,	27·7	10·1	22	1	.	.	.	.	.	.	.	3	3	.	.	.	4	.	3	1	.
	„ 26,	16·4	6·3	13	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	3	.	1
	Sept. 2,	29·0	16·4	23	.	.	.	.	.	.	1	.	2	.	.	1	.	5	1	6	.	.
	„ 9,	29·0	13·9	23	.	.	.	.	.	1	.	.	2	2	1	.	.	3	1	6	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,715.	July 22,	28·8	2·4	12	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.
	„ 29,	24·0	9·6	10	.	.	.	.	.	.	.	.	.	1	.	.	.	3	1	.	.	.
	Aug. 5,	21·6	7·2	9	1	.	.	.	.	1	.	.	1	1	.	1	.	1	.	.	.	.
	„ 12,	9·6	2·4	4	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 19,	12·0	7·2	5	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2	.	.
	„ 26,	33·6	9·6	14	.	.	.	.	.	.	.	.	1	.	1	.	.	4	.	.	.	.
	Sept. 2,	21·6	.	9	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	1
	„ 9,	28·8	4·8	12	.	.	.	.	.	.	.	.	2	1	.	1	1	2	.	.	2	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,149.	July 22,	29·0	7·3	24	.	.	.	1	.	1	1	.	2	3	1	4	1	3	.	.	.	.
	„ 29,	24·2	9·7	20	.	.	.	5	.	.	.	.	3	2	.	1	1	2	.	1	.	1
	Aug. 5,	18·1	7·3	15	.	.	.	2	.	.	.	.	1	.	.	.	1	3	.	1	.	.
	„ 12,	24·2	7·3	20	.	.	.	1	.	.	.	.	4	2	2	.	1	4	.	1	1	.
	„ 19,	24·2	8·5	20	.	.	.	.	.	1	.	.	3	1	1	1	2	3	.	3	.	.
	„ 26,	27·8	8·5	23	1	.	.	.	1	.	1	.	5	.	.	1	2	2	1	1	1	.
	Sept. 2,	26·6	9·7	22	.	.	.	.	.	2	.	.	1	1	.	1	1	5	.	1	.	.
	„ 9,	24·2	6·0	20	.	.	.	.	1	.	1	.	3	.	.	1	3	2	.	1	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 35,816.	July 22,	11·6	.	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	„ 29,	18·9	2·9	13	.	.	.	.	.	.	1	.	1	1	.	.	2	1	.	.	1	.
	Aug. 5,	11·6	.	8	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
	„ 12,	11·6	4·4	8	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1	.	.	.
	„ 19,	29·1	10·2	20	.	.	.	.	.	1	.	.	2	.	1	1	2	6	.	.	1	.
	„ 26,	16·0	5·8	11	.	.	.	.	.	1	2	.	.	1	1	.	.	.	1	.	2	1
	Sept. 2,	21·8	8·7	15	1	.	.	.	.	1	.	.	2	1	.	2	1	4	.	.	.	.
	„ 9,	26·2	5·8	18	.	.	.	.	.	.	.	.	1	1	.	.	.	4	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa. Children under 2 years.	2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	July 22,	13·6	1·4	10	.	.	.	.	.	.	1	.	2	.	1	1	1	.	.	.	1	.
	„ 29,	23·1	10·9	17	.	.	.	1	.	.	.	.	.	1	1	1	.	6	.	1	.	1
	Aug. 5,	16·3	5·4	12	.	.	.	.	1	.	.	.	1	1	.	.	.	2	.	1	1	1
	„ 12,	15·0	5·4	11	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	1	.	2
	„ 19,	20·4	1·4	15	.	.	.	.	.	.	.	.	3	2	2	.	1	1	.	.	2	2
	„ 26,	10·9	5·4	8	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	3	.	2
	Sept. 2,	17·7	5·4	13	.	.	.	1	.	.	.	.	.	.	2	1	2	1	2	.	.	2
	„ 9,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	1	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	July 22,	14·2	1·8	8	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.
	„ 29,	17·8	5·3	10	.	.	.	.	.	1	.	.	1	.	.	.	1	1	1	.	.	.
	Aug. 5,	19·5	5·3	11	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	1	.	.
	„ 12,	8·9	.	5	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
	„ 19,	17·8	7·1	10	.	.	.	.	.	1	.	.	1	.	1	.	1	1	1	1	.	1
	„ 26,	19·5	8·9	11	.	.	.	.	.	2	.	.	1	.	.	1	.	1	.	2	.	.
	Sept. 2,	17·8	3·6	10	.	.	.	.	.	.	.	.	3	1	.	.	.	2	.	.	.	.
	„ 9,	12·4	1·8	7	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	2
Kingstown Urban District. Pop. in 1911 17,227.	July 22,	24·2	3·0	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	„ 29,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1
	Aug. 5,	12·1	3·0	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	„ 12,	24·2	3·0	8	.	.	.	.	.	.	.	.	2	.	1	3	.	1	.	.	.	.
	„ 19,	27·2	3·0	9	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 26,	18·2	3·0	6	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	1	.
	Sept. 2,	27·2	3·0	9	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	.	.
	„ 9,	57·5	.	19	.	.	.	.	.	.	.	.	3	.	2	2	1	.	.	.	.	.
Belfast. Pop. in 1911 (Est.) 386,449.	July 22,	16·3	3·0	121	1	.	.	.	.	1	2	.	20	6	3	4	10	10	.	8	5	.
	„ 29,	14·2	3·4	105	.	.	.	.	.	1	.	.	10	5	3	6	3	14	1	9	3	2
	Aug. 5,	16·6	3·9	123	.	.	.	.	.	2	2	.	13	7	9	2	4	9	4	12	2	.
	„ 12,	16·3	6·1	121	1	.	.	.	1	1	.	.	9	3	4	3	5	19	4	19	2	1
	„ 19,	18·8	4·3	139	1	.	.	.	.	.	1	.	6	7	4	9	6	17	3	10	6	1
	„ 26,	17·8	4·9	132	2	.	.	.	.	1	.	.	19	5	1	3	5	15	5	13	4	2
	Sept. 2,	18·6	6·7	138	1	.	.	.	.	.	.	.	17	3	7	4	1	21	6	22	5	.
	„ 9,	19·7	6·5	146	2	.	.	.	1	1	.	.	11	7	4	7	9	26	7	11	3	.
Cork. Pop. in 1911 76,632.	July 22,	12·9	1·4	19	.	.	.	1	.	.	.	.	1	.	.	.	1	1	.	.	1	1
	„ 29,	16·3	1·4	24	.	.	.	.	.	1	.	.	5	.	2	.	3	1	.	.	.	1
	Aug. 5,	15·6	2·0	23	.	.	.	.	.	1	.	.	.	4	3	.	1	1	.	1	1	2
	„ 12,	9·5	2·0	14	.	.	.	.	.	.	.	.	1	3	.	1	1	3	.	.	.	.
	„ 19,	12·9	2·0	19	.	.	.	.	.	.	.	.	2	1	.	1	1	3	.	.	.	.
	„ 26,	19·1	4·1	28	.	.	.	.	.	.	.	.	5	2	1	1	3	6	.	.	1	.
	Sept. 2,	24·5	4·1	36	.	.	.	.	.	.	.	.	5	1	4	.	1	6	.	.	1	1
	„ 9,	25·2	6·1	37	.	.	.	.	.	1	.	.	4	2	1	1	2	8	.	.	.	.
Londonderry. Pop. in 1911 40,799.	July 22,	19·2	3·8	15	.	.	.	.	.	1	.	.	2	.	3	.	1	2	.	.	.	.
	„ 29,	11·5	3·8	9	.	.	.	.	.	1	.	.	1	1	.	1	1	1	1	.	.	.
	Aug. 5,	19·2	3·8	15	.	.	.	.	.	.	.	.	3	1	2	2	.	1	.	2	.	.
	„ 12,	11·5	1·3	9	.	.	.	.	.	.	.	.	4	1	.	.	.	1	.	.	.	.
	„ 19,	16·6	3·8	13	.	.	.	.	.	.	.	.	2	.	1	.	1	2	.	1	.	.
	„ 26,	14·1	2·6	11	.	.	.	.	.	1	.	.	1	1	1	.	1	1	.	.	1	.
	Sept. 2,	12·8	1·3	10	.	.	.	.	.	.	.	.	.	1	.	1	3	1	.	.	.	.
	„ 9,	16·6	1·3	13	.	.	.	.	.	.	.	.	1	.	1	1	2	1	.	.	.	.
Limerick. Pop. in 1911 38,403.	July 22,	20·4	4·1	15	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	2	.	3
	„ 29,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.
	Aug. 5,	12·2	.	9	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	2
	„ 12,	13·6	2·7	10	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1	1	.	.
	„ 19,	10·9	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	1
	„ 26,	25·8	8·1	19	1	.	.	.	.	.	.	.	.	1	2	.	.	3	1	1	.	2
	Sept. 2,	17·7	5·4	13	.	.	.	.	.	.	.	.	1	1	.	1	.	3	1	.	.	1
	„ 9,	17·7	2·7	13	.	.	.	.	.	.	.	.	1	1	1	.	2	2	.	.	1	.
Waterford. Pop. in 1911 27,430.	July 22,	19·0	.	10	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2	3
	„ 29,	15·2	1·9	8	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	1
	Aug. 5,	17·1	1·9	9	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1	.	.
	„ 12,	20·9	3·8	11	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	2	.	1
	„ 19,	22·8	5·7	12	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.	2
	„ 26,	13·3	3·8	7	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	2	.	.
	Sept. 2,	9·5	5·7	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1
	„ 9,	26·6	5·7	14	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	3	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 9th September, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	385,492	13	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		7	1	1	.	2	2	1	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	1	1	2	.
Do. 2 do.		19			27	11	5	2	3	2	4	.	.	.	.	.	.	.	.	2	1	1	.	.	7	1	4	2	3	7	.
Do. 3 do.		34			22	8	5	.	3	1	5	.	.	.	.	.	1	.	.	1	3	.	1	2	5	4	1	.	.	2	.
Do 4 do.		19			10	4	.	.	2	2	2	1	.	.	.	.	.	.	.	1	.	1	.	1	3	.	.	.	1	3	.
Do. 5 do.		6			6	2	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	3	.
Do. 6 do.		13			7	1	.	1	2	1	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.
Do. 7 do.		.			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 8 do.		2			2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 9 do.		14			10	4	1	2	3	.	.	1	.	.	.	.	.	.	.	2	.	.	1	.	1	.	.	.	.	2	.
Do. 10 do.		17			11	5	1	2	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	4	.	.	.	.	2	.
Do. 11 do.		25			14	4	2	.	1	4	3	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	1	.	1	3	.
Do. 12 do.		33			11	5	1	1	.	4	.	.	.	.	.	1	.	.	.	.	1	.	1	2	.	1	3	.	.	2	.
Do. 13 do.		6			7	2	.	1	2	1	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1	.	.	.	.
Do. 14 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		13			11	.	.	1	.	8	2	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	3	.
Total,	—	215			146	49	16	10	21	29	21	2	.	.	.	1	1	.	.	11	7	4	7	9	26	7	11	3	6	30	.
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	76,632	5	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	1	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
Do. 2 do.		3			3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 3 do.		5			9	3	1	.	2	.	3	.	.	.	.	.	1	.	.	1	.	1	.	.	2	.	.	.	.	2	.
Do. 4 do.		4			4	1	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 5 do.		2			2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 6 do.		3			5	3	1	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	2	.
Do. 7 do.		13			9	.	5	1	3	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	4	.	.	.	.	4	.
Total,	—	35	25·2	6·1	37	9	7	4	5	6	6	.	.	.	.	.	1	.	.	4	2	1	1	2	8	.	.	.	.	13	.

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	Mar. 18.	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.
No. of weeks in Annual Series,	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
BIRTHS registered, ...	220	218	232	228	204	189	236	232	229	180	214	233	215	258	201	264	213	207	268	236	203	225	215	220	197	215
DEATHS registered, ...	118	147	138	172	161	154	160	109	120	123	123	125	115	107	82	116	92	123	121	105	123	121	139	132	138	146
Annual Death rate per 1,000 of estimated population, ...	15·4	19·2	18·1	22·5	21·1	20·2	20·9	14·3	15 ·7	16·1	16·1	16·4	15·5	14·4	11·1	15·7	12·4	16·6	16·3	14·2	16·6	16·3	18·8	17·8	18·6	19·7
AGES, Under 1 year, ...	33	23	26	36	24	23	23	19	19	25	22	18	19	23	16	18	11	25	32	38	39	45	44	36	52	49
1—5 years, ...	6	17	11	7	10	14	13	10	9	9	13	7	7	10	7	9	7	9	11	8	12	11	11	8	6	16
5—25 ,, ...	10	19	11	14	17	13	21	13	17	15	17	14	14	16	7	16	15	16	14	11	7	14	15	18	11	10
25—45 ,, ...	14	28	23	36	32	26	27	25	23	26	22	24	26	22	18	20	21	25	22	13	21	11	17	19	24	21
45—65 ,, ...	27	30	38	45	37	39	46	22	29	31	27	34	20	20	20	37	25	29	23	17	23	23	28	31	27	29
65 and upwards, ...	28	30	29	34	41	39	30	20	23	17	22	28	29	16	14	16	13	19	19	18	21	17	24	20	18	21
Deaths from :—																										
Enteric Fever, ...	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2	1	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	1	.	1	.	.	.	.	1	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	.	1
Whooping-cough, ...	1	.	.	.	3	2	1	.	.	1	1	.	.	4	.	1	.	1	1	1	2	1	.	1	.	1
Diphtheria, ...	.	1	1	.	2	1	.	.	.	.	.	.	1	.	.	.	1	.	2	.	2	.	1	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	7	22	24	26	25	14	17	16	25	21	21	16	14	13	13	23	16	18	20	10	13	9	6	19	17	11
Tuberculous Disease. Other Forms,	8	9	8	8	4	11	15	12	7	10	12	11	6	10	2	2	5	8	6	5	7	3	7	5	3	7
Cancer, ...	11	8	4	5	5	6	12	3	6	1	4	6	8	6	6	7	4	6	3	3	9	4	4	1	7	4
Diseases of Respiratory System, Pneumonia,	10	14	16	13	19	23	18	10	10	13	6	11	9	9	5	5	7	2	4	6	2	3	9	3	4	7
Diseases of Respiratory System, Others, ...	14	16	19	26	29	34	16	20	15	19	11	18	18	13	10	8	11	14	10	3	4	5	6	5	1	9
Diarrhœa, Under 2 years, ...	1	.	.	1	.	.	.	.	1	1	2	1	.	1	1	2	1	6	10	14	9	19	17	15	21	26
Diarrhœa, 2 years & upwards	.	3	1	.	1	.	.	.	.	.	.	.	1	.	3	.	.	.	.	1	4	4	3	5	6	7
Enteritis, under 2 years, ...	.	3	2	1	2	2	1	1	1	3	3	4	2	.	1	1	1	3	8	9	12	19	10	13	22	11
Violent Deaths, ...	1	3	4	8	2	3	3	3	4	1	1	.	3	3	1	4	.	3	5	3	2	2	6	4	5	3
Number of Uncertified Deaths, ...	1	.	1	3	2	.	1	2	1	1	1	2	1	.	3	3	.	1	.	2	.	1	1	2	.	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	Sept. 9,	2,104	1,510	17·4	3	.	11	5	14	12	439*a*
Edinburgh, ...	320,829	„ 9,	115	75	12·2	.	.	.	.	2	.	2
Glasgow, ...	784,621	„ 9,	395	262	17·4	1	.	2	.	4	3	47
Calcutta, ...	890,493	Aug. 5,	.	426	24·8	98*	.	.	.	5	2	60‡
Bombay, ...	977,822	„ 5,	376	532	28·3	75*	4	1	.	.	.	73‡
Madras, ...	509,346	July 15,	376	306	31·2	67*	3	1	?	?	?	73‡
Cairo, ...	693,806	„ 15,	.	.	.	.	.	.	.	?	.	.
Paris	2,846,986	Aug. 12,	1,047	1,072	20·3	13	.	23	3	3	7†	179*a*
Brussels, ...	739,684	„ 19,	205	231	16·2	2	.	.	1	.	1	62
Antwerp, ...	320,640	„ 19,	122	127	20·7	.	.	1	.	2	.	54*a*
Amsterdam, ...	577,346	„ 19,	272	161	14·5	1	.	2	.	1	.	32*a*
Copenhagen, ...	462,132	„ 19,	223	159	17·9	.	.	1	.	5	.	34*a*
Stockholm, ...	343,832	„ 12,	133	84	12·7	.	.	.	1	.	.	5
Christiania, ...	244,038	„ 26,	101	53	11·3	.	.	.	.	.	.	24
St. Petersburg, ...	1,639,266	„ 5,	656	640	20·4	11	.	29	5	8	6	144
Moscow, ...	1,493,600	„ 5,	.	860	30·0	6	2	20	6	13	12†	350
Berlin, ...	2,066,923	„ 5,	823	728	18·4	2	.	8	3	12	14†	164
Hamburg, ...	920,490	„ 19,	.	299	19·9	1	.	1	.	3	8†	93
Breslau, ...	518,528	„ 19,	.	255	25·6	.	.	.	.	.	1	97
Munich, ...	597,000	„ 26,	.	200	17·5	.	.	.	.	.	.	58
Vienna (with suburbs),	2,047,968	„ 19,	766	564	14·3	.	.	3	2	4	5†	94*a*
Buda-Pesth, ...	891,585	„ 19,	421	317	18·5	3	.	3	8	2	1†	65*a*
Prague and Faubourgs,	508,310	„ 5,	172	146	14·9	2	.	.	1	.	3†	19*a*
Trieste, ...	230,820	„ 12,	125	124	28·0	1	.	.	.	.	.	33‡
Rome, ...	602,068	July 22,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	„ 8,	92	65	18·4	2	.	.	.	1	.	8
New York, ...	4,983,385	„ 29,	2,584	1,347	14·1	10	.	10	5	17	14†	204*a*
Philadelphia, ...	1,580,250	„ 15,	.	714	23·5	3	.	3	1	4	4†	135*a*
Boston, ...	688,912	Aug. 19,	.	204	15·4	1	.	1	.	.	1†	47

* Deaths from "fever," including 12 deaths from enteric fever and 18 deaths from plague in Calcutta, and 4 from enteric fever and 15 from plague in Bombay.

† Including deaths from croup.

‡ Including 7 deaths from cholera in Calcutta, 3 in Bombay, one in Madras, and one in Trieste.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending September 9th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	3	.	.	.	.	3
" " 1, West, ...	.	3	.	.	1	.	.	2	1	.	.	1	8
" " 2, ...	.	2	.	.	2	.	.	.	.	.	.	2	6
" " 3, ...	.	3	.	.	.	.	1	9	1	.	.	1	15
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	1	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	1	.	.	.	1
South City No. 1, ...	.	1	.	.	4	.	.	.	.	.	.	.	5
" " 2, ...	.	2	.	.	.	.	.	.	1	.	.	3	6
" " 3, ...	.	5	.	.	1	.	.	2	1	1	.	.	10
" " 4, ...	.	.	.	.	1	.	.	.	.	.	.	.	1
New Kilmainham, ...	.	1	.	.	1	.	.	.	1	.	.	.	3
Total, ...	.	17	.	.	10	.	1	16	7	1	.	7	59

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 9th September, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 9th September.			
	Aug. 19.	Aug. 26.	Sept. 2.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	32	21	13	3	7	.	9
Scarlet Fever, ...	59	68	76	20	14	1	81*
Typhus, ...	1	2	2	.	2	.	.
Diphtheria, ...	27	24	30	14	11	.	33
Enteric Fever, ...	29	32	48	18	6	.	60
Pneumonia, ...	11	10	9	4	2	2	9

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 9th September, 1911:—

"Except for a temporary break and thunder-showers on Monday morning, the most perfect weather characterised this week. The amount of bright sunshine was very unusual—at Valentia, Co. Kerry, the daily duration in hours up to Saturday was 11·7, 11·3, 12·1, 8·7, 11·6 and 11·4 respectively. The barometer stood high over England and Ireland throughout, whereas it was comparatively low between Iceland and Norway in the north, and to the southwestward of the Iberian Peninsula in the south. Scotland was under the influence of the northern depression except on Monday and Saturday. On Monday the anticyclone surged northwards and an extremely shallow atmospheric disturbance caused thunder-showers between Dublin and Darwen in Lancashire. On that same day showers fell in many parts of England and Wales, including the London district. On Tuesday the weather again became very warm, the thermometer rising to 73° in Dublin, but to 80° at Bath and between 79° and 82° at the London stations. Wednesday was still hotter in England, Nottingham recording 82°, Bath and Kew 84°, Oxford 85°, and Greenwich 86°. But the approach of autumn was unmistakably made evident by the greater diurnal range of temperature, chilly nights succeeding blazing days. On Thursday morning the Meteorological Office reported a range of 38° at Bath (from 84° to 46°), of 35° at Nottingham and Oxford, of 32° at Kew Observatory, and of 31° at Birr Castle (from 71° to 40°). In England the heat was excessive on Thursday, 92° in the shade being recorded in London (Greenwich) and at Bath. Towards evening of Friday thunderstorms broke out over Yorkshire, afterwards spreading southwards to Cambridge and Norfolk. At Bath the thermometer had fallen from 92° on Thursday to 49° during the ensuing night—a diurnal range of 43°. Friday was intensely hot in the Thames Valley, the maxima ranging from 89° at Kew to 94° at Greenwich. Saturday was at first dull and cool, with a N.E. wind; the afternoon proved sunny. In Dublin the mean height of the barometer was 30·175 inches, pressure ranging from 30·314 inches at 9 p.m. of Sunday (wind, S.E.) to 30·006 inches at 9 a.m. of Friday (wind, E.N.E.). The corrected mean temperature was 60·6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 58·6°. On Tuesday the screened thermometers rose to 73·1°, on Thursday they fell to 50·9°. The wind was light and variable—chiefly from W. and E.N.E. Heavy showers, accompanied by thunder, early on Monday morning gave a rainfall of ·071 inch, entered to Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·010 inches. The highest reading (30·152) was on Sunday at 9 p.m., air calm, and the lowest (29·839) on Friday at 9 a.m., wind E.N.E.

The mean temperature for the week was 57·5°, being 3·0° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Tuesday, on which day the thermometer registered 73·9°, and was lowest on Thursday, the mercury having fallen to 40·9°. The mean of the Dry Bulb for the week was 56·4° and of the Wet Bulb, 54·0°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The rainfall during the week measured 0·020 inch.

At Greenwich the mean temperature for the week was 66·9°, the maximum 94·1°, and the minimum 50·1°; at Glasgow the maximum was 69·0°, the minimum 40·0°, and the mean 57·6°; and at Edinburgh the maximum was 67·0°, the minimum 42·9°, and the mean 57·5°. The rainfall at Greenwich measured 0·01 in.; at Glasgow 0·02 in.; and at Edinburgh 0·18 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, September 3,	30·149	68·2	44·9	56·6	53·9	50·8	·83	·0	10·0	·020	W.S.W.	Calm.
Monday, " 4,	30·054	67·6	41·0	54·3	53·5	51·8	·90	·4	4·6	·000	Calm.	Calm.
Tuesday, " 5,	30·100	73·9	45·8	59·9	59·9	56·3	·77	·5	11·3	·000	W.S.W.	Calm.
Wednesday, " 6,	30·071	72·3	50·2	61·3	55·0	54·3	·96	·1	8·3	·000	W.S.W.	Calm.
Thursday, " 7,	29·967	73·0	40·9	57·0	57·7	54·8	·84	·1	10·5	·000	W.S.W.	Calm.
Friday, " 8,	29·855	69·4	50·3	59·9	57·0	54·6	·85	·6	10·2	·000	E.N.E.	Calm.
Saturday, " 9,	29·876	63·5	43·4	53·5	57·8	55·2	·83	·1	3·2	·000	E.N.E.	E.
Mean, ...	30·010	69·7	45·2	57·5	56·4	54·0	·85	·3	Total 58·1	Total ·020	—	

Sunday—A beautiful day, light clouds; night cloudy, drizzling rain 4.45 a.m. to 5.30 a.m. *Monday*—Day cloudy, fine; night clear. *Tuesday*—A beautiful bright day; night clear. *Wednesday*—A beautiful day; night clear. *Thursday*—A beautiful bright day; night clear. *Friday*—A beautiful bright day; night clear. *Saturday*—Day cloudy, fine; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, September 9th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, September 3,	62·5	61·7	60·0	69·1	50·5	59·8	9·5	·060
Monday, " 4,	57·5	61·7	60·0	66·0	48·6	57·3	6·25	—
Tuesday, " 5,	63·4	60·9	59·9	75·3	52·0	63·6	10·8	—
Wednesday, " 6,	56·4	61·2	59·8	73·0	52·8	62·9	7·1	—
Thursday, " 7,	63·2	61·0	59·8	72·8	50·2	61·5	10·2	—
Friday, " 8,	60·5	61·2	59·6	70·0	42·5	56·3	9·5	—
Saturday, " 9,	58·1	61·2	59·5	63·8	53·2	58·5	3·25	—
Weekly Mean, .	60·2	61·3	59·8	70·0	50·0	60·0	Total 56·6	Total ·060

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31197. Wt. P.18 110–/138. 375. 9. 1911. Sch. C 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 16TH SEPTEMBER, 1911. [No. 37.

General Register Office, Charlemont House, Dublin, 18th September, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Aug. 26	Sept. 2	Sept. 9	Sept. 16	Average Rate for 4 weeks.
22 Town Districts, ...	**19·3**	**21·0**	**22·1**	**19·4**	**20·4**
Armagh	13·7	6·9	27·5	6·9	13·8
Ballymena	13·8	22·9	27·5	27·5	22·9
Belfast	17·8	18·6	19·7	16·5	18·2
Clonmel	20·3	5·1	10·1	15·2	12·7
Cork	19·1	24·5	25·2	19·7	22·1
Drogheda	4·2	4·2	4·2	12·6	6·3
Dublin Reg. Area ...	20·1	25·8	27·1	23·2	24·0
Dundalk	19·9	7·9	7·9	4·0	9·9
Galway	11·8	19·7	3·9	7·9	10·8
Kilkenny	5·0	49·6	24·8	9·9	22·3
Limerick	25·8	17·7	17·7	20·4	20·4
Lisburn	17·1	12·9	25·7	30·0	21·4
Londonderry	14·1	12·8	16·6	11·5	13·8
Lurgan	8·6	12·9	8·6	43·0	18·3
Newry	30·5	4·4	17·4	30·5	20·7
Newtownards	74·4	57·2	5·7	34·3	42·9
Portadown	35·6	22·2	26·7	22·2	26·7
Queenstown	26·4	26·4	13·2	26·4	23·1
Sligo	42·0	4·7	14·0	4·7	16·4
Tralee	15·9	15·9	10·6	5·3	11·9
Waterford	13·3	9·5	26·6	20·9	17·6
Wexford	18·2	22·8	31·9	13·7	21·6

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 6·1 per 1,000, the rates varying from 0·0 in seven of the districts to 22·9 in Newtownards, the 6 deaths from all causes for that district including 4 from *enteritis* of children under 2 years of age. Among the 122 deaths from all causes for Belfast are one from scarlet fever, 2 from whooping-cough, one from dysentery, and 35 from diarrhœal diseases. The 29 deaths from all causes for Cork include 8 from diarrhœa and *enteritis* of children under 2 years. Of the 9 deaths from all causes for Londonderry 4 are from diarrhœa of children under 2 years. Five deaths from diarrhœa of children under 2 years are included in the 15 deaths from all causes for Limerick. Among the 11 deaths from all causes for Waterford are 5 from diarrhœa and *enteritis* of children under 2 years. The 7 deaths from all causes for Newry include 3 from diarrhœa and *enteritis* of children under 2 years, and 3 deaths from the same cause are included in the 10 deaths from all causes for Lurgan. Of the 3 deaths from all causes for Wexford 2 are from *enteritis* of children under 2 years of age.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 201—93 boys and 108 girls—and the deaths to 189—86 males and 103 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 23·2 per 1,000 of the population. During the thirty-seven weeks ending with Saturday last the death-rate averaged 21·6, and was 1·0 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 189, represent an annual rate of 24·4 per 1,000; the annual rate for the past thirty-seven weeks was 22·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·6 per 1,000 of the mean population for all deaths registered.

Among the 189 deaths registered there were 2* from enteric fever, one from measles, one from scarlet fever, 3 from whooping-cough, 3 from diphtheria, 46 from diarrhœa and *enteritis* of children under 2 years, and one death from diarrhœa of a person over 2 years of age. In each of the 3 preceding weeks deaths from enteric fever were one, 2, and 0; deaths from measles were one, one, and 0; deaths from scarlet fever were one, 0, and one; deaths from whooping-cough were 6, 7, and 4; deaths from diphtheria were 5, one, and 2, and deaths from diarrhœa and *enteritis* of children under 2 years of age were 38, 52, and 45.

Tuberculous disease caused 26 deaths, of which 19 were from pulmonary tuberculosis, 2 from tuberculous meningitis, 2 from abdominal tuberculosis, one from tuberculosis of the vertebral column, and 2 from disseminated tuberculosis. In the three preceding weeks the deaths from tuberculous disease numbered 19, 32, and 34 respectively.

There were 3 deaths from broncho-pneumonia, 2 from lobar pneumonia, and 5 from *pneumonia* (type not distinguished).

Cancer caused 10 deaths.

The deaths of 5 children under 5 years of age (including 3 infants under one year old) were ascribed to *convulsions*.

Fifteen deaths were caused by organic diseases of the heart, and there were 11 deaths from bronchitis.

There were 2 deaths of infants from prematurity and 5 from congenital debility.

The deaths of 2 infants under one year old were caused by having been accidentally overlain in bed.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under 5 years of age (including 2 infants under one year old).

Eighty-two of the persons whose deaths were registered during the week were under 5 years of age (54 being infants under one year, of whom 5 were under one month old) and 31 were aged 65 years and upwards, including 24 persons aged 70 and upwards; among the latter were 14 aged 75 years and upwards, of whom 3 (a male and 2 females) were stated to have been aged 92, 90, and 94 years respectively.

Sixty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the North Dublin Union Workhouse and 9 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·2 per 1,000; the rate in the City was 25·4 (North City Districts, 28·3; South, 22·4) and in the Suburbs, 16·1.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 7·2 per 1,000 inhabitants, the rate for the City being 8·1 (9·2 in the North City Districts, and 6·9 in the South), and for the Suburbs, 4·4 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (20) are equal to an annual rate of 34·9 per 1,000, and include one death from measles, one from whooping-cough, 7 deaths from diarrhœa and *enteritis* of children under 2 years of age, 4 from tuberculous disease, and one from *pneumonia* (type not distinguished).

No. 1 *North City District, West* (Summer-hill).—The deaths (24) are equal to an annual rate of 31·4 per 1,000. Included in the total are 2 deaths from whooping-cough, 6 from diarrhœa of children under 2 years of age, one from broncho-pneumonia, one from *pneumonia* (type not distinguished), 4 from bronchitis, and 2 deaths of infants caused by having been accidentally overlain in bed.

No. 2 *North City District* (Lisburn-street).—The deaths (21) are equivalent to an annual rate of 35·7 per 1,000. Diphtheria caused one death; there were 4 deaths of children under 2 years of age from diarrhœa, 7 deaths from tuberculous disease, and 2 from bronchitis

No. 3 *North City District* (Benburb-street).—The deaths (17) represent an annual rate of 26·5 per 1,000. There were 4 deaths of children under 2 years of age from diarrhœa and *enteritis*, and 3 deaths from pulmonary tuberculosis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 9·0 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 13·6. The 2 deaths for Finglas and Glasnevin, part of, comprise one from diarrhœa of a child under 2 years of age, and one from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (19) represent an annual rate of 23·9 per 1,000. The total includes one death from enteric fever, 2 deaths from diphtheria, 3 from diarrhœa and *enteritis* of children under 2 years of age, and 5 from pulmonary tuberculosis.

No. 2 *South City District* (Castle-street).—The deaths (8) are equal to an annual rate of 19·2 per 1,000. Diarrhœa and *enteritis* caused the deaths of 2 children under 2 years of age, tuberculous meningitis one death, broncho pneumonia one death, and bronchitis one death.

No. 3 *South City District* (Peter-street).—The deaths (16) are equal to an annual rate of 19·3 per 1,000. Among the deaths are 6 from diarrhœa and *enteritis* of children under 2 years of age, and 2 from tuberculous disease.

No. 4 *South City District* (Grand Canal Street).—The deaths (17) are equivalent to an annual rate of 24·7 per 1,000. The deaths of 5 children under 2 years of age were caused by diarrhœa; broncho-pneumonia caused one death, lobar-pneumonia one death, *pneumonia* (type not distinguished) 2 deaths, and bronchitis 2 deaths.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 28·8 per 1,000, and include one death from scarlet fever and one from lobar pneumonia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·6; Pembroke, 17·8; Blackrock, 17·2; and Kingstown, 18·2. The deaths from the principal epidemic diseases tabulated for these districts include one from diarrhœa under 2 years of age for Rathmines and Rathgar, 3 from diarrhœa under 2 years of age for Pembroke, and 3 from diarrhœa under 2 years of age for Kingstown. The 10 deaths from all causes for Pembroke include 2 from pulmonary tuberculosis and one from *pneumonia* (type not distinguished), and one death from pulmonary tuberculosis is included in the 3 deaths from all causes for Blackrock

* See note (*c*), Table II, † See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 16th September, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Aug. 26,	.	—	—	19	.	.	5	.	.	11	9	.	—	—	.	—	10	—	54
	Sept. 2,	.	—	—	16	.	.	4	.	5	10	5	.	—	—	.	—	4	—	44
	Sept. 9,	.	—	—	17	.	.	10	.	1	16	7	1	—	—	.	—	7	—	59
	Sept. 16,	.	—	—	22	.	.	18	.	.	26	10	.	—	—	.	—	12	—	88
Rathmines and Rathgar Urban District.	Aug. 26,	.	—	—	.	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept 2,	.	—	—	1	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Sept. 9,	.	—	—	.	.	.	3	.	.	2	.	.	.	—	—	—	—	—	5
	Sept. 16,	.	—	—	.	.	.	2	.	.	1	1	.	.	—	—	—	—	—	4
Pembroke Urban District.	Aug. 26,	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	—	1	—	4
	Sept. 2,	.	1	.	2	.	.	.	.	.	1	.	.	.	5	.	—	.	—	9
	Sept. 9,	.	1	.	.	.	.	1	.	.	.	.	.	.	3	.	—	.	—	5
	Sept. 16,	.	.	.	1	.	.	.	.	.	.	.	.	.	4	.	—	.	—	5
Blackrock Urban District.	Aug. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 2,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Sept. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Aug. 26,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	Sept. 2,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	.	—	1
	Sept. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Sept. 16,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	—	—	.	—	2
City of Belfast.	Aug 26,	.	—	—	6	.	.	3	.	3	7	1	.	—	—	.	—	6	—	26
	Sept. 2,	.	—	—	4	.	.	3	.	.	2	2	.	—	—	.	—	5	—	16
	Sept. 9,	.	—	—	10	.	.	5	.	.	2	5	.	—	—	.	—	10	—	32
	Sept. 16,	.	—	—	12	.	.	7	.	1	5	6	.	—	—	.	—	4	—	35

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 16th September, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Three cases of measles were admitted to hospital during the week, 5 were discharged, and 7 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 21, 13, and 9, respectively.

Twenty-seven cases of scarlet fever were admitted to hospital, 23 were discharged, there was one death, and 84* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 68, 76, and 81, respectively.

One case of typhus was admitted to hospital during the week and remained under treatment at its close.

Thirteen cases of diphtheria were admitted to hospital during the week, 6 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 24, 30, and 33, respectively, were 38 at the close of last week.

Twenty-nine cases of enteric fever were admitted to hospital during the week, 4 were discharged, there were 3 deaths, and 82 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 32, 48, and 60.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 2 were discharged, and 12 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 15·3) was equal to an average annual death-rate of 17·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 15·7 per 1,000, the rate for Glasgow being 17·5 and for Edinburgh 13·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 16th September. From this Report it appears that of a total of 47 cases notified, 22 were scarlet fever, 16 phthisis, 5 diphtheria, 3 erysipelas, and one enteric fever. Among the 281 cases of infectious diseases in hospital at the close of the week were 129 cases of scarlet fever, 57 of phthisis, 44 of diphtheria, 25 of whooping-cough, 9 of measles, 7 of erysipelas, 4 of chicken-pox, and one of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 16th September, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa. Of children under 2 years of age.	Diarrhœa. 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) Week ending 16th September, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 9th September, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 2nd September, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
TOTAL OF 22 TOWN DISTRICTS, ...	1,149,495	20·2	26·9	19·4	6·1	592	428	141	79	1	...	...	1	3	5	3	1	40	13	20	18	24	80	5	36	4	6	102	11	...	...	...	...	...	...	...	...	...	...	...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,732	29·3	26·0	23·2	7·2	201	180	51	29	1	...	...	1	1	3	3	...	18	7	8	10	11	37	1	9	2	3	54	6	e72·8	35·3	52·9	0·32	e73·9	40·9	57·5	0·02	e70·9	45·0	59·1	0·41
CITY OF DUBLIN.	309,738	39·2	29·3	25·4	8·1	174	151	49	21	1	...	...	1	1	3	3	...	15	7	6	9	11	30	...	9	2	2	51	5	f72·2 g74·5	41·8 36·0	55·7 51·4	0·13 0·34	f73·1 g75·5	50·9 44·0	60·6 59·0	0·07 0·04	f71·2 g71·9	50·9 47·6	61·1 60·1	0·33 0·52
Urban Districts. RATHMINES AND RATHGAR.	38,330	22·4	6·8	13·6	2·7	5	10	1	6	...	...	...	...	...	...	...	...	...	...	2	...	...	1	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,347	18·5	23·1	17·8	5·3	13	10	2	1	...	...	...	...	...	...	...	...	2	...	...	1	...	3	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,090	8·4	11·5	17·2	.	2	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	21·2	18·2	9·1	7	6	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	1	...	72	45	55·8	0·09	75	50	60·8	0·00	74	50	61·4	0·25
Urban Districts. BELFAST ...	386,449	26·3	24·7	16·5	5·3	183	122	43	22	...	...	...	...	1	2	...	1	10	5	6	3	6	20	4	11	2	2	19	...	67·0	42·0	55·5	0·07	71·0	44·5	57·6	0·00	69·0	47·0	56·2	0·73
CORK, ...	76,632	33·8	30·6	19·7	5·4	45	29	9	6	...	...	...	...	...	...	...	...	7	...	1	2	2	5	...	3	...	...	11	...	70	44	56·7	0·65	73	51	59·7	0·08	68	50	59·7	0·24
LONDONDERRY...	40,799	18·9	39·6	11·5	5·1	31	9	6	1	...	...	...	...	...	...	...	...	...	...	...	...	1	4	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK. ...	38,403	18·2	20·4	20·4	6·8	15	15	5	3	...	...	...	...	...	...	...	...	1	...	1	...	1	5	...	...	...	...	2	2	70·2	38·5	55·4	0·70	74·9	39·8	59·1	0·00	72·1	42·2	58·1	0·16
WATERFORD, ...	27,430	19·1	34·2	20·9	9·5	18	11	5	2	...	...	...	...	...	...	...	...	1	...	1	2	1	1	...	4	...	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,249	2·5	47·2	7·9	.	12	2	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	75	43	56	0·00	73	45	59	0·00	65	50	61	0·29
DUNDALK, ...	13,128	9·5	43·7	4·0	4·0	11	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	25·2	12·6	4·2	6	3	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,956	17·2	30·5	30·5	13·1	7	7	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	1	1	67·1	41·4	54·3	0·34	71·0	43·5	57·7	0·01	70·2	47·9	59·7	0·06
LURGAN, ...	12,135	14·3	38·7	43·0	17·2	9	10	4	2	...	...	...	...	1	...	...	...	1	...	1	...	...	2	...	1	...	...	...	...	67·1	41·4	54·3	0·34	71·0	43·5	57·7	0·01	70·2	47·9	59·7	0·06
LISBURN, ...	12,172	10·7	21·4	30·0	4·3	5	7	1	2	...	...	...	...	...	...	...	...	1	...	1	...	...	1	...	...	...	...	...	...	67·1	41·4	54·3	0·34	71·0	43·5	57·7	0·01	70·2	47·9	59·7	0·06
WEXFORD. ...	11,455	23·8	27·3	13·7	9·1	6	3	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA, ...	11,376	9·3	32·1	27·5	.	7	6	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO. ...	11,163	3·8	9·3	4·7	.	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	70·6	41·0	55·5	0·36	70·3	33·7	55·7	0·00	67·8	43·9	57·9	0·87
KILKENNY, ...	10,513	11·4	14·9	9·9	.	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	73	40	54·4	0·24	77	44	60·2	0·15	70	44	57·7	0·23
CLONMEL, ...	10,277	7·9	25·4	15·2	5·1	5	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	13·3	22·2	.	3	5	...	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	67·1	41·4	54·3	0·34	71·0	43·5	57·7	0·01	70·2	47·9	59·7	0·06
TRALEE, ...	9,867	16·6	37·0	5·3	.	7	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	28·6	34·3	22·9	5	6	5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	1	...	69	47	55·4	0·16	69	47	57·7	0·00	68	46	58·4	0·37
QUEENSTOWN, ...	7,909	14·4	65·9	26·4	6·6	10	4	3	1	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	1	70	44	56·7	0·65	73	51	59·7	0·08	68	50	59·7	0·24
ARMAGH, ...	7,588	22·2	6·9	6·9	.	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	67·1	41·4	54·3	0·34	71·0	43·5	57·7	0·01	70·2	47·9	59·7	0·06

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (†) at foot of first page. (c) Exclusive of 9 deaths of persons (including 2 at 65 years or upwards), admitted to hospital from localities outside the Area: of the 9 deaths one is from enteric fever. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 16th of September, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Whooping-cough,	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Diphtheria,	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.	3	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	3	.	3	3	.	.	.	5	.	1	.	.	.	2	1	.	18	1
Tuberculous Disease. { Other Forms,	1	.	4	.	.	.	.	.	1	1	.	.	.	.	.	.	7	.
Cancer,	1	.	.	2	.	.	.	1	1	.	1	.	2	.	.	.	8	2
Diseases of Nervous System,	1	3	1	2	.	.	.	1	.	2	.	2	1	2	.	.	15	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	.	1	1	.	.	.	3	1	3	1	.	3	.	1	1	16	.
" Respiratory System. { Pneumonia,	1	2	.	.	.	.	.	.	1	.	4	1	.	1	.	.	10	.
" Respiratory System. { Others,	.	4	2	.	.	1	1	.	1	.	2	.	.	.	.	.	11	1
" Digestive System. { Diarrhœa, under 2 years,	4	6	4	3	.	.	1	1	1	5	5	.	1	3	.	3	37	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
" Digestive System. { *Enteritis*, under 2 years,	3	.	.	1	.	1	.	2	1	1	.	.	.	.	.	.	9	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
" Digestive System. { Others,	2	1	.	.	.	.	.	.	.	1	.	.	.	2	.	1	7	2
" Genito-urinary System,	.	.	.	1	.	.	.	.	.	1	.	.	2	.	1	1	6	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other specified Causes,	.	2	4	3	.	.	.	3	1	.	2	1	.	.	.	.	16	2
Violent Deaths,	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Ill-defined, &c. Causes,	.	1	.	1	.	.	.	.	.	1	1	.	.	.	.	.	4	.
Deaths from All Causes	20	24	21	17	.	2	2	19	8	16	17	5	10	10	3	6	180	9
Annual Rate of Mortality from All Causes in every 1,000 of the population.	34·9	31·4	35·7	26·5	.	9·0	13·6	23·9	19·2	19·3	24·7	28·8	13·6	17·8	17·2	18·2	23·2	.
	28·3							22·4					16.1					
	25·4																	
Ages at Death. { Under 1 year,	7	9	7	6	.	1	1	3	3	7	4	1	1	2	.	2	54	.
Ages at Death. { 1 and under 2 years,	3	2	3	.	.	.	.	2	.	2	4	1	.	1	.	1	19	.
Ages at Death. { 2 " 5 "	1	2	1	.	.	.	.	1	2	.	.	1	.	1	.	.	9	.
Ages at Death. { 5 " 15 "	1	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	4	.
Ages at Death. { 15 " 25 "	1	.	.	1	.	.	.	1	.	1	1	.	.	1	.	.	6	1
Ages at Death. { 25 " 45 "	1	3	2	3	.	.	.	7	2	2	1	.	1	2	1	1	26	4
Ages at Death. { 45 " 65 "	5	1	5	6	.	1	.	2	.	1	4	1	2	2	1	2	33	2
Ages at Death. { 65 and upwards,	1	6	3	1	.	.	1	3	1	2	3	.	6	1	1	.	29	2
Number of Uncertified Deaths,	.	1	2	1	.	.	.	.	.	.	1	.	.	.	1	.	6	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	5	5	2	2	.	.	.	8	.	1	4	1	.	.	1	1	30	8
Workhouse Hospitals,	3	3	4	4	.	.	1	4	2	1	1	.	.	1	.	.	24	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday Sept. 14, 1901.	Sept. 13, 1902.	Sept. 19, 1903.	Sept. 17, 1904.	Sept. 16, 1905.	Sept. 15, 1906.	Sept. 14, 1907.	Sept. 12, 1908.	Sept. 18, 1909.	Sept. 17, 1910.	Averages in 37th Week of the 10 years 1901–1910.	In the Week ending Saturday, 16th September, 1911. Mean Temp.	Deaths of Persons of the Ages of 0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 56·8	° 52·5	° 47·9	° 55·9	° 51·1	° 52·4	° 57·5	° 53·0	° 49·0	° 52·0	° 52·8	° 52·9										
ALL CAUSES.	164	142	146	134	123	220	137	169	136	153	152·4	189	5	49	19	9	4	7	30	35	17	14
Enteric Fever, ...	1	3	3	2	1	.	2	1	2	1	1·6	2	.	.	.	.	.	.	2	.	.	.
Typhus, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	6	1	.	.	.	1	6	1	.	1·5	1	.	.	1	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	1	.	1	1	.	.	.	2	·5	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	1	.	6	.	.	1	1	2	2	2	1·5	3	.	2	.	1	.	.	.	.	.	.
Diphtheria, ...	.	2	1	2	.	1	2	.	1	2	1·1	3	.	1	1	1	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	.	1	.	1	2	.	.	1	·6	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	2	.	.	2	1	.	.	.	.	1	·6	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	1	.	.	1	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	20	14	22	11	15	20	18	21	22	15	17·8	19	.	.	.	.	.	4	11	3	1	.
Tuberculous Meningitis, ...	3	4	3	5	3	4	1	1	2	3	2·9	2	.	.	1	1	.	.	.	.	.	.
Abdominal Tuberculosis, ...	6	.	2	6	1	1	.	.	2	3	2·1	2	.	.	1	.	.	.	.	1	.	.
Tuberculosis of the Vertebral Column.												1	.	.	.	.	.	.	.	1	.	.
Tuberculosis of Joints, ...	4	5	6	7	8	6	5	8	4	3	5·6	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												2	.	.	1	.	.	.	1	.	.	.
Venereal Diseases, ...	2	1	.	3	1	2	.	2	.	.	1·1	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	7	4	5	8	4	11	9	7	6	7	6·8	10	.	.	.	.	.	.	2	6	1	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	2	.	.	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	1	.	1	1	.	1	.	.	·4	1	.	.	.	.	.	.	1	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	.	.	.	2	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	2	.	.	.
Alcoholism, ...	.	.	1	.	1	.	3	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												2	.	1	.	.	1	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												4	.	.	.	.	.	.	.	3	.	1
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												1	.	.	.	.	.	.	.	1	.	.
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												5	1	2	.	2	.	.	.	.	.	.
Other Diseases of Nervous System.	37	29	31	21	30	43	35	35	33	31	32·5	3	.	.	.	.	1	.	1	.	.	1
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,												15	.	.	.	.	2	.	3	4	4	2
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												1	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	11	7	13	8	7	12	10	12	5	9	9·4	11	.	1	.	.	.	.	.	2	6	2
Broncho-pneumonia,		3	3	3	2	2	4	3	2	4		3	.	.	1	2	.	.	.	.	.	.
Lobar-pneumonia, ...	11	1	.	.	1	2	2	1	1	2	7·6	2	.	.	2	.	.	.	.	.	.	.
Pneumonia (type not distinguished)		2	1	5	2	5	2	3	5	4		5	.	.	.	.	.	1	1	1	.	2
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	1	2	1	.	3	1	3	3	1	1·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												1	.	.	.	.	.	.	.	1	.	.

THIRTY-SEVENTH WEEK ending Saturday, 16th September, 1911, with, as far as practicable, the deaths from each cause in 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 37th Week of the 10 years 1901–1910.	In the Week ending Saturday, 16th September, 1911.										
													Deaths of Persons of the Ages of									
	Sept. 14, 1901.	Sept. 13, 1902.	Sept. 19, 1903.	Sept 17, 1904.	Sept. 16, 1905.	Sept. 15, 1906.	Sept. 14, 1907.	Sept. 12, 1908.	Sept. 18, 1909.	Sept. 17, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 56·8	° 52·5	° 47·9	° 55·9	° 51·1	° 52·4	° 57·5	° 53·0	° 49·0	° 52·0	° 52·8	° 52·9										
Diseases of the Pharynx, Tonsillitis.	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	1	.	.	.	.
Diarrhœa of Children under 2 years.	22	19	5	14	10	40	9	20	6	21	16·6	37	.	27	10	.	.	.	.	.	.	.
,, 2 years and upwards,												1	.	.	.	.	.	.	.	.	1	.
Enteritis of Children under 2 years.	2	1	5	3	3	18	6	7	5	5	5·5	9	.	9	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												2	.	.	.	1	.	.	.	1	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	.	.	1	.	2	.	.
Cirrhosis of Liver, ...	1	2	.	1	.	2	.	1	4	3	1·9	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...		.	.	2	1	.	.	.	1	1		4	.	1	.	.	.	.	1	2	.	.
Peritonitis (cause unknown),	1	1	.	.	.	.	.	2	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	.	3	5	8	9	7	6	9	3	5	5·5	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	.	1	3	7	5	7	7	6	3	6	4·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...												3	.	.	.	.	.	.	2	1	.	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).												1	.	.	.	.	.	.	.	1	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												2	.	.	.	.	.	.	.	1	.	1
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	2	2	.	1	.	1	.	.	1	.	·7	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	2	2	4	4	2	4	3	2	4	6	3·3	2	2	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	5	2	2	1	.	.	.	.	.	.	.
Old Age, ...	2	8	5	1	3	3	1	3	4	3	3·3	5	.	.	.	.	.	.	.	.	1	4
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	.	.	.	1	.	1	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	1	.	1	.	.	1	1	.	.	2	·6	.	.	.	.	.	.	.	.	.	.	.
By Drowning, ...	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	1	.	.	.	.	.	.	·1	2	.	2	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	3	2	.	1	3	.	.	3	.	4	1·6	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	1	.	2	.	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	4	.	1	.	.	.	.	.	1	2	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.
No. of weeks in Annual Series,	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
BIRTHS registered.	276	230	198	171	174	259	260	242	226	246	261	228	232	185	324	190	190	294	233	198	210	233	218	198	212	201
Average Births in corresponding week of previous 10 years, ...	212	233	202	210	223	199	268	231	210	204	238	226	207	224	237	205	204	208	221	217	208	217	216	207	235	209
DEATHS registered, ...	214	177	191	174	196	181	176	170	129	158	150	149	159	127	155	120	172	162	186	153	169	199	162	210	219	189
Annual Death-rate per 1,000, ...	27·4	22·7	24·5	22·3	25·1	23·2	22·5	21·8	16·5	20·2	19·2	19·2	20·5	16·4	20·0	15·5	22·2	20·9	24·0	19·8	21·8	25·7	20·9	27·1	28·3	24·4
Average Deaths in corresponding week of previous 10 years, ...	201	203	199	195	197	190	177	178	171	169	154	151	149	148	134	140	141	144	147	145	146	154	162	153	156	152
Ages, Under 5 years, ...	56	48	54	63	54	50	56	48	40	37	43	34	42	44	56	43	41	51	88	73	72	94	80	94	93	82
5—15 " ...	7	14	17	4	5	11	14	7	6	14	10	8	4	9	10	4	13	6	5	6	8	5	8	5	8	4
15—25 " ...	13	8	10	10	14	7	6	8	9	11	9	9	13	2	7	7	11	10	6	6	4	7	7	12	7	7
25—45 " ...	42	19	33	25	31	33	15	35	21	21	29	26	32	18	20	19	31	26	21	22	19	31	19	23	26	30
45—65 " ...	44	36	44	43	45	35	30	38	36	39	29	33	31	34	28	20	33	37	29	21	40	37	28	38	37	35
65—75 " ...	32	29	27	19	29	25	34	19	10	24	17	26	18	13	16	15	24	18	24	15	14	11	9	21	28	17
75 and upwards, ...	20	23	6	10	18	20	21	15	7	12	13	13	19	7	18	12	19	14	13	10	12	14	11	17	20	14
Deaths from :—																										
Enteric Fever, ...	2	1	3	1	1	.	1	1	1	1	1	.	.	1	.	1	3	2	1	2	2	2	1	2	.	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	2	1	7	11	5	8	17	4	6	3	4	2	8	7	4	7	3	7	5	2	.	1	1	.	1
Scarlet Fever, ...	1	.	1	4	1	.	1	1	.	2	2	2	.	.	.	1	3	.	2	1	3	.	1	.	1	1
Whooping-cough, ...	6	5	3	6	.	2	3	2	4	1	4	1	3	2	2	.	1	4	3	4	1	3	6	7	4	3
Diphtheria, ...	1	1	4	3	4	1	2	3	1	.	1	4	1	4	2	2	3	2	1	.	.	1	5	1	2	3
Influenza, ...	1	2	2	.	3	.	3	2	1	2	.	.	1	.	1	1	1	2	1	.	1	.	.	1	2	.
Dysentery, ...	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.
Tuberculous Disease, Phthisis, ...	32	16	29	21	33	22	21	17	25	22	22	25	23	7	21	7	20	17	17	16	13	19	15	22	22	19
Tuberculous Disease, Other Forms,	15	13	10	3	8	10	6	6	6	9	9	8	7	11	6	7	12	10	15	9	5	9	4	10	12	7
Cancer, ...	10	13	11	8	7	9	6	5	6	11	9	12	10	7	8	12	4	10	6	5	11	7	6	10	10	10
Diseases of Circulatory System,	27	22	23	14	15	24	17	23	7	19	12	12	23	14	22	16	22	20	15	10	13	13	8	13	15	16
Diseases of Respiratory System, Pneumonia,	13	13	18	19	16	18	22	15	12	6	10	8	9	8	9	9	10	8	12	1	8	3	6	12	5	10
Diseases of Respiratory System, Others, ...	27	24	24	26	26	16	34	20	15	14	15	16	17	9	17	6	11	10	13	3	8	13	7	5	14	12
Diarrhœa, Under 2 years, ...	5	1	3	2	1	2	2	1	2	1	6	.	3	3	.	1	3	9	27	20	29	37	25	38	31	37
Diarrhœa, 2 years & upwards,	.	1	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	5	1	6	7	10	7	4	1
Enteritis, under 2 years, ...	3	1	3	3	2	2	2	.	1	1	4	1	1	1	3	3	2	2	7	9	12	12	13	14	14	9
Violent Deaths, ...	5	5	6	1	7	9	3	.	1	5	2	3	6	5	2	6	7	2	5	2	2	8	5	3	4	2
Number of Uncertified Deaths,	2	5	1	1	2	8	4	3	1	5	4	3	4	.	5	9	5	2	3	3	7	7	7	7	5	6
Mean Temperature of the Air (Phœnix Park)	41·7	42·7	39·4	43·7	50·5	50·5	49·6	52·6	49·5	55·3	56·2	55·6	52·6	56·2	55·5	59·6	60·9	62·9	62·7	62·5	60·8	61·2	59·7	59·1	57·5	52·9
Average Mean Temperature in corresponding week of previous 10 years, ...	42·6	42·4	44·1	43·1	45·1	46·2	46·7	48·1	49·1	50·9	53·7	53·5	53·6	55·5	56·5	57·5	58·5	59·8	58·2	58·6	58·5	57·5	56·5	56·3	54·5	52·8
Rainfall in inches, ...	·000	·770	·131	·000	·501	·606	·780	·127	·262	·010	·000	·000	·605	·782	·166	·018	·000	·316	1·860	·430	·170	·010	·338	·405	·020	·320
Mean Humidity of the Air, complete Saturation 1·0, ...	·87	·90	·86	·86	·89	·91	·93	·94	·92	·89	·89	·88	·86	·91	·91	·92	·84	·92	·92	·92	·82	·82	·82	·78	·85	·83

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 16th September, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 16TH SEPTEMBER, 1911.

Class	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	26·3	189	82	4	7	30	35	17	14	2	.	.	1	1	3	3	.	19	7	10	5	10	12	37	1	9	2	67	6
	CLASSES.																														
	Deaths in Families of the—																														
I	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	12·0	4	.	.	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	28·7	48	16	1	2	6	14	4	5	.	.	.	1	1	1	1	.	3	1	5	1	3	3	4	1	3	.	20	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	13·2	28	14	2	1	4	3	4	.	.	.	.	.	.	.	.	.	1	.	.	.	2	2	8	.	1	.	14	1
IV.	GENERAL SERVICE CLASS, ...	154,279	28·1	83	49	1	3	13	10	4	3	1	.	.	.	.	2	2	.	10	4	1	4	4	3	24	.	4	2	22	5
V.	INMATES OF WORKHOUSES, ...	6,024	—	26	3	.	1	6	6	5	5	1	.	.	.	.	.	.	.	5	2	3	.	1	4	1	.	1	.	8	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	33·8	5	2	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	30·8	13	2	.	1	1	5	2	2	.	.	.	.	.	.	.	.	1	.	1	.	2	2	.	.	.	.	7	.
	6. Clerks and Commercial Assistants, ...	30,432	25·7	15	12	.	1	1	1	.	.	.	.	.	1	1	1	1	.	2	.	.	1	.	1	3	.	3	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	28·9	15	.	1	.	4	5	2	3	.	.	.	.	.	.	.	.	.	1	3	.	1	.	.	1	.	.	9	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	5·3	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	10·5	6	4	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	2	.	1	.	2	1
	10. Clothing Trades, ...	23,260	11·2	5	2	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	3	.
	11. Food Supply Trades, ...	9,242	11·3	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	24·1	14	6	2	.	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3	.	.	.	9	.
	13. Petty Shopkeepers, ...	7,894	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	19·4	5	2	.	.	.	2	1	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	2	.	.	.	.	.
	15. Domestic Servants, ...	36,603	11·4	8	3	.	1	2	1	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	2	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	21·7	6	1	.	.	3	.	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	4	1
	17. Hawkers, Porters, Labourers, &c., ...	89,861	37·1	64	43	1	2	8	7	1	2	1	.	.	.	.	2	1	.	5	4	.	4	4	2	20	.	4	2	15	4
	INMATES OF WORKHOUSES.																														
V.	18. Workhouse Inmates, ...	6,024	—	26	3	.	1	6	6	5	5	1	.	.	.	.	.	.	.	5	2	3	.	1	4	1	.	1	.	8	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 29,854.	July 29,	38·4	15·7	22	.	.	.	.	.	.	.	.	2	2	.	1	3	7	1	1	1	.
	Aug. 5,	26·2	14·0	15	1	.	.	2	.	.	.	.	2	.	1	.	.	3	1	1	.	.
	„ 12,	27·9	10·5	16	.	.	.	.	.	.	.	.	1	.	1	2	1	3	1	2	.	1
	„ 19,	24·5	7·0	14	.	.	.	.	.	.	.	.	.	.	1	.	3	3	.	1	.	1
	„ 26,	19·2	14·0	11	.	.	.	.	.	1	.	.	1	.	.	1	.	4	1	2	.	1
	Sept. 2,	29·7	10·5	17	.	.	.	.	.	1	.	.	2	2	2	.	.	3	1	1	1	.
	„ 9,	33·2	12·2	19	.	.	.	.	.	.	.	.	1	.	.	.	3	3	1	3	1	.
	„ 16,	34·9	15·7	20	.	.	.	1	.	1	.	.	3	1	1	1	.	4	.	3	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 39,902.	July 29,	24·8	3·9	19	.	.	.	1	1	.	.	.	.	2	.	3	1	1	.	.	.	.
	Aug. 5,	22·2	5·2	17	.	.	.	.	.	.	.	.	2	1	.	.	1	2	.	2	.	.
	„ 12,	31·4	13·1	24	.	.	.	.	.	.	.	1	1	1	1	1	2	7	2	.	1	2
	„ 19,	23·5	10·5	18	.	.	.	.	.	.	.	.	1	.	.	.	1	7	1	.	1	.
	„ 26,	19·6	7·8	15	.	.	.	.	.	1	.	.	2	.	1	1	2	2	3	.	.	.
	Sept. 2,	36·6	14·4	28	.	.	.	.	.	2	.	.	2	1	2	1	.	8	1	.	1	.
	„ 9,	36·6	15·7	28	.	.	.	.	.	2	.	.	4	2	1	.	3	6	2	2	.	.
	„ 16,	31·4	10·5	24	.	.	.	.	.	2	.	.	.	.	.	2	4	6	.	.	2	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 30,689.	July 29,	34·0	8·5	20	.	.	.	.	1	1	.	.	2	2	.	3	2	2	1	.	1	.
	Aug. 5,	27·2	10·2	16	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	1	1	.
	„ 12,	30·6	6·8	18	.	.	.	.	1	.	.	.	1	.	1	1	1	2	.	1	.	1
	„ 19,	25·5	11·9	15	.	.	.	.	.	.	1	.	.	.	.	.	1	2	4	.	.	1
	„ 26,	23·8	10·2	14	.	.	.	.	.	1	1	.	.	2	.	1	2	2	2	.	.	1
	Sept. 2,	15·3	6·8	9	.	.	.	.	.	.	.	.	2	.	.	.	.	4	.	.	.	.
	„ 9,	37·4	10·2	22	.	.	.	.	.	1	.	.	3	2	.	.	.	5	.	.	.	2
	„ 16,	35·7	8·5	21	.	.	.	.	.	.	1	.	3	4	.	.	2	4	.	.	.	2
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,498.	July 29,	26·5	7·8	17	.	.	.	.	.	1	.	.	2	2	.	1	2	2	1	1	.	.
	Aug. 5,	14·0	4·7	9	.	.	.	1	.	.	.	.	2	.	1	.	.	1	.	1	.	.
	„ 12,	15·6	6·2	10	.	.	.	.	1	.	.	.	.	.	.	.	2	2	.	1	.	1
	„ 19,	42·0	4·7	27	1	.	.	.	.	.	.	.	4	2	.	1	1	2	.	.	.	.
	„ 26,	26·5	10·9	17	.	.	.	.	.	.	1	.	2	.	1	.	1	4	2	.	.	1
	Sept. 2,	48·3	12·5	31	.	.	.	.	.	.	.	.	4	.	2	2	.	3	1	4	.	3
	„ 9,	28·0	9·3	18	.	.	.	.	.	.	1	.	1	1	.	1	1	5	.	.	.	1
	„ 16,	26·5	6·2	17	.	.	.	.	.	.	.	.	3	.	2	.	.	3	.	1	.	1
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,401.	July 29,	13·9	5·0	11	.	.	.	.	.	.	.	.	1	1	1	1	1	1	.	3	.	.
	Aug. 5,	18·9	5·0	15	.	.	.	.	.	1	.	.	.	3	.	.	.	2	.	1	.	.
	„ 12,	23·9	12·6	19	1	.	.	.	.	.	.	.	2	1	.	.	.	2	1	6	.	.
	„ 19,	27·7	10·1	22	1	.	.	.	.	.	.	.	3	3	.	.	.	4	.	3	1	.
	„ 26,	16·4	6·3	13	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	3	.	1
	Sept. 2,	29·0	16·4	23	.	.	.	.	.	.	1	.	2	.	.	1	.	5	1	6	.	.
	„ 9,	29·0	13·9	23	.	.	.	.	.	1	.	.	2	2	1	.	.	3	1	6	.	.
	„ 16,	23·9	7·6	19	1	.	.	.	.	.	2	.	5	.	1	.	.	1	.	2	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,715.	July 29,	24·0	9·6	10	.	.	.	.	.	.	.	.	.	1	.	.	.	3	1	.	.	.
	Aug. 5,	21·6	7·2	9	1	.	.	.	.	1	.	.	1	1	.	1	.	1	.	.	.	.
	„ 12,	9·6	2·4	4	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 19,	12·0	7·2	5	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2	.	.
	„ 26,	33·6	9·6	14	.	.	.	.	.	.	.	.	1	.	1	.	.	4	.	.	.	.
	Sept. 2,	21·6	.	9	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	1
	„ 9,	28·8	4·8	12	.	.	.	.	.	.	.	.	2	1	.	1	1	2	.	.	2	.
	„ 16,	19·2	4·8	8	.	.	.	.	.	.	.	.	.	1	1	1	1	1	.	1	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,149.	July 29,	24·2	9·7	20	.	.	.	5	.	.	.	.	3	2	.	1	1	2	.	1	.	1
	Aug. 5,	18·1	7·3	15	.	.	.	2	.	.	.	.	1	.	.	.	1	3	.	1	.	.
	„ 12,	24·2	7·3	20	.	.	.	1	.	.	.	.	4	2	2	.	1	4	.	1	1	.
	„ 19,	24·2	8·5	20	.	.	.	.	.	1	.	.	3	1	1	1	2	3	.	3	.	.
	„ 26,	27·8	8·5	23	1	.	.	.	1	.	1	.	5	.	.	1	2	2	1	1	1	.
	Sept. 2,	26·6	9·7	22	.	.	.	.	.	2	.	.	1	1	.	1	1	5	.	1	.	.
	„ 9,	24·2	6·0	20	.	.	.	.	1	.	1	.	3	.	.	1	3	2	.	1	.	.
	„ 16,	19·3	7·3	16	.	.	.	.	.	.	.	.	1	1	.	.	.	5	.	1	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 35,816.	July 29,	18·9	2·9	13	.	.	.	.	.	.	1	.	1	1	.	.	2	1	.	.	1	.
	Aug. 5,	11·6	.	8	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
	„ 12,	11·6	4·4	8	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1	.	.	.
	„ 19,	29·1	10·2	20	.	.	.	.	.	1	.	.	2	.	1	1	2	6	.	.	1	.
	„ 26,	16·0	5·8	11	.	.	.	.	.	1	2	.	.	1	1	.	.	.	1	.	2	1
	Sept 2,	21·8	8·7	15	1	.	.	.	.	1	.	.	2	1	.	2	1	4	.	.	.	.
	„ 9,	26·2	5·8	18	.	.	.	.	.	.	.	.	1	1	.	.	.	4	.	.	.	.
	„ 16,	24·7	7·3	17	.	.	.	.	.	.	.	.	.	.	1	4	2	5	.	.	.	1

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	July 29,	23·1	10·9	17	.	.	.	1	.	.	.	.	.	1	1	1	.	6	.	1	.	1
	Aug. 5,	16·3	5·4	12	.	.	.	.	1	.	.	.	1	1	.	.	.	2	.	1	1	1
	„ 12,	15·0	5·4	11	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	1	.	2
	„ 19,	20·4	1·4	15	.	.	.	.	.	.	.	.	3	2	2	.	1	1	.	.	2	2
	„ 26,	10·9	5·4	8	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	3	.	2
	Sept. 2,	17·7	5·4	13	.	.	.	1	.	.	.	.	.	.	2	1	2	1	2	.	.	2
	„ 9,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	1	.
	„ 16,	13·6	2·7	10	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	July 29,	17·8	5·3	10	.	.	.	.	.	1	.	.	1	.	.	.	1	1	1	.	.	.
	Aug. 5,	19·5	5·3	11	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	1	.	.
	„ 12,	8·9	.	5	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
	„ 19,	17·8	7·1	10	.	.	.	.	.	1	.	.	1	.	1	.	1	1	1	1	.	1
	„ 26,	19·5	8·9	11	.	.	.	.	.	2	.	.	1	.	.	1	.	1	.	2	.	.
	Sept. 2,	17·8	3·6	10	.	.	.	.	.	.	.	.	3	1	.	.	.	2	.	.	.	.
	„ 9,	12·4	1·8	7	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	2
	„ 16,	17·8	5·3	10	.	.	.	.	.	.	.	.	2	.	.	1	.	3	.	.	.	.
Kingstown Urban District. Pop. in 1911 17,227.	July 29,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1
	Aug. 5,	12·1	3·0	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	„ 12,	24·2	3·0	8	.	.	.	.	.	.	.	.	2	.	1	3	.	1	.	.	.	.
	„ 19,	27·2	3·0	9	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 26,	18·2	3·0	6	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	1	.
	Sept. 2,	27·2	3·0	9	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	.	.
	„ 9,	57·5	.	19	.	.	.	.	.	.	.	.	3	.	2	2	1	.	.	.	.	.
	„ 16,	18·2	9·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.
Belfast. Pop. in 1911 (Est.) 386,449.	July 29,	14·2	3·4	105	.	.	.	.	.	1	.	.	10	5	3	6	3	14	1	9	3	2
	Aug. 5,	16·6	3·9	123	.	.	.	.	.	2	2	.	13	7	9	2	4	9	4	12	2	.
	„ 12,	16·3	6·1	121	1	.	.	.	1	1	.	.	9	3	4	3	5	19	4	19	2	1
	„ 19,	18·8	4·3	139	1	.	.	.	.	.	1	.	6	7	4	9	6	17	3	10	6	1
	„ 26,	17·8	4·9	132	2	.	.	.	.	1	.	.	19	5	1	3	5	15	5	13	4	2
	Sept. 2,	18·6	6·7	138	1	.	.	.	.	.	.	.	17	3	7	4	1	21	6	22	5	.
	„ 9,	19·7	6·5	146	2	.	.	.	1	1	.	.	11	7	4	7	9	26	7	11	3	.
	„ 16,	16·5	5·3	122	.	.	.	.	1	2	.	1	10	5	6	3	6	20	4	11	2	.
Cork. Pop. in 1911 76,632.	July 29,	16·3	1·4	24	.	.	.	.	.	1	.	.	5	.	2	.	3	1	.	.	.	1
	Aug. 5,	15·6	2·0	23	.	.	.	.	.	1	.	.	.	4	3	.	1	1	.	1	1	2
	„ 12,	9·5	2·0	14	.	.	.	.	.	.	.	.	1	3	.	1	1	3	.	.	.	.
	„ 19,	12·9	2·0	19	.	.	.	.	.	.	.	.	2	1	.	1	1	3	.	.	.	.
	„ 26,	19·1	4·1	28	.	.	.	.	.	.	.	.	5	2	1	1	3	6	.	.	1	.
	Sept. 2,	24·5	4·1	36	.	.	.	.	.	.	.	.	5	1	4	.	1	6	.	.	1	1
	„ 9,	25·2	6·1	37	.	.	.	.	.	1	.	.	4	2	1	1	2	8	.	.	.	.
	„ 16,	19·7	5·4	29	.	.	.	.	.	.	.	.	7	.	1	2	2	5	.	3	.	.
Londonderry. Pop. in 1911 40,799.	July 29,	11·5	3·8	9	.	.	.	.	.	1	.	.	1	1	.	1	1	1	1	.	.	.
	Aug. 5,	19·2	3·8	15	.	.	.	.	.	.	.	.	3	1	2	2	.	1	.	2	.	.
	„ 12,	11·5	1·3	9	.	.	.	.	.	.	.	.	4	1	.	.	.	1	.	.	.	.
	„ 19,	16·6	3·8	13	.	.	.	.	.	.	.	.	2	.	1	.	1	2	.	1	.	.
	„ 26,	14·1	2·6	11	.	.	.	.	.	1	.	.	1	1	1	.	1	1	.	.	1	.
	Sept. 2,	12·8	1·3	10	.	.	.	.	.	.	.	.	.	1	.	1	3	1	.	.	.	.
	„ 9,	16·6	1·3	13	.	.	.	.	.	.	.	.	1	.	1	1	2	1	.	.	.	.
	„ 16,	11·5	5·1	9	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.	.	.
Limerick. Pop. in 1911 38,403.	July 29,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.
	Aug. 5,	12·2	.	9	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	2
	„ 12,	13·6	2·7	10	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1	1	.	.
	„ 19,	10·9	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	1
	„ 26,	25·8	8·1	19	1	.	.	.	.	.	.	.	.	1	2	.	.	3	1	1	.	2
	Sept. 2,	17·7	5·4	13	.	.	.	.	.	.	.	.	1	1	.	1	.	3	1	.	.	1
	„ 9,	17·7	2·7	13	.	.	.	.	.	.	.	.	1	1	1	.	2	2	.	.	1	.
	„ 16,	20·4	6·8	15	.	.	.	.	.	.	.	.	1	.	1	.	1	5	.	.	.	2
Waterford. Pop. in 1911 27,430.	July 29,	15·2	1·9	8	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	1
	Aug. 5,	17·1	1·9	9	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1	.	.
	„ 12,	20·9	3·8	11	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	2	.	1
	„ 19,	22·8	5·7	12	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.	2
	„ 26,	13·3	3·8	7	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	2	.	.
	Sept. 2,	9·5	5·7	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1
	„ 9,	26·6	5·7	14	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	3	.	.
	„ 16,	20·9	9·5	11	.	.	.	.	.	.	.	.	1	.	1	2	1	1	.	4	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 16th September, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 25 years.	Ages at Death: 25 and under 45 years.	Ages at Death: 45 and under 65 years.	Ages at Death: 65 years and upwards.	Deaths from: Enteric Fever.	Deaths from: Typhus.	Deaths from: Small-pox.	Deaths from: Measles.	Deaths from: Scarlet Fever.	Deaths from: Whooping-cough.	Deaths from: Diphtheria.	Deaths from: Dysentery.	Deaths from: Tuberculous Disease: Phthisis.	Deaths from: Tuberculous Disease: Other Forms.	Deaths from: Cancer.	Deaths from: Diseases of the Respiratory System: Pneumonia.	Deaths from: Diseases of the Respiratory System: Other.	Deaths from: Diarrhœa: Of children under 2 years of age.	Deaths from: Diarrhœa: 2 years of age and upwards.	Deaths from: *Enteritis* of children under 2 years.	Deaths from: Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.			The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																												
BELFAST URBAN No. 1 DISTRICT,	385,492	6			2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
Do. 2 do.		13			17	6	2	1	4	3	1	.	.	.	.	.	.	.	.	2	1	.	.	1	6	.	.	.	.	.	.
Do. 3 do.		28			19	6	2	2	3	4	2	.	.	.	.	.	1	.	.	2	.	3	.	2	2	.	1	.	.	6	.
Do 4 do.		21			7	1	.	1	1	2	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Do. 5 do.		7			9	4	1	1	.	1	2	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	1	1	1	.	.
Do. 6 do.		17			7	4	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	2	.	.	.	.
Do. 7 do.		1			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Do. 8 do.		.			2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 9 do.		15			11	3	1	.	3	3	1	.	.	.	.	1	.	.	.	1	.	1	.	1	2	.	.	1	1	3	.
Do. 10 do.		7			5	2	.	1	.	2	.	.	.	.	.	.	1	.	.	1	1	.	.	1	.	.	.	.	.	2	.
Do. 11 do.		20			13	2	1	1	4	.	5	.	.	.	.	.	.	.	1	1	1	2	.	1	2	1	.	.	.	3	.
Do. 12 do.		26			13	7	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	5	.	.	1	.
Do. 13 do.		13			9	2	.	.	.	1	6	.	.	.	.	.	.	.	.	1	.	.	1	.	2	1	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		9			7	2	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.
Total,	—	183			122	43	11	8	17	21	22	.	.	.	.	1	2	.	1	10	5	6	3	6	20	4	11	2	2	19	.
City of Cork.			The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																												
CORK URBAN No. 1 DISTRICT,	76,632	6			9	4	.	.	2	1	2	.	.	.	.	.	.	.	.	2	.	.	1	.	4	.	.	.	.	4	.
Do. 2 do.		4			3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Do. 3 do.		7			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do.		7			3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.
Do. 5 do.		2			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 do.		12			4	1	.	.	1	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	2	.
Do. 7 do.		7			8	2	2	.	2	2	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	2	.	.	4	.
Total,	—	45	19·7	5·4	29	9	2	1	6	5	6	.	.	.	.	.	.	.	.	7	.	1	2	2	5	.	3	.	.	11	.

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	Mar. 25.	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.
No. of weeks in Annual Series,	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
BIRTHS registered, ...	218	232	228	204	189	236	232	229	180	214	233	215	258	201	264	213	207	268	236	203	225	215	220	197	215	183
DEATHS registered, ...	147	138	172	161	154	160	109	120	123	123	125	115	107	82	116	92	123	121	105	123	121	139	132	138	146	122
Annual Death rate per 1,000 of estimated population, ...	19·2	18·1	22·5	21·1	20·2	20·9	14·3	15·7	16·1	16·1	16·4	15·5	14·4	11·1	15·7	12·4	16·6	16·3	14·2	16·6	16·3	18·8	17·8	18·6	19·7	16·5
AGES, Under 1 year, ...	23	26	36	24	23	23	19	19	25	22	18	19	23	16	18	11	25	32	38	39	45	44	36	52	49	43
1—5 years, ...	17	11	7	10	14	13	10	9	9	13	7	7	10	7	9	7	9	11	8	12	11	11	8	6	16	11
5—25 „ ...	19	11	14	17	13	21	13	17	15	17	14	14	16	7	16	15	16	14	11	7	14	15	18	11	10	8
25—45 „ ...	28	23	36	32	26	27	25	23	26	22	21	26	22	18	20	21	25	22	13	21	11	17	19	24	21	17
45—65 „ ...	30	38	45	37	39	46	22	29	31	27	34	20	20	20	37	25	29	23	17	23	23	28	31	27	29	21
65 and upwards, ...	30	29	34	41	39	30	20	23	17	22	28	29	16	14	16	13	19	19	18	21	17	24	20	18	21	22
Deaths from :—																										
Enteric Fever, ...	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2	1	2	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	.	1	.	.	.	.	1	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	.	1	1
Whooping-cough, ...	.	.	.	3	2	1	.	.	1	1	.	.	4	.	1	.	1	1	1	2	1	.	1	.	1	2
Diphtheria, ...	1	1	.	2	1	.	.	.	.	.	.	1	.	.	.	1	.	2	.	2	.	1	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Tuberculous Disease. Phthisis, ...	22	24	26	25	14	17	16	25	21	21	16	14	13	13	23	16	18	20	10	13	9	6	19	17	11	10
Tuberculous Disease. Other Forms,	9	8	8	4	11	15	12	7	10	12	11	6	10	2	2	5	8	6	5	7	3	7	5	3	7	5
Cancer, ...	8	4	5	5	6	12	3	6	1	4	6	8	6	6	7	4	6	3	3	9	4	4	1	7	4	6
Diseases of Respiratory System, Pneumonia,	14	16	13	19	23	18	10	10	13	6	11	9	9	5	5	7	2	4	6	2	3	9	3	4	7	3
Diseases of Respiratory System, Others, ...	16	19	26	29	34	16	20	15	19	11	18	18	13	10	8	11	14	10	3	4	5	6	5	1	9	6
Diarrhœa, Under 2 years, ...	.	.	1	.	.	.	.	1	1	2	1	.	1	1	2	1	6	10	14	9	19	17	15	21	26	20
Diarrhœa, 2 years & upwards	3	1	.	1	.	.	.	.	.	.	.	1	.	3	.	.	.	.	1	4	4	3	5	6	7	4
Enteritis, under 2 years, ...	3	2	1	2	2	1	1	1	3	3	4	2	.	1	1	1	3	8	9	12	19	10	13	22	11	11
Violent Deaths, ...	3	4	8	2	3	3	3	4	1	1	.	3	3	1	4	.	3	5	3	2	2	6	4	5	3	2
Number of Uncertified Deaths, ...	.	1	3	2	.	1	2	1	1	1	2	1	.	3	3	.	1	.	2	.	1	1	2	.	.	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	Sept. 16,	1,997	1,324	15·3	7	.	4	.	15	8	368*a*
Edinburgh, ...	320,829	„ 16,	121	85	13·8	1	.	1	.	.	1	9
Glasgow, ...	784,621	„ 16,	354	263	17·5	.	.	2	1	6	8	39
Calcutta, ...	890,493	Aug. 12,	.	366	21·3	72*	.	.	.	2	.	48‡
Bombay, ...	977,822	„ 12,	384	532	28·3	66*	4	.	.	.	.	80‡
Madras, ...	509,346	July 22,	404	317	32·3	67*	1	1	?	?	?	64‡
Cairo, ...	693,806	„ 15,	610	655	49·2	2	.	22	2	?	7	235*a*
Paris	2,846,986	Aug. 19,	858	1,006	19·1	13	.	26	4	3	3†	151*a*
Brussels, ...	739,684	„ 26,	220	208	14·6	1	.	1	.	.	.	60
Antwerp, ...	320,640	„ 26,	121	104	16·9	2	.	.	2	2	.	45*a*
Amsterdam, ...	577,346	„ 26,	252	112	10·1	.	.	1	.	3	.	30*a*
Copenhagen, ...	462,132	„ 26,	214	143	16·1	.	.	1	.	4	.	30*a*
Stockholm, ...	343,832	„ 19,	131	71	10·7	.	.	.	.	.	2†	3
Christiania, ...	244,038	Sept. 2,	104	73	15·6	.	.	.	1	3	.	11
St. Petersburg, ...	1,639,266	Aug. 12,	759	724	23·0	12	1	33	4	5	1	192*a*
Moscow, ...	1,493,600	„ 12,	.	813	28·4	9	2	9	4	4	12†	229
Berlin, ...	2,064,993	„ 12,	797	741	18·7	1	.	1	5	14	11†	201
Hamburg, ...	920,490	„ 26,	.	303	17·1	2	.	1	3	4	9†	96
Breslau, ...	518,860	„ 26,	.	224	22·4	.	.	.	.	1	1	57
Munich, ...	597,000	Sept. 2,	.	188	16·4	.	.	1	.	1	1	43
Vienna (with suburbs),	2,047,968	Aug. 26,	776	654	16·6	.	.	4	2	2	6†	119*a*
Buda-Pesth, ...	891,585	„ 26,	447	376	21·9	7	.	7	9	1	5†	84*a*
Prague and Faubourgs,	508,310	„ 12,	151	154	15·8	.	.	1	4	.	2†	9*a*
Trieste, ...	230,820	„ 19,	131	102	23·0	3	.	.	.	1	.	21‡
Rome, ...	602,068	July 29,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	„ 15,	87	56	15·8	.	.	.	.	1	.	6
New York, ...	4,983,385	Aug. 5,	2,538	1,368	14·3	16	.	10	3	12	17†	227*a*
Philadelphia, ...	1,580,250	July 22,	.	485	16·0	4	.	.	.	1	7†	89*a*
Boston, ...	686,912	Aug. 26,	.	205	15·5	1	.	1	.	.	.	50

* Deaths from "fever," including 28 deaths from enteric fever and 19 deaths from plague in Calcutta, 4 from enteric fever and 11 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 10 deaths from cholera in Calcutta, 3 in Bombay, one in Madras, and 2 in Trieste.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending September 16th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	2	1	.	.	1	4
" " 1, West, ...	.	3	.	.	.	.	.	3	2	.	.	1	9
" " 2, ...	.	5	.	.	1	.	.	2	1	.	.	.	9
" " 3, ...	.	4	.	.	1	.	.	4	.	.	.	3	12
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	1	.	.	1	.	.		.	.	.	.	2
South City No. 1, ...	.	1	.	.	8	.	.	6	6	.	.	3	24
" " 2, ...	.	.	.	.	2	.	.	.	.	.	.	2	4
" " 3, ...	.	4	.	.	2	.	.	7	.	.	.	1	14
" " 4, ...	.	2	.	.	1	.	.	2	.	.	.	1	6
New Kilmainham, ...	.	2	.	.	2	.	.	.	.	.	.	.	4
Total, ...	.	22	.	.	18	.	.	26	10	.	.	12	88

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 16th September 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 16th September.			
	Aug. 26.	Sept. 2.	Sept. 9.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	21	13	9	3	5	.	7
Scarlet Fever, ...	68	76	81	27	23	1	84*
Typhus, ...	2	2	.	1	.	.	1
Diphtheria, ...	24	30	33	13	6	2	38
Enteric Fever, ...	32	48	60	29	4	3	82
Pneumonia, ...	10	9	9	5	2	.	12

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 16th September, 1911 :—

"The most striking feature in this week's weather is the abrupt fall of temperature which took place in the middle of the period. In the south-east of England the change was rendered all the more remarkable by a preceding warm (or hot) spell in which the thermometer rose in the shade to 83° on Monday at Nottingham, Oxford, and several of the London stations (to 85° at Camden Square), while on Tuesday temperatures between 84° and 89° were recorded at the London stations; Margate also reporting 86°, Folkestone and Dover 84°, Seaford and Deal 80°—the last 4 places, be it observed, situated on the coast. In Ireland, during this warm period, the heat was much less intense—on Sunday, the maxima were 68° in Dublin and at Birr Castle, 69° at Blacksod Point, and 70° at Valentia; on Monday, the thermometer rose to 72° in Dublin, 70° at Roche's Point, and 69° at Birr Castle and Donaghadee. During this warm spell an anticyclone lay over the North Sea and Central Europe, while an atmospheric depression was passing across Iceland. Hence a warm S.W. air current prevailed in the British Isles. On Tuesday a change came owing to the appearance of a shallow depression in the Bay of Biscay. This system caused a northerly wind in Ireland first, and afterwards in Great Britain also as it moved up the English Channel to the Low Countries. Large quantities of rain fell in Lancashire and Wales on Tuesday and lightning was seen at Oxford and Kew. The rainfall subsequently extended over the greater part of England and France, and a general and sudden 'chill' followed, culminating on Saturday morning, when the thermometer in the screen fell to 42° in Dublin and at Birr Castle, 40° at Oxford and Wick, and 38° at Bath. In Dublin the mean height of the barometer was 30·165 inches, atmospheric pressure ranging from 29·933 inches at 9 a.m. of Monday (wind, S.W.) to 30·414 inches at 9 p.m. of Friday (wind, N.E.). The corrected mean temperature was 55·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 55·8°. On Monday the screened thermometers rose to 72·2°, on Saturday they fell to 41·8°. Northerly winds prevailed from Monday afternoon. Lunar halos were seen on Sunday and Tuesday nights. The rainfall was ·125 inch, ·123 inch being recorded on Monday, the only 'rain-day.'"

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·001 inches. The highest reading (30·249) was on Friday at 9 p.m., air calm, and the lowest (29·765) on Monday at 9 a.m., wind S.W.

The mean temperature for the week was 52·9°, being 0·1° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Monday, on which day the thermometer registered 72·8°, and was lowest on Saturday, the mercury having fallen to 35·3°. The mean of the Dry Bulb for the week was 54·0° and of the Wet Bulb, 51·2°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The rainfall during the week measured 0·320 inch.

At Greenwich the mean temperature for the week was 60·3°, the maximum 88·5°, and the minimum 45·4°; at Glasgow the maximum was 72·7°, the minimum 40·0°, and the mean 53·3°; and at Edinburgh the maximum was 71·6°, the minimum 43·6°, and the mean 53·6°. The rainfall at Greenwich measured 0·41 in.; at Glasgow 0·13 in.; and at Edinburgh 0·13 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, September 10,	29·831	69·5	51·6	60·6	59·9	57·3	·86	·3	5·0	·000	S.E.	Calm.
Monday, „ 11,	29·814	72·8	52·9	62·9	63·1	60·1	·84	·5	3·4	·320	S.W.	Calm.
Tuesday, „ 12,	29·902	58·6	50·0	54·3	52·8	50·7	·93	·5	0·0	·000	Calm.	Calm.
Wednesday, „ 13,	29·950	59·2	41·1	50·2	52·9	49·8	·79	·4	0·7	·000	Calm.	Calm.
Thursday, „ 14,	30·088	60·5	38·7	49·6	51·8	47·7	·74	·5	5·8	·000	W.N.W.	N.N.W.
Friday, „ 15,	30·203	57·2	38·0	47·6	48·0	44·9	·78	·6	7·6	·000	N.	Calm.
Saturday, „ 16,	30·222	55·1	35·3	45·2	49·8	47·7	·86	·5	0·2	·000	Calm.	Calm.
Mean, ...	30·001	61·8	43·9	52·9	54·0	51·2	·83	·5	Total 22·7	Total ·320	—	

Sunday—Day cloudy, fine; night cloudy. *Monday*—Day overcast, heavy showers 11.35 to 12.0 p.m., drizzling rain 5.30 p.m. to 12 midnight, and 3.30 to 4.40 a.m.; night overcast. *Tuesday*—Day overcast; night cloudy, *Wednesday*—A dull day; night clear. *Thursday*—Day cloudy, fine; night cloudy. *Friday*—Day cloudy, fine; night cloudy *Saturday*—A dull day; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, September 16th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, September 10,	64·5	61·0	59·5	68·2	57·2	62·7	6·0	—
Monday, „ 11,	70·2	61·4	59·6	74·3	57·0	65·6	3·0	·145
Tuesday, „ 12,	54·6	61·3	59·5	60·0	53·0	56·5	—	—
Wednesday, „ 13,	55·0	59·5	59·4	60·6	49·6	55·1	1·0	—
Thursday, „ 14,	57·2	58·5	59·5	61·2	43·0	52·1	6·5	—
Friday, „ 15,	53·1	57·8	59·2	58·8	45·5	52·2	5·5	—
Saturday, „ 16,	52·0	56·5	59·0	56·2	40·6	48·4	0·2	—
Weekly Mean, .	58·1	59·4	59·4	62·8	49·4	56·1	Total 22·2	Total ·145

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31197. Wt. P.18 110–/138. 375. 9. 1911. Sch. C 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 23RD SEPTEMBER, 1911. [No. 38.

General Register Office, Charlemont House, Dublin, 25th September, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Sept. 2	Sept. 9	Sept. 16	Sept. 23	Average Rate for 4 weeks.	Towns, &c.	Week ending Sept. 2	Sept. 9	Sept. 16	Sept. 23	Average Rate for 4 weeks.
22 Town Districts, ...	**21·0**	**22·1**	**19·4**	**20·1**	**20·7**	Limerick	17·7	17·7	20·4	23·1	19·7
						Lisburn	12·9	25·7	30·0	8·6	19·3
Armagh	6·9	27·5	6·9	13·7	13·8	Londonderry	12·8	16·6	11·5	12·8	13·4
Ballymena	22·9	27·5	27·5	13·8	22·9	Lurgan	12·9	8·6	43·0	21·5	21·5
Belfast	18·6	19·7	16·5	20·2	18·8	Newry	4·4	17·4	30·5	4·4	14·2
Clonmel	5·1	10·1	15·2	20·3	12·7	Newtownards	57·2	5·7	34·3	28·6	31·4
Cork	24·5	25·2	19·7	19·7	22·3	Portadown	22·2	26·7	22·2	8·9	20·0
Drogheda	4·2	4·2	12·6	12·6	8·4	Queenstown	26·4	13·2	26·4	6·6	18·2
Dublin Reg. Area ...	25·8	27·1	23·2	22·6	24·7	Sligo	4·7	14·0	4·7	4·7	7·0
Dundalk	7·9	7·9	4·0	27·8	11·9	Tralee	15·9	10·6	5·3	10·6	10·6
Galway	19·7	3·9	7·9	19·7	12·8	Waterford	9·5	26·6	20·9	24·7	20·4
Kilkenny	49·6	24·8	9·9	24·8	27·3	Wexford	22·8	31·9	13·7	9·1	19·4

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 5·5 per 1,000, the rates varying from 0·0 in eleven of the districts to 11·4 in Newtownards, the 5 deaths from all causes for that district including 2 from *enteritis* of children under 2 years of age. Among the 150 deaths from all causes for Belfast are 2 from whooping-cough and 47 from diarrhœa and *enteritis* of children under 2 years. Included in the 29 deaths from all causes for Cork are 5 from diarrhœa of children under 2 years. Two deaths of children under 2 years from *enteritis* are included in the 13 deaths from all causes for Waterford. The 3 deaths from all causes for Drogheda include 2 from diarrhœa and *enteritis* of children under 2 years. The 5 deaths from all causes for Kilkenny include 2 deaths from diarrhœa of children under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 182—98 boys and 84 girls—and the deaths to 183—92 males and 91 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 22·6 per 1,000 of the population. During the thirty-eight weeks ending with Saturday last the death-rate averaged 21·6, and was 1·0 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 183, represent an annual rate of 23·6 per 1,000; the annual rate for the past thirty-eight weeks was 22·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·6 per 1,000 of the mean population for all deaths registered.

The total number of deaths registered (183) includes 3 from enteric fever, 3 from scarlet fever, 3 from whooping-cough, 44* from diarrhœa and *enteritis* of children under 2 years of age, and 3 deaths from diarrhœa of persons aged 2 years and upwards. In the 3 preceding weeks deaths from enteric fever were 2, 0, and 2; deaths from scarlet fever were 0, one, and one; deaths from whooping-cough were 7, 4, and 3, and deaths from diarrhœa and *enteritis* of children under 2 years of age were 52, 45, and 46.

Tuberculous disease caused 14 deaths, the number in each of the three preceding weeks being 32, 34, and 26. The total (14) includes 12 from pulmonary tuberculosis, and one from each of abdominal tuberculosis and disseminated tuberculosis.

There were 3 deaths from broncho-pneumonia and one from croupous pneumonia.

Cancer caused 9 deaths.

The deaths of 5 children under 5 years of age (of whom 4 were infants under one year old) were ascribed to convulsions.

Organic diseases of the heart caused the deaths of 12 persons, and there were 12 deaths from bronchitis.

Premature birth was the cause of death of 3 infants, and one infant died from congenital debility.

There were 7 accidental deaths, including one by a railway accident, 2 by burns (of which one was an infant under one year old) and 2 by drowning.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 children under 5 years of age and the death of one person aged 67 years.

Seventy-seven of the persons whose deaths were registered during the week were under 5 years of age (49 being infants under one year, of whom 10 were under one month old) and 34 were aged 65 years and upwards, including 26 persons aged 70 and upwards; among the latter were 12 aged 75 years and upwards.

Sixty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·6 per 1,000; the rate in the City was 24·9 (North City Districts, 23·7; South, 26·2) and in the Suburbs, 15·0.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 7·1 per 1,000 inhabitants, the rate for the City being 7·4 (9·2 in the North City Districts, and 5·5 in the South), and for the Suburbs, 6·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (19) are equal to an annual rate of 33·2 per 1,000. The total includes one death from scarlet fever, one from whooping-cough, 4 deaths from diarrhœa of children under 2 years of age, 2 from pulmonary tuberculosis, one from broncho-pneumonia, and one from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 22·2 per 1,000. Scarlet fever and whooping-cough each caused one death, and diarrhœa and *enteritis* under 2 years of age caused 8 deaths.

No. 2 North City District (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 30·6 per 1,000. Included in the total are one from scarlet fever, 7 of children under 2 years of age from diarrhœa and *enteritis*, and one from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (11) represent an annual rate of 17·1 per 1,000, and include one from diarrhœa of a child under 2 years of age, 2 from pulmonary tuberculosis, and 2 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 27·0 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 6·8. Included in the 6 deaths from all causes for Coolock and Drumcondra, part of, are one from *enteritis* of a child under 2 years of age and one from bronchitis, and the one death for Finglas and Glasnevin, part of, is from diarrhœa under 2 years.

No. 1 South City District (South Earl-street).—The deaths (25) represent an annual rate of 31·5 per 1,000. *Enteritis* under 2 years of age, pulmonary tuberculosis, broncho-pneumonia, and bronchitis, each caused one death.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 16·8 per 1,000. The total includes 2 from diarrhœa and *enteritis* of children under 2 years of age, one from pulmonary tuberculosis, and one from bronchitis.

No. 3 South City District (Peter-street).—The deaths (24) are equal to an annual rate of 29·0 per 1,000. Enteric fever caused one death, diarrhœa under 2 years of age 5 deaths, pulmonary tuberculosis 3 deaths, croupous pneumonia one death, bronchitis 3 deaths, and there were 2 deaths from accidental causes.

No. 4 South City District (Grand Canal Street).—The deaths (18) are equivalent to an annual rate of 26·2 per 1,000. Included in the total are one from enteric fever, one from whooping-cough, 4 from diarrhœa and *enteritis* of children under 2 years of age, 2 from pulmonary tuberculosis, and one by accidental drowning.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·5 per 1,000, and comprise one from broncho-pneumonia and one from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·7; Pembroke, 14·2; Blackrock, 5·7; and Kingstown, 15·1. The deaths from the principal epidemic diseases tabulated for these districts include one from enteric fever and 5 from diarrhœa and *enteritis* under 2 years of age for Rathmines and Rathgar, 3 from diarrhœa and *enteritis* under 2 years for Pembroke, and one from diarrhœa under 2 years for Kingstown. The 13 deaths for Rathmines and Rathgar include one from bronchitis. The one death for Blackrock was due to a railway accident; and one of the 5 deaths from all causes for Kingstown was caused by accidental drowning.

* See note (*c*), Table II. † See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 23rd September, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Sept. 2,	.	—	—	16	.	.	4	.	5	10	5	.	—	—	.	—	4	—	44
	Sept. 9,	.	—	—	17	.	.	10	.	1	16	7	1	—	—	.	—	7	—	59
	Sept. 16,	.	—	—	22	.	.	18	.	.	26	10	.	—	—	.	—	12	—	88
	Sept. 23,	.	—	—	27	2	.	5	.	.	33	7	.	—	—	.	—	9	—	83
Rathmines and Rathgar Urban District.	Sept 2,	.	—	—	1	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Sept. 9,	.	—	—	.	.	.	3	.	.	2	.	.	.	—	—	—	—	—	5
	Sept. 16,	.	—	—	.	.	.	2	.	.	1	1	.	.	—	—	—	—	—	4
	Sept. 23,	.	—	—	.	.	.	.	.	.	1	2	.	.	—	—	—	—	—	3
Pembroke Urban District.	Sept. 2,	.	1	.	2	.	.	.	.	.	1	.	.	.	5	.	—	.	—	9
	Sept. 9,	.	1	.	.	.	.	1	.	.	.	.	.	.	3	.	—	.	—	5
	Sept. 16,	.	.	.	1	.	.	.	.	.	.	.	.	.	4	.	—	.	—	5
	Sept. 23,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	—	.	—	.
Blackrock Urban District.	Sept. 2,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Sept. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 23,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
Kingstown Urban District.	Sept. 2,	.	—	—	.	.	.		.	.	.	1	.	—	—	—	—	.	—	1
	Sept. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Sept. 16,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	—	—	.	—	2
	Sept. 23,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	—	—	.	—	2
City of Belfast.	Sept. 2,	.	—	—	4	.	.	3	.	.	2	2	.	—	—	.	—	5	—	16
	Sept. 9,	.	—	—	10	.	.	5	.	.	2	5	.	—	—	.	—	10	—	32
	Sept. 16,	.	—	—	12	.	.	7	.	1	5	6	.	—	—	.	—	4	—	35
	Sept. 23,	.	—	—	16	.	.	3	1	2	2	1	.	—	—	.	—	3	—	28

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 23rd September, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Six cases of measles were admitted to hospital during the week, one was discharged, and 12 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 13, 9, and 7, respectively.

Thirty-two cases of scarlet fever were admitted to hospital, 12 were discharged, there were two deaths, and 102* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 76, 81, and 84, respectively.

One case of typhus was admitted to hospital during the week and 2 cases remained under treatment at its close.

Twelve cases of diphtheria were admitted to hospital during the week, and 15 were discharged, The cases in hospital, which at the close of the 3 preceding weeks numbered 30, 33, and 38, respectively, were 35 at the close of last week.

Twenty-four cases of enteric fever were admitted to hospital during the week, 9 were discharged there was one death, and 96 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 48, 60, and 82.

In addition to the above-named diseases, one case of pneumonia was admitted to hospital, 5 were discharged, there was one death, and 7 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 15·6) was equal to an average annual death-rate of 17·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·7 per 1,000, the rate for Glasgow being 17·7 and for Edinburgh 15·1.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 23rd September. From this Report it appears that of a total of 51 cases notified, 23 were scarlet fever, 13 phthisis, 11 diphtheria, 3 erysipelas, and one enteric fever. Among the 278 cases of infectious diseases in hospital at the close of the week were 137 cases of scarlet fever, 52 of phthisis, 42 of diphtheria, 21 of whooping-cough, 7 of measles, 7 of erysipelas, 4 of chicken-pox, and one of enteric fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 23rd September, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa. Of children under 2 years of age.	Diarrhœa. 2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Week ending 23rd September, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 16th September, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 9th September, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
TOTAL OF 22 TOWN DISTRICTS, ...	1,149,495	20·2	23·3	20·1	5·5	514	444	137	78	3	...	...	...	3	5	...	...	35	14	21	13	30	69	5	37	6	12	104	16	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,732	29·3	23·5	22·6	7·1	182	175	48	34	3	...	...	...	3	3	...	...	11	...	9	4	12	31	3	12	5	6	55	5	e67·0	37·5	52·2	0·25	e72·8	35·3	52·9	0·32	e73·9	40·9	57·5	0·02
CITY OF DUBLIN.	309,738	39·2	27·3	24·9	7·4	162	148	40	27	2	...	...	...	3	3	..	...	11	...	7	4	11	26	2	8	3	3	51	4	f66·1 g66·3	41·7 34·8	53·5 52·3	0·25 0·28	f72·2 g74·5	41·8 36·0	55·7 54·4	0·13 0·34	f73·1 g75·5	50·9 44·0	60·6 59·0	0·07 0·01
Urban Districts. RATHMINES AND RATHGAR.	38,330	22·4	12·2	17·7	8·2	9	13	5	3	1	...	...	...	...	...	...	...	...	..	2	...	1	3	...	2	...	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,347	18·5	14·2	14·2	7·1	8	8	1	3	...	...	...	...	...	...	...	...	...	..	...	...	...	1	1	2	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,090	8·4	.	5·7	.	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	9·1	15·1	3·0	3	5	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	66	44	55·3	0·16	72	45	55·8	0·09	75	50	60·8	0·00
Urban Districts. BELFAST ...	386,449	26·3	24·8	20·2	6·7	184	150	53	20	...	...	...	...	...	2	...	...	8	8	8	6	9	27	1	20	1	4	22	1	65·0	36·0	53·3	0·48	67·0	42·0	55·5	0·07	71·0	44·5	57·6	0·00
CORK, ...	76,632	33·8	19·7	19·7	3·4	29	29	9	10	...	...	...	...	...	...	...	...	2	...	...	...	1	5	...	...	...	...	7	1	64	46	54·6	0·63	70	44	56·7	0·65	73	51	59·7	0·08
LONDONDERRY ...	40,799	18·9	28·1	12·8	.	22	10	3	...	...	...	...	...	...	...	...	...	3	1	1	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,403	18·2	13·6	23·1	1·4	10	17	2	2	...	...	...	...	...	...	...	...	4	...	2	...	2	1	...	...	...	1	8	...	65·1	39·2	52·3	1·11	70·2	38·5	55·4	0·70	74·9	39·8	59·1	0·00
WATERFORD, ...	27,430	19·1	26·6	24·7	3·8	14	13	3	3	...	...	...	...	...	...	...	...	1	1	...	1	2	...	...	2	...	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY. ...	13,249	2·5	7·9	19·7	.	2	5	...	...	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	...	1	...	63	40	52	0·70	75	43	56	0·00	73	45	59	0·00
DUNDALK, ...	13,128	9·5	15·9	27·8	.	4	7	...	3	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	8·4	12·6	8·4	2	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY. ...	11,956	17·2	30·5	4·1	.	7	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	65·0	40·3	53·5	0·34	67·1	41·4	54·3	0·34	71·0	43·5	57·7	0·01
LURGAN, ...	12,135	14·3	30·1	21·5	.	7	5	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	2	...	65·0	40·3	53·5	0·34	67·1	41·4	54·3	0·34	71·0	43·5	57·7	0·01
LISBURN, ...	12,172	10·7	8·6	8·6	.	2	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	65·0	40·3	53·5	0·34	67·1	41·4	54·3	0·34	71·0	43·5	57·7	0·01
WEXFORD. ...	11,455	23·8	45·5	9·1	.	10	2	2	.	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA. ...	11,376	9·3	22·9	13·8	.	5	3	1	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	2	64·8	36·0	51·0	1·09	70·6	41·0	55·5	0·36	70·3	33·7	55·7	0·00
SLIGO. ...	11,163	3·8	42·0	4·7	.	9	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	65	38	51·7	0·70	73	40	54·4	0·24	77	44	60·2	0·15
KILKENNY, ...	10,513	11·4	5·0	24·8	9·9	1	5	3	...	...	...	...	...	...	...	...	...	2	...	...	...	...	2	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
CLONMEL, ...	10,277	7·9	.	20·3	5·1	...	4	2	2	...	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	1	...	65·0	40·3	53·5	0·34	67·1	41·4	54·3	0·34	71·0	43·5	57·7	0·01
PORTADOWN. ...	11,727	15·3	22·2	8·9	.	5	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
TRALEE. ...	9,867	16·6	63·4	10·6	5·3	12	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	66	49	53·0	0·83	69	47	55·4	0·16	69	47	57·7	0·00
NEWTOWNARDS,	9,110	18·9	17·2	28·6	11·4	3	5	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	64	46	54·6	0·63	70	44	56·7	0·65	73	51	59·7	0·08
QUEENSTOWN, ...	7,909	14·4	6·6	6·6	.	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	1	65·0	40·3	53·5	0·34	67·1	41·4	54·3	0·34	71·0	43·5	57·7	0·01
ARMAGH. ...	7,588	22·2	20·6	13·7	6·9	3	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...													

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 8 deaths of persons (including one under 1 year old) admitted to hospital from localities outside the Area: of the 8 deaths one is from diarrhœa of a child under 2 years of age. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 23rd of September, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	3	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Whooping-cough,	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	2	.	.	2	.	.	.	1	1	3	2	.	.	.	.	.	11	1
Tuberculous Disease. { Other Forms,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Cancer,	1	.	3	.	.	.	.	2	.	.	1	.	2	.	.	.	9	.
Diseases of Nervous System,	1	2	.	.	.	1	.	4	.	2	3	.	.	1	.	1	15	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	3	2	2	1	.	1	.	3	.	2	.	.	1	1	.	.	16	.
" Respiratory System. { Pneumonia,	1	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	4	.
" Respiratory System. { Others,	1	.	1	2	.	1	.	1	1	3	.	1	1	.	.	.	12	.
" Digestive System. { Diarrhœa, under 2 years,	4	5	6	1	.	.	1	.	1	5	3	.	3	1	.	1	31	1
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	3	.
" Digestive System. { *Enteritis*, under 2 years,	.	3	1	.	.	1	.	1	1	.	1	.	2	2	.	.	12	.
" Digestive System. { Enteritis, 2 years and upwards,	1	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	4	.
" Digestive System. { Others,	.	1	1	.	.	.	.	3	.	1	.	.	.	1	.	.	7	1
" Genito-urinary System,	.	.	2	1	.	.	.	2	1	1	1	.	1	.	.	.	9	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy & Childbirth.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	1	1	4	.	1	.	2	2	3	3	.	1	1	.	2	23	.
Violent Deaths,	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	1	5	2
Ill-defined, &c. Causes,	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Deaths from All Causes	19	17	18	11	.	6	1	25	7	24	18	2	13	8	1	5	175	8
Annual Rate of Mortality from All Causes in every 1,000 of the population.	33·2	22·2	30·6	17·1	.	27·0	6·8	31·5	16·8	29·0	26·2	11·5	17·7	14·2	5·7	15·1	22·6	.
	23·7							26·2					15·0					
	24·9																	
Ages at Death. { Under 1 year,	3	7	7	2	.	1	1	7	2	7	3	.	5	1	.	2	48	1
1 and under 2 years,	3	4	1	1	.	.	.	.	1	3	5	1	1	2	.	.	22	.
2 " 5 "	2	.	1	.	.	.	.	2	.	1	.	.	.	.	.	.	6	.
5 " 15 "	.	1	.	.	.	.	.	1	.	1	.	.	.	1	.	1	5	1
15 " 25 "	.	.	1	.	.	.	.	1	1	.	2	.	.	.	.	.	5	2
25 " 45 "	4	3	.	3	.	.	.	3	1	6	2	.	1	1	1	.	25	1
45 " 65 "	4	.	6	1	.	1	.	6	1	4	3	.	3	.	.	1	30	3
65 and upwards,	3	2	2	4	.	4	.	5	1	2	3	1	3	3	.	1	34	.
Number of Uncertified Deaths,	.	1	.	2	.	.	.	.	.	.	1	.	.	1	.	.	5	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	6	5	1	.	1	.	1	.	5	3	.	3	.	.	.	28	8
Workhouse Hospitals,	3	2	4	2	.	1	.	7	.	4	2	1	.	1	.	.	27	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 38th Week of the 10 years 1901–1910.	In the Week ending Saturday, 23rd September, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Sept. 21, 1901.	Sept. 20, 1902.	Sept. 26, 1903.	Sept. 24, 1904.	Sept. 23, 1905.	Sept. 22, 1906.	Sept. 21, 1907.	Sept. 19, 1908.	Sept. 25, 1909.	Sept. 24, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 54·7	° 52·9	° —	° 52·6	° 51·3	° 51·9	° 57·2	° 55·7	° 52·0	° 50·4	° 53·2*	° 52·2										
ALL CAUSES.	180	168	165	194	137	201	145	153	157	174	167·4	183	10	39	22	6	6	7	26	33	22	12
Enteric Fever, ...	3	1	1	1	2	2	.	1	2	1	1·4	3	.	.	.	.	.	1	1	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	13	.	1	.	1	.	3	.	3	2·1	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	2	.	.	.	1	.	.	1	.	·5	3	.	.	1	1	1	.	.	.	.	.
Whooping-cough, ...	4	1	.	4	1	1	1	1	.	1	1·4	3	.	.	3	.	.	.	.	.	.	.
Diphtheria, ...	2	4	1	.	.	.	2	.	2	3	1 4	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	1	1	1	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	1	.	1	.	.	.	2	·5	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	1	.	3	1	.	1	.	3	1	1·1	1	.	.	.	.	.	.	1	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.	.	.	1	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	27	15	27	25	25	26	21	21	21	19	22·7	12	.	.	.	.	1	1	8	1	1	.
Tuberculous Meningitis, ...	1	1	2	4	2	5	6	6	3	3	3·3	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	7	1	1	3	3	.	2	.	.	.	1·7	1	.	.	.	.	.	1	.	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	9	4	4	8	6	7	4	3	6	5	5·6	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												1	.	.	.	.	1	.	.	.	.	.
Venereal Diseases, ...	3	.	.	1	.	2	3	1	1	1	1·2	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	10	8	6	9	5	6	9	8	18	9	8·8	9	.	.	.	.	.	.	.	4	3	2
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Rheumatic Fever, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	1	1	.	.	1	2	.	·5	4	.	.	.	.	.	.	2	2	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	1	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	.	.	.	.	1	2	.
Alcoholism, ...	2	3	1	.	.	1	1	.	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												2	.	1	.	1	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												5	.	.	.	.	.	.	.	1	1	3
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												1	.	.	.	.	.	.	.	.	1	.
Epilepsy, ...												1	.	.	.	.	.	.	.	.	1	.
Convulsions (non-puerperal),												5	1	3	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	29	31	38	38	30	44	29	34	24	32	32·9	1	.	.	.	.	.	.	1	.	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												1	.	.	.	.	.	.	.	.	.	1
Organic Diseases of the Heart,												12	.	.	.	.	.	.	2	6	3	1
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												3	.	.	.	.	.	.	3	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	9	8	10	18	6	10	14	11	13	16	11·5	12	.	2	4	.	.	.	1	2	2	1
Broncho-pneumonia, ...		5	3	1	4	3	2	6	1	3		3	.	.	.	2	.	.	.	.	1	.
Lobar-pneumonia, ...	9	.	.	.	.	.	.	1	1	.	7·2	1	.	.	1	.	.	.	.	.	.	.
Pneumonia (type not distinguished)		2	9	5	1	4	4	5	2	1		.	.	.	.	.	.	.	.	.	.	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	2	4	1	2	.		.	2	5	4	2·0	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												.	.	.	.	.	.	.	.	.	.	.

* For nine years only.

THIRTY-EIGHTH WEEK ending Saturday, 23rd September, 1911, with, as far as practicable, the deaths from each cause in 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 38th Week of the 10 years 1901–1910.	In the Week ending Saturday, 23rd September, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Sept. 21, 1901.	Sept. 20, 1902.	Sept. 26, 1903.	Sept. 24, 1904.	Sept. 23, 1905.	Sept. 22, 1906.	Sept. 21, 1907.	Sept. 19, 1908.	Sept. 25, 1909.	Sept. 24, 1910.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	54·7°	52·9°	—	52·6°	51·3°	51·9°	57·2°	55·7°	52·0°	50·4°	53·2°*	52·2°										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	1	1	.	.	.
Diarrhœa of Children under 2 years.	20	20	14	28	10	34	10	16	6	22	18·0	32	3	22	7	.	.	.	.	.	.	.
„ 2 years and upwards,												3	.	.	.	.	1	.	.	1	.	1
Enteritis of Children under 2 years.	1	5	4	4	4	9	6	8	3	10	5·4	12	.	8	4	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												4	.	.	.	2	.	1	.	1	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	2	2	1	2	1	2	1	1	5	2	2·5	3	.	.	.	.	.	.	1	1	1	.
Other Diseases of Liver, ...		.	1	2	1	1	.	.	.	1		2	.	.	.	.	.	.	.	1	1	.
Peritonitis (cause unknown),	2	.	.	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	4	5	6	3	7	2	4	6	3	4·5	1	.	1	.	.	.	.	.	.	.	.
Acute Nephritis, ...												2	.	.	.	.	1	.	.	1	.	.
Chronic Bright's Disease, ...												6	.	.	.	.	.	1	1	3	1	.
Urinary Calculi, ...												1	.	.	.	.	.	.	.	1	.	.
Uterine Tumour (non-cancerous).	4	2	8	7	7	7	6	4	6	4	5·5	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												1	.	.	.	.	.	.	.	1	.	.
Puerperal Septicæmia, &c., ...	.	1	1	.	.	2	1	.	.	.	·5	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	1	.	3	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	2	.	1	1	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	5	2	8	6	6	5	5	4	4	7	5·2	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
Old Age, ...	9	8	5	3	3	2	2	1	1	4	3·8	6	.	.	.	.	.	.	.	1	3	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	1	.	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	1	.	.	.
By Vehicles and Horses, ...	.	.	.	1	.	2	.	1	1	1	·6	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	.	.	.	.	2	1	.	1	1	1	·6	2	.	1	.	.	.	1	.	.	.	.
By Drowning, ...	1	.	.	.	2	1	.	1	.	1	·6	2	.	.	.	.	1	.	.	1	.	.
By Suffocation in Bed, ...	.	.	.	.	.	1	1	.	.	2	·4	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	.	2	1	1	.	.	3	.	.	1	·8	2	.	.	.	.	.	.	.	2	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	1	.	1

* For nine years only.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.
No. of weeks in Annual Series,	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38
BIRTHS registered,	230	198	171	174	259	260	242	226	246	261	228	232	185	324	190	190	294	233	198	210	233	218	198	212	201	182
Average Births in corresponding week of previous 10 years, ...	233	202	210	223	199	268	231	210	204	238	226	207	224	237	205	204	208	221	217	208	217	216	207	235	209	212
DEATHS registered, ...	177	191	174	196	181	176	170	129	158	150	149	159	127	155	120	172	162	186	153	169	199	162	210	219	189	183
Annual Death-rate per 1,000, ...	22·7	24·5	22·3	25·1	23·2	22·5	21·8	16·5	20·2	19·2	19·2	20·5	16·4	20·0	15·5	22·2	20·9	24·0	19·8	21·8	25·7	20·9	27·1	28·3	24·4	23·6
Average Deaths in corresponding week of previous 10 years, ...	203	199	195	197	190	177	178	171	169	154	151	149	148	134	140	141	144	147	145	146	154	162	153	156	152	167
Ages, Under 5 years, ...	48	54	63	54	50	56	48	40	37	43	34	42	44	56	43	41	51	88	73	72	94	80	94	93	82	77
5—15 „ ...	14	17	4	5	11	14	7	6	14	10	8	4	9	10	4	13	6	5	6	8	5	8	5	8	4	6
15—25 „ ...	8	10	10	14	7	6	8	9	11	9	9	13	2	7	7	11	10	6	6	4	7	7	12	7	7	7
25—45 „ ...	19	33	25	31	33	15	35	21	21	29	26	32	18	20	19	31	26	21	22	19	31	19	23	26	30	26
45—65 „ ...	36	44	43	45	35	30	38	36	39	29	33	31	34	28	20	33	37	29	21	40	37	28	38	37	35	33
65—75 „ ...	29	27	19	29	25	34	19	10	24	17	26	18	13	16	15	24	18	24	15	14	11	9	21	28	17	22
75 and upwards, ...	23	6	10	18	20	21	15	7	12	13	13	19	7	18	12	19	14	13	10	12	14	11	17	20	14	12
Deaths from :—																										
Enteric Fever, ...	1	3	1	1	.	1	1	1	1	1	.	.	1	.	1	3	2	1	2	2	2	1	2	.	2	3
Typhus, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	1	7	11	5	8	17	4	6	3	4	2	8	7	4	7	3	7	5	2	.	1	1	.	1	.
Scarlet Fever, ...	.	1	4	1	.	1	1	.	2	2	2	.	.	.	1	3	.	2	1	3	.	1	.	1	1	3
Whooping-cough, ...	5	3	6	.	2	3	2	4	1	4	1	3	2	2	.	1	4	3	4	1	3	6	7	4	3	3
Diphtheria, ...	1	4	3	4	1	2	3	1	.	1	4	1	4	2	2	3	2	1	.	.	1	5	1	2	3	.
Influenza, ...	2	2	.	3	.	3	2	1	2	.	.	1	.	1	1	1	2	1	.	1	.	.	1	2	.	.
Dysentery, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.
Tuberculous Disease, Phthisis, ...	16	29	21	33	22	21	17	25	22	22	25	23	7	21	7	20	17	17	16	13	19	15	22	22	19	12
Tuberculous Disease, Other Forms,	13	10	3	8	10	6	6	6	9	9	8	7	11	6	7	12	10	15	9	5	9	4	10	12	7	2
Cancer, ...	13	11	8	7	9	6	5	6	11	9	12	10	7	8	12	4	10	6	5	11	7	6	10	10	10	9
Diseases of Circulatory System,	22	23	14	15	24	17	23	7	19	12	12	23	14	22	16	22	20	15	10	13	13	8	13	15	16	16
Diseases of Respiratory System, Pneumonia,	13	18	19	16	18	22	15	12	6	10	8	9	8	9	9	10	8	12	1	8	3	6	12	5	10	4
Diseases of Respiratory System, Others, ...	24	24	26	26	16	34	20	15	14	15	16	17	9	17	6	11	10	13	3	8	13	7	5	14	12	12
Diarrhœa, Under 2 years, ...	1	3	2	1	2	2	1	2	1	6	.	3	3	.	1	3	9	27	20	29	37	25	38	31	37	32
Diarrhœa, 2 years & upwards,	1	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	5	1	6	7	10	7	4	1	3
Enteritis, under 2 years, ...	1	3	3	2	2	2	.	1	1	4	1	1	1	3	3	2	2	7	9	12	12	13	14	14	9	12
Violent Deaths, ...	5	6	1	7	9	3	.	1	5	2	3	6	5	2	6	7	2	5	2	2	8	5	3	4	2	7
Number of Uncertified Deaths,	5	1	1	2	8	4	3	1	5	4	3	4	.	5	9	5	2	3	3	7	7	7	7	5	6	5
Mean Temperature of the Air (Phœnix Park)	42·7	39·4	43·7	50·5	50·5	49·6	52·6	49·5	55·3	56·2	55·6	52·6	56·2	55·5	59·6	60·9	62·9	62·7	62·5	60·8	61·2	59·7	59·1	57·5	52·9	52·2
Average Mean Temperature in corresponding week of previous 10 years, ...	42·4	44·1	43·1	45·1	46·2	46·7	48·1	49·1	50·9	53·7	53·5	53·6	55·5	56·5	57·5	58·5	59·8	58·2	58·6	58·5	57·5	56·5	56·3	54·5	52·8	53·2*
Rainfall in inches, ...	·770	·131	·000	·501	·606	·780	·127	·262	·010	·000	·000	·605	·782	·166	·018	·000	·316	1·860	·430	·170	·010	·338	·405	·020	·320	·248
Mean Humidity of the Air, complete Saturation 1·0, ...	·90	·86	·86	·89	·91	·93	·94	·92	·89	·89	·88	·86	·91	·91	·92	·84	·92	·92	·92	·82	·82	·82	·78	·85	·83	·81

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 23rd September, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 23RD SEPTEMBER, 1911.

Class	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	183	77	6	7	26	33	22	12	3	.	.	.	3	3	.	.	12	2	9	5	4	12	32	3	12	7	76	5
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	12·0	4	1	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.
II.	MIDDLE CLASS, ...	87,188	8·4	14	6	.	1	2	2	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1	5	.	1	1	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	24·1	51	13	2	2	9	11	7	7	.	.	.	.	1	.	.	.	5	.	3	1	1	1	5	1	5	1	27	1
IV.	GENERAL SERVICE CLASS, ...	154,279	29·4	87	52	3	3	9	12	6	2	3	.	.	.	2	3	.	.	3	1	2	4	3	6	21	1	5	2	31	4
V.	INMATES OF WORKHOUSES, ...	6,024	—	27	5	.	1	6	7	7	1	.	.	.	.	.	.	.	.	4	.	3	.	.	4	1	1	1	1	12	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	2·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	6. Clerks and Commercial Assistants, ...	30,432	10·3	6	4	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	1	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	9·6	5	1	.	1	1	.	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	2	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	42·2	8	3	1	.	1	1	.	2	.	.	.	.	1	.	.	.	1	.	1	.	.	.	3	1	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	28·0	16	4	1	.	4	3	3	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	3	.	11	.
	10. Clothing Trades, ...	23,260	4·5	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	11. Food Supply Trades, ...	9,242	28·2	5	3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	2	1
	12. Other Trades and Callings ranking with Trades, ...	30,352	32·6	19	3	.	1	3	5	3	4	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	2	.	12	.
	13. Petty Shopkeepers, ...	7,894	6·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	19·4	5	1	.	.	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
	15. Domestic Servants, ...	36,603	10·0	7	3	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	1	2	1
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	10·9	3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	41·8	72	47	2	2	6	10	4	1	2	.	.	.	2	3	.	.	2	1	1	4	3	5	17	1	5	1	25	3
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	27	5	.	1	6	7	7	1	.	.	.	.	.	.	.	.	4	.	3	.	.	4	1	1	1	1	12	

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (Office, Clarence-st. Nth.) Pop. in 1911 (Est.) 29,854.	Aug. 5,	26·2	14·0	15	1	.	.	2	.	.	.	.	2	.	1	.	.	3	1	1	.	.
	" 12,	27·9	10·5	16	.	.	.	.	.	.	.	.	1	.	1	2	1	3	1	2	.	1
	" 19,	24·5	7·0	14	.	.	.	.	.	.	.	.	.	.	1	.	3	3	.	1	.	1
	" 26,	19·2	14·0	11	.	.	.	.	.	1	.	.	1	.	.	1	.	4	1	2	.	1
	Sept. 2,	29·7	10·5	17	.	.	.	.	.	1	.	.	2	2	2	.	.	8	1	1	1	.
	" 9,	33·2	12·2	19	.	.	.	.	.	.	.	.	1	.	.	.	3	3	1	3	1	.
	" 16,	34·9	15·7	20	.	.	.	1	.	1	.	.	3	1	1	1	.	4	.	3	.	.
	" 23,	33·2	10·5	19	.	.	.	.	1	1	.	.	2	.	1	1	1	4	.	.	.	.
North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1911 (Est.) 39,902.	Aug. 5,	22·2	5·2	17	.	.	.	.	.	.	.	.	2	1	.	.	1	2	.	2	.	.
	" 12,	31·4	13·1	24	.	.	.	.	.	.	.	1	1	1	1	1	2	7	2	.	1	2
	" 19,	23·5	10·5	18	.	.	.	.	.	.	.	.	1	.	.	.	1	7	1	.	1	.
	" 26,	19·6	7·8	15	.	.	.	.	.	1	.	.	2	.	1	1	2	2	3	.	.	.
	Sept. 2,	36·6	14·4	28	.	.	.	.	.	2	.	.	2	1	2	1	.	8	1	.	1	.
	" 9,	36·6	15·7	28	.	.	.	.	.	2	.	.	4	2	1	.	3	6	2	2	.	.
	" 16,	31·4	10·5	24	.	.	.	.	.	2	.	.	.	.	.	2	4	6	.	.	2	1
	" 23,	22·2	13·1	17	.	.	.	.	1	1	.	.	.	.	.	.	.	5	.	3	.	1
North City, No. 2. (Office, Lisburn-street.) Pop. in 1911 (Est.) 30,689.	Aug. 5,	27·2	10·2	16	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	1	1	.
	" 12,	30·6	6·8	18	.	.	.	.	1	.	.	.	1	.	1	1	1	2	.	1	.	1
	" 19,	25·5	11·9	15	.	.	.	.	.	.	1	.	.	.	.	.	1	2	4	.	.	1
	" 26,	23·8	10·2	14	.	.	.	.	.	1	1	.	.	2	.	1	2	2	2	.	.	1
	Sept. 2,	15·3	6·8	9	.	.	.	.	.	.	.	.	2	.	.	.	.	4	.	.	.	.
	" 9,	37·4	10·2	22	.	.	.	.	.	1	.	.	3	2	.	.	.	5	.	.	.	2
	" 16,	35·7	8·5	21	.	.	.	.	.	.	1	.	3	4	.	.	2	4	.	.	.	2
	" 23,	30·6	13·6	18	.	.	.	.	1	.	.	.	.	.	3	.	1	6	.	1	.	.
North City, No. 3. (Office, Benburb-street.) Pop. in 1911 (Est.) 33,498.	Aug. 5,	14·0	4·7	9	.	.	.	1	.	.	.	.	2	.	1	.	.	1	.	1	.	.
	" 12,	15·6	6·2	10	.	.	.	.	1	.	.	.	.	.	.	.	2	2	.	1	.	1
	" 19,	42·0	4·7	27	1	.	.	.	.	.	.	.	4	2	.	1	1	2	.	.	.	.
	" 26,	26·5	10·9	17	.	.	.	.	.	.	1	.	2	.	1	.	1	4	2	.	.	1
	Sept. 2,	48·3	12·5	31	.	.	.	.	4	.	.	.	4	.	2	2	.	3	1	4	.	3
	" 9,	28·0	9·3	18	.	.	.	.	.	.	1	.	1	1	.	1	1	5	.	.	.	1
	" 16,	26·5	6·2	17	.	.	.	.	.	.	.	.	3	.	2	.	.	3	.	1	.	1
	" 23,	17·1	1·6	11	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.	.	2
South City, No. 1. (Office, Sth. Earl-street.) Pop. in 1911. (Est.) 41,401.	Aug. 5,	18·9	5·0	15	.	.	.	.	.	1	.	.	.	3	.	.	.	2	.	1	.	.
	" 12,	23·9	12·6	19	1	.	.	.	.	.	.	.	2	1	.	.	.	2	1	6	.	.
	" 19,	27·7	10·1	22	1	.	.	.	.	.	.	.	3	3	.	.	.	4	.	3	1	.
	" 26,	16·4	6·3	13	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	3	.	1
	Sept 2,	29·0	16·4	23	.	.	.	.	.	.	1	.	2	.	.	1	.	5	1	6	.	.
	" 9,	29·0	13·9	23	.	.	.	.	.	1	.	.	2	2	1	.	.	3	1	6	.	.
	" 16,	23·9	7·6	19	1	.	.	.	.	.	2	.	5	.	1	.	.	1	.	2	.	.
	" 23,	31·5	2·5	25	.	.	.	.	.	.	.	.	1	.	2	1	1	.	1	1	.	.
South City, No. 2. (Office, Castle-street.) Pop. in 1911 (Est.) 21,715.	Aug. 5,	21·6	7·2	9	1	.	.	.	.	1	.	.	1	1	.	1	.	1	.	.	.	.
	" 12,	9·6	2·4	4	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	" 19,	12·0	7·2	5	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2	.	.
	" 26,	33·6	9·6	14	.	.	.	.	.	.	.	.	1	.	1	.	.	4	.	.	.	.
	Sept. 2,	21·6	.	9	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	1
	" 9,	28·8	4·8	12	.	.	.	.	.	.	.	.	2	1	.	1	1	2	.	.	2	.
	" 16,	19·2	4·8	8	.	.	.	.	.	.	.	.	.	1	1	1	1	1	.	1	.	.
	" 23,	16·8	4·8	7	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.
South City, No. 3. (Office, Peter-street.) Pop. in 1911 (Est.) 43,149.	Aug. 5,	18·1	7·3	15	.	.	.	2	.	.	.	.	1	.	.	.	1	3	.	1	.	.
	" 12,	24·2	7·3	20	.	.	.	1	.	.	.	.	4	2	2	.	1	4	.	1	1	.
	" 19,	24·2	8·5	20	.	.	.	.	.	1	.	.	3	1	1	1	2	3	.	3	.	.
	" 26,	27·8	8·5	23	1	.	.	.	1	.	1	.	5	.	.	1	2	2	1	1	1	.
	Sept. 2,	26·6	9·7	22	.	.	.	.	.	2	.	.	1	1	.	1	1	5	.	1	.	.
	" 9,	24·2	6·0	20	.	.	.	.	1	.	1	.	3	.	.	1	3	2	.	1	.	.
	" 16,	19·3	7·3	16	.	.	.	.	.	.	.	.	1	1	.	.	.	5	.	1	.	.
	" 23,	29·0	7·3	24	1	.	.	.	.	.	.	.	3	.	.	1	3	5	.	.	2	.
South City, No. 4. (Office, Grand Canal-st.) Pop. in 1911 (Est.) 35,816.	Aug. 5,	11·6	.	8	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
	" 12,	11·6	4·4	8	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1	.	.	.
	" 19,	29·1	10·2	20	.	.	.	.	.	1	.	.	2	.	1	1	2	6	.	.	1	.
	" 26,	16·0	5·8	11	.	.	.	.	.	1	2	.	.	1	1	.	.	.	1	.	2	1
	Sept. 2,	21·8	8·7	15	1	.	.	.	.	1	.	.	2	1	.	2	1	4	.	.	.	.
	" 9,	26·2	5·8	18	.	.	.	.	.	.	.	.	1	1	.	.	.	4	.	.	.	.
	" 16,	24·7	7·3	17	.	.	.	.	.	.	.	.	.	.	1	4	2	5	.	.	.	1
	" 23,	26·2	8·7	18	1	.	.	.	.	1	.	.	2	.	1	.	.	3	.	1	1	1

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes.	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa: Children under 2 years.	Diarrhœa: 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	Aug. 5,	16·3	5·4	12	.	.	.	.	1	.	.	.	1	1	.	.	.	2	.	1	1	1
	„ 12,	15·0	5·4	11	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	1	.	2
	„ 19,	20·4	1·4	15	.	.	.	.	.	.	.	.	3	2	2	.	1	1	.	.	2	2
	„ 26,	10·9	5·4	8	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	3	.	2
	Sept. 2,	17·7	5·4	13	.	.	.	1	.	.	.	.	.	.	2	1	2	1	2	.	.	2
	„ 9,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	1	.
	„ 16,	13·6	2·7	10	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.
	„ 23,	17·7	8·2	13	1	.	.	.	.	.	.	.	.	.	2	.	1	3	.	2	.	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	Aug. 5,	19·5	5·3	11	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	1	.	.
	„ 12,	8·9	.	5	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
	„ 19,	17·8	7·1	10	.	.	.	.	.	1	.	.	1	.	1	.	1	1	1	1	.	1
	„ 26,	19·5	8·9	11	.	.	.	.	.	2	.	.	1	.	.	1	.	1	.	2	.	.
	Sept. 2,	17·8	3·6	10	.	.	.	.	.	.	.	.	3	1	.	.	.	2	.	.	.	.
	„ 9,	12·4	1·8	7	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	2
	„ 16,	17·8	5·3	10	.	.	.	.	.	.	.	.	2	.	.	1	.	3	.	.	.	.
	„ 23,	14·2	7·1	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	1
Kingstown Urban District. Pop. in 1911 17,227.	Aug. 5,	12·1	3·0	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	„ 12,	24·2	3·0	8	.	.	.	.	.	.	.	.	2	.	1	3	.	1	.	.	.	.
	„ 19,	27·2	3·0	9	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 26,	18·2	3·0	6	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	1	.
	Sept. 2,	27·2	3·0	9	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	.	.
	„ 9,	57·5	.	19	.	.	.	.	.	.	.	.	3	.	2	2	1	.	.	.	.	.
	„ 16,	18·2	9·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.
	„ 23,	15·1	3·0	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Belfast. Pop. in 1911 (Est.) 386,449.	Aug. 5,	16·6	3·9	123	.	.	.	.	.	2	2	.	13	7	9	2	4	9	4	12	2	.
	„ 12,	16·3	6·1	121	1	.	.	.	1	1	.	.	9	3	4	3	5	19	4	19	2	1
	„ 19,	18·8	4·3	139	1	.	.	.	.	.	1	.	6	7	4	9	6	17	3	10	6	1
	„ 26,	17·8	4·9	132	2	.	.	.	.	1	.	.	19	5	1	3	5	15	5	13	4	2
	Sept. 2,	18·6	6·7	138	1	.	.	.	.	.	.	.	17	3	7	4	1	21	6	22	5	.
	„ 9,	19·7	6·5	146	2	.	.	.	1	1	.	.	11	7	4	7	9	26	7	11	3	.
	„ 16,	16·5	5·3	122	.	.	.	.	1	2	.	1	10	5	6	3	6	20	4	11	2	.
	„ 23,	20·2	6·7	150	.	.	.	.	.	2	.	.	8	8	8	6	9	27	1	20	1	1
Cork. Pop. in 1911 76,632.	Aug. 5,	15·6	2·0	23	.	.	.	.	.	1	.	.	.	4	3	.	1	1	.	1	1	2
	„ 12,	9·5	2·0	14	.	.	.	.	.	.	.	.	1	3	.	1	1	3	.	.	.	.
	„ 19,	12·9	2·0	19	.	.	.	.	.	.	.	.	2	1	.	1	1	3	.	.	.	.
	„ 26,	19·1	4·1	28	.	.	.	.	.	.	.	.	5	2	1	1	3	6	.	.	1	.
	Sept. 2,	24·5	4·1	35	.	.	.	.	.	.	.	.	5	1	4	.	1	6	.	.	1	1
	„ 9,	25·2	6·1	37	.	.	.	.	.	1	.	.	4	2	1	1	2	8	.	.	.	.
	„ 16,	19·7	5·4	29	.	.	.	.	.	.	.	.	7	.	1	2	2	5	.	3	.	.
	„ 23,	19·7	3·4	29	.	.	.	.	.	.	.	.	2	.	.	.	1	5	.	.	.	1
Londonderry. Pop. in 1911 40,799.	Aug. 5,	19·2	3·8	15	.	.	.	.	.	.	.	.	3	1	2	2	.	1	.	2	.	.
	„ 12,	11·5	1·3	9	.	.	.	.	.	.	.	.	4	1	.	.	.	1	.	.	.	.
	„ 19,	16·6	3·8	13	.	.	.	.	.	.	.	.	2	.	1	.	1	2	.	1	.	.
	„ 26,	14·1	2·6	11	.	.	.	.	.	1	.	.	1	1	1	.	1	1	.	.	1	.
	Sept. 2,	12·8	1·3	10	.	.	.	.	.	.	.	.	.	1	.	1	3	1	.	.	.	.
	„ 9,	16·6	1·3	13	.	.	.	.	.	.	.	.	1	.	1	1	2	1	.	.	.	.
	„ 16,	11·5	5·1	9	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.	.	.
	„ 23,	12·8	.	10	.	.	.	.	.	.	.	.	3	1	1	.	1	.	.	.	.	.
Limerick. Pop. in 1911 38,403.	Aug. 5,	12·2	.	9	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	2
	„ 12,	13·6	2·7	10	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1	1	.	.
	„ 19,	10·9	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	1
	„ 26,	25·8	8·1	19	1	.	.	.	.	.	.	.	.	1	2	.	.	3	1	1	.	2
	Sept. 2,	17·7	5·4	13	.	.	.	.	.	.	.	.	1	1	.	1	.	3	1	.	.	1
	„ 9,	17·7	2·7	13	.	.	.	.	.	.	.	.	1	1	1	.	2	2	.	.	1	.
	„ 16,	20·4	6·8	15	.	.	.	.	.	.	.	.	1	.	1	.	1	5	.	.	.	2
	„ 23,	23·1	1·4	17	.	.	.	.	.	.	.	.	4	.	2	.	2	1	.	.	.	.
Waterford. Pop. in 1911 27,430.	Aug. 5,	17·1	1·9	9	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1	.	.
	„ 12,	20·9	3·8	11	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	2	.	1
	„ 19,	22·8	5·7	12	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.	2
	„ 26,	13·3	3·8	7	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	2	.	.
	Sept. 2,	9·5	5·7	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1
	„ 9,	26·6	5·7	14	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	3	.	.
	„ 16,	20·9	9·5	11	.	.	.	.	.	.	.	.	1	.	1	2	1	1	.	4	.	.
	„ 23,	24·7	3·8	13	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	2	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 23rd September, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 25 years.	Ages at Death: 25 and under 45 years.	Ages at Death: 45 and under 65 years.	Ages at Death: 65 years and upwards.	Deaths from: Enteric Fever.	Deaths from: Typhus.	Deaths from: Small-pox.	Deaths from: Measles.	Deaths from: Scarlet Fever.	Deaths from: Whooping-cough.	Deaths from: Diphtheria.	Deaths from: Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Deaths from: Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa: Of children under 2 years of age.	Diarrhœa: 2 years of age and upwards.	Deaths from: *Enteritis* of children under 2 years.	Deaths from: Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	385,492	6	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		9	4	2	.	1	2	.	.	.	.	.	.	.	.	.	1	1	1	.	.	2	.	2	.	.	1	.
Do. 2 do.		26			16	5	2	.	2	5	2	.	.	.	.	.	2	.	.	1	.	1	.	.	4	1	.	.	1	1	.
Do. 3 do.		23			13	4	3	.	3	.	3	.	.	.	.	.	.	.	.	.	1	.	.	1	3	.	4	.	.	2	.
Do. 4 do.		22			20	9	2	3	2	2	2	.	.	.	.	.	.	.	.	2	1	.	2	3	5	.	2	.	.	6	1
Do. 5 do.		7			7	1	1	.	1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	2	.
Do. 6 do.		12			11	4	1	1	.	2	3	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	2	.	.	.	.
Do. 7 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		1			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		13			12	5	.	.	1	5	1	.	.	.	.	.	.	.	.	1	1	.	1	1	2	.	1	.	.	2	.
Do. 10 do.		12			19	5	3	3	3	3	2	.	.	.	.	.	.	.	.	1	1	1	2	1	4	.	.	.	1	2	.
Do. 11 do.		16			8	2	2	1	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1	1	1	1	.
Do. 12 do.		29			17	10	3	1	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	7	.	1	2	.
Do. 13 do.		6			5	1	.	1	.	1	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		10			12	3	.	2	2	2	3	.	.	.	.	.	.	.	.	1	1	1	1	.	2	.	1	.	.	3	.
Total,	—	184			150	53	19	12	15	31	20	.	.	.	.	.	2	.	.	8	8	8	6	9	27	1	20	1	4	22	1
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	76,632	7	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 2 do.		3			7	4	.	.	1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.
Do. 3 do.		5			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 4 do.		4			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do.		2			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 6 do.		4			4	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Do. 7 do.		4			13	2	.	2	.	5	4	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	4	.
Total,	—	29	19·7	3·4	29	9	1	3	1	5	10	.	.	.	.	.	.	.	.	2	.	.	.	1	5	.	.	.	.	7	1

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	April 1.	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.
No. of weeks in Annual Series,	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38
BIRTHS registered, ...	232	228	204	189	236	232	229	180	214	233	215	258	201	264	213	207	268	236	203	225	215	220	197	215	183	184
DEATHS registered, ...	138	172	161	154	160	109	120	123	123	125	115	107	82	116	92	123	121	105	123	121	139	132	138	146	122	150
Annual Death rate per 1,000 of estimated population, ...	18·1	22·5	21·1	20·2	20·9	14·3	15·7	16·1	16·1	16·4	15·5	14·4	11·1	15·7	12·4	16·6	16·3	14·2	16·6	16·3	18·8	17·8	18·6	19·7	16·5	20·2
AGES, Under 1 year, ...	26	36	24	23	23	19	19	25	22	18	19	23	16	18	11	25	32	38	39	45	44	36	52	49	43	53
1—5 years, ...	11	7	10	14	13	10	9	9	13	7	7	10	7	9	7	9	11	8	12	11	11	8	6	16	11	19
5—25 „ ...	11	14	17	13	21	13	17	15	17	14	14	16	7	16	15	16	14	11	7	14	15	18	11	10	8	12
25—45 „ ...	23	36	32	26	27	25	23	26	22	24	26	22	18	20	21	25	22	13	21	11	17	19	24	21	17	15
45—65 „ ...	38	45	37	39	46	22	29	31	27	34	20	20	20	37	25	29	23	17	23	23	28	31	27	29	21	31
65 and upwards, ...	29	34	41	39	30	20	23	17	22	28	29	16	14	16	13	19	19	18	21	17	24	20	18	21	22	20
Deaths from :—																										
Enteric Fever, ...	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2	1	2	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	1	.	.	.	.	1	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	.	1	1	.
Whooping-cough, ...	.	.	3	2	1	.	.	1	1	.	.	4	.	1	.	1	1	1	2	1	.	1	.	1	2	2
Diphtheria, ...	1	.	2	1	.	.	.	.	.	.	1	.	.	.	1	.	2	.	2	.	1	.	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Tuberculous Disease. Phthisis, ...	24	26	25	14	17	16	25	21	21	16	14	13	13	23	16	18	20	10	13	9	6	19	17	11	10	8
Tuberculous Disease. Other Forms,	8	8	4	11	15	12	7	10	12	11	6	10	2	2	5	8	6	5	7	3	7	5	3	7	5	8
Cancer, ...	4	5	5	6	12	3	6	1	4	6	8	6	6	7	4	6	3	3	9	4	4	1	7	4	6	8
Diseases of Respiratory System, Pneumonia,	16	13	19	23	18	10	10	13	6	11	9	9	5	5	7	2	4	6	2	3	9	3	4	7	3	6
Diseases of Respiratory System, Others, ...	19	26	29	34	16	20	15	19	11	18	18	13	10	8	11	14	10	3	4	5	6	5	1	9	6	9
Diarrhœa, Under 2 years, ...	.	1	.	.	.	.	1	1	2	1	.	1	1	2	1	6	10	14	9	19	17	15	21	26	20	27
Diarrhœa, 2 years & upwards	1	.	1	.	.	.	.	.	.	.	1	.	3	.	.	.	.	1	4	4	3	5	6	7	4	1
Enteritis, under 2 years, ...	2	1	2	2	1	1	1	3	3	4	2	.	1	1	1	3	8	9	12	19	10	13	22	11	11	20
Violent Deaths, ...	4	8	2	3	3	3	4	1	1	.	3	3	1	4	.	3	5	3	2	2	6	4	5	3	2	1
Number of Uncertified Deaths, ...	1	3	2	.	1	2	1	1	1	2	1	.	3	3	.	1	.	2	.	1	1	2	.	.	.	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	Sept. 23,	2,155	1,356	15·6	12	.	5	4	15	13	335*a*
Edinburgh, ...	320,829	„ 23,	139	93	15·1	.	.	.	1	.	.	10
Glasgow, ...	784,621	„ 23,	403	266	17·7	3	.	5	3	3	2	36
Calcutta, ...	890,493	Aug. 19,	.	440	25·6	63*	.	.	.	1	1	50‡
Bombay, ...	977,822	„ 19,	394	421	30·5	70*	2	.	.	.	.	76‡
Madras, ...	509,346	July 29,	396	352	35·9	63*	2	1	?	?	?	73‡
Cairo, ...	693,806	„ 22,	659	660	63·3	1	.	19	.	?	12	189*a*
Paris	2,846,986	Aug. 26,	825	825	15·6	10	.	10	3	10	6†	107*a*
Brussels, ...	739,684	Sept. 2,	216	177	12·4	1	.	2	.	2	.	50
Antwerp, ...	320,640	„ 2,	113	89	14·5	.	.	.	1	.	.	40*a*
Amsterdam, ...	577,346	„ 2,	251	145	13·1	.	.	.	1	5	1	27*a*
Copenhagen, ...	462,132	„ 2,	194	133	15·0	.	.	.	2	1	1	28*a*
Stockholm, ...	343,832	Aug. 26,	126	85	12·9	.	.	.	.	2	.	6
Christiania, ...	244,038	Sept 9,	105	52	11·1	.	.	1	1	.	.	8
St. Petersburg, ...	1,599,139	Aug. 19,	718	662	21·6	2	1	21	5	8	6	161*a*
Moscow, ...	1,493,600	„ 19,	.	780	27·2	6	1	26	11	3	8	272
Berlin, ...	2,065,458	„ 19,	778	756	19·1	.	.	2	5	16	12†	251
Hamburg, ...	920,490	Sept. 2,	.	297	16·8	1	.	.	3	4	12†	97
Breslau, ...	518,860	„ 2,	.	199	19·9	2	.	.	.	3	1	55
Munich, ...	597,000	„ 9,	.	173	15·1	.	.	1	.	2	3	52
Vienna (with suburbs),	2,047,968	„ 2,	862	605	15·4	1	.	4	1	1	6†	112*a*
Buda-Pesth, ...	891,585	„ 2,	411	331	19·3	8	.	3	10	.	5†	52*a*
Prague and Faubourgs,	508,310	„ 19,	177	179	18·3	1	.	.	1	.	.	18*a*
Trieste, ...	230,820	Aug. 26,	120	95	21·5	.	.	1	.	1	.	13‡
Rome, ...	602,068	„ 5,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	„ 22,	105	64	18·1	1	.	.	.	3	.	14
New York, ...	4,983,385	„ 12,	2,535	1,406	14·7	14	.	13	1	9	18†	222*a*
Philadelphia, ...	1,580,250	July 29,	.	457	15·0	8	.	4	1	2	6†	96*a*
Boston, ...	686,912	Sept. 2,	.	204	15·4	1	.	1	.	1	3	40

* Deaths from "fever," including 3 deaths from enteric fever in Calcutta, 5 from enteric fever and 20 from plague in Bombay, and 4 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 8 deaths from cholera in Calcutta, 3 in Bombay, and one in Trieste.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending September 23rd, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	1	1	.	.	.	3
" " 1, West, ...	.	3	.	.	.	.	.	1	.	.	.	.	4
" " 2, ...	.	2	.	.	.	.	.	2	2	.	.	.	6
" " 3, ...	.	9	.	.	.	.	.	2	.	.	.	1	12
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	4	1	.	2	.	.	13	3	.	.	5	28
" " 2, ...	.	1	.	.	2	.	.	2	.	.	.	.	5
" " 3, ...	.	2	1	.	.	.	.	6	.	.	.	.	9
" " 4, ...	.	2	.	.	1	.	.	6	.	.	.	3	12
New Kilmainham, ...	.	1	.	.	.	.	.	.	1	.	.	.	2
Total, ...	.	27	2	.	5	.	.	33	7	.	.	9	83

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 23rd September, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 23rd September.			
	Sept. 2.	Sept. 9.	Sept. 16.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	13	9	7	6	1	.	12
Scarlet Fever, ...	76	81	84	32	12	2	102*
Typhus, ...	2	.	1	1	.	.	2
Diphtheria, ...	30	33	38	12	15	.	35
Enteric Fever, ...	48	60	82	24	9	1	96
Pneumonia, ...	9	9	12	1	5	1	7

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 23rd September, 1911:—

"Weather of a distinctly autumnal character was experienced during this week. At the beginning the British Islands were covered with an anticyclone the isobar of 30·4 inches embracing the greater part of Ireland on Sunday. That day was cloudy and cool, moderate N. to N.W. winds prevailing. The thermometer had fallen to 38° in the screen at Bath in the course of the previous night. The anticyclone began to move south-eastwards on Monday, with the result that a warmer W. wind passed over Ireland and Scotland, sending the thermometer up to 70° at Aberdeen, 66° at Roche's Point, and 63° in Dublin. By Tuesday morning the high pressure system had reached France and Switzerland, and in the course of this day a large and rather deep depression spread quickly south-eastwards towards the British Islands and the North Sea from Iceland. The barometer fell fast, the wind backed to S.W., and rain fell generally—in large quantities at a few stations in the West of Ireland, Wales, and the Cornish Peninsula—Lerwick, in the Shetlands, and Malin Head reported fresh S.W. gales. At 7 a.m. of Wednesday the barometer read 29·18 inches at Thorshavn, in the Faeroe. Thunder and lightning occurred in the Isle of Man, over Wales and the North-west of England and at Oxford and Portland Bill. Sheet lightning was seen from Greystones, Co. Wicklow, before dawn and after dusk on this same day. On Thursday also thunder showers were reported from many parts of England. These electrical disturbances were connected with the development of several secondary depressions, which kept the weather in an unsettled showery condition until Friday, when a new and far-stretching primary cyclonic system and a V-shaped secondary arrived from the Atlantic. This disturbance was accompanied in Ireland by fresh to squally southerly winds, clouds, rain, and finally a temporary increase of temperature. In Dublin the mean height of the barometer was 29·812 inches, the range of pressure being from 30·409 inches at 9 p.m. of Sunday (wind, W.N.W.) to 29·368 inches at 9 p.m. of Wednesday (wind, W.). The corrected mean temperature was 53·5°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 53·2°. The screened thermometers fell to 41·7° on Thursday and rose to 66·1° on Saturday. Westerly winds were dominant. Rain fell on the last 5 days to the amount of ·247 inch, of which ·067 inch was measured on Friday. Hail fell on Wednesday, on which day also lightning was seen. Brooks's Comet was visible on clear evenings from Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·639 inches. The highest reading (30·229) was on Sunday at 9 p.m., air calm, and the lowest (29·201) on Wednesday at 9 p.m., air calm.

The mean temperature for the week was 52·2°, being 1·0° below the average for the corresponding period of the 9 years, 1901–2 and 1904–10. The temperature was highest on Saturday, on which day the thermometer registered 67·0°, and was lowest on Friday, the mercury having fallen to 37·5°. The mean of the Dry Bulb for the week was 53·1° and of the Wet Bulb, 50·0°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The rainfall during the week measured 0·248 inch.

At Greenwich the mean temperature for the week was 54·3°, the maximum 69·4°, and the minimum 37·7°; at Glasgow the maximum was 65·0°, the minimum 32·9°, and the mean 53·5°; and at Edinburgh the maximum was 63·5°, the minimum 40·1°, and the mean 53·9°. The rainfall at Greenwich measured 0·48 in.; and at Glasgow 0·30 in. There was no rainfall at Edinburgh.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, September 17,	30·221	57·6	45·1	51·4	52·8	51·1	·89	·6	0·1	·000	Calm.	Calm.
Monday, „ 18,	30·079	64·0	47·9	56·0	54·3	50·1	·74	·7	5·2	·000	W.S.W.	Calm.
Tuesday, „ 19,	29·562	60·2	47·3	53·8	58·6	54·3	·76	·6	1·7	·038	S.W.	S.W.
Wednesday, „ 20,	29·203	59·4	43·1	51·3	49·3	46·0	·79	·6	7·4	·000	W.S.W.	Calm.
Thursday, „ 21,	29·453	56·7	41·2	49·0	47·5	44·5	·80	·3	6·2	·090	W.	Calm.
Friday, „ 22,	29·518	54·7	37·5	46·1	53·0	50·1	·81	·4	0·0	·110	Calm.	S.E.
Saturday, „ 23,	29·436	67·0	48·2	57·6	55·9	53·8	·87	·4	0·8	·010	S.S.W.	Calm.
Mean, ...	29·639	59·9	44·3	52·2	53·1	50·0	·81	·5	Total 21·4	Total ·248	—	

Sunday—A dull day; night cloudy. *Monday*—Day cloudy, fine; night cloudy. *Tuesday*—A dull day, light showers 1.0 to 2.0 p.m., and 9.0 to 11.0 p.m.; night overcast, light showers 12 midnight to 4.0 a.m. *Wednesday*—Day cloudy, fine; night clear. *Thursday*—Day cloudy, heavy showers 11.20 to 11.35 a.m., and 2.0 to 2.20 p.m.; night clear. *Friday*—Day overcast, drizzling rain 12.45 to 3.30 p.m.; night cloudy, drizzling showers 4.30 to 6.20 a.m. *Saturday*—A dull day, drizzling rain 1.0 to 4.30 p.m.; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, September 23rd, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, September 17,	55·7	57·0	59·0	58·5	48·0	53·2	—	—
Monday, „ 18,	57·2	56·9	58·5	64·8	49·0	56·9	6·0	—
Tuesday, „ 19,	61·1	57·3	58·2	63·0	52·0	57·5	1·25	·03
Wednesday, „ 20,	57·0	57·3	58·0	60·5	40·5	50·5	6·5	·02
Thursday, „ 21,	51·0	56·0	58·0	58·0	40·0	49·0	6·0	·075
Friday, „ 22,	53·5	55·0	57·6	55·3	41·5	48·4	—	·065
Saturday, „ 23,	62·0	55·5	57·5	62·3	52·3	57·3	0·6	·035
Weekly Mean, .	56·8	56·4	58·1	60·3	46·2	53·3	Total 20·35	Total ·225

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31197. Wt. P.18 110–/138. 375. 9. 1911. Sch. C 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 30TH SEPTEMBER, 1911. [No. 39.

General Register Office, Charlemont House, Dublin, 2nd October, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Sept. 9	Week ending Sept. 16	Week ending Sept. 23	Week ending Sept. 30	Average Rate for 4 weeks.
22 Town Districts, ...	**22·1**	**19·4**	**20·1**	**18·0**	**19·9**
Armagh	27·5	6·9	13·7	13·7	15·5
Ballymena	27·5	27·5	13·8	4·6	18·4
Belfast	19·7	16·5	20·2	16·9	18·3
Clonmel	10·1	15·2	20·3	5·1	12·7
Cork	25·2	19·7	19·7	22·5	21·8
Drogheda	4·2	12·6	12·6	16·8	11·6
Dublin Reg. Area ...	27·1	23·2	22·6	19·9	23·2
Dundalk	7·9	4·0	27·8	7·9	11·9
Galway	3·9	7·9	19·7	35·4	16·7
Kilkenny	24·8	9·9	24·8	19·8	19·8
Limerick	17·7	20·4	23·1	23·1	21·1
Lisburn	25·7	30·0	8·6	12·9	19·3
Londonderry	16·6	11·5	12·8	19·2	15·0
Lurgan	8·6	43·0	21·5	4·3	19·4
Newry	17·4	30·5	4·4	21·8	18·5
Newtownards	5·7	34·3	28·6	11·4	20·0
Portadown	26·7	22·2	8·9	.	14·5
Queenstown	13·2	26·4	6·6	13·2	14·9
Sligo	14·0	4·7	4·7	4·7	7·0
Tralee	10·6	5·3	10·6	21·1	11·9
Waterford	26·6	20·9	24·7	11·4	20·9
Wexford	31·9	13·7	9·1	22·8	19·4

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 4·3 per 1,000, the rates varying from 0·0 in eleven of the districts to 10·6 in Tralee, the 4 deaths from all causes for that district including 2 from diarrhœa and *enteritis* under 2 years. Among the 125 deaths from all causes for Belfast are 2 from scarlet fever, one from whooping-cough, one from diphtheria, and 24 from diarrhœa and *enteritis* under 2 years. Of the 33 deaths from all causes for Cork one is from diphtheria and 8 from diarrhœa under 2 years. The 15 deaths from all causes for Londonderry include one from scarlet fever and 3 from diarrhœa and *enteritis* under 2 years. Of the 17 deaths from all causes for Limerick 3 are from diarrhœa under 2 years. Among the 6 deaths from all causes for Waterford 4 are from diarrhœa under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 265—145 boys and 120 girls—and the deaths to 161—85 males and 76 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·9 per 1,000 of the population. During the thirty-nine weeks ending with Saturday last the death-rate averaged 21·6, and was 0·9 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 161, represent an annual rate of 20·8 per 1,000; the annual rate for the past thirty-nine weeks was 22·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·5 per 1,000 of the mean population for all deaths registered.

The total number of deaths registered (161) includes 6 from enteric fever, one from scarlet fever, one from whooping-cough, 28 from diarrhœa and *enteritis* of children under 2 years of age, and one death from diarrhœa of a person above 2 years of age. In the 3 preceding weeks deaths from enteric fever numbered 0, 2, and 3; deaths from scarlet fever were one, one, and 3; deaths from whooping-cough were 4, 3, and 3, and deaths from diarrhœa and *enteritis* of children under 2 years old were 45, 46, and 44.

Tuberculous disease, which in the three weeks preceding caused 34, 26, and 14 deaths, in the week under notice caused 19 deaths. The total includes 14 from pulmonary tuberculosis, 4 from tuberculous meningitis, and one from disseminated tuberculosis.

Broncho-pneumonia and lobar pneumonia each caused one death, and *pneumonia* (type not distinguished) caused 2 deaths.

There were 8 deaths from cancer.

Convulsions caused the deaths of 4 children under 5 years of age, of whom 3 were under one year old.

The deaths of 16 persons were caused by organic diseases of the heart and 9 deaths were due to bronchitis.

The deaths of 4 infants were ascribed to premature birth and 6 to congenital debility.

Accidental violence caused 7 deaths, including 3 by burns or scalds and 2 by drowning.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year of age.

Sixty-nine of the persons whose deaths were registered during the week were under 5 years of age (47 being infants under one year, of whom 15 were under one month old) and 27 were aged 65 years and upwards, including 24 persons aged 70 and upwards; among the latter were 16 aged 75 years and upwards.

Fifty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse, 8 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·9 per 1,000; the rate in the City was 22·7 (North City Districts, 24·7; South, 20·7) and in the Suburbs, 10·5.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 4·8 per 1,000 inhabitants, the rate for the City being 5·7 (5·3 in the North City Districts, and 6·2 in the South), and for the Suburbs, 1·7 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 24·5 per 1,000, and include one death from whooping-cough, 3 from diarrhœa and *enteritis* under 2 years, one from broncho-pneumonia, and one by accidental drowning.

No. 1 North City District, West (Summer-hill).—The deaths (25) are equal to an annual rate of 32·7 per 1,000. Enteric fever caused one death, diarrhœa and *enteritis* under 2 years caused 5 deaths; there were 4 deaths from tuberculous disease, one from lobar pneumonia, and one from accidental scalds.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27·2 per 1,000. Included in the total are one death from enteric fever, 2 deaths from diarrhœa under 2 years, 2 from tuberculous disease, and 2 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (13) represent an annual rate of 20·2 per 1,000, and include one from diarrhœa under 2 years, 2 from pulmonary tuberculosis, and 3 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 4·5; and Finglas and Glasnevin, part of, 27·2. The only death from any of the principal epidemic diseases was one from diarrhœa under 2 years for Finglas and Glasnevin, part of. Of the 2 deaths for Clontarf and Howth, No. 1, part of, one was from *pneumonia* (type not distinguished).

No. 1 South City District (South Earl-street).—The deaths (20) represent an annual rate of 25·2 per 1,000. Enteric fever caused one death, diarrhœa and *enteritis* under 2 years caused 7 deaths, bronchitis caused one death, and there were 3 deaths from tuberculous disease.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 21·6 per 1,000. The total includes one death from pulmonary tuberculosis.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 24·2 per 1,000. Included in the total are one death from enteric fever, one from scarlet fever, 6 from diarrhœa and *enteritis* under 2 years, 4 from tuberculous disease, 2 from bronchitis, and 2 accidentally caused by burns or scalds

No. 4 South City District (Grand Canal Street).—The deaths (10) are equivalent to an annual rate of 14·6 per 1,000, and include 2 from enteric fever, 2 from pulmonary tuberculosis, one from *pneumonia* (type not distinguished), and one from bronchitis.

New Kilmainham District.—The one death for this district is equal to an annual rate of 5·8 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 10·9; Pembroke, 7·1; Blackrock, 5·7; and Kingstown, 18·2. The only deaths from the principal epidemic diseases tabulated for these districts comprise one from *enteritis* under 2 years for Rathmines and Rathgar, and 2 from diarrhœa and *enteritis* under 2 years for Kingstown. The 8 deaths from all causes for Rathmines and Rathgar include one accidental death. Of the 4 deaths from all causes for Pembroke one was from pulmonary tuberculosis and one was caused accidentally.

* See note (*c*), Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 30th September, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Sept. 9,	.	—	—	17	.	.	10	.	1	16	7	1	—	—	.	—	7	—	59
	Sept. 16,	.	—	—	22	.	.	18	.	.	26	10	.	—	—	.	—	12	—	88
	Sept. 23,	.	—	—	27	2	.	5	.	.	33	7	.	—	—	.	—	9	—	83
	Sept. 30,	.	—	—	25	.	.	8	.	2	33	9	.	—	—	.	—	4	—	81
Rathmines and Rathgar Urban District.	Sept 9,	.	—	—	.	.	.	3	.	.	2	.	.	.	—	—	—	—	—	5
	Sept. 16,	.	—	—	.	.	.	2	.	.	1	1	.	.	—	—	—	—	—	4
	Sept. 23,	.	—	—	.	.	.	.	.	.	1	2	.	.	—	—	—	—	—	3
	Sept. 30,	.	—	—	.	.	.	1	.	.	.	.	.	.	—	—	—	—	—	1
Pembroke Urban District.	Sept. 9,	.	1	.	.	.	.	1	.	.	.	.	.	.	3	.	—	.	—	5
	Sept. 16,	.	.	.	1	.	.	.	.	.	.	.	.	.	4	.	—	.	—	5
	Sept. 23,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	—	.	—	.
	Sept. 30,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	—	.	—	2
Blackrock Urban District.	Sept. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 23,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
	Sept. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Sept. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Sept. 16,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	—	—	.	—	2
	Sept. 23,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	—	—	.	—	2
	Sept. 30,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	1	—	3
City of Belfast.	Sept. 9,	.	—	—	10	.	.	5	.	.	2	5	.	—	—	.	—	10	—	32
	Sept. 16,	.	—	—	12	.	.	7	.	1	5	6	.	—	—	.	—	4	—	35
	Sept. 23,	.	—	—	16	.	.	3	1	2	2	1	.	—	—	.	—	3	—	28
	Sept. 30,	.	—	—	24	.	.	13	.	.	8	3	.	—	—	.	—	8	—	56

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 30th September, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Four cases of measles were admitted to hospital during the week, 5 were discharged, and 11 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 9, 7, and 12, respectively.

Thirty-one cases of scarlet fever were admitted to hospital, 21 were discharged, there was one death, and 111* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 81, 84, and 102, respectively.

Two cases of typhus remained under treatment in hospital at the close of the week.

Eleven cases of diphtheria were admitted to hospital during the week, and 7 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 33, 38, and 35, respectively, were 39 at the close of last week.

Thirty-six cases of enteric fever were admitted to hospital during the week, 12 were discharged there were 2 deaths, and 118 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 60, 82, and 96.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, there was one death, and 14 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 15·5) was equal to an average annual death-rate of 15·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 15·3 per 1,000, the rate for Glasgow being 14·3 and for Edinburgh 17·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 30th September. From this Report it appears that of a total of 69 cases notified, 29 were scarlet fever, 21 phthisis, 12 diphtheria, 5 erysipelas, and 2 enteric fever. Among the 296 cases of infectious diseases in hospital at the close of the week were 152 cases of scarlet fever, 53 of phthisis, 43 of diphtheria, 23 of whooping-cough, 7 of erysipelas, 5 of chicken-pox, 3 of enteric fever, and 2 of measles.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 30th September, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	From certain Epidemic Diseases. (b)	Births.	Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 30th September, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 23rd September, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 16th September, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
Total of 22 Town Districts, ...	1,149,495	20·2	30·4	18·0	4·3	669	396	119	80	6	...	...	...	4	2	2	...	33	14	19	16	26	53	5	23	9	13	113	14	°	°	°		°	°	°		°	°	°	
Dublin Registration Area:— Total, (c.) ...	403,732	29·3	34·2	19·9	4·8	265	154	45	26	6	...	...	...	1	1	...	...	14	5	6	4	10	19	1	9	6	6	51	5	...	...	...	...	...	...	...	...	...	...	...	...
City of Dublin.	309,738	39·2	38·0	22·7	5·7	226	135	39	18	6	...	...	...	1	1	..	...	13	5	5	4	10	18	1	7	4	4	47	4	e63·0	38·6	50·8	0·68	e67·0	37·5	52·2	0·25	e72·8	35·3	52·9	0·32
Urban Districts. Rathmines and Rathgar.	38,330	22·4	17·7	10·9	1·4	13	8	2	4	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	1	1	1	2	...	f63·8 g63·8	42·2 39·0	52·7 51·0	0·56 0·74	f66·1 g66·3	41·7 34·8	53·5 52·3	0·25 0·28	f72·2 g74·5	41·8 36·0	55·7 54·4	0·13 0·34
Pembroke, ...	29,347	18·5	30·2	7·1	.	17	4	...	2	...	...	...	...	...	...	...	...	1	..	1	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,090	8·4	11·5	5·7	.	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,227	11·8	21·2	18·2	6·1	7	6	4	2	...	...	...	...	...	...	...	...	..	...	...	...	...	1	...	1	...	...	1	1	64	45	54·1	0·53	66	44	55·3	0·16	72	45	55·8	0·09
Urban Districts. Belfast ...	386,419	26·3	24·8	16·9	4·0	184	125	35	24	...	...	...	...	2	1	1	...	8	5	6	8	4	15	2	9	2	6	29	1	65·0	39·0	51·2	0·98	65·0	36·0	53·3	0·48	67·0	42·0	55·5	0·07
Cork, ...	76,632	33·8	30·0	22·5	6·1	44	33	14	4	...	...	...	...	...	...	1	...	2	...	1	1	3	8	...	...	...	...	12	3	62	45	54·7	3·29	64	46	54·6	0·63	70	44	56·7	0·65
Londonderry ...	40,799	18·9	32·0	19·2	6·4	25	15	4	5	...	...	...	...	1	...	...	...	...	1	...	...	2	1	1	2	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,403	18·2	59·7	23·1	5·4	44	17	7	1	...	...	...	...	...	...	...	...	1	1	...	1	...	3	1	...	...	...	5	2	62·6	38·1	51·1	0·94	65·1	39·2	52·3	1·11	70·2	38·5	55·4	0·70
Waterford, ...	27,430	19·1	26·6	11·4	7·6	14	6	4	1	...	...	...	...	...	...	...	...	1	...	1	...	...	4	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,249	2·5	31·5	35·4	.	8	9	...	6	...	...	...	...	...	...	...	...	2	..	1	...	2	...	...	...	1	1	3	2	63	42	53·5	0·64	63	40	52	0·70	75	43	56	0·00
Dundalk, ...	13,128	9·5	27·8	7·9	.	7	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,425	8·4	42·0	16·8	4·2	10	4	1	...	...	...	...	...	...	...	..	...	...	...	...	1	...	1	...	...	...	...	...	...	...	62·1	40·8	50·7	0·80	65·0	40·3	53·5	0·34	67·1	41·4	54·3	0·34
Newry, ...	11,956	17·2	30·5	21·8	4·4	7	5	1	4	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	62·1	40·8	50·7	0·80	65·0	40·3	53·5	0·34	67·1	41·4	54·3	0·34
Lurgan, ...	12,135	14·3	21·5	4·3	.	5	1	...	1	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	62·1	40·8	50·7	0·80	65·0	40·3	53·5	0·34	67·1	41·4	54·3	0·34
Lisburn, ...	12,172	10·7	21·4	12·9	.	5	3	1	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Wexford, ...	11,455	23·8	22·8	22·8	4·6	5	5	1	3	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena, ...	11,376	9·3	.	4·6	.	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	63·0	39·8	49·9	0·71	64·8	36·0	51·0	1·09	70·6	41·0	55·5	0·36
Sligo, ...	11,163	3·8	18·7	4·7	.	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	63	32	50·0	1·42	65	38	51·7	0·70	73	40	54·4	0·24
Kilkenny, ...	10,513	11·4	9·9	19·8	.	2	4	...	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Clonmel, ...	10,277	7·9	45·7	5·1	.	9	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	62·1	40·8	50·7	0·80	65·0	40·3	53·5	0·34	67·1	41·4	54·3	0·34
Portadown, ...	11,727	15·3	53·4	.	.	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Tralee, ...	9,867	16·6	37·0	21·1	10·6	7	4	3	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	1	...	...	1	...	63	41	50·1	0·54	66	39	53·0	0·83	69	47	55·4	0·16
Newtownards,	9,110	18·9	28·6	11·4	5·7	5	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	1	...	62	45	54·7	3·29	64	46	54·6	0·63	70	44	56·7	0·65
Queenstown, ...	7,909	14·4	6·6	13·2	.	1	2	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	62·1	40·8	50·7	0·80	65·0	40·3	53·5	0·34	67·1	41·4	54·3	0·34
Armagh, ...	7,588	22·2	41·2	13·7	.	6	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...													

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 7 deaths of persons (including 2 under one year old and one at 71 years), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 30th of September, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	1	1	.	.	.	.	1	.	1	2	.	.	.	.	.	6	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Whooping-cough,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	.	3	.	2	.	.	.	2	1	3	2	.	.	1	.	.	14	.
Tuberculous Disease. — Other Forms,	.	1	2	.	.	.	.	1	.	1	.	.	.	.	.	.	5	.
Cancer,	.	1	1	.	.	.	.	1	2	.	.	.	.	1	.	.	6	2
Diseases of Nervous System,	3	1	1	.	.	.	1	1	.	3	.	.	1	1	.	1	13	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	.	3	3	.	.	1	.	4	1	1	.	1	.	1	1	17	.
" Respiratory System. — Pneumonia,	1	1	.	.	1	.	.	.	.	.	1	.	.	.	.	.	4	.
" Respiratory System. — Others,	1	.	2	3	.	.	.	1	.	2	1	.	.	.	.	.	10	.
" Digestive System. — Diarrhœa, under 2 years,	1	4	2	1	.	.	1	4	.	5	.	.	.	.	.	1	19	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. — *Enteritis*, under 2 years,	2	1	.	.	.	.	.	3	.	1	.	.	1	.	.	1	9	.
" Digestive System. — Enteritis, 2 years and upwards,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.
" Digestive System. — Others,	1	2	2	1	.	.	.	2	.	.	.	.	3	.	.	.	11	1
" Genito-urinary System,	.	1	1	.	.	.	.	1	.	.	1	.	.	.	.	.	4	1
Puerperal Septicæmia, etc.,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy & Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	4	.	3	.	1	.	3	2	.	1	1	1	.	.	1	18	2
Violent Deaths,	1	1	.	.	.	.	.	.	.	2	.	.	1	1	.	.	6	1
Ill-defined, &c. Causes,	.	2	.	.	1	.	1	.	.	.	1	.	.	.	.	.	5	.
Deaths from All Causes	14	25	16	13	2	1	4	20	9	20	10	1	8	4	1	6	154	7
Annual Rate of Mortality from All Causes in every 1,000 of the population.	24·5	32·7	27·2	20·2	19·4	4·5	27·2	25·2	21·6	24·2	14·6	5·8	10·9	7·1	5·7	18·2	19·9	.
	24·7							20·7					10·5					
	22·7																	
Ages at Death. — Under 1 year,	4	7	5	4	1	.	1	8	.	6	2	1	2	.	.	4	45	2
1 and under 2 years,	2	4	.	2	.	.	.	3	.	3	.	.	.	.	.	.	14	.
2 " 5 "	1	3	1	.	.	.	.	.	.	2	.	.	.	1	.	.	8	.
5 " 15 "	.	.	3	1	1	.	.	.	.	1	1	.	.	1	.	.	8	.
15 " 25 "	.	.	1	.	.	.	.	1	1	1	.	.	.	.	.	.	4	2
25 " 45 "	4	5	2	1	.	.	1	2	1	2	2	.	1	.	.	.	21	1
45 " 65 "	.	5	4	2	.	.	1	3	4	3	4	.	1	.	1	.	28	1
65 and upwards,	3	1	.	3	.	1	1	3	3	2	1	.	4	2	.	2	26	1
Number of Uncertified Deaths,	.	.	.	.	.	.	1	.	1	1	1	.	.	.	.	1	5	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	4	7	4	1	1	.	1	2	1	5	3	1	2	1	.	.	33	6
Workhouse Hospitals,	1	3	2	4	.	.	.	4	.	1	2	.	.	.	.	1	18	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 39th Week of the 10 years 1901–1910.	In the Week ending Saturday, 30th September, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Sept. 28, 1901.	Sept. 27, 1902.	Oct. 3, 1903.	Oct. 1, 1904.	Sept. 30, 1905.	Sept. 29, 1906.	Sept. 28, 1907.	Sept. 26, 1908.	Oct. 2, 1909.	Oct. 1, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 57·0	° 55·5	° 56·8	° 50·6	° 49·4	° 50·4	° 56·9	° 52·5	° 53·6	° 54·2	° 53·7	° 50·8										
ALL CAUSES.	133	213	139	146	168	184	143	164	144	164	159·8	161	15	32	14	8	8	6	22	29	11	16
Enteric Fever, ...	3	8	2	2	2	1	.	1	1	.	2·0	6	.	.	.	.	1	.	5	.	.	.
Typhus, ...	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	10	.	.	.	.	1	5	.	.	1·6	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	3	.	.	.	.	.	.	.	.	·4	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	1	1	.	1	.	5	1	1	2	2	1·4	1	.	.	1	.	.	.	.	.	.	.
Diphtheria, ...	.	5	.	.	.	.	1	.	1	2	·9	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	.	.	1	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	2	1	1	.	.	1	1	.	2	1·1	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	1	1	.	.	.	.	.	.	·2	1	.	1	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	2	1	1	1	.	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	3	.	1	1	.	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	17	20	19	11	23	19	19	24	15	18	18·5	14	.	.	2	.	1	2	3	6	.	.
Tuberculous Meningitis, ...	3	4	2	4	.	4	9	2	1	3	3·2	4	.	2	.	1	1	.	.	.	.	.
Abdominal Tuberculosis, ...	11	1	3	1	1	2	2	3	3	.	2·7	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	2	7	10	7	9	8	3	5	3	8	6·2	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												1	.	.	.	.	1	.	.	.	.	.
Venereal Diseases, ...	.	.	.	2	1	3	1	1	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	4	4	4	8	5	6	7	6	7	11	6·2	8	.	.	1	.	.	.	1	3	2	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	2	1	.	.	.	.	.	.	.	·3	1	.	.	.	.	.	.	1	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	1	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	.	1	.	1	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	2	1	.	.	.	.	2	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												1	.	1	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												2	.	.	.	.	.	.	1	1	.	.
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												4	.	.	.	.	.	.	1	2	.	1
Epilepsy, ...												1	.	.	.	.	.	.	1	.	.	.
Convulsions (non-puerperal),												4	1	2	.	1	.	.	.	.	.	.
Other Diseases of Nervous System.	21	43	28	29	39	28	25	34	39	33	31·9	1	.	.	.	.	.	.	1	.	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,												16	.	.	.	.	1	2	1	6	2	4
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												1	.	.	.	.	.	.	.	.	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	12	16	11	8	16	13	11	11	15	10	12·3	9	.	.	.	.	.	.	.	4	1	4
Broncho-pneumonia,		2	8	1	5	3	1	2	6	6		1	.	.	1	.	.	.	.	.	.	.
Lobar-pneumonia, ..	7	.	.	.	3	3	.	3	1	.	8·8	1	.	.	.	1	.	.	.	.	.	.
Pneumonia (type not distinguished)		5	3	4	9	6	4	5	6	.		2	.	.	.	.	1	.	.	1	.	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	4	1	.	1	1	2	2	3	2	1·7	1	.	.	.	.	.	.	.	.	.	1
Other Diseases of Respiratory System.												.	.	.	.	.	.	.	.	.	.	.

THIRTY-NINTH WEEK ending Saturday, 30th September, 1911, with, as far as practicable, the deaths from each cause in 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 39th Week of the 10 years 1901–1910.	In the Week ending Saturday, 30th September, 1911.										
													Deaths of Persons of the Ages of									
	Sept. 28, 1901.	Sept. 27, 1902.	Oct. 3, 1903.	Oct 1, 1904.	Sept. 30, 1905.	Sept. 29, 1906.	Sept. 28, 1907.	Sept. 26, 1908.	Oct. 2, 1909.	Oct. 1, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 57·0	° 55·5	° 56·8	° 50·6	° 49·4	° 50·4	° 56·9	° 52·5	° 53·6	° 54·2	° 53·7	° 50·8										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	5	.	3	.	.	.	.	1	.	.	1
Diarrhœa of Children under 2 years.	12	19	3	16	9	31	17	12	5	27	15·1	19	3	11	5	.	.	.	.	.	.	.
„ 2 years and upwards,												1	.	.	.	1	.	.	.	.	.	.
Enteritis of Children under 2 years.	1	6	2	5	3	11	10	4	4	7	5·3	9	.	8	1	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												2	.	.	.	1	.	.	.	.	1	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	.	.	1	.	2	.	.
Cirrhosis of Liver, ...	2	1	.	.	1	.	2	2	.	2	2·3	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Liver, ...		4	2	1	1	1	.	2	.	2		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	1	.	1	1	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	4	8	5	6	7	9	6	6	5	2	5·8	2	.	.	2	.	.	.	.	.	.	.
Acute Nephritis, ...												1	.	.	.	.	1	.	.	.	.	.
Chronic Bright's Disease, ...												1	.	.	.	.	.	.	.	.	1	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	9	2	11	12	2	3	3	9	4	6	6·1	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												3	1	.	.	.	.	.	.	2	.	.
Puerperal Septicæmia, &c., ...	1	.	.	.	1	.	.	1	.	.	·3	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	.	.	.	.	.	1	2	2	1	·7	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	1	.	1	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	2	3	3	3	3	4	1	2	5	4	3·0	4	4	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	6	2	3	1	.	.	.	.	.	.	.
Old Age, ...	4	2	3	3	5	6	1	2	2	2	3·0	5	.	.	.	.	.	.	.	.	1	4
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	.	.	.	1	.	.	1	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	1	2	.	1	1	.	.	.	1	.	·6	3	.	.	.	2	1	.	.	.	.	.
By Drowning, ...	.	.	.	.	2	.	1	.	.	.	·3	2	.	.	.	.	.	1	1	.	.	.
By Suffocation in Bed, ...	.	.	.	.	1	1	1	2	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	3	5	4	2	.	2	.	.	2	1·9	2	.	.	.	.	.	.	1	.	1	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	1	.	.	.	1	.	.	2	.	·4	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	5	2	.	.	.	.	.	1	2	.	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.
No. of weeks in Annual Series,	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
BIRTHS registered.	198	171	174	259	260	242	226	246	261	228	232	185	324	190	190	294	233	198	210	233	218	198	212	201	182	265
Average Births in corresponding week of previous 10 years, ...	202	210	223	199	268	231	210	204	238	226	207	224	237	205	204	208	221	217	208	217	216	207	235	209	212	247
DEATHS registered, ...	191	174	196	181	176	170	129	158	150	149	159	127	155	120	172	162	186	153	169	199	162	210	219	189	183	161
Annual Death-rate per 1,000, ...	24·5	22·3	25·1	23·2	22·5	21·8	16·5	20·2	19·2	19·2	20·5	16·4	20·0	15·5	22·2	20·9	24·0	19·8	21·8	25·7	20·9	27·1	28·3	24·4	23·6	20·8
Average Deaths in corresponding week of previous 10 years, ...	199	195	197	190	177	178	171	169	154	151	149	148	134	140	141	144	147	145	146	154	162	153	156	152	167	160
Ages, Under 5 years, ...	54	63	54	50	56	48	40	37	43	34	42	44	56	43	41	51	88	73	72	94	80	94	93	82	77	69
5—15 " ...	17	4	5	11	14	7	6	14	10	8	4	9	10	4	13	6	5	6	8	5	8	5	8	4	6	8
15—25 " ...	10	10	14	7	6	8	9	11	9	9	13	2	7	7	11	10	6	6	4	7	7	12	7	7	7	6
25—45 " ...	33	25	31	33	15	35	21	21	29	26	32	18	20	19	31	26	21	22	19	31	19	23	26	30	26	22
45—65 " ...	44	43	45	35	30	38	36	39	29	33	31	34	28	20	33	37	29	21	40	37	28	38	37	35	33	29
65—75 " ...	27	19	29	25	34	19	10	24	17	26	18	13	16	15	24	18	24	15	14	11	9	21	28	17	22	11
75 and upwards, ...	6	10	18	20	21	15	7	12	13	13	19	7	18	12	19	14	13	10	12	14	11	17	20	14	12	16
Deaths from :—																										
Enteric Fever, ...	3	1	1	.	1	1	1	1	1	.	.	1	.	1	3	2	1	2	2	2	1	2	.	2	3	6
Typhus, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	7	11	5	8	17	4	6	3	4	2	8	7	4	7	3	7	5	2	.	1	1	.	1	.	.
Scarlet Fever, ...	1	4	1	.	1	1	.	2	2	2	.	.	.	1	3	.	2	1	3	.	1	.	1	1	3	1
Whooping-cough, ...	3	6	.	2	3	2	4	1	4	1	3	2	2	.	1	4	3	4	1	3	6	7	4	3	3	1
Diphtheria, ...	4	3	4	1	2	3	1	.	1	4	1	4	2	2	3	2	1	.	.	1	5	1	2	3	.	.
Influenza, ...	2	.	3	.	3	2	1	2	.	.	1	.	1	1	1	2	1	.	1	.	.	1	2	.	.	.
Dysentery, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	29	21	33	22	21	17	25	22	22	25	23	7	21	7	20	17	17	16	13	19	15	22	22	19	12	14
Tuberculous Disease, Other Forms,	10	3	8	10	6	6	6	9	9	8	7	11	6	7	12	10	15	9	5	9	4	10	12	7	2	5
Cancer, ...	11	8	7	9	6	5	6	11	9	12	10	7	8	12	4	10	6	5	11	7	6	10	10	10	9	8
Diseases of Circulatory System,	23	14	15	24	17	23	7	19	12	12	23	14	22	16	22	20	15	10	13	13	8	13	15	16	16	17
Diseases of Respiratory System, Pneumonia,	18	19	16	18	22	15	12	6	10	8	9	8	9	9	10	8	12	1	8	3	6	12	5	10	4	4
Diseases of Respiratory System, Others, ...	24	26	26	16	34	20	15	14	15	16	17	9	17	6	11	10	13	3	8	13	7	5	14	12	12	10
Diarrhœa, Under 2 years, ...	3	2	1	2	2	1	2	1	6	.	3	3	.	1	3	9	27	20	29	37	25	38	31	37	32	19
Diarrhœa, 2 years & upwards,	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	5	1	6	7	10	7	4	1	3	1
Enteritis, under 2 years, ...	3	3	2	2	2	.	1	1	4	1	1	1	3	3	2	2	7	9	12	12	13	14	14	9	12	9
Violent Deaths, ...	6	1	7	9	3	.	1	5	2	3	6	5	2	6	7	2	5	2	2	8	5	3	4	2	7	7
Number of Uncertified Deaths,	1	1	2	8	4	3	1	5	4	3	4	.	5	9	5	2	3	3	7	7	7	7	5	6	5	5
Mean Temperature of the Air (Phœnix Park)	39·4	43·7	50·5	50·5	49·6	52·6	49·5	55·3	56·2	55·6	52·6	56·2	55·5	59·6	60·9	62·9	62·7	62·5	60·8	61·2	59·7	59·1	57·5	52·9	52·2	50·8
Average Mean Temperature in corresponding week of previous 10 years, ...	44·1	43·1	45·1	46·2	46·7	48·1	49·1	50·9	53·7	53·5	53·6	55·5	56·5	57·5	58·5	59·8	58·2	58·6	58·5	57·5	56·5	56·3	54·5	52·8	53·2*	53·7
Rainfall in inches, ...	·131	·000	·501	·606	·780	·127	·262	·010	·000	·000	·605	·782	·166	·018	·000	·316	1·860	·430	·170	·010	·338	·405	·020	·320	·248	·680
Mean Humidity of the Air, complete Saturation 1·0, ...	·86	·86	·89	·91	·93	·94	·92	·89	·89	·88	·86	·91	·91	·92	·84	·92	·92	·92	·82	·82	·82	·78	·85	·83	·81	·83

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 30th September, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 30TH SEPTEMBER, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa. Of children under 2 years of age.	Diarrhœa. 2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	161	69	8	6	22	29	11	16	6	.	.	.	1	1	.	.	14	5	8	4	4	10	19	1	9	7	72	5
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	9·0	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	13·2	22	2	1	2	4	3	3	7	1	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	1	2	13	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	20·8	44	19	3	1	5	8	2	6	.	.	.	.	.	.	.	.	5	2	.	2	.	4	8	.	2	2	19	1
IV.	GENERAL SERVICE CLASS, ...	154,279	24·7	73	44	3	2	10	9	3	2	5	.	.	.	1	1	.	.	4	3	5	2	2	2	11	1	4	3	29	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	19	4	1	1	3	7	2	1	.	.	.	.	.	.	.	.	3	.	2	.	1	3	.	.	2	.	8	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	6·7	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	9·5	4	.	1	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	1	.
	6. Clerks and Commercial Assistants, ...	30,432	8·6	5	1	.	.	2	1	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	19·3	10	.	.	1	1	.	2	6	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	8	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	26·4	5	2	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	3	.
	9. Building and Furnishing Trades, ...	29,801	26·2	15	9	.	1	.	2	1	2	.	.	.	.	.	.	.	.	2	1	.	.	.	3	3	.	1	.	5	.
	10. Clothing Trades, ...	23,260	9·0	4	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	2	.
	11. Food Supply Trades, ...	9,242	5·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	25·8	15	6	1	.	3	3	.	2	.	.	.	.	.	.	.	.	1	.	.	2	.	1	2	.	1	.	8	1
	13. Petty Shopkeepers, ...	7,894	26·4	4	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	15·5	4	.	.	.	1	2	.	1	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	1	.
	15. Domestic Servants, ...	36,603	2·8	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	29·0	8	4	1	.	3	.	.	.	2	.	.	.	.	1	.	.	.	1	2	.	.	.	1	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	34·2	59	39	2	2	6	6	3	1	3	.	.	.	1	.	.	.	3	1	1	2	2	2	10	1	4	3	26	3
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	19	4	1	1	3	7	2	1	.	.	.	.	.	.	.	.	3	.	2	.	1	3	.	.	2	.	8	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 29,854.	Aug. 12,	27·9	10·5	16	.	.	.	.	.	.	.	.	1	.	1	2	1	3	1	2	.	1
		„ 19,	24·5	7·0	14	.	.	.	.	.	.	.	.	.	.	1	.	3	3	.	1	.	1
		„ 26,	19·2	14·0	11	.	.	.	.	.	1	.	.	1	.	.	1	.	4	1	2	.	1
		Sept. 2,	29·7	10·5	17	.	.	.	.	.	1	.	.	2	2	2	.	.	3	1	1	1	.
		„ 9,	33·2	12·2	19	.	.	.	.	.	.	.	.	1	.	.	.	3	3	1	3	1	.
		„ 16,	34·9	15·7	20	.	.	.	1	.	1	.	.	3	1	1	1	.	4	.	3	.	.
		„ 23,	33·2	10·5	19	.	.	.	.	1	1	.	.	2	.	1	1	1	4	.	.	.	.
		„ 30,	24·5	7·0	14	.	.	.	.	.	1	.	.	.	.	.	1	1	1	.	2	1	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 39,902.	Aug. 12,	31·4	13·1	24	.	.	.	.	.	.	.	1	1	1	1	1	2	7	2	.	1	2
		„ 19,	23·5	10·5	18	.	.	.	.	.	.	.	.	1	.	.	.	1	7	1	.	1	.
		„ 26,	19·6	7·8	15	.	.	.	.	.	1	.	.	2	.	1	1	2	2	3	.	.	.
		Sept. 2,	36·6	14·4	28	.	.	.	.	.	2	.	.	2	1	2	1	.	8	1	.	1	.
		„ 9,	36·6	15·7	28	.	.	.	.	.	2	.	.	4	2	1	.	3	6	2	2	.	.
		„ 16,	31·4	10·5	24	.	.	.	.	.	2	.	.	.	.	.	2	4	6	.	.	2	1
		„ 23,	22·2	13·1	17	.	.	.	.	1	1	.	.	.	.	.	.	.	5	.	3	.	1
		„ 30,	32·7	7·8	25	1	.	.	.	.	.	.	.	3	1	1	1	.	4	.	1	1	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 30,689.	Aug. 12,	30·6	6·8	18	.	.	.	.	1	.	.	.	1	.	1	1	1	2	.	1	.	1
		„ 19,	25·5	11·9	15	.	.	.	.	.	.	1	.	.	.	.	.	1	2	4	.	.	1
		„ 26,	23·8	10·2	14	.	.	.	.	.	1	1	.	.	2	.	1	2	2	2	.	.	1
		Sept. 2,	15·3	6·8	9	.	.	.	.	.	.	.	.	2	.	.	.	.	4	.	.	.	.
		„ 9,	37·4	10·2	22	.	.	.	.	.	1	.	.	3	2	.	.	.	5	.	.	.	2
		„ 16,	35·7	8·5	21	.	.	.	.	.	.	1	.	3	4	.	.	2	4	.	.	.	2
		„ 23,	30·6	13·6	18	.	.	.	.	1	.	.	.	.	.	3	.	1	6	.	1	.	.
		„ 30,	27·2	6·8	16	1	.	.	.	.	.	.	.	.	2	1	.	2	2	1	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,498.	Aug. 12,	15·6	6·2	10	.	.	.	.	1	.	.	.	.	.	.	.	2	2	.	1	.	1
		„ 19,	42·0	4·7	27	1	.	.	.	.	.	.	.	4	2	.	1	1	2	.	.	.	.
		„ 26,	26·5	10·9	17	.	.	.	.	.	.	1	.	2	.	1	.	1	4	2	.	.	1
		Sept. 2,	48·3	12·5	31	.	.	.	.	.	.	.	.	4	.	2	2	.	3	1	4	.	3
		„ 9,	28·0	9·3	18	.	.	.	.	.	.	1	.	1	1	.	1	1	5	.	.	.	1
		„ 16,	26·5	6·2	17	.	.	.	.	.	.	.	.	3	.	2	.	.	3	.	1	.	1
		„ 23,	17·1	1·6	11	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.	.	2
		„ 30,	20·2	1·6	13	.	.	.	.	.	.	.	.	2	.	.	.	3	1	.	.	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,401.	Aug. 12,	23·9	12·6	19	1	.	.	.	.	.	.	.	2	1	.	.	.	2	1	6	.	.
		„ 19,	27·7	10·1	22	1	.	.	.	.	.	.	.	3	3	.	.	.	4	.	3	1	.
		„ 26,	16·4	6·3	13	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	3	.	1
		Sept. 2,	29·0	16·4	23	.	.	.	.	.	.	1	.	2	.	.	1	.	5	1	6	.	.
		„ 9,	29·0	13·9	23	.	.	.	.	.	1	.	.	2	2	1	.	.	3	1	6	.	.
		„ 16,	23·9	7·6	19	1	.	.	.	.	.	2	.	5	.	1	.	.	1	.	2	.	.
		„ 23,	31·5	2·5	25	.	.	.	.	.	.	.	.	1	.	2	1	1	.	1	1	.	.
		„ 30,	25·2	10·1	20	1	.	.	.	.	.	.	.	2	1	1	.	1	4	.	3	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,715.	Aug. 12,	9·6	2·4	4	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
		„ 19,	12·0	7·2	5	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2	.	.
		„ 26,	33·6	9·6	14	.	.	.	.	.	.	.	.	1	.	1	.	.	4	.	.	.	.
		Sept. 2,	21·6	.	9	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	1
		„ 9,	28·8	4·8	12	.	.	.	.	.	.	.	.	2	1	.	1	1	2	.	.	2	.
		„ 16,	19·2	4·8	8	.	.	.	.	.	.	.	.	.	1	1	1	1	1	.	1	.	.
		„ 23,	16·8	4·8	7	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.
		„ 30,	21·6	.	9	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	1
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,149.	Aug. 12,	24·2	7·3	20	.	.	.	1	.	.	.	.	4	2	2	.	1	4	.	1	1	.
		„ 19,	24·2	8·5	20	.	.	.	.	.	1	.	.	3	1	1	1	2	3	.	3	.	.
		„ 26,	27·8	8·5	23	1	.	.	.	1	.	1	.	5	.	.	1	2	2	1	1	1	.
		Sept. 2,	26·6	9·7	22	.	.	.	.	.	2	.	.	1	1	.	1	1	5	.	1	.	.
		„ 9,	24·2	6·0	20	.	.	.	.	1	.	1	.	3	.	.	1	3	2	.	1	.	.
		„ 16,	19·3	7·3	16	.	.	.	.	.	.	.	.	1	1	.	.	.	5	.	1	.	.
		„ 23,	29·0	7·3	24	1	.	.	.	.	.	.	.	3	.	.	1	3	5	.	.	2	.
		„ 30,	24·2	8·5	20	1	.	.	.	1	.	.	.	3	1	.	.	2	5	.	1	2	1
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 35,816.	Aug. 12,	11·6	4·4	8	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1	.	.	.
		„ 19,	29·1	10·2	20	.	.	.	.	.	1	.	.	2	.	1	1	2	6	.	.	1	.
		„ 26,	16·0	5·8	11	.	.	.	.	.	1	2	.	.	1	1	.	.	.	1	.	2	1
		Sept 2,	21·8	8·7	15	1	.	.	.	.	1	.	.	2	1	.	2	1	4	.	.	.	.
		„ 9,	26·2	5·8	18	.	.	.	.	.	.	.	.	1	1	.	.	.	4	.	.	.	.
		„ 16,	24·7	7·3	17	.	.	.	.	.	.	.	.	.	.	1	4	2	5	.	.	.	1
		„ 23,	26·2	8·7	18	1	.	.	.	.	1	.	.	2	.	1	.	.	3	.	1	1	1
		„ 30,	14·6	2·9	10	2	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	1

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes.	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa: Children under 2 years.	Diarrhœa: 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	Aug. 12,	15·0	5·4	11	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	1	.	2
	„ 19,	20·4	1·4	15	.	.	.	.	.	.	.	.	3	2	2	.	1	1	.	.	2	2
	„ 26,	10·9	5·4	8	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	3	.	2
	Sept. 2,	17·7	5·4	13	.	.	.	1	.	.	.	.	.	.	2	1	2	1	2	.	.	2
	„ 9,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	1	.
	„ 16,	13·6	2·7	10	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.
	„ 23,	17·7	8·2	13	1	.	.	.	.	.	.	.	.	.	2	.	1	3	.	2	.	.
	„ 30,	10·9	1·4	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	Aug. 12,	8·9	.	5	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
	„ 19,	17·8	7·1	10	.	.	.	.	.	1	.	.	1	.	1	.	1	1	1	1	.	1
	„ 26,	19·5	8·9	11	.	.	.	.	.	2	.	.	1	.	.	1	.	1	.	2	.	.
	Sept. 2,	17·8	3·6	10	.	.	.	.	.	.	.	.	3	1	.	.	.	2	.	.	.	.
	„ 9,	12·4	1·8	7	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	2
	„ 16,	17·8	5·3	10	.	.	.	.	.	.	.	.	2	.	.	1	.	3	.	.	.	.
	„ 23,	14·2	7·1	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	1
	„ 30,	7·1	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.
Kingstown Urban District. Pop. in 1911 17,227.	Aug. 12,	24·2	3·0	8	.	.	.	.	.	.	.	.	2	.	1	3	.	1	.	.	.	.
	„ 19,	27·2	3·0	9	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 26,	18·2	3·0	6	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	1	.
	Sept. 2,	27·2	3·0	9	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	.	.
	„ 9,	57·5	.	19	.	.	.	.	.	.	.	.	3	.	2	2	1	.	.	.	.	.
	„ 16,	18·2	9·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.
	„ 23,	15·1	3·0	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	„ 30,	18·2	6·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
Belfast. Pop. in 1911 (Est.) 386,449.	Aug. 12,	16·3	6·1	121	1	.	.	.	1	1	.	.	9	3	4	3	5	19	4	19	2	1
	„ 19,	18·8	4·3	139	1	.	.	.	.	.	1	.	6	7	4	9	6	17	3	10	6	1
	„ 26,	17·8	4·9	132	2	.	.	.	.	1	.	.	19	5	1	3	5	15	5	13	4	2
	Sept. 2,	18·6	6·7	138	1	.	.	.	.	.	.	.	17	3	7	4	1	21	6	22	5	.
	„ 9,	19·7	6·5	146	2	.	.	.	1	1	.	.	11	7	4	7	9	26	7	11	3	.
	„ 16,	16·5	5·3	122	.	.	.	.	1	2	.	1	10	5	6	3	6	20	4	11	2	.
	„ 23,	20·2	6·7	150	.	.	.	.	.	2	.	.	8	8	8	6	9	27	1	20	1	1
	„ 30,	16·9	4·0	125	.	.	.	.	2	1	1	.	8	5	6	8	4	15	2	9	2	1
Cork. Pop. in 1911 76,632.	Aug. 12,	9·5	2·0	14	.	.	.	.	.	.	.	.	1	3	.	1	1	3	.	.	.	.
	„ 19,	12·9	2·0	19	.	.	.	.	.	.	.	.	2	1	.	1	1	3	.	.	.	.
	„ 26,	19·1	4·1	28	.	.	.	.	.	.	.	.	5	2	1	1	3	6	.	.	1	.
	Sept. 2,	24·5	4·1	36	.	.	.	.	.	.	.	.	5	1	4	.	1	6	.	.	1	1
	„ 9,	25·2	6·1	37	.	.	.	.	.	1	.	.	4	2	1	1	2	8	.	.	.	.
	„ 16,	19·7	5·4	29	.	.	.	.	.	.	.	.	7	.	1	2	2	5	.	3	.	.
	„ 23,	19·7	3·4	29	.	.	.	.	.	.	.	.	2	.	.	.	1	5	.	.	.	1
	„ 30,	22·5	6·1	33	.	.	.	.	.	.	1	.	2	.	1	1	3	8	.	.	.	3
Londonderry. Pop. in 1911 40,799.	Aug. 12,	11·5	1·3	9	.	.	.	.	.	.	.	.	4	1	.	.	.	1	.	.	.	.
	„ 19,	16·6	3·8	13	.	.	.	.	.	.	.	.	2	.	1	.	1	2	.	1	.	.
	„ 26,	14·1	2·6	11	.	.	.	.	.	1	.	.	1	1	1	.	1	1	.	.	1	.
	Sept. 2,	12·8	1·3	10	.	.	.	.	.	.	.	.	.	1	.	1	3	1	.	.	.	.
	„ 9,	16·6	1·3	13	.	.	.	.	.	.	.	.	1	.	1	1	2	1	.	.	.	.
	„ 16,	11·5	5·1	9	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.	.	.
	„ 23,	12·8	.	10	.	.	.	.	.	.	.	.	3	1	1	.	1	.	.	.	.	.
	„ 30,	19·2	6·4	15	.	.	.	.	1	.	.	.	.	1	.	.	2	1	1	2	.	.
Limerick. Pop. in 1911 38,403.	Aug. 12,	13·6	2·7	10	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1	1	.	.
	„ 19,	10·9	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	1
	„ 26,	25·8	8·1	19	1	.	.	.	.	.	.	.	.	1	2	.	.	3	1	1	.	2
	Sept. 2,	17·7	5·4	13	.	.	.	.	.	.	.	.	1	1	.	1	.	3	1	.	.	1
	„ 9,	17·7	2·7	13	.	.	.	.	.	.	.	.	1	1	1	.	2	2	.	.	1	.
	„ 16,	20·4	6·8	15	.	.	.	.	.	.	.	.	1	.	1	.	1	5	.	.	.	2
	„ 23,	23·1	1·4	17	.	.	.	.	.	.	.	.	4	.	2	.	2	1	.	.	.	.
	„ 30,	23·1	5·4	17	.	.	.	.	.	.	.	.	1	1	.	1	.	3	1	.	.	2
Waterford. Pop. in 1911 27,430.	Aug. 12,	20·9	3·8	11	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	2	.	1
	„ 19,	22·8	5·7	12	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.	2
	„ 26,	13·3	3·8	7	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	2	.	.
	Sept. 2,	9·5	5·7	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1
	„ 9,	26·6	5·7	14	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	3	.	.
	„ 16,	20·9	9·5	11	.	.	.	.	.	.	.	.	1	.	1	2	1	1	.	4	.	.
	„ 23,	24·7	3·8	13	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	2	.	.
	„ 30,	11·4	7·6	6	.	.	.	.	.	.	.	.	1	.	1	.	.	4	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 30th September, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 25 years.	Ages at Death: 25 and under 45 years.	Ages at Death: 45 and under 65 years.	Ages at Death: 65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tubercular Disease: Phthisis.	Tubercular Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa: Of children under 2 years of age.	Diarrhœa: 2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	385,492	9	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	2	.	.	1	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	3	.
Do. 2 do.		20			12	3	3	2	1	.	3	.	.	.	.	.	.	1	.	1	1	.	1	.	2	.	1	.	1	1	.
Do. 3 do.		20			16	6	3	.	2	1	4	.	.	.	.	.	.	.	.	1	1	2	1	.	1	.	2	.	.	1	.
Do 4 do.		17			10	4	3	.	.	.	3	.	.	.	.	.	.	.	.	.	1	.	2	.	2	.	.	.	1	3	.
Do. 5 do.		8			10	3	1	.	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	1	5	1
Do. 6 do.		7			9	1	.	.	1	4	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	2	.
Do. 7 do.		1			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		3			4	1	.	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
Do. 9 do.		11			12	5	1	.	3	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.	1	.	.	2	.
Do. 10 do.		23			5	1	1	1	.	2	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.
Do. 11 do.		21			11	.	1	1	4	2	3	.	.	.	.	.	.	.	.	2	.	2	.	1	.	.	1	1	2	2	.
Do. 12 do.		26			14	2	2	1	6	2	1	.	.	.	.	1	.	.	.	.	2	.	3	1	1	.	.	.	.	6	.
Do. 13 do.		6			3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.
Do. 14 do.		2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		10			12	5	2	1	.	3	1	.	.	.	.	1	.	.	.	.	.	.	.	1	2	2	.	.	.	4	.
Total,	—	184			125	35	17	7	22	20	24	.	.	.	.	2	1	1	.	8	5	6	8	4	15	2	9	2	6	29	1
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	76,632	5	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Do. 2 do.		2			3	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	1	.
Do. 3 do.		6			8	2	1	1	1	2	1	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	.	.	3	.
Do. 4 do.		11			4	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	1
Do. 5 do.		2			5	1	.	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	4	.
Do. 6 do.		7			6	2	1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
Do. 7 do.		11			5	1	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
Total,	—	44	22·5	6·1	33	14	4	6	2	3	4	.	.	.	.	.	.	1	.	2	.	1	1	3	8	.	.	.	.	12	3

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	April 8.	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.
No. of weeks in Annual Series,	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
BIRTHS registered, ...	228	204	189	236	232	229	180	214	233	215	258	201	264	213	207	268	236	203	225	215	220	197	215	183	184	184
DEATHS registered, ...	172	161	154	160	109	120	123	123	125	115	107	82	116	92	123	121	105	123	121	139	132	138	146	122	150	125
Annual Death rate per 1,000 of estimated population, ...	22·5	21·1	20·2	20·9	14·3	15·7	16·1	16·1	16·4	15·5	14·4	11·1	15·7	12·4	16·6	16·3	14·2	16·6	16·3	18·8	17·8	18·6	19·7	16·5	20·2	16·9
AGES, Under 1 year, ...	36	24	23	23	19	19	25	22	18	19	23	16	18	11	25	32	38	39	45	44	36	52	49	43	53	35
1—5 years, ...	7	10	14	13	10	9	9	13	7	7	10	7	9	7	9	11	8	12	11	11	8	6	16	11	19	17
5—25 ,, ...	14	17	13	21	13	17	15	17	14	14	16	7	16	15	16	14	11	7	14	15	18	11	10	8	12	7
25—45 ,, ...	36	32	26	27	25	23	26	22	24	26	22	18	20	21	25	22	13	21	11	17	19	24	21	17	15	22
45—65 ,, ...	45	37	39	46	22	29	31	27	34	20	20	20	37	25	29	23	17	23	23	28	31	27	29	21	31	20
65 and upwards, ...	34	41	39	30	20	23	17	22	28	29	16	14	16	13	19	19	18	21	17	24	20	18	21	22	20	24
Deaths from :—																										
Enteric Fever, ...	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2	1	2	.	.	.
Typhus, ...	.	.	.	.	.	.	.		.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	.	.	.	.	1	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	.	1	1	.	2
Whooping-cough, ...	.	3	2	1	.	.	1	1	.	.	4	.	1	.	1	1	1	2	1	.	1	.	1	2	2	1
Diphtheria, ...	.	2	1	.	.	.	.	.	.	1	.	.	.	1	.	2	.	2	.	1	.	.	.	.	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Tuberculous Disease. Phthisis, ...	26	25	14	17	16	25	21	21	16	14	13	13	23	16	18	20	10	13	9	6	19	17	11	10	8	8
Tuberculous Disease. Other Forms,	8	4	11	15	12	7	10	12	11	6	10	2	2	5	8	6	5	7	3	7	5	3	7	5	8	5
Cancer, ...	5	5	6	12	3	6	1	4	6	8	6	6	7	4	6	3	3	9	4	4	1	7	4	6	8	6
Diseases of Respiratory System, Pneumonia,	13	19	23	18	10	10	13	6	11	9	9	5	5	7	2	4	6	2	3	9	3	4	7	3	6	8
Diseases of Respiratory System, Others, ...	26	29	34	16	20	15	19	11	18	18	13	10	8	11	14	10	3	4	5	6	5	1	9	6	9	4
Diarrhœa, Under 2 years, ...	1	.	.	.	.	1	1	2	1	.	1	1	2	1	6	10	14	9	19	17	15	21	26	20	27	15
Diarrhœa, 2 years & upwards	.	1	.	.	.	.	.	.	.	1	.	3	.	.	.	.	1	4	4	3	5	6	7	4	1	2
Enteritis, under 2 years, ...	1	2	2	1	1	1	3	3	4	2	.	1	1	1	3	8	9	12	19	10	13	22	11	11	20	9
Violent Deaths, ...	8	2	3	3	3	4	1	1	.	3	3	1	4	.	3	5	3	2	2	6	4	5	3	2	1	2
Number of Uncertified Deaths, ...	3	2	.	1	2	1	1	1	2	1	.	3	3	.	1	.	2	.	1	1	2	.	.	.	1	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	Sept. 30,	2,118	1,348	15·5	5	.	4	4	13	13	227*a*
Edinburgh, ...	320,829	„ 30,	134	107	17·4	.	.	1	1	3	2	7
Glasgow, ...	784,621	„ 30,	395	215	14·3	1	.	1	2	3	5	25
Calcutta, ...	890,493	Aug. 26,	.	383	22·3	50*	.	.	.	.	.	45‡
Bombay, ...	977,822	„ 26,	416	529	28·1	82*	1	1	.	.	.	58‡
Madras, ...	509,346	„ 5,	413	350	35·7	78*	4	6	?	?	?	73‡
Cairo, ...	693,806	July 29,	621	711	73·2	7	.	13	1	?	16	201*a*
Paris	2,846,986	Sept. 2,	882	802	15·2	7	.	8	2	9	3†	98*a*
Brussels, ...	739,684	„ 9,	227	195	13·7	.	.	1	.	2	1	36
Antwerp, ...	320,640	„ 9,	108	98	15·9	.	.	1	.	2	1	36*a*
Amsterdam, ...	577,852	„ 9,	245	112	10·1	2	.	.	.	1	.	21*a*
Copenhagen, ...	462,132	„ 9,	236	147	16·6	.	.	.	2	6	1	21*a*
Stockholm, ...	343,832	„ 2,	150	72	10·9	.	.	.	.	.	.	5
Christiania, ...	244,038	„ 16,	114	65	13·9	.	.	1	3	1	1	9
St. Petersburg, ...	1,599,139	Aug. 26,	617	646	21·1	11	.	19	6	12	5	177*a*
Moscow, ...	1,493,600	„ 26,	.	902	31·5	6	3	18	6	5	7	267
Berlin, ...	2,066,366	„ 26,	748	696	17·6	.	.	2	8	19	8†	211
Hamburg, ...	931,035	Sept. 9,	.	323	18·0	1	.	2	7	3	11†	98
Breslau, ...	518,860	„ 9,	.	233	23·4	1	.	1	.	3	2	50
Munich, ...	597,000	„ 16,	.	178	15·5	.	.	.	.	3	2	47
Vienna (with suburbs),	2,047,968	„ 9,	832	607	15·4	1	.	5	.	.	2†	87*a*
Buda-Pesth, ...	891,585	„ 9,	425	341	19·9	5	.	4	2	.	2†	81*a*
Prague and Faubourgs,	508,310	Aug. 26,	160	182	18·7	1	.	.	1	1	.	18*a*
Trieste, ...	230,820	Sept. 2,	121	97	21·9	1	.	.	.	3	.	14‡
Rome, ...	602,068	Aug. 5,	296	248	21·5	9	.	3	.	.	2	68
Venice, ...	184,325	„ 29,	75	105	29·7	1	.	.	3	.	2	53
New York, ...	4,983,385	„ 19,	2,612	1,374	14·4	20	.	7	3	10	15†	246*a*
Philadelphia, ...	1,580,250	„ 5,	.	435	14·3	3	.	.	1	2	5†	67*a*
Boston, ...	686,912	Sept. 9,	.	182	13·8	.	2	3	.	.	.	30

* Deaths from "fever," including 4 deaths from enteric fever and 3 from plague in Calcutta, 2 from enteric fever and 18 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 10 deaths from cholera in Calcutta, 1 in Bombay, and 4 in Budapesth.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending September 30th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	4	3	.	.	.	7
" " 1, West, ...	.	1	.	.	1	.	.	2	1	.	.	.	5
" " 2, ...	.	2	.	.	.	.	1	1	.	.	.	.	4
" " 3, ...	.	11	.	.	1	.	.	6	.	.	.	.	18
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	1	.	.	.	2
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	1	.	.	.	.	2
South City No. 1, ...	.	1	.	.	2	.	.	6	4	.	.	3	16
" " 2, ...	.	1	.	.	.	.	.	2	.	.	.	1	4
" " 3, ...	.	4	.	.	2	.	.	2	.	.	.	.	8
" " 4, ...	.	2	.	.	1	.	1	7	.	.	.	.	11
New Kilmainham, ...	.	1	.	.	1	.	.	2	.	.	.	.	4
Total, ...	.	25	.	.	8	.	2	33	9	.	.	4	81

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 30th September, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 30th September.			
	Sept. 9.	Sept. 16.	Sept. 23.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	9	7	12	4	5	.	11
Scarlet Fever, ...	81	84	102	31	21	1	111*
Typhus, ...	.	1	2	.	.	.	2
Diphtheria, ...	33	38	35	11	7	.	39
Enteric Fever, ...	60	82	96	36	12	2	118
Pneumonia, ...	9	12	7	8	.	1	14

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 30th September, 1911:—

"Cool, changeable weather was in the ascendant during this week. The period opened with a large and deep atmospheric depression centred over Iceland. At 7 a.m. of Sunday the barometer was down to 28·62 inches at Seydisfjord in the S.E. of that island. In the latitude of the British Isles the isobars ran from west to east in a wave-like fashion, and these irregularities produced local showers in Ireland and Wales and, at Donaghadee, a thunderstorm. Monday proved generally wet in the same districts—at Roche's Point, Co. Cork, no less than 3 inches of rain fell, and in Dublin—although the rainfall was only ·371 inch,—it was the wettest day experienced since March 31, 1911. The bad weather was caused by a shallow secondary depression, which reached St. George's Channel from the westward in the evening and subsequently passed across the south of England to the Straits of Dover, over which it was found on Tuesday morning. By that time a new primary disturbance had arrived off the S.W. of Iceland. This system pursued a leisurely course eastward to Norway, arriving there on Thursday, when its V.-shaped secondaries stretched southwards to Denmark and the Low Countries. An Atlantic anticyclone now spread in over Ireland, the barometer rising to 30·40 inches at Valentia and 30·41 inches at Roche's Point on Friday morning. Fair weather seemed to be assured when quite suddenly on Friday afternoon and night an energetic disturbance developed over Ireland, the wind backed to S. and S.W., and rose to a strong or squally breeze, with a brisk rise of temperature, clouds, and rain. As this system travelled rapidly eastwards, the barometer rose with great speed, the wind drew into N., temperature fell, and the weather became dry, crisp, and bright, so bringing the week and month to a close. In Dublin the mean height of the barometer was 30·061 inches, pressure falling to 29·748 inches at 4 p.m. of Monday (wind, S.) and rising to 30·366 inches at 9 p.m. of Saturday (wind, N.N.W.). The corrected mean temperature was 52·7°, the mean dry bulb temperature at 9 a.m. and 9 p.m. being 51·9°. On Sunday the screened thermometers rose to 63·8°, on Friday they fell to 42·2°. W. and N.W. winds prevailed. The rainfall was ·564 inch on 4 days, ·371 inch being recorded on Monday. A solar halo was seen on Thursday forenoon."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·887 inches. The highest reading (30·191) was on Saturday at 9 p.m., wind N.N.W., the lowest (29·623) on Sunday at 9 a.m., wind W.S.W.

The mean temperature for the week was 50·8°, being 2·9° below the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Tuesday, on which day the thermometer registered 63·0°, and was lowest on Friday, the mercury having fallen to 38·6°. The mean of the Dry Bulb for the week was 50·7° and of the Wet Bulb, 48·1°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The rainfall during the week measured 0·680 inch.

At Greenwich the mean temperature for the week was 55·0°, the maximum 71·7°, and the minimum 40·3°; and at Edinburgh the maximum was 63·3°, the minimum 35·2°, and the mean 50·3°. The rainfall at Greenwich measured 0·44 in., and at Edinburgh 0·79 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, September 24,	29·704	62·4	47·3	54·9	51·7	48·6	·81	·4	8·5	·020	W.S.W.	Calm.
Monday, „ 25,	29·719	54·5	39·5	47·0	49·1	48·0	·92	·5	0·0	·435	Calm.	Calm.
Tuesday, „ 26,	29·841	63·0	44·6	53·8	56·2	51·7	·73	·5	6·5	·040	S.W.	S.S.W.
Wednesday, „ 27,	29·904	57·1	49·8	53·5	53·2	51·9	·91	·1	0·0	·120	W.S.W.	W.S.W.
Thursday, „ 28,	30·052	56·2	42·5	49·4	46·3	43·8	·82	·6	4·0	·000	W.S.W.	Calm.
Friday, „ 29,	29·903	55·2	38·6	46·9	51·7	49·7	·86	·7	2·2	·065	W.S.W.	S.W.
Saturday, „ 30,	30·087	56·1	43·4	49·8	47·0	43·1	·73	·6	8·1	·000	N.N.W.	N.N.W.
Mean, ...	29·887	57·8	43·7	50·8	50·7	48·1	·83	·5	Total 29·3	Total ·680	Prevailing Wind, W.S.W.	

Sunday—Day cloudy, showers at intervals from 11.30 to 2.30 p.m.; night clear. *Monday*—Day overcast, light and heavy rain 9.30 a.m. to 4.30 p.m.; night clear. *Tuesday*—Day cloudy, fine; night clear, heavy shower 7 a.m. to 7.45 a.m. *Wednesday*—Day overcast, drizzling rain 10 a.m. to 4.30 p.m.; night overcast to clear. *Thursday*—Day cloudy, fine; night clear. *Friday*—Day cloudy, drizzling rain 3.40 p.m. to 4.40 p.m. and 8.20 p.m to 11.45 p.m.; night overcast, light showers 4.50 a.m. to 5.20 a.m. *Saturday*—A fine bright day, light clouds; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, September 30th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, September 24,	59·2	56·0	57·4	65·0	47·5	56·2	9·0	—
Monday, „ 25,	54·4	55·3	57·1	56·1	45·1	50·6	—	·415
Tuesday, „ 26,	59·3	55·0	57·0	64·2	49·4	56·8	6·75	·01
Wednesday, „ 27,	57·8	55·8	56·8	59·0	50·2	54·6	—	·085
Thursday, „ 28,	51·1	55·0	56·8	57·5	45·5	51·5	2·7	—
Friday, „ 29,	50·8	54·0	56·8	57·2	41·5	49·4	2·5	·05
Saturday, „ 30,	51·0	54·2	56·4	57·7	45·0	51·3	9·3	—
Weekly Mean, .	54·8	55·0	56·9	59·5	46·3	52·9	Total 30·25	Total ·560

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31318. Wt. P.18 110–/138. 375. 10. 1911. Sch. C 7.

FOR OFFICIAL USE.

Quarterly Summary of the Weekly Returns

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

Sole Wholesale Agent for places outside the United Kingdom of Great Britain and Ireland,
T. FISHER UNWIN, 1, ADELPHI TERRACE, LONDON, W.C.
(Depôts in New York, Toronto, Melbourne, Wellington, Cape Town, Calcutta, Tokio, and Leipzig.)

PRINTED BY ALEXANDER THOM & CO. LIMITED, ABBEY-STREET. *Price* 1½*d.*

VOL. XLVIII.] QUARTER ENDING SATURDAY, 30TH SEPTEMBER, 1911. [NO. 39A.

DUBLIN REGISTRATION AREA. — BIRTHS. — In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,759 statute acres, and the population, estimated to the middle of 1911, 403,732, there were registered during the thirteen weeks ended on Saturday, 30th September, 1911, 2,824 births—1,487 boys and 1,337 girls—being equal to an annual ratio of 1 in 35·7, or 28·0 in every 1,000 of the population.

The number of births registered in the city was 2,429, equivalent to an annual rate of 31·4 in every 1,000 of the population; and in the urban districts named above, 395, equal to an annual rate of 16·8 in every 1,000 of the population.

There were registered in London during the same period 28,056 births—being equal to an annual birth-rate of 24·8 in every 1,000 of the estimated population; in Glasgow there were registered 5,235, being equal to 26·7 per 1,000; and in Edinburgh, 1,641—a number affording an annual birth-rate of 20·5 in every 1,000 of the estimated population.

DEATHS.—Omitting the deaths (113) of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 2,172, are equivalent to an annual rate of 21·5 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 19·5. The total number of deaths registered in the Dublin Registration Area during the quarter was 2,285—1,165 males and 1,120 females—affording an annual ratio of 1 in 44·2 or 22·6 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the third quarter of the ten years, 1901–1910, in the Dublin Registration Area as then constituted, was 20·4 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the North City districts registered last quarter was 960, representing an annual mortality of 24·2 in every 1,000 of the population; and the number in the South City districts was 841, equivalent to a rate of 22·3 per 1,000. In the urban districts the number of deaths registered was 371, being equal to an annual death-rate of 15·8 in every 1,000.

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective Districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

The number of deaths registered in London during the same period was 17,431—a number equal to an annual rate of mortality of 15·4 in every 1,000 of the inhabitants; in Glasgow the number was 3,163, equal to 16·1 in every 1,000; and in Edinburgh, 1,143, affording an annual death-rate of 14.3 in every 1,000 of the estimated population.

Diseases.—The number of deaths from the principal epidemic diseases* registered in the Dublin Registration Area during last quarter was 609, and the annual rate per 1,000 of the population represented by the deaths from these diseases was 6·03.

The following tabular statement shows the mortality from some of the principal epidemic diseases in the period under notice, and the average number of deaths from these diseases which occurred in the corresponding period of the 10 years, 1901–1910:—

Names of Diseases.	No. of Deaths in Sept. Quarter, 1911.	Average No. of Deaths in Sept. Quarters, 1901–1910.
Enteric Fever, ...	27	16
Typhus, ...	–	1
Small-pox, ...	–	–
Measles, ...	31	33
Scarlet Fever, ...	17	7
Whooping-cough, ...	40	23
Diphtheria, ...	20	12

Enteric Fever.—Deaths from enteric fever during the quarter under notice were 27 in number, as against 14, 23, and 11 respectively, in the 3 quarterly periods preceding, and were 11 above the average (16) for the corresponding period in the 10 years 1901—10. The 27 deaths registered correspond to an annual rate of 0·27 per 1,000 of the population of the Dublin Registration Area, estimated to the middle of 1911. Of the total, 11 appertained to the districts of North Dublin city, 13 to the districts of South Dublin city, and one to the urban district of Rathmines and Rathgar, and 2 were those of persons admitted from without the Registration Area. From Table I. it appears that at the close of the preceding quarter there were 54 cases of enteric fever in hospital; during the quarter under notice 177 cases were admitted, 95 were discharged, there were 18 deaths, and 118 cases remained under treatment at its close.

Typhus.—There was no death from this cause registered during the quarter. At the close of the preceding quarterly period there were 4 cases in hospital, 5 cases were admitted during the period under review, 7 were discharged and 2 remained under treatment at the end of the quarter.

Small-Pox.—There was no mortality recorded from this cause during the 13 weeks ending 30th September, nor was any case of this disease reported by the Public Health authorities.

Measles.—The mortality from this cause, which in the December quarter of last year caused 8 deaths, and in the March and June quarters of the present year 50 and 83 deaths respectively, declined to 31 in the quarterly period under notice; the average for the corresponding period of the preceding 10 years was 33. The 31 deaths registered represent an annual rate of 0·31 per 1,000.

Scarlet Fever.—The deaths from scarlet fever, which were 16, 23, and 14 in the three quarterly periods preceding, numbered 17 during the period under notice, being 10 above the average for the corresponding quarter of the preceding 10 years. From Table I. it may be seen that at the close of the June quarter there were 69 cases of scarlet fever remaining in hospital; during the period under review 264 cases were admitted to hospital, 203 were discharged, 19 died, and 111 cases remained in hospital at the close of the quarter, exclusive of 19 patients in Beneavin, the convalescent home of Cork Street Fever Hospital. Of the deaths registered during the quarter it may be seen from Table II. that 8 belonged to the districts of North Dublin city, 8 to the districts of South Dublin city, and one to the urban district of Rathmines and Rathgar.

* See note (*) p. 624*h*.

Whooping-cough.—The deaths from this cause were 40 in number, equal to an annual rate of 0·40 per 1,000 of the estimated population, the average number of deaths in the corresponding quarter of the preceding 10 years being 23. In the 3 quarterly periods preceding, the deaths from whooping-cough numbered 52, 77, and 33 respectively. Of the 40 deaths registered, 20 belonged to the districts of North Dublin city, 12 to those of South Dublin city, one to the urban district of Rathmines and Rathgar, and 7 to the urban district of Pembroke.

Diphtheria.—There were 20 deaths from diphtheria registered during the quarter, corresponding to an annual rate of 0·20 per 1,000 of the estimated population, the numbers in the 3 preceding quarters being 24, 24, and 30 respectively. From Table II. it appears that of the 20 deaths registered, 8 belonged to the districts of North Dublin city, 11 to the districts of South Dublin city, and one to the urban district of Rathmines and Rathgar. From Table I. it appears that there were 45 cases of diphtheria in hospital at the close of the preceding quarter; 134 cases were admitted during the period under notice, 123 were discharged, 17 died, and 39 cases remained in hospital on the 30th September.

Diarrhœal Diseases.—Included in the total under this heading were 426 deaths of children under 2 years of age from diarrhœa and *enteritis*, being 18·6 per cent. of all deaths registered during the quarter.

Influenza.—There were 9 deaths from influenza registered, the number in the 3 preceding quarters being 23, 34, and 15 respectively.

Cerebro-Spinal Fever.—There was one death from this disease registered during the quarter under notice.

Pneumonia.—Under this heading 92 deaths, equivalent to a rate of 0·91 per 1,000 of the estimated population of the Area are comprised, including 37 from broncho-pneumonia, 11 from lobar pneumonia, and 44 from *pneumonia* (type not distinguished).

Tuberculosis.—The number of deaths returned under this heading was 320, representing an annual rate of 3·17 per 1,000 of the estimated population, the number in the corresponding quarter of 1910 being 327. Included in the total are 213 from pulmonary tuberculosis, 34 from tuberculous meningitis, 33 from abdominal tuberculosis, 5 from tuberculosis of the spine, 2 from tuberculosis of the joints, 5 from tuberculosis of other organs, and 28 from disseminated tuberculosis. The rates corresponding to the deaths from all forms of tuberculosis, excluding deaths of persons admitted to institutions from without the Area, were, in North Dublin city, 3·20 per 1,000; in South Dublin city, 3·71 per 1,000; in the urban district of Rathmines and Rathgar, 1·46 per 1,000; in Pembroke, 2·04 per 1,000; in Blackrock, 1·32 per 1,000; and in Kingstown, 2·09 per 1,000.

Cancer.—The deaths under this heading were 108 in number, equivalent to an annual rate of 1·07 per 1,000 of the estimated population.

Diseases of the Brain and Nervous System.— The 200 deaths under this heading are equivalent to an annual rate of 1·98 per 1,000, and include 53 deaths from *convulsions*, 52 of the latter being those of children under 5 years of age.

Diseases of the Circulatory System.—Under this heading 194 deaths, equivalent to an annual rate of 1·92 per 1,000 of the estimated population, were returned during the quarter under notice.

Bronchitis.—The deaths of 110 persons were ascribed to bronchitis.

Premature Birth, Congenital Debility.—There were 117 deaths of infants from these causes, of which 54 were ascribed to prematurity, and 63 to congenital debility.

Accidental Violence.—There were 56 deaths attributed to accidental violence registered during the quarter. Of the total, 13 were deaths by drowning, 9 were by burns or scalds (including 5 deaths of infants under 5 years of age), 9 were due to vehicles and horses, 4 were by railway accidents, and 4 were of infants by suffocation in bed.

Homicide.—There were no homicidal deaths.

Suicide.—Five deaths by suicide were registered.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 30th September, 1911.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Small-pox, ...	–	–	–	–	–
Measles, ...	54	97	128	12	11
Scarlet Fever, ...	69	264	203	19	111*
Typhus, ...	4	5	7	–	2
Diphtheria, ...	45	134	123	17	39
Enteric Fever, ...	54	177	95	18	118
Pneumonia, ...	20	59	52	13	14

* Exclusive of 19 patients in Beneavin, the convalescent home of Cork-street Fever Hospital.

In 71 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 71 cases, 38 (or 53·5 per cent.) were deaths of children under 5 years of age; these 38 deaths form 4·0 per cent. of the total number of deaths of children of that age-period. Of the deaths of 151 infants under one month old registered, there were 19 (or 12·6 per cent.) regarding which the cause was uncertified.

From Table II., on page 624*f*, it will be seen that, excluding 113 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,172, equal to an annual rate of 21·5 per 1,000 of the estimated population, and that 603 of these deaths, representing an annual rate of 6·0 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 23·3 per 1,000, and for the urban districts 15·8 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 6·8, and in the urban districts 3·2, the rate for the several districts varying from 0·4 in Blackrock to 9·9 in North City, No. 1 E., the 196 deaths from all causes for that district including 2 from enteric fever, 5 from measles, one from scarlet fever, 7 from whooping-cough, and 59 from diarrhœal diseases.

OCCUPATIONS.—Table III., on page 624*g*, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 14·2 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 18·4 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 18·0; and in the "General Service Class" it was 25·8.

AGES.—Of the 2,285 persons whose deaths were registered in the Dublin Registration Area during the quarter, 957 were under 5 years of age, including 646 infants under one year of age, the latter representing a rate of 228·8 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 100·3 in every 1,000 children at that age (according to the Census of 1901); 86 were between the ages of 5 and 15, representing an annual rate of 5·1 per 1,000 persons at that age-period; 97 were between the ages of 15 and 25, equivalent to an annual rate of 4·7 per 1,000; the total number under 25 years being equal to an annual mortality of 24·1 per 1,000 of the population at that age-period (according to the Census of 1901); 315, or 11·0 per 1,000 persons, were between 25 and 45; 417, or 29·1 per 1,000, between 45 and 65; 229, or 87·8 per 1,000, between 65 and 75; and 184, or 184·6 per 1,000, were aged 75 and upwards, including 15 persons aged 90 and upwards.

† See note (*) p. 624*h*.

Public Institutions.—Of the 2,285 deaths recorded during the quarter, 812, or 35·5 per cent., occurred in public institutions, viz., 481 in the various hospitals, prisons, and lunatic asylums; 149 in the North Dublin Union Workhouse; 173 in the South Dublin Union Workhouse; and 9 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 58·7°. At Greenwich, for the quarter, it was 65·1°; at Glasgow, 58·7°; and at Edinburgh, 58·1°.

The rainfall at Dublin during the thirteen weeks measured 4·815 inches; at Greenwich, 2·94 inches; at Glasgow, 6·08 inches; and at Edinburgh, 3·28 inches.

[Table

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 30th September, 1911,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

QUARTER (13 WEEKS) ENDED 30TH SEPTEMBER, 1911.

REGISTRARS' DISTRICTS, &c.	Population, estimated to middle of 1911.†	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all causes	From diseases in Cols. 13-20, 26-8.	Total Deaths.	DEATHS. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa. Children under 2 years.	2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
North City.																														
North City, No. 1, E.,	29,854	26·3	9·9	196	64	22	12	4	5	25	40	24	2	.	.	5	1	7	.	.	16	7	9	11	13	36	6	17	4	3
" 1, W.,	39,902	25·7	8·2	256	84	29	9	15	9	37	37	36	3	.	.	1	3	8	.	1	18	11	8	12	20	48	9	9	6	5
" 2,	30,689	26·7	8·5	205	62	21	15	8	8	19	51	21	2	.	.	3	3	4	5	.	15	17	6	7	14	37	8	3	2	7
" 3,	33,498	25·0	5·6	209	61	14	9	8	8	28	37	44	2	.	.	4	1	1	2	.	26	7	11	6	15	25	4	8	3	11
Clontarf and Howth, No. 1, part of,	5,371	12·7	3·0	17	4	.	.	1	.	2	3	7	1	.	.	.	.	.	.	.	1	.	2	1	.	1	1	1	.	.
Coolock and Drumcondra, part of,	11,601	14·8	3·8	43	10	.	1	1	2	5	8	16	1	.	.	1	.	.	.	.	5	.	3	1	2	3	2	4	2	1
Finglas and Glasnevin, part of,	7,679	17·7	5·2	34	10	1	.	1	1	7	8	6	.	.	.	.	.	.	1	.	4	.	1	1	1	7	.	2	2	5
South City.																														
South City, No. 1,	41,401	24·3	7·5	252	82	26	10	5	13	36	40	40	4	.	.	2	.	2	4	1	26	13	8	6	6	24	4	37	5	2
" 2,	21,715	22·1	4·6	120	38	12	3	4	8	18	21	16	1	.	.	.	1	1	.	.	8	12	6	3	9	16	1	5	2	3
" 3,	43,149	23·7	7·3	256	73	31	25	13	10	30	36	38	4	.	.	11	5	4	4	.	31	15	4	10	19	39	1	11	8	4
" 4,	35,816	19·1	4·5	171	43	15	8	10	6	28	33	28	4	.	.	.	.	4	3	.	20	6	4	11	8	26	2	1	6	7
New Kilmainham,	9,063	18·5	5·3	42	14	4	2	2	3	3	7	7	.	.	.	.	2	1	.	.	4	5	1	2	1	6	1	2	.	1
Urban Districts.																														
Rathmines and Rathgar,	38,330	14·6	3·9	140	40	13	3	2	3	19	17	43	1	.	.	3	1	1	1	.	8	6	11	5	6	17	3	10	7	11
Pembroke,	29,347	14·7	3·5	108	29	12	5	3	5	13	17	24	.	.	.	.	.	7	.	.	13	2	4	4	3	10	3	6	2	7
Blackrock,	9,090	12·8	0·4	29	3	1	.	1	2	6	4	12	.	.	.	.	.	.	.	.	2	1	1	.	2	.	.	1	1	2
Kingstown,	17,227	21·8	2·8	94	22	4	1	2	3	10	22	30	.	.	.	.	.	.	.	.	9	.	9	7	3	11	.	1	3	2
Total City, North,	158,594	24·2	7·4	960	295	87	46	38	33	123	184	154	11	.	.	14	8	20	8	1	85	42	40	39	65	157	30	44	19	32
Total City, South,	151,144	22·3	6·2	841	250	88	48	34	40	115	137	129	13	.	.	13	8	12	11	1	89	51	23	32	43	111	9	56	21	17
Total City, North and South,	309,738	23·3	6·8	1,801	545	175	94	72	73	238	321	283	24	.	.	27	16	32	19	2	174	93	63	71	108	268	39	100	40	49
Total Urban Districts,	93,994	15·8	3·2	371	94	30	9	8	13	48	60	109	1	.	.	3	1	8	1	.	32	9	25	16	14	38	6	18	13	22
Total Registration Area,	403,732	21·5	6·0	2,172	639	205	103	80	86	286	381	392	25	.	.	30	17	40	20	2	206	102	88	87	122	306	45	118	53	71
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				113	7	2	1	6	11	29	36	21	2	.	.	1	.	.	.	1	7	5	20	5	2	2	.	.	7	.

* See note (*) on page 624h.

† See note (*) on page 624i.

TABLE III.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) **ending Saturday, 30th September, 1911;** the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDING SATURDAY, 30TH SEPTEMBER, 1911. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards	Enteritis of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS, ...	375,350	—	2,285	957	86	97	315	417	229	184	27	.	.	31	17	40	20	3	213	107	108	53	92	124	308	45	118	60	919	71
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	14·2	62	2	2	1	5	19	14	19	1	.	.	.	.	.	.	.	1	1	9	.	2	1	.	1	.	6	40	.
II.	MIDDLE CLASS, ...	87,188	18·4	401	107	10	30	53	90	49	62	4	.	.	3	3	7	2	1	33	10	31	4	13	15	42	6	19	10	198	10
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	18·0	496	205	26	25	70	96	41	33	4	.	.	5	4	6	4	.	60	25	14	9	27	25	74	11	23	14	191	15
IV.	GENERAL SERVICE CLASS, ...	154,279	25·8	995	566	42	31	117	128	78	33	17	.	.	23	10	23	14	2	71	49	33	38	39	46	174	21	65	26	344	46
V.	INMATES OF WORKHOUSES, ...	6,024	—	331	77	6	10	70	84	47	37	1	.	.	.	.	4	.	.	48	22	21	2	11	37	18	6	11	4	146	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																														
	1. Clerical, Medical, Legal and Other Professions: Naval and Military Officers, and Heads of Public Departments, ...	7,799	21·0	41	2	1	1	3	15	7	12	1	.	.	.	.	.	.	.	1	.	7	.	1	.	.	1	.	6	24	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	10·0	21	.	1	.	2	4	7	7	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	.	.	.	16	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	22·3	43	7	2	2	9	10	7	6	.	.	.	1	.	1	1	.	3	.	4	.	2	.	3	.	1	3	24	1
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	20·0	110	36	2	3	10	35	16	8	.	.	.	.	.	3	.	.	4	3	10	2	6	3	11	2	5	3	58	3
	6. Clerks and Commercial Assistants, ...	30,432	16·3	124	49	2	17	18	22	6	10	3	.	.	2	3	3	1	.	18	4	5	2	1	9	20	.	10	2	41	5
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above, ...	27,028	18·4	124	15	4	8	16	23	20	38	1	.	.	.	.	.	.	1	8	3	12	.	4	3	8	4	3	2	75	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	22·3	55	29	2	1	5	9	3	6	.	.	.	1	2	1	.	.	4	4	2	1	2	2	12	4	1	2	17	2
	9. Building and Furnishing Trades, ...	29,801	18·0	134	63	7	5	20	15	11	13	1	.	.	2	1	2	3	.	18	8	1	1	6	9	18	1	9	2	52	5
	10. Clothing Trades, ...	23,260	11·5	67	23	5	7	7	16	7	2	1	.	.	.	.	.	.	.	11	7	1	.	5	4	7	3	4	2	22	1
	11. Food Supply Trades, ...	9,242	13·8	32	15	.	1	7	4	2	3	.	.	.	.	.	.	.	.	2	1	2	2	3	.	8	.	.	.	14	1
	12. Other Trades and Callings ranking with Trades, ...	30,352	23·6	179	62	10	11	29	43	15	9	2	.	.	.	1	3	1	.	24	3	7	5	7	9	23	3	8	5	78	6
	13. Petty Shopkeepers, ...	7,894	14·7	29	13	2	.	2	9	3	.	.	.	.	2	.	.	.	.	1	2	1	.	4	1	6	.	1	3	8	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c.	13,425	19·4	65	21	4	3	11	12	7	7	2	.	.	2	3	.	.	.	6	2	5	1	1	2	7	1	2	.	31	3
	15. Domestic Servants, ...	36,603	8·3	76	28	1	8	13	9	12	5	1	.	.	2	.	1	2	.	7	2	3	.	4	2	13	1	1	3	34	2
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	27·5	99	52	7	1	21	8	7	3	3	.	.	3	1	4	1	.	11	10	7	4	2	5	12	.	7	.	29	7
	17. Hawkers, Porters, Labourers, &c., ...	89,861	33·6	755	465	30	19	72	99	52	18	11	.	.	16	6	18	11	2	47	35	18	33	32	37	142	19	55	23	250	34
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	331	77	6	10	70	84	47	37	1	.	.	.	.	4	.	.	48	22	21	2	11	37	18	6	11	1	146	.

Twenty-two Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-one of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 18·2 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest:—Armagh, 9·0; Drogheda, 9·3; Sligo, 10·1; Clonmel, 11·3; Tralee, 12·2; Queenstown, 12·6; Dundalk, 12·8; Lurgan, 13·8; Galway, 14·2; Lisburn, 14·5; Londonderry, 14·8; Portadown, 15·0; Belfast, 16·9; Cork, 17·3; Limerick, 17·3; Newry, 18·1; Waterford, 18·1; Kilkenny, 18·6; Ballymena, 19·0; Wexford, 19·6; Dublin Registration Area, 21·5; Newtownards, 26·8.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 22 districts is 4·5 per 1,000 of the population, the rates varying from 0·0 in Galway to 13·2 in Newtownards.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-one provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter:—

Enteric Fever.—There were 8 deaths from enteric fever recorded for Belfast and one for Limerick.

Typhus.—There was one death from typhus in Cork.

Small-pox.—Not one death from this cause was recorded in any of the urban districts.

Measles.—Three deaths from this disease were recorded for Cork, and 5 for Newtownards.

Scarlet Fever.—In Belfast there were 7 deaths from this cause, and in each of Londonderry and Lurgan one death.

Whooping-cough.—There were 13 deaths from whooping-cough in Belfast, 3 in Cork, and 4 in Londonderry.

Diphtheria.—For Belfast 7 deaths, for Cork one death, and for Dundalk 3 deaths from diphtheria were recorded.

Diarrhœal Diseases.—Under this heading 348 deaths of children under 2 years of age from diarrhœa or *enteritis* were recorded for Belfast; for Cork, 51 deaths; for Londonderry 20 deaths; for Limerick, 22 deaths; for Waterford, 25 deaths; for Wexford, 12 deaths; for Portadown, 14 deaths, and for Newtownards, 23 deaths.

Phthisis.—The annual death-rate from phthisis for the 22 towns in the aggregate, was 1·9 per 1,000 of the estimated population; for the Dublin Registration Area it was 2·0 per 1,000, for Belfast County Borough, 1·7 per 1,000, and for the urban districts collectively (exclusive of Belfast and Dublin Registration Area), it was 1·8 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ending Saturday, 30th September, 1911,** in the Dublin Registration Area, and in each of the undermentioned Twenty-one Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other localities), with the number of Deaths from some of the principal causes; also the number of Uncertified Deaths.

Towns and Districts.	Census Statistics of Districts.* Population. Total.	Population. Persons to an Acre.	Annual Rate per 1,000 persons Represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in Cols. 10-17, 23-5.	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
Total of 22 Town Districts, ...	1,149,495	20·2	27·7	18·2	4·5	7,967	5,232	1,509	985	34	1	...	38	26	60	31	3	533	244	221	195	316	637	97	354	107	176	1,429	167
Dublin Registration Area:— Total	403,732	29·3	28·0	21·5	6·0	2,824	2,172†	639	392	25	...	...	30	17	40	20	2	206	102	88	87	122	306	45	118	53	62	699	71
City of Dublin, ...	309,738	39·2	31·4	23·3	6·8	2,429	1,801	545	283	24	...	...	27	16	32	19	2	174	93	63	71	108	268	39	100	40	48	633	49
Urban Districts. Rathmines and Rathgar, ...	38,330	22·4	14·2	14·6	3·9	136	140	40	43	1	...	...	3	1	1	1	...	8	6	11	5	6	17	3	10	7	9	30	11
Urban Districts. Pembroke, ...	29,347	18·5	20·4	14·7	3·5	150	108	29	24	...	...	...	...	...	7	...	...	13	2	4	4	3	10	3	6	2	2	19	7
Urban Districts. Blackrock, ...	9,090	8·4	9·7	12·8	0·4	22	29	3	12	...	...	...	...	...	...	...	...	2	1	1	...	2	...	...	1	1	1	2	2
Urban Districts. Kingstown, ...	17,227	11·8	20·2	21·8	2·8	87	94	22	30	...	...	...	...	...	...	...	...	9	...	9	7	3	11	...	1	3	2	15	2
Urban Districts. Belfast, ...	386,449	26·3	28·5	16·9	4·4	2,750	1,637	502	256	8	...	...	...	7	13	7	1	165	74	65	64	87	200	37	148	38	75	386	9
Urban Districts. Cork, ...	76,632	33·8	25·4	17·3	3·1	486	331	87	64	...	1	...	3	...	3	1	...	39	16	16	7	25	47	...	4	4	10	119	10
Urban Districts. Londonderry, ...	40,799	18·9	27·4	14·8	2·6	279	151	31	25	...	...	...	...	1	4	...	...	20	8	9	7	17	15	2	5	2	4	23	...
Urban Districts. Limerick, ...	38,403	18·2	27·4	17·3	2·8	263	166	41	33	1	...	...	...	...	...	...	...	14	4	6	6	14	18	4	4	2	5	47	17
Urban Districts. Waterford, ...	27,430	19·1	27·9	18·1	3·8	191	124	40	35	...	...	...	...	...	...	...	...	17	7	3	7	7	6	1	19	2	5	48	12
Urban Districts. Galway, ...	13,249	2·5	26·6	14·2	...	88	47	4	12	...	...	...	...	...	...	...	...	11	4	1	1	6	...	...	...	2	2	16	4
Urban Districts. Dundalk, ...	13,128	9·5	27·4	12·8	2·1	90	42	9	12	...	...	...	...	...	...	3	...	1	4	1	1	1	2	...	2	...	...	8	4
Urban Districts. Drogheda, ...	12,425	8·4	17·4	9·3	1·9	54	29	4	9	...	...	...	...	...	...	...	...	1	...	1	3	1	4	...	2	...	...	8	2
Urban Districts. Newry, ...	11,956	17·2	31·1	18·1	2·0	93	54	9	18	...	...	...	...	...	...	...	...	3	2	5	3	5	3	1	2	1	4	10	1
Urban Districts. Lurgan, ...	12,135	14·3	32·0	13·8	2·0	97	42	10	13	...	...	...	...	1	...	...	...	4	1	2	2	4	3	...	2	...	...	4	1
Urban Districts. Lisburn, ...	12,172	10·7	23·3	14·5	2·6	71	44	14	10	...	...	...	...	...	...	...	...	4	3	6	...	...	6	...	2	...	1	5	1
Urban Districts. Wexford, ...	11,455	23·8	31·8	19·6	4·2	91	56	27	15	...	...	...	...	...	...	...	...	3	3	3	1	4	6	...	6	...	...	8	10
Urban Districts. Ballymena, ...	11,376	9·3	22·9	19·0	1·8	65	54	8	20	...	...	...	...	...	...	...	...	8	1	1	2	2	3	2	...	1	1	7	4
Urban Districts. Sligo, ...	11,163	3·8	24·4	10·0	1·1	68	28	4	10	...	...	...	...	...	...	...	...	5	2	1	...	...	2	...	1	...	3	8	3
Urban Districts. Kilkenny, ...	10,513	11·4	19·0	18·6	0·8	50	49	6	15	...	...	...	...	...	...	...	...	8	1	3	2	5	2	...	...	1	2	13	5
Urban Districts. Clonmel, ...	10,277	7·9	27·6	11·3	1·2	71	29	3	14	...	...	...	...	...	...	...	...	2	4	4	...	3	3	...	...	...	...	6	2
Urban Districts. Portadown, ...	11,727	15·3	35·5	15·0	5·1	104	44	18	10	...	...	...	...	...	...	...	...	3	4	4	...	2	...	1	14	...	...	...	2
Urban Districts. Tralee, ...	9,867	16·6	25·5	12·2	3·2	63	30	12	3	...	...	...	...	...	...	...	...	7	...	1	...	2	7	...	1	...	1	5	...
Urban Districts. Newtownards, ...	9,110	18·9	26·3	26·8	13·2	60	61	28	13	...	...	...	5	...	...	...	...	6	1	...	1	4	...	2	23	1	1	5	2
Urban Districts. Queenstown, ...	7,909	14·4	31·4	12·6	·2·0	62	25	8	4	...	...	...	...	...	...	...	...	4	3	1	1	1	3	...	1	...	...	2	3
Urban Districts. Armagh, ...	7,588	22·2	24·8	9·0	1·6	47	17	5	2	...	...	...	...	...	...	...	...	2	...	...	...	1	1	2	...	...	...	2	1

* In the cases of the Districts comprising the Dublin Registration Area and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901.

† Including one death from cerebro-spinal fever.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) **ended 30th September, 1911,** Deaths in Public Institutions of persons *admitted from without each City being omitted,* and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population according to the Census of 1911 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at certain AGE-PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911 (unrevised).	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Diseases in Cols. 12-19, 25-7.	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	385,492	105	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		79	31	6	3	14	20	5	.	.	.	.	.	.	.	.	11	3	3	2	3	14	2	9	2	5	20	.
Do. 2 do.		316			208	65	22	17	32	34	38	1	.	.	.	.	2	2	.	21	5	6	3	7	47	2	14	7	14	40	2
Do. 3 do.		380			216	71	19	20	33	32	41	.	.	.	.	1	2	1	.	21	10	9	5	17	35	7	13	3	5	44	1
Do. 4 do.		304			162	53	10	14	33	25	27	2	.	.	.	2	.	1	.	20	4	3	8	13	14	1	12	2	4	73	2
Do. 5 do.		104			73	22	4	4	12	19	12	.	.	.	.	.	.	.	.	3	4	3	2	4	7	1	6	2	2	27	1
Do. 6 do.		177			120	25	4	10	18	33	30	.	.	.	.	.	.	.	.	7	7	9	4	7	7	3	12	4	5	15	2
Do. 7 do.		16			8	1	2	.	1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	2	.
Do. 8 do.		34			21	6	2	1	5	3	4	.	.	.	.	.	1	.	.	1	.	.	1	2	.	.	3	.	.	5	.
Do. 9 do.		179			106	25	9	15	22	26	9	4	.	.	.	1	.	.	.	17	4	3	3	6	14	2	4	1	3	30	1
Do. 10 do.		223			123	42	12	20	15	23	11	.	.	.	.	.	5	2	.	14	5	6	10	4	18	1	4	5	9	23	.
Do. 11 do.		262			141	33	17	15	25	23	28	.	.	.	.	.	2	1	1	15	6	9	8	5	22	5	4	8	14	23	.
Do. 12 do.		343			183	78	24	19	17	29	16	1	.	.	.	2	.	.	.	11	17	2	7	11	7	8	51	1	7	36	.
Do. 13 do.		138			72	13	7	7	8	20	17	.	.	.	.	.	.	.	.	9	3	4	7	1	2	2	6	.	3	9	.
Do. 14 do.		3			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		166			125	37	8	13	13	40	14	.	.	.	.	1	1	.	.	14	6	8	4	7	12	3	10	3	4	39	.
Total,	—	2,750			1,637	502	146	158	248	327	256	8	.	.	.	7	13	7	1	165	74	65	64	87	200	37	148	38	75	386	9
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	76,632	71	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		61	12	5	5	10	17	12	.	.	.	3	.	.	.	.	10	2	4	3	.	8	.	.	.	1	29	.
Do. 2 do.		59			49	18	5	5	7	11	3	.	1	.	.	.	1	1	.	4	3	4	1	3	9	.	.	1	2	9	4
Do. 3 do.		73			44	13	9	2	9	6	5	.	.	.	.	.	1	.	.	6	3	3	1	6	12	.	.	.	1	12	.
Do. 4 do.		58			39	11	1	3	4	8	12	.	.	.	.	.	1	.	.	2	.	.	.	6	6	.	.	1	2	11	2
Do. 5 do.		33			25	7	.	4	3	8	3	.	.	.	.	.	.	.	.	4	1	1	.	6	3	.	.	.	.	17	.
Do. 6 do.		69			46	14	3	1	11	4	13	.	.	.	.	.	.	.	.	4	3	2	1	3	3	.	1	.	1	17	1
Do. 7 do.		123			67	12	10	6	9	14	16	.	.	.	.	.	.	.	.	9	4	2	1	1	6	.	3	2	3	24	3
Total,	—	486	17·3	3·1	331	87	33	26	53	68	64	.	1	.	3	.	3	1	.	39	16	16	7	25	47	.	4	4	10	119	10

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
26th October, 1911.

WILLIAM J. THOMPSON,
Registrar-General.

Printed by A. THOM & Co. (Ltd.) 31383. Wt. P. 110.—81/138. 375. 10. 1911. **Sch. C. 9.**

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 7TH OCTOBER, 1911. [No. 40.

General Register Office, Charlemont House, Dublin, 9th October, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Sept. 16	Sept. 23	Sept. 30	Oct. 7	Average Rate for 4 weeks.
22 Town Districts, ...	**19·4**	**20·1**	**18·0**	**19·6**	**19·3**
Armagh	6·9	13·7	13·7	6·9	10·3
Ballymena	27·5	13·8	4·6	22·9	17·2
Belfast	16·5	20·2	16·9	17·3	17·7
Clonmel	15·2	20·3	5·1	40·6	20·3
Cork	19·7	19·7	22·5	25·2	21·8
Drogheda	12·6	12·6	16·8	37·8	20·0
Dublin Reg. Area ...	23·2	22·6	19·9	22·1	21·9
Dundalk	4·0	27·8	7·9	7·9	11·9
Galway	7·9	19·7	35·4	15·7	19·7
Kilkenny	9·9	24·8	19·8	19·8	18·6
Limerick	20·4	23·1	23·1	20·4	21·7
Lisburn	30·0	8·6	12·9	12·9	16·1
Londonderry	11·5	12·8	19·2	7·7	12·8
Lurgan	43·0	21·5	4·3	8·6	19·3
Newry	30·5	4·4	21·8	17·4	18·5
Newtownards	34·3	28·6	11·4	22·9	24·3
Portadown	22·2	8·9	.	13·3	11·1
Queenstown	26·4	6·6	13·2	13·2	14·9
Sligo	4·7	4·7	4·7	28·0	10·5
Tralee	5·3	10·6	21·1	26·4	15·9
Waterford	20·9	24·7	11·4	19·0	19·0
Wexford	13·7	9·1	22·8	9·1	13·7

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 3·7 per 1,000, the rates varying from 0·0 in ten of the districts to 15·2 in Clonmel, the 8 deaths from all causes for that district including 3 from *enteritis* under 2 years of age. Included in the 128 deaths from all causes for Belfast are 2 from enteric fever, one from each of scarlet fever and whooping-cough, and 18 from diarrhœal diseases. Among the 37 deaths from all causes for Cork are 5 from diarrhœa. Of the 15 deaths for Limerick 2 are from diarrhœa under 2 years, and included in the 10 deaths from all causes for Waterford are 4 from diarrhœa and *enteritis* under 2 years. Two of the 3 deaths for Lisburn are from diarrhœa under 2 years. Among the 5 deaths from all causes for Ballymena are one from scarlet fever and one from diarrhœa under 2 years, and 2 of the 4 deaths from all causes for Newtownards are from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 204—109 boys and 95 girls—and the deaths to 179—96 males and 83 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 22·1 per 1,000 of the population. During the forty weeks ending with Saturday last the death-rate averaged 21·6, and was 0·8 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 179, represent an annual rate of 23·1 per 1,000; the annual rate for the past forty weeks was 22·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·5 per 1,000 of the mean population for all deaths registered.

The total deaths registered, include 2 from enteric fever, one from scarlet fever, one from influenza, 32 from diarrhœa and *enteritis* of children under 2 years, and one death from diarrhœa of a person above 2 years of age. In the three preceding weeks deaths from enteric fever were 2, 3, and 6; deaths from scarlet fever were one, 3, and one; deaths from influenza were 0, 0, and 0, and deaths from diarrhœa and *enteritis* under 2 years were 46, 44, and 28.

Tuberculous disease caused 30 deaths, comprising 18 from pulmonary tuberculosis, 2 from tuberculous meningitis, 4 from abdominal tuberculosis, and 6 from disseminated tuberculosis. In the three preceding weeks, tuberculous disease caused 26, 14, and 19 deaths respectively.

Broncho-pneumonia caused 7 deaths, lobar pneumonia 3 deaths, and *pneumonia* (type not distinguished) 4 deaths.

There were 6 deaths from cancer.

The deaths of 2 children under 2 years of age were ascribed to *convulsions.*

Fifteen deaths were caused by organic diseases of the heart, and bronchitis accounted for 15 deaths.

Premature birth was the cause of death of 3 infants, and congenital debility caused 6 deaths.

There was one accidental death, and one death by suicide was also registered.

In one instance the cause of death was "uncertified," there having been no medical attendant during the last illness.

Sixty-eight of the persons whose deaths were registered during the week were under 5 years of age (47 being infants under one year, of whom 14 were under one month old) and 22 were aged 65 years and upwards, including 19 persons aged 70 and upwards; among the latter were 11 aged 75 years and upwards, of whom 2 (females) were stated to have been each aged 90 years.

Seventy-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse and 22 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·1 per 1,000; the rate in the City was 25·1 (North City Districts, 24·3; South, 25·9) and in the Suburbs, 12·2.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 4·6 per 1,000 inhabitants, the rate for the City being 5·4 (4·6 in the North City Districts, and 6·2 in the South), and for the Suburbs, 2·2 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (9) are equal to an annual rate of 15·7 per 1,000. Enteric fever caused one death, influenza one death, *enteritis* under 2 years 2 deaths, pulmonary tuberculosis 3 deaths, and bronchitis one death.

No. 1 *North City District, West* (Summer-hill).—The deaths (23) are equal to an annual rate of 30·1 per 1,000. Included in the total are 6 deaths from diarrhœa and *enteritis* under 2 years, 2 from pulmonary tuberculosis, one from broncho-pneumonia, one from lobar pneumonia, and 2 from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 25·5 per 1,000, and include one from enteric fever, 3 from diarrhœa under 2 years, 2 from disseminated tuberculosis, one from broncho-pneumonia, and one from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (18) represent an annual rate of 28·0 per 1,000. Of the total 2 were caused by disseminated tuberculosis, and one by *pneumonia* (type not distinguished).

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 22·5; and Finglas and Glasnevin, part of, 20·4. The only death for the first-named district was from bronchitis. Included in the 5 deaths from all causes for Coolock and Drumcondra, part of, was one from bronchitis and one from *enteritis* of a child under 2 years of age; and one of the 3 deaths for Finglas and Glasnevin, part of, was from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (21) represent an annual rate of 26·4 per 1,000. Scarlet fever caused one death, diarrhœa and *enteritis* under 2 years 4 deaths, tuberculous disease 2 deaths; broncho-pneumonia, lobar pneumonia, and *pneumonia* (type not distinguished) each caused one death, and there were 4 deaths from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (8) are equal to an annual rate of 19·2 per 1,000. Included in the total are 4 deaths from diarrhœa and *enteritis* under 2 years, 2 from tuberculous disease, one from bronchitis, and one accidental death.

No. 3 *South City District* (Peter street)—The deaths (27) are equal to an annual rate of 32·6 per 1,000. The total includes 5 from diarrhœa and *enteritis* under 2 years, 11 from tuberculous disease, 2 from broncho-pneumonia, and 2 from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (14) are equivalent to an annual rate of 20·4 per 1,000. Diarrhœa and *enteritis* under 2 years caused 4 deaths, tuberculous disease 2 deaths, lobar pneumonia, *pneumonia* (type not distinguished) and bronchitis, each caused one death, and there was one death by suicide.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 28·8 per 1,000. Of the 5 deaths one was caused by broncho-pneumonia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 10·9; Pembroke, 17·8; Blackrock, 11·5; and Kingstown, 6·1. The deaths from the principal epidemic diseases tabulated for these districts comprise 3 from diarrhœa and *enteritis* of children under 2 years of age for Pembroke. Included in the 10 deaths from all causes for this district is one from each of tuberculous disease, broncho-pneumonia, and bronchitis; and one of the 2 deaths recorded for Blackrock is from abdominal tuberculosis.

* See note (*c*), Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 7th October, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Sept. 16,	.	—	—	22	.	.	18	.	.	26	10	.	—	—	.	—	12	—	88
	Sept. 23,	.	—	—	27	2	.	5	.	.	33	7	.	—	—	.	—	9	—	83
	Sept. 30,	.	—	—	25	.	.	8	.	2	33	9	.	—	—	.	—	4	—	81
	Oct. 7,	.	—	—	25	1	.	5	.	2	35	3	.	—	—	.	—	5	—	76
Rathmines and Rathgar Urban District.	Sept. 16,	.	—	—	.	.	.	2	.	.	1	1	.	.	—	—	—	—	—	4
	Sept. 23,	.	—	—	.	.	.	.	.	.	1	2	.	.	—	—	—	—	—	3
	Sept. 30,	.	—	—	.	.	.	1	.	.	.	.	.	.	—	—	—	—	—	1
	Oct 7,	.	—	—	2	.	.	1	.	.	.	.	.	.	—	—	—	—	—	3
Pembroke Urban District.	Sept. 16,	.	.	.	1	.	.	.	.	.	.	.	.	.	4	.	—	.	—	5
	Sept. 23,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	—	.	—	.
	Sept. 30,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	—	.	—	2
	Oct. 7,	.	.	.	2	.	.	.	.	1	.	.	.	.	.	.	—	.	—	3
Blackrock Urban District.	Sept. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 23,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
	Sept. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Oct. 7,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	Sept. 16,	.	—	—	.	.	.		.	.	2	.	.	—	—	—	—	.	—	2
	Sept. 23,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	—	—	.	—	2
	Sept. 30,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	1	—	3
	Oct. 7,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	Sept. 16,	.	—	—	12	.	.	7	.	1	5	6	.	—	—	.	—	4	—	35
	Sept. 23,	.	—	—	16	.	.	3	1	2	2	1	.	—	—	.	—	3	—	28
	Sept. 30,	.	—	—	24	.	.	13	.	.	8	3	.	—	—	.	—	8	—	56
	Oct. 7,	.	—	—	25	.	.	5	.	2	2	7	.	—	—	.	—	9	—	50

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 7th October, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Nine cases of measles were discharged from hospital during the week, and 2 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 7, 12, and 11, respectively.

Thirty-eight cases of scarlet fever were admitted to hospital, 17 were discharged, there was one death, and 131* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 84, 102, and 111, respectively.

One case of typhus was admitted to hospital during the week, and 3 cases remained under treatment at its close.

Ten cases of diphtheria were admitted to hospital during the week, and 7 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 38, 35, and 39, respectively, were 42 at the close of last week.

Thirty-seven cases of enteric fever were admitted to hospital during the week, 7 were discharged, there were 3 deaths, and 145 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 82, 96, and 118.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 5 were discharged, there was one death, and 11 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 15·0) was equal to an average annual death-rate of 15·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 14·9 per 1,000, the rate for Glasgow being 14·9 and for Edinburgh 15·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 7th October. From this Report it appears that of a total of 56 cases notified, 25 were scarlet fever, 19 phthisis, 10 diphtheria, and 2 erysipelas. Among the 306 cases of infectious diseases in hospital at the close of the week were 158 cases of scarlet fever, 56 of phthisis, 48 of diphtheria, 18 of whooping-cough, 7 of erysipelas, 4 of chicken-pox, 4 of enteric fever, and 2 of measles.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 7th October, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Registration—Week ending Saturday, 7th October, 1911. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 7th October, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th September, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 23rd September, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
Total of 22 Town Districts, ...	1,149,495	20·2	25·6	19·6	3·7	565	431	101	76	4	...	...	2	3	1	...	...	46	26	19	24	40	41	5	25	8	12	139	10	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:— Total, (c.) ...	403,732	29·3	26·3	22·1	4·6	204	171	45	22	2	...	...	...	1	...	...	...	17	12	6	13	17	17	1	15	2	2	71	1	e58·7	36·3	48·6	0·21	e63·0	38·6	50·8	0·68	e67·0	37·5	52·2	0·25
City of Dublin,	309,738	39·2	30·3	25·1	5·4	180	149	39	18	2	...	...	...	1	...	..	...	17	10	5	12	15	16	...	13	2	2	66	1	f57·0 g59·2	40·1 38·0	49·9 49·4	0·32 0·35	f63·8 g63·8	42·2 39·0	52·7 51·0	0·56 0·74	f66·1 g66·3	41·7 34·8	53·5 52·3	0·25 0·28
Urban Districts. Rathmines and Rathgar.	38,330	22·4	16·3	10·9	.	12	8	1	3	...	...	...	...	...	...	...	...	...	..	...	...	1	...	...	...	...	..	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,347	18·5	17·8	17·8	7·1	10	10	3	1	...	...	...	...	...	...	...	...	...	1	...	1	1	1	1	2	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,090	8·4	.	11·5	.	...	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,227	11·8	6·1	6·1	.	2	2	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	58	41	50·1	0·35	64	45	54·1	0·53	66	44	55·3	0·16
Urban Districts. Belfast ...	386,449	26·3	24·8	17·3	3·0	184	128	26	23	2	...	...	...	1	1	...	...	13	10	6	7	10	10	2	6	2	7	33	...	55·0	42·0	49·0	0·09	65·0	39·0	51·2	0·98	65·0	36·0	53·3	0·48
Cork, ...	76,632	33·8	28·6	25·2	3·4	42	37	5	5	...	...	...	...	...	...	...	...	4	2	...	3	3	4	1	...	1	1	12	4	59	43	50·6	0·08	62	45	54·7	3·29	64	46	54·6	0·63
Londonderry ...	40,799	18·9	15·3	7·7	1·3	12	6	1	1	...	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick. ...	38,403	18·2	14·9	20·4	2·7	11	15	4	3	...	...	...	...	...	...	...	...	5	...	...	...	2	2	...	...	...	...	6	3	58	36·8	48·3	0·11	62·6	38·1	51·1	0·94	65·1	39·2	52·3	1·11
Waterford, ...	27,430	19·1	24·7	19·0	7·6	13	10	5	3	...	...	...	...	...	...	...	...	1	..	...	...	...	3	...	1	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,249	2·5	39·4	15·7	.	10	4	1	1	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	...	2	...	57	42	50	0·12	63	42	53·5	0·64	63	40	52	0·70
Dundalk, ...	13,128	9·5	15·9	7·9	.	4	2	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,425	8·4	42·0	37·8	4·2	10	9	2	2	...	...	...	...	...	...	...	..	...	...	2	1	...	1	...	...	...	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry. ...	11,956	17·2	8·7	17·4	4·4	2	4	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	56·2	37·0	47·2	0·18	62·1	40·8	50·7	0·80	65·0	40·3	53·5	0·34
Lurgan, ...	12,135	14·3	21·5	8·6	.	5	2	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	56·2	37·0	47·2	0·18	62·1	40·8	50·7	0·80	65·0	40·3	53·5	0·34
Lisburn, ...	12,172	10·7	17·1	12·9	8·6	4	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	56·2	37·0	47·2	0·18	62·1	40·8	50·7	0·80	65·0	40·3	53·5	0·34
Wexford. ...	11,455	23·8	41·0	9·1	.	9	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena, ...	11,376	9·3	55·0	22·9	9·2	12	5	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	58·5	35·5	48·5	0·17	63·0	39·8	49·9	0·71	64·8	36·0	51·0	1·09
Sligo. ...	11,163	3·8	28·0	28·0	.	6	6	2	3	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	58	35	48·5	0·10	63	32	50·0	1·42	65	38	51·7	0·70
Kilkenny, ...	10,513	11·4	5·0	19·8	.	1	4	...	...	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Clonmel, ...	10,277	7·9	50·7	40·6	15·2	10	8	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	1	56·2	37·0	47·2	0·18	62·1	40·8	50·7	0·80	65·0	40·3	53·5	0·34
Portadown, ...	11,727	15·3	26·7	13·3	.	6	3	...	1	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	...	...	...	...	...	57	40	49·6	0·13	63	41	50·1	0·54	66	39	53·0	0·83
Tralee, ...	9,867	16·6	10·6	26·4	.	2	5	...	4	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	1	...	59	43	50·6	0·08	62	45	54·7	3·29	64	46	54·6	0·63
Newtownards,	9,110	18·9	45·8	22·9	11·4	8	4	2	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	56·2	37·0	47·2	0·18	62·1	40·8	50·7	0·80	65·0	40·3	53·5	0·34
Queenstown, ...	7,909	14·4	59·3	13·2	.	9	2	...	1	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	1	..												
Armagh, ...	7,588	22·2	6·9	6·9	.	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...												

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 8 deaths of persons (including 2 under one year old) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 7th of October, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	3	2	.	.	.	.	1	1	1	9	.	.	.	.	.	.	17	1
Tuberculous Disease. — Other Forms,	.	.	2	2	.	.	.	1	1	2	2	.	.	1	1	.	12	.
Cancer,	.	1	.	1	.	.	1	.	.	1	.	1	.	.	.	1	6	.
Diseases of Nervous System,	.	2	3	3	.	3	.	1	.	1	.	1	2	1	.	.	17	2
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	2	.	4	.	.	1	1	.	1	3	.	2	1	.	.	15	1
" Respiratory System. — Pneumonia,	.	2	1	1	.	.	.	3	.	2	2	1	.	1	.	.	13	1
" Respiratory System. — Others,	1	2	1	.	1	1	.	4	1	3	1	.	1	1	.	.	17	.
" Digestive System. — Diarrhœa, under 2 years,	.	4	3	.	.	.	.	2	3	1	3	.	.	1	.	.	17	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
" Digestive System. — *Enteritis*, under 2 years,	2	2	.	.	.	1	.	2	1	4	1	.	.	2	.	.	15	.
" Digestive System. — Enteritis, 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Others,	.	.	1	1	.	.	.	3	.	.	.	1	1	.	.	.	7	.
" Genito-urinary System,	.	1	.	1	.	.	.	1	.	1	.	1	.	.	.	.	5	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	4	3	5	.	.	.	1	.	1	1	.	1	1	1	1	20	3
Violent Deaths,	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2	.
Ill-defined, &c. Causes,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Deaths from All Causes	9	23	15	18	1	5	3	21	8	27	14	5	8	10	2	2	171	8
Annual Rate of Mortality from All Causes in every 1,000 of the population.	15·7	30·1	25·5	28·0	9·7	22·5	20·4	26·4	19·2	32·6	20·4	28·8	10·9	17·8	11·5	6·1	22·1	.
	24·3							25·9					12·2					
	25·1																	
Ages at Death. — Under 1 year,	3	11	2	6	.	1	.	5	1	7	2	1	1	3	1	1	45	2
1 and under 2 years,	.	.	2	.	.	.	.	4	3	2	2	.	.	.	.	.	13	.
2 " 5 "	.	.	.	1	.	.	.	2	.	2	1	1	.	1	.	.	8	.
5 " 15 "	.	.	2	.	.	1	.	1	.	.	.	1	.	.	.	.	5	.
15 " 25 "	2	2	1	1	.	.	.	.	1	2	1	.	.	1	.	.	11	1
25 " 45 "	.	4	2	4	.	.	1	3	2	8	3	1	1	.	1	.	30	3
45 " 65 "	2	4	4	3	.	2	2	3	.	5	4	.	3	4	.	1	37	2
65 and upwards,	2	2	2	3	1	1	.	3	1	1	1	1	3	1	.	.	22	.
Number of Uncertified Deaths,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	4	4	4	1	.	.	4	1	8	5	.	3	1	.	.	36	5
Workhouse Hospitals,	4	7	4	.	.	.	.	8	3	4	3	1	.	1	.	.	35	3

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 40th Week of the 10 years 1901–1910.	In the Week ending Saturday, 7th October, 1911.									
													Deaths of Persons of the Ages of								
												Mean Temp.	Under 1 month.	0—5. 1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
	Oct. 5, 1901.	Oct. 4, 1902.	Oct. 10, 1903.	Oct. 8, 1904.	Oct. 7, 1905.	Oct. 6, 1906.	Oct. 5, 1907.	Oct. 3, 1908.	Oct. 9, 1909.	Oct. 8, 1910.											
Mean Temperature.	° 52·1	° 51·1	° 52·4	° 48·3	° 48·3	° 53·3	° 52·4	° 60·6	° 53·2	° 52·5	° 52·4	° 48·6									
ALL CAUSES.	149	169	150	130	158	193	161	146	134	160	155·5	179	14	33	13	8	5	12	33	39	11	11
Enteric Fever, ...	8	6	2	1	2	.	.	4	.	3	2·6	2	.	.	.	.	.	2	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	8	.	.	.	.	.	4	1	1	1·4	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	1	1	.	.	.	1	.	1	·4	1	.	.	1	.	.	.	.	.	.	.
Whooping-cough, ...	2	1	2	3	.	1	3	.	3	2	1·7	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	2	5	1	.	.	.	3	1	1	2	1·5	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	1	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	1	.	1	1	1	.	.	1	·6	1	.	.	.	.	.	.	.	.	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	2	1	.	1	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	1	1	.	.	.	.	.	.	·2	2	.	.	.	.	1	.	1	.	.	.
Tetanus, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	21	18	27	24	25	23	32	13	17	17	21·7	18	.	1	.	.	.	5	9	3	.	.
Tuberculous Meningitis, ...	1	4	.	2	6	3	5	4	3	2	3·0	2	.	.	.	2	.	.	.	.	.	.
Abdominal Tuberculosis, ...	11	.	5	2	1	2	.	2	.	1	2·4	4	.	1	.	1	.	1	.	1	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	3	4	9	4	10	3	6	7	2	9	5·7	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												6	.	1	1	1	1	1	1	.	.	.
Venereal Diseases, ...	.	1	1	1	2	1	2	.	4	1	1·3	1	1	.	.	.	.	.	.	.	.	.
Cancer, ...	6	4	9	3	11	13	12	12	8	12	9·0	6	.	.	.	.	.	.	2	3	.	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	1	.	.	.
Rheumatic Fever, ...	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	.	.	.	1	2	1	.	.	·5	2	.	.	.	.	.	.	1	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	2	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	.	.	1	1	.	.	.	1	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	1	.	.	.	.	1	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												2	.	.	.	1	1	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												9	.	.	.	.	.	.	.	6	2	1
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												1	.	.	.	.	.	.	1	.	.	.
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												2	.	2	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	24	33	31	31	30	37	32	44	27	35	32·4	5	.	.	.	.	.	.	2	3	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												1	.	.	.	.	.	.	.	1	.	.
Organic Diseases of the Heart,												15	.	.	.	.	.	1	5	7	2	.
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	9	11	8	11	10	21	6	7	8	15	10·6	15	.	2	1	.	.	.	2	4	3	3
Broncho-pneumonia, ...	12	1	5	3	4	4	2	2	3	1	8·3	7	.	.	1	2	1	.	1	1	1	.
Lobar-pneumonia, ...		.	.	2	1	.	1	2	1	2		3	.	.	.	.	.	.	2	1	.	.
Pneumonia (type not distinguished)		6	2	2	5	6	3	4	7	2		4	.	.	.	.	.	1	1	2	.	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	1	2	2	3	1	2	1	1	1	1·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												2	.	.	.	.	.	.	1	.	.	1

FORTIETH WEEK ending Saturday, 7th October, 1911, with, as far as practicable, the deaths from each cause in 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 40th Week of the 10 years 1901–1910.	In the Week ending Saturday, 7th October, 1911.										
													Deaths of Persons of the Ages of									
	Oct. 5, 1901.	Oct. 4, 1902.	Oct. 10, 1903.	Oct. 8, 1904.	Oct. 7, 1905.	Oct. 6, 1906.	Oct. 5, 1907.	Oct. 3, 1908.	Oct. 9, 1909.	Oct. 8, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature	° 52·1	° 51·1	° 52·4	° 48·3	° 48·3	° 53·3	° 52·4	° 60·6	° 53·2	° 52·5	° 52·4	° 48·6										
Diseases of the Pharynx, Tonsillitis.	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	5	.	3	1	.	.	.	.	1	.	.
Diarrhœa of Children under 2 years.	9	19	4	10	1	31	12	8	5	12	11·1	17	3	9	5	.	.	.	.	.	.	.
„ 2 years and upwards,												1	.	.	.	.	.	.	.	1	.	.
Enteritis of Children under 2 years.	.	6	5	2	7	3	2	5	2	7	3·9	15	2	10	3	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	.	.	2	1	1	.	1	.	2	2	2·1	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...		2	1	.	3	3	.	.	2	1		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	1	2	.	1	.	.	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	9	5	5	4	3	6	6	1	3	1	4·3	2	.	.	.	1	.	.	1	.	.	.
Acute Nephritis, ...												2	.	.	.	.	1	.	1	.	.	.
Chronic Bright's Disease, ...												1	.	.	.	.	.	.	.	1	.	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	2	4	5	3	9	5	6	3	2	5	4·4	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												2	.	.	.	.	.	.	.	.	1	1
Puerperal Septicæmia, &c., ...	1	1	.	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	1	.	.	.	.	5	.	1	.	·8	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	2	.	1	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	1	5	1	2	7	3	2	2	4	5	3·2	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	6	3	3	.	.	.	.	.	.	.	.
Old Age, ...	9	5	4	2	4	5	6	1	6	2	4·4	4	.	.	.	.	.	.	.	.	.	4
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	2	2	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	2	.	.	1	1	.	.	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	.	.	.	.	1	.	.	1	.	3	·5	.	.	.	.	.	.	.	.	.	.	.
By Drowning, ...	.	1	.	1	.	.	2	.	1	1	·6	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	1	1	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	.	.	1	.	3	1	1	3	4	1·5	1	.	.	.	.	.	.	1	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.
No. of weeks in Annual Series,	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
BIRTHS registered.	171	174	259	260	242	226	246	261	228	232	185	324	190	190	294	233	198	210	233	218	198	212	201	182	265	204
Average Births in corresponding week of previous 10 *years*, ...	210	223	199	268	231	210	204	238	226	207	224	237	205	204	208	221	217	208	217	216	207	235	209	212	247	197
DEATHS registered, ...	174	196	181	176	170	129	158	150	149	159	127	155	120	172	162	186	153	169	199	162	210	219	189	183	161	179
Annual Death-rate per 1,000, ...	22·3	25·1	23·2	22·5	21·8	16·5	20·2	19·2	19·2	20·5	16·4	20·0	15·5	22·2	20·9	24·0	19·8	21·8	25·7	20·9	27·1	28·3	24·4	23·6	20·8	23·1
Average Deaths in corresponding week of previous 10 *years*, ...	195	197	190	177	178	171	169	154	151	149	148	134	140	141	144	147	145	146	154	162	153	156	152	167	160	156
Ages, Under 5 years, ...	63	54	50	56	48	40	37	43	34	42	44	56	43	41	51	88	73	72	94	80	94	93	82	77	69	68
5—15 " ...	4	5	11	14	7	6	14	10	8	4	9	10	4	13	6	5	6	8	5	8	5	8	4	6	8	5
15—25 " ...	10	14	7	6	8	9	11	9	9	13	2	7	7	11	10	6	6	4	7	7	12	7	7	7	6	12
25—45 " ...	25	31	33	15	35	21	21	29	26	32	18	20	19	31	26	21	22	19	31	19	23	26	30	26	22	33
45—65 " ...	43	45	35	30	38	36	39	29	33	31	34	28	20	33	37	29	21	40	37	28	38	37	35	33	29	39
65—75 " ...	19	29	25	34	19	10	24	17	26	18	13	16	15	24	18	24	15	14	11	9	21	28	17	22	11	11
75 and upwards, ...	10	18	20	21	15	7	12	13	13	19	7	18	12	19	14	13	10	12	14	11	17	20	14	12	16	11
Deaths from :—																										
Enteric Fever, ...	1	1	.	1	1	1	1	1	.	.	1	.	1	3	2	1	2	2	2	1	2	.	2	3	6	2
Typhus, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	7	11	5	8	17	4	6	3	4	2	8	7	4	7	3	7	5	2	.	1	1	.	1	.	.	.
Scarlet Fever, ...	4	1	.	1	1	.	2	2	2	.	.	.	1	3	.	2	1	3	.	1	.	1	1	3	1	1
Whooping-cough, ...	6	.	2	3	2	4	1	4	1	3	2	2	.	1	4	3	4	1	3	6	7	4	3	3	1	.
Diphtheria, ...	3	4	1	2	3	1	.	1	4	1	4	2	2	3	2	1	.	.	1	5	1	2	3	.	.	.
Influenza, ...	.	3	.	3	2	1	2	.	.	1	.	1	1	1	2	1	.	1	.	.	1	2	.	.	.	1
Dysentery, ...	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	21	33	22	21	17	25	22	22	25	23	7	21	7	20	17	17	16	13	19	15	22	22	19	12	14	18
Tuberculous Disease, Other Forms,	3	8	10	6	6	6	9	9	8	7	11	6	7	12	10	15	9	5	9	4	10	12	7	2	5	12
Cancer, ...	8	7	9	6	5	6	11	9	12	10	7	8	12	4	10	6	5	11	7	6	10	10	10	9	8	6
Diseases of Circulatory System,	14	15	24	17	23	7	19	12	12	23	14	22	16	22	20	15	10	13	13	8	13	15	16	16	17	16
Diseases of Respiratory System, Pneumonia,	19	16	18	22	15	12	6	10	8	9	8	9	9	10	8	12	1	8	3	6	12	5	10	4	4	14
Diseases of Respiratory System, Others, ...	26	26	16	34	20	15	14	15	16	17	9	17	6	11	10	13	3	8	13	7	5	14	12	12	10	17
Diarrhœa, Under 2 years, ...	2	1	2	2	1	2	1	6	.	3	3	.	1	3	9	27	20	29	37	25	38	31	37	32	19	17
Diarrhœa, 2 years & upwards,	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	5	1	6	7	10	7	4	1	3	1	1
Enteritis, under 2 years, ...	3	2	2	2	.	1	1	4	1	1	1	3	3	2	2	7	9	12	12	13	14	14	9	12	9	15
Violent Deaths, ...	1	7	9	3	.	1	5	2	3	6	5	2	6	7	2	5	2	2	8	5	3	4	2	7	7	2
Number of Uncertified Deaths,	1	2	8	4	3	1	5	4	3	4	.	5	9	5	2	3	3	7	7	7	7	5	6	5	5	1
Mean Temperature of the Air (Phœnix Park)	43·7	50·5	50·5	49·6	52·6	49·5	55·3	56·2	55·6	52·6	56·2	55·5	59·6	60·9	62·9	62·7	62·5	60·8	61·2	59·7	59·1	57·5	52·9	52·2	50·8	48·6
Average Mean Temperature in corresponding week of previous 10 *years*, ...	43·1	45·1	46·2	46·7	48·1	49·1	50·9	53·7	53·5	53·6	55·5	56·5	57·5	58·5	59·8	58·2	58·6	58·5	57·5	56·5	56·3	54·5	52·8	53·2*	53·7	52·4
Rainfall in inches, ...	·000	·501	·606	·780	·127	·262	·010	·000	·000	·605	·782	·166	·018	·000	·316	1·860	·430	·170	·010	·338	·405	·020	·320	·248	·680	·208
Mean Humidity of the Air, complete Saturation 1·0, ...	·86	·89	·91	·93	·94	·92	·89	·89	·88	·86	·91	·91	·92	·84	·92	·92	·92	·82	·82	·82	·78	·85	·83	·81	·83	·83

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 7th October, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 7TH OCTOBER, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	179	68	5	12	33	39	11	11	2	.	.	.	1	.	.	.	18	12	6	2	14	17	17	1	15	2	72	1
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	15·0	5	.	.	.	1	3	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	15·5	26	5	1	4	4	7	2	3	1	.	.	.	.	.	.	.	2	.	1	.	3	1	2	.	2	.	14	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	17·5	37	16	1	2	7	8	1	2	1	.	.	.	.	.	.	.	2	3	2	1	1	2	4	1	4	1	15	1
IV.	GENERAL SERVICE CLASS, ...	154,279	24·7	73	37	2	4	11	11	5	3	.	.	.	.	1	.	.	.	6	5	1	1	9	8	9	.	8	1	24	.
V.	INMATES OF WORKHOUSES, ...	6,024	—	38	10	1	2	10	10	3	2	.	.	.	.	.	.	.	.	7	4	1	.	1	6	2	.	1	.	16	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4	.	.	.	1	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	9·5	4	1	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	2	.
	6. Clerks and Commercial Assistants, ...	30,432	22·3	13	4	1	2	3	3	.	.	1	.	.	.	.	.	.	.	1	.	1	.	1	.	2	.	1	.	6	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	13·5	7	.	.	2	1	2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	9. Building and Furnishing Trades, ...	29,801	19·2	11	5	.	1	1	3	.	1	1	.	.	.	.	.	.	.	1	1	1	.	.	.	1	1	1	.	4	.
	10. Clothing Trades, ...	23,260	15·7	7	3	.	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.	3	.
	11. Food Supply Trades	9,242	16·9	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	22·3	13	5	1	1	3	2	1	.	.	.	.	.	.	.	.	.	1	1	1	1	1	.	3	.	1	.	4	1
	13. Petty Shopkeepers	7,894	6·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	31·1	8	4	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	5	.
	15. Domestic Servants, ...	36,603	15·7	11	4	.	.	4	1	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	2	1	.	1	.	5	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	36·2	10	5	.	1	2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	3	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	25·5	44	24	2	3	5	6	2	2	.	.	.	.	1	.	.	.	4	4	.	1	8	4	7	.	3	1	11	.
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	38	10	1	2	10	10	3	2	.	.	.	.	.	.	.	.	7	4	1	.	1	6	2	.	1	.	16	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 29,854.	Aug. 19,	24·5	7·0	14	.	.	.	.	.	.	.	.	.	.	1	.	3	3	.	1	.	1
	„ 26,	19·2	14·0	11	.	.	.	.	.	1	.	.	1	.	.	1	.	4	1	2	.	1
	Sept. 2,	29·7	10·5	17	.	.	.	.	.	1	.	.	2	2	2	.	.	3	1	1	1	.
	„ 9,	33·2	12·2	19	.	.	.	.	.	.	.	.	1	.	.	.	3	3	1	3	1	.
	„ 16,	34·9	15·7	20	.	.	.	1	.	1	.	.	3	1	1	1	.	4	.	3	.	.
	„ 23,	33·2	10·5	19	.	.	.	.	1	1	.	.	2	.	1	1	1	4	.	.	.	.
	„ 30,	24·5	7·0	14	.	.	.	.	.	1	.	.	.	.	.	1	1	1	.	2	1	.
	Oct. 7,	15·7	5·2	9	1	.	.	.	.	.	.	.	3	.	.	.	1	.	.	2	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 39,902.	Aug. 19,	23·5	10·5	18	.	.	.	.	.	.	.	.	1	.	.	.	1	7	1	.	1	.
	„ 26,	19·6	7·8	15	.	.	.	.	.	1	.	.	2	.	1	1	2	2	3	.	.	.
	Sept. 2,	36·6	14·4	28	.	.	.	.	.	2	.	.	2	1	2	1	.	8	1	.	1	.
	„ 9,	36·6	15·7	28	.	.	.	.	.	2	.	.	4	2	1	.	3	6	2	2	.	.
	„ 16,	31·4	10·5	24	.	.	.	.	.	2	.	.	.	.	.	2	4	6	.	.	2	1
	„ 23,	22·2	13·1	17	.	.	.	.	1	1	.	.	.	.	.	.	.	5	.	3	.	1
	„ 30,	32·7	7·8	25	1	.	.	.	.	.	.	.	3	1	1	1	.	4	.	1	1	.
	Oct. 7,	30·1	7·8	23	.	.	.	.	.	.	.	.	2	.	1	2	2	4	.	2	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 30,689.	Aug. 19,	25·5	11·9	15	.	.	.	.	.	.	1	.	.	.	.	.	1	2	4	.	.	1
	„ 26,	23·8	10·2	14	.	.	.	.	.	1	1	.	.	2	.	1	2	2	2	.	.	1
	Sept. 2,	15·3	6·8	9	.	.	.	.	.	.	.	.	2	.	.	.	.	4	.	.	.	.
	„ 9,	37·4	10·2	22	.	.	.	.	.	1	.	.	3	2	.	.	.	5	.	.	.	2
	„ 16,	35·7	8·5	21	.	.	.	.	.	.	1	.	3	4	.	.	2	4	.	.	.	2
	„ 23,	30·6	13·6	18	.	.	.	.	1	.	.	.	.	.	3	.	1	6	.	1	.	.
	„ 30,	27·2	6·8	16	1	.	.	.	.	.	.	.	.	2	1	.	2	2	1	.	.	.
	Oct. 7,	25·5	6·8	15	1	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,498.	Aug. 19,	42·0	4·7	27	1	.	.	.	.	.	.	.	4	2	.	1	1	2	.	.	.	.
	„ 26,	26·5	10·9	17	.	.	.	.	.	.	1	.	2	.	1	.	1	4	2	.	.	1
	Sept. 2,	48·3	12·5	31	.	.	.	.	.	.	.	.	4	.	2	2	.	3	1	4	.	3
	„ 9,	28·0	9·3	18	.	.	.	.	.	.	1	.	1	1	.	1	1	5	.	.	.	1
	„ 16,	26·5	6·2	17	.	.	.	.	.	.	.	.	3	.	2	.	.	3	.	1	.	1
	„ 23,	17·1	1·6	11	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.	.	2
	„ 30,	20·2	1·6	13	.	.	.	.	.	.	.	.	2	.	.	.	3	1	.	.	.	.
	Oct. 7,	28·0	.	18	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,401.	Aug. 19,	27·7	10·1	22	1	.	.	.	.	.	.	.	3	3	.	.	.	4	.	3	1	.
	„ 26,	16·4	6·3	13	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	3	.	1
	Sept. 2,	29·0	16·4	23	.	.	.	.	.	.	1	.	2	.	.	1	.	5	1	6	.	.
	„ 9,	29·0	13·9	23	.	.	.	.	.	1	.	.	2	2	1	.	.	3	1	6	.	.
	„ 16,	23·9	7·6	19	1	.	.	.	.	.	2	.	5	.	1	.	.	1	.	2	.	.
	„ 23,	31·5	2·5	25	.	.	.	.	.	.	.	.	1	.	2	1	1	.	1	1	.	.
	„ 30,	25·2	10·1	20	1	.	.	.	.	.	.	.	2	1	1	.	1	4	.	3	.	.
	Oct. 7,	26·4	6·3	21	.	.	.	.	1	.	.	.	1	1	.	3	4	2	.	2	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,715.	Aug. 19,	12·0	7·2	5	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2	.	.
	„ 26,	33·6	9·6	14	.	.	.	.	.	.	.	.	1	.	1	.	.	4	.	.	.	.
	Sept. 2,	21·6	.	9	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	1
	„ 9,	28·8	4·8	12	.	.	.	.	.	.	.	.	2	1	.	1	1	2	.	.	2	.
	„ 16,	19·2	4·8	8	.	.	.	.	.	.	.	.	.	1	1	1	1	1	.	1	.	.
	„ 23,	16·8	4·8	7	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.
	„ 30,	21·6	.	9	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	1
	Oct. 7,	19·2	9·6	8	.	.	.	.	.	.	.	.	1	1	.	.	1	3	.	1	1	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,149.	Aug. 19,	24·2	8·5	20	.	.	.	.	.	1	.	.	3	1	1	1	2	3	.	3	.	.
	„ 26,	27·8	8·5	23	1	.	.	.	1	.	1	.	5	.	.	1	2	2	1	1	1	.
	Sept. 2,	26·6	9·7	22	.	.	.	.	.	2	.	.	1	1	.	1	1	5	.	1	.	.
	„ 9,	24·2	6·0	20	.	.	.	.	1	.	1	.	3	.	.	1	3	2	.	1	.	.
	„ 16,	19·3	7·3	16	.	.	.	.	.	.	.	.	1	1	.	.	.	5	.	1	.	.
	„ 23,	29·0	7·3	24	1	.	.	.	.	.	.	.	3	.	.	1	3	5	.	.	2	.
	„ 30,	24·2	9·7	20	1	.	.	.	1	.	.	.	3	1	.	.	2	5	.	1	2	1
	Oct. 7,	32·6	6·0	27	.	.	.	.	.	.	.	.	9	2	1	2	3	1	.	4	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 35,816.	Aug. 19,	29·1	10·2	20	.	.	.	.	.	1	.	.	2	.	1	1	2	6	.	.	1	.
	„ 26,	16·0	5·8	11	.	.	.	.	.	1	2	.	.	1	1	.	.	.	1	.	2	1
	Sept. 2,	21·8	8·7	15	1	.	.	.	.	1	.	.	2	1	.	2	1	4	.	.	.	.
	„ 9,	26·2	5·8	18	.	.	.	.	.	.	.	.	1	1	.	.	.	4	.	.	.	.
	„ 16,	24·7	7·3	17	.	.	.	.	.	.	.	.	.	.	1	4	2	5	.	.	.	1
	„ 23,	26·2	8·7	18	1	.	.	.	.	1	.	.	2	.	1	.	.	3	.	1	1	1
	„ 30,	14·6	2·9	10	2	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	1
	Oct. 7,	20·4	5·8	14	.	.	.	.	.	.	.	.	.	2	.	2	1	3	.	1	1	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	Aug. 19,	20·4	1·4	15	.	.	.	.	.	.	.	.	3	2	2	.	1	1	.	.	2	2
	„ 26,	10·9	5·4	8	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	3	.	2
	Sept. 2,	17·7	5·4	13	.	.	.	1	.	.	.	.	.	.	2	1	2	1	2	.	.	2
	„ 9,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	1	.
	„ 16,	13·6	2·7	10	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.
	„ 23,	17·7	8·2	13	1	.	.	.	.	.	.	.	.	.	2	.	1	3	.	2	.	.
	„ 30,	10·9	1·4	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	Oct. 7,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	Aug. 19,	17·8	7·1	10	.	.	.	.	.	1	.	.	1	.	1	.	1	1	1	1	.	1
	„ 26,	19·5	8·9	11	.	.	.	.	.	2	.	.	1	.	.	1	.	1	.	2	.	.
	Sept. 2,	17·8	3·6	10	.	.	.	.	.	.	.	.	3	1	.	.	.	2	.	.	.	.
	„ 9,	12·4	1·8	7	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	2
	„ 16,	17·8	5·3	10	.	.	.	.	.	.	.	.	2	.	.	1	.	3	.	.	.	.
	„ 23,	14·2	7·1	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	1
	„ 30,	7·1	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.
	Oct. 7,	17·8	7·1	10	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	2	.	.
Kingstown Urban District. Pop. in 1911 17,227.	Aug. 19,	27·2	3·0	9	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 26,	18·2	3·0	6	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	1	.
	Sept. 2,	27·2	3·0	9	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	.	.
	„ 9,	57·5	.	19	.	.	.	.	.	.	.	.	3	.	2	2	1	.	.	.	.	.
	„ 16,	18·2	9·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.
	„ 23,	15·1	3·0	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	„ 30,	18·2	6·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	Oct. 7,	6·1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Belfast. Pop. in 1911 (Est.) 386,449.	Aug. 19,	18·8	4·3	139	1	.	.	.	.	.	1	.	6	7	4	9	6	17	3	10	6	1
	„ 26,	17·8	4·9	132	2	.	.	.	.	1	.	.	19	5	1	3	5	15	5	13	4	2
	Sept. 2,	18·6	6·7	138	1	.	.	.	.	.	.	.	17	3	7	4	1	21	6	22	5	.
	„ 9,	19·7	6·5	146	2	.	.	.	1	1	.	.	11	7	4	7	9	26	7	11	3	.
	„ 16,	16·5	5·3	122	.	.	.	.	1	2	.	1	10	5	6	3	6	20	4	11	2	.
	„ 23,	20·2	6·7	150	.	.	.	.	.	2	.	.	8	8	8	6	9	27	1	20	1	1
	„ 30,	16·9	4·0	125	.	.	.	.	2	1	1	.	8	5	6	8	4	15	2	9	2	1
	Oct. 7,	17·3	3·0	128	2	.	.	.	1	1	.	.	13	10	6	7	10	10	2	6	2	.
Cork. Pop. in 1911 76,632.	Aug. 19,	12·9	2·0	19	.	.	.	.	.	.	.	.	2	1	.	1	1	3	.	.	.	.
	„ 26,	19·1	4·1	28	.	.	.	.	.	.	.	.	5	2	1	1	3	6	.	.	1	.
	Sept. 2,	24·5	4·1	35	.	.	.	.	.	.	.	.	5	1	4	.	1	6	.	.	1	1
	„ 9,	25·2	6·1	37	.	.	.	.	.	1	.	.	4	2	1	1	2	8	.	.	.	.
	„ 16,	19·7	5·4	29	.	.	.	.	.	.	.	.	7	.	1	2	2	5	.	3	.	.
	„ 23,	19·7	3·4	29	.	.	.	.	.	.	.	.	2	.	.	.	1	5	.	.	.	1
	„ 30,	22·5	6·1	33	.	.	.	.	.	.	1	.	2	.	1	1	3	8	.	.	.	3
	Oct. 7,	25·2	3·4	37	.	.	.	.	.	.	.	.	4	2	.	3	3	4	1	.	1	4
Londonderry. Pop. in 1911 40,799.	Aug. 19,	16·6	3·8	13	.	.	.	.	.	.	.	.	2	.	1	.	1	2	.	1	.	.
	„ 26,	14·1	2·6	11	.	.	.	.	.	1	.	.	1	1	1	.	1	1	.	.	1	.
	Sept. 2,	12·8	1·3	10	.	.	.	.	.	.	.	.	.	1	.	1	3	1	.	.	.	.
	„ 9,	16·6	1·3	13	.	.	.	.	.	.	.	.	1	.	1	1	2	1	.	.	.	.
	„ 16,	11·5	5·1	9	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.	.	.
	„ 23,	12·8	.	10	.	.	.	.	.	.	.	.	3	1	1	.	1	.	.	.	.	.
	„ 30,	19·2	6·4	15	.	.	.	.	1	.	.	.	.	1	.	.	2	1	1	2	.	.
	Oct. 7,	7·7	1·3	6	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
Limerick. Pop. in 1911 38,403.	Aug. 19,	10·9	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	1
	„ 26,	25·8	8·1	19	1	.	.	.	.	.	.	.	.	1	2	.	.	3	1	1	.	2
	Sept. 2,	17·7	5·4	13	.	.	.	.	.	.	.	.	1	1	.	1	.	3	1	.	.	1
	„ 9,	17·7	2·7	13	.	.	.	.	.	.	.	.	1	1	1	.	2	2	.	.	1	.
	„ 16,	20·4	6·8	15	.	.	.	.	.	.	.	.	1	.	1	.	1	5	.	.	.	2
	„ 23,	23·1	1·4	17	.	.	.	.	.	.	.	.	4	.	2	.	2	1	.	.	.	.
	„ 30,	23·1	5·4	17	.	.	.	.	.	.	.	.	1	1	.	1	.	3	1	.	.	2
	Oct. 7,	20·4	2·7	15	.	.	.	.	.	.	.	.	5	.	.	.	2	2	.	.	.	3
Waterford. Pop. in 1911 27,430.	Aug. 19,	22·8	5·7	12	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.	2
	„ 26,	13·3	3·8	7	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	2	.	.
	Sept. 2,	9·5	5·7	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1
	„ 9,	26·6	5·7	14	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	3	.	.
	„ 16,	20·9	9·5	11	.	.	.	.	.	.	.	.	1	.	1	2	1	1	.	4	.	.
	„ 23,	24·7	3·8	13	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	2	.	.
	„ 30,	11·4	7·6	6	.	.	.	.	.	.	.	.	1	.	1	.	.	4	.	.	.	.
	Oct. 7,	19·0	7·6	10	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	1	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 7th October, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	385,492	15	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		8	2	.	2	1	1	2	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.	.	.	.	2	.
Do. 2 do.		22			15	5	2	1	4	.	3	.	.	.	.	.	.	.	.	1	1	1	.	.	6	1	.	.	.	3	.
Do. 3 do.		35			23	4	5	2	4	7	1	.	.	.	.	1	.	.	.	2	.	1	2	2	.	.	3	.	2	6	.
Do. 4 do.		24			15	5	2	2	1	3	2	.	.	.	.	.	.	.	.	1	1	.	1	3	2	.	.	.	1	6	.
Do. 5 do.		4			5	.	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	3	.
Do. 6 do.		12			10	3	.	.	1	4	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1	1	.
Do. 7 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		1			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		6			9	1	2	.	1	4	1	.	.	.	.	.	.	.	.	1	1	1	2	1	.	1	.	.	.	2	.
Do. 10 do.		8			5	1	1	2	1	.	.	1	.	.	.	.	.	.	.	1	1	.	1	.	1	.	.	.	.	3	.
Do. 11 do.		15			9	1	1	1	3	.	3	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	1	1	1	.
Do. 12 do.		13			14	1	2	3	5	1	2	1	.	.	.	.	.	.	.	1	2	.	.	2	.	.	2	.	.	5	.
Do. 13 do.		10			3	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		19			11	3	.	.	1	5	2	.	.	.	.	.	.	.	.	1	1	1	.	1	1	.	1	.	2	1	.
Total,	—	184			128	26	16	13	22	28	23	2	.	.	.	1	1	.	.	13	10	6	7	10	10	2	6	2	7	33	.
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	76,632	6	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	.	.	2	1	1	1	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	2	.
Do. 2 do.		4			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 3 do.		3			5	2	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.
Do. 4 do.		4			6	1	.	3	.	2	.	.	.	.	.	.	.	.	.	2	.	.	1	1	1	.	.	1	1	2	.
Do. 5 do.		.			3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 6 do.		16			6	2	1	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1
Do. 7 do.		9			11	.	3	2	4	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	5	3
Total,	—	42	25·2	3·4	37	5	5	7	8	7	5	.	.	.	.	.	.	.	.	4	2	.	3	3	4	1	.	1	1	12	4

* See note (†) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	April 15.	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.
No. of weeks in Annual Series,	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
BIRTHS registered, ...	204	189	236	232	229	180	214	233	215	258	201	264	213	207	268	236	203	225	215	220	197	215	183	184	184	184
DEATHS registered, ...	161	154	160	109	120	123	123	125	115	107	82	116	92	123	121	105	123	121	139	132	138	146	122	150	125	128
Annual Death rate per 1,000 of estimated population, ...	21·1	20·2	20·9	14·3	15·7	16·1	16·1	16·4	15·5	14·4	11·1	15·7	12·4	16·6	16·3	14·2	16·6	16·3	18·8	17·8	18·6	19·7	16·5	20·2	16·9	17·3
AGES, Under 1 year, ...	24	23	23	19	19	25	22	18	19	23	16	18	11	25	32	38	39	45	44	36	52	49	43	53	35	26
1—5 years, ...	10	14	13	10	9	9	13	7	7	10	7	9	7	9	11	8	12	11	11	8	6	16	11	19	17	16
5—25 ,, ...	17	13	21	13	17	15	17	14	14	16	7	16	15	16	14	11	7	14	15	18	11	10	8	12	7	13
25—45 ,, ...	32	26	27	25	23	26	22	24	26	22	18	20	21	25	22	13	21	11	17	19	24	21	17	15	22	22
45—65 ,, ...	37	39	46	22	29	31	27	34	20	20	20	37	25	29	23	17	23	23	28	31	27	29	21	31	20	28
65 and upwards, ...	41	39	30	20	23	17	22	28	29	16	14	16	13	19	19	18	21	17	24	20	18	21	22	20	24	23
Deaths from :—																										
Enteric Fever, ...	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2	1	2	.	.	.	2
Typhus, ...	.	.	.	.	.	.		.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	.	1	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	.	1	1	.	2	1
Whooping-cough, ...	3	2	1	.	.	1	1	.	.	4	.	1	.	1	1	1	2	1	.	1	.	1	2	2	1	1
Diphtheria, ...	2	1	.	.	.	.	.	.	1	.	.	.	1	.	2	.	2	.	1	.	.	.	.	.	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Tuberculous Disease. Phthisis, ...	25	14	17	16	25	21	21	16	14	13	13	23	16	18	20	10	13	9	6	19	17	11	10	8	8	13
Tuberculous Disease. Other Forms,	4	11	15	12	7	10	12	11	6	10	2	2	5	8	6	5	7	3	7	5	3	7	5	8	5	10
Cancer, ...	5	6	12	3	6	1	4	6	8	6	6	7	4	6	3	3	9	4	4	1	7	4	6	8	6	6
Diseases of Respiratory System, Pneumonia,	19	23	18	10	10	13	6	11	9	9	5	5	7	2	4	6	2	3	9	3	4	7	3	6	8	7
Diseases of Respiratory System, Others, ...	29	34	16	20	15	19	11	18	18	13	10	8	11	14	10	3	4	5	6	5	1	9	6	9	4	10
Diarrhœa, Under 2 years, ...	.	.	.	.	1	1	2	1	.	1	1	2	1	6	10	14	9	19	17	15	21	26	20	27	15	10
Diarrhœa, 2 years & upwards	1	.	.	.	.	.	.	.	1	.	3	.	.	.	.	1	4	4	3	5	6	7	4	1	2	2
Enteritis, under 2 years, ...	2	2	1	1	1	3	3	4	2	.	1	1	1	3	8	9	12	19	10	13	22	11	11	20	9	6
Violent Deaths, ...	2	3	3	3	4	1	1	.	3	3	1	4	.	3	5	3	2	2	6	4	5	3	2	1	2	2
Number of Uncertified Deaths, ...	2	.	1	2	1	1	1	2	1	.	3	3	.	1	.	2	.	1	1	2	.	.	.	1	1	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	Oct. 7,	1,999	1,301	15·0	8	.	4	4	9	12	159*a*
Edinburgh, ...	320,829	„ 7,	123	95	15·4	.	.	.	2	.	1	2
Glasgow, ...	784,621	„ 7,	435	224	14·9	1	.	2	4	2	4	16
Calcutta, ...	890,493	Sept. 2,	.	385	22·4	52*	.	.	.	.	2	61‡
Bombay, ...	977,822	„ 2,	408	557	29·6	61*	4	.	.	.	.	70
Madras, ...	509,346	Aug. 12,	355	361	36·8	64*	5	2	?	?	?	92‡
Cairo, ...	693,806	„ 5,	656	700	69·4	5	.	13	.	.	18†	203*a*
Paris	2,846,986	Sept. 9,	865	937	17·8	11	.	11	1	5	6†	119*a*
Brussels, ...	739,684	„ 16,	215	196	13·8	2		1	.	2	2	43
Antwerp, ...	320,640	„ 16,	119	103	16·7	.	.	.	1	2	.	40*a*
Amsterdam, ...	577,852	„ 16,	222	138	12·5	1	.	.	.	1	.	27*a*
Copenhagen, ...	462,132	„ 16,	242	137	15·5	.	.	.	.	3	.	21*a*
Stockholm, ...	343,832	„ 9,	167	94	14·2	.	.	.	.	.	4	2
Christiania, ...	244,038	„ 23,	109	65	13·9	.	.	.	.	1	2	6
St. Petersburg, ...	1,599,139	„ 2,	718	620	20·2	15	.	20	10	9	8	135*a*
Moscow, ...	1,493,600	„ 2,	.	741	25·9	5	1	16	6	2	7	178
Berlin, ...	2,067,268	„ 2,	792	724	18·3	2	.	1	7	10	14†	199
Hamburg, ...	931,035	„ 16,	.	285	15·9	2	.	.	3	3	16†	78
Breslau, ...	518,860	„ 16,	.	195	19·5	1	.	1	.	.	.	33
Munich, ...	597,000	„ 23,	.	199	17·4	2	.	.	1	.	.	53
Vienna (with suburbs),	2,047,968	„ 16,	702	565	14·3	2	.	3	7	1	1†	73*a*
Buda-Pesth, ...	891,585	„ 16,	476	337	19·7	4	.	3	9	.	4†	51‡
Prague and Faubourgs,	508,310	„ 2,	156	181	18·5	3	.	.	3	1	2	12*a*
Trieste, ...	230,820	„ 9,	123	117	26·4	2	.	.	.	.	1	21*a*
Rome, ...	602,068	Aug. 12,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Sept. 2,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	Aug. 26,	2,629	1,339	14·0	31	.	9	4	15	19†	221*a*
Philadelphia, ...	1,580,250	„ 12,	.	460	15·1	7	.	.	1	3	5†	77*a*
Boston, ...	686,912	Sept. 16,	.	213	16·1	3	.	3	.	2	.	31

* Deaths from "fever," including 8 deaths from enteric fever and 9 from plague in Calcutta, 5 from enteric fever and 10 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 16 deaths from cholera in Calcutta, 2 in Madras, and 3 in Buda-Pesth.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending October 7th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	4	.	.	.	1	5
„ „ 1, West, ...	.	1	.	.	1	.	.	2	1	.	.	.	5
„ „ 2, ...	.	1	.	.	.	.	.	3	.	.	.	.	4
„ „ 3, ...	.	8	.	.	1	.	1	6	.	.	.	1	17
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	3	.	.	.	.	.	.	.	.	.	.	3
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	.	.	.	.	.	1
South City No. 1, ...	.	4	.	.	.	.	1	4	2	.	.	.	11
„ „ 2, ...	.	2	.	.	.	.	.	1	.	.	.	1	4
„ „ 3, ...	.	3	1	.	.	.	.	8	.	.	.	2	14
„ „ 4, ...	.	2	.	.	1	.	.	5	.	.	.	.	8
New Kilmainham, ...	.	1	.	.	1	.	.	2	.	.	.	.	4
Total, ...	.	25	1	.	5	.	2	35	3	.	.	5	76

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 7th October, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 7th October.			
	Sept. 16.	Sept. 23.	Sept. 30.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	7	12	11	.	9	.	2
Scarlet Fever, ...	84	102	111	38	17	1	131*
Typhus, ...	1	2	2	1	.	.	3
Diphtheria, ...	38	35	39	10	7	.	42
Enteric Fever, ...	82	96	118	37	7	3	145
Pneumonia, ...	12	7	14	3	5	1	11

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 7th October, 1911:—

"Until Friday Ireland was well within the limits of a large anticyclonic system lying upon the Atlantic, and in the centre of which the barometer read 30·5 inches and upwards on Sunday and Tuesday. On the former day baric gradients were very steep over western Europe, for the barometer was as low as 29·29 inches at Nice in the morning, whereas it stood at 30·56 inches at Valentia and 30·54 inches at Blacksod Point. Temperature was very low over the British Isles at that time, and Birr Castle reported a minimum of 33° in the screen, the thermometer standing at 34° at 7 a.m. In Dublin the range on Sunday was from 40° to 53°. A destructive northerly gale which had wrought much damage at the close of the previous week, was still blowing on the shores of the North Sea. Local irregularities in pressure kept the weather in a changeable, showery condition over the British Isles notwithstanding the near presence of the Atlantic anticyclone. In the course of Monday night and Tuesday morning rain and hail fell heavily in Dublin, and again on Thursday night there was a heavy shower of brief duration followed by thunder and lightning at midnight. On Friday morning a large but shallow depression was central over the Bay of Biscay. This system drew a N.E. wind over Ireland with finer but hazy weather. Saturday was chiefly fine after a foggy cool morning. In Dublin the mean height of the barometer was 30·161 inches, atmospheric pressure ranging from 30·470 inches at 9 a.m. of Sunday (wind, N.W.) to 29·900 inches at 9 p.m. of Monday (wind again N.W.). The corrected mean temperature was 49·9°, the dry bulb reading at 9 a.m. and 9 p.m. being 49·6°. On Sunday the screened thermometers fell to 40·1°, on Saturday they rose to 57·0°. The dominant wind was N. Rain fell daily on the first 5 days to the amount of ·320 inch, ·227 inch being measured on Monday. Hail fell on Tuesday. There was a brief thunderstorm on Thursday night. A solar halo was seen on Monday afternoon. Fog occurred on Saturday morning."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·997 inches. The highest reading (30·279) was on Sunday at 9 a.m., air calm, the lowest (29·750) on Monday at 9 p.m., wind W.N.W.

The mean temperature for the week was 48·6°, being 3·8° below the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Saturday, on which day the thermometer registered 58·7°, and was lowest on Sunday, the mercury having fallen to 36·3°. The mean of the Dry Bulb for the week was 48·7° and of the Wet Bulb, 46·2°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The rainfall during the week measured 0·208 inch.

At Greenwich the mean temperature for the week was 48·2°, the maximum 59·5°, and the minimum 34·4°; at Glasgow the maximum was 55·0°, the minimum 35·5°, and the mean 46·8°; and at Edinburgh the maximum was 54·7°, the minimum 36·6°, and the mean 46·2°. The rainfall at Greenwich measured 0·27 in., at Glasgow 0·01 in.; and at Edinburgh 0·33 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, October 1,	30·229	57·1	36·3	46·7	45·9	42·9	·78	·6	5·1	·030	Calm.	Calm.
Monday, „ 2,	29·873	54·8	43·6	49·2	48·4	46·7	·89	·7	0·8	·165	W.N.W.	W.N.W.
Tuesday, „ 3,	29·913	53·4	41·1	47·3	46·5	43·7	·81	·0	4·9	·000	N.E.	N.N.W.
Wednesday, „ 4,	30·029	53·4	38·3	45·9	46·3	43·5	·81	·6	7·0	·008	N.N.W.	Calm.
Thursday, „ 5,	30·044	55·5	43·5	49·5	51·4	48·6	·82	·5	3·3	·005	N.N.W.	Calm.
Friday, „ 6,	30·019	55·1	49·6	52·4	53·0	49·4	·77	·6	1·8	·000	E.N.E.	N.N.E.
Saturday, „ 7,	29·869	58·7	39·4	49·1	49·3	48·7	·96	·3	1·8	·000	Calm.	Calm.
Mean, ...	29·997	55·4	41·7	48·6	48·7	46·2	·83	·5	Total 24·7	Total ·208	——	

Sunday—Day cloudy, fine; night overcast, drizzling rain 12 midnight to 3 a.m. *Monday*—A dull day, light showers at intervals a.m. and p.m.; night cloudy. *Tuesday*—Day cloudy, fine; night clear. *Wednesday*—A bright day, light clouds; night cloudy, light showers 9.55 to 10.40 p.m. *Thursday*—Day cloudy, fine; night cloudy, shower 10.40 to 10.55 p.m., thunder and lightning with light rain at intervals from midnight to 4 a.m. *Friday*—A dull day; night clear. *Saturday*—A dull day; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, October 7th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, October 1,	45·9	52·6	56·0	58·3	39·0	48·7	3·8	·040
Monday, „ 2,	51·2	52·8	56·0	58·8	43·6	53·7	—	·185
Tuesday, „ 3,	52·8	52·6	55·7	55·0	42·8	48·9	4·7	·015
Wednesday, „ 4,	51·0	51·8	55·5	55·2	41·0	48·1	6·1	—
Thursday, „ 5,	51·0	52·0	55·2	56·7	46·3	51·5	2·4	·040
Friday, „ 6,	56·6	53·0	55·0	56·5	50·0	53·3	4·0	—
Saturday, „ 7,	48·5	52·7	54·8	58·3	45·5	51·9	1·3	—
Weekly Mean, .	51·0	52·5	55·5	57·0	44·7	50·9	Total 22·3	Total ·280

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31318. Wt. P.18 110–/138. 375. 10. 1911. Sch. C 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 14TH OCTOBER, 1911. [No. 41.

General Register Office, Charlemont House, Dublin, 16th October, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Sept. 23	Sept. 30	Oct. 7	Oct. 14	Average Rate for 4 weeks.	Towns, &c.	Week ending Sept. 23	Sept. 30	Oct. 7	Oct. 14	Average Rate for 4 weeks.
22 Town Districts, ...	**20·1**	**18·0**	**19·6**	**19·3**	**19·2**	Limerick	23·1	23·1	20·4	16·3	20·7
						Lisburn	8·6	12·9	12·9	17·1	12·9
Armagh	13·7	13·7	6·9	13·7	12·0	Londonderry	12·8	19·2	7·7	15·3	13·8
Ballymena	13·8	4·6	22·9	22·9	16·1	Lurgan	21·5	4·3	8·6	30·1	16·1
Belfast	20·2	16·9	17·3	15·9	17·6	Newry	4·4	2·8	17·4	17·4	15·3
Clonmel	20·3	5·1	40·6	30·4	24·1	Newtownards	28·6	11·4	22·9	17·2	20·0
Cork	19·7	22·5	25·2	25·2	23·1	Portadown	8·9	.	13·3	8·9	7·8
Drogheda	12·6	16·8	37·8	16·8	21·0	Queenstown	6·6	13·2	13·2	13·2	11·6
Dublin Reg. Area ...	22·6	19·9	22·1	21·7	21·6	Sligo	4·7	4·7	28·0	23·4	15·2
Dundalk	27·8	7·9	7·9	7·9	12·9	Tralee	10·6	21·1	26·4	5·3	15·9
Galway	19·7	35·4	15·7	27·5	24·6	Waterford	24·7	11·4	19·0	26·6	20·4
Kilkenny	24·8	19·8	19·8	9·9	18·6	Wexford	9·1	22·8	9·1	36·4	19·3

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 3·4 per 1,000, the rates varying from 0·0 in nine of the districts to 5·7 in each of Waterford and Newtownards. Among the 118 deaths from all causes for Belfast are one from scarlet fever, 2 from whooping-cough, one from diphtheria, and 13 from diarrhœa and *enteritis* under 2 years of age. Included in the 37 deaths from all causes for Cork are one from enteric fever, and one from diarrhœa under 2 years. Two of the 12 deaths for Londonderry are from diarrhœa under 2 years of age, 2 of the 12 deaths from all causes for Limerick are from diarrhœa under 2 years of age, and 3 deaths from the same cause are included in the 14 deaths from all causes for Waterford.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 217—113 boys and 104 girls—and the deaths to 183—87 males and 96 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 15) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 21·7 per 1,000 of the population. During the forty-one weeks ending with Saturday last the death-rate averaged 21·6, and was 0·8 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 183, represent an annual rate of 23·6 per 1,000; the annual rate for the past forty-one weeks was 22·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·4 per 1,000 of the mean population for all deaths registered.

The deaths registered (183) include 4 from enteric fever, one from each of measles, scarlet fever, and whooping-cough, 4 from diphtheria, one from influenza, 27* from diarrhœa and *enteritis* of children under 2 years of age, and 2 from diarrhœa of persons above 2 years of age. In the three preceding weeks, deaths from enteric fever were 3, 6, and 2; deaths from measles were 0, 0, and 0; deaths from scarlet fever were 3, one, and one; deaths from whooping-cough were 3, one, and 0; deaths from influenza were 0, 0, and one, and deaths from diarrhœa and *enteritis* under 2 years of age were 44, 28, and 32 respectively.

Tuberculous disease, which in the three weeks preceding accounted for 14, 19, and 30 deaths, respectively, in the week under notice caused 22 deaths, comprising 16 from pulmonary tuberculosis, one from tuberculous meningitis, 2 from abdominal tuberculosis, one from tuberculosis of the knee, and 2 from disseminated tuberculosis.

There were 3 deaths from broncho-pneumonia, 2 from lobar pneumonia, and 4 from *pneumonia* (type not distinguished).

Cancer caused 12 deaths.

The deaths of 4 children under one year of age were ascribed to *convulsions.*

Organic diseases of the heart caused the death of 9 persons, and bronchitis caused 14 deaths.

Premature birth was the cause of death of 3 infants, and congenital debility caused 6 deaths.

There were 4 accidental deaths, and one death by suicide was registered.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 infants under one year old.

Sixty-six of the persons whose deaths were registered during the week were under 5 years of age (46 being infants under one year, of whom 10 were under one month old) and 27 were aged 65 years and upwards, including 24 persons aged 70 and upwards; among the latter were 11 aged 75 years and upwards, of whom one (a female) was stated to have been aged 90 years.

Eighty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse and 13 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·7 per 1,000; the rate in the City was 23·7 (North City Districts, 23·3; South, 24·1) and in the Suburbs, 15·0.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 5·0 per 1,000 inhabitants, the rate for the City being 5·9 (5·3 in the North City Districts, and 6·6 in the South), and for the Suburbs, 2·2 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·7 per 1,000, and include 2 from enteric fever, one from influenza, 2 from diarrhœa under 2 years of age, 2 from pulmonary tuberculosis, and one death from accidental poisoning.

No. 1 *North City District, West* (Summer-hill).—The deaths (22) are equal to an annual rate of 28·7 per 1,000. Included in the total are one from whooping-cough, 6 from diarrhœa and *enteritis* under 2 years of age, 3 from tuberculous disease, one from lobar pneumonia, 2 from *pneumonia* (type not distinguished), and one from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 30·6 per 1,000, and include one from scarlet fever, 2 from diphtheria, 2 from abdominal tuberculosis, one from broncho-pneumonia, and 2 from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (6) represent an annual rate of 9·3 per 1,000. Included in the total is one death from tuberculosis of the knee and one from *pneumonia* (type not distinguished).

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 40·5 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 20·4. One of the 9 deaths from all causes for Coolock and Drumcondra, part of, was from diarrhœa under 2 years of age; and among the 3 deaths for Finglas and Glasnevin, part of, was one accidental death.

No. 1 *South City District* (South Earl-street).—The deaths (15) represent an annual rate of 18·9 per 1,000. Measles caused one death, diphtheria one death, diarrhœa and *enteritis* under 2 years of age 6 deaths, and bronchitis 4 deaths.

No. 2 *South City District* (Castle-street).—The deaths (4) are equal to an annual rate of 9·6 per 1,000, and include one death from pulmonary tuberculosis, one from bronchitis, and one accidental death.

No. 3 *South City District* (Peter-street).—The deaths (25) are equal to an annual rate of 30·2 per 1,000. Diarrhœa and *enteritis* under 2 years of age caused 3 deaths, tuberculous disease 7 deaths, broncho-pneumonia 2 deaths, bronchitis 2 deaths, and there was one accidental death.

No. 4 *South City District* (Grand Canal Street).—The deaths (22) are equivalent to an annual rate of 32·0 per 1,000. There were 2 deaths from enteric fever, 4 from diarrhœa under 2 years of age, one from *pneumonia* (type not distinguished), and one from bronchitis.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 23·0 per 1,000, and include one from diphtheria, one from pulmonary tuberculosis, and one death by suicide.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·6; Pembroke, 16·0; Blackrock, 22·9; and Kingstown, 12·1. The deaths from the principal epidemic diseases tabulated for these districts comprise 2 from diarrhœa and *enteritis* under 2 years of age for Rathmines and Rathgar, and one from diarrhœa under 2 years of age for each of Pembroke and Kingstown. Among the 10 deaths from all causes for Rathmines and Rathgar are 3 from pulmonary tuberculosis and one from bronchitis. One of the 9 deaths for Pembroke is from pulmonary tuberculosis; and one of the 4 deaths from all causes for Kingstown is from bronchitis.

* See note (*c*), Table II. † See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 14th October, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Sept. 23,	.	—	—	27	2	.	5	.	.	33	7	.	—	—	.	—	9	—	83
	Sept. 30,	.	—	—	25	.	.	8	.	2	33	9	.	—	—	.	—	4	—	81
	Oct. 7,	.	—	—	25	1	.	5	.	2	35	3	.	—	—	.	—	5	—	76
	Oct. 14,	.	—	—	35	4	.	6	.	1	18	8	.	—	—	.	—	14	—	86
Rathmines and Rathgar Urban District.	Sept. 23,	.	—	—	.	.	.	.	.	.	1	2	.	.	—	—	—	—	—	3
	Sept. 30,	.	—	—	.	.	.	1	.	.	.	.	.	.	—	—	—	—	—	1
	Oct. 7,	.	—	—	2	.	.	1	.	.	.	.	.	.	—	—	—	—	—	3
	Oct. 14,	.	—	—	2	.	.	2	.	.	2	.	.	.	—	—	—	—	—	6
Pembroke Urban District.	Sept. 23,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	—	.	—	.
	Sept. 30,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	—	.	—	2
	Oct. 7,	.	.	.	2	.	.	.	.	1	.	.	.	.	.	.	—	.	—	3
	Oct. 14,	.	1	.	2	.	.	.	.	.	.	.	.	.	2	.	—	.	—	5
Blackrock Urban District.	Sept. 23,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
	Sept. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Oct. 7,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Oct. 14,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	.	—	—	—	3
Kingstown Urban District.	Sept. 23,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	—	—	.	—	2
	Sept. 30,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	1	—	3
	Oct. 7,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Oct. 14,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	.	—	2
City of Belfast.	Sept. 23,	.	—	—	16	.	.	3	1	2	2	1	.	—	—	.	—	3	—	28
	Sept. 30,	.	—	—	24	.	.	13	.	.	8	3	.	—	—	.	—	8	—	56
	Oct. 7,	.	—	—	25	.	.	5	.	2	2	7	.	—	—	.	—	9	—	50
	Oct. 14,	.	—	—	34	.	.	5	1	.	6	10	.	—	—	.	—	7	—	63

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 14th October, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Six cases of measles were admitted to hospital during the week, 2 were discharged, there was one death, and 5 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 12, 11, and 2, respectively.

Forty-five cases of scarlet fever were admitted to hospital, 28 were discharged, there was one death, and 147* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 102, 111, and 131, respectively.

Seven cases of typhus were admitted to hospital during the week, one was discharged, there was one death, and 8 cases remained under treatment at the close of the week.

Eleven cases of diphtheria were admitted to hospital during the week, and 10 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 35, 39, and 42, respectively, were 43 at the close of last week.

Thirty-six cases of enteric fever were admitted to hospital during the week, 19 were discharged, there were 4 deaths, and 158 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 96, 118, and 145.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, one was discharged, there were 2 deaths, and 17 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London in which the rate was 15·4) was equal to an average annual death-rate of 15·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·4 per 1,000, the rate for Glasgow being 18·7 and for Edinburgh 15·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 14th October. From this Report it appears that of a total of 58 cases notified, 25 were scarlet fever, 18 phthisis, 11 diphtheria, 3 erysipelas and one enteric fever. Among the 314 cases of infectious diseases in hospital at the close of the week were 167 cases of scarlet fever, 57 of phthisis, 50 of diphtheria, 18 of whooping-cough, 5 of enteric fever, 4 of chicken-pox, 2 of measles and one of erysipelas.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 14th October, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 14th October, 1911. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 14th October, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 7th October, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th September, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
Total of 22 Town Districts, ...	1,149,495	20·2	26·5	19·3	3·4	584	425	98	84	5	...	...	1	2	3	5	...	46	17	19	20	30	36	4	18	10	15	141	21	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:— Total, (c.) ...	403,732	29·3	28·0	21·7	5·0	217	168	44	24	4	...	...	1	1	1	4	...	15	6	9	8	13	20	2	6	5	6	68	7	e59·7	33·5	48·3	0·33	e58·7	36·3	48·6	0·21	e63·0	38·6	50·8	0·68
City of Dublin.	309,738	39·2	30·5	23·7	5·9	181	141	36	23	4	...	...	1	1	1	4	...	11	6	8	8	11	17	2	5	5	5	56	4	f58·2 g59·8	43·2 37·0	51·4 49·8	0·34 0·26	f57·0 g59·2	40·1 38·0	49·9 49·4	0·32 0·35	f63·8 g63·8	42·2 39·0	52·7 51·0	0·56 0·74
Urban Districts. Rathmines and Rathgar.	38,330	22·4	10·9	13·6	2·7	8	10	3	...	...	...	...	...	...	...	...	...	3	...	...	...	1	1	...	1	...	..	5	2	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke ...	29,347	18·5	30·2	16·0	1·8	17	9	3	...	...	...	...	...	...	...	...	...	1	...	1	...	...	1	...	...	...	1	5	1	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,090	8·4	17·2	22·9	.	3	4	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,227	11·8	24·2	12·1	3·0	8	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	...	63	41	52·9	0·33	58	41	50·1	0·35	64	45	54·1	0·53
Belfast ...	386,449	26·3	26·7	15·9	2·3	198	118	21	25	...	...	...	...	1	2	•1	...	11	5	6	7	7	5	...	8	3	5	31	4	58·5	30·8	47·3	0·03	55·0	42·0	49·0	0·09	65·0	39·0	51·2	0·98
Cork, ...	76,632	33·8	22·5	25·2	1·4	33	37	5	8	1	...	...	...	...	...	...	...	7	...	...	3	2	1	...	...	...	...	20	...	59	44	57·9	0·52	59	43	50·6	0·08	62	45	54·7	3·29
Londonderry ..	40,799	18·9	29·4	15·3	5·1	23	12	2	4	...	...	...	...	...	...	...	...	1	1	...	...	...	2	2	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick. ...	38,403	18·2	20·4	16·3	2·7	15	12	5	2	...	...	...	...	...	...	...	...	2	...	1	...	1	2	...	...	...	...	2	2	62	35	50·7	0·24	58	36·8	48·3	0·11	62·6	38·1	51·1	0·94
Waterford, ...	27,430	19·1	20·9	26·6	5·7	11	14	6	1	...	...	...	...	...	...	..	...	1	4	...	...	1	3	...	...	...	...	5	3	...	...	...	...	...	...	...	...	...	...	...	...
Galway. ...	13,249	2·5	39·4	27·5	.	10	7	3	...	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	...	2	...	62	35	50	0·02	57	42	50	0·12	63	42	53·5	0·64
Dundalk, ...	13,128	9·5	35·7	7·9	.	9	2	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,425	8·4	21·0	16·8	.	5	4	...	1	...	...	...	...	...	...	...	..	1	...	1	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry. ...	11,956	17·2	17·4	17·4	.	4	4	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	60·7	29·0	47·0	0·01	56·2	37·0	47·2	0·18	62·1	40·8	50·7	0·80
Lurgan, ...	12,135	14·3	17·2	30·1	4·3	4	7	2	4	...	...	...	...	...	...	...	...	...	1	...	...	.	...	...	1	...	...	1	1	60·7	29·0	47·0	0·01	56·2	37·0	47·2	0·18	62·1	40·8	50·7	0·80
Lisburn. ...	12,172	10·7	8·6	17·1	4·3	2	4	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	60·7	29·0	47·0	0·01	56·2	37·0	47·2	0·18	62·1	40·8	50·7	0·80
Wexford. ...	11,455	23·8	54·6	36·4	4·6	12	8	2	2	...	...	...	...	...	...	...	...	4	...	1	...	...	1	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena. ...	11,376	9·3	36·7	22·9	4·6	8	5	2	1	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo. ...	11,163	3·8	23·4	23·4	4·7	5	5	1	4	..	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	3	...	61·7	27·6	47·8	0·08	58·5	35·5	48·5	0·17	63·0	39·8	49·9	0·71
Kilkenny, ...	10,513	11·4	9·9	9·9	.	2	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	62	34	51·4	0·37	58	35	48·5	0·10	63	32	50·0	1·42
Clonmel. ...	10,277	7·9	25·4	30·4	.	5	6	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	3	1	...	...	...	...	...	...	...	...	...	...	...	...
Portadown. ...	11,727	15·3	31·1	8·9	4·4	7	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	60·7	29·0	47·0	0·01	56·2	37·0	47·2	0·18	62·1	40·8	50·7	0·80
Tralee. ...	9,867	16·6	31·7	5·3	.	6	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	17·2	17·2	5·7	3	3	1	1	...	...	...	...	...	...	...	...	...	..	...	...	1	...	...	1	...	...	...	...	65	39	50·2	...	57	40	49·6	0·13	63	41	50·1	0·54
Queenstown, ...	7,909	14·4	19·8	13·2	.	3	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	59	44	57·9	0·52	59	43	50·6	0·08	62	45	54·7	3·29
Armagh. ...	7,588	22·2	13·7	13·7	.	2	2	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	60·7	29·0	47·0	0·01	56·2	37·0	47·2	0·18	62·1	40·8	50·7	0·80

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 15 deaths of persons (including 2 under one year old and 3 at 65 years or upwards) admitted to hospital from localities outside the Area; of the 15 deaths one was from *enteritis* under 2 years of age. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 14th of October, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	4	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	2	.	.	.	.	1	.	.	.	1	.	.	.	.	4	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	2	2	.	.	.	.	.	.	1	5	.	1	3	1	.	.	15	1
Tuberculous Disease. — Other Forms,	.	1	2	1	.	.	.	.	.	2	.	.	.	.	.	.	6	.
Cancer,	1	.	.	.	.	3	.	1	.	.	3	.	.	1	.	.	9	3
Diseases of Nervous System,	1	3	2	1	.	1	2	1	.	.	2	.	1	.	3	.	17	4
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	3	2	2	.	.	.	.	.	.	3	2	.	1	.	.	1	14	.
" Respiratory System. — Pneumonia,	.	3	1	1	.	.	.	.	.	2	1	.	.	.	.	.	8	1
" Respiratory System. — Others,	.	1	2	.	.	.	.	4	1	2	1	.	1	.	.	1	13	1
" Digestive System. — Diarrhœa, under 2 years,	2	5	.	.	.	1	.	3	.	2	4	.	1	1	.	1	20	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
" Digestive System. — *Enteritis*, under 2 years,	.	1	.	.	.	.	.	3	.	1	.	.	1	.	.	.	6	1
" Digestive System. — Enteritis, 2 years and upwards.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. — Others,	.	1	2	.	.	2	.	.	.	2	2	1	.	1	1	.	12	1
" Genito-urinary System,	.	.	1	.	.	1	.	.	.	3	.	.	.	.	.	.	5	.
Puerperal Septicæmia, etc.,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy & Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	.	3	1	.	1	.	.	1	1	3	.	1	4	.	1	16	.
Violent Deaths,	1	.	.	.	.	.	1	.	1	1	.	1	.	.	.	.	5	.
Ill-defined, &c. Causes,	.	.	.	1	.	.	.	.	.	1	1	.	1	1	.	.	5	2
Deaths from All Causes	13	22	18	6	.	9	3	15	4	25	22	4	10	9	4	4	168	15
Annual Rate of Mortality from All Causes in every 1,000 of the population.	22·7	28·7	30·6	9·3	.	40·5	20·4	18·9	9·6	30·2	32·0	23·0	13·6	16·0	22·9	12·1	21·7	.
	23·3							24·1					15·0					
	23·7																	
Ages at Death. — Under 1 year,	3	7	5	2	.	1	.	5	1	5	7	.	3	3	1	1	44	2
1 and under 2 years,	.	1	2	.	.	.	.	3	.	1	1	.	1	.	.	1	10	1
2 " 5 "	.	1	2	.	.	.	.	2	.	1	1	1	.	.	.	.	8	1
5 " 15 "	1	.	1	.	.	.	.	1	.	2	1	.	1	.	.	.	7	.
15 " 25 "	.	4	.	.	.	.	1	.	.	1	1	1	.	2	.	.	10	1
25 " 45 "	5	3	1	1	.	1	.	.	2	9	3	1	3	2	.	.	31	2
45 " 65 "	2	4	3	2	.	2	1	2	1	3	5	1	2	2	2	2	34	5
65 and upwards,	2	2	4	1	.	5	1	2	.	3	3	.	.	.	1	.	24	3
Number of Uncertified Deaths,	.	1	.	1	.	.	.	.	.	.	2	.	2	1	.	.	7	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	4	4	4	2	.	1	1	4	1	6	8	2	3	4	1	1	46	11
Workhouse Hospitals,	1	3	5	.	.	1	.	1	2	4	1	1	2	1	.	.	22	4

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										41st Week of the 10 years 1901–1910.	In the Week ending Saturday, 14th October, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Oct. 12, 1901.	Oct. 11, 1902.	Oct. 17, 1903.	Oct. 15, 1904.	Oct. 14, 1905.	Oct. 13, 1906.	Oct. 12, 1907.	Oct. 10, 1908.	Oct. 16, 1909.	Oct. 15, 1910.	Averages in Week of the 10 years 1901–1910.	Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 48·0	° 48·2	° 50·0	° 47·9	° 49·6	° 52·5	° 48·9	° 57·7	° 52·5	° 48·2	° 50·4	° 48·3										
ALL CAUSES.	146	192	145	162	141	175	157	134	127	151	153·0	183	10	36	11	9	7	11	33	39	16	11
Enteric Fever, ...	6	2	4	1	1	4	3	4	1	1	2·7	4	.	.	.	.	.	1	3	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	11	.	.	.	1	1	4	.	.	1·7	1	.	.	.	1	.	.	.	.	.	.
Scarlet Fever, ...	.	2	.	.	.	.	.	.	1	.	·3	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	1	.	1	3	.	2	2	2	.	2	1·3	1	.	1	.	.	.	.	.	.	.	.
Diphtheria, ...	.	2	.	.	.	1	1	2	1	1	·8	4	.	.	.	3	1	.	.	.	.	.
Croup, ...	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	.	1	.	.	1	1	1	3	1	·9	1	.	.	.	.	.	.	1	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	1	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	1	.	.	2	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	1	.	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	21	26	25	8	17	16	21	18	12	14	17·8	16	.	.	.	.	1	4	11	.	.	.
Tuberculous Meningitis, ...	.	2	1	4	3	3	2	2	1	1	1·9	1	.	.	.	.	1	.	.	.	.	.
Abdominal Tuberculosis, ...	5	2	1	1	3	.	.	1	1	3	1·7	2	.	1	1	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	5	6	8	8	7	4	6	8	1	4	5·7	1	.	.	.	.	.	.	.	1	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												2	.	.	.	1	.	.	1	.	.	.
Venereal Diseases, ...	.	.	3	.	1	.	.	.	2	.	·6	1	1	.	.	.	.	.	.	.	.	.
Cancer, ...	3	2	8	7	7	9	8	4	8	11	6·7	12	.	.	.	.	.	.	1	7	4	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	1	.	.	1	.	2	.	·4	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	.	1	.	.	.	.	2	·3	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Alcoholism, ...	1	1	1	3	.	.	.	1	.	.	·7	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												2	.	1	.	1	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*												8	.	.	.	.	.	.	.	3	1	4
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												3	.	.	.	.	.	.	.	1	.	2
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												4	.	4	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	37	43	44	43	35	36	27	24	29	27	34·5	4	.	.	.	.	.	.	1	3	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												1	.	.	.	.	.	.	.	1	.	.
Organic Diseases of the Heart,												9	.	.	.	.	.	1	2	4	1	1
Embolism and Thrombosis (including Cerebral)												1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Circulatory System.												3	.	.	.	.	1	.	.	2	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	9	13	12	23	14	18	13	12	11	13	13·8	14	1	.	1	.	2	.	.	3	6	1
Broncho-pneumonia,		2	.	4	3	5	5	2	1	3		3	.	1	1	.	1	.	.	.	.	.
Lobar-pneumonia,	7	1	.	1	.	4	.	1	.	2	8·4	2	.	1	.	.	.	1	.	.	.	.
Pneumonia (type not distinguished)		5	4	5	6	7	3	3	4	6		4	.	.	.	.	.	.	1	2	1	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	.	2	3	1	3	2	3	1	2	4	2·1	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												.	.	.	.	.	.	.	.	.	.	.

FORTY-FIRST WEEK ending Saturday, 14th October, 1911, with, as far as practicable, the deaths from each cause in 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 41st Week of the 10 years 1901–1910.	In the Week ending Saturday, 14th October, 1911.										
													Deaths of Persons of the Ages of									
	Oct. 12, 1901.	Oct. 11, 1902.	Oct. 17, 1903.	Oct 15, 1904.	Oct. 14, 1905.	Oct. 13, 1906.	Oct. 12, 1907.	Oct. 10, 1908.	Oct. 16, 1909.	Oct. 15, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 48·0	° 48·2	° 50·0	° 47·9	° 49·6	° 52·5	° 48·9	° 57·7	° 52·5	° 48·2	° 50·4	° 48·3										
Diseases of the Pharynx, Tonsillitis.	1	.	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	6	.	2	.	.	.	.	1	.	1	2
Diarrhœa of Children under 2 years.	14	17	5	8	4	12	23	7	4	10	10·4	20	2	15	3	.	.	.	.	.	.	.
„ 2 years and upwards,												2	.	.	.	1	.	.	.	1	.	.
Enteritis of Children under 2 years.	.	4	1	5	2	6	8	6	6	6	4·4	7	1	3	3	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												1	.	.	.	.	.	1	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	4	.	.	.	1	.	.	2	1	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	3	1	.	.	1	2	.	3	3	.	2·1	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...		2	.	.	2	.	1	2	.	1		1	.	.	.	.	.	.	1	.	.	.
Peritonitis (cause unknown),	1	1	.	.	.	1	.	1	1	1	·6	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Digestive System.	4	1	4	5	2	5	1	3	6	6	3·7	1	.	1	.	.	.	.	.	.	.	.
Acute Nephritis, ...												1	.	.	.	.	.	.	.	1	.	.
Chronic Bright's Disease, ...												3	.	.	.	.	.	.	1	2	.	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	3	7	3	2	2	9	6	7	6	4	4·9	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												1	.	.	.	.	.	.	.	1	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	2	.	.	.	.	2	·4	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	2	1	.	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	2	.	.	2	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	1	.	.	.	.
Premature Birth, ...	1	5	4	7	3	4	5	1	3	3	3·6	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	6	1	5	.	.	.	.	.	.	.	.
Old Age, ...	7	6	2	4	.	2	1	.	4	5	3·1	3	.	.	.	.	.	.	.	1	1	1
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	.	.	.	2	.	1	2	.	.	·5	1	.	.	.	.	.	.	1	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	1	1	1	.	1	3	2	.	.	.	·9	.	.	.	.	.	.	.	.	.	.	.
By Drowning, ...	1	.	.	1	.	1	.	.	.	2	·5	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	1	.	.	.	.	.	.	.	.	1	·2	1	.	.	.	.	.	.	1	.	.	.
Other Deaths by Accident, ...	2	1	.	1	1	.	4	2	1	1	1·3	2	.	.	.	.	.	1	1	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	1	.	.	2	.	.	·3	1	.	.	.	.	.	.	.	1	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	7	.	1	.	.	.	1	1	3	1	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.
No. of weeks in Annual Series,	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41
BIRTHS registered.	174	259	260	242	226	246	261	228	232	185	324	190	190	294	233	198	210	233	218	198	212	201	182	265	204	217
Average Births in corresponding week of previous 10 years, ...	223	199	268	231	210	204	238	226	207	224	237	205	204	208	221	217	208	217	216	207	235	209	212	247	197	185
DEATHS registered, ...	196	181	176	170	129	158	150	149	159	127	155	120	172	162	186	153	169	199	162	210	219	189	183	161	179	183
Annual Death-rate per 1,000, ...	25·1	23·2	22·5	21·8	16·5	20·2	19·2	19·2	20·5	16·4	20·0	15·5	22·2	20·9	24·0	19·8	21·8	25·7	20·9	27·1	28·3	24·4	23·6	20·8	23·1	23·6
Average Deaths in corresponding week of previous 10 years, ...	197	190	177	178	171	169	154	151	149	148	134	140	141	144	147	145	146	154	162	153	156	152	167	160	156	153
Ages, Under 5 years, ...	54	50	56	48	40	37	43	34	42	44	56	43	41	51	88	73	72	94	80	94	93	82	77	69	68	66
5—15 ,, ...	5	11	14	7	6	14	10	8	4	9	10	4	13	6	5	6	8	5	8	5	8	4	6	8	5	7
15—25 ,, ...	14	7	6	8	9	11	9	9	13	2	7	7	11	10	6	6	4	7	7	12	7	7	7	6	12	11
25—45 ,, ...	31	33	15	35	21	21	29	26	32	18	20	19	31	26	21	22	19	31	19	23	26	30	26	22	33	33
45—65 ,, ...	45	35	30	38	36	39	29	33	31	34	28	20	33	37	29	21	40	37	28	38	37	35	33	29	39	39
65—75 ,, ...	29	25	34	19	10	24	17	26	18	13	16	15	24	18	24	15	14	11	9	21	28	17	22	11	11	16
75 and upwards, ...	18	20	21	15	7	12	13	13	19	7	18	12	19	14	13	10	12	14	11	17	20	14	12	16	11	11
Deaths from :—																										
Enteric Fever, ...	1	.	1	1	1	1	1	.	.	1	.	1	3	2	1	2	2	2	1	2	.	2	3	6	2	4
Typhus, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	11	5	8	17	4	6	3	4	2	8	7	4	7	3	7	5	2	.	1	1	.	1	.	.	.	1
Scarlet Fever, ...	1	.	1	1	.	2	2	2	.	.	.	1	3	.	2	1	3	.	1	.	1	1	3	1	1	1
Whooping-cough, ...	.	2	3	2	4	1	4	1	3	2	2	.	1	4	3	4	1	3	6	7	4	3	3	1	.	1
Diphtheria, ...	4	1	2	3	1	.	1	4	1	4	2	2	3	2	1	.	.	1	5	1	2	3	.	.	.	4
Influenza, ...	3	.	3	2	1	2	.	.	1	.	1	1	1	2	1	.	1	.	.	1	2	.	.	.	1	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	33	22	21	17	25	22	22	25	23	7	21	7	20	17	17	16	13	19	15	22	22	19	12	14	18	16
Tuberculous Disease, Other Forms,	8	10	6	6	6	9	9	8	7	11	6	7	12	10	15	9	5	9	4	10	12	7	2	5	12	6
Cancer, ...	7	9	6	5	6	11	9	12	10	7	8	12	4	10	6	5	11	7	6	10	10	10	9	8	6	12
Diseases of Circulatory System,	15	24	17	23	7	19	12	12	23	14	22	16	22	20	15	10	13	13	8	13	15	16	16	17	16	14
Diseases of Respiratory System, Pneumonia,	16	18	22	15	12	6	10	8	9	8	9	9	10	8	12	1	8	3	6	12	5	10	4	4	14	9
Diseases of Respiratory System, Others, ...	26	16	34	20	15	14	15	16	17	9	17	6	11	10	13	3	8	13	7	5	14	12	12	10	17	14
Diarrhœa, Under 2 years, ...	1	2	2	1	2	1	6	.	3	3	.	1	3	9	27	20	29	37	25	38	31	37	32	19	17	20
Diarrhœa, 2 years & upwards,	.	1	2	.	.	1	.	.	.	.	.	.	.	.	5	1	6	7	10	7	4	1	3	1	1	2
Enteritis, under 2 years, ...	2	2	2	.	1	1	4	1	1	1	3	3	2	2	7	9	12	12	13	14	14	9	12	9	15	7
Violent Deaths, ...	7	9	3	.	1	5	2	3	6	5	2	6	7	2	5	2	2	8	5	3	4	2	7	7	2	5
Number of Uncertified Deaths,	2	8	4	3	1	5	4	3	4	.	5	9	5	2	3	3	7	7	7	7	5	6	5	5	1	7
Mean Temperature of the Air (Phœnix Park)	50·5	50·5	49·6	52·6	49·5	55·3	56·2	55·6	52·6	56·2	55·5	59·6	60·9	62·9	62·7	62·5	60·8	61·2	59·7	59·1	57·5	52·9	52·2	50·8	48·6	48·3
Average Mean Temperature in corresponding week of previous 10 years, ...	45·1	46·2	46·7	48·1	49·1	50·9	53·7	53·5	53·6	55·5	56·5	57·5	58·5	59·8	58·2	58·6	58·5	57·5	56·5	56·3	54·5	52·8	53·2*	53·7	52·4	50·4
Rainfall in inches, ...	·501	·606	·780	·127	·262	·010	·000	·000	·605	·782	·166	·018	·000	·316	1·860	·430	·170	·010	·338	·405	·020	·320	·248	·680	·208	·325
Mean Humidity of the Air, complete Saturation 1·0, ...	·89	·91	·93	·94	·92	·89	·89	·88	·86	·91	·91	·92	·84	·92	·92	·92	·82	·82	·82	·78	·85	·83	·81	·83	·83	·89

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 14th October, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 14TH OCTOBER, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	183	66	7	11	33	39	16	11	4	.	.	1	1	1	4	.	16	6	12	4	9	14	20	2	7	5	77	7
	CLASSES.																														
	Deaths in Families of the—																														
I	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	15·0	5	.	.	.	1	.	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	3	.
II.	MIDDLE CLASS, ...	87,188	16·7	28	7	2	1	6	9	1	2	1	.	.	.	.	.	.	.	2	.	3	.	1	2	3	.	1	.	15	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	15·1	32	5	2	3	11	7	1	3	2	.	.	.	.	.	2	.	3	.	3	.	2	1	1	.	1	.	17	.
IV.	GENERAL SERVICE CLASS, ...	154,279	31·1	92	50	3	6	10	12	9	2	1	.	.	1	1	1	2	.	7	4	3	4	5	6	14	2	5	4	32	6
V.	INMATES OF WORKHOUSES, ...	6,024	—	26	4	.	1	5	11	4	1	.	.	.	.	.	.	.	.	4	2	2	.	1	5	2	.	.	.	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	33·4	5	.	.	.	1	.	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	3	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	9·5	4	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
	6. Clerks and Commercial Assistants, ...	30,432	15·4	9	3	1	1	2	1	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	2	1	.	1	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	23·2	12	3	1	.	2	4	1	1	.	.	.	.	.	.	.	.	1	.	3	.	.	.	1	.	.	.	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	10·5	6	1	1	1	1	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	4	.
	10. Clothing Trades, ...	23,260	13·5	6	1	.	.	3	2	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.	.	.	2	.
	11. Food Supply Trades	9,242	22·6	4	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	3	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	20·6	12	1	.	2	4	2	1	2	2	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.	.	6	.
	13. Petty Shopkeepers	7,894	13·2	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	15·5	4	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.
	15. Domestic Servants, ...	36,603	14·2	10	6	.	.	2	1	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	3	.	.	.	3	1
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	25·4	7	4	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	2	1	.	1	.	1
	17. Hawkers, Porters, Labourers, &c., ...	89,861	41·2	71	38	3	5	6	10	7	2	1	.	.	1	1	1	2	.	4	3	3	2	5	5	8	1	4	2	28	4
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	26	4	.	1	5	11	4	1	.	.	.	.	.	.	.	.	4	2	2	.	1	5	2	.	.	.	10	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of),	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 29,854.	Aug. 26,	19·2	14·0	11	.	.	.	.	.	1	.	.	1	.	.	1	.	4	1	2	.	1
	Sept. 2,	29·7	10·5	17	.	.	.	.	.	1	.	.	2	2	2	.	.	3	1	1	1	.
	„ 9,	33·2	12·2	19	.	.	.	.	.	.	.	.	1	.	.	.	3	3	1	3	1	.
	„ 16,	34·9	15·7	20	.	.	.	1	.	1	.	.	3	1	1	1	.	4	.	3	.	.
	„ 23,	33·2	10·5	19	.	.	.	.	1	1	.	.	2	.	1	1	1	4	.	.	.	.
	„ 30,	24·5	7·0	14	.	.	.	.	.	1	.	.	.	.	.	1	1	1	.	2	1	.
	Oct. 7,	15·7	5·2	9	1	.	.	.	.	.	.	.	3	.	.	.	1	.	.	2	.	.
	„ 14,	22·7	7·0	13	2	.	.	.	.	.	.	.	2	.	1	.	.	2	.	.	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 39,902.	Aug. 26,	19·6	7·8	15	.	.	.	.	.	1	.	.	2	.	1	1	2	2	3	.	.	.
	Sept. 2,	36·6	14·4	28	.	.	.	.	.	2	.	.	2	1	2	1	.	8	1	.	1	.
	„ 9,	36·6	15·7	28	.	.	.	.	.	2	.	.	4	2	1	.	3	6	2	2	.	.
	„ 16,	31·4	10·5	24	.	.	.	.	.	2	.	.	.	.	.	2	4	6	.	.	2	1
	„ 23,	22·2	13·1	17	.	.	.	.	1	1	.	.	.	.	.	.	.	5	.	3	.	1
	„ 30,	32·7	7·8	25	1	.	.	.	.	.	.	.	3	1	1	1	.	4	.	1	1	.
	Oct. 7,	30·1	7·8	23	.	.	.	.	.	.	.	.	2	.	1	2	2	4	.	2	.	.
	„ 14,	28·7	10·5	22	.	.	.	.	.	1	.	.	2	1	.	3	1	5	1	1	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 30,689.	Aug. 26,	23·8	10·2	14	.	.	.	.	.	1	1	.	.	2	.	1	2	2	2	.	.	1
	Sept. 2,	15·3	6·8	9	.	.	.	.	.	.	.	.	2	.	.	.	.	4	.	.	.	.
	„ 9,	37·4	10·2	22	.	.	.	.	.	1	.	.	3	2	.	.	.	5	.	.	.	2
	„ 16,	35·7	8·5	21	.	.	.	.	.	.	1	.	3	4	.	.	2	4	.	.	.	2
	„ 23,	30·6	13·6	18	.	.	.	.	1	.	.	.	.	.	3	.	1	6	.	1	.	.
	„ 30,	27·2	6·8	16	1	.	.	.	.	.	.	.	.	2	1	.	2	2	1	.	.	.
	Oct. 7,	25·5	6·8	15	1	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	.
	„ 14,	30·6	5·1	18	.	.	.	.	1	.	2	.	.	2	.	1	2	.	.	.	.	.
North City, No. 3. (*Office, Benburb street.*) Pop. in 1911 (Est.) 33,498.	Aug. 26,	26·5	10·9	17	.	.	.	.	.	.	1	.	2	.	1	.	1	4	2	.	.	1
	Sept. 2,	48·3	12·5	31	.	.	.	.	.	.	.	.	4	.	2	2	.	3	1	4	.	3
	„ 9,	28·0	9·3	18	.	.	.	.	.	.	1	.	1	1	.	1	1	5	.	.	.	1
	„ 16,	26·5	6·2	17	.	.	.	.	.	.	.	.	3	.	2	.	.	3	.	1	.	1
	„ 23,	17·1	1·6	11	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.	.	2
	„ 30,	20·2	1·6	13	.	.	.	.	.	.	.	.	2	.	.	.	3	1	.	.	.	.
	Oct. 7,	28·0	.	18	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.
	„ 14,	9·3	.	6	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,401.	Aug. 26,	16·4	6·3	13	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	3	.	1
	Sept. 2,	29·0	16·4	23	.	.	.	.	.	.	1	.	2	.	.	1	.	5	1	6	.	.
	„ 9,	29·0	13·9	23	.	.	.	.	.	1	.	.	2	2	1	.	.	3	1	6	.	.
	„ 16,	23·9	7·6	19	1	.	.	.	.	.	2	.	5	.	1	.	.	1	.	2	.	.
	„ 23,	31·5	2·5	25	.	.	.	.	.	.	.	.	1	.	2	1	1	.	1	1	.	.
	„ 30,	25·2	10·1	20	1	.	.	.	.	.	.	.	2	1	1	.	1	4	.	3	.	.
	Oct. 7,	26·4	6·3	21	.	.	.	.	1	.	.	.	1	1	.	3	4	2	.	2	.	.
	„ 14,	18·9	11·3	15	.	.	.	1	.	.	1	.	.	.	1	.	4	3	.	3	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,715.	Aug. 26,	33·6	9·6	14	.	.	.	.	.	.	.	.	1	.	1	.	.	4	.	.	.	.
	Sept. 2,	21·6	.	9	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	1
	„ 9,	28·8	4·8	12	.	.	.	.	.	.	.	.	2	1	.	1	1	2	.	.	2	.
	„ 16,	19·2	4·8	8	.	.	.	.	.	.	.	.	.	1	1	1	1	1	.	1	.	.
	„ 23,	16·8	4·8	7	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.
	„ 30,	21·6	.	9	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	1
	Oct. 7,	19·2	9·6	8	.	.	.	.	.	.	.	.	1	1	.	.	1	3	.	1	1	.
	„ 14,	9·6	.	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,149.	Aug. 26,	27·8	8·5	23	1	.	.	.	1	.	1	.	5	.	.	1	2	2	1	1	1	.
	Sept. 2,	26·6	9·7	22	.	.	.	.	.	2	.	.	1	1	.	1	1	5	.	1	.	.
	„ 9,	24·2	6·0	20	.	.	.	.	1	.	1	.	3	.	.	1	3	2	.	1	.	.
	„ 16,	19·3	7·3	16	.	.	.	.	.	.	.	.	1	1	.	.	.	5	.	1	.	.
	„ 23,	29·0	7·3	24	1	.	.	.	.	.	.	.	3	.	.	1	3	5	.	.	2	.
	„ 30,	24·2	9·7	20	1	.	.	.	1	.	.	.	3	1	.	.	2	5	.	1	2	1
	Oct. 7,	32·6	6·0	27	.	.	.	.	.	.	.	.	9	2	1	2	3	1	.	4	.	.
	„ 14,	30·2	3·6	25	.	.	.	.	.	.	.	.	5	2	.	2	2	2	.	1	1	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 35,816.	Aug. 26,	16·0	5·8	11	.	.	.	.	.	1	2	.	.	1	1	.	.	.	1	.	2	1
	Sept 2,	21·8	8·7	15	1	.	.	.	.	1	.	.	2	1	.	2	1	4	.	.	.	.
	„ 9,	26·2	5·8	18	.	.	.	.	.	.	.	.	1	1	.	.	.	4	.	.	.	.
	„ 16,	24·7	7·3	17	.	.	.	.	.	.	.	.	.	.	1	4	2	5	.	.	.	1
	„ 23,	26·2	8·7	18	1	.	.	.	.	1	.	.	2	.	1	.	.	3	.	1	1	1
	„ 30,	14·6	2·9	10	2	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	1
	Oct. 7,	20·4	5·8	14	.	.	.	.	.	.	.	.	.	2	.	2	1	3	.	1	1	.
	„ 14,	32·0	10·2	22	2	.	.	.	.	.	.	.	.	.	3	1	1	4	1	.	.	2

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa. Children under 2 years.	2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	Aug. 26,	10·9	5·4	8	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	3	.	2
	Sept. 2,	17·7	5·4	13	.	.	.	1	.	.	.	.	.	.	2	1	2	1	2	.	.	2
	„ 9,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	1	.
	„ 16,	13·6	2·7	10	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.
	„ 23,	17·7	8·2	13	1	.	.	.	.	.	.	.	.	.	2	.	1	3	.	2	.	.
	„ 30,	10·9	1·4	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	Oct. 7,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 14,	13·6	2·7	10	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.	1	.	2
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	Aug. 26,	19·5	8·9	11	.	.	.	.	.	2	.	.	1	.	.	1	.	1	.	2	.	.
	Sept. 2,	17·8	3·6	10	.	.	.	.	.	.	.	.	3	1	.	.	.	2	.	.	.	.
	„ 9,	12·4	1·8	7	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	2
	„ 16,	17·8	5·3	10	.	.	.	.	.	.	.	.	2	.	.	1	.	3	.	.	.	.
	„ 23,	14·2	7·1	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	1
	„ 30,	7·1	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.
	Oct. 7,	17·8	7·1	10	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	2	.	.
	„ 14,	16·0	1·8	9	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	1
Kingstown Urban District. Pop. in 1911 17,227.	Aug. 26,	18·2	3·0	6	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	1	.
	Sept. 2,	27·2	3·0	9	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	.	.
	„ 9,	57·5	.	19	.	.	.	.	.	.	.	.	3	.	2	2	1	.	.	.	.	.
	„ 16,	18·2	9·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.
	„ 23,	15·1	3·0	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	„ 30,	18·2	6·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	Oct. 7,	6·1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 14,	12·1	3·0	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Belfast. Pop. in 1911 (Est.) 386,449.	Aug. 26,	17·8	4·9	132	2	.	.	.	.	1	.	.	19	5	1	3	5	15	5	13	4	2
	Sept. 2,	18·6	6·7	138	1	.	.	.	.	.	.	.	17	3	7	4	1	21	6	22	5	.
	„ 9,	19·7	6·5	146	2	.	.	.	1	1	.	.	11	7	4	7	9	26	7	11	3	.
	„ 16,	16·5	5·3	122	.	.	.	.	1	2	.	1	10	5	6	3	6	20	4	11	2	.
	„ 23,	20·2	6·7	150	.	.	.	.	.	2	.	.	8	8	8	6	9	27	1	20	1	1
	„ 30,	16·9	4·0	125	.	.	.	.	2	1	1	.	8	5	6	8	4	15	2	9	2	1
	Oct. 7,	17·3	3·0	128	2	.	.	.	1	1	.	.	13	10	6	7	10	10	2	6	2	.
	„ 14,	15·9	2·3	118	.	.	.	.	1	2	1	.	11	5	6	7	7	5	.	8	3	4
Cork. Pop. in 1911 76,632.	Aug. 26,	19·1	4·1	28	.	.	.	.	.	.	.	.	5	2	1	1	3	6	.	.	1	.
	Sept. 2,	24·5	4·1	36	.	.	.	.	.	.	.	.	5	1	4	.	1	6	.	.	1	1
	„ 9,	25·2	6·1	37	.	.	.	.	.	1	.	.	4	2	1	1	2	8	.	.	.	.
	„ 16,	19·7	5·4	29	.	.	.	.	.	.	.	.	7	.	1	2	2	5	.	3	.	.
	„ 23,	19·7	3·4	29	.	.	.	.	.	.	.	.	2	.	.	.	1	5	.	.	.	1
	„ 30,	22·5	6·1	33	.	.	.	.	.	.	1	.	2	.	1	1	3	8	.	.	.	3
	Oct. 7,	25·2	3·4	37	.	.	.	.	.	.	.	.	4	2	.	3	3	4	1	.	1	4
	„ 14,	25·2	1·4	37	1	.	.	.	.	.	.	.	7	.	.	3	2	1	.	.	.	.
Londonderry. Pop. in 1911 40,799.	Aug. 26,	14·1	2·6	11	.	.	.	.	.	1	.	.	1	1	1	.	1	1	.	.	1	.
	Sept. 2,	12·8	1·3	10	.	.	.	.	.	.	.	.	.	1	.	1	3	1	.	.	.	.
	„ 9,	16·6	1·3	13	.	.	.	.	.	.	.	.	1	.	1	1	2	1	.	.	.	.
	„ 16,	11·5	5·1	9	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.	.	.
	„ 23,	12·8	.	10	.	.	.	.	.	.	.	.	3	1	1	.	1	.	.	.	.	.
	„ 30,	19·2	6·4	15	.	.	.	.	1	.	.	.	.	1	.	.	2	1	1	2	.	.
	Oct. 7,	7·7	1·3	6	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
	„ 14,	15·3	5·1	12	.	.	.	.	.	.	.	.	1	1	.	.	.	2	2	.	1	.
Limerick. Pop. in 1911 38,403.	Aug. 26,	25·8	8·1	19	1	.	.	.	.	.	.	.	.	1	2	.	.	3	1	1	.	2
	Sept. 2,	17·7	5·4	13	.	.	.	.	.	.	.	.	1	1	.	1	.	3	1	.	.	1
	„ 9,	17·7	2·7	13	.	.	.	.	.	.	.	.	1	1	1	.	2	2	.	.	1	.
	„ 16,	20·4	6·8	15	.	.	.	.	.	.	.	.	1	.	1	.	1	5	.	.	.	2
	„ 23,	23·1	1·4	17	.	.	.	.	.	.	.	.	4	.	2	.	2	1	.	.	.	.
	„ 30,	23·1	5·4	17	.	.	.	.	.	.	.	.	1	1	.	1	.	3	1	.	.	2
	Oct. 7,	20·4	2·7	15	.	.	.	.	.	.	.	.	5	.	.	.	2	2	.	.	.	3
	„ 14,	16·3	2·7	12	.	.	.	.	.	.	.	.	2	.	1	.	1	2	.	.	.	2
Waterford. Pop. in 1911 27,430.	Aug. 26,	13·3	3·8	7	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	2	.	.
	Sept. 2,	9·5	5·7	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1
	„ 9,	26·6	5·7	14	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	3	.	.
	„ 16,	20·9	9·5	11	.	.	.	.	.	.	.	.	1	.	1	2	1	1	.	4	.	.
	„ 23,	24·7	3·8	13	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	2	.	.
	„ 30,	11·4	7·6	6	.	.	.	.	.	.	.	.	1	.	1	.	.	4	.	.	.	.
	Oct. 7,	19·0	7·6	10	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	1	.	.
	„ 14,	26·6	5·7	14	.	.	.	.	.	.	.	.	1	4	.	.	1	3	.	.	.	3

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 14th October, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tubercular Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	385,492	9	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		9	1	2	.	2	4	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.	.	.	2	1
Do. 2 do.		27			17	5	4	2	.	4	2	.	.	.	.	.	2	.	.	2	1	.	.	1	2	.	.	.	1	2	.
Do. 3 do.		18			8	1	1	.	.	4	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1	1	2	1
Do. 4 do.		17			14	.	1	2	2	4	5	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	1	1	10	.
Do. 5 do.		9			6	2	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.
Do. 6 do.		15			13	1	1	2	3	2	4	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	1	1	2	1
Do. 7 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		4			3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	1	.
Do. 9 do.		13			6	.	3	.	1	2	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	.	1	.
Do. 10 do.		19			8	2	1	2	.	1	2	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	2	.	.	2	.
Do. 11 do.		19			13	2	1	.	3	3	4	.	.	.	.	.	.	1	.	.	.	.	1	2	.	.	1	.	.	3	.
Do. 12 do.		25			12	4	1	1	2	.	4	.	.	.	.	.	.	.	.	1	2	1	.	1	1	.	2	.	.	3	.
Do. 13 do.		13			3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		10			6	1	.	.	3	1	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	1	1
Total,	—	198			118	21	17	9	18	28	25	.	.	.	.	1	2	1	.	11	5	6	7	7	5	.	8	3	5	31	4
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	76,632	8	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	.	.	.	3	3	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	4	.
Do. 2 do.		3			6	1	.	1	2	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	3	.
Do. 3 do.		3			6	2	1	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	3	.
Do. 4 do.		2			4	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 5 do.		2			4	.	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.
Do. 6 do.		5			7	.	1	1	2	1	2	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.	.	4	.
Do. 7 do.		10			4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
Total,	—	33	25·2	1·4	37	5	3	3	8	10	8	1	.	.	.	.	.	.	.	7	.	.	3	2	1	.	.	.	.	20	.

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	April 22.	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14
No. of weeks in Annual Series,	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41
BIRTHS registered, ...	189	236	232	229	180	214	233	215	258	201	264	213	207	268	236	203	225	215	220	197	215	183	184	184	184	198
DEATHS registered, ...	154	160	109	120	123	123	125	115	107	82	116	92	123	121	105	123	121	139	132	138	146	122	150	125	128	118
Annual Death rate per 1,000 of estimated population, ...	20·2	20·9	14·3	15·7	16·1	16·1	16·4	15·5	14·4	11·1	15·7	12·4	16·6	16·3	14·2	16·6	16·3	18·8	17·8	18·6	19·7	16·5	20·2	16·9	17·3	15·9
AGES, Under 1 year, ...	23	23	19	19	25	22	18	19	23	16	18	11	25	32	38	39	45	44	36	52	49	43	53	35	26	21
1—5 years, ...	14	13	10	9	9	13	7	7	10	7	9	7	9	11	8	12	11	11	8	6	16	11	19	17	16	17
5—25 „ ...	13	21	13	17	15	17	14	14	16	7	16	15	16	14	11	7	14	15	18	11	10	8	12	7	13	9
25—45 „ ...	26	27	25	23	26	22	24	26	22	18	20	21	25	22	13	21	11	17	19	24	21	17	15	22	22	18
45—65 „ ...	39	46	22	29	31	27	34	20	20	20	37	25	29	23	17	23	23	28	31	27	29	21	31	20	28	28
65 and upwards, ...	39	30	20	23	17	22	28	29	16	14	16	13	19	19	18	21	17	24	20	18	21	22	20	24	23	25
Deaths from :—																										
Enteric Fever, ...	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2	1	2	.	.	.	2	.
Typhus, ...	.	.	.	.	.		.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	1	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	.	1	1	.	2	1	1
Whooping-cough, ...	2	1	.	.	1	1	.	.	4	.	1	.	1	1	1	2	1	.	1	.	1	2	2	1	1	2
Diphtheria, ...	1	.	.	.	.	.	.	1	.	.	.	1	.	2	.	2	.	1	.	.	.	.	.	1	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Tuberculous Disease. Phthisis, ...	14	17	16	25	21	21	16	14	13	13	23	16	18	20	10	13	9	6	19	17	11	10	8	8	13	11
Tuberculous Disease. Other Forms,	11	15	12	7	10	12	11	6	10	2	2	5	8	6	5	7	3	7	5	3	7	5	8	5	10	5
Cancer, ...	6	12	3	6	1	4	6	8	6	6	7	4	6	3	3	9	4	4	1	7	4	6	8	6	6	6
Diseases of Respiratory System, Pneumonia,	23	18	10	10	13	6	11	9	9	5	5	7	2	4	6	2	3	9	3	4	7	3	6	8	7	7
Diseases of Respiratory System, Others, ...	34	16	20	15	19	11	18	18	13	10	8	11	14	10	3	4	5	6	5	1	9	6	9	4	10	7
Diarrhœa, Under 2 years, ...	.	.	.	1	1	2	1	.	1	1	2	1	6	10	14	9	19	17	15	21	26	20	27	15	10	5
Diarrhœa, 2 years & upwards	.	.	.	.	.	.	.	1	.	3	.	.	.	.	1	4	4	3	5	6	7	4	1	2	2	.
Enteritis, under 2 years, ...	2	1	1	1	3	3	4	2	.	1	1	1	3	8	9	12	19	10	13	22	11	11	20	9	6	8
Violent Deaths, ...	3	3	3	4	1	1	.	3	3	1	4	.	3	5	3	2	2	6	4	5	3	2	1	2	2	3
Number of Uncertified Deaths, ...	.	1	2	1	1	1	2	1	.	3	3	.	1	.	2	.	1	1	2	.	.	.	1	1	.	4

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	Oct. 14,	2,073	1,335	15·4	3	.	4	4	5	11	107*a*
Edinburgh, ...	320,829	„ 14,	136	94	15·3	.	.	.	.	1	.	4
Glasgow, ...	784,621	„ 14,	400	281	18·7	1	.	4	5	6	8	24
Calcutta, ...	890,493	Sept. 9,	.	382	22·3	78*	.	1	.	.	2	56‡
Bombay, ...	977,822	„ 9,	435	539	28·7	60*	3	.	.	.	.	68‡
Madras, ...	509,346	Aug. 19,	398	319	32·5	71*	3	2	?	?	?	80‡
Cairo, ...	693,806	„ 12,	620	691	68·7	10	1	9	2	.	6†	200*a*
Paris	2,846,986	Sept. 16,	891	825	15·6	11	.	7	2	2	5†	81*a*
Brussels, ...	739,684	„ 23,	213	174	12·2	.	.	.	.	1	.	36
Antwerp, ...	320,640	„ 23,	109	74	12·0	.	.	1	.	1	.	28*a*
Amsterdam, ...	577,852	„ 23,	259	127	11·5	2	.	.	.	6	.	16*a*
Copenhagen, ...	462,132	„ 23,	209	123	13·9	.	.	1	.	3	.	14
Stockholm, ...	343,832	„ 16,	153	78	11·8	1	.	.	.	1	1	4
Christiania, ...	244,038	„ 30,	113	48	10·2	1	.	1	.	1	.	3
St. Petersburg, ...	1,599,139	„ 9,	574	629	20·5	10	2	18	5	6	3	121*a*
Moscow, ...	1,493,600	„ 9,	.	744	26·0	8	.	15	11	7	12	173
Berlin, ...	2,066,403	„ 9,	777	710	17·9	.	.	2	11	11	10†	169
Hamburg, ...	931,035	„ 23,	347	299	16·7	3	.	1	7	6	14†	64
Breslau, ...	518,499	„ 23,	.	172	17·2	.	.	1	.	2	3	29
Munich, ...	597,000	„ 30,	.	210	18·3	.	.	.	.	1	3	42
Vienna (with suburbs),	2,047,968	„ 23,	673	538	13·7	4	.	2	5	5	4†	67*a*
Buda-Pesth, ...	891,585	„ 23,	430	325	19·0	6	.	4	9	.	2†	49
Prague and Faubourgs,	508,310	„ 9,	150	156	16·0	2	.	1	.	1	1	11*a*
Trieste, ...	230,820	„ 16,	131	100	22·6	.	.	.	.	1	.	21*a*
Rome, ...	602,068	Aug. 12,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Sept. 2,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	„ 2,	2,471	1,228	12·9	20	.	6	2	6	15†	187*a*
Philadelphia, ...	1,580,250	Aug. 19,	.	457	15·0	10	.	1	3	2	2†	77*a*
Boston, ...	686,912	Sept. 23,	.	210	15·9	4	.	.	1	2	2	38

* Deaths from "fever," including 10 deaths from enteric fever and 7 from plague in Calcutta, one from enteric fever and 12 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 21 deaths from cholera in Calcutta, 3 in Bombay, and one in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending October 14th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	2	.	.	.	1	3
„ „ 1, West, ...	.	4	.	.	.	.	.	1	.	.	.	.	5
„ „ 2, ...	.	.	.	.	1	.	.	2	.	.	.	3	6
„ „ 3, ...	.	11	.	.	.	.	.	2	1	.	.	3	17
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	4	.	.	1	.	.	2	.	.	.	.	7
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	4	4	.	.	.	1	3	5	.	.	4	21
„ „ 2, ...	.	1	.	.	.	.	.	1	.	.	.	1	3
„ „ 3, ...	.	4	.	.	1	.	.	3	.	.	.	1	9
„ „ 4, ...	.	4	.	.	2	.	.	1	1	.	.	1	9
New Kilmainham, ...	.	2	.	.	1	.	.	1	1	.	.	.	5
Total, ...	.	35	4	.	6	.	1	18	8	.	.	14	86

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 14th October, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 14th October.			
	Sept. 23.	Sept. 30.	Oct. 7.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	12	11	2	6	2	1	5
Scarlet Fever, ...	102	111	131	45	28	1	147*
Typhus, ...	2	2	3	7	1	1	8
Diphtheria, ...	35	39	42	11	10	.	43
Enteric Fever, ...	96	118	145	36	19	4	158
Pneumonia, ...	7	14	11	9	1	2	17

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 14th October, 1911:—

"In the interval between Sunday and Friday an area of high atmospheric pressure, or anticyclone, drifted slowly south-eastwards from Iceland to Austria. On Monday morning the system was central in the Hebrides. Early on Tuesday the centre lay over the south of Scotland and the north of Ireland, the barometer reading 30·63 inches at Leith, and 30·60 inches at Malin Head and Donaghadee. At this time a strong S.W. wind was blowing in Iceland, and at 7 a.m. the thermometer stood as high as 60° at Seydisfjord, in the S.E. of that island. On the other hand, temperature was low in the British Isles, Nairn reporting 32° at the hour named and a minimum of 29° in the screen. In most parts of the United Kingdom the thermometer was below 45° at 7 a.m. That same day (Tuesday) was beautiful in Dublin—at sunset sprays of cirrus overspread the sky from S.E., and at night there was a calm with smoke fog. On Wednesday morning the central area of the anticyclone stretched from the S. of Scotland to Bavaria. The tendency to fog increased at that time and the thermometer stood at 32° at Birr Castle in the morning. On Wednesday and Thursday the barometer fell very decidedly in Ireland, and the cloud-movement was from S. These conditions indicated the approach of a large, but shallow, area of low pressure from the Atlantic. As baric gradients were slight the nocturnal fall of temperature caused dense fogs on Friday night and Saturday morning. The last day of the week broke gloomy and damp in Dublin, and a downpour of rain occurred from 7.30 a.m. to 8 a.m., about one-fifth of an inch falling in that half hour. After another heavy shower at 10.30 a.m. the weather improved with a slowly rising barometer as the anticyclone again surged westwards from the Continent. In Dublin the mean height of the barometer was 30·226 inches, pressure ranging from 30·563 inches at 9 a.m. of Tuesday (wind, E.) to 29·907 inches at 4 p.m. of Friday (wind, S.E.). The corrected mean temperature was 51·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 50·2° On Wednesday the screened thermometers fell to 43·2°, on Friday and Saturday they rose to 58·2°. Winds from easterly points and calms prevailed. The rainfall was ·342 inch on 2 days, ·228 inch being measured on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·056 inches. The highest reading (30·399) was on Tuesday at 9 a.m., wind E., the lowest (29·750) on Friday at 9 p.m., air calm.

The mean temperature for the week was 48·3°, being 2·1° below the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Friday, on which day the thermometer registered 59·7°, and was lowest on Wednesday, the mercury having fallen to 33·5°. The mean of the Dry Bulb for the week was 48·7° and of the Wet Bulb, 47·1°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The rainfall during the week measured 0·325 inch.

At Greenwich the mean temperature for the week was 51·9°, the maximum 67·6°, and the minimum 39·7°; at Glasgow the maximum was 58·2°, the minimum 28·8°, and the mean 45·8°; and at Edinburgh the maximum was 55·9°, the minimum 35·7°, and the mean 45·9°. The rainfall at Greenwich measured 0·29 in., and at Edinburgh 0·05 in. There was no rainfall recorded at Glasgow.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, October 8,	30·008	57·7	43·4	50·6	48·0	46·8	·92	·8	7·2	·000	Calm.	Calm.
Monday, " 9,	30·250	53·2	45·7	49·5	49·2	44·7	·70	·0	2·1	·000	E.N.E.	Calm.
Tuesday, " 10,	30·388	53·9	33·8	43·9	42·9	39·8	·80	·0	5·6	·000	E.	Calm.
Wednesday, " 11,	30·198	56·4	33·5	45·0	45·5	44·3	·93	·0	2·7	·000	Calm.	Calm.
Thursday, " 12,	29·911	56·6	33·9	45·3	50·9	50·2	·96	·0	0·4	·000	Calm.	Calm.
Friday, " 13,	29·775	59·7	44·1	51·9	50·5	50·1	·95	·0	1·0	·260	E.	Calm.
Saturday, " 14,	29·860	58·9	44·8	51·9	51·2	53·7	·98	·1	0·0	·065	Calm.	Calm.
Mean, ...	30·056	56·6	39·9	48·3	48·7	47·1	·89	·1	Total 19·0	Total ·325	——	

Sunday—A fine bright day; night cloudy. *Monday*—A dull day; night cloudy. *Tuesday*—Day cloudy, fine; night clear. *Wednesday*—Day cloudy, fine; night cloudy. *Thursday*—A very dull day; night cloudy. *Friday*—A dull day, rain 9.30 a.m. to 12 p.m.; night overcast, heavy rain 7.0 a.m. to 8.30 a.m. *Saturday*—Day overcast, light rain 9.15 a.m. to 11.0 a.m.; night overcast, drizzling rain 4.20 a.m. to 5.15 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, October 14th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, October 8,	48·1	52·7	54·8	56·9	45·6	51·2	7·0	—
Monday, " 9,	52·2	53·0	54·5	54·7	48·0	51·4	1·6	—
Tuesday, " 10,	53·0	52·7	54·6	54·3	43·4	48·9	7·0	—
Wednesday, " 11,	47·9	51·7	54·4	57·0	41·5	49·3	3·7	—
Thursday, " 12,	46·8	51·1	54·2	57·2	42·0	49·6	0·4	—
Friday, " 13,	55·6	52·0	54·1	58·3	48·6	53·5	1·1	·225
Saturday, " 14,	53·0	52·1	54·0	59·5	48·2	53·9	0·0	·093
Weekly Mean, .	50·9	52·2	54·4	56·8	45·3	51·1	Total 20·8	Total ·318

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31318. Wt. P.18 110–/138. 375. 10. 1911. Sch. C 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 21ST OCTOBER, 1911. [No. 42.

General Register Office, Charlemont House,
Dublin, 23rd October, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Sept. 30	Oct. 7	Oct. 14	Oct. 21	Average Rate for 4 weeks.
22 Town Districts, ...	**18·0**	**19·6**	**19·3**	**18·6**	**18·9**
Armagh	13·7	6·9	13·7	13·7	12·0
Ballymena	4·6	22·9	22·9	9·2	14·9
Belfast	16·9	17·3	15·9	17·0	16·8
Clonmel	5·1	40·6	30·4	5·1	20·3
Cork	22·5	25·2	25·2	26·5	24·8
Drogheda	16·8	37·8	16·8	16·8	22·0
Dublin Reg. Area ...	19·9	22·1	21·7	20·0	20·9
Dundalk	7·9	7·9	7·9	23·8	11·9
Galway	35·4	15·7	27·5	11·8	22·6
Kilkenny	19·8	19·8	9·9	44·6	23·5
Limerick	23·1	20·4	16·3	20·4	20·0
Lisburn	12·9	12·9	17·1	4·3	11·8
Londonderry	19·2	7·7	15·3	8·9	12·8
Lurgan	4·3	8·6	30·1	.	10·8
Newry	21·8	17·4	17·4	8·7	16·3
Newtownards	11·4	22·9	17·2	11·4	15·7
Portadown	.	13·3	8·9	22·2	11·1
Queenstown	13·2	13·2	13·2	13·2	13·2
Sligo	4·7	28·0	23·4	28·0	21·0
Tralee	21·1	26·4	5·3	5·3	14·5
Waterford	11·4	19·0	26·6	26·6	20·9
Wexford	22·8	9·1	36·4	31·9	25·0

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 2·1 per 1,000, the rates varying from 0·0 in twelve of the districts to 9·3 in Sligo, the 6 deaths from all causes for that district including 2 from diarrhœa under 2 years of age. Among the 126 deaths from all causes for Belfast are one from whooping-cough, and 9 from diarrhœa and *enteritis* under 2 years of age. Included in the 39 deaths from all causes for Cork are one from each of measles and diphtheria, and one from diarrhœa under 2 years of age. One of the 6 deaths for Dundalk is from diphtheria, and included in the 7 deaths from all causes for Wexford are 2 from diarrhœa and *enteritis* under 2 years of age.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 195—107 boys and 88 girls—and the deaths to 165—80 males and 85 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·0 per 1,000 of the population. During the forty-two weeks ending with Saturday last the death-rate averaged 21·6, and was 0·7 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 165, represent an annual rate of 21·3 per 1,000; the annual rate for the past forty-two weeks was 22·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·4 per 1,000 of the mean population for all deaths registered.

The 165 deaths registered include 4 from enteric fever, one from typhus, 2 from measles, 4 from scarlet fever, one from whooping-cough, one from influenza, and 13 from diarrhœa and *enteritis* of children under 2 years of age. In the three preceding weeks, deaths from enteric fever were 6, 2, and 4; deaths from typhus were 0, 0, and 0; deaths from measles were 0, 0, and one, deaths from scarlet fever were one, one and one; deaths from whooping-cough were one, 0, and one; deaths from influenza were 0, one, and one, and deaths from diarrhœa and *enteritis* of children under 2 years of age were 28, 32, and 27 respectively.

Tuberculous disease caused 32 deaths, comprising 28 from pulmonary tuberculosis, one from tuberculous meningitis, and 3 from abdominal tuberculosis. In the three preceding weeks deaths from tuberculous disease numbered 19, 30, and 22 respectively.

Broncho-pneumonia caused 4 deaths, and *pneumonia* (type not distinguished) caused 4 deaths.

Nine deaths were assigned to cancer.

The deaths of 2 infants under one year old were ascribed to *convulsions*.

The deaths of 19 persons were caused by organic diseases of the heart, and bronchitis caused 14 deaths.

Prematurity caused the deaths of 6 infants, and congenital debility accounted for 3 deaths.

There were 4 accidental deaths registered; of those 3 were caused by vehicles, and one (that of a child under one year old) by burns.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year old, and the death of one person aged 81 years.

Fifty of the persons whose deaths were registered during the week were under 5 years of age (34 being infants under one year, of whom 10 were under one month old) and 31 were aged 65 years and upwards, including 20 persons aged 70 and upwards; among the latter were 14 aged 75 years and upwards.

Eighty four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·0 per 1,000; the rate in the City was 20·9 (North City Districts, 15·8; South, 26·2) and in the Suburbs, 17·2.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 3·2 per 1,000 inhabitants, the rate for the City being 3·4 (2·0 in the North City Districts, and 4·8 in the South), and for the Suburbs, 2·8 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (9) are equal to an annual rate of 15·7 per 1,000, and include one death from *enteritis* under 2 years of age, 4 from pulmonary tuberculosis, and one death of an infant from accidental burns.

No. 1 *North City District, West* (Summer-hill).—The deaths (14) are equal to an annual rate of 18·3 per 1,000. Included in the total are one from enteric fever, one from diarrhœa under 2 years of age, 4 from pulmonary tuberculosis, and 2 from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 20·4 per 1,000, and include one from pulmonary tuberculosis, one from broncho-pneumonia, one from *pneumonia* (type not distinguished), and 2 from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (6) represent an annual rate of 9·3 per 1,000. Among the deaths are one from enteric fever, one from scarlet fever, one from pulmonary tuberculosis, and one from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 18·0; and Finglas and Glasnevin, part of, 6·8. Included in the 4 deaths from all causes for Coolock and Drumcondra, part of, are one from *enteritis* under 2 years of age, and one accidental death, and the only death recorded for Finglas and Glasnevin, part of, is from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (30) represent an annual rate of 37·8 per 1,000. Included in the total are one from typhus, 2 from measles, 3 from diarrhœa and *enteritis* under 2 years of age, 9 from tuberculous disease, 2 from bronchitis, and one accidental death.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 24·0 per 1,000. Scarlet fever caused one death, *enteritis* under 2 years one death, and pulmonary tuberculosis 2 deaths.

No. 3 *South City District* (Peter-street).—The deaths (21) are equal to an annual rate of 25·4 per 1,000, and include 2 from scarlet fever, 2 from diarrhœa and *enteritis* under 2 years of age, 5 from tuberculous disease, one from broncho-pneumonia, one from *pneumonia* (type not distinguished), and 4 from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (12) are equivalent to an annual rate of 17·5 per 1,000. Enteric fever caused one death, diarrhœa under 2 years of age one death, pulmonary tuberculosis 3 deaths, broncho-pneumonia one death, and bronchitis one death.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·3 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 19·0; Pembroke, 12·4; Blackrock, 17·2; and Kingstown, 21·2. The deaths from the principal epidemic diseases tabulated for these districts comprise one from whooping-cough for Rathmines and Rathgar, one from enteric fever and 2 from diarrhœa and *enteritis* under 2 years of age for Pembroke, and one from *enteritis* under 2 years of age for Blackrock. Included in the 14 deaths from all causes for the first-named district are 2 from tuberculous disease, one from broncho-pneumonia, and 2 from *pneumonia* (type not distinguished). One of the 7 deaths from all causes for Pembroke is from bronchitis, and included in the 7 deaths from all causes for Kingstown are one from influenza and one caused by a cycling accident.

* See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 21st October, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Sept. 30,	.	—	—	25	.	.	8	.	2	33	9	.	—	—	.	—	4	—	81
	Oct. 7,	.	—	—	25	1	.	5	.	2	35	3	.	—	—	.	—	5	—	76
	Oct. 14,	.	—	—	35	4	.	6	.	1	18	8	.	—	—	.	—	14	—	86
	Oct. 21,	.	—	—	29	5	.	10	1	3	28	6	.	—	—	.	—	19	—	101
Rathmines and Rathgar Urban District.	Sept. 30,	.	—	—	.	.	.	1	.	.	.	.	.	.	—	—	—	—	—	1
	Oct. 7,	.	—	—	2	.	.	1	.	.	.	.	.	.	—	—	—	—	—	3
	Oct. 14,	.	—	—	2	.	.	2	.	.	2	.	.	.	—	—	—	—	—	6
	Oct. 21,	.	—	—	5	.	.	.	.	.	.	.	.	.	—	—	—	—	—	5
Pembroke Urban District.	Sept. 30,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	—	.	—	2
	Oct. 7,	.	.	.	2	.	.	.	.	1	.	.	.	.	.	.	—	.	—	3
	Oct. 14,	.	1	.	2	.	.	.	.	.	.	.	.	.	2	.	—	.	—	5
	Oct. 21,	.	.	.	5	.	.	.	.	.	3	.	.	.	.	.	—	.	—	8
Blackrock Urban District.	Sept. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Oct. 7,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Oct. 14,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	.	—	—	—	3
	Oct. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Sept. 30,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	1	—	3
	Oct. 7,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Oct. 14,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	.	—	2
	Oct. 21,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	1	—	2
City of Belfast.	Sept. 30,	.	—	—	24	.	.	13	.	.	8	3	.	—	—	.	—	8	—	56
	Oct. 7,	.	—	—	25	.	.	5	.	2	2	7	.	—	—	.	—	9	—	50
	Oct. 14,	.	—	—	34	.	.	5	1	.	6	10	.	—	—	.	—	7	—	63
	Oct. 21,	.	—	—	44	4	.	7	.	2	3	8	.	—	—	.	—	7	—	75

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 21st October, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Eleven cases of measles were admitted to hospital during the week, there were 3 deaths, and 13 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 11, 2, and 5, respectively.

Thirty-seven cases of scarlet fever were admitted to hospital, 26 were discharged, there were 5 deaths, and 153* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 111, 131, and 147, respectively.

Four cases of typhus were admitted to hospital during the week, and 12 cases remained under treatment at the close of the week.

Twelve cases of diphtheria were admitted to hospital during the week, and 14 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 39, 42, and 43, respectively, were 41 at the close of last week.

Twenty-two cases of enteric fever were admitted to hospital during the week, 39 were discharged, and 141 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 118, 145, and 158.

In addition to the above-named diseases, 12 cases of pneumonia were admitted to hospital, 5 were discharged, there was one death, and 23 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London, in which the rate was 14·3) was equal to an average annual death-rate of 14·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 15·7 per 1,000, the rate for Glasgow being 17·0 and for Edinburgh 14·0.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 21st October. From this Report it appears that of a total of 73 cases notified, 28 were phthisis, 24 scarlet fever, 13 diphtheria, 7 erysipelas and one enteric fever. Among the 337 cases of infectious diseases in hospital at the close of the week were 172 cases of scarlet fever, 58 of phthisis, 56 of diphtheria, 16 of whooping-cough, 8 of measles, 7 of chicken-pox, 6 of enteric fever, and 5 of erysipelas.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 21st October, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

REGISTRATION—WEEK ENDING SATURDAY, 21ST OCTOBER, 1911.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
TOTAL OF 22 TOWN DISTRICTS, ...	1,149,495	20·2	24·5	18·6	2·1	540	409	85	92	4	1	...	3	4	2	2	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,732	29·3	25·2	20·0	3·2	195	155	33	28	4	1	...	2	4	1	...	...
CITY OF DUBLIN, ...	309,738	39·2	27·6	20·9	3·1	161	124	27	15	3	1	...	2	4	...	...	...
Urban Districts. RATHMINES AND RATHGAR.	38,330	22·4	10·9	19·0	1·4	8	14	2	7	...	...	...	...	...	1	...	...
PEMBROKE, ...	29,347	18·5	23·1	12·4	5·3	13	7	2	3	1	...	...	...	...	...	...	...
BLACKROCK, ...	9,090	8·4	22·9	17·2	5·7	4	3	1	1	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	18·2	21·2	.	6	7	1	2	...	...	...	...	...	...	...	...
Urban Districts. BELFAST ...	386,449	26·3	26·2	17·0	1·3	194	126	24	30	...	...	...	...	...	1	...	...
CORK, ...	76,632	33·8	25·2	26·5	2·0	37	39	8	9	...	...	...	1	...	...	1	...
LONDONDERRY ...	40,799	18·9	29·4	8·9	.	23	7	2	1	...	...	...	...	...	...	...	...
LIMERICK, ...	38,403	18·2	10·9	20·4	1·4	8	15	3	2	...	...	...	...	...	...	...	...
WATERFORD, ...	27,430	19·1	17·1	26·6	1·9	9	14	2	5	...	...	...	...	...	...	...	...
GALWAY, ...	13,249	2·5	15·7	11·8	.	4	3	...	2	...	...	...	...	...	...	...	...
DUNDALK, ...	13,128	9·5	23·8	23·8	4·0	6	6	...	1	...	...	...	...	...	...	1	...
DROGHEDA, ...	12,425	8·4	37·8	16·8	4·2	9	4	2	2	...	...	...	...	...	...	...	...
NEWRY, ...	11,956	17·2	17·4	8·7	.	4	2	...	2	...	...	...	...	...	...	...	...
LURGAN, ...	12,135	14·3	43·0	.	.	10	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,172	10·7	30·0	4·3	.	7	1	...	...	...	...	...	...	...	...	...	...
WEXFORD, ...	11,455	23·8	27·3	31·9	9·1	6	7	4	...	...	...	...	...	...	...	...	...
BALLYMENA, ...	11,376	9·3	13·8	9·2	.	3	2	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	18·7	28·0	9·3	4	6	4	...	...	...	...	...	...	...	...	...
KILKENNY, ...	10,513	11·4	24·8	44·6	.	5	9	1	5	...	...	...	...	...	...	...	...
CLONMEL, ...	10,277	7·9	5·1	5·1	.	1	1	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	26·7	22·2	.	6	5	...	1	...	...	...	...	...	...	...	...
TRALEE, ...	9,867	16·6	10·6	5·3	.	2	1	...	1	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	.	11·4	.	...	2	...	1	...	...	...	...	...	...	...	...
QUEENSTOWN, ...	7,909	14·4	26·4	13·2	6·6	4	2	2	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,588	22·2	20·6	13·7	.	3	2	...	2	...	...	...	...	...	...	...	...

Towns and Districts.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa. Of children under 2 years of age.	Diarrhœa. 2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d). Week ending 21st October, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 14th October, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 7th October, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
TOTAL OF 22 TOWN DISTRICTS, ...	61	13	20	25	41	13	...	18	8	14	137	14	...	...	...	...	...	...	...	...	...	...	...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	27	4	6	8	15	5	...	8	4	5	74	3	e69·8	50·0	57·4	1·04	e59·7	33·5	48·3	0·33	e58·7	36·3	48·6	0·21
CITY OF DUBLIN, ...	26	3	2	5	14	4	...	6	3	3	64	3	f61·4 g63·2	52·0 51·0	56·0 56·8	1·43 1·34	f58·2 g59·8	43·2 37·0	51·4 49·8	0·34 0·26	f57·0 g59·2	40·1 38·0	49·9 49·4	0·32 0·35
Urban Districts. RATHMINES AND RATHGAR.	1	1	2	3	...	...	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	...	...	1	...	1	1	...	1	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	...	...	1	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	...	...	...	...	...	...	...	...	1	2	2	...	64	50	56·1	1·82	63	41	52·9	0·33	58	41	50·1	0·35
Urban Districts. BELFAST ...	19	4	5	10	13	2	...	7	3	8	34	1	60·5	48·0	54·4	0·99	58·5	30·8	47·3	0·03	55·0	42·0	49·0	0·09
CORK, ...	7	1	2	6	2	1	...	...	...	...	12	1	59	52	55·4	1·45	59	44	57·9	0·52	59	43	50·6	0·08
LONDONDERRY ...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	3	1	2	...	3	1	...	...	...	...	5	1	63·4	49·2	55·9	0·81	62	35	50·7	0·24	58	36·8	48·3	0·11
WATERFORD, ...	3	...	1	...	3	...	...	1	1	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	...	...	...	...	...	...	...	...	...	...	...	1	67	50	57	0·47	62	35	50	0·02	57	42	50	0·12
DUNDALK, ...	1	...	1	1	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	...	...	...	...	...	...	...	...	...	...	...	...	63·3	49·1	54·8	0·96	60·7	29·0	47·0	0·01	56·2	37·0	47·2	0·18
LURGAN, ...	...	...	...	...	...	...	...	...	...	...	...	...	63·3	49·1	54·8	0·96	60·7	29·0	47·0	0·01	56·2	37·0	47·2	0·18
LISBURN, ...	...	...	...	...	...	...	...	...	...	...	...	...	63·3	49·1	54·8	0·96	60·7	29·0	47·0	0·01	56·2	37·0	47·2	0·18
WEXFORD, ...	2	...	1	...	...	1	...	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA, ...	1	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	...	1	...	...	...	2	...	...	...	...	1	3	64·9	47·3	55·3	1·07	61·7	27·6	47·8	0·08	58·5	35·5	48·5	0·17
KILKENNY, ...	1	...	...	...	2	...	...	...	...	...	3	...	62	49	55	1·33	62	34	51·4	0·37	58	35	48·5	0·10
CLONMEL, ...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	...	2	...	...	...	...	...	...	...	...	...	...	63·3	49·1	54·8	0·96	60·7	29·0	47·0	0·01	56·2	37·0	47·2	0·18
TRALEE, ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	...	...	...	...	...	...	...	...	...	...	...	1	59	52	54·8	1·45	65	39	50·2	...	57	40	49·6	0·13
QUEENSTOWN, ...	...	...	...	...	1	...	...	1	...	...	...	...	59	52	55·4	1·45	59	44	57·9	0·52	59	43	50·6	0·08
ARMAGH, ...	...	...	...	...	...	...	...	...	...	...	1	...	63·3	49·1	54·8	0·96	60·7	29·0	47·0	0·01	56·2	37·0	47·2	0·18

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911: in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 10 deaths of persons (including one under one year old and 3 at 65 years or upwards) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 21st of October, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA. — CITY OF DUBLIN. — REGISTRATION DISTRICTS IN — Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.					URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	1	.	1	.	.	.	.	.	.	1	.	.	1	.	.	4	.
Typhus,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
Scarlet Fever,	.	.	.	1	.	.	.	.	1	2	.	.	.	.	.	.	4	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	4	4	1	1	.	.	.	7	2	4	3	.	1	.	.	.	27	1
Tuberculous Disease. — Other Forms,	.	.	.	.	.	.	.	2	.	1	.	.	1	.	.	.	4	.
Cancer,	.	1	1	.	.	.	.	.	.	.	.	.	2	1	1	.	6	3
Diseases of Nervous System,	1	1	2	1	.	1	.	1	.	.	.	1	.	.	.	.	8	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	1	1	.	2	.	.	4	4	1	.	.	3	2	1	1	20	.
" Respiratory System. — Pneumonia,	.	.	2	.	.	.	.	.	.	2	1	.	3	.	.	.	8	.
" Respiratory System. — Others,	1	2	2	1	.	.	1	2	.	4	1	.	.	1	.	.	15	.
" Digestive System. — Diarrhœa, under 2 years,	.	1	.	.	.	.	.	1	.	1	1	.	.	1	.	.	5	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — *Enteritis*, under 2 years,	1	.	.	.	.	1	.	2	1	1	.	.	.	1	1	.	8	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Others,	.	.	1	.	.	.	.	2	1	1	1	1	.	.	.	2	9	2
" Genito-urinary System,	.	1	1	1	.	.	.	.	.	.	1	.	2	.	.	.	6	4
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	3	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	2	1	.	.	1	.	4	.	3	3	.	.	.	.	1	16	.
Violent Deaths,	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.	1	4	.
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	3	.
Deaths from All Causes	9	14	12	6	2	4	1	30	10	21	12	3	14	7	3	7	155	10
Annual Rate of Mortality from All Causes in every 1,000 of the population.	15·7	18·3	20·4	9·3	19·4	18·0	6·8	37·8	24·0	25·4	17·5	17·3	19·0	12·4	17·2	21·2	20·0	.
	15·8							26·2					17·2					
	20·9																	
Ages at Death. — Under 1 year,	4	3	1	.	.	2		6	2	5	2	2	2	2	1	1	33	1
1 and under 2 years,	.	.	2	1	.	.	.	2	.	2	1	.	.	.	.	.	8	.
2 " 5 "	.	.	1	2	.	.	.	.	1	3	.	.	1	.	.	.	8	.
5 " 15 "	.	1	1	.	.	.	.	3	.	.	1	.	.	.	.	1	7	1
15 " 25 "	.	1	1	.	.	.	.	2	2	1	3	.	1	.	.	.	11	.
25 " 45 "	3	4	2	1	.	1	.	9	1	4	1	.	1	1	.	.	28	2
45 " 65 "	2	4	1	1	2	.	.	5	4	1	4	1	2	1	1	3	32	3
65 and upwards,	.	1	3	1	.	1	1	3	.	5	.	.	7	3	1	2	28	3
Number of Uncertified Deaths,	.	.	.	.	.	1	.	1		1	.	.	.	.	.	.	3	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	2	3	3	1	1	1	9	2	9	6	.	3	2	1	2	47	9
Workhouse Hospitals,	1	6	5	.	.	.	.	8	1	3	1	.	1	1	.	.	27	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 42nd Week of the 10 years 1901–1910.	In the Week ending Saturday, 21st October, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Oct. 19, 1901.	Oct. 18, 1902.	Oct. 24, 1903.	Oct. 22, 1904.	Oct. 21, 1905.	Oct. 20, 1906.	Oct. 19, 1907.	Oct. 17, 1908.	Oct. 23, 1909.	Oct. 22, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	46·5°	49·4°	48·8°	53·9°	40·0°	45·5°	47·0°	55·7°	51·1°	49·1°	48·7°	57·4°										
ALL CAUSES.	150	200	164	191	143	166	164	134	124	174	161·0	165	10	24	8	8	8	11	30	35	17	14
Enteric Fever, ...	3	1	4	.	4	4	1	2	.	2	2·1	4	.	.	.	.	.	2	2	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	1	.	·1	1	.	.	.	.	.	.	1	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	19	.	6	.	.	.	2	.	.	2·7	2	.	.	2	.	.	.	.	.	.	.
Scarlet Fever, ...	.	2	.	.	.	2	1	1	1	1	·8	4	.	.	.	4	.	.	.	.	.	.
Whooping-cough, ...	1	1	1	.	1	2	2	1	1	5	1·5	1	.	.	.	1	.	.	.	.	.	.
Diphtheria, ...	1	1	.	1	2	2	.	1	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	4	.	1	.	1	1	2	.	2	1·1	1	.	.	.	.	.	.	.	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	1	.	1	.	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	1	.	2	1	.	.	1	1	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	1	1	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	1	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	20	18	19	25	18	21	25	25	25	23	21·9	28	.	.	1	.	1	6	16	4	.	.
Tuberculous Meningitis, ...	1	3	3	3	2	2	1	3	3	3	2·4	1	.	.	.	.	1	.	.	.	.	.
Abdominal Tuberculosis, ...	5	2	3	2	.	1	2	.	.	.	1·5	3	.	2	.	.	.	.	1	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	5	3	4	6	5	2	4	6	1	5	4·1	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases, ...	1	.	.	1	.	.	1	1	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	4	7	7	6	10	7	4	3	3	12	6·3	9	.	.	.	.	.	.	2	2	4	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	1	.	1	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	1	1	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	2	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Alcoholism, ...	.	.	1	1	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	1	.	.	.
Cerebro-spinal Fever, ...	.	.	1	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												1	.	.	.	.	1	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												3	.	.	.	.	.	.	.	1	1	1
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												2	.	.	.	.	.	.	1	1	.	.
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												2	1	1	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	46	37	32	39	30	34	35	37	29	35	35·4	.	.	.	.	.	.	.	.	.	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												1	.	.	.	.	.	.	1	.	.	.
Organic Diseases of the Heart,												19	.	.	.	.	.	2	.	10	3	4
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	1	.	.	.	.	.	.	.	.
Bronchitis, ...	14	27	19	19	15	14	9	10	8	13	14·8	14	.	.	2	1	.	.	.	5	2	4
Broncho-pneumonia, ...		5	2	8	2	5	11	2	5	12		4	.	1	.	.	.	.	1	1	1	.
Lobar-pneumonia, ...	6	.	.	3	.	4	.	1	.	1	10·0	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)		7	2	3	4	8	3	2	2	2		4	.	1	.	2	.	.	.	.	1	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	.	3	4	.	3	1	3	1	3	4	2·2	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												.	.	.	.	.	.	.	.	.	.	.

FORTY-SECOND WEEK ending Saturday, 21st October, 1911, with, as far as practicable, the deaths from each cause in 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 42nd Week of the 10 years 1901–1910.	In the Week ending Saturday, 21st October, 1911.										
													Deaths of Persons of the Ages of									
	Oct. 19, 1901.	Oct. 18, 1902.	Oct. 24, 1903.	Oct. 22, 1904.	Oct. 21, 1905.	Oct. 20, 1906.	Oct. 19, 1907.	Oct. 17, 1908.	Oct. 23, 1909.	Oct. 22, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 46·5	° 49·4	° 48 8	° 53·9	° 40·0	° 45·5	° 47·0	° 55·7	° 51·1	° 49·1	° 48·7	° 57·4										
Diseases of the Pharynx, Tonsillitis.	.	.	1	.	.	.	.	.	.	.	·1	1	.	.	1	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	1	.	.	.	.	.	2	.	.
Diarrhœa of Children under 2 years.	5	11	8	11	1	12	15	5	2	8	7·8	5	1	3	1	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	.	6	3	3	2	3	10	5	4	6	4·2	8	1	7	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	1	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Cirrhosis of Liver, ...	.	1	.	1	2	1	1	1	.	.	1·8	2	.	.	.	.	.	.	1	1	.	.
Other Diseases of Liver, ...			1	4	1	.	.	2	1	2		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	1	2	.	.	.	1	.	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	7	5	6	9	8	5	3	6	5	4	5·8	3	1	1	.	.	.	.	.	.	1	.
Acute Nephritis, ...												4	.	.	.	.	.	1	1	2	.	.
Chronic Bright's Disease, ...												4	.	.	.	.	1	.	.	2	1	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	5	4	9	4	4	5	4	3	3	4	4·5	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												2	.	.	1	.	.	.	.	.	1	.
Puerperal Septicæmia, &c., ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	1	.	1	.	.	3	·5	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	3	.	2	.	.	1	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	1	3	9	2	11	5	3	6	3	4·6	6	6	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	3	.	.	.	.	.	.	.	.
Old Age, ...	11	6	7	1	3	1	4	.	4	6	4·3	3	.	.	.	.	.	.	.	.	1	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	.	2	.	.	.	2	.	1	.	·5	3	.	.	.	.	.	.	2	.	1	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	2	.	1	.	.	1	2	.	1	.	·7	1	.	1	.	.	.	.	.	.	.	.
By Drowning, ...	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	4	4	2	6	3	1	.	2	.	2·4	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	.	.	.	.	1	.	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.
No. of weeks in Annual Series,	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
BIRTHS registered.	259	260	242	226	246	261	228	232	185	324	190	190	294	233	198	210	233	218	198	212	201	182	265	204	217	195
Average Births in corresponding week of previous 10 *years,* ...	199	268	231	210	204	238	226	207	224	237	205	204	208	221	217	208	217	216	207	235	209	212	247	197	185	212
DEATHS registered, ...	181	176	170	129	158	150	149	159	127	155	120	172	162	186	153	169	199	162	210	219	189	183	161	179	183	165
Annual Death-rate per 1,000, ...	23·2	22·5	21·8	16·5	20·2	19·2	19·2	20·5	16·4	20·0	15·5	22·2	20·9	24·0	19·8	21·8	25·7	20·9	27·1	28·3	24·4	23·6	20·8	23·1	23·6	21·3
Average Deaths in corresponding week of previous 10 *years,* ...	190	177	178	171	169	154	151	149	148	134	140	141	144	147	145	146	154	162	153	156	152	167	160	156	153	161
Ages, Under 5 years, ...	50	56	48	40	37	43	34	42	44	56	43	41	51	88	73	72	94	80	94	93	82	77	69	68	66	50
5—15 ,, ...	11	14	7	6	14	10	8	4	9	10	4	13	6	5	6	8	5	8	5	8	4	6	8	5	7	8
15—25 ,, ...	7	6	8	9	11	9	9	13	2	7	7	11	10	6	6	4	7	[illegible]	12	7	7	7	6	12	11	11
25—45 ,, ...	33	15	35	21	21	29	26	32	18	20	19	31	26	21	22	19	31	[illegible]	23	26	30	26	22	33	33	30
45—65 ,, ...	35	30	38	36	39	29	33	31	34	28	20	33	37	29	21	40	37	28	38	37	35	33	29	39	39	35
65—75 ,, ...	25	34	19	10	24	17	26	18	13	16	15	24	18	24	15	14	11	9	21	28	17	22	11	11	16	17
75 and upwards, ...	20	21	15	7	12	13	13	19	7	18	12	19	14	13	10	12	14	11	17	20	14	12	16	11	11	14
Deaths from :—																										
Enteric Fever, ...	.	1	1	1	1	1	.	.	1	.	1	3	2	1	2	2	2	1	2	.	2	3	6	2	4	4
Typhus, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	5	8	17	4	6	3	4	2	8	7	4	7	3	7	5	2	.	1	1	.	1	.	.	.	1	2
Scarlet Fever, ...	.	1	1	.	2	2	2	.	.	.	1	3	.	2	1	3	.	1	.	1	1	3	1	1	1	4
Whooping-cough, ...	2	3	2	4	1	4	1	3	2	2	.	1	4	3	4	1	3	6	7	4	3	3	1	.	1	1
Diphtheria, ...	1	2	3	1	.	1	4	1	4	2	2	3	2	1	.	.	1	5	1	2	3	.	.	.	4	.
Influenza, ...	.	3	2	1	2	.	.	1	.	1	1	1	2	1	.	1	.	.	1	2	.	.	.	1	1	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	22	21	17	25	22	22	25	23	7	21	7	20	17	17	16	13	19	15	22	22	19	12	14	18	16	28
Tuberculous Disease, Other Forms,	10	6	6	6	9	9	8	7	11	6	7	12	10	15	9	5	9	4	10	12	7	2	5	12	6	4
Cancer, ...	9	6	5	6	11	9	12	10	7	8	12	4	10	6	5	11	7	6	10	10	10	9	8	6	12	9
Diseases of Circulatory System,	24	17	23	7	19	12	12	23	14	22	16	22	20	15	10	13	13	8	13	15	16	16	17	16	14	20
Diseases of Respiratory System, Pneumonia,	18	22	15	12	6	10	8	9	8	9	9	10	8	12	1	8	3	6	12	5	10	4	4	14	9	8
Diseases of Respiratory System, Others, ...	16	34	20	15	14	15	16	17	9	17	6	11	10	13	3	8	13	7	5	14	12	12	10	17	14	15
Diarrhœa, Under 2 years, ...	2	2	1	2	1	6	.	3	3	.	1	3	9	27	20	29	37	25	38	31	37	32	19	17	20	5
Diarrhœa, 2 years & upwards,	1	2	.	.	1	.	.	.	.	.	.	.	.	5	1	6	7	10	7	4	1	3	1	1	2	.
Enteritis, under 2 years, ...	2	2	.	1	1	4	1	1	1	3	3	2	2	7	9	12	12	13	14	14	9	12	9	15	7	8
Violent Deaths, ...	9	3	.	1	5	2	3	6	5	2	6	7	2	5	2	2	8	5	3	4	2	7	7	2	5	4
Number of Uncertified Deaths,	8	4	3	1	5	4	3	4	.	5	9	5	2	3	3	7	7	7	7	5	6	5	5	1	7	3
Mean Temperature of the Air (Phœnix Park)	50·5	49·6	52·6	49·5	55·3	56·2	55·6	52·6	56·2	55·5	59·6	60·9	62·9	62·7	62·5	60·8	61·2	59·7	59·1	57·5	52·9	52·2	50·8	48·6	48·3	57·4
Average Mean Temperature in corresponding week of previous 10 *years,*	46·2	46·7	48·1	49·1	50·9	53·7	53·5	53·6	55·5	56·5	57·5	58·5	59·8	58·2	58·6	58·5	57·5	56·5	56·3	54·5	52·8	53·2*	53·7	52·4	50·4	48·7
Rainfall in inches, ...	·606	·780	·127	·262	·010	·000	·000	·605	·782	·166	·018	·000	·316	1·860	·430	·170	·010	·338	·405	·020	·320	·248	·680	·208	·325	1·035
Mean Humidity of the Air, complete Saturation 1·0, ...	·91	·93	·94	·92	·89	·89	·88	·86	·91	·91	·92	·84	·92	·92	·92	·82	·82	·82	·78	·85	·83	·81	·83	·83	·89	·88

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 21st October, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 21ST OCTOBER, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
Cols.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	165	50	8	11	30	35	17	14	4	1	.	2	4	1	.	.	28	4	9	2	8	15	5	.	8	4	70	3
	CLASSES.																														
	Deaths in Families of the—																														
I	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	23·9	8	1	1	.	.	2	4	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	5	.
II.	MIDDLE CLASS, ...	87,188	13·8	23	4	1	1	4	4	6	3	1	.	.	.	.	.	.	.	3	.	3	.	3	2	1	.	1	.	9	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	24·1	51	23	2	4	9	10	2	1	3	.	.	1	3	1	.	.	6	2	1	2	4	3	1	.	4	2	18	1
IV.	GENERAL SERVICE CLASS, ...	154,279	18·6	55	18	4	5	6	14	4	4	.	1	.	1	1	.	.	.	9	1	2	.	.	6	3	.	2	1	28	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	28	4	.	1	11	5	1	6	.	.	.	.	.	.	.	.	10	1	1	.	1	4	.	.	1	.	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	40·1	6	1	1	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	3	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	11·8	5	4	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	1	.
	6. Clerks and Commercial Assistants, ...	30,432	8·6	5	.	.	1	3	.	.	1	1	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	25·1	13	.	1	.	.	4	6	2	.	.	.	.	.	.	.	.	1	.	1	.	2	2	.	.	.	.	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.
	9. Building and Furnishing Trades, ...	29,801	33·2	19	9	2	2	2	3	.	1	1	.	.	.	1	.	.	.	1	2	.	1	2	1	.	.	2	.	8	1
	10. Clothing Trades, ...	23,260	20·2	9	4	.	.	.	3	2	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	6	.
	11. Food Supply Trades	9,242	11·3	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	29·2	17	7	.	2	5	3	.	.	2	.	.	.	1	.	.	.	3	.	1	1	.	2	1	.	1	2	3	.
	13. Petty Shopkeepers	7,894	6·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	15·5	4	1	.	.	1	1	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	.	1	.
	15. Domestic Servants, ...	36,603	8·5	6	3	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	25·4	7	1	.	1	1	3	1	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	4	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	22·0	38	13	3	4	4	10	3	1	.	1	.	1	1	.	.	.	5	.	2	.	.	5	3	.	2	1	17	2
	INMATES OF WORKHOUSES.																														
V.	18. Workhouse Inmates, ...	6,024	—	28	4	.	1	11	5	1	6	.	.	.	.	.	.	.	.	10	1	1	.	1	4	.	.	1	.	10	

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 29,854.	Sept. 2,	29·7	10·5	17	.	.	.	.	.	1	.	.	2	2	2	.	.	3	1	1	1	.
	„ 9,	33·2	12·2	19	.	.	.	.	.	.	.	.	1	.	.	.	3	3	1	3	1	.
	„ 16,	34·9	15·7	20	.	.	.	1	.	1	.	.	3	1	1	1	.	4	.	3	.	.
	„ 23,	33·2	10·5	19	.	.	.	.	1	1	.	.	2	.	1	1	1	4	.	.	.	.
	„ 30,	24·5	7·0	14	.	.	.	.	.	1	.	.	.	.	.	1	1	1	.	2	1	.
	Oct. 7,	15·7	5·2	9	1	.	.	.	.	.	.	.	3	.	.	.	1	.	.	2	.	.
	„ 14,	22·7	7·0	13	2	.	.	.	.	.	.	.	2	.	1	.	.	2	.	.	1	.
	„ 21,	15·7	1·7	9	.	.	.	.	.	.	.	.	4	.	.	.	1	.	.	1	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 39,902.	Sept. 2,	36·6	14·4	28	.	.	.	.	.	2	.	.	2	1	2	1	.	8	1	.	1	.
	„ 9,	36·6	15·7	28	.	.	.	.	.	2	.	.	4	2	1	.	3	6	2	2	.	.
	„ 16,	31·4	10·5	24	.	.	.	.	.	2	.	.	.	.	.	2	4	6	.	.	2	1
	„ 23,	22·2	13·1	17	.	.	.	.	1	1	.	.	.	.	.	.	.	5	.	3	.	1
	„ 30,	32·7	7·8	25	1	.	.	.	.	.	.	.	3	1	1	1	.	4	.	1	1	.
	Oct. 7,	30·1	7·8	23	.	.	.	.	.	.	.	.	2	.	1	2	2	4	.	2	.	.
	„ 14,	28·7	10·5	22	.	.	.	.	.	1	.	.	2	1	.	3	1	5	1	1	.	1
	„ 21,	18·3	2·6	14	1	.	.	.	.	.	.	.	4	.	1	.	2	1	.	.	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911. (Est.) 30,689.	Sept. 2,	15·3	6·8	9	.	.	.	.	.	.	.	.	2	.	.	.	.	4	.	.	.	.
	„ 9,	37·4	10·2	22	.	.	.	.	.	1	.	.	3	2	.	.	.	5	.	.	.	2
	„ 16,	35·7	8·5	21	.	.	.	.	.	.	1	.	3	4	.	.	2	4	.	.	.	2
	„ 23,	30·6	13·6	18	.	.	.	.	1	.	.	.	.	.	3	.	1	6	.	1	.	.
	„ 30,	27·2	6·8	16	1	.	.	.	.	.	.	.	.	2	1	.	2	2	1	.	.	.
	Oct. 7,	25·5	6·8	15	1	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	.
	„ 14,	30·6	5·1	18	.	.	.	.	1	.	2	.	.	2	.	1	2	.	.	.	.	.
	„ 21,	20·4	.	12	.	.	.	.	.	.	.	.	1	.	1	2	2	.	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,498.	Sept. 2,	48·3	12·5	31	.	.	.	.	.	.	.	.	4	.	2	2	.	3	1	4	.	3
	„ 9,	28·0	9·3	18	.	.	.	.	.	.	1	.	1	1	.	1	1	5	.	.	.	1
	„ 16,	26·5	6·2	17	.	.	.	.	.	.	.	.	3	.	2	.	.	3	.	1	.	1
	„ 23,	17·1	1·6	11	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.	.	2
	„ 30,	20·2	1·6	13	.	.	.	.	.	.	.	.	2	.	.	.	3	1	.	.	.	.
	Oct. 7,	28·0	.	18	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.
	„ 14,	9·3	.	6	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1
	„ 21,	9·3	3·1	6	1	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,401.	Sept 2,	29·0	16·4	23	.	.	.	.	.	.	1	.	2	.	.	1	.	5	1	6	.	.
	„ 9,	29·0	13·9	23	.	.	.	.	.	1	.	.	2	2	1	.	.	3	1	6	.	.
	„ 16,	23·9	7·6	19	1	.	.	.	.	.	2	.	5	.	1	.	.	1	.	2	.	.
	„ 23,	31·5	2·5	25	.	.	.	.	.	.	.	.	1	.	2	1	1	.	1	1	.	.
	„ 30,	25·2	10·1	20	1	.	.	.	.	.	.	.	2	1	1	.	1	4	.	3	.	.
	Oct. 7,	26·4	6·3	21	.	.	.	.	1	.	.	.	1	1	.	3	4	2	.	2	.	.
	„ 14,	18·9	10·1	15	.	.	.	1	.	.	1	.	.	.	1	.	4	3	.	3	.	.
	„ 21,	37·8	7·6	30	.	1	.	2	.	.	.	.	7	2	.	.	2	1	.	2	1	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,715.	Sept. 2,	21·6	.	9	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	1
	„ 9,	28·8	4·8	12	.	.	.	.	.	.	.	.	2	1	.	1	1	2	.	.	2	.
	„ 16,	19·2	4·8	8	.	.	.	.	.	.	.	.	.	1	1	1	1	1	.	1	.	.
	„ 23,	16·8	4·8	7	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.
	„ 30,	21·6	.	9	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	1
	Oct. 7,	19·2	9·6	8	.	.	.	.	.	.	.	.	1	1	.	.	1	3	.	1	1	.
	„ 14,	9·6	.	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
	„ 21,	24·0	4·8	10	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	1	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,149.	Sept. 2,	26·6	9·7	22	.	.	.	.	.	2	.	.	1	1	.	1	1	5	.	1	.	.
	„ 9,	24·2	6·0	20	.	.	.	.	1	.	1	.	3	.	.	1	3	2	.	1	.	.
	„ 16,	19·3	7·3	16	.	.	.	.	.	.	.	.	1	1	.	.	.	5	.	1	.	.
	„ 23,	29·0	7·3	24	1	.	.	.	.	.	.	.	3	.	.	1	3	5	.	.	2	.
	„ 30,	24·2	9·7	20	1	.	.	.	1	.	.	.	3	1	.	.	2	5	.	1	2	1
	Oct. 7,	32·6	6·0	27	.	.	.	.	.	.	.	.	9	2	1	2	3	1	.	4	.	.
	„ 14,	30·2	3·6	25	.	.	.	.	.	.	.	.	5	2	.	2	2	2	.	1	1	.
	„ 21,	25·4	4·8	21	.	.	.	.	2	.	.	.	4	1	.	2	4	1	.	1	.	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 35,816.	Sept 2,	21·8	8·7	15	1	.	.	.	.	1	.	.	2	1	.	2	1	4	.	.	.	.
	„ 9,	26·2	5·8	18	.	.	.	.	.	.	.	.	1	1	.	.	.	4	.	.	.	.
	„ 16,	24·7	7·3	17	.	.	.	.	.	.	.	.	.	.	1	4	2	5	.	.	.	1
	„ 23,	26·2	8·7	18	1	.	.	.	.	1	.	.	2	.	1	.	.	3	.	1	1	1
	„ 30,	14·6	2·9	10	2	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	1
	Oct. 7,	20·4	5·8	14	.	.	.	.	.	.	.	.	.	2	.	2	1	3	.	1	1	.
	„ 14,	32·0	10·2	22	2	.	.	.	.	.	.	.	.	.	3	1	1	4	1	.	.	2
	„ 21,	17·5	2·9	12	1	.	.	.	.	.	.	.	3	.	.	1	1	1	.	.	.	.

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

Districts.	1911. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes.	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa: Children under 2 years.	Diarrhœa: 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	Sept. 2,	17·7	5·4	13	.	.	.	1	.	.	.	.	.	.	2	1	2	1	2	.	.	2
	„ 9,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	1	.
	„ 16,	13·6	2·7	10	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.
	„ 23,	17·7	8·2	13	1	.	.	.	.	.	.	.	.	.	2	.	1	3	.	2	.	.
	„ 30,	10·9	1·4	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	Oct. 7,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 14,	13·6	2·7	10	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.	1	.	2
	„ 21,	19·0	1·4	14	.	.	.	.	.	1	.	.	1	1	2	3	.	.	.	.	.	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	Sept. 2,	17·8	3·6	10	.	.	.	.	.	.	.	.	3	1	.	.	.	2	.	.	.	.
	„ 9,	12·4	1·8	7	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	2
	„ 16,	17·3	5·3	10	.	.	.	.	.	.	.	.	2	.	.	1	.	3	.	.	.	.
	„ 23,	14·2	7·1	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	1
	„ 30,	7·1	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.
	Oct. 7,	17·8	7·1	10	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	2	.	.
	„ 14,	16·0	1·8	9	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	1
	„ 21,	12·4	5·3	7	1	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	.
Kingstown Urban District. Pop. in 1911 17,227.	Sept. 2,	27·2	3·0	9	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	.	.
	„ 9,	57·5	.	19	.	.	.	.	.	.	.	.	3	.	2	2	1	.	.	.	.	.
	„ 16,	18·2	9·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.
	„ 23,	15·1	3·0	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	„ 30,	18·2	6·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	Oct. 7,	6·1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 14,	12·1	3·0	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 21,	21·2	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Belfast. Pop. in 1911 (Est.) 386,449.	Sept. 2,	18·6	6·7	138	1	.	.	.	.	.	.	.	17	3	7	4	1	21	6	22	5	.
	„ 9,	19·7	6·5	146	2	.	.	.	1	1	.	.	11	7	4	7	9	26	7	11	3	.
	„ 16,	16·5	5·3	122	.	.	.	.	1	2	.	1	10	5	6	3	6	20	4	11	2	.
	„ 23,	20·2	6·7	150	.	.	.	.	.	2	.	.	8	8	8	6	9	27	1	20	1	1
	„ 30,	16·9	4·0	125	.	.	.	.	2	1	1	.	8	5	6	8	4	15	2	9	2	1
	Oct. 7,	17·3	3·0	128	2	.	.	.	1	1	.	.	13	10	6	7	10	10	2	6	2	.
	„ 14,	15·9	2·3	118	.	.	.	.	1	2	1	.	11	5	6	7	7	5	.	8	3	4
	„ 21,	17·0	1·3	126	.	.	.	.	.	1	.	.	19	4	5	10	13	2	.	7	3	1
Cork. Pop. in 1911 76,632.	Sept. 2,	24·5	4·1	36	.	.	.	.	.	.	.	.	5	1	4	.	1	6	.	.	1	1
	„ 9,	25·2	6·1	37	.	.	.	.	.	1	.	.	4	2	1	1	2	8	.	.	.	.
	„ 16,	19·7	5·4	29	.	.	.	.	.	.	.	.	7	.	1	2	2	5	.	3	.	.
	„ 23,	19·7	3·4	29	.	.	.	.	.	.	.	.	2	.	.	.	1	5	.	.	.	1
	„ 30,	22·5	6·1	33	.	.	.	.	.	.	1	.	2	.	1	1	3	8	.	.	.	3
	Oct. 7,	25·2	3·4	37	.	.	.	.	.	.	.	.	4	2	.	3	3	4	1	.	1	4
	„ 14,	25·2	1·4	37	1	.	.	.	.	.	.	.	7	.	.	3	2	1	.	.	.	.
	„ 21,	26·5	2·0	39	.	.	.	1	.	.	1	.	7	1	2	6	2	1	.	.	.	1
Londonderry. Pop. in 1911 40,799.	Sept. 2,	12·8	1·3	10	.	.	.	.	.	.	.	.	.	1	.	1	3	1	.	.	.	.
	„ 9,	16·6	1·3	13	.	.	.	.	.	.	.	.	1	.	1	1	2	1	.	.	.	.
	„ 16,	11·5	5·1	9	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.	.	.
	„ 23,	12·8	.	10	.	.	.	.	.	.	.	.	3	1	1	.	1	.	.	.	.	.
	„ 30,	19·2	6·4	15	.	.	.	.	1	.	.	.	.	1	.	.	2	1	1	2	.	.
	Oct. 7,	7·7	1·3	6	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
	„ 14,	15·3	5·1	12	.	.	.	.	.	.	.	.	1	1	.	.	.	2	2	.	1	.
	„ 21,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
Limerick. Pop. in 1911 38,403.	Sept. 2,	17·7	5·4	13	.	.	.	.	.	.	.	.	1	1	.	1	.	3	1	.	.	1
	„ 9,	17·7	2·7	13	.	.	.	.	.	.	.	.	1	1	1	.	2	2	.	.	1	.
	„ 16,	20·4	6·8	15	.	.	.	.	.	.	.	.	1	.	1	.	1	5	.	.	.	2
	„ 23,	23·1	1·4	17	.	.	.	.	.	.	.	.	4	.	2	.	2	1	.	.	.	.
	„ 30,	23·1	5·4	17	.	.	.	.	.	.	.	.	1	1	.	1	.	3	1	.	.	2
	Oct. 7,	20·4	2·7	15	.	.	.	.	.	.	.	.	5	.	.	.	2	2	.	.	.	3
	„ 14,	16·3	2·7	12	.	.	.	.	.	.	.	.	2	.	1	.	1	2	.	.	.	2
	„ 21,	20·4	1·4	15	.	.	.	.	.	.	.	.	3	1	2	.	3	1	.	.	.	1
Waterford. Pop. in 1911 27,430.	Sept. 2,	9·5	5·7	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1
	„ 9,	26·6	5·7	14	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	3	.	.
	„ 16,	20·9	9·5	11	.	.	.	.	.	.	.	.	1	.	1	2	1	1	.	4	.	.
	„ 23,	24·7	3·8	13	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	2	.	.
	„ 30,	11·4	7·6	6	.	.	.	.	.	.	.	.	1	.	1	.	.	4	.	.	.	.
	Oct. 7,	19·0	7·6	10	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	1	.	.
	„ 14,	26·6	5·7	14	.	.	.	.	.	.	.	.	1	4	.	.	1	3	.	.	.	3
	„ 21,	26·6	1·9	14	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	1	1	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 21st October, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 25 years.	Ages at Death: 25 and under 45 years.	Ages at Death: 45 and under 65 years.	Ages at Death: 65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa: Of children under 2 years of age.	Diarrhœa: 2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	385,492	10	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	3	.
Do. 2 do.		27			20	3	1	3	1	6	6	.	.	.	.	.	.	.	.	3	.	.	1	2	1	.	1	.	1	2	.
Do. 3 do.		21			11	1	1	3	1	4	1	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	.	1	3	.
Do. 4 do.		20			13	3	.	1	2	2	5	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.	2	1	1	6	.
Do. 5 do.		9			9	2	1	1	.	2	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	1	1	5	.
Do. 6 do.		15			12	.	.	3	1	3	5	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	1	1	1	.
Do. 7 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		.			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		18			8	2	.	2	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.
Do. 10 do.		4			13	4	.	1	2	5	1	.	.	.	.	.	1	.	.	1	.	1	3	1	.	.	1	.	.	3	.
Do. 11 do.		28			11	2	1	1	3	3	1	.	.	.	.	.	.	.	.	3	1	.	2	1	.	.	.	.	1	1	.
Do. 12 do.		25			12	2	1	.	6	2	1	.	.	.	.	.	.	.	.	4	1	.	.	2	.	.	.	.	2	3	1
Do. 13 do.		7			3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		10			10	4	1	.	2	.	3	.	.	.	.	.	.	.	.	1	.	.	2	2	1	.	1	.	.	4	.
Total,	—	194			126	24	6	17	20	29	30	.	.	.	.	.	1	.	.	19	4	5	10	13	2	.	7	3	8	34	1
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	76,632	8	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		7	1	.	1	.	1	4	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	1	.
Do. 2 do.		9			3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	3	.
Do. 3 do.		1			2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Do. 4 do.		2			6	2	.	.	.	2	2	.	.	.	1	.	.	.	.	2	.	.	.	1	.	.	.	.	.	.	1
Do. 5 do.		2			4	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
Do. 6 do.		9			9	3	1	2	1	1	1	.	.	.	.	.	.	1	.	2	.	.	2	.	.	.	.	.	.	4	.
Do. 7 do.		6			8	1	2	1	.	2	2	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	3	.
Total,	—	37	26·5	2·0	39	8	4	4	4	10	9	.	.	.	1	.	.	1	.	7	1	2	6	2	1	.	.	.	.	12	1

* See note (†) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	April 29.	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14	Oct. 21.
No. of weeks in Annual Series,	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
BIRTHS registered, ...	236	232	229	180	214	233	215	258	201	264	213	207	268	236	203	225	215	220	197	215	183	184	184	184	198	194
DEATHS registered, ...	160	109	120	123	123	125	115	107	82	116	92	123	121	105	123	121	139	132	138	146	122	150	125	128	118	126
Annual Death rate per 1,000 of estimated population, ...	20·9	14·3	15·7	16·1	16·1	16·4	15·5	14·4	11·1	15·7	12·4	16·6	16·3	14·2	16·6	16·3	18·8	17·8	18·6	19·7	16·5	20·2	16·9	17·3	15·9	17·0
AGES, Under 1 year, ...	23	19	19	25	22	18	19	23	16	18	11	25	32	38	39	45	44	36	52	49	43	53	35	26	21	24
1—5 years, ...	13	10	9	9	13	7	7	10	7	9	7	9	11	8	12	11	11	8	6	16	11	19	17	16	17	6
5—25 ,, ...	21	13	17	15	17	14	14	16	7	16	15	16	14	11	7	14	15	18	11	10	8	12	7	13	9	17
25—45 ,, ...	27	25	23	26	22	24	26	22	18	20	21	25	22	13	21	11	17	19	24	21	17	15	22	22	18	20
45—65 ,, ...	46	22	29	31	27	34	20	20	20	37	25	29	23	17	23	23	28	31	27	29	21	31	20	28	28	29
65 and upwards, ...	30	20	23	17	22	28	29	16	14	16	13	19	19	18	21	17	24	20	18	21	22	20	24	23	25	30
Deaths from :—																										
Enteric Fever, ...	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2	1	2	.	.	.	2	.	.
Typhus, ...	.	.	.	.		.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	1	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	.	1	1	.	2	1	1	.
Whooping-cough, ...	1	.	.	1	1	.	.	4	.	1	.	1	1	1	2	1	.	1	.	1	2	2	1	1	2	1
Diphtheria, ...	.	.	.	.	.	.	1	.	.	.	1	.	2	.	2	.	1	.	.	.	.	.	1	.	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	1	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	17	16	25	21	21	16	14	13	13	23	16	18	20	10	13	9	6	19	17	11	10	8	8	13	11	19
Tuberculous Disease. Other Forms,	15	12	7	10	12	11	6	10	2	2	5	8	6	5	7	3	7	5	3	7	5	8	5	10	5	4
Cancer, ...	12	3	6	1	4	6	8	6	6	7	4	6	3	3	9	4	4	1	7	4	6	8	6	6	6	5
Diseases of Respiratory System, Pneumonia,	18	10	10	13	6	11	9	9	5	5	7	2	4	6	2	3	9	3	4	7	3	6	8	7	7	10
Diseases of Respiratory System, Others, ...	16	20	15	19	11	18	18	13	10	8	11	14	10	3	4	5	6	5	1	9	6	9	4	10	7	13
Diarrhœa, Under 2 years, ...	.	.	1	1	2	1	.	1	1	2	1	6	10	14	9	19	17	15	21	26	20	27	15	10	5	2
Diarrhœa, 2 years & upwards	.	.	.	.	.	.	1	.	3	.	.	.	.	1	4	4	3	5	6	7	4	1	2	2	.	.
Enteritis, under 2 years, ...	1	1	1	3	3	4	2	.	1	1	1	3	8	9	12	19	10	13	22	11	11	20	9	6	8	7
Violent Deaths, ...	3	3	4	1	1	.	3	3	1	4	.	3	5	3	2	2	6	4	5	3	2	1	2	2	3	3
Number of Uncertified Deaths, ...	1	2	1	1	1	2	1	.	3	3	.	1	.	2	.	1	1	2	.	.	.	1	1	.	4	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	Oct. 21,	2,151	1,239	14·3	8	.	13	1	3	18	63*a*
Edinburgh, ...	320,829	„ 21,	125	86	14·0	.	.	.	.	1	.	3
Glasgow, ...	784,621	„ 21,	399	255	17·0	1	.	7	2	3	2	9
Calcutta, ...	890,493	Sept. 16,	.	415	24·2	57*	.	.	.	1	1	48‡
Bombay, ...	977,822	„ 16,	436	436	29·8	71*	4	.	.	.	.	45‡
Madras, ...	509,346	Aug. 26,	419	348	35·5	65	6	2	?	?	?	83‡
Cairo, ...	693,806	„ 19,	658	628	56·9	5	1	2	.	.	8†	193*a*
Paris	2,846,986	Sept. 23,	867	809	15·3	12	.	4	4	5	3†	62*a*
Brussels, ...	739,684	„ 30,	222	176	12·4	2	.	.	1	.	2	19
Antwerp, ...	320,640	„ 30,	120	89	14·5	1	.	.	.	1	1†	24*a*
Amsterdam, ...	577,852	„ 30,	272	129	11·6	2	.	.	.	7	.	16*a*
Copenhagen, ...	462,132	„ 30,	214	127	14·3	.	.	.	.	3	3†	8
Stockholm, ...	343,832	„ 23,	167	82	12·9	.	.	.	.	1	.	6
Christiania, ...	244,038	Oct. 7,	122	49	10·4	.	.	1	.	.	.	3
St. Petersburg, ...	1,599,139	Sept. 16,	817	597	19·5	16	2	15	8	12	3†	101*a*
Moscow, ...	1,493,600	„ 16,	.	686	23·9	4	.	15	10	2	13	158
Berlin, ...	2,068,204	„ 16,	783	639	16·1	6	.	1	6	11	14†	114
Hamburg, ...	931,035	„ 30,	411	281	15·7	2	.	1	2	5	21†	41
Breslau, ...	518,499	„ 30,	.	165	16·5	.	.	.	1	1	1	25
Munich, ...	597,000	Oct. 7,	249	177	15·5	.	.	.	.	3	2	25
Vienna (with suburbs),	2,047,968	Sept. 30,	740	535	13·6	1	.	1	3	2	3†	48
Buda-Pesth, ...	891,585	„ 30,	412	318	18·5	6	.	6	4	1	5†	36
Prague and Faubourgs,	508,310	„ 16,	221	148	15·1	1	.	.	2	.	1†	16*a*
Trieste, ...	230,820	„ 23,	102	113	25·5	2	.	.	1	1	.	11*a*
Rome, ...	602,068	Aug. 12,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Sept. 2,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	„ 9,	2,418	1,265	13·2	16	.	4	2	5	11†	179*a*
Philadelphia, ...	1,580,250	Aug. 26,	.	464	15·3	7	.	.	.	3	3	88*a*
Boston, ...	686,912	Sept. 30,	.	209	15·8	2	.	2	1	2	3	20

* Deaths from "fever," including 8 deaths from enteric fever and 6 from plague in Calcutta, and 5 from enteric fever and 16 from plague in Bombay.

† Including deaths from croup.

‡ Including 11 deaths from cholera in Calcutta, 3 in Bombay, and 3 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending October 21st, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	1	.	.	.	.	.	.	.	1
" " 1, West, ...	.	1	1	.	.	.	1	2	.	.	.	3	8
" " 2, ...	.	5	.	.	.	.	.	2	2	.	.	5	14
" " 3, ...	.	8	1	.	2	.	2	6	.	.	.	1	20
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	1	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	8	2	.	1	.	.	4	1	.	.	4	20
" " 2, ...	.	3	1	.	1	1	.	3	.	.	.	1	10
" " 3, ...	.	2	.	.	3	.	.	7	.	.	.	5	17
" " 4, ...	.	1	.	.	.	.	.	4	3	.	.	.	8
New Kilmainham, ...	.	.	.	.	1	.	.	.	.	.	.	.	1
Total, ...	.	29	5	.	10	1	3	28	6	.	.	19	101

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 21st October, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 21st October.			
	Sept. 30.	Oct. 7.	Oct. 14.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	11	2	5	11	.	3	13
Scarlet Fever, ...	111	131	147	37	26	5	153*
Typhus, ...	2	3	8	4	.	.	12
Diphtheria, ...	39	42	43	12	14	.	41
Enteric Fever, ...	118	145	158	22	39	.	141
Pneumonia, ...	14	11	17	12	5	1	23

* Exclusive of 23 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 21st October, 1911:—

"Opening with anticyclonic conditions and fine but cloudy, dull weather, this week was signalised by an abundant rainfall, which may be regarded as putting an end to the drought which had so long held sway. Another leading feature of the week was the high temperature which prevailed—the mean was 56·0°, or 6·1° above that for the first week of the month. Until Thursday a large anticyclone, or area of high atmospheric pressure, was central over the southern parts of Scandinavia, whence it stretched southwestwards across the North Sea to the British Isles. All this time a large far-reaching but shallow atmospheric depression lay over the Iberian Peninsula and the Bay of Biscay. This system spread gradually northwards towards Ireland, to which it carried a St. Luke's summer on Wednesday, October 18. At 7 a.m. of that day the thermometer stood as high as 57° over a great part of Ireland, but read only 31° at Nairn in a local area of calm and cold over the N.E. of Scotland. In the course of the day the thermometer rose to 61·4° in Dublin and to 66° at Rhyl and Bournemouth. The following day was as warm in England and Ireland, temperature rising to 67° at Margate, and 64° at Birr Castle and Valentia. In Dublin the afternoon proved dull and wet and the maximum was only 59·8°. The Atlantic depression was now gaining energy, and in the course of Friday night the wind rose to a fresh gale from S.E. and rain fell to the amount of ·830 inch in Dublin. On Saturday forenoon the sky cleared from S.W. and a bright summerlike day brought the week almost to a close. Towards evening, however, clouds returned and showers fell. In Dublin the mean height of the barometer was 29·863 inches, the range being from 30·271 inches at 9 a.m. of Sunday (wind, E.S.E.) to 28·990 inches at 9 p.m. of Saturday (wind, S.). The corrected mean temperature was 56·0°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 55·1°. On Tuesday the screened thermometers fell to 52·0°, on Wednesday they rose to 61·4°. E. and S.E. winds prevailed. There was a fresh gale from S.E. to S. early on Saturday morning. The rainfall was 1·433 inches on 5 days, ·830 inch being recorded on Friday. On that day 1·52 inches were measured at Coolagad, Greystones, Co. Wicklow; but only ·47 inch at Cheeverstown, Clondalkin, Co. Dublin."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·692 inches. The highest reading (30·119) was on Sunday at 9 a.m., wind E., the lowest (28·816) on Saturday at 9 p.m., wind S.E.

The mean temperature for the week was 57·4°, being 8·7° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Monday, on which day the thermometer registered 69·8°, and was lowest on Tuesday and Wednesday, the mercury having fallen to 50·0°. The mean of the Dry Bulb for the week was 55·0° and of the Wet Bulb, 53·2°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured 1·035 inches.

At Greenwich the mean temperature for the week was 54·5°, the maximum 64·1°, and the minimum 45·1°; at Glasgow the maximum was 60·0°, the minimum 36·0°, and the mean 55·6°; and at Edinburgh the maximum was 55·9°, the minimum 43·2°, and the mean 49·8°. The rainfall at Greenwich measured 0·37 in.; at Glasgow 0·67 in.; and at Edinburgh 0·37 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, October 15,	30·113	56·2	52·1	54·2	55·1	52·5	·84	·2	0·0	·000	E.	E.
Monday, „ 16,	30·009	69·8	51·7	60·8	52·9	50·6	·85	·0	0·0	·000	E.	E.
Tuesday, „ 17,	29·904	58·9	50·0	54·5	53·3	52·0	·91	·0	3·2	·000	E.N.E.	E.N.E.
Wednesday, „ 18,	29·830	68·4	50·0	59·2	56·6	54·9	·90	·0	2·2	·200	E.N.E.	Calm.
Thursday, „ 19,	29·655	65·4	53·2	59·3	57·3	56·5	·95	·0	0·4	·340	E.	Calm.
Friday, „ 20,	29·451	63·0	53·3	58·2	56·2	54·8	·93	·6	2·4	·470	Calm.	E.S.E.
Saturday, „ 21,	28·879	59·3	51·7	55·5	53·9	51·0	·81	·7	3·7	·025	S.S.E.	S.E.
Mean, ...	29·692	63·0	51·7	57·4	55·0	53·2	·88	·2	Total 11·9	Total 1·035	Prevailing Wind, E.	

Sunday—Day overcast; night overcast. *Monday*—Day overcast; night overcast. *Tuesday*—Day cloudy, fine; night cloudy. *Wednesday*—Day cloudy, fine; night overcast, light and heavy rain 12.30 a.m. to 5.20 a.m. *Thursday*—A dull day, light rain 11.0 a.m. to 11.30 a.m. and 1.15 p.m. to 4.45 p.m.; night overcast, heavy rain 6.20 a.m. to 7.0 a.m. *Friday*—Day cloudy; night overcast, light and heavy rain 11.0 p.m. to 8.0 a.m. *Saturday*—Day cloudy, light rain 9.0 a.m. to 10.0 a.m. and 3.30 p.m. to 4.0 p.m.; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, October 21st, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, October 15,	55·8	53·1	53·9	56·8	53·0	54·9	—	—
Monday, „ 16,	54·9	53·3	53·9	56·0	52·1	54·1	—	—
Tuesday, „ 17,	54·7	53·2	53·9	59·7	51·0	55·4	3·5	—
Wednesday, „ 18,	57·6	53·8	53·9	63·9	52·7	58·3	3·4	·195
Thursday, „ 19,	58·7	54·2	53·9	59·5	54·0	56·8	—	·346
Friday, „ 20,	56·0	54·6	54·0	63·2	53·9	56·6	2·2	·775
Saturday, „ 21,	54·1	55·0	54·0	60·5	51·3	55·9	3·8	·060
Weekly Mean, .	56·0	53·9	53·9	59·9	52·6	56·0	Total 12·9	Total 1·376

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31318. Wt. P.18 110-/138. 375. 10. 1911. Sch. C 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 28TH OCTOBER, 1911. [No. 43.

General Register Office, Charlemont House, Dublin, 30th October, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Oct. 7	Oct. 14	Oct. 21	Oct. 28	Average Rate for 4 weeks.	Towns, &c.	Week ending Oct. 7	Oct. 14	Oct. 21	Oct. 28	Average Rate for 4 weeks.
22 Town Districts, ...	**19·6**	**19·3**	**18·6**	**17·1**	**18·3**	Limerick	20·4	16·3	20·4	12·2	17·3
						Lisburn	12·9	17·1	4·3	21·4	13·9
Armagh	6·9	13·7	13·7	20·6	13·7	Londonderry	7·7	15·3	8·9	8·9	10·2
Ballymena	22·9	22·9	9·2	18·3	18·3	Lurgan	8·6	30·1	.	12·9	12·9
Belfast	17·3	15·9	17·0	16·7	16·7	Newry	17·4	17·4	8·7	13·1	14·2
Clonmel	40·6	30·4	5·1	25·4	25·4	Newtownards	22·9	17·2	11·4	34·3	21·4
Cork	25·2	25·2	26·5	22·5	24·8	Portadown	13·3	8·9	22·2	8·9	13·3
Drogheda	37·8	16·8	16·8	4·2	18·9	Queenstown	13·2	13·2	13·2	6·6	11·6
Dublin Reg. Area ...	22·1	21·7	20·0	18·0	20·4	Sligo	28·0	23·4	28·0	·	19·8
Dundalk	7·9	7·9	23·8	23·8	15·9	Tralee	26·4	5·3	5·3	37·0	18·5
Galway	15·7	27·5	11·8	19·7	18·7	Waterford	19·0	26·6	26·6	9·5	20·4
Kilkenny	19·8	9·9	44·6	34·7	27·2	Wexford	9·1	36·4	31·9	9·1	21·6

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 2·1 per 1,000, the rates varying from 0·0 in thirteen of the districts to 10·1 in Clonmel, the 5 deaths from all causes for that district including 2 from diarrhœa under 2 years of age. Among the 124 deaths from all causes for Belfast are one from scarlet fever, 3 from whooping-cough, and 5 from diarrhœa and *enteritis* under 2 years of age. Included in the 33 deaths from all causes for Cork are one from measles and one from diarrhœa under 2 years of age. Among the 7 deaths for Londonderry are 2 from diarrhœa and *enteritis* under 2 years of age, and one of the 3 deaths from all causes for Lurgan is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 177—95 boys and 82 girls—and the deaths to 147—67 males and 80 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·0 per 1,000 of the population. During the forty-three weeks ending with Saturday last the death-rate averaged 21·5, and was 0·8 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 147, represent an annual rate of 19·0 per 1,000; the annual rate for the past forty-three weeks was 22·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·3 per 1,000 of the mean population for all deaths registered.

The total deaths from all causes included one death from each of enteric fever and typhus, 5 deaths from measles, one death from scarlet fever, 5 deaths from whooping-cough, one death from diphtheria and 13 deaths from diarrhœa and *enteritis* of children under 2 years of age. In the three preceding weeks, deaths from enteric fever were 2, 4, and 4; deaths from typhus were 0, 0, and one; deaths from measles were 0, one, and 2; deaths from scarlet fever were one, one, and 4; deaths from whooping-cough were 0, one, and one; deaths from diphtheria were 0, 4, and 0, and deaths from diarrhœa and *enteritis* of children under 2 years of age were 32, 27, and 13 respectively.

There were 24 deaths from tuberculous disease, including 18 deaths from pulmonary tuberculosis, 4 deaths from tuberculous meningitis, one death from tuberculous peritonitis, and one death from tuberculosis of hip. In each of the three weeks preceding deaths from all forms of tuberculous disease were 30, 22, and 32.

Broncho-pneumonia and lobar pneumonia each caused one death, and 6 deaths were attributed to *pneumonia* (type not distinguished).

Nine deaths were caused by cancer.

Of 4 deaths from *convulsions*, 2 were of infants under one year of age, one was between the ages of one year and two years, and one between the ages of 2 years and 5 years.

The deaths of 9 persons were returned as from organic diseases of the heart, and there were 9 deaths from bronchitis.

There was one death of an infant from a congenital malformation, 3 were from prematurity and 7 from congenital debility.

The deaths of 7 persons from accident or negligence include 2 deaths from burns and explosions, one of a child under 5 years, and one death by suffocation in bed of an infant.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under 5 years of age (including 2 infants under one year old), and the death of one person aged 70 years.

Fifty-five of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 7 were under one month old) and 17 were aged 65 years and upwards, including 15 persons aged 70 and upwards; among the latter were 9 aged 75 years and upwards, of whom one (a male) was stated to have been aged 92 years.

Sixty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 7 took place in the North Dublin Union Workhouse and 12 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·0 per 1,000; the rate in the City was 21·0 (North City Districts, 20·4; South, 21·7) and in the Suburbs, 7·8.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 3·5 per 1,000 inhabitants, the rate for the City being 4·0 (2·6 in the North City Districts, and 5·5 in the South), and for the Suburbs, 1·7 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (19) are equal to an annual rate of 33·2 per 1,000, and include one death from whooping-cough, 2 deaths from pulmonary tuberculosis, 3 deaths from diarrhœa under 2 years of age, 3 deaths from *pneumonia* (type not distinguished), one death from bronchitis, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 22·2 per 1,000. The deaths included one death from pulmonary tuberculosis, one death from broncho-pneumonia, one death from bronchitis, and one death from diarrhœa under 2 years of age.

No. 2 North City District (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 17·0 per 1,000. There were 3 deaths from tuberculous disease and 2 deaths from diarrhœa under 2 years of age.

No. 3 North City District (Benburb-street).—The deaths (13) represent an annual rate of 20·2 per 1,000, and include 2 deaths from tuberculous disease, and one death from each of lobar pneumonia and *pneumonia* (type not distinguished).

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 4·5 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 13·6. The 2 deaths for the last-named district comprise one from diarrhœa under 2 years of age and one from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (23) represent an annual rate of 29·0 per 1,000. Among the deaths were 5 from measles, one from typhus, one from whooping-cough, 4 from tuberculous disease, 2 from bronchitis, and one from *enteritis* under 2 years of age.

No. 2 South City District (Castle-street).—The deaths (6) are equal to an annual rate of 14·4 per 1,000. Scarlet fever caused one death, and there was one death from bronchitis.

No. 3 South City District (Peter-street).—The deaths (19) are equal to an annual rate of 23·0 per 1,000. Enteric fever and whooping-cough each caused one death; there were 2 deaths from pulmonary tuberculosis, 3 deaths from diarrhœa and *enteritis* under 2 years of age, and 2 accidental deaths.

No. 4 South City District (Grand Canal Street).—The deaths (9) are equivalent to an annual rate of 13·1 per 1,000, and include 3 deaths from tuberculous disease, 2 deaths from bronchitis, and 2 accidental deaths.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 34·5 per 1,000. Of the deaths 2 were caused by whooping-cough and 2 by pulmonary tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 5·4; Pembroke, 8·9; Blackrock, 11·5; and Kingstown, 9·1. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diphtheria for Rathmines and Rathgar, and 2 from *enteritis* under 2 years of age for Pembroke. Two of the 4 deaths from all causes for Rathmines and Rathgar are from pulmonary tuberculosis; and among the 5 deaths for Pembroke is one from bronchitis. One of the 2 deaths for Blackrock is from *pneumonia* (type not distinguished), and one of the 3 deaths from all causes for Kingstown was caused by an accidental fall.

* See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz. :—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 28th October, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Oct. 7,	.	—	—	25	1	.	5	.	2	35	3	.	—	—	.	—	5	—	76
	Oct. 14,	.	—	—	35	4	.	6	.	1	18	8	.	—	—	.	—	14	—	86
	Oct. 21,	.	—	—	29	5	.	10	1	3	28	6	.	—	—	.	—	19	—	101
	Oct. 28,	.	—	—	26	1	.	9	.	5	12	16	.	—	—	.	—	16	—	85
Rathmines and Rathgar Urban District.	Oct. 7,	.	—	—	2	.	.	1	.	.	.	.	.	.	—	—	—	—	—	3
	Oct. 14,	.	—	—	2	.	.	2	.	.	2	.	.	.	—	—	—	—	—	6
	Oct. 21,	.	—	—	5	.	.	.	.	.	.	.	.	.	—	—	—	—	—	5
	Oct. 28,	.	—	—	9	.	.	4	.	.	6	1	.	.	—	—	—	—	—	20
Pembroke Urban District.	Oct. 7,	.	.	.	2	.	.	.	.	1	.	.	.	.	.	.	—	.	—	3
	Oct. 14,	.	1	.	2	.	.	.	.	.	.	.	.	.	2	.	—	.	—	5
	Oct. 21,	.	.	.	5	.	.	.	.	.	3	.	.	.	.	.	—	.	—	8
	Oct. 28,	.	2	.	6	.	.	1	.	.	1	.	.	.	.	.	—	.	—	10
Blackrock Urban District.	Oct. 7,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Oct. 14,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	.	—	—	—	3
	Oct. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Oct. 28,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Oct. 7,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Oct. 14,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	.	—	2
	Oct. 21,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	1	—	2
	Oct. 28,	.	—	—	1	.	.	.	.	.	1	1	.	—	—	—	—	1	—	4
City of Belfast.	Oct. 7,	.	—	—	25	.	.	5	.	2	2	7	.	—	—	.	—	9	—	50
	Oct. 14,	.	—	—	34	.	.	5	1	.	6	10	.	—	—	.	—	7	—	63
	Oct. 21,	.	—	—	44	4	.	7	.	2	3	8	.	—	—	.	—	7	—	75
	Oct. 28,	.	—	—	30	.	.	6	.	2	6	7	.	—	—	.	—	7	—	58

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 28th October, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Fourteen cases of measles were admitted to hospital during the week, 4 were discharged, there were 4 deaths, and 19 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 2, 5, and 13, respectively.

Thirty-nine cases of scarlet fever were admitted to hospital, 13 were discharged, there was one death, and 178* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 131, 147, and 153, respectively.

Two cases of typhus were admitted to hospital during the week, 2 were discharged, there was one death, and 11 cases remained under treatment at the close of the week.

Thirteen cases of diphtheria were admitted to hospital during the week, 6 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 42, 43, and 41, respectively, were 47 at the close of last week.

Seventeen cases of enteric fever were admitted to hospital during the week, 23 were discharged, and 135 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 145, 158, and 141.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 5 were discharged, there were 4 deaths, and 21 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London, in which the rate was 13·1) was equal to an average annual death-rate of 13·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·7 per 1,000, the rate for Glasgow being 18·6 and for Edinburgh 14·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 28th October. From this Report it appears that of a total of 70 cases notified, 30 were phthisis, 24 scarlet fever, 13 diphtheria, 2 enteric fever and one erysipelas. Among the 348 cases of infectious diseases in hospital at the close of the week were 168 cases of scarlet fever, 61 of phthisis, 59 of diphtheria, 24 of whooping-cough, 8 of enteric fever, 7 of measles, 5 of chicken-pox, and 5 of erysipelas.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 28th October, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa. Of children under 2 years of age.	Diarrhœa. 2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) Week ending 28th October, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 21st October, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 14th October, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
Total of 22 Town Districts, ...	1,149,495	20·2	23·8	17·1	2·1	524	377	80	67	1	1	...	6	2	9	1	...	46	12	18	19	38	15	2	10	12	14	105	17	...	...	...	...	...	...	...	...	...	...	...	...
Dublin Registration Area:—Total. (c.) ...	403,732	29·3	22·9	18·0	3·5	177	139	31	16	1	1	...	5	1	5	1	...	17	5	7	7	9	8	...	5	6	5	52	8	e60·0	25·8	44·4	1·34	f69·8	50·0	57·4	1·04	e59·7	33·5	48·3	0·33
City of Dublin.	309,738	39·2	25·8	21·0	4·0	153	125	28	15	1	1	...	5	1	5	...	...	14	5	7	6	8	8	...	3	5	4	48	8	f56·6 g57·2	35·1 29·0	46·6 45·2	1·17 1·54	f61·4 g63·2	52·0 51·0	56·0 56·8	1·43 1·34	f58·2 g59·8	43·2 37·0	51·4 49·8	0·34 0·26
Urban Districts. Rathmines and Rathgar.	38,330	22·4	9·5	5·4	1·4	7	4	...	1	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	...	...	..	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. Pembroke, ...	29,347	18·5	16·0	8·9	3·6	9	5	3	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. Blackrock, ...	9,090	8·4	11·5	11·5	.	2	2	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. Kingstown, ...	17,227	11·8	18·2	9·1	.	6	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	56	36	47·8	1·53	64	50	56·1	1·82	63	41	52·9	0·33
Urban Districts. Belfast ...	386,449	26·3	26·9	16·7	1·3	199	124	22	25	...	...	...	...	1	3	...	...	16	3	3	6	17	2	1	3	6	6	33	...	57·0	33·0	45·6	1·58	60·5	48·0	54·4	0·99	58·5	30·8	47·3	0·03
Urban Districts. Cork, ...	76,632	33·8	15·0	22·5	1·4	22	33	9	5	...	...	...	1	...	...	...	...	4	2	2	4	2	1	...	...	...	3	12	4	58	38	48·8	1·43	59	52	55·4	1·45	59	44	57·9	0·52
Urban Districts. Londonderry...	40,799	18·9	19·2	8·9	2·6	15	7	4	.	...	...	...	...	...	...	...	...	2	...	..	...	2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. Limerick, ...	38,403	18·2	21·7	12·2	.	16	9	3	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	3	57·5	29·7	45·5	1·37	63·4	49·2	55·9	0·81	62	35	50·7	0·21
Urban Districts. Waterford, ...	27,430	19·1	19·0	9·5	.	10	5	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. Galway, ...	13,249	2·5	15·7	19·7	.	4	5	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	3	...	60	31	49	0·96	67	50	57	0·47	62	35	50 .	0·02
Urban Districts. Dundalk, ...	13,128	9·5	19·9	23·8	.	5	6	2	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. Drogheda, ...	12,425	8·4	16·8	4·2	.	4	1	...	1	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. Newry, ...	11,956	17·2	21·8	13·1	.	5	3	1	1	...	...	...	...	...	...	...	...	...	...	1	...	.	..	...	...	...	...	...	...	54·3	27·7	44·5	0·56	63·3	49·1	54·8	0·96	60·7	29·0	47·0	0·01
Urban Districts. Lurgan, ...	12,135	14·3	25·8	12·9	4·3	6	3	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	54·3	27·7	44·5	0·56	63·3	49·1	54·8	0·96	60·7	29·0	47·0	0·01
Urban Districts. Lisburn, ...	12,172	10·7	30·0	21·4	4·3	7	5	1	3	...	...	...	...	...	...	...	...	...	...	2	...	1	...	1	...	...	...	...	...	54·3	27·7	44·5	0·56	63·3	49·1	54·8	0·96	60·7	29·0	47·0	0·01
Urban Districts. Wexford, ...	11,455	23·8	18·2	9·1	.	4	2	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. Ballymena, ...	11,376	9·3	13·8	18·3	.	3	4	...	2	...	...	...	...	...	...	...	...	1	...	..	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. Sligo, ...	11,163	3·8	32·7	.	.	7	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	57·5	25·9	44·1	0·94	64·9	47·3	55·3	1·07	61·7	27·6	47·8	0·08
Urban Districts. Kilkenny, ...	10,513	11·4	69·4	34·7	5·0	14	7	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	1	55	28	44·2	0·89	62	49	55	1·33	62	34	51·4	0·37
Urban Districts. Clonmel, ...	10,277	7·9	20·3	25·4	10·1	4	5	2	2	...	...	...	...	...	...	...	...	1	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. Portadown, ...	11,727	15·3	8·9	8·9	.	2	2	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	54·3	27·7	44·5	0·56	63·3	49·1	54·8	0·96	60·7	29·0	47·0	0·01
Urban Districts. Tralee, ...	9,867	16·6	10·6	37·0	5·3	2	7	2	3	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. Newtownards,	9,110	18·9	28·6	34·3	.	5	6	1	1	...	...	...	...	...	...	...	...	...	..	2	1	...	...	...	...	...	...	...	...	55	39	46·9	0·42	59	52	54·8	1·45	65	39	50·2	...
Urban Districts. Queenstown, ...	7,909	14·4	46·1	6·6	.	7	1	...	1	...	...	...	...	...	...	...	...	...	..	...	...	1	...	...	...	...	...	...	...	58	38	48·8	1·43	59	52	55·4	1·45	59	44	57·9	0·52
Urban Districts. Armagh, ...	7,588	22·2	41·2	20·6	.	6	3	1	...	...	...	...	...	...	...	...	...	1	...	...	...	1	..	...	...	...	...	1	...	54·3	27·7	44·5	0·56	63·3	49·1	54·8	0·96	60·7	29·0	47·0	0·01

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 8 deaths of persons (including one at 73 years) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 28th of October, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	5	.	.	.	.	.	.	.	.	5	.
Scarlet Fever,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Whooping-cough,	1	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	5	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	1	.		.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	2	1	2	1	.	.	.	2	.	2	2	2	2	.	1	.	17	1
Tuberculous Disease. { Other Forms,	.	.	1	1	.	.	.	2	.	.	1	.	.	.	.	.	5	1
Cancer,	2	2	.	2	.	.	.	1	.	.	.	.	.	.	.	.	7	2
Diseases of Nervous System,	2	2	.	2	.	.	.	2	.	3	.	.	.	2	.	.	13	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	2	.	1	1	.	.	.	3	1	.	.	1	1	.	.	.	10	.
" Respiratory System. { Pneumonia,	3	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	7	1
" Respiratory System. { Others,	1	1	.	.	.	.	1	2	1	.	2	.	.	1	.	.	9	.
" Digestive System. { Diarrhœa, under 2 years,	3	1	2	.	.	.	1	.	.	1	.	.	.	.	.	.	8	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, under 2 years,	.	.	.	.	.	.	.	1	.	2	.	.	.	2	.	.	5	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Digestive System. { Others,	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	3	.
" Genito-urinary System,	1	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	4	1
Puerperal Septicæmia, etc.,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy & Childbirth	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	8	2	1	.	1	.	2	1	6	1	1	.	.	.	2	26	.
Violent Deaths,	1	.	.	.	.	.	.	.	.	2	2	.	.	.	.	1	6	1
Ill-defined, &c. Causes,	.	1	.	.	.	.	.	1	.	1	1	.	.	.	.	.	4	.
Deaths from All Causes	19	17	10	13	.	1	2	23	6	19	9	6	4	5	2	3	139	8
Annual Rate of Mortality from All Causes in every 1,000 of the population.	33·2	22·2	17·0	20·2	.	4·5	13·6	29·0	14·4	23·0	13·1	34·5	5·4	8·9	11·5	9·1	18·0	.
	20·4							21·7					7·8					
	21·0																	
Ages at Death. { Under 1 year,	3	7	2	4	.	.	1	1	.	8	1	1	.	3	.	.	31	.
Ages at Death. { 1 and under 2 years,	2	2	1	1	.	.	.	8	1	2	.	1	.	.	.	.	18	.
Ages at Death. { 2 " 5 "	1	.	.	.	.	.	.	2	2	1	.	.	.	.	.	.	6	.
Ages at Death. { 5 " 15 "	.	.	1	.	.	.	.	3	.	.	.	.	1	.	.	.	5	.
Ages at Death. { 15 " 25 "	.	1	2	1	.	.	.	.	1	2	1	.	.	.	.	.	8	2
Ages at Death. { 25 " 45 "	6	2	3	3	.	.	.	2	.	2	.	4	2	.	.	1	25	3
Ages at Death. { 45 " 65 "	4	1	1	2	.	.	1	5	1	3	6	.	.	2	2	2	30	2
Ages at Death. { 65 and upwards,	3	4	.	2	.	1	.	2	1	1	1	.	1	.	.	.	16	1
Number of Uncertified Deaths,	3	.	.	2	.	.	.	.	.	2	.	1	.	.	.	.	8	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	4	3	2	.	.	.	8	1	4	4	1	2	1	1	.	33	8
Workhouse Hospitals,	1	1	2	3	.	.	.	5	1	4	2	.	.	.	.	.	19	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 43rd Week of the 10 years 1901–1910.	In the Week ending Saturday, 28th October, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Oct. 26, 1901.	Oct. 25, 1902.	Oct. 31, 1903.	Oct. 29, 1904.	Oct. 28, 1905.	Oct. 27, 1906.	Oct. 26, 1907.	Oct. 24, 1908.	Oct. 30, 1909.	Oct. 29, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 44·2	° 50·7	° 44·3	° 47·6	° 41·1	° 51·2	° 47·3	° 48·7	° 40·3	° 50·4	° 46·6	° 44·4										
ALL CAUSES.	146	223	162	156	133	170	154	129	148	139	156·0	147	7	24	18	6	5	10	28	32	8	9
Enteric Fever, ...	.	1	.	1	.	2	.	3	1	1	·9	1	.	.	.	.	.	.	1	.	.	.
Typhus, ...	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	.	.	.	.	.	1	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	20	.	4	1	2	5	1	.	.	3·3	5	.	.	5	.	.	.	.	.	.	.
Scarlet Fever, ...	1	2	1	2	1	.	.	.	.	1	·8	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	2	1	2	2	2	2	1	3	1	1	1·7	5	.	2	2	1	.	.	.	.	.	.
Diphtheria, ...	1	2	1	1	.	.	.	.	.	4	·9	1	.	.	.	.	1	.	.	.	.	.
Croup, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	3	3	1	.	2	1	1	.	1	1·2	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	1	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	.	1	.	.
Other Epidemic Diseases, ...	.	.	.	.	1	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	1	.	1	.	1	.	1	.	1	·6	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	19	17	24	25	21	17	13	14	27	17	19·4	18	.	.	1	.	.	3	11	3	.	.
Tuberculous Meningitis, ...	1	5	2	.	2	3	1	1	2	1	1·8	4	.	1	.	.	1	2	.	.	.	.
Abdominal Tuberculosis, ...	2	2	1	3	.	2	2	2	2	2	1·8	1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...												1	.	.	.	.	.	.	1	.	.	.
Tuberculosis of other Organs,	4	4	4	5	2	8	10	4	5	1	4·7	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases, ...	2	1	2	.	1	1	.	.	2	.	·9	2	.	1	1	.	.	.	.	.	.	.
Cancer, ...	8	6	3	5	8	10	8	11	6	9	7·4	9	.	.	.	.	.	1	2	4	.	2
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	1	.	.	2	1	1	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	1	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	1	.	.	2	.	.	.
Alcoholism, ...	3	.	2	1	.	1	.	2	.	1	1·0	1	.	.	.	.	.	.	.	1	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	1	1	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												1	.	1	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*												2	.	.	.	.	.	.	.	1	1	.
Softening of Brain, ...												1	.	.	.	.	.	.	.	1	.	.
Paralysis, without specified cause.												1	.	.	.	.	.	.	.	.	.	1
Epilepsy, ...												1	.	.	.	.	.	.	.	1	.	.
Convulsions (non-puerperal),												4	.	2	1	1	.	.	.	.	.	.
Other Diseases of Nervous System.	36	45	40	36	27	36	33	28	27	29	33·7	3	.	1	.	.	.	1	.	1	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,												9	.	.	.	.	1	1	1	3	2	1
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												1	.	.	.	.	.	.	1	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	19	23	15	10	14	17	9	7	13	11	13·8	9	.	.	1	1	.	1	.	5	1	.
Broncho-pneumonia, .		14	3	3	6	6	4	3	5	5		1	.	.	.	.	.	.	.	.	1	.
Lobar-pneumonia, ...	7	.	2	1	1	1	1	.	4	1	11·3	1	.	.	.	.	.	.	1	.	.	.
Pneumonia (type not distinguished)		8	2	4	3	6	4	9	4	6		6	.	1	.	.	.	.	2	2	1	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	3	2	3	3	2	3	.	1	1	1·9	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												.	.	.	.	.	.	.	.	.	.	.

FORTY-THIRD WEEK ending Saturday, 28th October, 1911, with, as far as practicable, the deaths from each cause in 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										43rd Week of the 10 years 1901–1910.	In the Week ending Saturday, 28th October, 1911.										
													Deaths of Persons of the Ages of									
	Oct. 26, 1901.	Oct. 25, 1902.	Oct. 31, 1903.	Oct. 29, 1904.	Oct. 28, 1905.	Oct. 27, 1906.	Oct. 26, 1907.	Oct. 24, 1908.	Oct. 30, 1909.	Oct. 29, 1910.	Averages in Week of the 10 years 1901–1910.	Mean Temp.	0—5. Under 1 month.	0—5. 1 month and under a year.	0—5. 1—2.	0—5. 2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 44·2	° 50·7	° 44·3	° 47·6	° 41·1	° 51·2	° 47·3	° 48·7	° 40·3	° 50·4	° 46·6	° 44·4										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa of Children under 2 years.	5	14	4	6	3	8	8	4	3	4	5·9	8	2	4	2	.	.	.	.	.	.	.
" 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	1	4	5	4	2	1	10	3	7	3	4·0	5	.	3	2	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												1	.	.	.	.	.	.	.	1	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	1	.	.	.
Cirrhosis of Liver, ...	.	1	3	1	1	1	.	1	1	2·1	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...	.	4	1	2	1	2	.	.	2	.		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	1	1	.	1	1	.	1	.	2	.	·7	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	1	5	4	3	5	1	4	4	2	7	3·6	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...												3	.	.	1	.	1	.	.	1	.	.
Chronic Bright's Disease, ...												2	.	.	.	.	.	.	1	1	.	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	1	3	6	5	4	4	3	3	7	10	4·6	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	1	.	1	1	.	.	.	·3	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	1	2	.	.	1	2	1	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	1	.	.	.	.	.	.	.	.
Premature Birth, ...	2	4	6	4	3	4	5	2	5	2	3·7	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	7	2	5	.	.	.	.	.	.	.	.
Old Age, ...	5	5	2	5	8	5	2	2	5	4	4·3	7	.	.	.	.	.	.	.	.	2	5
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	1	1	1	1	2	.	.	.	.	.	·6	2	.	.	1	.	.	1	.	.	.	.
By Drowning, ...	1	1	.	1	1	1	.	1	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	1	.	1	.	.	1	·3	1	.	1	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	.	1	3	.	2	4	4	4	1	.	1·9	4	.	.	.	.	.	.	1	3	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	4	.	1	1	.	.	.	1	1	.	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.
No. of weeks in Annual Series,	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
BIRTHS registered.	260	242	226	246	261	228	232	185	324	190	190	294	233	198	210	233	218	198	212	201	182	265	204	217	195	177
Average Births in corresponding week of previous 10 years, ...	268	231	210	204	238	226	207	224	237	205	204	208	221	217	208	217	216	207	235	209	212	247	197	185	212	205
DEATHS registered, ...	176	170	129	158	150	149	159	127	155	120	172	162	186	153	169	199	162	210	219	189	183	161	179	183	165	147
Annual Death-rate per 1,000, ...	22·5	21·8	16·5	20·2	19·2	19·2	20·5	16·4	20·0	15·5	22·2	20·9	24·0	19·8	21·8	25·7	20·9	27·1	28·3	24·4	23·6	20·8	23·1	23·6	21·3	19·0
Average Deaths in corresponding week of previous 10 years, ...	177	178	171	169	154	151	149	148	134	140	141	144	147	145	146	154	162	153	156	152	167	160	156	153	161	156
Ages, Under 5 years, ...	56	48	40	37	43	34	42	44	56	43	41	51	88	73	72	94	80	94	93	82	77	69	68	66	50	55
5—15 " ...	14	7	6	14	10	8	4	9	10	4	13	6	5	6	8	5	8	5	8	4	6	8	5	7	8	5
15—25 " ...	6	8	9	11	9	9	13	2	7	7	11	10	6	6	4	7	7	12	7	7	7	6	12	11	11	10
25—45 " ...	15	35	21	21	29	26	32	18	20	19	31	26	21	22	19	31	19	23	26	30	26	22	33	33	30	28
45—65 " ...	30	38	36	39	29	33	31	34	28	20	33	37	29	21	40	37	28	38	37	35	33	29	39	39	35	32
65—75 " ...	34	19	10	24	17	26	18	13	16	15	24	18	24	15	14	11	9	21	28	17	22	11	11	16	17	8
75 and upwards, ...	21	15	7	12	13	13	19	7	18	12	19	14	13	10	12	14	11	17	20	14	12	16	11	11	14	9
Deaths from :—																										
Enteric Fever, ...	1	1	1	1	1	.	.	1	.	1	3	2	1	2	2	2	1	2	.	2	3	6	2	4	4	1
Typhus, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	8	17	4	6	3	4	2	8	7	4	7	3	7	5	2	.	1	1	.	1	.	.	.	1	2	5
Scarlet Fever, ...	1	1	.	2	2	2	.	.	.	1	3	.	2	1	3	.	1	.	1	1	3	1	1	1	4	1
Whooping-cough, ...	3	2	4	1	4	1	3	2	2	.	1	4	3	4	1	3	6	7	4	3	3	1	.	1	1	5
Diphtheria, ...	2	3	1	.	1	4	1	4	2	2	3	2	1	.	.	1	5	1	2	3	.	.	.	4	.	1
Influenza, ...	3	2	1	2	.	.	1	.	1	1	1	2	1	.	1	.	.	1	2	.	.	.	1	1	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	21	17	25	22	22	25	23	7	21	7	20	17	17	16	13	19	15	22	22	19	12	14	18	16	28	18
Tuberculous Disease, Other Forms,	6	6	6	9	9	8	7	11	6	7	12	10	15	9	5	9	4	10	12	7	2	5	12	6	4	6
Cancer, ...	6	5	6	11	9	12	10	7	8	12	4	10	6	5	11	7	6	10	10	10	9	8	6	12	9	9
Diseases of Circulatory System,	17	23	7	19	12	12	23	14	22	16	22	20	15	10	13	13	8	13	15	16	16	17	16	14	20	10
Diseases of Respiratory System, Pneumonia,	22	15	12	6	10	8	9	8	9	9	10	8	12	1	8	3	6	12	5	10	4	4	14	9	8	8
Diseases of Respiratory System, Others, ...	34	20	15	14	15	16	17	9	17	6	11	10	13	3	8	13	7	5	14	12	12	10	17	14	15	9
Diarrhœa, Under 2 years, ...	2	1	2	1	6	.	3	3	.	1	3	9	27	20	29	37	25	38	31	37	32	19	17	20	5	8
Diarrhœa, 2 years & upwards,	2	.	.	1	.	.	.	.	.	.	.	.	5	1	6	7	10	7	4	1	3	1	1	2	.	.
Enteritis, under 2 years, ...	2	.	1	1	4	1	1	1	3	3	2	2	7	9	12	12	13	14	14	9	12	9	15	7	8	5
Violent Deaths, ...	3	.	1	5	2	3	6	5	2	6	7	2	5	2	2	8	5	3	4	2	7	7	2	5	4	7
Number of Uncertified Deaths,	4	3	1	5	4	3	4	.	5	9	5	2	3	3	7	7	7	7	5	6	5	5	1	7	3	8
Mean Temperature of the Air (Phœnix Park)	49·6	52·6	49·5	55·3	56·2	55·6	52·6	56·2	55·5	59·6	60·9	62·9	62·7	62·5	60·8	61·2	59·7	59·1	57·5	52·9	52·2	50·8	48·6	48·3	57·4	44·4
Average Mean Temperature in corresponding week of previous 10 years, ...	46·7	48·1	49·1	50·9	53·7	53·5	53·6	55·5	56·5	57·5	58·5	59·8	58·2	58·6	58·5	57·5	56·5	56·3	54·5	52·8	53·2*	53·7	52·4	50·4	48·7	46·6
Rainfall in inches, ...	·780	·127	·262	·010	·000	·000	·605	·782	·166	·018	·000	·316	1·860	·430	·170	·010	·338	·405	·020	·320	·248	·680	·208	·325	1·035	1·335
Mean Humidity of the Air, complete Saturation 1·0, ...	·93	·94	·92	·89	·89	·88	·86	·91	·91	·92	·84	·92	·92	·92	·82	·82	·82	·78	·85	·83	·81	·83	·83	·89	·88	·86

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 28th October, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 28TH OCTOBER, 1911.

Class	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	147	55	5	10	28	32	8	9	1	1	.	5	1	5	1	.	18	6	9	4	8	9	8	.	5	7	58	8
	CLASSES.																														
	Deaths in Families of the—																														
I	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	12·0	4	.	.	1	2	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	87,188	13·2	22	5	.	2	4	8	2	1	.	.	.	.	.	.	.	.	3	1	2	1	1	1	1	.	.	1	11	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	15·6	33	8	2	3	9	6	3	2	1	.	.	1	.	1	.	.	4	.	2	2	4	2	1	.	.	.	15	4
IV.	GENERAL SERVICE CLASS, ...	154,279	23·3	69	35	2	1	10	16	1	4	.	1	.	4	1	3	1	.	6	2	5	1	3	4	4	.	3	6	24	4
V.	INMATES OF WORKHOUSES, ...	6,024	—	19	7	1	3	3	2	1	2	.	.	.	.	.	1	.	.	3	3	.	.	.	2	2	.	2	.	6	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	16·6	7	4	.	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	1	3	.
	6. Clerks and Commercial Assistants, ...	30,432	13·7	8	1	.	1	2	2	1	1	.	.	.	.	.	.	.	.	1	1	.	.	1	1	.	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	13·5	7	.	.	1	2	4	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	.	.	1	2
	9. Building and Furnishing Trades, ...	29,801	14·0	8	4	.	.	1	2	.	1	.	.	.	1	.	1	.	.	.	.	.	.	1	.	1	.	.	.	4	.
	10. Clothing Trades, ...	23,260	9·0	4	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	1
	11. Food Supply Trades	9,242	11·3	2	.	.	1	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	24·1	14	1	2	2	4	3	1	1	.	.	.	.	.	.	.	.	2	.	2	.	1	1	.	.	.	.	8	1
	13. Petty Shopkeepers	7,894	6·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	19·4	5	.	.	.	1	1	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	2	.
	15. Domestic Servants, ...	36,603	8·5	6	2	.	.	1	2	.	1	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	14·5	4	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	1	1
	17. Hawkers, Porters, Labourers, &c., ...	89,861	31·3	54	33	2	.	8	10	1	.	.	1	.	3	1	3	1	.	5	1	1	1	3	3	4	.	3	5	18	3
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	19	7	1	3	3	2	1	2	.	.	.	.	.	1	.	.	3	3	.	.	.	2	2	.	2	.	6	

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 29,854.	Sept. 9,	33·2	12·2	19	.	.	.	.	.	.	.	.	1	.	.	.	3	3	1	3	1	.
		„ 16,	34·9	15·7	20	.	.	.	1	.	1	.	.	3	1	1	1	.	4	.	3	.	.
		„ 23,	33·2	10·5	19	.	.	.	.	1	1	.	.	2	.	1	1	1	4	.	.	.	.
		„ 30,	24·5	7·0	14	.	.	.	.	.	1	.	.	.	.	.	1	1	1	.	2	1	.
		Oct. 7,	15·7	5·2	9	1	.	.	.	.	.	.	.	3	.	.	.	1	.	.	2	.	.
		„ 14,	22·7	7·0	13	2	.	.	.	.	.	.	.	2	.	1	.	.	2	.	.	1	.
		„ 21,	15·7	1·7	9	.	.	.	.	.	.	.	.	4	.	.	.	1	.	.	1	1	.
		„ 28,	33·2	7·0	19	.	.	.	.	.	1	.	.	2	.	2	3	1	3	.	.	1	3
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 39,902.	Sept. 9,	36·6	15·7	28	.	.	.	.	.	2	.	.	4	2	1	.	3	6	2	2	.	.
		„ 16,	31·4	10·5	24	.	.	.	.	.	2	.	.	.	.	.	2	4	6	.	.	2	1
		„ 23,	22·2	13·1	17	.	.	.	.	1	1	.	.	.	.	.	.	.	5	.	3	.	1
		„ 30,	32·7	7·8	25	1	.	.	.	.	.	.	.	3	1	1	1	.	4	.	1	1	.
		Oct. 7,	30·1	7·8	23	.	.	.	.	.	.	.	.	2	.	1	2	2	4	.	2	.	.
		„ 14,	28·7	10·5	22	.	.	.	.	.	1	.	.	2	1	.	3	1	5	1	1	.	1
		„ 21,	18·3	2·6	14	1	.	.	.	.	.	.	.	4	.	1	.	2	1	.	.	.	.
		„ 28,	22·2	1·3	17	.	.	.	.	.	.	.	.	1	.	2	1	1	1	.	.	.	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 30,689.	Sept. 9,	37·4	10·2	22	.	.	.	.	.	1	.	.	3	2	.	.	.	5	.	.	.	2
		„ 16,	35·7	8·5	21	.	.	.	.	.	.	1	.	3	4	.	.	2	4	.	.	.	2
		„ 23,	30·6	13·6	18	.	.	.	.	1	.	.	.	.	.	3	.	1	6	.	1	.	.
		„ 30,	27·2	6·8	16	1	.	.	.	.	.	.	.	.	2	1	.	2	2	1	.	.	.
		Oct. 7,	25·5	6·8	15	1	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	.
		„ 14,	30·6	5·1	18	.	.	.	.	1	.	2	.	.	2	.	1	2	.	.	.	.	.
		„ 21,	20·4	.	12	.	.	.	.	.	.	.	.	1	.	1	2	2	.	.	.	.	.
		„ 28,	17·0	3·4	10	.	.	.	.	.	.	.	.	2	1	.	.	.	2	.	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,498.	Sept. 9,	28·0	9·3	18	.	.	.	.	.	.	1	.	1	1	.	1	1	5	.	.	.	1
		„ 16,	26·5	6·2	17	.	.	.	.	.	.	.	.	3	.	2	.	.	3	.	1	.	1
		„ 23,	17·1	1·6	11	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.	.	2
		„ 30,	20·2	1·6	13	.	.	.	.	.	.	.	.	2	.	.	.	3	1	.	.	.	.
		Oct. 7,	28·0	.	18	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.
		„ 14,	9·3	.	6	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1
		„ 21,	9·3	3·1	6	1	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.
		„ 28,	20·2	.	13	.	.	.	.	.	.	.	.	1	1	2	2	.	.	.	.	.	2
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,401.	Sept 9,	29·0	13·9	23	.	.	.	.	.	1	.	.	2	2	1	.	.	3	1	6	.	.
		„ 16,	23·9	7·6	19	1	.	.	.	.	.	2	.	5	.	1	.	.	1	.	2	.	.
		„ 23,	31·5	2·5	25	.	.	.	.	.	.	.	.	1	.	2	1	1	.	1	1	.	.
		„ 30,	25·2	10·1	20	1	.	.	.	.	.	.	.	2	1	1	.	1	4	.	3	.	.
		Oct. 7,	26·4	6·3	21	.	.	.	.	1	.	.	.	1	1	.	3	4	2	.	2	.	.
		„ 14,	18·9	10·1	15	.	.	.	1	.	.	1	.	.	.	1	.	4	3	.	3	.	.
		„ 21,	37·8	7·6	30	.	1	.	2	.	.	.	.	7	2	.	.	2	1	.	2	1	1
		„ 28,	29·0	10·1	23	.	1	.	5	.	1	.	.	2	2	1	.	2	.	.	1	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,715.	Sept. 9,	28·8	4·8	12	.	.	.	.	.	.	.	.	2	1	.	1	1	2	.	.	2	.
		„ 16,	19·2	4·8	8	.	.	.	.	.	.	.	.	.	1	1	1	1	1	.	1	.	.
		„ 23,	16·8	4·8	7	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.
		„ 30,	21·6	.	9	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	1
		Oct. 7,	19·2	9·6	8	.	.	.	.	.	.	.	.	1	1	.	.	1	3	.	1	1	.
		„ 14,	9·6	.	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
		„ 21,	24·0	4·8	10	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	1	.	.
		„ 28,	14·4	2·4	6	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,149.	Sept. 9	24·2	6·0	20	.	.	.	.	1	.	1	.	3	.	.	1	3	2	.	1	.	.
		„ 16,	19·3	7·3	16	.	.	.	.	.	.	.	.	1	1	.	.	.	5	.	1	.	.
		„ 23,	29·0	7·3	24	1	.	.	.	.	.	.	.	3	.	.	1	3	5	.	.	2	.
		„ 30,	24·2	9·7	20	1	.	.	.	1	.	.	.	3	1	.	.	2	5	.	1	2	1
		Oct. 7,	32·6	6·0	27	.	.	.	.	.	.	.	.	9	2	1	2	3	1	.	4	.	.
		„ 14,	30·2	3·6	25	.	.	.	.	.	.	.	.	5	2	.	2	2	2	.	1	1	.
		„ 21,	25·4	4·8	21	.	.	.	.	2	.	.	.	4	1	.	2	4	1	.	1	.	1
		„ 28,	23·0	6·0	19	1	.	.	.	.	1	.	.	2	.	.	.	.	1	.	2	2	2
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 35,816.	Sept. 9,	26·2	5·8	18	.	.	.	.	.	.	.	.	1	1	.	.	.	4	.	.	.	.
		„ 16,	24·7	7·3	17	.	.	.	.	.	.	.	.	.	.	1	4	2	5	.	.	.	1
		„ 23,	26·2	8·7	18	1	.	.	.	.	1	.	.	2	.	1	.	.	3	.	1	1	1
		„ 30,	14·6	2·9	10	2	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	1
		Oct. 7,	20·4	5·8	14	.	.	.	.	.	.	.	.	.	2	.	2	1	3	.	1	1	.
		„ 14,	32·0	10·2	22	2	.	.	.	.	.	.	.	.	.	3	1	1	4	1	.	.	2
		„ 21,	17·5	2·9	12	1	.	.	.	.	.	.	.	3	.	.	1	1	1	.	.	.	.
		„ 28,	13·1	.	9	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.	.	2	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes.	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa: Children under 2 years.	Diarrhœa: 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	Sept. 9,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	1	.
	„ 16,	13·6	2·7	10	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.
	„ 23,	17·7	8·2	13	1	.	.	.	.	.	.	.	.	.	2	.	1	3	.	2	.	.
	„ 30,	10·9	1·4	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	Oct. 7,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 14,	13·6	2·7	10	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.	1	.	2
	„ 21,	19·0	1·4	14	.	.	.	.	.	1	.	.	1	1	2	3	.	.	.	.	.	.
	„ 28,	5·4	1·4	4	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	Sept. 9,	12·4	1·8	7	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	2
	„ 16,	17·8	5·3	10	.	.	.	.	.	.	.	.	2	.	.	1	.	3	.	.	.	.
	„ 23,	14·2	7·1	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	1
	„ 30,	7·1	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.
	Oct. 7,	17·8	7·1	10	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	2	.	.
	„ 14,	16·0	1·8	9	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	1
	„ 21,	12·4	5·3	7	1	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	.
	„ 28,	8·9	3·6	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
Kingstown Urban District. Pop. in 1911 17,227.	Sept. 9,	57·5	.	19	.	.	.	.	.	.	.	.	3	.	2	2	1	.	.	.	.	.
	„ 16,	18·2	9·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.
	„ 23,	15·1	3·0	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	„ 30,	18·2	6·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	Oct. 7,	6·1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 14,	12·1	3·0	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 21,	21·2	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	„ 28,	9·1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Belfast. Pop. in 1911 (Est.) 386,449.	Sept. 9,	19·7	6·5	146	2	.	.	.	1	1	.	.	11	7	4	7	9	26	7	11	3	.
	„ 16,	16·5	5·3	122	.	.	.	.	1	2	.	1	10	5	6	3	6	20	4	11	2	.
	„ 23,	20·2	6·7	150	.	.	.	.	.	2	.	.	8	8	8	6	9	27	1	20	1	1
	„ 30,	16·9	4·0	125	.	.	.	.	2	1	1	.	8	5	6	8	4	15	2	9	2	1
	Oct. 7,	17·3	3·0	128	2	.	.	.	1	1	.	.	13	10	6	7	10	10	2	6	2	.
	„ 14,	15·9	2·3	118	.	.	.	.	1	2	1	.	11	5	6	7	7	5	.	8	3	4
	„ 21,	17·0	1·3	126	.	.	.	.	.	1	.	.	19	4	5	10	13	2	.	7	3	1
	„ 28,	16·7	1·3	124	.	.	.	.	1	3	.	.	16	3	3	6	17	2	1	3	6	.
Cork. Pop. in 1911 76,632.	Sept. 9,	25·2	6·1	37	.	.	.	.	.	1	.	.	4	2	1	1	2	8	.	.	.	.
	„ 16,	19·7	5·4	29	.	.	.	.	.	.	.	.	7	.	1	2	2	5	.	3	.	.
	„ 23,	19·7	3·4	29	.	.	.	.	.	.	.	.	2	.	.	.	1	5	.	.	.	1
	„ 30,	22·5	6·1	33	.	.	.	.	.	.	1	.	2	.	1	1	3	8	.	.	.	3
	Oct. 7,	25·2	3·4	37	.	.	.	.	.	.	.	.	4	2	.	3	3	4	1	.	1	4
	„ 14,	25·2	1·4	37	1	.	.	.	.	.	.	.	7	.	.	3	2	1	.	.	.	.
	„ 21,	26·5	2·0	39	.	.	.	1	.	.	1	.	7	1	2	6	2	1	.	.	.	1
	„ 28,	22·5	1·4	33	.	.	.	1	.	.	.	.	4	2	2	4	2	1	.	.	.	4
Londonderry. Pop. in 1911 40,799.	Sept. 9,	16·6	1·3	13	.	.	.	.	.	.	.	.	1	.	1	1	2	1	.	.	.	.
	„ 16,	11·5	5·1	9	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.	.	.
	„ 23,	12·8	.	10	.	.	.	.	.	.	.	.	3	1	1	.	1	.	.	.	.	.
	„ 30,	19·2	6·4	15	.	.	.	.	1	.	.	.	.	1	.	.	2	1	1	2	.	.
	Oct. 7,	7·7	1·3	6	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
	„ 14,	15·3	5·1	12	.	.	.	.	.	.	.	.	1	1	.	.	.	2	2	.	1	.
	„ 21,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 28,	8·9	2·6	7	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	1	.	.
Limerick. Pop. in 1911 38,403.	Sept. 9,	17·7	2·7	13	.	.	.	.	.	.	.	.	1	1	1	.	2	2	.	.	1	.
	„ 16,	20·4	6·8	15	.	.	.	.	.	.	.	.	1	.	1	.	1	5	.	.	.	2
	„ 23,	23·1	1·4	17	.	.	.	.	.	.	.	.	4	.	2	.	2	1	.	.	.	.
	„ 30,	23·1	5·4	17	.	.	.	.	.	.	.	.	1	1	.	1	.	3	1	.	.	2
	Oct. 7,	20·4	2·7	15	.	.	.	.	.	.	.	.	5	.	.	.	2	2	.	.	.	3
	„ 14,	16·3	2·7	12	.	.	.	.	.	.	.	.	2	.	1	.	1	2	.	.	.	2
	„ 21,	20·4	1·4	15	.	.	.	.	.	.	.	.	3	1	2	.	3	1	.	.	.	1
	„ 28,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3
Waterford. Pop. in 1911 27,430.	Sept. 9,	26·6	5·7	14	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	3	.	.
	„ 16,	20·9	9·5	11	.	.	.	.	.	.	.	.	1	.	1	2	1	1	.	4	.	.
	„ 23,	24·7	3·8	13	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	2	.	.
	„ 30,	11·4	7·6	6	.	.	.	.	.	.	.	.	1	.	1	.	.	4	.	.	.	.
	Oct. 7,	19·0	7·6	10	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	1	.	.
	„ 14,	26·6	5·7	14	.	.	.	.	.	.	.	.	1	4	.	.	1	3	.	.	.	3
	„ 21,	26·6	1·9	14	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	1	1	1
	„ 28,	9·5	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 28th October, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa: Of children under 2 years of age.	Diarrhœa: 2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	385,492	9	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		8	1	1	1	1	3	1	.	.	.	.	.	.	.	.	1	1	1	1	1	.	.	.	.	.	3	.
Do. 2 do.		14			23	2	1	2	5	5	8	.	.	.	.	.	1	.	.	4	.	.	1	1	1	.	.	1	1	7	.
Do. 3 do.		28			18	3	1	6	.	3	5	.	.	.	.	1	.	.	.	.	1	1	1	4	.	.	.	2	2	3	.
Do 4 do.		31			11	3	1	.	1	4	2	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	1	.	.	4	.
Do. 5 do.		3			8	1	.	3	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	5	.
Do. 6 do.		18			10	.	.	1	.	6	3	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.	2	.
Do. 7 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		5			2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 9 do.		10			4	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	1	1	.
Do. 10 do.		14			12	4	1	1	2	3	1	.	.	.	.	.	1	.	.	3	.	1	.	1	1	.	.	.	.	4	.
Do. 11 do.		23			6	1	.	1	2	1	1	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	1	.
Do. 12 do.		32			6	2	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	.
Do. 13 do.		4			10	3	1	1	1	4	.	.	.	.	.	.	1	.	.	1	1	.	.	2	.	.	.	2	2	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		8			6	2	.	.	.	2	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
Total,	—	199			124	22	7	17	16	37	25	.	.	.	.	1	3	.	.	16	3	3	6	17	2	1	3	6	6	33	.
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	76,632	2	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		11	3	3	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	1	3	2
Do. 2 do.		6			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Do. 3 do.		2			2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 4 do.		4			4	.	2	.	1	.	1	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	1
Do. 5 do.		.			4	1	1	.	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	1	.
Do. 6 do.		3			6	2	.	.	1	2	1	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.	.	.	.	4	1
Do. 7 do.		5			5	2	.	1	1	.	1	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	4	.
Total,	—	22	22·5	1·4	33	9	6	1	4	8	5	.	.	.	1	.	.	.	.	4	2	2	4	2	1	.	.	.	3	12	4

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	May 6.	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14	Oct. 21.	Oct 28.
No. of weeks in Annual Series,	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
BIRTHS registered, ...	232	229	180	214	233	215	258	201	264	213	207	268	236	203	225	215	220	197	215	183	184	184	184	198	194	199
DEATHS registered, ...	109	120	123	123	125	115	107	82	116	92	123	121	105	123	121	139	132	138	146	122	150	125	128	118	126	124
Annual Death rate per 1,000 of estimated population, ...	14·3	15·7	16·1	16·1	16·4	15·5	14·4	11·1	15·7	12·4	16·6	16·3	14·2	16·6	16·3	18·8	17·8	18·6	19·7	16·5	20·2	16·9	17·3	15·9	17·0	16·7
AGES, Under 1 year, ...	19	19	25	22	18	19	23	16	18	11	25	32	38	39	45	44	36	52	49	43	53	35	26	21	24	22
1—5 years, ...	10	9	9	13	7	7	10	7	9	7	9	11	8	12	11	11	8	6	16	11	19	17	16	17	6	7
5—25 „ ...	13	17	15	17	14	14	16	7	16	15	16	14	11	7	14	15	18	11	10	8	12	7	13	9	17	17
25—45 „ ...	25	23	26	22	24	26	22	18	20	21	25	22	13	21	11	17	19	24	21	17	15	22	22	18	20	16
45—65 „ ...	22	29	31	27	34	20	20	20	37	25	29	23	17	23	23	28	31	27	29	21	31	20	28	28	29	37
65 and upwards, ...	20	23	17	22	28	29	16	14	16	13	19	19	18	21	17	24	20	18	21	22	20	24	23	25	30	25
Deaths from :—																										
Enteric Fever, ...	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2	1	2	.	.	.	2	.	.	.
Typhus, ...	.	.	.		.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	1	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	.	1	1	.	2	1	1	.	1
Whooping-cough, ...	.	.	1	1	.	.	4	.	1	.	1	1	1	2	1	.	1	.	1	2	2	1	1	2	1	3
Diphtheria, ...	.	.	.	.	.	1	.	.	.	1	.	2	.	2	.	1	.	.	.	.	.	1	.	1	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	16	25	21	21	16	14	13	13	23	16	18	20	10	13	9	6	19	17	11	10	8	8	13	11	19	16
Tuberculous Disease. Other Forms,	12	7	10	12	11	6	10	2	2	5	8	6	5	7	3	7	5	3	7	5	8	5	10	5	4	3
Cancer, ...	3	6	1	4	6	8	6	6	7	4	6	3	3	9	4	4	1	7	4	6	8	6	6	6	5	3
Diseases of Respiratory System, Pneumonia,	10	10	13	6	11	9	9	5	5	7	2	4	6	2	3	9	3	4	7	3	6	8	7	7	10	6
Diseases of Respiratory System, Others, ...	20	15	19	11	18	18	13	10	8	11	14	10	3	4	5	6	5	1	9	6	9	4	10	7	13	17
Diarrhœa, Under 2 years, ...	.	1	1	2	1	.	1	1	2	1	6	10	14	9	19	17	15	21	26	20	27	15	10	5	2	2
Diarrhœa, 2 years & upwards	.	.	.	.	.	1	.	3	.	.	.	.	1	4	4	3	5	6	7	4	1	2	2	.	.	1
Enteritis, under 2 years, ...	1	1	3	3	4	2	.	1	1	1	3	8	9	12	19	10	13	22	11	11	20	9	6	8	7	3
Violent Deaths, ...	3	4	1	1	.	3	3	1	4	.	3	5	3	2	2	6	4	5	3	2	1	2	2	3	3	6
Number of Uncertified Deaths, ...	2	1	1	1	2	1	.	3	3	.	1	.	2	.	1	1	2	.	.	.	1	1	.	4	1	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	Oct. 28,	1,994	1,132	13·1	7	.	17	4	3	10	41*a*
Edinburgh, ...	320,829	„ 28,	125	91	14·8	.	.	.	1	.	.	.
Glasgow, ...	784,621	„ 28,	391	279	18·6	1	.	4	3	2	5	14
Calcutta, ...	890,493	Sept. 23,	.	432	25·2	90*	.	.	.	.	6	64‡
Bombay, ...	977,822	„ 23,	479	560	29·8	68*	2	.	.	.	6	42‡
Madras, ...	509,346	„ 2,	433	300	30·6	61*	4	1	?	?	?	75‡
Cairo, ...	693,806	Aug. 26,	635	597	44·9	7	.	5	.	.	7†	170*a*
Paris	2,846,986	Sept. 30,	868	854	16·2	8	.	5	2	1	2†	56*a*
Brussels, ...	739,684	Oct. 7,	210	185	13·0	2	.	.	.	1	.	29
Antwerp, ...	320,640	„ 7,	106	84	13·7	2	.	1	.	2	1†	25*a*
Amsterdam, ...	578,775	„ 7,	228	119	10·7	.	.	.	.	3	2	11*a*
Copenhagen, ...	462,132	„ 7,	230	106	12·0	1	.	.	1	2	.	5
Stockholm, ...	343,832	Sept. 30,	168	75	11·3	1	.	.	.	.	1†	1
Christiania, ...	244,038	Oct. 14,	90	49	10·4	.	.	.	.	1	.	4
St. Petersburg, ...	1,639,266	Sept. 23,	865	530	16·9	10	.	15	7	13	3†	61*a*
Moscow, ...	1,493,600	„ 23,	.	679	23·7	5	1	14	14	10	13†	139
Berlin, ...	2,068,965	„ 23,	803	616	15·5	3	.	1	11	12	23†	97
Hamburg, ...	931,035	Oct. 7,	.	280	15·6	1	.	1	4	4	12†	50
Breslau, ...	518,499	„ 7,	.	169	17·0	.	.	1	.	2	1†	19
Munich, ...	597,000	„ 14,	.	195	17·0	1	.	.	.	3	1†	33
Vienna (with suburbs),	2,064,583	„ 7,	660	539	13·6	1	.	1	3	2	2†	56
Buda-Pesth, ...	891,585	Oct. 7,	461	329	19·2	12	.	6	6	.	3†	56
Prague and Faubourgs,	508,310	Sept. 23,	169	169	17·5	3	.	.	2	.	3†	9*a*
Trieste, ...	230,820	„ 30,	128	115	26·0	1	.	.	.	2	1†	14*a*
Rome, ...	602,068	Aug. 19,	230	208	18 0	7	.	3	.	1	1†	60
Venice, ...	184,325	Sept. 2,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	„ 16,	2,709	1,208	12·7	19	.	5	2	11	12†	162*a*
Philadelphia, ...	1,580,250	„ 2,	.	378	12·4	5	.	2	2	1	4†	53*a*
Boston, ...	688,912	Oct. 7,	.	189	14·3	2	.	.	.	.	2	14

* Deaths from "fever," including 13 deaths from enteric fever and 4 from plague in Calcutta, 6 from enteric fever and 18 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 12 deaths from cholera in Calcutta, 3 in Bombay, and one in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending October 28th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	2	.	.	.	2
" " 1, West, ...	.	6	.	.	1	.	1	.	1	.	.	3	12
" " 2, ...	.	1	1	.	.	.	.	1	.	.	.	1	4
" " 3, ...	.	8	.	.	4	.	4	4	2	.	.	1	23
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	1	.	.	.	1
Finglas and Glasnevin (part of), ...	.	3	.	.	.	.	.	.	.	.	.	1	4
South City No. 1, ...	.	3	.	.	1	.	.	1	5	.	.	6	16
" " 2, ...	.	3	.	.	.	.	.	1	.	.	.	1	5
" " 3, ...	.	1	.	.	1	.	.	2	2	.	.	3	9
" " 4, ...	.	1	.	.	2	.	.	2	1	.	.	.	6
New Kilmainham, ...	.	.	.	.	.	.	.	1	2	.	.	.	3
Total, ...	.	26	1	.	9	.	5	12	16	.	.	16	85

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 28th October, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 28th October.			
	Oct. 7.	Oct. 14.	Oct. 21.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	2	5	13	15	4	4	20
Scarlet Fever, ...	131	147	153	42	14	1	180*
Typhus, ...	3	8	12	2	2	1	11
Diphtheria, ...	42	43	41	17	6	1	51
Enteric Fever, ...	145	158	141	17	25	.	133
Pneumonia, ...	11	17	23	8	5	4	22

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 28th October, 1911:—

"The atmosphere over North-western Europe in general, but particularly over the British Isles, was in a very perturbed state throughout this week—large, deep and complex depressions passing in quick succession north-eastwards from the Mid-Atlantic to Lapland. The period opened with such a depression centred over Ireland, St. George's Channel, and Pembrokeshire—at 7 a.m. (G.M.T.) of Sunday the barometer read 28·83 inches at Birr Castle and 28·90 inches at St. Ann's Head, Pembroke. In the course of the day a strong to whole gale from S.W. and W. was felt in the English Channel. In the afternoon distant thunder was heard in Dublin and the wind veered to N.W. with rain. Hardly had this disturbance passed off when another arrived off the W. of Ireland from the Atlantic, spreading later to Scotland. On Tuesday morning a rather deep secondary disturbance appeared off the mouth of the Bristol Channel. This system crossed England, causing very heavy rainfalls over the south of that country (2 inches at Eastbourne and 1·4 inches at Greenwich), and a strong S.W. gale in the Straits of Dover. The same day (Tuesday) was fine and bright in Dublin—at night temperature fell to 38° in this City and to 33° at Birr Castle. Wednesday was fair to showery, and in the evening the barometer fell fast as a new depression swept in from the Atlantic. The centre of this disturbance passed over Dublin on Thursday forenoon, rain falling heavily as the wind shifted from E. through S. and S.W. to N.W. Thunderstorms occurred at Valentia and Newquay and lightning was seen from many places. Friday began with a dense smoke fog and very low temperature owing to an equalisation of pressure in a long trough, with 3 distinct minima, extending from Kerry to Denmark. At this time also a still deeper depression reached the coast of Finmark, the barometer at 8 a.m. being down to 28·60 inches at Bodö. During Friday and Saturday the barometer rose with great rapidity, and the week closed fair, calm and frosty. In Dublin the mean height of the barometer was only 29·337 inches, pressure ranging between 28·870 inches at 11.30 a.m. of Thursday (wind, W.N.W.) and 30·092 inches at 9 p.m. of Saturday (wind, calm). The corrected mean temperature was 46·6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 45·5°. On Sunday the screened thermometers rose to 56·6°, on Saturday they fell to 35·1°, the grass minimum being 30·9°. W. was the dominant wind. The rainfall was 1·170 inches on 6 days, ·817 inch being measured on Thursday. Lightning was seen on Thursday night, and hail fell on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·167 inches. The highest reading (29·884) was on Saturday at 9 p.m., air calm., the lowest (28·727) on Sunday at 9 a.m., air calm.

The mean temperature for the week was 44·4°, being 2·2° below the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Sunday, on which day the thermometer registered 60·0°, and was lowest on Saturday, the mercury having fallen to 25·8°. The mean of the Dry Bulb for the week was 44·2° and of the Wet Bulb, 42·4°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The rainfall during the week measured 1·335 inches.

At Greenwich the mean temperature for the week was 48·5°, the maximum 61·5°, and the minimum 35·1°; at Glasgow the maximum was 56·0°, the minimum 25·2°, and the mean 42·6°; and at Edinburgh the maximum was 54·4°, the minimum 31·2°, and the mean 42·7°. The rainfall at Greenwich measured 1·98 ins.; at Glasgow 0·48 in.; and at Edinburgh 1·55 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.	9 A.M.	9 P.M.
Sunday, October 22,	28·914	60·0	43·1	51·6	50·3	48·6	·88	·8	1·5	·070	Calm.	W.S.W.
Monday, „ 23,	29·325	55·3	46·7	51·0	48·2	45·6	·83	·4	1·2	·040	S.W.	S.W.
Tuesday, „ 24,	29·153	54·4	42·0	48·2	45·7	44·0	·88	·6	4·4	·000	Calm.	Calm.
Wednesday, „ 25,	29·107	51·5	33·6	42·6	44·3	42·8	·89	·5	5·5	·230	Calm.	Calm.
Thursday, „ 26,	28·780	47·6	35·0	41·3	44·0	43·0	·92	·4	0·1	·820	Calm.	S.W.
Friday, „ 27,	29·093	48·9	29·2	39·1	42·7	39·9	·82	·5	0·0	·080	Calm.	E.N.E.
Saturday, „ 28,	29·797	47·6	25·8	36·7	33·9	32·7	·82	·5	6·7	·095	N.N.E.	Calm.
Mean, ...	29·167	52·2	36·5	44·4	44·2	42·4	·86	·5	Total 19·4	Total 1·335	——	

Sunday—Day cloudy, light showers, 10.35-10.45 a.m., and 1-3 p.m.; night cloudy. *Monday*——A dull day, light shower, 9.30 to 10.0 a.m.; night cloudy, heavy shower, 6.30 to 7.15 a.m. *Tuesday*—Day cloudy, fine; night clear. *Wednesday*—Day bright a.m., cloudy p.m.; light rain 3.0 to 3.30 p.m. and 6.0 to 8.0 p.m.; night cloudy; rain 6.30 to 9.0 a.m. *Thursday*—Day overcast, heavy and light rain at intervals from 9.0 a.m. to 9.0 p.m.; night cloudy. *Friday*—Day overcast; light showers a.m. and p.m.; night cloudy, drizzling rain 1.40 a.m. to 3.15 a.m. *Saturday*—A fine bright day; night cloudy; heavy rain 6.0 to 8 30 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, October 28th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, October 22,	53·2	54·4	54·1	60·5	47·7	54·1	1·2	·058
Monday, „ 23,	49·2	53·7	54·1	55·7	42·8	49·3	0·6	·014
Tuesday, „ 24,	50·7	52·6	54·2	55·0	44·8	49·9	4·8	—
Wednesday, „ 25,	45·1	51·4	54·1	52·5	37·9	45·2	4·6	·180
Thursday, „ 26,	46·9	50·7	53·9	49·4	39·4	44·4	—	·701
Friday, „ 27,	40·7	49·0	53·7	50·3	33·6	42·0	—	·127
Saturday, „ 28,	43·2	48·6	53·3	49·5	35·0	42·3	4·8	·075
Weekly Mean, .	47·0	51·5	53·9	53·3	40·2	46·7	Total 16·0	Total 1·155

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31318. Wt. P. 110-81/138. 375. 10. 1911. Sch. C 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 4TH NOVEMBER, 1911. [No. 44.

General Register Office, Charlemont House, Dublin, 6th November, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Oct. 14	Oct. 21	Oct. 28	Nov. 4	Average Rate for 4 weeks.	Towns, &c.	Week ending Oct. 14	Oct. 21	Oct. 28	Nov. 4	Average Rate for 4 weeks.
22 Town Districts, ...	**19·3**	**18·6**	**17·1**	**17·1**	**18·0**	Limerick	16·3	20·4	12·2	17·7	16·7
						Lisburn	17·1	4·3	21·4	17·1	15·0
Armagh	13·7	13·7	20·6	13·7	15·4	Londonderry	15·3	8·9	8·9	19·2	13·1
Ballymena	22·9	9·2	18·3	22·9	18·3	Lurgan	30·1	.	12·9	4·3	11·8
Belfast	15·9	17·0	16·7	15·1	16·2	Newry	17·4	8·7	13·1	.	9·8
Clonmel	30·4	5·1	25·4	5·1	16·5	Newtownards	17·2	11·4	34·3	11·4	18·6
Cork	25·2	26·5	22·5	22·5	24·2	Portadown	8·9	22·2	8·9	8·9	12·2
Drogheda	16·8	16·8	4·2	8·4	11·6	Queenstown	13·2	13·2	6·6	.	8·3
Dublin Reg. Area ...	21·7	20·0	18·0	20·4	20·0	Sligo	23·4	28·0	.	4·7	14·0
Dundalk	7·9	23·8	23·8	15·9	17·9	Tralee	5·3	5·3	37·0	15·9	15·9
Galway	27·5	11·8	19·7	7·9	16·7	Waterford	26·6	26·6	9·5	19·0	20·4
Kilkenny	9·9	44·6	34·7	5·0	23·5	Wexford	36·4	31·9	9·1	31·9	27·3

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·7 in Waterford, the 10 deaths from all causes for that district including one from diphtheria and 2 from diarrhœa. Among the 112 deaths from all causes for Belfast are one from enteric fever, 2 from scarlet fever, and 2 from *enteritis* under 2 years of age. Included in the 33 deaths from all causes for Cork are 2 from measles and 3 from diarrhœal and *enteritis* under 2 years of age.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 193—95 boys and 98 girls—and the deaths to 169—75 males and 94 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·4 per 1,000 of the population. During the forty-four weeks ending with Saturday last the death-rate averaged 21·5, and was 0·8 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 169, represent an annual rate of 21·8 per 1,000; the annual rate for the past forty-four weeks was 22·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·3 per 1,000 of the mean population for all deaths registered.

Included in the total there were 3 deaths from enteric fever, 4 deaths from measles, 2 deaths from scarlet fever, one death from whooping-cough, and 14 deaths of children under 2 years of age from diarrhœa and *enteritis*. There was one death from influenza.

In each of the 3 preceding weeks deaths from enteric fever numbered 4, 4, and one; deaths from measles one, 2, and 5; deaths from scarlet fever one, 4, and one; deaths from whooping-cough one, one, and 5; deaths from diarrhœa and *enteritis* of children under 2 years of age 27, 13, and 13; and deaths from influenza were one, one and 0.

Tuberculosis caused the deaths of 24 persons, namely 19 from pulmonary tuberculosis, and one death from each of the following:—tuberculous meningitis, tuberculous peritonitis, tuberculosis of the vertebral column, tuberculosis of the hip-joint, and disseminated tuberculosis. Deaths from tuberculosis in the 3 preceding weeks were 22, 32 and 24 respectively.

There were 4 deaths from broncho-pneumonia and 2 deaths from *pneumonia* (type not distinguished).

Six deaths were attributed to cancer.

Organic diseases of the heart accounted for 16 deaths, and 25 deaths were caused by bronchitis.

There were 2 deaths of infants from *convulsions*, one death from a congenital defect, 3 deaths from prematurity and 5 from congenital debility.

Of 2 accidental deaths one was by burning, and there was one infanticide.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one child under 2 years of age, and the deaths of 3 persons aged 65 years and upwards.

Forty-seven of the persons whose deaths were registered during the week were under 5 years of age (33 being infants under one year, of whom 8 were under one month old) and 50 were aged 65 years and upwards, including 39 persons aged 70 and upwards; among the latter were 22 aged 75 years and upwards, of whom one (a female) was stated to have been aged 93 years.

Sixty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse and 19 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·4 per 1,000; the rate in the City was 21·4 (North City Districts, 19·4; South, 23·5) and in the Suburbs, 17·2.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 3·2 per 1,000 inhabitants, the rate for the City being 3·2 (3·6 in the North City Districts, and 2·8 in the South), and for the Suburbs, 3·3 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 21·0 per 1,000 Tuberculosis caused 4 deaths, and there were 3 deaths from diarrhœa.

No. 1 *North City District, West* (Summer-hill).—The deaths (17) are equal to an annual rate of 22·2 per 1,000. There was one death from scarlet fever; 4 deaths were from tuberculosis; there was one death from broncho-pneumonia, 2 deaths from bronchitis, and 4 deaths from diarrhœa and *enteritis* of children under 2 years.

No. 2 *North City District* (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 23·8 per 1,000. Pulmonary tuberculosis caused 2 deaths; there were 2 deaths from bronchitis, one from broncho-pneumonia, and one death from diarrhœa of a child under 2 years.

No. 3 *North City District* (Benburb-street).—The deaths (11) represent an annual rate of 17·1 per 1,000, and include one death from enteric fever, one death from pulmonary tuberculosis, one death from bronchitis, and one death by accidental burns.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 13·5; and Finglas and Glasnevin, part of, 6·8. The one death for Finglas and Glasnevin, part of, was from measles.

No. 1 *South City District* (South Earl-street).—The deaths (24) represent an annual rate of 30·2 per 1,000. Measles caused 3 deaths; there were 3 deaths from tuberculosis, one from *pneumonia* (type not distinguished), 4 deaths from bronchitis, one death from *enteritis* of a child under 2 years, and one infanticide.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 24·0 per 1,000, and include one death from disseminated tuberculosis, one death from broncho-pneumonia, and 3 deaths from bronchitis.

No. 3 *South City District* (Peter street).—The deaths (13) are equal to an annual rate of 15·7 per 1,000. Scarlet fever caused one death; there were 4 deaths from tuberculosis, 2 deaths from bronchitis, and one death of a child under 2 years from *enteritis*.

No. 4 *South City District* (Grand Canal Street).—The deaths (18) are equivalent to an annual rate of 26·2 per 1,000. The deaths included one from enteric fever, one from pulmonary tuberculosis, one from broncho-pneumonia, and 4 from bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·3 per 1,000. One of the 3 deaths registered was from whooping-cough.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·3; Pembroke, 19·5; Blackrock, 22·9; and Kingstown, 12·1. The deaths from the principal epidemic diseases tabulated for these districts were one from enteric fever and 2 from diarrhœal diseases for Rathmines and Rathgar, 2 from *enteritis* under 2 years of age for Pembroke, and one from diarrhœa under 2 years of age for Kingstown. Of the 12 deaths from all causes for Rathmines and Rathgar 3 were from bronchitis and one by a fall down stairs. Included in the 11 deaths from all causes for Pembroke are one from influenza, one from pulmonary tuberculosis, and one from *pneumonia* (type not distinguished). Among the 4 deaths from all causes for Blackrock was one from pulmonary tuberculosis and one from bronchitis; and one death from bronchitis was also included among the 4 deaths from all causes for Kingstown.

* See note (*c*), Table II. † See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 4th November, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin,	Oct. 14,	.	—	—	35	4	.	6	.	1	18	8	.	—	—	.	—	14	—	86
	Oct. 21,	.	—	—	29	5	.	10	1	3	28	6	.	—	—	.	—	19	—	101
	Oct. 28,	.	—	—	26	1	.	9	.	5	12	16	.	—	—	.	—	16	—	85
	Nov. 4,	.	—	—	30	.	.	8	.	4	12	13	.	—	—	.	—	14	—	81
Rathmines and Rathgar Urban District.	Oct. 14,	.	—	—	2	.	.	2	.	.	2	.	.	.	—	—	—	—	—	6
	Oct. 21,	.	—	—	5	.	.	.	.	.	.	.	.	.	—	—	—	—	—	5
	Oct. 28,	.	—	—	9	.	.	4	.	.	6	1	.	.	—	—	—	—	—	20
	Nov. 4,	.	—	—	2	.	.	8	.	.	.	1	.	1	—	—	—	—	—	12
Pembroke Urban District.	Oct. 14,	.	1	.	2	.	.	.	.	.	.	.	.	.	2	.	—	.	—	5
	Oct. 21,	.	.	.	5	.	.	.	.	.	3	.	.	.	.	.	—	.	—	8
	Oct. 28,	.	2	.	6	.	.	1	.	.	1	.	.	.	.	.	—	.	—	10
	Nov. 4,	.	2	.	.	.	.	1	.	.	1	1	.	.	.	.	—	.	—	5
Blackrock Urban District.	Oct. 14,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	.	—	—	—	3
	Oct. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Oct. 28,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Nov. 4,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Oct. 14,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	.	—	2
	Oct. 21,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	1	—	2
	Oct. 28,	.	—	—	1	.	.	.	.	.	1	1	.	—	—	—	—	1	—	4
	Nov. 4,	.	—	—	.	.	.	.	.	.	1	2	.	—	—	—	—	.	—	3
City of Belfast.	Oct. 14,	.	—	—	34	.	.	5	1	.	6	10	.	—	—	.	—	7	—	63
	Oct. 21,	.	—	—	44	4	.	7	.	2	3	8	.	—	—	.	—	7	—	75
	Oct. 28,	.	—	—	30	.	.	6	.	2	6	7	.	—	—	.	—	7	—	58
	Nov. 4,	.	—	—	35	.	.	7	.	.	5	9	.	—	—	.	—	14	—	70

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 4th November, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Eighteen cases of measles were admitted to hospital during the week, 4 were discharged, there were 2 deaths, and 32 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 5, 13, and 20, respectively.

Twenty-four cases of scarlet fever were admitted to hospital, 25 were discharged, there were 2 deaths, and 177* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 147, 153, and 180, respectively.

Three cases of typhus were discharged from hospital during the week, and 8 cases remained under treatment at its close.

Nineteen cases of diphtheria were admitted to hospital during the week, 10 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 43, 41, and 51, respectively, were 59 at the close of last week.

Fourteen cases of enteric fever were admitted to hospital during the week, 20 were discharged, there were 3 deaths, and 124 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 158, 141, and 133.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 6 were discharged, and 20 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London, in which the rate was 13·1) was equal to an average annual death-rate of 13·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·4 per 1,000, the rate for Glasgow being 18·3 and for Edinburgh 13·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 4th November. From this Report it appears that of a total of 62 cases notified, 25 were scarlet fever, 17 phthisis, 15 diphtheria, and 5 erysipelas. Among the 358 cases of infectious diseases in hospital at the close of the week were 173 cases of scarlet fever, 62 of diphtheria, 60 of phthisis, 25 of whooping-cough, 12 of measles, 7 of enteric fever, 5 of erysipelas, and 4 of chicken-pox.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 4th November, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 4th November, 1911. Annual Rate per 1,000 Persons Represented by: Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
Total of 22 Town Districts, ...	1,149,495	20·2	26·6	17·1	1·8	586	378	69	101	4	...	...	6	4	1	1	...	45	16	13	27	52	10	3	11	7	10	122	25
Dublin Registration Area:—Total, (c.) ...	403,732	29·3	24·9	20·4	3·2	193	158	32	47	3	...	...	4	2	1	...	...	17	5	4	6	26	5	2	8	3	3	58	6
City of Dublin,	309,738	39·2	27·4	21·4	3·2	163	127	28	31	2	...	...	4	2	1	...	...	15	5	3	5	19	4	1	5	2	2	50	5
Urban Districts. Rathmines and Rathgar.	38,330	22·4	13·6	16·3	4·1	10	12	1	8	1	...	...	...	...	...	...	...	...	...	...	...	3	...	1	1	1	1	1	1
Pembroke, ...	29,347	18·5	10·7	19·5	3·6	6	11	2	3	...	...	...	...	...	...	...	...	1	...	1	1	2	...	...	2	...	...	5	...
Blackrock, ...	9,090	8·4	22·9	22·9	.	4	4	...	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	2	...
Kingstown, ...	17,227	11·8	30·3	12·1	3·0	10	4	1	3	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...
Belfast ...	386,449	26·3	27·8	15·1	0·7	206	112	20	27	1	...	...	...	2	...	...	...	15	4	5	13	17	...	...	2	1	2	38	2
Cork, ...	76,632	33·8	27·2	22·5	3·4	40	33	7	6	...	...	...	2	...	...	...	...	5	2	1	2	1	2	...	1	...	...	1	6
Londonderry ...	40,799	18·9	24·3	19·2	.	19	15	1	1	...	...	...	...	...	...	...	...	3	...	...	1	4	...	...	...	...	...	2	...
Limerick, ...	38,403	18·2	58·4	17·7	.	43	13	2	4	...	...	...	...	...	...	...	...	1	...	1	3	...	...	...	...	...	2	3	4
Waterford, ...	27,430	19·1	32·3	19·0	5·7	17	10	3	3	...	...	...	...	...	...	1	...	...	1	...	...	1	1	1	...	1	...	4	1
Galway, ...	13,249	2·5	23·6	7·9	.	6	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
Dundalk, ...	13,128	9·5	31·8	15·9	.	8	4	...	3	...	...	...	...	...	...	...	...	1	1	...	...	..	...	...	...	...	...	...	...
Drogheda, ...	12,425	8·4	16·8	8·4	.	4	2	...	1	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	1	...	1
Newry, ...	11,956	17·2	17·4	.	.	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Lurgan, ...	12,135	14·3	21·5	4·3	.	5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Lisburn, ...	12,172	10·7	25·7	17·1	4·3	6	4	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	1	1	...
Wexford, ...	11,455	23·8	9·1	31·9	.	2	7	1	3	...	...	...	...	...	...	...	...	...	...	1	1	2	...	...	...	1	1	1	2
Ballymena, ...	11,376	9·3	22·9	22·9	.	5	5	1	...	...	...	...	...	...	...	...	...	1	1	..	...	...	...	...	...	...	...	1	1
Sligo, ...	11,163	3·8	23·4	4·7	.	5	1	...	1	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kilkenny, ...	10,513	11·4	9·9	5·0	5·0	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
Clonmel, ...	10,277	7·9	20·3	5·1	.	4	1	...	...	...	...	...	...	...	...	...	...	...	1	..	...	...	...	...	...	...	...	...	...
Portadown, ...	11,727	15·3	35·6	8·9	.	8	2	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
Tralee, ...	9,867	16·6	15·9	15·9	.	3	3	...	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	2	...
Newtownards,	9,110	18·9	5·7	11·4	.	1	2	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...
Queenstown, ...	7,909	14·4	26·4	.	.	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Armagh, ...	7,588	22·2	6·9	13·7	.	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	1

Towns and Districts.	Meteorology. (d) Week ending 4th November, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 28th October, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 21st October, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
Total of 22 Town Districts, ...	°	°	°		°	°	°		°	°	°	
Dublin Registration Area:—Total, (c.) ...	e58·5	25·0	46·3	1·13	e60·0	25·8	44·4	1·34	e69·8	50·0	57·4	1·04
City of Dublin,	f58·8 g58·8	33·2 27·2	48·0 47·2	0·99 1·09	f56·6 g57·2	35·1 29·0	46·6 45·2	1·17 1·54	f61·4 g63·2	52·0 51·0	56·0 56·8	1·43 1·34
Urban Districts. Rathmines and Rathgar.	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	60	34	49·4	0·69	56	36	47·8	1·53	64	50	56·1	1·82
Belfast ...	56·0	31·0	43·2	1·66	57·0	33·0	45·6	1·58	60·5	48·0	54·4	0·99
Cork, ...	57	38	49·7	1·05	58	38	48·8	1·43	59	52	55·4	1·45
Londonderry ...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	57·7	31·7	47·3	1·75	57·5	29·7	45·5	1·37	63·4	49·2	55·9	0·81
Waterford, ...	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	56	35	46	2·46	60	34	49	0·96	67	50	57	0·47
Dundalk, ...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	56·0	33·3	45·4	1·65	54·3	27·7	44·5	0·56	63·3	49·1	54·8	0·96
Lurgan, ...	56·0	33·3	45·4	1·65	54·3	27·7	44·5	0·56	63·3	49·1	54·8	0·96
Lisburn, ...	56·0	33·3	45·4	1·65	54·3	27·7	44·5	0·56	63·3	49·1	54·8	0·96
Wexford, ...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena, ...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	57·6	32·8	45·7	2·63	57·5	25·9	44·1	0·94	64·9	47·3	55·3	1·07
Kilkenny, ...	58	28	47·7	1·44	55	28	44·2	0·89	62	49	55	1·33
Clonmel, ...	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	56·0	33·3	45·4	1·65	54·3	27·7	44·5	0·56	63·3	49·1	54·8	0·96
Tralee, ...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	57	36	46·2	1·84	55	39	46·9	0·42	59	52	54·8	1·45
Queenstown, ...	57	38	49·7	1·05	58	38	48·8	1·43	59	52	55·4	1·45
Armagh, ...	56·0	33·3	45·4	1·65	54·3	27·7	44·5	0·56	63·3	49·1	54·8	0·96

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 11 deaths of persons (including one under one year old and 3 at 65 years or upwards) admitted to hospital from localities outside the Area; of the 11 deaths one was from diarrhœa under 2 years of age. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 4th of November, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	1	.	1	.	.	.	3	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	.	4	.
Scarlet Fever,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	3	3	2	1	.	.	.	2	.	3	1	.	.	1	1	.	17	2
Tuberculous Disease. { Other Forms,	1	1	.	.	.	.	.	1	1	1	.	.	.	.	.	.	5	.
Cancer,	.	1	1	.	.	1	.	.	.	.	.	.	.	1	.	.	4	2
Diseases of Nervous System,	.	1	.	1	.	1	.	4	2	.	2	1	1	2	2	1	18	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	.	2	2	1	.	.	3	1	.	2	.	3	.	.	1	16	2
" Respiratory System. { Pneumonia,	.	1	1	.	.	.	.	1	1	.	1	.	.	1	.	.	6	.
" Respiratory System. { Others,	1	2	2	1	.	.	.	4	3	2	4	.	3	2	1	1	26	1
" Digestive System. { Diarrhœa, under 2 years,	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	5	1
" Digestive System. { Diarrhœa, 2 years and upwards,	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
" Digestive System. { *Enteritis*, under 2 years,	.	3	.	.	.	.	.	1	.	1	.	.	1	2	.	.	8	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
" Digestive System. { Others,	1	.	.	2	.	.	.	.	1	2	1	.	.	.	.	.	7	2
" Genito-urinary System,	.	.	1	1	.	.	.	.	1	.	.	.	.	1	.	.	4	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	2	2	.	.	1	.	4	.	1	5	1	1	.	.	.	19	.
Violent Deaths,	.	.	.	1	.	.	.	1	.	.	.	.	1	.	.	.	3	.
Ill-defined, &c. Causes,	.	1	1	1	.	.	.	.	.	1	.	.	.	.	.	.	4	.
Deaths from All Causes	12	17	14	11	1	3	1	24	10	13	18	3	12	11	4	4	158	11
Annual Rate of Mortality from All Causes in every 1,000 of the population.	21·0	22·2	23·8	17·1	9·7	13·5	6·8	30·2	24·0	15·7	26·2	17·3	16·3	19·5	22·9	12·1	20·4	.
	19·4							23·5					17·2					
	21·4																	
Ages at Death. { Under 1 year,	4	4	3	1	.	1	.	6	.	2	4	3	1	2	.	1	32	1
Ages at Death. { 1 and under 2 years,	.	2	1	.	.	.	1	1	2	1	1	.	.	.	1	.	10	.
Ages at Death. { 2 " 5 "	.	1	1	.	.	.	.	1	.	1	.	.	.	.	.	.	4	.
Ages at Death. { 5 " 15 "	.	.	.	2	.	.	.	1	.	1	.	.	.	.	.	.	4	.
Ages at Death. { 15 " 25 "	.	.	.	1	.	.	.	.	.	.	1	.	.	2	.	.	4	2
Ages at Death. { 25 " 45 "	2	4	2	1	.	1	.	5	1	2	1	.	.	1	1	.	21	3
Ages at Death. { 45 " 65 "	3	3	3	3	.	.	.	5	4	4	5	.	3	3	.	.	36	2
Ages at Death. { 65 and upwards,	3	3	4	3	1	1	.	5	3	2	6	.	8	3	2	3	47	3
Number of Uncertified Deaths,	2	.	1	.	.	.	1	.	.	1	.	.	1	.	.	.	6	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	3	.	6	.	1	.	8	1	1	4	.	1	2	2	.	30	11
Workhouse Hospitals,	3	.	4	.	.	2	.	5	4	2	5	.	.	3	.	.	28	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 44th Week of the 10 years 1901–1910.	In the Week ending Saturday, 4th November, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Nov. 2, 1901.	Nov. 1, 1902.	Nov. 7, 1903.	Nov. 5, 1904	Nov. 4, 1905.	Nov. 3, 1906.	Nov. 2, 1907.	Oct. 31, 1908.	Nov. 6, 1909.	Nov. 5, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 51·0	° 50·1	° 43·9	° 49·0	° 42·7	° 40·6	° 49·0	° 48·5	° 45·0	° 43·1	° 46·3	° 46·3										
ALL CAUSES.	168	183	166	162	195	204	169	171	145	147	171·0	169	8	25	10	4	4	6	24	38	28	22
Enteric Fever, ...	5	2	1	.	2	1	2	3	1	1	1·8	3	.	.	.	.	.	1	1	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	16	.	6	.	2	1	2	.	1	2·8	4	.	1	2	1	.	.	.	.	.	.
Scarlet Fever, ...	1	3	.	1	.	.	1	.	.	3	·9	2	.	.	.	1	1	.	.	.	.	.
Whooping-cough, ...	4	1	.	1	.	3	.	1	1	1	1·2	1	.	1	.	.	.	.	.	.	.	.
Diphtheria, ...	1	1	.	1	.	1	1	.	.	1	·6	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	2	1	1	2	2	.	1	4	1·4	1	.	.	.	.	.	.	.	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	.	.	1	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	.	1	.	1	.	.	1	2	·6	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	11	21	26	20	24	21	16	26	19	18	20·2	19	.	1	2	.	.	2	10	4	.	.
Tuberculous Meningitis, ...	1	4	1	3	4	3	4	2	3	5	3·0	1	.	.	.	.	1	.	.	.	.	.
Abdominal Tuberculosis, ...	5	.	2	2	.	3	2	1	.	1	1·6	1	.	1	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.												1	.	.	.	.	.	.	1	.	.	.
Tuberculosis of Joints, ...	2	8	7	7	5	11	6	7	4	5	6·2	1	.	.	.	.	.	.	.	1	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												1	.	.	1	.	.	.	.	.	.	.
Venereal Diseases, ...	1	1	.	.	1	1	3	.	.	2	·9	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	7	7	8	6	7	10	9	14	10	7	8·5	6	.	.	.	.	.	.	2	2	1	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	1	1	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	1	.	.	.	.	.	1	.	1
Alcoholism, ...	.	1	.	2	.	1	1	.	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												7	.	.	.	.	.	.	1	1	4	1
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												4	.	.	.	.	.	.	.	3	1	.
Epilepsy, ...												1	.	.	.	.	.	.	1	.	.	.
Convulsions (non-puerperal),												2	1	1	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	41	38	43	35	41	47	42	40	31	22	38·0	4	.	.	.	.	.	.	1	1	2	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,												16	.	.	.	.	.	.	2	6	4	4
Embolism and Thrombosis (including Cerebral)												1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Circulatory System.												1	.	.	.	.	.	.	1	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	18	23	23	17	37	32	18	12	13	15	20·8	25	.	1	1	.	.	.	2	8	8	5
Broncho-pneumonia, ...	8	5	2	9	6	4	6	3	2	5	10·9	4	.	2	2	.	.	.	.	.	.	.
Lobar-pneumonia, ...		.	.	1	3	.	1	.	.	1		.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)		7	9	2	9	6	3	4	6	7		2	.	.	.	.	.	.	.	1	.	1
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	3	2	2	2	5	1	1	3	2	3	2·4	1	.	.	.	.	.	.	.	.	.	1
Other Diseases of Respiratory System.												1	.	.	.	.	.	.	.	1	.	.

FORTY-FOURTH WEEK ending Saturday, 4th November, 1911, with, as far as practicable, the deaths from each cause in 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 44th Week of the 10 years 1901–1910.	In the Week ending Saturday, 4th November, 1911.										
													Deaths of Persons of the Ages of									
	Nov. 2, 1901.	Nov. 1, 1902.	Nov. 7, 1903.	Nov. 5, 1904.	Nov. 4, 1905.	Nov. 3, 1906.	Nov. 2, 1907.	Oct. 31, 1908.	Nov. 6, 1909.	Nov. 5, 1910.		Mean Temp.	0—5. Under 1 month.	0—5. 1 month and under a year.	0—5. 1—2.	0—5. 2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 51·0	° 50·1	° 43·9	° 49·0	° 42·7	° 40·6	° 49·0	° 48·5	° 45·0	° 43·1	° 46·3	° 46·3										
Diseases of the Pharynx, Tonsillitis.	3	.	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Diarrhœa of Children under 2 years.	9	3	1	5	4	7	6	5	2	5	4·7	6	2	4	.	.	.	.	.	.	.	.
„ 2 years and upwards,												2	.	.	.	.	.	.	.	1	1	.
Enteritis of Children under 2 years.	.	1	2	1	4	4	2	8	8	7	3·7	8	.	6	2	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												1	.	.	.	1	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	1	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	4	.	1	.	.	1	.	.	2	.	.
Cirrhosis of Liver, ...	1	.	3	1	.	2	1	2	.	.	2·6	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Liver, ...		1	2	4	3	2	1	1	1	1		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	1	.	1	.	1	.	.	.	.	2	·5	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Digestive System.	3	4	2	4	7	6	6	4	3	6	4·5	1	.	.	.	.	.	1	.	.	.	.
Acute Nephritis, ...												1	.	.	.	1	.	.	.	.	.	.
Chronic Bright's Disease, ...												4	.	.	.	.	.	1	1	.	2	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	8	5	7	4	7	7	9	7	7	6	6·7	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	1	.	1
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	5	3	5	4	6	6	7	5	2	4	4·7	3	2	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	5	1	4	.	.	.	.	.	.	.	.
Old Age, ...	8	3	5	5	2	4	4	2	7	3	4·3	6	.	.	.	.	.	.	.	.	2	4
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	.	1	1	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	2	.	1	1	.	1	.	2	2	.	·9	1	.	.	.	.	1	.	.	.	.	.
By Drowning, ...	2	.	.	.	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	1	.	.	2	.	1	2	.	.	·7	1	.	.	.	.	.	.	.	.	1	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
Suicide, ...	2	.	.	2	.	.	.	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	4	.	.	.	.	.	.	.	.	1	3

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.
No. of weeks in Annual Series,	19	29	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
BIRTHS registered.	242	226	246	261	228	232	185	324	190	190	294	233	198	210	233	218	198	212	201	182	265	204	217	195	177	193
Average Births in corresponding week of previous 10 years, ...	231	210	204	238	226	207	224	237	205	204	208	221	217	208	217	216	207	235	209	212	247	197	185	212	205	212
DEATHS registered, ...	170	129	158	150	149	159	127	155	120	172	162	186	153	169	199	162	210	219	189	183	161	179	183	165	147	169
Annual Death-rate per 1,000, ...	21·8	16·5	20·2	19·2	19·2	20·5	16·4	20·0	15·5	22·2	20·9	24·0	19·8	21·8	25·7	20·9	27·1	28·3	24·4	23·6	20·8	23·1	23·6	21·3	19·0	21·8
Average Deaths in corresponding week of previous 10 years, ...	178	171	169	154	151	149	148	134	140	141	144	147	145	146	154	162	153	156	152	167	160	156	153	161	156	171
Ages, Under 5 years, ...	48	40	37	43	34	42	44	56	43	41	51	88	73	72	94	80	94	93	82	77	69	68	66	50	55	47
5—15 " ...	7	6	14	10	8	4	9	10	4	13	6	5	6	8	5	8	5	8	4	6	8	5	7	8	5	4
15—25 " ...	8	9	11	9	9	13	2	7	7	11	10	6	6	4	7	7	12	7	7	7	6	12	11	11	10	6
25—45 " ...	35	21	21	29	26	32	18	20	19	31	26	21	22	19	31	19	23	26	30	26	22	33	33	30	28	24
45—65 " ...	38	36	39	29	33	31	34	28	20	33	37	29	21	40	37	28	38	37	35	33	29	39	39	35	32	38
65—75 " ...	19	10	24	17	26	18	13	16	15	24	18	24	15	14	11	9	21	28	17	22	11	11	16	17	8	28
75 and upwards, ...	15	7	12	13	13	19	7	18	12	19	14	13	10	12	14	11	17	20	14	12	16	11	11	14	9	22
Deaths from :—																										
Enteric Fever, ...	1	1	1	1	.	.	1	.	1	3	2	1	2	2	2	1	2	.	2	3	6	2	4	4	1	3
Typhus, ...	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	17	4	6	3	4	2	8	7	4	7	3	7	5	2	.	1	1	.	1	.	.	.	1	2	5	4
Scarlet Fever, ...	1	.	2	2	2	.	.	.	1	3	.	2	1	3	.	1	.	1	1	3	1	1	1	4	1	2
Whooping-cough, ...	2	4	1	4	1	3	2	2	.	1	4	3	4	1	3	6	7	4	3	3	1	.	1	1	5	1
Diphtheria, ...	3	1	.	1	4	1	4	2	2	3	2	1	.	.	1	5	1	2	3	.	.	.	4	.	1	.
Influenza, ...	2	1	2	.	.	1	.	1	1	1	2	1	.	1	.	.	1	2	.	.	.	1	1	1	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	17	25	22	22	25	23	7	21	7	20	17	17	16	13	19	15	22	22	19	12	14	18	16	28	18	19
Tuberculous Disease, Other Forms,	6	6	9	9	8	7	11	6	7	12	10	15	9	5	9	4	10	12	7	2	5	12	6	4	6	5
Cancer, ...	5	6	11	9	12	10	7	8	12	4	10	6	5	11	7	6	10	10	10	9	8	6	12	9	9	6
Diseases of Circulatory System,	23	7	19	12	12	23	14	22	16	22	20	15	10	13	13	8	13	15	16	16	17	16	14	20	10	18
Diseases of Respiratory System, Pneumonia,	15	12	6	10	8	9	8	9	9	10	8	12	1	8	3	6	12	5	10	4	4	14	9	8	8	6
Diseases of Respiratory System, Others, ...	20	15	14	15	16	17	9	17	6	11	10	13	3	8	13	7	5	14	12	12	10	17	14	15	9	27
Diarrhœa, Under 2 years, ...	1	2	1	6	.	3	3	.	1	3	9	27	20	29	37	25	38	31	37	32	19	17	20	5	8	6
Diarrhœa, 2 years & upwards,	.	.	1	.	.	.	.	.	.	.	.	5	1	6	7	10	7	4	1	3	1	1	2	.	.	2
Enteritis, under 2 years, ...	.	1	1	4	1	1	1	3	3	2	2	7	9	12	12	13	14	14	9	12	9	15	7	8	5	8
Violent Deaths, ...	.	1	5	2	3	6	5	2	6	7	2	5	2	2	8	5	3	4	2	7	7	2	5	4	7	3
Number of Uncertified Deaths,	3	1	5	4	3	4	.	5	9	5	2	3	3	7	7	7	7	5	6	5	5	1	7	3	8	6
Mean Temperature of the Air (Phœnix Park)	52·6	49·5	55·3	56·2	55·6	52·6	56·2	55·5	59·6	60·9	62·9	62·7	62·5	60·8	61·2	59·7	59·1	57·5	52·9	52·2	50·8	48·6	48·3	57·4	44·4	46·3
Average Mean Temperature in corresponding week of previous 10 years, ...	48·1	49·1	50·9	53·7	53·5	53·6	55·5	56·5	57·5	58·5	59·8	58·2	58·6	58·5	57·5	56·5	56·3	54·5	52·8	53·2*	53·7	52·4	50·4	48·7	46·6	46·3
Rainfall in inches, ...	·127	·262	·010	·000	·000	·605	·782	·166	·018	·000	·316	1·860	·430	·170	·010	·338	·405	·020	·320	·248	·680	·208	·325	1·035	1·335	1·130
Mean Humidity of the Air, complete Saturation 1·0, ...	·94	·92	·89	·89	·88	·86	·91	·91	·92	·84	·92	·92	·92	·82	·82	·82	·78	·85	·83	·81	·83	·83	·89	·88	·86	·84

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 4th November, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 4TH NOVEMBER, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	169	47	4	6	24	38	28	22	3	.	.	4	2	1	.	.	19	5	6	2	6	27	6	2	8	3	75	6
	CLASSES.																														
	Deaths in Families of the—																														
I	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	15·0	5	.	.	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	87,188	17·3	29	5	.	3	3	8	4	6	2	.	.	1	1	.	.	.	3	2	1	.	.	4	.	1	1	.	13	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	15·6	33	11	.	.	7	5	7	3	.	.	.	.	.	1	.	.	4	1	3	1	1	1	1	1	2	1	16	4
IV.	GENERAL SERVICE CLASS, ...	154,279	25·0	74	25	4	1	11	17	9	7	1	.	.	3	1	.	.	.	7	1	1	.	4	16	4	.	4	2	30	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	28	6	.	2	3	8	6	3	.	.	.	.	.	.	.	.	5	1	.	1	.	5	1	.	1	.	14	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	13·4	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	18·7	3	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	18·9	8	2	.	1	1	2	1	1	2	.	.	.	1	.	.	.	.	.	1	.	.	1	.	.	1	.	2	.
	6. Clerks and Commercial Assistants, ...	30,432	12·0	7	2	.	1	1	3	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	1	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	23·2	12	1	.	1	1	1	3	5	.	.	.	1	.	.	.	.	.	1	.	.	.	2	.	1	.	.	7	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	17·5	10	4	.	.	1	2	2	1	.	.	.	.	.	.	.	.	3	.	1	.	1	.	1	.	.	.	4	1
	10. Clothing Trades, ...	23,260	2·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	11. Food Supply Trades	9,242	5·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	29·2	17	6	.	.	5	2	3	1	.	.	.	.	.	1	.	.	.	1	2	1	.	.	.	1	2	.	9	3
	13. Petty Shopkeepers	7,894	13·2	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	19·4	5	2	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2	.
	15. Domestic Servants, ...	36,603	8·5	6	1	.	.	2	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	29·0	8	2	.	.	1	2	2	1	.	.	.	.	.	.	.	.	1	.	.	.	1	3	.	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	31·9	55	20	4	1	8	12	5	5	1	.	.	3	1	.	.	.	5	1	1	.	3	11	1	.	4	2	22	1
	INMATES OF WORKHOUSES.																														
V.	18. Workhouse Inmates, ...	6,024	—	28	6	.	2	3	8	6	3	.	.	.	.	.	.	.	.	5	1	.	1	.	5	1	.	1	.	14	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 29,854.	Sept. 16,	34·9	15·7	20	.	.	.	1	.	1	.	.	3	1	1	1	.	4	.	3	.	.
	„ 23,	33·2	10·5	19	.	.	.	.	1	1	.	.	2	.	1	1	1	4	.	.	.	.
	„ 30,	24·5	7·0	14	.	.	.	.	.	1	.	.	.	.	.	1	1	1	.	2	1	.
	Oct. 7,	15·7	5·2	9	1	.	.	.	.	.	.	.	3	.	.	.	1	.	.	2	.	.
	„ 14,	22·7	7·0	13	2	.	.	.	.	.	.	.	2	.	1	.	.	2	.	.	1	.
	„ 21,	15·7	1·7	9	.	.	.	.	.	.	.	.	4	.	.	.	1	.	.	1	1	.
	„ 28,	33·2	7·0	19	.	.	.	.	.	1	.	.	2	.	2	3	1	3	.	.	1	3
	Nov. 4,	21·0	5·2	12	.	.	.	.	.	.	.	.	3	1	.	.	1	2	1	.	.	2
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 39,902.	Sept. 16,	31·4	10·5	24	.	.	.	.	.	2	.	.	.	.	.	2	4	6	.	.	2	1
	„ 23,	22·2	13·1	17	.	.	.	.	1	1	.	.	.	.	.	.	.	5	.	3	.	1
	„ 30,	32·7	7·8	25	1	.	.	.	.	.	.	.	3	1	1	1	.	4	.	1	1	.
	Oct. 7,	30·1	7·8	23	.	.	.	.	.	.	.	.	2	.	1	2	2	4	.	2	.	.
	„ 14,	28·7	10·5	22	.	.	.	.	.	1	.	.	2	1	.	3	1	5	1	1	.	1
	„ 21,	18·3	2·6	14	1	.	.	.	.	.	.	.	4	.	1	.	2	1	.	.	.	.
	„ 28,	22·2	1·3	17	.	.	.	.	.	.	.	.	1	.	2	1	1	1	.	.	.	.
	Nov. 4,	22·2	6·5	17	.	.	.	.	1	.	.	.	3	1	1	1	2	1	.	3	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 30,689.	Sept. 16,	35·7	8·5	21	.	.	.	.	.	.	1	.	3	4	.	.	2	4	.	.	.	2
	„ 23,	30·6	13·6	18	.	.	.	.	1	.	.	.	.	.	3	.	1	6	.	1	.	.
	„ 30,	27·2	6·8	16	1	.	.	.	.	.	.	.	.	2	1	.	2	2	1	.	.	.
	Oct. 7,	25·5	6·8	15	1	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	.
	„ 14,	30·6	5·1	18	.	.	.	.	1	.	2	.	.	2	.	1	2	.	.	.	.	.
	„ 21,	20·4	.	12	.	.	.	.	.	.	.	.	1	.	1	2	2	.	.	.	.	.
	„ 28,	17·0	3·4	10	.	.	.	.	.	.	.	.	2	1	.	.	.	2	.	.	.	.
	Nov. 4,	23·8	1·7	14	.	.	.	.	.	.	.	.	2	.	1	1	2	1	.	.	.	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,498.	Sept. 16,	26·5	6 2	17	.	.	.	.	.	.	.	.	3	.	2	.	.	3	.	1	.	1
	„ 23,	17·1	1·6	11	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.	.	2
	„ 30,	20·2	1·6	13	.	.	.	.	.	.	.	.	2	.	.	.	3	1	.	.	.	.
	Oct. 7,	28·0	.	18	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.
	„ 14,	9·3	.	6	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1
	„ 21,	9·3	3·1	6	1	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.
	„ 28,	20·2	.	13	.	.	.	.	.	.	.	.	1	1	2	2	.	.	.	.	.	2
	Nov. 4,	17·1	1·6	11	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,401.	Sept. 16,	23·9	7·6	19	1	.	.	.	.	.	2	.	5	.	1	.	.	1	.	2	.	.
	„ 23,	31·5	2·5	25	.	.	.	.	.	.	.	.	1	.	2	1	1	.	1	1	.	.
	„ 30,	25·2	10·1	20	1	.	.	.	.	.	.	.	2	1	1	.	1	4	.	3	.	.
	Oct. 7,	26·4	6·3	21	.	.	.	.	1	.	.	.	1	1	.	3	4	2	.	2	.	.
	„ 14,	18·9	10·1	15	.	.	.	1	.	.	1	.	.	.	1	.	4	3	.	3	.	.
	„ 21,	37·8	7·6	30	.	1	.	2	.	.	.	.	7	2	.	.	2	1	.	2	1	1
	„ 28,	29·0	10·1	23	.	1	.	5	.	1	.	.	2	2	1	.	2	.	.	1	.	.
	Nov. 4,	30·2	5·0	24	.	.	.	3	.	.	.	.	2	1	.	1	4	.	.	1	1	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,715.	Sept. 16,	19·2	4·8	8	.	.	.	.	.	.	.	.	.	1	1	1	1	1	.	1	.	.
	„ 23,	16·8	4·8	7	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.
	„ 30,	21·6	.	9	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	1
	Oct. 7,	19·2	9·6	8	.	.	.	.	.	.	.	.	1	1	.	.	1	3	.	1	1	.
	„ 14,	9·6	.	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
	„ 21,	24·0	4·8	10	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	1	.	.
	„ 28,	14·4	2·4	6	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.
	Nov. 4,	24·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,149.	Sept. 16,	19·3	7·3	16	.	.	.	.	.	.	.	.	1	1	.	.	.	5	.	1	.	.
	„ 23,	29·0	7·3	24	1	.	.	.	.	.	.	.	3	.	.	1	3	5	.	.	2	.
	„ 30,	24·2	9·7	20	1	.	.	.	1	.	.	.	3	1	.	.	2	5	.	1	2	1
	Oct. 7,	32·6	6·0	27	.	.	.	.	.	.	.	.	9	2	1	2	3	1	.	4	.	.
	„ 14,	30·2	3·6	25	.	.	.	.	.	.	.	.	5	2	.	2	2	2	.	1	1	.
	„ 21,	25·4	4·8	21	.	.	.	.	2	.	.	.	4	1	.	2	4	1	.	1	.	1
	„ 28,	23·0	6·0	19	1	.	.	.	.	1	.	.	2	.	.	.	.	1	.	2	2	2
	Nov. 4,	15·7	2·4	13	.	.	.	.	1	.	.	.	3	1	.	.	2	.	.	1	.	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 35,816.	Sept. 16,	24·7	7·3	17	.	.	.	.	.	.	.	.	.	.	1	4	2	5	.	.	.	1
	„ 23,	26·2	8·7	18	1	.	.	.	.	1	.	.	2	.	1	.	.	3	.	1	1	1
	„ 30,	14·6	2·9	10	2	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	1
	Oct. 7,	20·4	5·8	14	.	.	.	.	.	.	.	.	.	2	.	2	1	3	.	1	1	.
	„ 14,	32·0	10·2	22	2	.	.	.	.	.	.	.	.	.	3	1	1	4	1	.	.	2
	„ 21,	17·5	2·9	12	1	.	.	.	.	.	.	.	3	.	.	1	1	1	.	.	.	.
	„ 28,	13·1	.	9	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.	.	2	.
	Nov. 4,	26·2	1·5	18	1	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	.	.

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

Districts.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	Sept. 16,	13·6	2·7	10	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.
	„ 23,	17·7	8·2	13	1	.	.	.	.	.	.	.	.	.	2	.	1	3	.	2	.	.
	„ 30,	10·9	1·4	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	Oct. 7,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 14,	13·6	2·7	10	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.	1	.	2
	„ 21,	19·0	1·4	14	.	.	.	.	.	1	.	.	1	1	2	3	.	.	.	.	.	.
	„ 28,	5·4	1·4	4	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.
	Nov. 4,	16·3	4·1	12	1	.	.	.	.	.	.	.	.	.	.	.	3	.	1	1	1	1
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	Sept. 16,	17·8	5·3	10	.	.	.	.	.	.	.	.	2	.	.	1	.	3	.	.	.	.
	„ 23,	14·2	7·1	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	1
	„ 30,	7·1	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.
	Oct. 7,	17·8	7·1	10	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	2	.	.
	„ 14,	16·0	1·8	9	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	1
	„ 21,	12·4	5·3	7	1	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	.
	„ 28,	8·9	3·6	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	Nov. 4,	19·5	3·6	11	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	2	.	.
Kingstown Urban District. Pop. in 1911 17,227.	Sept. 16,	18·2	9·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.
	„ 23,	15·1	3·0	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	„ 30,	18·2	6·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	Oct. 7,	6·1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 14,	12·1	3·0	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 21,	21·2	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	„ 28,	9·1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	Nov. 4,	12·1	3·0	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Belfast. Pop. in 1911 (Est.) 386,449.	Sept. 16,	16·5	5·3	122	.	.	.	.	1	2	.	1	10	5	6	3	6	20	4	11	2	.
	„ 23,	20·2	6·7	150	.	.	.	.	.	2	.	.	8	8	8	6	9	27	1	20	1	1
	„ 30,	16·9	4·0	125	.	.	.	.	2	1	1	.	8	5	6	8	4	15	2	9	2	1
	Oct. 7,	17·3	3·0	128	2	.	.	.	1	1	.	.	13	10	6	7	10	10	2	6	2	.
	„ 14,	15·9	2·3	118	.	.	.	.	1	2	1	.	11	5	6	7	7	5	.	8	3	4
	„ 21,	17·0	1·3	126	.	.	.	.	.	1	.	.	19	4	5	10	13	2	.	7	3	1
	„ 28,	16·7	1·3	124	.	.	.	.	1	3	.	.	16	3	3	6	17	2	1	3	6	.
	Nov. 4,	15·1	0·7	112	1	.	.	.	2	.	.	.	15	4	5	13	17	.	.	2	1	2
Cork. Pop. in 1911 76,632.	Sept. 16,	19·7	5·4	29	.	.	.	.	.	.	.	.	7	.	1	2	2	5	.	3	.	.
	„ 23,	19·7	3·4	29	.	.	.	.	.	.	.	.	2	.	.	.	1	5	.	.	.	1
	„ 30,	22·5	6·1	33	.	.	.	.	.	.	1	.	2	.	1	1	3	8	.	.	.	3
	Oct. 7,	25·2	3·4	37	.	.	.	.	.	.	.	.	4	2	.	3	3	4	1	.	1	4
	„ 14,	25·2	1·4	37	1	.	.	.	.	.	.	.	7	.	.	3	2	1	.	.	.	.
	„ 21,	26·5	2·0	39	.	.	.	1	.	.	1	.	7	1	2	6	2	1	.	.	.	1
	„ 28,	22·5	1·4	33	.	.	.	1	.	.	.	.	4	2	2	4	2	1	.	.	.	4
	Nov. 4,	22·5	3·4	33	.	.	.	2	.	.	.	.	5	2	1	2	1	2	.	1	.	6
Londonderry. Pop. in 1911 40,799.	Sept. 16,	11·5	5·1	9	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.	.	.	.
	„ 23,	12·8	.	10	.	.	.	.	.	.	.	.	3	1	1	.	1	.	.	.	.	.
	„ 30,	19·2	6·4	15	.	.	.	.	1	.	.	.	.	1	.	.	2	1	1	2	.	.
	Oct. 7,	7·7	1·3	6	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
	„ 14,	15·3	5·1	12	.	.	.	.	.	.	.	.	1	1	.	.	.	2	2	.	1	.
	„ 21,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 28,	8·9	2·6	7	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	1	.	.
	Nov. 4,	19·2	.	15	.	.	.	.	.	.	.	.	3	.	.	1	4	.	.	.	.	.
Limerick. Pop. in 1911 38,403.	Sept. 16,	20·4	6·8	15	.	.	.	.	.	.	.	.	1	.	1	.	1	5	.	.	.	2
	„ 23,	23·1	1·4	17	.	.	.	.	.	.	.	.	4	.	2	.	2	1	.	.	.	.
	„ 30,	23·1	5·4	17	.	.	.	.	.	.	.	.	1	1	.	1	.	3	1	.	.	2
	Oct. 7,	20·4	2·7	15	.	.	.	.	.	.	.	.	5	.	.	.	2	2	.	.	.	3
	„ 14,	16·3	2·7	12	.	.	.	.	.	.	.	.	2	.	1	.	1	2	.	.	.	2
	„ 21,	20·4	1·4	15	.	.	.	.	.	.	.	.	3	1	2	.	3	1	.	.	.	1
	„ 28,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3
	Nov. 4,	17·7	.	13	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	.	4
Waterford. Pop. in 1911 27,430.	Sept. 16,	20·9	9·5	11	.	.	.	.	.	.	.	.	1	.	1	2	1	1	.	4	.	.
	„ 23,	24·7	3·8	13	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	2	.	.
	„ 30,	11·4	7·6	6	.	.	.	.	.	.	.	.	1	.	1	.	.	4	.	.	.	.
	Oct. 7,	19·0	7·6	10	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	1	.	.
	„ 14,	26·6	5·7	14	.	.	.	.	.	.	.	.	1	4	.	.	1	3	.	.	.	3
	„ 21,	26·6	1·9	14	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	1	1	1
	„ 28,	9·5	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	Nov. 4,	19·0	5·7	10	.	.	.	.	.	.	1	.	.	1	.	.	1	1	1	.	1	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 4th November, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT, .	385,492	6	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	1	.	1	2	.	1	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.	.	3	.
Do. 2 do. .		23			14	1	3	.	3	3	4	.	.	.	.	.	.	.	.	.	.	2	2	2	.	.	.	.	.	7	.
Do. 3 do. .		23			9	.	2	1	1	2	3	.	.	.	.	.	.	.	.	2	.	1	1	2	.	.	.	.	.	2	.
Do 4 do. .		23			15	6	1	1	1	1	5	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	.	.	.	8	.
Do. 5 do. .		19			10	1	2	2	.	2	3	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	1	1	2	.
Do. 6 do. .		11			8	.	.	1	2	3	2	.	.	.	.	.	.	.	.	1	1	.	3	1	.	.	.	.	.	3	.
Do. 7 do. .		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do. .		2			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do. .		14			7	1	1	.	1	2	2	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	1	2	.
Do. 10 do. .		16			8	2	.	1	3	1	1	1	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	1	1
Do. 11 do. .		22			8	1	.	1	1	4	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.
Do. 12 do. .		25			13	1	2	2	3	2	3	.	.	.	.	2	.	.	.	2	.	.	.	3	.	.	1	.	.	6	1
Do. 13 do. .		7			2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.
Do. 14 do. .		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do. .		14			12	5	.	2	1	3	1	.	.	.	.	.	.	.	.	2	1	1	1	2	.	.	1	.	.	3	.
Total, . .	—	206			112	20	11	12	18	24	27	1	.	.	.	2	.	.	.	15	4	5	13	17	.	.	2	1	2	38	2
City of Cork.																															
CORK URBAN No. 1 DISTRICT, .	76,632	11	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	.	1	.	1	2	2	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	5	.
Do. 2 do. .		7			5	.	3	1	1	.	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	1	.	.	1	1
Do. 3 do. .		3			3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do. .		2			2	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 5 do. .		2			2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 6 do. .		7			6	.	1	1	1	2	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	2	2
Do. 7 do. .		8			9	3	2	1	1	1	1	.	.	.	.	.	.	.	.	2	.	.	1	.	2	.	.	.	.	.	2
Total, . . .	—	40	22·5	3·4	33	7	7	3	4	6	6	.	.	.	2	.	.	.	.	5	2	1	2	1	2	.	1	.	.	10	6

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	May 13.	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14	Oct. 21.	Oct 28.	Nov. 4.
No. of weeks in Annual Series,	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
BIRTHS registered, ...	229	180	214	233	215	258	201	264	213	207	268	236	203	225	215	220	197	215	183	184	184	184	198	194	199	206
DEATHS registered, ...	120	123	123	125	115	107	82	116	92	123	121	105	123	121	139	132	138	146	122	150	125	128	118	126	124	112
Annual Death rate per 1,000 of estimated population, ...	15·7	16·1	16·1	16·4	15·5	14·4	11·1	15·7	12·4	16·6	16·3	14·2	16·6	16·3	18·8	17·8	18·6	19·7	16·5	20·2	16·9	17·3	15·9	17·0	16·7	15·1
AGES, Under 1 year, ...	19	25	22	18	19	23	16	18	11	25	32	38	39	45	44	36	52	49	43	53	35	26	21	24	22	20
1—5 years, ...	9	9	13	7	7	10	7	9	7	9	11	8	12	11	11	8	6	16	11	19	17	16	17	6	7	11
5—25 „ ...	17	15	17	14	14	16	7	16	15	16	14	11	7	14	15	18	11	10	8	12	7	13	9	17	17	12
25—45 „ ...	23	26	22	24	26	22	18	20	21	25	22	13	21	11	17	19	24	21	17	15	22	22	18	20	16	18
45—65 „ ...	29	31	27	34	20	20	20	37	25	29	23	17	23	23	28	31	27	29	21	31	20	28	28	29	37	24
65 and upwards, ...	23	17	22	28	29	16	14	16	13	19	19	18	21	17	24	20	18	21	22	20	24	23	25	30	25	27
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2	1	2	.	.	.	2	.	.	.	1
Typhus, ...	.	.		.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	.	1	1	.	2	1	1	.	1	2
Whooping-cough, ...	.	1	1	.	.	4	.	1	.	1	1	1	2	1	.	1	.	1	2	2	1	1	2	1	3	.
Diphtheria, ...	.	.	.	.	1	.	.	.	1	.	2	.	2	.	1	.	.	.	.	.	1	.	1	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	25	21	21	16	14	13	13	23	16	18	20	10	13	9	6	19	17	11	10	8	8	13	11	19	16	15
Tuberculous Disease. Other Forms,	7	10	12	11	6	10	2	2	5	8	6	5	7	3	7	5	3	7	5	8	5	10	5	4	3	4
Cancer, ...	6	1	4	6	8	6	6	7	4	6	3	3	9	4	4	1	7	4	6	8	6	6	6	5	3	5
Diseases of Respiratory System, Pneumonia,	10	13	6	11	9	9	5	5	7	2	4	6	2	3	9	3	4	7	3	6	8	7	7	10	6	13
Diseases of Respiratory System, Others, ...	15	19	11	18	18	13	10	8	11	14	10	3	4	5	6	5	1	9	6	9	4	10	7	13	17	17
Diarrhœa, Under 2 years, ...	1	1	2	1	.	1	1	2	1	6	10	14	9	19	17	15	21	26	20	27	15	10	5	2	2	.
Diarrhœa, 2 years & upwards	.	.	.	.	1	.	3	.	.	.	.	1	4	4	3	5	6	7	4	1	2	2	.	.	1	.
Enteritis, under 2 years, ...	1	3	3	4	2	.	1	1	1	3	8	9	12	19	10	13	22	11	11	20	9	6	8	7	3	2
Violent Deaths, ...	4	1	1	.	3	3	1	4	.	3	5	3	2	2	6	4	5	3	2	1	2	2	3	3	6	1
Number of Uncertified Deaths, ...	1	1	1	2	1	.	3	3	.	1	.	2	.	1	1	2	.	.	.	1	1	.	4	1	.	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from						
			Exclusive of Stillborn.			Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	Nov. 4,	2,283	1,140	13·1	7	.	12	3	3	17	45*a*
Edinburgh, ...	320,829	„ 4,	126	82	13·3	.	.	.	.	.	1	2
Glasgow, ...	784,621	„ 4,	384	275	18·3	.	.	8	2	4	6	5
Calcutta, ...	890,493	Sept. 30,	.	435	25·4	83*	.	.	.	.	1	49‡
Bombay, ...	977,822	„ 30,	475	532	28·3	75*	1	.	.	.	6	50‡
Madras, ...	509,346	„ 9,	430	350	35·7	62*	4	4	?	?	?	82‡
Cairo, ...	693,806	„ 2,	721	729	54·8	10	.	3	1	.	14†	210*a*
Paris	2,846,986	Oct. 7,	867	856	16·2	9	.	3	2	7	6†	55*a*
Brussels, ...	739,684	„ 14,	213	205	14·4	.	.	.	1	1	3†	17
Antwerp, ...	320,640	„ 14,	94	67	10·9	.	.	.	.	.	.	18*a*
Amsterdam, ...	578,775	„ 14,	240	142	12·8	1	.	.	.	1	.	12*a*
Copenhagen, ...	462,132	„ 14,	195	118	13·3	.	.	.	.	2	1†	3
Stockholm, ...	343,832	„ 7,	146	90	13·6	.	.	.	1	.	1†	2
Christiania, ...	244,038	„ 21,	104	42	8·9	.	.	1	.	.	1†	.
St. Petersburg, ...	1,639,266	Sept. 30,	629	563	17·9	14	1	11	5	6	2†	61
Moscow, ...	1,493,600	„ 30,	.	733	25·6	4	1	12	9	8	11†	144
Berlin, ...	2,068,808	„ 30,	754	559	14·1	1	.	2	4	11	18†	73
Hamburg, ...	931,035	Oct. 14,	.	243	13·6	3	.	.	4	3	13†	32
Breslau, ...	518,499	„ 14,	.	189	19·0	1	.	2	2	.	4†	15
Munich, ...	597,000	„ 21,	.	161	14·1	.	.	.	.	.	2†	26
Vienna (with suburbs),	2,064,583	„ 14,	775	548	13·8	3	.	2	5	2	3†	40*a*
Buda-Pesth, ...	891,585	„ 14,	412	289	16·9	9	.	3	6	.	1†	23*a*
Prague and Faubourgs,	508,310	Sept. 30,	156	150	15·3	1	.	.	2	1	1†	10*a*
Trieste, ...	233,925	Oct. 7,	126	98	21·8	2	.	.	1	.	.	11*a*
Rome, ...	602,068	Aug. 26,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Sept. 2,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	„ 23,	2,465	1,330	13·9	22	.	3	2	11	11†	145*a*
Philadelphia, ...	1,580,250	„ 9,	.	414	14·6	8	.	2	1	1	5†	55*a*
Boston, ...	686,912	Oct. 14,	.	189	14·3	1	.	1	1	1	.	18

* Deaths from "fever," including 9 deaths from enteric fever and 6 from plague in Calcutta, 3 from enteric fever and 11 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 12 deaths from cholera in Calcutta, 4 in Bombay, and one in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending November 4th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) — *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	3	1	.	.	1	5
" " 1, West, ...	.	3	.	.	.	.	.	.	1	.	.	3	7
" " 2, ...	.	3	.	.	1	.	.	.	2	.	.	4	10
" " 3, ...	.	6	.	.	1	.	3	1	1	.	.	2	14
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	2	.	.	1	.	.	.	.	.	.	.	3
South City No. 1, ...	.	3	.	.	2	.	1	3	5	.	.	1	15
" " 2, ...	.	1	.	.	.	.	.	.	2	.	.	1	4
" " 3, ...	.	11	.	.	2	.	.	4	1	.	.	1	19
" " 4, ...	.	1	.	.	1	.	.	1	.	.	.	1	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	30	.	.	8	.	4	12	13	.	.	14	81

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 4th November, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 4th November.			
	Oct. 14.	Oct. 21.	Oct. 28.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	5	13	20	18	4	2	32
Scarlet Fever, ...	147	153	180	24	25	2	177*
Typhus, ...	8	12	11	.	3	.	8
Diphtheria, ...	43	41	51	19	10	1	59
Enteric Fever, ...	158	141	133	14	20	3	124
Pneumonia, ...	17	23	22	4	6	.	20

* Exclusive of 23 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 4th November, 1911:—

"The atmosphere remained in a very disturbed state all over the west and north of Europe throughout this week, and the weather was in consequence unsettled and broken. Vast and deep barometric depressions passed north-eastwards over the North Atlantic, their centres crossing Iceland or the Ocean between that island and the British Isles. At 7 a.m. of Saturday the barometer was down to 27·99 inches at Thorshavn, Faeroe. From time to time also secondary systems travelled in an easterly direction over the United Kingdom, causing strong winds or gales and frequent rainfalls or passing showers. But the most interesting feature in the week's weather was the extremely rapid and great rise of temperature which accompanied the S. and S.W. winds of a deep cyclonic system which extended from the Atlantic over the whole of north-western Europe in the course of Sunday. The centre of this system reached the Faeroe on Monday morning, when the barometer ranged from 28·78 inches at Thorshavn to 30·50 inches at Munich. In Dublin the thermometer rose from 33·2° early on Sunday morning to 58·8° in the course of the following night. In Great Britain a minimum of 20° was recorded on Sunday at Nairn, at which place a maximum of 54° was reached on Monday morning. At Bath the corresponding range was 31°—from 26° to 57°; and at Nottingham a range of 30° was observed—from 28° to 58°. By Tuesday morning a fall of temperature amounting to from 10° to 19° had occurred at the British Stations. Friday found another large and very deep atmospheric depression central in Iceland (baric minimum = 28·75 inches at 7 a.m., G.M.T., at Seydisfjord). This disturbance caused fresh to strong S.W. gales in Ireland. Rainbows were seen in Dublin during the afternoon, and a lunar rainbow appeared at 6.50 p.m. The week closed with a new depression approaching the Irish Coasts from S.W., attended by clouds, squalls, and rain. In Dublin the mean height of the barometer was 29·734 inches, the range being between 30·069 inches at 9 a.m. of Wednesday (wind, W.S.W.) and 29·144 inches at 9 p.m. of Saturday (wind, S.S.W.). The corrected mean temperature was 48·0°; the mean dry bulb reading at 9 a.m. and 9 p.m. being 48·7°. The prevalent winds were W.N.W. and S.W. Rain fell on 5 days to the amount of ·988 inch, of which ·370 inch was recorded on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·564 inches. The highest reading (29·885) was on Wednesday at 9 a.m., wind S.W., the lowest (28·976) on Saturday at 9 p.m., wind S.S.W.

The mean temperature for the week was 46·3°, being equal to the average for the corresponding period of the 10 years, 1901–1910. The temperature was lowest on Sunday, on which day the thermometer registered 25·0°, and was also highest on that day, the mercury having risen to 58·5°. The mean of the Dry Bulb for the week was 48·0° and of the Wet Bulb, 45·7°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The rainfall during the week measured 1·130 inches.

At Greenwich the mean temperature for the week was 48·4°, the maximum 59·2°, and the minimum 28·1°; at Glasgow the maximum was 58·8°, the minimum 26·0°, and the mean 45·5°; and at Edinburgh the maximum was 56·1°, the minimum 33·3°, and the mean 44·1°. The rainfall at Greenwich measured 0·63 in.; at Glasgow 3·10 ins.; and at Edinburgh 1·91 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, October 29,	29·592	58·5	25·0	41·8	53·6	51·6	·87	·7	0·0	·540	S.	S.W.
Monday, „ 30,	29·463	58·2	39·8	49·0	44·9	43·1	·87	·6	3·2	·110	S.W.	S.W.
Tuesday, „ 31,	29·779	51·0	39·6	45·3	44·3	42·3	·85	·7	4·9	·000	W.S.W.	W.S.W.
Wednesday, Nov. 1,	29·777	51·8	39·9	45·9	48·8	46·5	·84	·6	2·1	·150	S.W.	S.W.
Thursday, „ 2,	29·668	50·9	42·1	46·5	45·2	43·3	·86	·6	2·2	·000	S.W.	W.S.W.
Friday, „ 3,	29·423	53·7	39·5	46·6	49·3	46·5	·81	·6	0·0	·090	S.S.W.	S.S.W.
Saturday, „ 4,	29·247	53·8	44·0	48·9	50·2	46·6	·77	·8	0·6	·240	S.W.	S.S.W.
Mean, ...	29·564	54·0	38·6	46·3	48·0	45·7	·84	·7	Total 13·0	Total 1·130	Prevailing Wind. S.W.	

Sunday—Day overcast, showers at intervals, a.m. and p.m.; night overcast, heavy rain at intervals from 9 p.m. to 7 a.m. *Monday*—Day cloudy, showers at intervals from 9 a.m. to 4 p.m.; night clear. *Tuesday*—A fine day, light clouds; night clear. *Wednesday*—Day cloudy, light rain 7 p.m. to 9 p.m.; night cloudy, drizzling rain, 9 p.m. to 1 a.m. *Thursday*—Day cloudy; night cloudy. *Friday*—Day overcast, showers a.m. and p.m.; night cloudy, showers midnight to 6 a.m. *Saturday*—A dull day, heavy rain 4.30 p.m. to 9 p.m.; night cloudy, heavy rain 9 p.m. to midnight, and showers at intervals 1 a.m. to 8 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, November 4th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, October 29,	49·7	47·2	52·9	59·1	30·7	44·9	—	·355
Monday, „ 30,	49·4	49·6	52·6	59·4	41·0	50·2	2·6	·141
Tuesday, „ 31,	47·5	48·5	52·4	51·9	40·8	46·4	5·1	—
Wednesday, Nov. 1,	49·5	47·9	52·1	53·0	41·7	47·4	1·8	—
Thursday, „ 2,	48·8	48·2	51·8	52·2	43·2	47·7	2·1	·001
Friday, „ 3,	51·8	48·0	51·7	55·7	42·2	49·0	0·4	·055
Saturday, „ 4,	49·0	48·0	51·5	56·6	45·8	51·2	0·3	·275
Weekly Mean, .	49·4	48·2	52·1	55·4	40·8	48·1	Total 12·3	Total ·827

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31477. Wt. P. 110-81/138. 375. 10. 1911. Sch. C 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 11TH NOVEMBER, 1911. [No. 45.

General Register Office, Charlemont House, Dublin, 13th November, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Oct. 21	Oct. 28	Nov. 4	Nov. 11	Average Rate for 4 weeks.	Towns, &c.	Week ending Oct. 21	Oct. 28	Nov. 4	Nov. 11	Average Rate for 4 weeks.
22 Town Districts, ...	**18·6**	**17·1**	**17·1**	**17·6**	**17·6**	Limerick	20·4	12·2	17·7	8·1	14·6
						Lisburn	4·3	21·4	17·1	17·1	15·0
Armagh	13·7	20·6	13·7	.	12·0	Londonderry	8·9	8·9	19·2	15·3	13·1
Ballymena	9·2	18·3	22·9	4·6	13·8	Lurgan	.	12·9	4·3	.	4·3
Belfast	17·0	16·7	15·1	15·7	16·1	Newry	8·7	13·1	.	48·0	17·5
Clonmel	5·1	25·4	5·1	15·2	12·7	Newtownards	11·4	34·3	11·4	45·8	25·7
Cork	26·5	22·5	22·5	19·7	22·8	Portadown	22·2	8·9	8·9	8·9	12·2
Drogheda	16·8	4·2	8·4	.	7·4	Queenstown	13·2	6·6	.	.	5·0
Dublin Reg. Area ...	20·0	18·0	20·4	22·1	20·1	Sligo	28·0	.	4·7	28·0	15·2
Dundalk	23·8	23·8	15·9	11·9	18·8	Tralee	5·3	37·0	15·9	15·9	18·5
Galway	11·8	19·7	7·9	3·9	10·8	Waterford	26·6	9·5	19·0	15·2	17·6
Kilkenny	44·6	34·7	5·0	9·9	23·5	Wexford	31·9	9·1	31·9	9·1	20·5

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in fifteen of the districts to 11·4 in Newtownards, the 8 deaths from all causes for that district including 2 from measles. Among the 116 deaths from all causes for Belfast are one from enteric fever, 2 from each of scarlet fever, whooping-cough and diphtheria, and one from *enteritis* of a child under 2 years. Of the 29 deaths from all causes for Cork, one is from measles, 2 are from diphtheria, and one is from *enteritis* under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 241—126 boys and 115 girls—and the deaths to 179—86 males and 93 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 22·1 per 1,000 of the population. During the forty-five weeks ending with Saturday last the death-rate averaged 21·5, and was 0·8 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 179, represent an annual rate of 23·1 per 1,000; the annual rate for the past forty-five weeks was 22·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·3 per 1,000 of the mean population for all deaths registered.

The total included 6 deaths from measles, 3 deaths from scarlet fever, 2 deaths from diphtheria, and 4 deaths from diarrhœa and *enteritis* of children under 2 years of age. There was no mortality from enteric fever, typhus, whooping-cough, or influenza.

In each of the 3 weeks preceding, deaths from enteric fever were 4, one, and 3; deaths from typhus were one, one, and 0; deaths from measles were 2, 5, and 4; deaths from scarlet fever were 4, one, and 2; deaths from whooping-cough were one, 5, and one; deaths from diphtheria were 0, one, and 0; deaths from diarrhœa and *enteritis* of children under 2 years were 13, 13, and 14; and deaths from influenza were 0, one, and 0.

Deaths from tuberculosis, which were 32, 24, and 24 in each of the preceding weekly periods, were again 24 in the period under notice, the latter figure including 19 deaths from pulmonary tuberculosis, 2 deaths from abdominal tuberculosis, one death from tuberculosis of the spinal column, and 2 deaths from tuberculosis of other organs.

Of 14 deaths from pneumonia (all forms), 5 were attributed to broncho-pneumonia, 2 to lobar pneumonia, and 7 to *pneumonia* (type not distinguished).

Cancer caused the deaths of 12 persons.

There were 15 deaths from organic diseases of the heart, and 23 deaths from bronchitis.

Amongst the deaths of infants under one year, 2 were from *convulsions*, one was from a congenital malformation, 9 from prematurity, and 9 from congenital debility.

Of two deaths attributed to accidental violence, one was by drowning.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year of age, and the deaths of 3 persons aged 65 years and upwards.

Sixty-one of the persons whose deaths were registered during the week were under 5 years of age (35 being infants under one year, of whom 18 were under one month old) and 39 were aged 65 years and upwards, including 22 persons aged 70 and upwards; among the latter were 13 aged 75 and upwards, of whom 4 (females) were stated to have been aged 93, 93, 95, and 96 years, respectively.

Seventy-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse and 19 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·1 per 1,000; the rate in the City was 24·7 (North City Districts, 26·3; South, 23·1) and in the Suburbs, 13·3.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·1 per 1,000 inhabitants, the rate for the City being 2·2 (1·6 in the North City Districts, and 2·8 in the South), and for the Suburbs, 1·7 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·2 per 1,000, and include one death from broncho-pneumonia, one death from *pneumonia* (type not distinguished), one death from bronchitis, and one death from diarrhœa of a child under 2 years.

No. 1 *North City District, West* (Summer-hill).—The deaths (29) are equal to an annual rate of 37·9 per 1,000. Measles and scarlet fever each caused one death, croupous laryngitis caused one death; there were 4 deaths from pulmonary tuberculosis, 2 deaths from broncho-pneumonia, one death from lobar-pneumonia, and 7 deaths from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (22) are equivalent to an annual rate of 37·4 per 1,000. The deaths included one from pulmonary tuberculosis, one from each of broncho-pneumonia and lobar pneumonia, 3 deaths from bronchitis, one death from diarrhœa of a child under 2 years, and one death by drowning.

No. 3 *North City District* (Benburb-street).—The deaths (14) represent an annual rate of 21·8 per 1,000. There were 2 deaths from pulmonary tuberculosis and one death from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 13·5; and Finglas and Glasnevin, part of, 0·0. Of the 3 deaths from all causes for Coolock and Drumcondra, part of, one was from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (28) represent an annual rate of 35·3 per 1,000. Measles caused 4 deaths, scarlet fever 2 deaths, tuberculosis 7 deaths, *pneumonia* (type not distinguished) 2 deaths, and bronchitis 3 deaths.

No. 2 *South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 26·4 per 1,000, and included one death from diphtheria, 3 deaths from tuberculosis, one death from *pneumonia* (type not distinguished), and 4 deaths from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (14) are equal to an annual rate of 16·9 per 1,000. There was one death from measles; there were 2 deaths from tuberculosis, one death from broncho-pneumonia, and 3 deaths from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (10) are equivalent to an annual rate of 14·6 per 1,000 Of the deaths 2 were from pulmonary tuberculosis and 2 from diseases of the respiratory system.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 23·0 per 1,000. There was no mortality from epidemic disease or from tuberculosis included in the 4 deaths registered.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 9·5; Pembroke, 10·7; Blackrock, 17·2; and Kingstown, 24·2. The deaths from the principal epidemic diseases tabulated for these districts include one from diphtheria and one from *enteritis* under 2 years for Rathmines and Rathgar, and one from diarrhœa under 2 years for Pembroke. Of the 6 deaths from all causes for Pembroke one is from *pneumonia* (type not distinguished). Included in the 3 deaths from all causes for Blackrock is one from *pneumonia* (type not distinguished); and of the 8 deaths from all causes for Kingstown one is from pulmonary tuberculosis and one from *pneumonia* (type not distinguished).

* See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 11th November, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Oct. 21,	.	—	—	29	5	.	10	1	3	28	6	.	—	—	.	—	19	—	101
	Oct. 28,	.	—	—	26	1	.	9	.	5	12	16	.	—	—	.	—	16	—	85
	Nov. 4,	.	—	—	30	.	.	8	.	4	12	13	.	—	—	.	—	14	—	81
	Nov. 11,	.	—	—	37	.	.	18	.	1	8	13	.	—	—	.	—	9	—	86
Rathmines and Rathgar Urban District.	Oct. 21,	.	—	—	5	.	.	.	.	.	.	.	.	.	—	—	—	—	—	5
	Oct. 28	.	—	—	9	.	.	4	.	.	6	1	.	.	—	—	—	—	—	20
	Nov. 4,	.	—	—	2	.	.	8	.	.	.	1	.	1	—	—	—	—	—	12
	Nov. 11,	.	—	—	5	.	.	14	.	.	2	.	.	.	—	—	—	—	—	21
Pembroke Urban District.	Oct. 21,	.	.	.	5	.	.	.	.	.	3	.	.	.	.	.	—	.	—	8
	Oct. 28,	.	2	.	6	.	.	1	.	.	1	.	.	.	.	.	—	.	—	10
	Nov. 4,	.	2	.	.	.	.	1	.	.	1	1	.	.	.	.	—	.	—	5
	Nov. 11,	.	.	.	1	.	.	3	.	.	.	2	.	.	.	.	—	.	—	6
Blackrock Urban District.	Oct. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Oct. 28,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Nov. 4,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Nov. 11,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Oct. 21,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	1	—	2
	Oct. 28,	.	—	—	1	.	.	.	.	.	1	1	.	—	—	—	—	1	—	4
	Nov. 4,	.	—	—	.	.	.	.	.	.	1	2	.	—	—	—	—	.	—	3
	Nev. 11,	.	—	—	3	.	.	.	.	.	.	1	.	—	—	—	—	2	—	6
City of Belfast.	Oct. 21,	.	—	—	44	4	.	7	.	2	3	8	.	—	—	.	—	7	—	75
	Oct. 28,	.	—	—	30	.	.	6	.	2	6	7	.	—	—	.	—	7	—	58
	Nov. 4,	.	—	—	35	.	.	7	.	.	5	9	.	—	—	.	—	14	—	70
	Nov. 11,	.	—	—	22	.	.	13	.	.	.	6	.	—	—	.	—	3	—	44

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 11th November, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Nine cases of measles were admitted to hospital during the week, 4 were discharged, there were 4 deaths, and 33 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 13, 20, and 32, respectively.

Thirty-three cases of scarlet fever were admitted to hospital, 26 were discharged, there were 3 deaths, and 181* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 153, 180, and 177, respectively.

Three cases of typhus were discharged from hospital during the week, and 5 cases remained under treatment at its close.

Thirty-eight cases of diphtheria were admitted to hospital during the week, 16 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 41, 51, and 59, respectively, were 79 at the close of last week.

Nine cases of enteric fever were admitted to hospital during the week, 19 were discharged, and 114 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 141, 133, and 124.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 7 were discharged, there were 3 deaths, and 14 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London, in which the rate was 12·8) was equal to an average annual death-rate of 13·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·3 per 1,000, the rate for Glasgow being 16·4 and for Edinburgh 18·1.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 11th November. From this Report it appears that of a total of 59 cases notified, 18 were diphtheria, 15 scarlet fever, 14 phthisis, 9 erysipelas, and 3 enteric fever. Among the 355 cases of infectious diseases in hospital at the close of the week were 158 cases of scarlet fever, 67 of diphtheria, 62 of phthisis, 27 of whooping-cough, 10 of measles, 10 of enteric fever, 9 of erysipelas, and 4 of chicken-pox.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 11th November, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.(a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.(b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) Week ending 11th November, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 4th November, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 28th October, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
TOTAL OF 22 TOWN DISTRICTS, ...	1,149,495	20·2	28·6	17·6	1·5	631	388	71	90	1	...	...	9	5	2	6	...	48	16	19	28	47	4	1	5	5	13	117	12	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,732	29·3	31·1	22·1	2·1	241	171	34	37	...	...	...	6	3	...	2	...	19	4	11	14	25	3	1	1	2	3	64	7	e52·9	24·7	40·2	1·02	e58·5	25·0	46·3	1·13	e60·0	25·8	44·4	1·34
CITY OF DUBLIN,	309,738	39·2	36·2	24·7	2·2	215	147	29	29	...	...	...	6	3	...	1	...	18	4	10	11	25	2	1	...	1	3	59	6	f57·2 g57·4	30·8 26·0	42·2 41·5	0·84 0·88	f58·8 g58·8	33·2 27·2	48·0 47·2	0·99 1·09	f56·6 g57·2	35·1 29·0	46·6 45·2	1·17 1·54
Urban Districts. RATHMINES AND RATHGAR,	38,330	22·4	5·4	9·5	2·7	4	7	1	3	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,347	18·5	23·1	10·7	1·8	13	6	3	1	...	...	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,090	8·4	17·2	17·2	.	3	3	1	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	18·2	24·2	.	6	8	...	3	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	1	...	1	1	54	31	42·3	0·89	60	34	49·4	0·69	56	36	47·8	1·53
Urban Districts. BELFAST ...	386,449	26·3	27·5	15·7	1·1	204	116	19	26	1	...	...	...	2	2	2	...	12	8	3	8	15	...	...	1	3	7	27	...	53·0	29·0	41·3	1·43	56·0	31·0	43·2	1·66	57·0	33·0	45·6	1·58
CORK, ...	76,632	33·8	27·9	19·7	2·7	41	29	6	3	...	...	...	1	...	...	2	...	5	1	1	4	1	...	...	1	...	2	8	...	53	33	44·3	1·57	57	38	49·7	1·05	58	38	48·8	1·43
LONDONDERRY ...	40,799	18·9	19·2	15·3	1·3	15	12	2	3	...	...	...	...	...	...	...	...	2	...	1	...	2	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,403	18·2	25·8	8·1	.	19	6	1	1	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	1	2	...	57·8	28·5	41·6	1·62	57·7	31·7	47·3	1·75	57·5	29·7	45·5	1·37
WATERFORD, ...	27,430	19·1	34·2	15·2	.	18	8	...	5	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,249	2·5	27·5	3·9	.	7	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	.	...	...	...	...	...	1	...	56	30	44	1·30	56	35	46	2·46	60	34	49	0·96
DUNDALK, ...	13,128	9·5	11·9	11·9	4·0	3	3	1	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	12·6	.	.	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,956	17·2	30·5	48·0	4·4	7	11	2	4	...	...	...	...	...	...	...	...	2	1	...	1	...	...	...	1	...	...	4	1	51·1	22·6	39·3	0·82	56·0	33·3	45·4	1·65	54·3	27·7	44·5	0·56
LURGAN, ...	12,135	14·3	43·0	.	.	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	51·1	22·6	39·3	0·82	56·0	33·3	45·4	1·65	54·3	27·7	44·5	0·56
LISBURN, ...	12,172	10·7	21·4	17·1	.	5	4	...	1	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	1	...	51·1	22·6	39·3	0·82	56·0	33·3	45·4	1·65	54·3	27·7	44·5	0·56
WEXFORD, ...	11,455	23·8	36·4	9·1	.	8	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA, ...	11,376	9·3	9·2	4·6	.	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	9·3	28·0	.	2	6	3	1	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	1	1	56·2	26·0	35·7	1·84	57·6	32·8	45·7	2·63	57·5	25·9	44·1	0·94
KILKENNY, ...	10,513	11·4	39·7	9·9	.	8	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	52	25	39·9	1·40	58	28	47·7	1·44	55	28	44·2	0·89
CLONMEL, ...	10,277	7·9	30·4	15·2	.	6	3	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	40·0	8·9	.	9	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	51·1	22·6	39·3	0·82	56·0	33·3	45·4	1·65	54·3	27·7	44·5	0·56
TRALEE, ...	9,867	16·6	31·7	15·9	.	6	3	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	40·1	45·8	11·4	7	8	2	3	...	...	...	2	...	...	...	...	1	...	...	1	...	...	...	...	...	...	1	2	51	32	42·6	0·42	57	36	46·2	1·84	55	39	46·9	0·42
QUEENSTOWN, ...	7,909	14·4	39·6	.	.	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	53	33	44·3	1·57	57	38	49·7	1·05	58	38	48·8	1·43
ARMAGH, ...	7,588	22·2	27·5	.	.	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	51·1	22·6	39·3	0·82	56·0	33·3	45·4	1·65	54·3	27·7	44·5	0·56

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 8 deaths of persons (including one under one year old and 2 at 65 years or upwards) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observation by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 11th of November, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	.	.	.	.	4	.	1	.	.	.	.	.	.	6	.
Scarlet Fever,	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2	.
Croup,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	.	4	1	2	.	1	.	5	2	1	2	.	.	.	.	1	19	.
Tuberculous Disease. { Other Forms,	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.	4	1
Cancer,	1	2	1	1	1	.	.	.	.	2	2	.	.	1	.	.	11	1
Diseases of Nervous System,	1	3	1	2	.	.	.	2	1	1	.	1	1	.	1	1	15	.
" Organs of Special Sense,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Circulatory System,	.	2	4	2	.	1	.	.	.	1	2	.	1	1	.	1	15	2
" Respiratory System. { Pneumonia,	2	3	2	.	.	.	.	2	1	1	.	.	.	1	1	1	14	.
" Respiratory System. { Others,	1	7	3	1	.	.	.	3	4	4	2	.	.	.	.	.	25	.
" Digestive System. { Diarrhœa, under 2 years,	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. { *Enteritis*, under 2 years,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	2	.
" Digestive System. { Others,	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	5	.
" Genito-urinary System,	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	3	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	3	3	4	5	.	1	.	5	.	2	1	2	2	1	1	1	31	3
Violent Deaths,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.
Ill-defined, &c. Causes,	2	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	5	.
Deaths from All Causes	11	29	22	14	1	3	.	28	11	14	10	4	7	6	3	8	171	8
Annual Rate of Mortality from All Causes in every 1,000 of the population.	19·2	37·9	37·4	21·8	9·7	13·5	.	35·3	26·4	16·9	14·6	23·0	9·5	10·7	17·2	24·2	22·1	.
	26·3							23·1					13·3					
	24·7																	
Ages at Death. Under 1 year,	3	6	5	3	.	1	.	6	2	1	1	1	1	3	1	.	34	1
1 and under 2 years,	2	3	1	1	.	.	.	3	.	1	.	.	.	.	.	.	11	.
2 " 5 "	1	4	1	1	.	.	.	5	2	1	.	.	.	.	.	.	15	.
5 " 15 "	.	1	1	.	.	.	.	1	1	1	.	1	1	.	.	1	8	.
15 " 25 "	.	1	.	1	.	.	.	2	.	.	2	.	.	.	.	.	6	1
25 " 45 "	.	3	5	2	.	1	.	5	1	2	3	.	1	.	.	.	23	2
45 " 65 "	2	7	5	2	.	.	.	2	2	5	2	2	1	2	1	4	37	2
65 and upwards,	3	4	4	4	1	1	.	4	3	3	2	.	3	1	1	3	37	2
Number of Uncertified Deaths,	1	1	2	.	.	.	.	1	.	1	.	.	.	.	.	1	7	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	.	6	5	3	1	.	.	4	4	3	1	.	1	1	.	1	30	7
Workhouse Hospitals,	2	5	5	4	.	.	.	6	3	4	3	.	1	1	.	.	34	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 45th Week of the 10 years 1901–1910.	In the Week ending Saturday, 11th November, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Nov. 9, 1901.	Nov. 8, 1902.	Nov. 14, 1903.	Nov. 12, 1904	Nov. 11, 1905.	Nov. 10, 1906.	Nov. 9, 1907.	Nov. 7, 1908.	Nov. 13, 1909.	Nov. 12, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 43·2	° 47·7	° 47·6	° 46·7	° 43·0	° 43·8	° 45·1	° 48·2	° 41·9	° 39·6	° 44·7	° 40·2										
ALL CAUSES.	171	228	157	156	152	192	178	185	177	141	173·7	179	18	17	11	15	8	7	25	39	26	13
Enteric Fever, ...	2	5	3	.	2	1	2	3	1	.	1·9	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	16	.	7	.	6	2	3	.	.	3·4	6	.	1	3	2	.	.	.	.	.	.
Scarlet Fever, ...	.	4	1	1	1	.	.	.	1	.	·8	3	.	.	1	2	.	.	.	.	.	.
Whooping-cough, ...	1	.	3	.	.	2	2	2	1	4	1·5	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	.	3	.	.	1	1	2	1	1	2	1·1	2	.	1	.	.	1	.	.	.	.	.
Croup, ...	2	.	.	.	1	1	1	.	.	.	·5	1	.	.	1	.	.	.	.	.	.	.
Influenza, ...	.	4	1	.	1	1	.	1	2	1	1·1	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	2	.	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	2	.	1	1	.	.	.	2	.	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	2	.	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	19	24	16	22	21	31	25	25	20	16	21·9	19	.	1	1	.	3	1	11	2	.	.
Tuberculous Meningitis, ...	5	6	4	1	.	2	2	3	4	3	3·0	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	3	2	1	.	.	2	1	1	.	.	1·0	2	.	.	.	2	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.												1	.	.	.	.	.	1	.	.	.	.
Tuberculosis of Joints, ...	3	6	5	4	6	5	5	6	4	8	5·2	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												2	.	.	.	.	.	1	.	1	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases, ...	.	1	2	.	.	1	.	3	1	1	·9	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	1	5	9	11	6	11	6	9	8	9	7·5	12	.	.	.	.	.	.	.	9	2	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	1	1	1	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	.	.	3	.	2	1	.	·6	1	.	.	.	.	.	.	1	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	6	.	.	.	1	.	.	.	5	.	.
Alcoholism, ...	1	4	.	2	.	1	.	1	1	.	1·0	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis. ...												1	.	.	1	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*												5	.	.	.	.	.	.	.	3	1	1
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												3	.	.	.	.	.	.	.	2	1	.
Epilepsy, ...												1	.	.	.	.	.	.	.	.	1	.
Convulsions (non-puerperal),												2	.	2	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	52	38	45	31	38	47	48	33	46	21	39·9	3	.	.	.	1	.	.	.	1	1	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												1	.	.	.	.	.	.	1	.	.	.
Organic Diseases of the Heart,												15	.	.	.	.	.	.	7	2	6	.
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												1	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	19	35	24	21	24	15	12	22	19	23	21·4	23	.	2	2	2	.	.	.	9	7	1
Broncho-pneumonia,	10	8	5	2	5	2	8	7	5	9	11·0	5	.	2	1	1	1	.	.	.	.	.
Lobar-pneumonia,		.	.	1	3	2	2	1	3	.		2	.	.	.	.	1	.	.	.	1	.
Pneumonia (type not distinguished)		2	1	3	5	4	3	4	6	2		7	.	1	.	2	.	1	.	1	1	1
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	3	5	4	2	1	3	4	1	3	3	2·9	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												2	.	.	.	.	.	1	.	1	.	.

FORTY-FIFTH WEEK ending Saturday, 11th November, 1911, with, as far as practicable, the deaths from each cause in 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 45th Week of the 10 years 1901–1910.	In the Week ending Saturday, 11th November, 1911.										
													Deaths of Persons of the Ages of									
	Nov. 9, 1901.	Nov. 8, 1902.	Nov. 14, 1903.	Nov. 12, 1904.	Nov. 11, 1905.	Nov. 10, 1906.	Nov. 9, 1907.	Nov. 7 1908.	Nov. 13, 1909.	Nov. 12, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	0 43·2	0 47·7	0 47·6	0 46·7	0 43·0	0 43·8	0 45·1	0 48·2	0 41·9	0 39·6	0 44·7	0 40·2										
Diseases of the Pharynx, Tonsillitis.	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	4	.	.	1	1	.	1	.	1	.	.
Diarrhœa of Children under 2 years.	2	2	1	5	4	2	4	6	4	4	3·4	3	.	3	.	.	.	.	.	.	.	.
„ 2 years and upwards,												1	.	.	.	1	.	.	.	.	.	.
Enteritis of Children under 2 years.	.	3	1	3	1	3	3	4	8	3	2·9	1	.	1	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												2	.	.	.	.	.	.	.	1	.	1
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	2	1	1	2	1	3	3	1	1	.	2·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...		.	1	2	2	2	.	.	1	1		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	1	.	2	.	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	4	7	3	1	3	11	6	6	3	6	5·0	1	.	.	.	.	1	.	.	.	.	.
Acute Nephritis, ...	8	9	3	7	4	7	6	11	5	8	6·8	1	.	.	.	.	1	.	.	.	.	.
Chronic Bright's Disease, ...												.	.	.	.	.	.	.	.	.	.	.
Urinary Calculi, ...												1	.	.	.	.	.	.	1	.	.	.
Uterine Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												2	.	.	.	.	.	.	1	.	1	.
Puerperal Septicæmia, &c., ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	1	.	1	.	.	1	.	.	.	·3	2	.	.	.	.	.	.	2	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	7	1	3	5	2	4	4	8	6	3	4·3	9	9	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	9	7	2	.	.	.	.	.	.	.	.
Old Age, ...	13	6	5	3	7	4	3	6	4	1	5·2	6	.	.	.	.	.	.	.	.	2	4
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	3	1	1	.	.	.	1	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	1	.	1	.	.	1	.	1	1	·5	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	2	.	1	1	1	1	1	.	.	1	·8	.	.	.	.	.	.	.	.	.	.	.
By Drowning, ...	.	1	.	2	.	1	1	2	.	.	·7	1	.	.	.	.	.	.	1	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	4	1	3	.	.	1	3	1	2	.	1·5	1	.	.	.	.	.	.	.	.	.	1
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	1	.	.	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	5	.	.	.	.	.	.	.	.	2	3

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.
No. of weeks in Annual Series,	29	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
BIRTHS registered.	226	246	261	228	232	185	324	190	190	294	233	198	210	233	218	198	212	201	182	265	204	217	195	177	193	241
Average Births in corresponding week of previous 10 years, ...	210	204	238	226	207	224	237	205	204	208	221	217	208	217	216	207	235	209	212	247	197	185	212	205	212	206
DEATHS registered, ...	129	158	150	149	159	127	155	120	172	162	186	153	169	199	162	210	219	189	183	161	179	183	165	147	169	179
Annual Death-rate per 1,000, ...	16·5	20·2	19·2	19·2	20·5	16·4	20·0	15·5	22·2	20·9	24·0	19·8	21·8	25·7	20·9	27·1	28·3	24·4	23·6	20·8	23·1	23·6	21·3	19·0	21·8	23·1
Average Deaths in corresponding week of previous 10 years, ...	171	169	154	151	149	148	134	140	141	144	147	145	146	154	162	153	156	152	167	160	156	153	161	156	171	174
Ages, Under 5 years, ...	40	37	43	34	42	44	56	43	41	51	88	73	72	94	80	94	93	82	77	69	68	66	50	55	47	61
5—15 „ ...	6	14	10	8	4	9	10	4	13	6	5	6	8	5	8	5	8	4	6	8	5	7	8	5	4	8
15—25 „ ...	9	11	9	9	13	2	7	7	11	10	6	6	4	7	7	12	7	7	7	6	12	11	11	10	6	7
25—45 „ ...	21	21	29	26	32	18	20	19	31	26	21	22	19	31	19	23	26	30	26	22	33	33	30	28	24	25
45—65 „ ...	36	39	29	33	31	34	28	20	33	37	29	21	40	37	28	38	37	35	33	29	39	39	35	32	38	39
65—75 „ ...	10	24	17	26	18	13	16	15	24	18	24	15	14	11	9	21	28	17	22	11	11	16	17	8	28	26
75 and upwards, ...	7	12	13	13	19	7	18	12	19	14	13	10	12	14	11	17	20	14	12	16	11	11	14	9	22	13
Deaths from :—																										
Enteric Fever, ...	1	1	1	.	.	1	.	1	3	2	1	2	2	2	1	2	.	2	3	6	2	4	4	1	3	.
Typhus, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	4	6	3	4	2	8	7	4	7	3	7	5	2	.	1	1	.	1	.	.	.	1	2	5	4	6
Scarlet Fever, ...	.	2	2	2	.	.	.	1	3	.	2	1	3	.	1	.	1	1	3	1	1	1	4	1	2	3
Whooping-cough, ...	4	1	4	1	3	2	2	.	1	4	3	4	1	3	6	7	4	3	3	1	.	1	1	5	1	.
Diphtheria, ...	1	.	1	4	1	4	2	2	3	2	1	.	.	1	5	1	2	3	.	.	.	4	.	1	.	2
Influenza, ...	1	2	.	.	1	.	1	1	1	2	1	.	1	.	.	1	2	.	.	.	1	1	1	.	1	.
Dysentery, ...	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	25	22	22	25	23	7	21	7	20	17	17	16	13	19	15	22	22	19	12	14	18	16	28	18	19	19
Tuberculous Disease, Other Forms,	6	9	9	8	7	11	6	7	12	10	15	9	5	9	4	10	12	7	2	5	12	6	4	6	5	5
Cancer, ...	6	11	9	12	10	7	8	12	4	10	6	5	11	7	6	10	10	10	9	8	6	12	9	9	6	12
Diseases of Circulatory System,	7	19	12	12	23	14	22	16	22	20	15	10	13	13	8	13	15	16	16	17	16	14	20	10	18	17
Diseases of Respiratory System, Pneumonia,	12	6	10	8	9	8	9	9	10	8	12	1	8	3	6	12	5	10	4	4	14	9	8	8	6	14
Diseases of Respiratory System, Others, ...	15	14	15	16	17	9	17	6	11	10	13	3	8	13	7	5	14	12	12	10	17	14	15	9	27	25
Diarrhœa, Under 2 years, ...	2	1	6	.	3	3	.	1	3	9	27	20	29	37	25	38	31	37	32	19	17	20	5	8	6	3
Diarrhœa, 2 years & upwards,	.	1	.	.	.	.	.	.	.	.	5	1	6	7	10	7	4	1	3	1	1	2	.	.	2	1
Enteritis, under 2 years, ...	1	1	4	1	1	1	3	3	2	2	7	9	12	12	13	14	14	9	12	9	15	7	8	5	8	1
Violent Deaths, ...	1	5	2	3	6	5	2	6	7	2	5	2	2	8	5	3	4	2	7	7	2	5	4	7	3	2
Number of Uncertified Deaths,	1	5	4	3	4	.	5	9	5	2	3	3	7	7	7	7	5	6	5	5	1	7	3	8	6	7
Mean Temperature of the Air (Phœnix Park)	49·5	55·3	56·2	55·6	52·6	56·2	55·5	59·6	60·9	62·9	62·7	62·5	60·8	61·2	59·7	59·1	57·5	52·9	52·2	50·8	48·6	48·3	57·4	44·4	46·3	40·2
Average Mean Temperature in corresponding week of previous 10 years, ...	49·1	50·9	53·7	53·5	53·6	55·5	56·5	57·5	58·5	59·8	58·2	58·6	58·5	57·5	56·5	56·3	54·5	52·8	53·2*	53·7	52·4	50·4	48·7	46·6	46·3	44·7
Rainfall in inches, ...	·262	·010	·000	·000	·605	·782	·166	·018	·000	·316	1·860	·430	·170	·010	·338	·405	·020	·320	·248	·680	·208	·325	1·035	1·335	1·130	1·015
Mean Humidity of the Air, complete Saturation 1·0, ...	·92	·89	·89	·88	·86	·91	·91	·92	·84	·92	·92	·92	·82	·82	·82	·78	·85	·83	·81	·83	·83	·89	·88	·86	·84	·84

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 11th November, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 11TH NOVEMBER, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	179	61	8	7	25	30	26	13	.	.	.	6	3	.	2	.	19	5	12	2	14	25	3	1	1	2	84	7
	CLASSES.																														
	Deaths in Families of the—																														
I	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	32·9	11	.	.	.	1	3	2	5	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	8	.
II.	MIDDLE CLASS, ...	87,188	15·5	26	4	1	2	3	10	4	2	.	.	.	.	.	.	.	.	4	2	3	.	2	2	.	.	.	.	13	3
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	17·5	37	8	2	3	5	11	7	1	.	.	.	.	.	.	.	.	4	.	2	.	4	7	2	.	.	.	18	1
IV.	GENERAL SERVICE CLASS, ...	154,279	23·7	70	35	4	2	11	9	7	2	.	.	.	5	3	.	2	.	7	1	4	2	5	11	1	.	.	1	28	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	35	14	1	.	5	6	6	3	.	.	.	1	.	.	.	.	3	2	3	.	2	5	.	1	1	.	17	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	46·8	7	.	.	.	1	3	2	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	5	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	24·9	4	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	16·6	7	.	1	.	1	3	1	1	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	.	.	2	.
	6. Clerks and Commercial Assistants, ...	30,432	10·3	6	2	.	1	.	2	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	.	3	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	21·2	11	1	.	1	2	4	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	8	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	5·3	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	12·2	7	2	2	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	1	1	.	.	.	2	.
	10. Clothing Trades, ...	23,260	13·5	6	.	.	1	1	3	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	3	.
	11. Food Supply Trades	9,242	16·9	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	25·8	15	4	.	1	1	5	3	1	.	.	.	.	.	.	.	.	1	.	.	.	2	3	1	.	.	.	8	1
	13. Petty Shopkeepers	7,894	33·0	5	1	.	.	.	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	19·4	5	2	1	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	3	1
	15. Domestic Servants, ...	36,603	12·8	9	2	1	.	3	2	1	.	.	.	.	.	.	.	.	.	2	.	2	.	.	1	.	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	18·1	5	3	.	1	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	3	1
	17. Hawkers, Porters, Labourers, &c., ...	89,861	29·6	51	28	2	1	7	5	6	2	.	.	.	5	2	.	1	.	4	1	2	2	5	9	1	.	.	1	18	1
	INMATES OF WORKHOUSES.																														
V.	18. Workhouse Inmates, ...	6,024	—	35	14	1	.	5	6	6	3	.	.	.	1	.	.	.	.	3	2	3	.	2	5	.	1	1	.	17	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (Office, Clarence-st. Nth.) Pop. in 1911 (Est.) 29,854.	Sept. 23,	33·2	10·5	19	.	.	.	.	1	1	.	.	2	.	1	1	1	4	.	.	.	.
	„ 30,	24·5	7·0	14	.	.	.	.	.	1	.	.	.	.	.	1	1	1	.	2	1	.
	Oct. 7,	15·7	5·2	9	1	.	.	.	.	.	.	.	3	.	.	.	1	.	.	2	.	.
	„ 14,	22·7	7·0	13	2	.	.	.	.	.	.	.	2	.	1	.	.	2	.	.	1	.
	„ 21,	15·7	1·7	9	.	.	.	.	.	.	.	.	4	.	.	.	1	.	.	1	1	.
	„ 28,	33·2	7·0	19	.	.	.	.	.	1	.	.	2	.	2	3	1	3	.	.	1	3
	Nov. 4,	21·0	5·2	12	.	.	.	.	.	.	.	.	3	1	.	.	1	2	1	.	.	2
	„ 11,	19·2	1·7	11	.	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	1
North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1911 (Est.) 39,902.	Sept. 23,	22·2	13·1	17	.	.	.	.	1	1	.	.	.	.	.	.	.	5	.	3	.	1
	„ 30,	32·7	7·8	25	1	.	.	.	.	.	.	.	3	1	1	1	.	4	.	1	1	.
	Oct. 7,	30·1	7·8	23	.	.	.	.	.	.	.	.	2	.	1	2	2	4	.	2	.	.
	„ 14,	28·7	10·5	22	.	.	.	.	.	1	.	.	2	1	.	3	1	5	1	1	.	1
	„ 21,	18·3	2·6	14	1	.	.	.	.	.	.	.	4	.	1	.	2	1	.	.	.	.
	„ 28,	22·2	1·3	17	.	.	.	.	.	.	.	.	1	.	2	1	1	1	.	.	.	.
	Nov. 4,	22·2	6·5	17	.	.	.	.	1	.	.	.	3	1	1	1	2	1	.	3	.	.
	„ 11,	37·9	3·9	29	.	.	.	1	1	.	.	.	4	.	2	3	7	.	1	.	.	1
North City, No. 2. (Office, Lisburn-street.) Pop. in 1911 (Est.) 30,689.	Sept. 23,	30·6	13·6	18	.	.	.	.	1	.	.	.	.	.	3	.	1	6	.	1	.	.
	„ 30,	27·2	6·8	16	1	.	.	.	.	.	.	.	.	2	1	.	2	2	1	.	.	.
	Oct. 7,	25·5	6·8	15	1	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	.
	„ 14,	30·6	5·1	18	.	.	.	.	1	.	2	.	.	2	.	1	2	.	.	.	.	.
	„ 21,	20·4	.	12	.	.	.	.	.	.	.	.	1	.	1	2	2	.	.	.	.	.
	„ 28,	17·0	3·4	10	.	.	.	.	.	.	.	.	2	1	.	.	.	2	.	.	.	.
	Nov. 4,	23·8	1·7	14	.	.	.	.	.	.	.	.	2	.	1	1	2	1	.	.	.	1
	„ 11,	37·4	1·7	22	.	.	.	.	.	.	.	.	1	.	1	2	3	1	.	.	1	2
North City, No. 3. (Office, Benburb-street.) Pop. in 1911 (Est.) 33,498.	Sept. 23,	17·1	1·6	11	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.	.	2
	„ 30,	20·2	1·6	13	.	.	.	.	.	.	.	.	2	.	.	.	3	1	.	.	.	.
	Oct. 7,	28·0	.	18	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.
	„ 14,	9·3	.	6	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1
	„ 21,	9·3	3·1	6	1	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.
	„ 28,	20·2	.	13	.	.	.	.	.	.	.	.	1	1	2	2	.	.	.	.	.	2
	Nov. 4,	17·1	1·6	11	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
	„ 11,	21·8	.	14	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.	.
South City, No. 1. (Office, Sth. Earl-street.) Pop. in 1911. (Est.) 41,401.	Sept. 23,	31·5	2·5	25	.	.	.	.	.	.	.	.	1	.	2	1	1	.	1	1	.	.
	„ 30,	25·2	10·1	20	1	.	.	.	.	.	.	.	2	1	1	.	1	4	.	3	.	.
	Oct. 7,	26·4	6·3	21	.	.	.	.	1	.	.	.	1	1	.	3	4	2	.	2	.	.
	„ 14,	18·9	10·1	15	.	.	.	1	.	.	1	.	.	.	1	.	4	3	.	3	.	.
	„ 21,	37·8	7·6	30	.	1	.	2	.	.	.	.	7	2	.	.	2	1	.	2	1	1
	„ 28,	29·0	10·1	23	.	1	.	5	.	1	.	.	2	2	1	.	2	.	.	1	.	.
	Nov. 4,	30·2	5·0	24	.	.	.	3	.	.	.	.	2	1	.	1	4	.	.	1	1	.
	„ 11,	35·3	7·6	28	.	.	.	4	2	.	.	.	5	2	.	2	3	.	.	.	.	1
South City, No. 2. (Office, Castle-street.) Pop. in 1911 (Est.) 21,715.	Sept. 23,	16·8	4·8	7	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.
	„ 30,	21·6	.	9	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	1
	Oct. 7,	19·2	9·6	8	.	.	.	.	.	.	.	.	1	1	.	.	1	3	.	1	1	.
	„ 14,	9·6	.	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
	„ 21,	24·0	4·8	10	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	1	.	.
	„ 28,	14·4	2·4	6	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.
	Nov. 4,	24·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	.
	„ 11,	26·4	2·4	11	.	.	.	.	.	.	1	.	2	1	.	1	4	.	.	.	.	.
South City, No. 3. (Office, Peter-street.) Pop. in 1911 (Est.) 43,149.	Sept. 23,	29·0	7·3	24	1	.	.	.	.	.	.	.	3	.	.	1	3	5	.	.	2	.
	„ 30,	24·2	9·7	20	1	.	.	.	1	.	.	.	3	1	.	.	2	5	.	1	2	1
	Oct. 7,	32·6	6·0	27	.	.	.	.	.	.	.	.	9	2	1	2	3	1	.	4	.	.
	„ 14,	30·2	3·6	25	.	.	.	.	.	.	.	.	5	2	.	2	2	2	.	1	1	.
	„ 21,	25·4	4·8	21	.	.	.	.	2	.	.	.	4	1	.	2	4	1	.	1	.	1
	„ 28,	23·0	6·0	19	1	.	.	.	.	1	.	.	2	.	.	.	.	1	.	2	2	2
	Nov. 4,	15·7	2·4	13	.	.	.	.	1	.	.	.	3	1	.	.	2	.	.	1	.	1
	„ 11,	16·9	1·2	14	.	.	.	1	.	.	.	.	1	1	2	1	4	.	.	.	.	1
South City, No. 4. (Office, Grand Canal-st.) Pop. in 1911 (Est.) 35,816.	Sept 23,	26·2	8·7	18	1	.	.	.	.	1	.	.	2	.	1	.	.	3	.	1	1	1
	„ 30,	14·6	2·9	10	2	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	1
	Oct. 7,	20·4	5·8	14	.	.	.	.	.	.	.	.	.	2	.	2	1	3	.	1	1	.
	„ 14,	32·0	10·2	22	2	.	.	.	.	.	.	.	.	.	3	1	1	4	1	.	.	2
	„ 21,	17·5	2·9	12	1	.	.	.	.	.	.	.	3	.	.	1	1	1	.	.	.	.
	„ 28,	13·1	.	9	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.	.	2	.
	Nov. 4,	26·2	1·5	18	1	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	.	.
	„ 11,	14·6	.	10	.	.	.	.	.	.	.	.	2	.	2	.	2	.	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	Sept. 23,	17·7	8·2	13	1	.	.	.	.	.	.	.	.	.	2	.	1	3	.	2	.	.
	„ 30,	10·9	1·4	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	Oct. 7,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 14,	13·6	2·7	10	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.	1	.	2
	„ 21,	19·0	1·4	14	.	.	.	.	.	1	.	.	1	1	2	3	.	.	.	.	.	.
	„ 28,	5·4	1·4	4	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.
	Nov. 4,	16·3	4·1	12	1	.	.	.	.	.	.	.	.	.	.	.	3	.	1	1	1	1
	„ 11,	9·5	2·7	7	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	Sept. 23,	14·2	7·1	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	1
	„ 30,	7·1	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.
	Oct. 7,	17·8	7·1	10	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	2	.	.
	„ 14,	16·0	1·8	9	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	1
	„ 21,	12·4	5·3	7	1	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	.
	„ 28,	8·9	3·6	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	Nov. 4,	19·5	3·6	11	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	2	.	.
	„ 11,	10·7	1·8	6	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.
Kingstown Urban District. Pop. in 1911 17,227.	Sept. 23,	15·1	3·0	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	„ 30,	18·2	6·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	Oct. 7,	6·1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 14,	12·1	3·0	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 21,	21·2	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	„ 28,	9·1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	Nov. 4,	12·1	3·0	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 11,	24·2	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	1
Belfast. Pop. in 1911 (Est.) 386,449.	Sept. 23,	20·2	6·7	150	.	.	.	.	.	2	.	.	8	8	8	6	9	27	1	20	1	1
	„ 30,	16·9	4·0	125	.	.	.	.	2	1	1	.	8	5	6	8	4	15	2	9	2	1
	Oct. 7,	17·3	3·0	128	2	.	.	.	1	1	.	.	13	10	6	7	10	10	2	6	2	.
	„ 14,	15·9	2·3	118	.	.	.	.	1	2	1	.	11	5	6	7	7	5	.	8	3	4
	„ 21,	17·0	1·3	126	.	.	.	.	.	1	.	.	19	4	5	10	13	2	.	7	3	1
	„ 28,	16·7	1·3	124	.	.	.	.	1	3	.	.	16	3	3	6	17	2	1	3	6	.
	Nov. 4,	15·1	0·7	112	1	.	.	.	2	.	.	.	15	4	5	13	17	.	.	2	1	2
	„ 11,	15·7	1·1	116	1	.	.	.	2	2	2	.	12	8	3	8	15	.	.	1	3	.
Cork. Pop. in 1911 76,632.	Sept. 23,	19·7	3·4	29	.	.	.	.	.	.	.	.	2	.	.	.	1	5	.	.	.	1
	„ 30,	22·5	6·1	33	.	.	.	.	.	.	1	.	2	.	1	1	3	8	.	.	.	3
	Oct. 7,	25·2	3·4	37	.	.	.	.	.	.	.	.	4	2	.	3	3	4	1	.	1	4
	„ 14,	25·2	1·4	37	1	.	.	.	.	.	.	.	7	.	.	3	2	1	.	.	.	.
	„ 21,	26·5	2·0	39	.	.	.	1	.	.	1	.	7	1	2	6	2	1	.	.	.	1
	„ 28,	22·5	1·4	33	.	.	.	1	.	.	.	.	4	2	2	4	2	1	.	.	.	4
	Nov. 4,	22·5	3·4	33	.	.	.	2	.	.	.	.	5	2	1	2	1	2	.	1	.	6
	„ 11,	19·7	2·7	29	.	.	.	1	.	.	2	.	5	1	1	4	1	.	.	1	.	.
Londonderry. Pop. in 1911 40,799.	Sept. 23,	12·8	.	10	.	.	.	.	.	.	.	.	3	1	1	.	1	.	.	.	.	.
	„ 30,	19·2	6·4	15	.	.	.	.	1	.	.	.	.	1	.	.	2	1	1	2	.	.
	Oct. 7,	7·7	1·3	6	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
	„ 14,	15·3	5·1	12	.	.	.	.	.	.	.	.	1	1	.	.	.	2	2	.	1	.
	„ 21,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 28,	8·9	2·6	7	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	1	.	.
	Nov. 4,	19·2	.	15	.	.	.	.	.	.	.	.	3	.	.	1	4	.	.	.	.	.
	„ 11,	15·3	1·3	12	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	.	.	.
Limerick. Pop. in 1911 38,403.	Sept. 23,	23·1	1·4	17	.	.	.	.	.	.	.	.	4	.	2	.	2	1	.	.	.	.
	„ 30,	23·1	5·4	17	.	.	.	.	.	.	.	.	1	1	.	1	.	3	1	.	.	2
	Oct. 7,	20·4	2·7	15	.	.	.	.	.	.	.	.	5	.	.	.	2	2	.	.	.	3
	„ 14,	16·3	2·7	12	.	.	.	.	.	.	.	.	2	.	1	.	1	2	.	.	.	2
	„ 21,	20·4	1·4	15	.	.	.	.	.	.	.	.	3	1	2	.	3	1	.	.	.	1
	„ 28,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3
	Nov. 4,	17·7	.	13	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	.	4
	„ 11,	8·1	.	6	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.
Waterford. Pop. in 1911 27,430.	Sept. 23,	24·7	3·8	13	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	2	.	.
	„ 30,	11·4	7·6	6	.	.	.	.	.	.	.	.	1	.	1	.	.	4	.	.	.	.
	Oct. 7,	19·0	7·6	10	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	1	.	.
	„ 14,	26·6	5·7	14	.	.	.	.	.	.	.	.	1	4	.	.	1	3	.	.	.	3
	„ 21,	26·6	1·9	14	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	1	1	1
	„ 28,	9·5	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	Nov. 4,	19·0	5·7	10	.	.	.	.	.	.	1	.	.	1	.	.	1	1	1	.	1	1
	„ 11,	15·2	.	8	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 11th November, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised).	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	385,492	6	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	.
Do. 2 do.		18			11	2	.	2	3	3	1	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.
Do. 3 do.		30			19	1	3	2	2	2	9	.	.	.	.	.	.	1	.	2	1	1	4	4	.	.	.	.	.	4	.
Do 4 do.		20			9	3	.	3	2	.	1	.	.	.	.	.	1	.	.	2	.	.	.	2	.	.	.	.	.	1	.
Do. 5 do.		16			5	.	.	.	2	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	1	.
Do. 6 do.		11			16	2	2	1	1	4	6	.	.	.	.	2	.	.	.	1	1	.	.	3	.	.	.	1	1	3	.
Do. 7 do.		1			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 8 do.		.			2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.
Do. 9 do.		11			7	1	.	.	3	1	2	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	2	.
Do. 10 do.		8			8	2	.	.	2	4	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	.	.	3	.
Do. 11 do.		24			12	.	3	1	1	5	2	.	.	.	.	.	.	1	.	1	1	.	.	1	.	.	.	.	1	3	.
Do. 12 do.		19			8	1	.	2	.	3	2	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	3	.
Do. 13 do.		15			3	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		25			12	3	.	3	2	3	1	1	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1	3	4	.
Total,	—	204			116	19	8	16	19	28	26	1	.	.	.	2	2	2	.	12	8	3	8	15	.	.	1	3	7	27	.
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	76,632	6	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Do. 2 do.		4			8	2	1	3	.	1	1	.	.	.	1	.	.	1	.	1	1	.	1	.	.	.	.	.	1	1	.
Do. 3 do.		8			5	2	1	.	.	.	2	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	1	.
Do. 4 do.		5			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do.		2			2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
Do. 6 do.		6			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 7 do.		10			10	2	2	1	1	4	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	1	.	.	5	.
Total,	—	41	19·7	2·7	29	6	7	5	2	6	3	.	.	.	1	.	.	2	.	5	1	1	4	1	.	.	1	.	2	8	.

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	May 20.	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.
No. of weeks in Annual Series,	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
BIRTHS registered, ...	180	214	233	215	258	201	264	213	207	268	236	203	225	215	220	197	215	183	184	184	184	198	194	199	206	204
DEATHS registered, ...	123	123	125	115	107	82	116	92	123	121	105	123	121	139	132	138	146	122	150	125	128	118	126	124	112	116
Annual Death rate per 1,000 of estimated population, ...	16·1	16·1	16·4	15·5	14·4	11·1	15·7	12·4	16·6	16·3	14·2	16·6	16·3	18·8	17·8	18·6	19·7	16·5	20·2	16·9	17·3	15·9	17·0	16·7	15·1	15·7
AGES, Under 1 year, ...	25	22	18	19	23	16	18	11	25	32	38	39	45	44	36	52	49	43	53	35	26	21	24	22	20	19
AGES, 1—5 years, ...	9	13	7	7	10	7	9	7	9	11	8	12	11	11	8	6	16	11	19	17	16	17	6	7	11	8
AGES, 5—25 ,, ...	15	17	14	14	16	7	16	15	16	14	11	7	14	15	18	11	10	8	12	7	13	9	17	17	12	16
AGES, 25—45 ,, ...	26	22	24	26	22	18	20	21	25	22	13	21	11	17	19	24	21	17	15	22	22	18	20	16	18	19
AGES, 45—65 ,, ...	31	27	34	20	20	20	37	25	29	23	17	23	23	28	31	27	29	21	31	20	28	28	29	37	24	28
AGES, 65 and upwards, ...	17	22	28	29	16	14	16	13	19	19	18	21	17	24	20	18	21	22	20	24	23	25	30	25	27	26
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2	1	2	.	.	.	2	.	.	.	1	1
Typhus, ...	.		.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	.	1	1	.	2	1	1	.	1	2	2
Whooping-cough, ...	1	1	.	.	4	.	1	.	1	1	1	2	1	.	1	.	1	2	2	1	1	2	1	3	.	2
Diphtheria, ...	.	.	.	1	.	.	.	1	.	2	.	2	.	1	.	.	.	.	.	1	.	1	.	.	.	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	21	21	16	14	13	13	23	16	18	20	10	13	9	6	19	17	11	10	8	8	13	11	19	16	15	12
Tuberculous Disease. Other Forms,	10	12	11	6	10	2	2	5	8	6	5	7	3	7	5	3	7	5	8	5	10	5	4	3	4	8
Cancer, ...	1	4	6	8	6	6	7	4	6	3	3	9	4	4	1	7	4	6	8	6	6	6	5	3	5	3
Diseases of Respiratory System, Pneumonia,	13	6	11	9	9	5	5	7	2	4	6	2	3	9	3	4	7	3	6	8	7	7	10	6	13	8
Diseases of Respiratory System, Others, ...	19	11	18	18	13	10	8	11	14	10	3	4	5	6	5	1	9	6	9	4	10	7	13	17	17	15
Diarrhœa, Under 2 years, ...	1	2	1	.	1	1	2	1	6	10	14	9	19	17	15	21	26	20	27	15	10	5	2	2	.	.
Diarrhœa, 2 years & upwards	.	.	.	1	.	3	.	.	.	.	1	4	4	3	5	6	7	4	1	2	2	.	.	1	.	.
Enteritis, under 2 years, ...	3	3	4	2	.	1	1	1	3	8	9	12	19	10	13	22	11	11	20	9	6	8	7	3	2	1
Violent Deaths, ...	1	1	.	3	3	1	4	.	3	5	3	2	2	6	4	5	3	2	1	2	2	3	3	6	1	3
Number of Uncertified Deaths, ...	1	1	2	1	.	3	3	.	1	.	2	.	1	1	2	.	.	.	1	1	.	4	1	.	2	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	Nov. 11,	2,148	1,108	12·8	2	.	11	7	8	15	33*a*
Edinburgh, ...	320,829	„ 11,	119	111	18·1	.	.	1	.	2	2	1
Glasgow, ...	784,621	„ 11,	389	247	16·4	.	.	4	.	4	8	3
Calcutta, ...	890,493	Oct. 7,	.	433	25·2	91*	.	.	.	6	1	56‡
Bombay, ...	977,822	„ 7,	450	549	29·2	53*	3	.	.	.	.	49
Madras, ...	509,346	Sept. 16,	430	313	31·9	51*	2	.	?	?	?	84
Cairo, ...	693,806	„ 9,	651	613	46·1	6	.	.	1	.	17†	171*a*
Paris	2,846,986	Oct. 14,	907	889	16·8	15	.	3	1	1	1†	37*a*
Brussels, ...	739,684	„ 21,	229	164	12·1	2	.	.	.	.	2†	10
Antwerp, ...	320,640	„ 21,	105	75	12·2	.	.	.	1	.	1†	9*a*
Amsterdam, ...	578,774	„ 21,	223	116	10·5	.	.	3	.	1	2†	3*a*
Copenhagen, ...	462,132	„ 21,	190	112	12·6	.	.	.	2	2	1†	2
Stockholm, ...	343,832	„ 14,	147	82	12·4	.	.	.	.	2	.	1
Christiania, ...	244,038	„ 28,	102	76	16·2	1	.	3	.	1	.	1
St. Petersburg, ...	1,639,266	„ 7,	945	547	17·4	13	2	17	7	8	5†	58
Moscow, ...	1,493,600	„ 7,	.	668	23·3	7	.	7	13	2	13†	119
Berlin, ...	2,068,808	„ 7,	811	600	15·1	1	.	3	4	14	22†	52
Hamburg, ...	931,035	„ 21,	.	282	15·9	.	.	3	5	5	12†	29
Breslau, ...	519,751	„ 21,	.	177	17·8	.	.	.	1	1	.	15
Munich, ...	597,000	„ 28,	.	177	15·5	1	.	.	.	2	1†	24
Vienna (with suburbs),	2,064,583	„ 21,	686	622	15·7	.	.	5	4	2	4†	29*a*
Buda-Pesth, ...	891,585	„ 21,	410	330	19·2	7	.	2	6	2	6†	31*a*
Prague and Faubourgs,	508,310	„ 7,	164	173	17·7	1	.	.	1	1	1†	2*a*
Trieste, ...	233,925	„ 7,	131	95	21·2	.	.	.	.	.	.	11*a*
Rome, ...	602,068	Aug. 26,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Sept. 2,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	„ 30,	2,487	1,233	12·9	17	.	4	5	8	11†	126*a*
Philadelphia, ...	1,580,250	„ 16,	.	401	13·2	7	.	.	2	2	3†	67*a*
Boston, ...	686,912	Oct. 14,	.	189	14·3	.	.	2	1	.	2	18

* Deaths from "fever," including 4 deaths from enteric fever and 4 from plague in Calcutta, 2 from enteric fever and 10 from plague in Bombay, and 3 from plague in Madras.

† Including deaths from croup.

‡ Including 14 deaths from cholera in Calcutta.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending November 11th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	.	1	.	.	.	2
" " 1, West, ...	.	2	.	.	5	.	.	1	2	.	.	2	12
" " 2, ...	.	2	.	.	1	.	.	1	2	.	.	.	6
" " 3, ...	.	15	.	.	4	.	.	2	2	.	.	.	23
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	3	.	.	2	.	.	1	1	.	.	.	7
Finglas and Glasnevin (part of), ...	.	2	.	.	1	.	1	.	.	.	.	.	4
South City No. 1, ...	.	2	.	.	1	.	.	2	4	.	.	3	12
" " 2, ...	.	5	.	.	2	.	.	.	1	.	.	2	10
" " 3, ...	.	3	.	.	2	.	.	1	.	.	.	.	6
" " 4, ...	.	2	.	.	.	.	.	.	.	.	.	2	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	37	.	.	18	.	1	8	13	.	.	9	86

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 11th November, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 11th November.			
	Oct. 21.	Oct. 28.	Nov. 4.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	13	20	32	9	4	4	33
Scarlet Fever, ...	153	180	177	33	26	3	181*
Typhus, ...	12	11	8	.	3	.	5
Diphtheria, ...	41	51	59	38	16	2	79
Enteric Fever, ...	141	133	124	9	19	.	114
Pneumonia, ...	23	22	20	4	7	3	14

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 11th November, 1911:—

"The weather remained in a very changeable state throughout this week—the atmospheric perturbations being of a peculiarly sudden and intense kind. The period opened with a severe S.W. gale, warmth, and rain. At 7 a.m. of Sunday the barometer was down to 28·14 inches at Stornoway in the Hebrides, whereas it stood as high as 30·40 inches at Madrid and 30·36 inches at Lisbon. Fresh to strong S.W. gales swept over the British Isles and neighbouring lands and seas. In Dublin the thermometer had risen to 57·2° during the previous night—by 9 p.m. it had fallen to 39·7°, the wind having veered to W. Some hail fell at 2 p.m. By Monday morning the centre of this vast and deep depression had reached the northern parts of Scandinavia. On this day the wind still blew strongly from the westward and the weather was showery to fair. In the course of Tuesday another depression spread eastwards over these islands, causing a renewal of stormy, rainy conditions—at 7 a.m. of Wednesday this new system was central between the North of Scotland and the Faeroe, the barometer being below 28·9 inches in that region. This depression proceeded to fill up, but a well-defined secondary soon appeared off the North of Ireland, travelling thence south-eastwards to the English south midlands, over which it was central on Friday morning. The northerly winds of this last disturbance caused heavy falls of rain and sleet, and the loftier summits of the Leinster Mountains were capped with snow from Thursday. Friday proved very fine and bright after a frosty night, but on Saturday a S.E. wind sprang up, and the cloud-movements showed two air-currents, cirrus coming from N.W. and W., cumulus from S.E. with the wind. Rain fell heavily in the evening. In Dublin the mean height of the barometer was 29·533 inches, pressure ranging between 29·202 inches at 9 a.m. of Sunday (wind, W.S.W.) and 29·844 inches at 9 p.m. of Monday (wind, also W.S.W.). The mean temperature was 42·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 39·8°. On Sunday the screened thermometers rose to 57·2°, on Saturday they fell to 30·8°. On the latter day the grass minimum was 28·0°. The prevalent wind was W.S.W. Rain fell on 6 days to the amount of ·839 inch, including ·269 inch on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·323 inches. The highest reading (29·664) was on Monday at 9 p.m., wind W.S.W., the lowest (28·945) on Monday at 9 a.m., wind W.S.W.

The mean temperature for the week was 40·2°, being 4·5° below the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Tuesday, on which day the thermometer registered 52·9°, and was lowest on Saturday, the mercury having fallen to 24·7°. The mean of the Dry Bulb for the week was 38·8° and of the Wet Bulb, 36·9°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The rainfall during the week measured 1·015 inches.

At Greenwich the mean temperature for the week was 44·5°, the maximum 59·0°, and the minimum 34·1°; at Glasgow the maximum was 53·5°, the minimum 26·2°, and the mean 40·7°; and at Edinburgh the minimum was 32·1°. The rainfall at Greenwich measured 1·16 ins.; at Glasgow 1·29 ins.; and at Edinburgh 1·25 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, November 5,	29·202	50·8	33·2	42·0	41·6	38·2	·78	·6	5·6	·020	W.S.W.	S.W.
Monday, „ 6,	29·305	48·9	36·9	42·9	40·1	38·7	·89	·4	2·7	·050	W.S.W.	W.S.W.
Tuesday, „ 7,	29·369	52·9	37·9	45·5	45·0	42·5	·81	·7	4·6	·305	S.W.	S.W.
Wednesday, „ 8,	29·193	47·0	35·2	41·1	37·3	35·9	·87	·5	2·8	·090	W.S.W.	S.W.
Thursday, „ 9,	29·256	42·9	32·0	37·5	37·6	36·1	·84	·7	0·0	·230	W.S.W.	N.W.
Friday, „ 10,	29·581	44·1	27·6	35·9	31·0	29·8	·83	·1	6·1	·000	Calm.	Calm.
Saturday, „ 11,	29·356	47·6	24·7	36·2	38·7	37·2	·86	·0	0·0	·320	Calm.	E.S.E.
Mean, ...	29·323	47·7	32·5	40·2	38·8	36·9	·84	·4	Total 21·8	Total 1·015	Prevailing Wind. W.S.W.	

Sunday—Day cloudy, heavy showers a.m. and p.m.; night cloudy, showers 3 to 3.20 a.m. and 6.15 to 6.25 a.m. *Monday*—Day cloudy, showers a.m. and p.m.; night clear. *Tuesday*—Day bright a.m., overcast p.m., heavy rain 3.45 to 5.50 a.m., and 8 to 8.20 p.m.; night cloudy, showers 2.20 to 2.35 a.m. *Wednesday*—Day cloudy, fine; night clear to overcast, heavy rain 3.45 to 6 a.m. *Thursday*—Day overcast, rain at intervals from 9 a.m. to 4 p.m.; night clear. *Friday*—A beautiful day; night clear. *Saturday*—Day overcast, drizzling rain 6.30 to 9 p.m.; night overcast, drizzling rain 9 p.m. to 3 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, November 11th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, November 5,	45·2	48·5	51·4	58·2	39·0	48·6	5·7	·006
Monday, „ 6,	43·4	46·8	51·1	49·2	38·0	43·6	1·8	·050
Tuesday, „ 7,	47·7	46·0	51·0	54·9	40·0	47·5	4·9	·177
Wednesday, „ 8,	40·7	46·0	50·8	46·5	36·2	41·4	1·7	·070
Thursday, „ 9,	42·0	44·6	50·5	44·2	35·0	39·6	—	·218
Friday, „ 10,	34·7	43·7	50·1	43·7	30·9	37·3	3·8	—
Saturday, „ 11,	34·0	42·3	49·7	48·7	28·1	38·4	0·2	·245
Weekly Mean, .	41·1	45·4	50·7	49·3	35·3	42·3	Total 18·1	Total ·766

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31477. Wt. P. 110-81/138. 375. 10. 1911. Sch. C 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., Fetter Lane, E.C.; or
OLIVER & BOYD, Tweeddale Court, Edinburgh.

Printed by ALEX. THOM & Co., Limited, Abbey Street, Dublin. *Price* 1½*d.*

Vol. XLVIII.] Week ending Saturday, 18th November, 1911. [No. 46.

General Register Office, Charlemont House, Dublin, 20th November, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Oct. 28	Nov. 4	Nov. 11	Nov. 18	Average Rate for 4 weeks.	Towns, &c.	Week ending Oct. 28	Nov. 4	Nov. 11	Nov. 18	Average Rate for 4 weeks.
22 Town Districts, ...	**17·1**	**17·1**	**17·6**	**19·0**	**17·7**	Limerick	12·2	17·7	8·1	9·5	11·9
						Lisburn	21·4	17·1	17·1	17·1	18·2
Armagh	20·6	13·7	.	13·7	12·0	Londonderry	8·9	19·2	15·3	16·6	15·0
Ballymena	18·3	22·9	4·6	18·3	16·0	Lurgan	12·9	4·3	.	25·8	10·8
Belfast	16·7	15·1	15·7	17·7	16·3	Newry	13·1	.	48·0	21·8	2[illegible]·7
Clonmel	25·4	5·1	15·2	15·2	15·2	Newtownards	34·3	11·4	45·8	22·9	28·6
Cork	22·5	22·5	19·7	25·9	22·6	Portadown	8·9	8·9	8·9	.	6·7
Drogheda	4·2	8·4	.	12·6	6·3	Queenstown	6·6	.	.	13·2	5·0
Dublin Reg. Area ...	18·0	20·4	22·1	22·1	20·6	Sligo	.	4·7	28·0	18·7	12·9
Dundalk	23·8	15·9	11·9	23·8	18·8	Tralee	37·0	15·9	15·9	10·6	19·8
Galway	19·7	7·9	3·9	7·9	9·9	Waterford	9·5	19·0	15·2	13·3	14·3
Kilkenny	34·7	5·0	9·9	9·9	14·9	Wexford	9·1	31·9	9·1	13·7	16·0

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 2·2 per 1,000, the rates varying from 0·0 in twelve of the districts to 11·4 in Newtownards, the 4 deaths from all causes for that district including one from each of measles and diphtheria. Among the 131 deaths from all causes for Belfast are one from scarlet fever, one from whooping-cough, 4 from diphtheria, and 6 from diarrhœa and *enteritis* of children under 2 years of age. Of the 38 deaths from all causes for Cork, 2 were from measles, 2 from diphtheria, and 3 from diarrhœa, and included in the 2 deaths from all causes for Queenstown one is from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 183—95 boys and 88 girls—and the deaths to 186 —82 males and 104 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 15) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 22·1 per 1,000 of the population. During the forty-six weeks ending with Saturday last the death-rate averaged 21·5, and was 0·8 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 186, represent an annual rate of 24·0 per 1,000; the annual rate for the past forty-six weeks was 22·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·3 per 1,000 of the mean population for all deaths registered.

Among the deaths there were 5 from measles, 2 from scarlet fever, 4 from whooping-cough, 4 from diphtheria, 5 from diarrhœa and *enteritis* of children under 2 years of age, and one death from each of influenza and dysentery.

In each of the 3 weekly periods preceding, deaths from measles numbered 5, 4, and 6; deaths from scarlet fever one, 2, and 3; deaths from whooping-cough 5, one, and 0; deaths from diphtheria one, 0, and 2; deaths from diarrhœa and *enteritis* of children under 2 years, 13, 14, and 4; and deaths from influenza 0, one, and 0.

Tuberculosis, which in each of the preceding three weeks had caused 24 deaths, caused 34 in the week under notice; the latter figure includes 24 deaths from pulmonary tuberculosis, 3 deaths from tuberculous meningitis, 2 deaths from abdominal tuberculosis, and 5 from disseminated tuberculosis.

The deaths of 19 persons were assigned to cancer.

There were 4 deaths from broncho-pneumonia, and 4 deaths from *pneumonia* (type not distinguished).

Organic diseases of the heart accounted for 12 deaths, and bronchitis for 20 deaths.

Prematurity caused the deaths of 6 infants; the deaths of 4 infants were attributed to congenital debility, and one died from congenital heart disease.

Of 5 deaths from accident or negligence, 2 were by burning, and one was caused by a street accident.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under 5 years of age (including 3 infants under one year old) and the death of one person aged 78 years.

Sixty-one of the persons whose deaths were registered during the week were under 5 years of age (34 being infants under one year, of whom 13 were under one month old) and 39 were aged 65 years and upwards, including 29 persons aged 70 and upwards; among the latter were 18 aged 75 and upwards, of whom 3 (females) were stated to have been aged 90, 93, and 103 years, respectively.

Ninety-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse and 20 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·1 per 1,000; the rate in the City was 24·1 (North City Districts, 26·3; South, 21·7) and in the Suburbs, 15·5.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·7 per 1,000 inhabitants, the rate for the City being 3·4 (2·6 in the North City Districts, and 4·1 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (23) are equal to an annual rate of 40·2 per 1,000. Five deaths were caused by tuberculosis, 4 by diarrhœa of infants, one by broncho-pneumonia, 3 by bronchitis,, and one by an accident.

No. 1 *North City District, West* (Summer-hill).—The deaths (17) are equal to an annual rate of 22·2 per 1,000. Whooping-cough and influenza each caused one death; there were 2 deaths from pulmonary tuberculosis, 3 from bronchitis, and one death from accidental burns.

No. 2 *North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 25·5 per 1,000, and include 2 deaths from tuberculosis, one death from broncho-pneumonia, one death from *pneumonia* (type not distinguished), and 2 deaths from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (21) represent an annual rate of 32·7 per 1,000. Scarlet fever and dysentery each caused one death; there were 2 deaths from tuberculous disease, one death from *pneumonia* (type not distinguished), and 2 deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 9·0; and Finglas and Glasnevin, part of, 6·8. The only death from any of the principal epidemic diseases tabulated for these districts was one from whooping-cough for Finglas and Glasnevin, part of. The one death for Clontarf and Howth, No. 1, part of, was from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (21) represent an annual rate of 26·4 per 1,000. The deaths include 4 from measles, one from whooping-cough, 3 from tuberculosis, one from *pneumonia* (type not distinguished), and 3 from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (13) are equal to an annual rate of 31·2 per 1,000. Measles, scarlet fever, and diphtheria each caused one death; there was one death from pulmonary tuberculosis; there were 3 deaths from bronchitis, and one death by a street accident.

No. 3 *South City District* (Peter-street).—The deaths (20) are equal to an annual rate of 24·2 per 1,000, and include one death from whooping-cough, 2 deaths from diphtheria, 7 deaths from tuberculous disease, 2 deaths from broncho-pneumonia, one death from bronchitis, and one death from accidental burns.

No. 4 *South City District* (Grand Canal Street).—The deaths (8) are equivalent to an annual rate of 11·6 per 1,000. Among the deaths there was one from tuberculous meningitis and one from bronchitis.

New Kilmainham District.—The one death for this district is equal to an annual rate of 5·8 per 1,000, and was due to nephritis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·7; Pembroke, 17·8; Blackrock, 11·5; and Kingstown, 9·1. The only death from any of the principal epidemic diseases tabulated for these districts was one from diphtheria for Pembroke. Of the 13 deaths from all causes for Rathmines and Rathgar 5 were from tuberculous disease and one by accidental violence. The 10 deaths from all causes for Pembroke include one from pulmonary tuberculosis, one from *pneumonia* (type not distinguished), and one from bronchitis. One of the 2 deaths for Blackrock was from pulmonary tuberculosis; and one of the 3 deaths for Kingstown was also from pulmonary tuberculosis.

* See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 18th November, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Oct. 28,	.	—	—	26	1	.	9	.	5	12	16	.	—	—	.	—	16	—	85
	Nov. 4,	.	—	—	30	.	.	8	.	4	12	13	.	—	—	.	—	14	—	81
	Nov. 11,	.	—	—	37	.	.	18	.	1	8	13	.	—	—	.	—	9	—	86
	Nov. 18,	.	—	—	32	.	.	4	.	1	9	2	.	—	—	.	—	7	—	55
Rathmines and Rathgar Urban District.	Oct. 28	.	—	—	9	.	.	4	.	.	6	1	.	.	—	—	—	—	—	20
	Nov. 4,	.	—	—	2	.	.	8	.	.	.	1	.	1	—	—	—	—	—	12
	Nov. 11,	.	—	—	5	.	.	14	.	.	2	.	.	.	—	—	—	—	—	21
	Nov. 18,	.	—	—	4	.	.	9	.	.	.	.	.	.	—	—	—	—	—	13
Pembroke Urban District.	Oct. 28,	.	2	.	6	.	.	1	.	.	1	.	.	.	.	.	—	.	—	10
	Nov. 4,	.	2	.	.	.	.	1	.	.	1	1	.	.	.	.	—	.	—	5
	Nov. 11,	.	.	.	1	.	.	3	.	.	.	2	.	.	.	.	—	.	—	6
	Nov. 18,	.	.	.	2	.	.	1	.	.	.	1	.	2	1	.	—	.	—	7
Blackrock Urban District.	Oct. 28,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Nov. 4,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Nov. 11,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Nov. 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Oct. 28,	.	—	—	1	.	.	.	.	.	1	1	.	—	—	—	—	1	—	4
	Nov. 4,	.	—	—	.	.	.	.	.	.	1	2	.	—	—	—	—	.	—	3
	Nov. 11,	.	—	—	3	.	.	.	.	.	.	1	.	—	—	—	—	2	—	6
	Nov. 18,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	.	—	3
City of Belfast.	Oct. 28,	.	—	—	30	.	.	6	.	2	6	7	.	—	—	.	—	7	—	58
	Nov. 4,	.	—	—	35	.	.	7	.	.	5	9	.	—	—	.	—	14	—	70
	Nov. 11,	.	—	—	22	.	.	13	.	.	.	6	.	—	—	.	—	3	—	44
	Nov. 18,	.	—	—	28	.	.	11	2	.	1	9	.	—	—	.	—	8	—	59

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 18th November, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Four cases of measles were admitted to hospital during the week, 11 were discharged, there were 3 deaths, and 23 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 20, 32, and 33, respectively.

Thirty-six cases of scarlet fever were admitted to hospital, 27 were discharged, there was one death, and 189* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 180, 177, and 181, respectively.

One case of typhus was admitted to hospital during the week, 2 were discharged, and 4 cases remained under treatment at the close of the week.

Fifteen cases of diphtheria were admitted to hospital during the week, 16 were discharged, and there were 3 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 51, 59, and 79, respectively, were 75 at the close of last week.

Seven cases of enteric fever were admitted to hospital during the week, 30 were discharged, and 91 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 133, 124, and 114.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 2 were discharged, there was one death, and 18 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London, in which the rate was 13·0) was equal to an average annual death-rate of 13·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·6 per 1,000, the rate for Glasgow being 20·0 and for Edinburgh 19·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 18th November. From this Report it appears that of a total of 79 cases notified, 27 were scarlet fever, 27 phthisis, 16 diphtheria, 7 erysipelas, one puerperal fever, and one enteric fever. Among the 371 cases of infectious diseases in hospital at the close of the week were 158 cases of scarlet fever, 72 of diphtheria, 61 of phthisis, 29 of whooping-cough, 20 of measles, 11 of enteric fever, 8 of erysipelas, and 2 of chicken-pox.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 18th November, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) Week ending 18th November, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 11th November, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 4th November, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
TOTAL OF 22 TOWN DISTRICTS, ..	1,149,495	20·2	24·0	19·0	2·2	529	419	84	87	...	...	...	8	3	5	12	1	53	23	29	24	49	10	2	7	9	12	153	13	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,732	29·3	23·6	22·1	2·7	183	171	33	36	...	...	...	5	2	4	4	1	22	10	16	8	21	4	...	1	5	3	84	5	e53·5	37·3	44·5	1·79	e52·9	24·7	40·2	1·02	e58·5	25·0	46·3	1·13
CITY OF DUBLIN,	309,738	39·2	26·9	24·1	3·4	160	143	32	26	...	...	...	5	2	4	3	1	15	9	13	7	20	4	...	1	4	2	73	3	f57·5 g56·8	39·2 38·2	47·1 46·7	1·34 1·44	f57·2 g57·4	30·8 26·0	42·2 41·5	0·84 0·88	f58·8 g58·8	33·2 27·2	48·0 47·2	0·99 1·09
Urban Districts. RATHMINES AND RATHGAR.	38,330	22·4	5·4	17·7	.	4	13	...	5	...	...	...	...	...	...	...	...	4	1	3	...	...	...	...	...	1	1	6	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,347	18·5	17·8	17·8	1·8	10	10	1	4	...	...	...	...	...	...	1	...	1	...	...	1	1	...	...	...	...	...	4	2	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,090	8·4	5·7	11·5	.	1	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	24·2	9·1	.	8	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	58	39	48·7	1·06	54	31	42·3	0·89	60	34	49·4	0·69
Urban Districts. BELFAST ...	386,449	26·3	25·2	17·7	1·6	187	131	30	24	...	...	...	...	1	1	4	...	17	7	4	10	15	1	...	5	3	6	41	1	53·5	28·2	46·0	2·09	53·0	29·0	41·3	1·43	56·0	31·0	43·2	1·66
CORK, ...	76,632	33·8	21·8	25·9	4·8	32	38	7	9	...	...	...	2	...	...	2	...	6	2	3	1	4	2	1	...	1	1	16	1	53	41	47·9	2·59	53	33	44·3	1·57	57	38	49·7	1·05
LONDONDERRY ...	40,799	18·9	21·7	16·6	.	17	13	1	3	...	...	...	...	...	...	...	...	1	...	...	3	2	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,403	18·2	17·7	9·5	1·4	13	7	2	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	2	1	57·1	35·5	47·3	1·93	57·8	28·5	41·6	1·62	57·7	31·7	47·3	1·75
WATERFORD, ...	27,430	19·1	13·3	13·3	1·9	7	7	1	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	1	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,249	2·5	43·3	7·9	.	11	2	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	56	40	49·6	1·79	56	30	44	1·30	56	35	46	2·46
DUNDALK, ...	13,128	9·5	75·5	23·8	.	19	6	2	1	...	...	...	...	...	...	...	...	...	...	3	1	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	16·8	12·6	4·2	4	3	2	1	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,956	17·2	21·8	21·8	.	5	5	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	56·1	35·0	45·3	1·32	51·1	22·6	39·3	0·82	56·0	33·3	45·4	1·65
LURGAN, ...	12,135	14·3	25·8	25·8	.	6	6	...	1	...	...	...	...	...	...	...	...	3	2	...	...	1	...	...	...	...	...	1	...	56·1	35·0	45·3	1·32	51·1	22·6	39·3	0·82	56·0	33·3	45·4	1·65
LISBURN, ...	12,172	10·7	42·8	17·1	.	10	4	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	2	...	56·1	35·0	45·3	1·32	51·1	22·6	39·3	0·82	56·0	33·3	45·4	1·65
WEXFORD, ...	11,455	23·8	13·7	13·7	4·6	3	3	1	2	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA, ...	11,376	9·3	22·9	18·3	.	5	4	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	4·7	18·7	.	1	4	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	56·7	37·9	45·0	2·85	56·2	26·0	35·7	1·84	57·6	32·8	45·7	2·63
KILKENNY, ...	10,513	11·4	19·8	9·9	.	4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	56	39	46·6	2·57	52	25	39·9	1·40	58	28	47·7	1·44
CLONMEL, ...	10,277	7·9	30·4	15·2	5·1	6	3	1	2	...	...	...	...	...	...	...	...	1	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	13·3	.	.	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	56·1	35·0	45·3	1·32	51·1	22·6	39·3	0·82	56·0	33·3	45·4	1·65
TRALEE, ...	9,867	16·6	21·1	10·6	.	4	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	11·4	22·9	11·4	2	4	...	1	...	...	...	1	...	...	1	...	...	...	...	1	1	...	...	...	...	...	1	...	58	40	47·7	2·02	51	32	42·6	0·42	57	36	46·2	1·84
QUEENSTOWN, ...	7,909	14·4	46·1	13·2	6·6	7	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	53	41	47·9	2·59	53	33	44·3	1·57	57	38	49·7	1·05
ARMAGH, ...	7,588	22·2	.	13·7	.	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	56·1	35·0	45·3	1·32	51·1	22·6	39·3	0·82	56·0	33·3	45·4	1·65

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911: in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 15 deaths of persons (including one under one year old and 3 at 65 years or upwards) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observation by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 18th of November, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	4	1	.	.	.	.	.	.	.	5	.
Scarlet Fever,	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Whooping-cough,	.	1	.	.	.	.	1	1	.	1	.	.	.	.	.	.	4	.
Diphtheria,	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	4	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Tuberculous Disease. — Pulmonary Tuberculosis,	3	2	1	1	1	.	.	1	1	5	.	.	4	1	1	1	22	2
Tuberculous Disease. — Other Forms,	2	.	1	1	.	.	.	2	.	2	1	.	1	.	.	.	10	.
Cancer,	2	.	2	2	.	1	.	2	1	3	.	.	3	.	.	.	16	3
Diseases of Nervous System,	2	2	.	2	.	.	.	2	2	1	1	.	.	1	.	.	13	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	2	1	5	.	.	.	1	.	.	1	.	.	1	.	1	13	1
" Respiratory System. — Pneumonia,	1	.	2	1	.	.	.	1	.	2	.	.	.	1	.	.	8	.
" Respiratory System. — Others,	4	4	2	2	.	.	.	3	3	1	1	.	.	1	.	.	21	3
" Digestive System. — Diarrhœa, under 2 years,	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — *Enteritis*, under 2 years,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1
" Digestive System. — Others,	.	1	2	2	.	1	.	.	.	1	1	.	2	.	.	.	10	1
" Genito-urinary System,	.	.	2	.	.	.	.	.	.	1	1	1	1	1	1	.	8	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Other specified Causes,	2	2	2	1	.	.	.	3	1	.	1	.	1	2	.	1	16	2
Violent Deaths,	1	1	.	.	.	.	.	.	1	1	.	.	1	.	.	.	5	.
Ill-defined, &c. Causes,	1	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	5	1
Deaths from All Causes	23	17	15	21	1	2	1	21	13	20	8	1	13	10	2	3	171	15
Annual Rate of Mortality from All Causes in every 1,000 of the population.	40·2	22·2	25·5	32·7	9·7	9·0	6·8	26·4	31·2	24·2	11·6	5·8	17·7	17·8	11·5	9·1	22·1	.
	26·3							21·7					15·5					
	24·1																	
Ages at Death. — Under 1 year,	7	4	3	3	.	1	1	9	2	1	1	.	.	1	.	.	33	1
1 and under 2 years,	3	.	.	1	.	.	.	3	1	1	.	.	.	.	.	.	9	.
2 " 5 "	1	2	1	1	.	.	.	4	2	7	.	.	.	.	.	.	18	.
5 " 15 "	1	.	.	2	.	.	.	.	1	1	2	.	.	.	.	.	7	.
15 " 25 "	1	2	2	.	1	.	.	1	1	4	1	.	.	.	.	.	13	.
25 " 45 "	2	4	4	4	.	1	.	1	1	.	1	.	5	4	1	1	29	4
45 " 65 "	3	3	1	4	.	.	.	1	3	3	1	1	3	1	.	2	26	7
65 and upwards,	5	2	4	6	.	.	.	2	2	3	2	.	5	4	1	.	36	3
Number of Uncertified Deaths,	1	1	.	.	.	.	.	.	.	.	1	.	.	2	.	.	5	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	4	5	3	6	1	.	.	4	3	10	4	.	6	4	.	1	51	15
Workhouse Hospitals,	5	3	2	3	.	.	.	8	7	4	1	.	.	.	.	.	33	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 46th Week of the 10 years 1901–1910.	In the Week ending Saturday, 18th November, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Nov. 16, 1901.	Nov. 15, 1902.	Nov. 21, 1903.	Nov. 19, 1904	Nov. 18, 1905.	Nov. 17, 1906.	Nov. 16, 1907.	Nov. 14, 1908.	Nov. 20, 1909.	Nov. 19, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 40·2	° 47·9	° 40·2	° 45·8	° 38·0	° 42·9	° 44·1	° 45·4	° 37·7	° 38·2	° 42·0	° 44·5										
ALL CAUSES.	180	202	182	183	158	191	163	157	190	166	177·2	186	13	21	9	18	7	13	33	33	21	18
Enteric Fever, ...	.	4	2	2	.	1	2	2	.	.	1·3	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	10	.	8	.	9	3	1	.	1	3·2	5	.	2	.	3	.	.	.	.	.	.
Scarlet Fever, ...	.	2	.	.	1	.	.	.	.	2	·5	2	.	.	.	.	2	.	.	.	.	.
Whooping-cough, ...	1	1	2	4	1	1	1	1	2	2	1·6	4	.	2	1	1	.	.	.	.	.	.
Diphtheria, ...	3	1	2	1	1	.	2	.	2	3	1·5	4	.	.	1	2	.	.	1	.	.	.
Croup, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	1	1	1	4	3	1	1	1	.	1·6	1	.	.	.	.	.	.	1	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.
Erysipelas, ...	1	.	.	.	2	.	.	1	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	1	1	.	2	.	2	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	36	19	20	23	26	19	22	23	20	20	22·8	24	.	.	.	.	.	7	10	6	1	.
Tuberculous Meningitis, ...	3	2	5	2	3	.	4	3	2	2	2·6	3	.	1	.	1	1	.	.	.	.	.
Abdominal Tuberculosis, ...	4	2	2	2	.	.	1	1	2	1	1·5	2	.	.	2	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	3	3	6	5	9	5	2	5	2	5	4·5	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												5	.	1	2	1	.	.	1	.	.	.
Venereal Diseases, ...	.	2	2	2	2	1	.	.	1	.	1·0	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	9	6	6	9	5	13	10	11	17	8	9·4	19	.	.	.	.	.	1	4	5	7	2
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	2	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	1	1	.	1	.	.	.	1	·5	1	.	.	.	.	.	.	.	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	5	.	1	.	.	.	1	1	1	.	1
Alcoholism, ...	2	.	1	.	1	.	.	.	.	2	·6	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												2	.	.	.	1	1	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*												1	.	.	.	.	.	.	.	1	.	.
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												2	.	.	.	.	.	.	2	.	.	.
Epilepsy, ...												1	.	.	.	.	.	.	1	.	.	.
Convulsions (non-puerperal),												4	2	1	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	36	53	45	40	34	41	38	27	45	37	39·6	3	.	.	.	.	.	.	.	2	.	1
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,												12	.	.	.	.	.	1	1	4	4	2
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												2	.	.	.	.	.	.	.	2	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	15	26	31	21	24	31	26	21	21	23	23·9	20	.	3	1	2	.	2	1	4	3	4
Broncho-pneumonia, ...		2	9	6	6	4	5	13	9	9		4	1	.	.	.	1	1	.	.	1	.
Lobar-pneumonia, ...	8	.	1	2	3	5	.	5	2	.	14·4	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)		7	8	9	5	3	5	4	7	7		4	.	.	.	1	1	.	2	.	.	.
Pleurisy, ...												2	.	1	.	.	.	.	1	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	2	2	1	1	2	3	1	2	1	3	1·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												2	.	.	.	1	.	.	.	1	.	.

FORTY-SIXTH WEEK ending Saturday, 18th November, 1911, with, as far as practicable, the deaths from each cause in 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 46th Week of the 10 years 1901–1910.	In the Week ending Saturday, 18th November, 1911.										
													Deaths of Persons of the Ages of									
	Nov. 16, 1901.	Nov. 15, 1902.	Nov. 21, 1903.	Nov. 19, 1904.	Nov. 18, 1905.	Nov. 17, 1906.	Nov. 16, 1907.	Nov. 14, 1908.	Nov. 20, 1909.	Nov. 19, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	40·2	47·9	40·2	45·8	38·0	42·9	44·1	45·4	37·7	38·2	42·0	44·5										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	4	1	.	.	.	.	.	2	1	.	.
Diarrhœa of Children under 2 years.	2	3	4	5	2	3	3	4	2	2	3·0	4	.	3	1	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	1	.	2	2	2	6	1	5	6	4	2·9	1	.	1	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												2	.	.	.	1	.	.	.	.	.	1
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	2	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	.	1	1
Cirrhosis of Liver, ...	2	2	.	3	.	1	.	1	1	1	1·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...		1	2	1	.	.	2	.	.	1		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	1	1	.	.	.	.	.	1	1	·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	4	8	5	4	3	5	2	5	6	4	4·6	3	.	1	.	1	.	.	1	.	.	.
Acute Nephritis, ...												6	.	.	.	2	.	.	1	1	2	.
Chronic Bright's Disease, ...												2	.	.	.	.	.	.	1	.	.	1
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	2	8	3	7	3	2	3	2	12	5	4·7	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	2	.	1	1	.	1	.	.	1	·6	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	1	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	8	2	1	3	5	5	1	3	4	6	3·8	6	5	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	4	2	2	.	.	.	.	.	.	.	.
Old Age, ...	12	6	6	3	3	3	5	.	6	5	4·9	.	.	.	.	.	.	.	.	.	.	.
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	1	.	.	1	.	.	1	.	.	.	·3	1	.	.	.	.	.	.	.	1	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	.	.	1	1	2	2	1	1	1	2	1·1	2	.	.	.	1	.	.	1	.	.	.
By Drowning, ...	2	.	.	1	.	2	.	.	2	.	·7	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	1	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	2	.	2	1	4	1	2	1	.	1·4	2	.	.	.	.	.	.	.	1	1	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	6	.	1	.	.	.	.	.	.	.	5

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.
No. of weeks in Annual Series,	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46
BIRTHS registered.	246	261	228	232	185	324	190	190	294	233	198	210	233	218	198	212	201	182	265	204	217	195	177	193	241	183
Average Births in corresponding week of previous 10 years, ...	204	238	226	207	224	237	205	204	208	221	217	208	217	216	207	235	209	212	247	197	185	212	205	212	206	197
DEATHS registered, ...	158	150	149	159	127	155	120	172	162	186	153	169	199	162	210	219	189	183	161	179	183	165	147	169	179	186
Annual Death-rate per 1,000, ...	20·2	19·2	19·2	20·5	16·4	20·0	15·5	22·2	20·9	24·0	19·8	21·8	25·7	20·9	27·1	28·3	24·4	23·6	20·8	23·1	23·6	21·3	19·0	21·8	23·1	24·0
Average Deaths in corresponding week of previous 10 years, ...	169	154	151	149	148	134	140	141	144	147	145	146	154	162	153	156	152	167	160	156	153	161	156	171	174	177
Ages, Under 5 years, ...	37	43	34	42	44	56	43	41	51	88	73	72	94	80	94	93	82	77	69	68	66	50	55	47	61	61
5—15 " ...	14	10	8	4	9	10	4	13	6	5	6	8	5	8	5	8	4	6	8	5	7	8	5	4	8	7
15—25 " ...	11	9	9	13	2	7	7	11	10	6	6	4	7	7	12	7	7	7	6	12	11	11	10	6	7	13
25—45 " ...	21	29	26	32	18	20	19	31	26	21	22	19	31	19	23	26	30	26	22	33	33	30	28	24	25	33
45—65 " ...	39	29	33	31	34	28	20	33	37	29	21	40	37	28	38	37	35	33	29	39	39	35	32	33	39	33
65—75 " ...	24	17	26	18	13	16	15	24	18	24	15	14	11	9	21	28	17	22	11	11	16	17	8	28	26	21
75 and upwards, ...	12	13	13	19	7	18	12	19	14	13	10	12	14	11	17	20	14	12	16	11	11	14	9	22	13	18
Deaths from :—																										
Enteric Fever, ...	1	1	.	.	1	.	1	3	2	1	2	2	2	1	2	.	2	3	6	2	4	4	1	3	.	.
Typhus, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	6	3	4	2	8	7	4	7	3	7	5	2	.	1	1	.	1	.	.	.	1	2	5	4	6	5
Scarlet Fever, ...	2	2	2	.	.	.	1	3	.	2	1	3	.	1	.	1	1	3	1	1	1	4	1	2	3	2
Whooping-cough, ...	1	4	1	3	2	2	.	1	4	3	4	1	3	6	7	4	3	3	1	.	1	1	5	1	.	4
Diphtheria, ...	.	1	4	1	4	2	2	3	2	1	.	.	1	5	1	2	3	.	.	.	4	.	1	.	2	4
Influenza, ...	2	.	.	1	.	1	1	1	2	1	.	1	.	.	1	2	.	.	.	1	1	1	.	1	.	1
Dysentery, ...	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Tuberculous Disease, Phthisis, ...	22	22	25	23	7	21	7	20	17	17	16	13	19	15	22	22	19	12	14	18	16	28	18	19	19	24
Tuberculous Disease, Other Forms,	9	9	8	7	11	6	7	12	10	15	9	5	9	4	10	12	7	2	5	12	6	4	6	5	5	10
Cancer, ...	11	9	12	10	7	8	12	4	10	6	5	11	7	6	10	10	10	9	8	6	12	9	9	6	12	19
Diseases of Circulatory System,	19	12	12	23	14	22	16	22	20	15	10	13	13	8	13	15	16	16	17	16	14	20	10	18	17	14
Diseases of Respiratory System, Pneumonia,	6	10	8	9	8	9	9	10	8	12	1	8	3	6	12	5	10	4	4	14	9	8	8	6	14	8
Diseases of Respiratory System, Others, ...	14	15	16	17	9	17	6	11	10	13	3	8	13	7	5	14	12	12	10	17	14	15	9	27	25	24
Diarrhœa, Under 2 years, ...	1	6	.	3	3	.	1	3	9	27	20	29	37	25	38	31	37	32	19	17	20	5	8	6	3	4
Diarrhœa, 2 years & upwards,	1	.	.	.	.	.	.	.	.	5	1	6	7	10	7	4	1	3	1	1	2	.	.	2	1	.
Enteritis, under 2 years, ...	1	4	1	1	1	3	3	2	2	7	9	12	12	13	14	14	9	12	9	15	7	8	5	8	1	1
Violent Deaths, ...	5	2	3	6	5	2	6	7	2	5	2	2	8	5	3	4	2	7	7	2	5	4	7	3	2	5
Number of Uncertified Deaths,	5	4	3	4	.	5	9	5	2	3	3	7	7	7	7	5	6	5	5	1	7	3	8	6	7	5
Mean Temperature of the Air (Phœnix Park)	55·3	56·2	55·6	52·6	56·2	55·5	59·6	60·9	62·9	62·7	62·5	60·8	61·2	59·7	59·1	57·5	52·9	52·2	50·8	48·6	48·3	57·4	44·4	46·3	40·2	44·5
Average Mean Temperature in corresponding week of previous 10 years, ...	50·9	53·7	53·5	53·6	55·5	56·5	57·5	58·5	59·8	58·2	58·6	58·5	57·5	56·5	56·3	54·5	52·8	53·2*	53·7	52·4	50·4	48·7	46·6	46·3	44·7	42·0
Rainfall in inches, ...	·010	·000	·000	·605	·782	·166	·018	·000	·316	1·860	·430	·170	·010	·338	·405	·020	·320	·248	·680	·208	·325	1·035	1·335	1·130	1·015	1·785
Mean Humidity of the Air, complete Saturation 1·0, ...	·89	·89	·88	·86	·91	·91	·92	·84	·92	·92	·92	·82	·82	·82	·78	·85	·83	·81	·83	·83	·89	·88	·86	·84	·84	·85

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 18th November, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 18TH NOVEMBER, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	186	61	7	13	33	33	21	18	.	.	.	5	2	4	4	1	24	10	19	4	8	24	4	.	1	5	71	5
	CLASSES.																														
	Deaths in Families of the—																														
I	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	15·0	5	1	.	.	1	1	1	1	.	.	.	.	.	1	.	.	1	.	1	.	.	1	.	.	.	.	1	.
II.	MIDDLE CLASS, ...	87,188	19·2	32	6	1	1	8	8	2	6	.	.	.	.	.	.	.	.	2	1	6	.	1	3	1	.	.	.	18	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	19·4	41	12	4	3	7	6	3	6	.	.	.	1	2	.	1	.	5	1	3	3	2	6	1	.	.	1	15	1
IV.	GENERAL SERVICE CLASS, ...	154,279	25·3	75	26	2	7	15	12	10	3	.	.	.	1	.	1	3	1	12	4	3	1	4	10	2	.	1	4	28	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	33	16	.	2	2	6	5	2	.	.	.	3	.	2	.	.	4	4	6	.	1	4	.	.	.	.	9	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	33·4	5	1	.	.	1	1	1	1	.	.	.	.	.	1	.	.	1	.	1	.	.	1	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	14·2	6	1	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	4	.
	6. Clerks and Commercial Assistants, ...	30,432	18·8	11	4	.	.	4	2	1	.	.	.	.	.	.	.	.	.	2	.	2	.	.	1	1	.	.	.	5	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	23·2	12	1	1	1	2	3	1	3	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	.	.	.	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	14·0	8	3	2	.	1	1	.	1	.	.	.	1	2	.	.	.	1	.	1	2	.	.	.	.	.	.	1	1
	10. Clothing Trades, ...	23,260	15·7	7	3	1	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	2	.	.	.	.	2	.
	11. Food Supply Trades	9,242	22·6	4	.	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	30·9	18	5	.	1	3	3	2	4	.	.	.	.	.	.	1	.	2	1	1	.	1	4	.	.	.	1	7	.
	13. Petty Shopkeepers	7,894	6·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	31·1	8	3	.	1	1	1	2	.	.	.	.	.	.	.	.	1	1	.	2	1	.	.	.	.	.	1	2	2
	15. Domestic Servants, ...	36,603	14·2	10	1	.	2	3	2	1	1	.	.	.	.	.	.	1	.	2	.	.	.	1	2	.	.	.	.	4	1
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	29·0	8	3	.	.	2	1	2	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	5	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	28·4	49	19	2	4	9	8	5	2	.	.	.	1	.	1	1	.	7	4	1	.	3	8	2	.	1	3	17	.
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	33	16	.	2	2	6	5	2	.	.	.	3	.	2	.	.	4	4	6	.	1	4	.	.	.	.	9	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 29,854.	Sept. 30,	24·5	7·0	14	.	.	.	.	.	1	.	.	.	.	.	1	1	1	.	2	1	.
		Oct. 7,	15·7	5·2	9	1	.	.	.	.	.	.	.	3	.	.	.	1	.	.	2	.	.
		„ 14,	22·7	7·0	13	2	.	.	.	.	.	.	.	2	.	1	.	.	2	.	.	1	.
		„ 21,	15·7	1·7	9	.	.	.	.	.	.	.	.	4	.	.	.	1	.	.	1	1	.
		„ 28,	33·2	7·0	19	.	.	.	.	.	1	.	.	2	.	2	3	1	3	.	.	1	3
		Nov. 4,	21·0	5·2	12	.	.	.	.	.	.	.	.	3	1	.	.	1	2	1	.	.	2
		„ 11,	19·2	1·7	11	.	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	1
		„ 18,	40·2	7·0	23	.	.	.	.	.	.	.	.	3	2	2	1	4	4	.	.	1	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 39,902.	Sept. 30,	32·7	7·8	25	1	.	.	.	.	.	.	.	3	1	1	1	.	4	.	1	1	.
		Oct. 7,	30·1	7·8	23	.	.	.	.	.	.	.	.	2	.	1	2	2	4	.	2	.	.
		„ 14,	28·7	10·5	22	.	.	.	.	.	1	.	.	2	1	.	3	1	5	1	1	.	1
		„ 21,	18·3	2·6	14	1	.	.	.	.	.	.	.	4	.	1	.	2	1	.	.	.	.
		„ 28,	22·2	1·3	17	.	.	.	.	.	.	.	.	1	.	2	1	1	1	.	.	.	.
		Nov. 4,	22·2	6·5	17	.	.	.	.	1	.	.	.	3	1	1	1	2	1	.	3	.	.
		„ 11,	37·9	3·9	29	.	.	.	1	1	.	.	.	4	.	2	3	7	.	1	.	.	1
		„ 18,	22·2	1·3	17	.	.	.	.	.	1	.	.	2	.	.	.	4	.	.	.	1	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 30,689.	Sept. 30,	27·2	6·8	16	1	.	.	.	.	.	.	.	.	2	1	.	2	2	1	.	.	.
		Oct. 7,	25·5	6·8	15	1	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	.
		„ 14,	30·6	5·1	18	.	.	.	.	1	.	2	.	.	2	.	1	2	.	.	.	.	.
		„ 21,	20·4	.	12	.	.	.	.	.	.	.	.	1	.	1	2	2	.	.	.	.	.
		„ 28,	17·0	3·4	10	.	.	.	.	.	.	.	.	2	1	.	.	.	2	.	.	.	.
		Nov. 4,	23·8	1·7	14	.	.	.	.	.	.	.	.	2	.	1	1	2	1	.	.	.	1
		„ 11,	37·4	1·7	22	.	.	.	.	.	.	.	.	1	.	1	2	3	1	.	.	1	2
		„ 18,	25·5	.	15	.	.	.	.	.	.	.	.	1	1	2	2	2	.	.	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,498.	Sept. 30,	20·2	1·6	13	.	.	.	.	.	.	.	.	2	.	.	.	3	1	.	.	.	.
		Oct. 7,	28·0	.	18	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.
		„ 14,	9·3	.	6	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1
		„ 21,	9·3	3·1	6	1	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.
		„ 28,	20·2	.	13	.	.	.	.	.	.	.	.	1	1	2	2	.	.	.	.	.	2
		Nov. 4,	17·1	1·6	11	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
		„ 11,	21·8	.	14	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.	.
		„ 18,	32·7	3·1	21	.	.	.	.	1	.	.	1	1	1	2	1	2	.	.	.	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,401.	Sept 30,	25·2	10·1	20	1	.	.	.	.	.	.	.	2	1	1	.	1	4	.	3	.	.
		Oct. 7,	26·4	6·3	21	.	.	.	.	1	.	.	.	1	1	.	3	4	2	.	2	.	.
		„ 14,	18·9	10·1	15	.	.	.	1	.	.	1	.	.	.	1	.	4	3	.	3	.	.
		„ 21,	37·8	7·6	30	.	1	.	2	.	.	.	.	7	2	.	.	2	1	.	2	1	1
		„ 28,	29·0	10·1	23	.	1	.	5	.	1	.	.	2	2	1	.	2	.	.	1	.	.
		Nov. 4,	30·2	5·0	24	.	.	.	3	.	.	.	.	2	1	.	1	4	.	.	1	1	.
		„ 11,	35·3	7·6	28	.	.	.	4	2	.	.	.	5	2	.	2	3	.	.	.	.	1
		„ 18,	26·4	7·6	21	.	.	.	4	.	1	.	.	1	2	2	1	3	.	.	1	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,715.	Sept. 30,	21·6	.	9	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	1
		Oct. 7,	19·2	9·6	8	.	.	.	.	.	.	.	.	1	1	.	.	1	3	.	1	1	.
		„ 14,	9·6	.	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
		„ 21,	24·0	4·8	10	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	1	.	.
		„ 28,	14·4	2·4	6	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.
		Nov. 4,	24·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	.
		„ 11,	26·4	2·4	11	.	.	.	.	.	.	1	.	2	1	.	1	4	.	.	.	.	.
		„ 18,	31·2	7·2	13	.	.	.	1	1	.	1	.	1	.	1	.	3	.	.	.	1	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,149.	Sept. 30,	24·2	9·7	20	1	.	.	.	1	.	.	.	3	1	.	.	2	5	.	1	2	1
		Oct. 7,	32·6	6·0	27	.	.	.	.	.	.	.	.	9	2	1	2	3	1	.	4	.	.
		„ 14,	30·2	3·6	25	.	.	.	.	.	.	.	.	5	2	.	2	2	2	.	1	1	.
		„ 21,	25·4	4·8	21	.	.	.	.	2	.	.	.	4	1	.	2	4	1	.	1	.	1
		„ 28,	23·0	6·0	19	1	.	.	.	.	1	.	.	2	.	.	.	.	1	.	2	2	2
		Nov. 4,	15·7	2·4	13	.	.	.	.	1	.	.	.	3	1	.	.	2	.	.	1	.	1
		„ 11,	16·9	1·2	14	.	.	.	1	.	.	.	.	1	1	2	1	4	.	.	.	.	1
		„ 18,	24·2	3·6	20	.	.	.	.	.	1	2	.	5	2	3	2	1	.	.	.	1	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 35,816.	Sept. 30,	14·6	2·9	10	2	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	1
		Oct. 7,	20·4	5·8	14	.	.	.	.	.	.	.	.	.	2	.	2	1	3	.	1	1	.
		„ 14,	32·0	10·2	22	2	.	.	.	.	.	.	.	.	.	3	1	1	4	1	.	.	2
		„ 21,	17·5	2·9	12	1	.	.	.	.	.	.	.	3	.	.	1	1	1	.	.	.	.
		„ 28,	13·1	.	9	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.	.	2	.
		Nov. 4,	26·2	1·5	18	1	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	.	.
		„ 11,	14·6	.	10	.	.	.	.	.	.	.	.	2	.	2	.	2	.	.	.	.	.
		„ 18,	11·6	.	8	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	Sept. 30,	10·9	1·4	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	Oct. 7,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 14,	13·6	2·7	10	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.	1	.	2
	„ 21,	19·0	1·4	14	.	.	.	.	.	1	.	.	1	1	2	3	.	.	.	.	.	.
	„ 28,	5·4	1·4	4	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.
	Nov. 4,	16·3	4·1	12	1	.	.	.	.	.	.	.	.	.	.	.	3	.	1	1	1	1
	„ 11,	9·5	2·7	7	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
	„ 18,	17·7	.	13	.	.	.	.	.	.	.	.	4	1	3	.	.	.	.	.	1	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	Sept. 30,	7·1	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.
	Oct. 7,	17·8	7·1	10	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	2	.	.
	„ 14,	16·0	1·8	9	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	1
	„ 21,	12·4	5·3	7	1	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	.
	„ 28,	8·9	3·6	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	Nov. 4,	19·5	3·6	11	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	2	.	.
	„ 11,	10·7	1·8	6	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.
	„ 18,	17·8	1·8	10	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	.	.	2
Kingstown Urban District. Pop. in 1911 17,227.	Sept. 30,	18·2	6·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	Oct. 7,	6·1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 14,	12·1	3·0	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 21,	21·2	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	„ 28,	9·1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	Nov. 4,	12·1	3·0	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 11,	24·2	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	1
	„ 18,	9·1	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1911 (Est.) 386,449.	Sept. 30,	16·9	4·0	125	.	.	.	.	2	1	1	.	8	5	6	8	4	15	2	9	2	1
	Oct. 7,	17·3	3·0	128	2	.	.	.	1	1	.	.	13	10	6	7	10	10	2	6	2	.
	„ 14,	15·9	2·3	118	.	.	.	.	1	2	1	.	11	5	6	7	7	5	.	8	3	4
	„ 21,	17·0	1·3	126	.	.	.	.	.	1	.	.	19	4	5	10	13	2	.	7	3	1
	„ 28,	16·7	1·3	124	.	.	.	.	1	3	.	.	16	3	3	6	17	2	1	3	6	.
	Nov. 4,	15·1	0·7	112	1	.	.	.	2	.	.	.	15	4	5	13	17	.	.	2	1	2
	„ 11,	15·7	1·1	116	1	.	.	.	2	2	2	.	12	8	3	8	15	.	.	1	3	.
	„ 18,	17·7	1·6	131	.	.	.	.	1	1	4	.	17	7	4	10	15	1	.	5	3	1
Cork. Pop. in 1911 76,632.	Sept. 30,	22·5	6·1	33	.	.	.	.	.	.	1	.	2	.	1	1	3	8	.	.	.	3
	Oct. 7,	25·2	3·4	37	.	.	.	.	.	.	.	.	4	2	.	3	3	4	1	.	1	4
	„ 14,	25·2	1·4	37	1	.	.	.	.	.	.	.	7	.	.	3	2	1	.	.	.	.
	„ 21,	26·5	2·0	39	.	.	.	1	.	.	1	.	7	1	2	6	2	1	.	.	.	1
	„ 28,	22·5	1·4	33	.	.	.	1	.	.	.	.	4	2	2	4	2	1	.	.	.	4
	Nov. 4,	22·5	3·4	33	.	.	.	2	.	.	.	.	5	2	1	2	1	2	.	1	.	6
	„ 11,	19·7	2·7	29	.	.	.	1	.	.	2	.	5	1	1	4	1	.	.	1	.	.
	„ 18,	25·9	4·8	38	.	.	.	2	.	.	2	.	6	2	3	1	4	2	1	.	1	1
Londonderry. Pop. in 1911 40,799.	Sept. 30,	19·2	6·4	15	.	.	.	.	1	.	.	.	.	1	.	.	2	1	1	2	.	.
	Oct. 7,	7·7	1·3	6	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
	„ 14,	15·3	5·1	12	.	.	.	.	.	.	.	.	1	1	.	.	.	2	2	.	1	.
	„ 21,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 28,	8·9	2·6	7	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	1	.	.
	Nov. 4,	19·2	.	15	.	.	.	.	.	.	.	.	3	.	.	1	4	.	.	.	.	.
	„ 11,	15·3	1·3	12	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	.	.	.
	„ 18,	16·6	.	13	.	.	.	.	.	.	.	.	1	.	.	3	2	.	.	.	.	1
Limerick. Pop. in 1911 38,403.	Sept. 30,	23·1	5·4	17	.	.	.	.	.	.	.	.	1	1	.	1	.	3	1	.	.	2
	Oct. 7,	20·4	2·7	15	.	.	.	.	.	.	.	.	5	.	.	.	2	2	.	.	.	3
	„ 14,	16·3	2·7	12	.	.	.	.	.	.	.	.	2	.	1	.	1	2	.	.	.	2
	„ 21,	20·4	1·4	15	.	.	.	.	.	.	.	.	3	1	2	.	3	1	.	.	.	1
	„ 28,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3
	Nov. 4,	17·7	.	13	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	.	4
	„ 11,	8·1	.	6	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.
	„ 18,	9·5	1·4	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1
Waterford. Pop. in 1911 27,430.	Sept. 30,	11·4	7·6	6	.	.	.	.	.	.	.	.	1	.	1	.	.	4	.	.	.	.
	Oct. 7,	19·0	7·6	10	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	1	.	.
	„ 14,	26·6	5·7	14	.	.	.	.	.	.	.	.	1	4	.	.	1	3	.	.	.	3
	„ 21,	26·6	1·9	14	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	1	1	1
	„ 28,	9·5	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	Nov. 4,	19·0	5·7	10	.	.	.	.	.	.	1	.	.	1	.	.	1	1	1	.	1	1
	„ 11,	15·2	.	8	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1
	„ 18,	13·3	1·9	7	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 18th November, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.			The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																												
BELFAST URBAN No. 1 DISTRICT,	385,492	9			5	1	.	1	.	2	1	.	.	.	.	.	1	.	.	1	.	1	.	.	.	.	.	.	.	3	.
Do. 2 do.		25			14	1	.	4	2	6	1	.	.	.	.	.	.	.	.	3	1	1	.	1	.	.	.	.	1	5	.
Do. 3 do.		16			15	1	.	4	1	2	7	.	.	.	.	.	.	1	.	5	.	.	.	3	.	.	.	.	.	1	.
Do 4 do.		16			21	8	5	1	.	5	2	.	.	.	.	.	.	1	.	1	.	.	1	2	1	.	2	1	1	10	.
Do. 5 do.		11			11	3	1	1	2	3	1	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	1	1	1	4	1
Do. 6 do.		17			11	4	1	1	.	3	2	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	.	1	2	.
Do. 7 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		1			3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.
Do. 9 do.		5			11	4	3	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	1	.	.	3	.
Do. 10 do.		23			7	2	1	1	1	.	2	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	1	.	.
Do. 11 do.		24			9	2	2	1	2	2	.	.	.	.	.	.	.	.	.	2	2	.	.	2	.	.	1	.	.	3	.
Do. 12 do.		24			15	3	3	2	2	2	3	.	.	.	.	.	.	2	.	1	2	.	.	4	.	.	.	.	.	5	.
Do. 13 do.		3			4	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		13			5	1	.	.	1	2	1	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	1	1	3	.
Total,	—	187			131	30	16	16	14	31	24	.	.	.	.	1	1	4	.	17	7	4	10	15	1	.	5	3	6	41	1
City of Cork.			The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																												
CORK URBAN No. 1 DISTRICT,	76,632	6			8	2	.	.	1	2	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	1	5	.
Do. 2 do.		3			4	1	2	.	1	.	.	.	.	.	1	.	.	1	.	1	1	.	.	.	.	.	.	.	.	1	.
Do. 3 do.		5			3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	2	.
Do. 4 do.		5			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do.		3			5	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	.	.	.	.
Do. 6 do.		4			12	1	1	.	1	6	3	.	.	.	.	.	.	1	.	2	.	1	.	1	.	.	.	.	.	7	.
Do. 7 do.		6			6	1	2	.	.	1	2	.	.	.	1	.	.	.	.	1	.	1	1	.	.	1	.	.	.	1	1
Total,	—	32	25·9	4·8	38	7	8	.	3	11	9	.	.	.	2	.	.	2	.	6	2	3	1	4	2	1	.	1	1	16	1

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	May 27.	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.
No. of weeks in Annual Series,	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46
BIRTHS registered, ...	214	233	215	258	201	264	213	207	268	236	203	225	215	220	197	215	183	184	184	184	198	194	199	206	204	187
DEATHS registered, ...	123	125	115	107	82	116	92	123	121	105	123	121	139	132	138	146	122	150	125	128	118	126	124	112	116	131
Annual Death rate per 1,000 of estimated population, ...	16·1	16·4	15·5	14·4	11·1	15·7	12·4	16·6	16·3	14·2	16·6	16·3	18·8	17·8	18·6	19·7	16·5	20·2	16·9	17·3	15·9	17·0	16·7	15·1	15·7	17·7
AGES, Under 1 year, ...	22	18	19	23	16	18	11	25	32	38	39	45	44	36	52	49	43	53	35	26	21	24	22	20	19	30
1—5 years, ...	13	7	7	10	7	9	7	9	11	8	12	11	11	8	6	16	11	19	17	16	17	6	7	11	8	16
5—25 ,, ...	17	14	14	16	7	16	15	16	14	11	7	14	15	18	11	10	8	12	7	13	9	17	17	12	16	16
25—45 ,, ...	22	24	26	22	18	20	21	25	22	13	21	11	17	19	24	21	17	15	22	22	18	20	16	18	19	14
45—65 ,, ...	27	34	20	20	20	37	25	29	23	17	23	23	28	31	27	29	21	31	20	28	28	29	37	24	28	31
65 and upwards, ...	22	28	29	16	14	16	13	19	19	18	21	17	24	20	18	21	22	20	24	23	25	30	25	27	26	24
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	1	.	.	1	1	2	1	2	.	.	.	2	.	.	.	1	1	.
Typhus, ...		.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	1	.	.	1	1	.	.	.	1	.	.	.	1	1	.	2	1	1	.	1	2	2	1
Whooping-cough, ...	1	.	.	4	.	1	.	1	1	1	2	1	.	1	.	1	2	2	1	1	2	1	3	.	2	1
Diphtheria, ...	.	.	1	.	.	.	1	.	2	.	2	.	1	.	.	.	.	.	1	.	1	.	.	.	2	4
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	21	16	14	13	13	23	16	18	20	10	13	9	6	19	17	11	10	8	8	13	11	19	16	15	12	17
Tuberculous Disease. Other Forms,	12	11	6	10	2	2	5	8	6	5	7	3	7	5	3	7	5	8	5	10	5	4	3	4	8	7
Cancer, ...	4	6	8	6	6	7	4	6	3	3	9	4	4	1	7	4	6	8	6	6	6	5	3	5	3	4
Diseases of Respiratory System, Pneumonia,	6	11	9	9	5	5	7	2	4	6	2	3	9	3	4	7	3	6	8	7	7	10	6	13	8	10
Diseases of Respiratory System, Others, ...	11	18	18	13	10	8	11	14	10	3	4	5	6	5	1	9	6	9	4	10	7	13	17	17	15	15
Diarrhœa, Under 2 years, ...	2	1	.	1	1	2	1	6	10	14	9	19	17	15	21	26	20	27	15	10	5	2	2	.	.	1
Diarrhœa, 2 years & upwards	.	.	1	.	3	.	.	.	.	1	4	4	3	5	6	7	4	1	2	2	.	.	1	.	.	.
Enteritis, under 2 years, ...	3	4	2	.	1	1	1	3	8	9	12	19	10	13	22	11	11	20	9	6	8	7	3	2	1	5
Violent Deaths, ...	1	.	3	3	1	4	.	3	5	3	2	2	6	4	5	3	2	1	2	2	3	3	6	1	3	3
Number of Uncertified Deaths, ...	1	2	1	.	3	3	.	1	.	2	.	1	1	2	.	.	.	1	1	.	4	1	.	2	.	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	Nov. 18,	2,189	1,128	13·0	2	.	11	5	7	17	23*a*
Edinburgh, ...	320,829	„ 18,	124	118	19·2	.	.	1	.	.	1	4
Glasgow, ...	784,621	„ 18,	361	300	20·0	2	.	9	1	2	4	11
Calcutta, ...	890,493	Oct. 14,	.	431	25·1	98*	.	.	.	3	1	60‡
Bombay, ...	977,822	„ 14,	478	532	28·3	74*	3	1	.	.	.	47‡
Madras, ...	509,346	Sept. 23,	511	376	38·3	73*	2	1	?	?	?	109‡
Cairo, ...	693,806	„ 16,	661	560	42·1	1	.	.	.	.	22†	151*a*
Paris, ...	2,846,986	Oct. 21,	927	848	16·1	16	.	3	2	3	3†	38*a*
Brussels, ...	705,295	„ 28,	242	183	13·5	1	.	.	1	2	3†	8
Antwerp, ...	320,640	„ 28,	97	80	13·0	1	.	.	2	.	.	8*a*
Amsterdam, ...	578,774	„ 28,	218	122	10·9	.	.	.	.	2	1†	4*a*
Copenhagen, ...	462,132	„ 28,	211	116	13·1	.	.	.	1	.	2†	4
Stockholm, ...	343,832	„ 21,	176	79	11·9	1	.	.	.	1	.	.
Christiania, ...	244,038	Nov. 4,	105	64	13·6	.	.	1	.	.	2†	2
St. Petersburg, ...	1,639,266	Oct. 14,	1,066	560	17·8	13	.	15	6	7	1†	52
Moscow, ...	1,493,600	„ 14,	.	647	22·6	5	.	14	12	4	10†	92
Berlin, ...	2,068,808	„ 14,	753	557	14·1	3	.	1	11	6	17†	41
Hamburg, ...	931,035	„ 28,	.	246	13·7	1	.	5	2	2	14†	20
Breslau, ...	519,751	„ 28,	.	182	18·3	.	.	.	.	1	1†	20
Munich, ...	597,000	Nov. 4,	.	163	14·2	.	.	.	.	.	1†	11
Vienna (with suburbs),	2,064,583	Oct. 28,	676	583	14·7	1	.	5	3	1	3†	40*a*
Buda-Pesth, ...	891,585	„ 28,	430	314	18·3	10	.	5	5	.	5†	25*a*
Prague and Faubourgs,	508,310	„ 14,	143	173	17·7	3	.	.	.	2	5†	8*a*
Trieste, ...	233,925	„ 28,	93	77	17·1	1	.	2	.	.	.	5*a*
Rome, ...	602,068	Aug. 26,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Sept. 2,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	Oct. 7,	2,563	1,204	12·6	11	.	.	.	8	20†	128*a*
Philadelphia, ...	1,580,250	Sept. 23,	.	457	15·0	5	.	1	1	2	4†	57*a*
Boston, ...	686,912	Oct. 28,	.	195	14·8	2	.	1	.	3	1	12

* Deaths from "fever," including 6 deaths from enteric fever and 7 from plague in Calcutta, one from enteric fever and 12 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 15 deaths from cholera in Calcutta, 3 in Bombay, and 2 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending November 18th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) — *Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	1	.	.	.	.	2
„ „ 1, West, ...	.	4	.	.	.	.	1	1	.	.	.	2	8
„ „ 2, ...	.	1	.	.	.	.	.	1	1	.	.	.	3
„ „ 3, ...	.	8	.	.	.	.	.	1	.	.	.	2	11
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	1	.	.	1	.	.	.	.	.	.	.	2
South City No. 1, ...	.	6	.	.	.	.	.	2	.	.	.	1	9
„ „ 2, ...	.	3	.	.	2	.	.	.	.	.	.	2	7
„ „ 3, ...	.	3	.	.	1	.	.	3	.	.	.	.	7
„ „ 4, ...	.	1	.	.	.	.	.	.	.	.	.	.	1
New Kilmainham, ...	.	3	.	.	.	.	.	.	1	.	.	.	4
Total, ...	.	32	.	.	4	.	1	9	2	.	.	7	55

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 18th November, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 18th November.			
	Oct. 28.	Nov. 4.	Nov. 11.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	20	32	33	4	11	3	23
Scarlet Fever, ...	180	177	181	36	27	1	189*
Typhus, ...	11	8	5	1	2	.	4
Diphtheria, ...	51	59	79	15	16	3	75
Enteric Fever, ...	133	124	114	7	30	.	91
Pneumonia, ...	22	20	14	7	2	1	18

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 18th November, 1911:—

"The chronicle is again one of extremely unsettled, stormy, rainy and open weather. Only on Saturday was the weather fine, bright and seasonably cold, as a very deep atmospheric depression travelled away eastwards from Ireland, leaving N. winds and a clear sky in this country. The week opened with a very gloomy wet Sunday. At 7 a.m. a deep atmospheric depression was central off the coasts of Cork and Kerry, and a cyclonic wind circulation (against watch-hands) was shown round the pressure minimum, the force from all quarters ranging from a light air (in the South of Ireland, where the direction was E. or S.E.) to a gale from S.W. in the Straits of Dover. The centre of this disturbance was found off the N.E. of Scotland on Monday morning; but another depression was spreading quickly northeastwards from the Azores to the British Isles, carrying with it a very warm S.W. wind. This system lay outside the shores of Mayo and Donegal on Tuesday morning, when the thermometer stood at 56° at Valentia (Kerry), 55° at Birr Castle (King's Co.), and 56° in Dublin (9 a.m.). In the course of the day 58° was reached in Dublin and also at several stations in various parts of Great Britain. The weather continued broken until Friday, on which day a new depression from the Atlantic passed eastwards across Ireland, the barometer in Dublin falling to 28·797 inches at 2 p.m. Hail and lightning were reported from Valentia in the morning of that day. On Friday night or Saturday morning the wind veered to N. in Dublin, and a generally fine, bright, crisp day brought a stormy week to a close. About 3 p.m., however, clouds came up from N.N.W. and a few light showers fell. In Dublin the mean height of the barometer was only 29·370 inches, pressure ranging between 30·047 inches at 9 p.m. of Monday (wind, S.E.) and 28·797 inches at 2 p.m. of Friday (wind, S.S.W.). The mean temperature was 47·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 46·8°. On Tuesday the screened thermometers rose to 57·5°; on Saturday they fell to 39·2°. The prevailing wind was S.W. Rain fell daily to the amount of 1·344 inches, of which ·612 inch was measured on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·197 inches. The highest reading (29·885) was on Monday at 9 p.m., wind S.S.W., the lowest (28·740) on Friday at 9 p.m., air calm.

The mean temperature for the week was 44·5°, being 2·5° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Tuesday, on which day the thermometer registered 53·5°, and was lowest on Saturday, the mercury having fallen to 37·3°. The mean of the Dry Bulb for the week was 46·0° and of the Wet Bulb, 44·0°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The rainfall during the week measured 1·785 inches.

At Greenwich the mean temperature for the week was 49·0°, the maximum 58·0°, and the minimum 38·2°; at Glasgow the maximum was 55·8°, the minimum 33·0°, and the mean 44·3°; and at Edinburgh the maximum was 55·5°, the minimum 34·2°, and the mean 43·9°. The rainfall at Greenwich measured 1·70 ins.; at Glasgow 1·30 ins.; and at Edinburgh 1·58 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, November 12,	28·974	43·9	43·1	43·5	46·4	45·6	·94	·6	0·0	·880	E.S.E.	W.S.W.
Monday, „ 13,	29·745	43·9	40·7	42·3	44·5	42·3	·84	·7	4·5	·150	W.	S.S.W.
Tuesday, „ 14,	29·673	53·5	50·1	51·8	54·3	52·1	·83	·8	0·1	·185	S.S.W.	S.
Wednesday, „ 15,	29·229	45·9	44·9	45·4	49·8	47·6	·86	·8	1·7	·090	S.S.E.	W.S.W.
Thursday, „ 16,	29·155	45·3	42·1	43·7	47·1	43·9	·78	·7	2·2	·240	W.S.W.	S.W.
Friday, „ 17,	28·782	48·3	39·0	43·7	41·1	39·6	·89	·6	0·0	·240	S.W.	Calm.
Saturday, „ 18,	28·821	44·6	37·3	41·0	38·9	36·9	·84	·6	4·5	·000	N.W.	W.N.W.
Mean, ...	29·197	46·5	42·5	44·5	46·0	44·0	·85	·7	Total 13·0	Total 1·785	Prevailing Wind. W.S.W.	

Sunday—Day overcast, rain 9 a.m. to 9 p.m.; night overcast, rain 9 p.m. to 2.5 a.m., and 7 to 9 a.m. *Monday*—Day cloudy, light showers 9 to 9.45 a.m.; night cloudy, showers at intervals. *Tuesday*—Day overcast, rain at intervals a.m. and p.m.; night overcast, drizzling 6 to 6.40 a.m. *Wednesday*—A dull day, rain at intervals a.m. and p.m.; night cloudy, drizzling rain at intervals from 11 p.m. to 7 a.m. *Thursday*—Day cloudy, rain at intervals a.m. and p.m.; night cloudy, drizzling from 3 to 5.50 a.m. *Friday*—Day overcast, rain at intervals a.m. and p.m.; night cloudy. *Saturday*—Day cloudy, fine; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, November 18th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, November 12,	49·5	43·9	44·4	50·0	43·0	46·5	—	·580
Monday, „ 13,	46·1	45·0	48·9	50·0	42·7	46·4	3·7	·080
Tuesday, „ 14,	56·9	45·6	48·8	58·0	45·5	51·8	0·3	·100
Wednesday, „ 15,	53·8	47·3	48·7	57·9	47·0	52·5	0·6	·090
Thursday, „ 16,	50·0	47·8	48·7	51·1	44·1	47·6	2·1	·180
Friday, „ 17,	45·2	47·0	48·7	52·4	39·5	46·0	—	·192
Saturday, „ 18,	41·1	46·0	49·0	45·8	38·7	42·3	4·4	—
Weekly Mean, .	48·9	46·1	48·2	52·2	42·9	47·6	Total 11·1	Total 1·222

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31477. Wt. P. 346–99/138. 375. 11. 1911. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 25TH NOVEMBER, 1911. [No. 47.

General Register Office, Charlemont House,
Dublin, 27th November, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Nov. 4	Nov. 11	Nov. 18	Nov. 25	Average Rate for 4 weeks.	Towns, &c.	Week ending Nov. 4	Nov. 11	Nov. 18	Nov. 25	Average Rate for 4 weeks.
22 Town Districts, ...	**17·1**	**17·6**	**19·0**	**18·0**	**17·9**	Limerick	17·7	8·1	9·5	10·9	11·6
						Lisburn	17·1	17·1	17·1	21·4	18·2
Armagh	13·7	.	13·7	27·5	13·7	Londonderry	19·2	15·3	16·6	5·1	14·1
Ballymena	22·9	4·6	18·3	27·5	18·3	Lurgan	4·3	.	25·8	30·1	15·1
Belfast	15·1	15·7	17·7	17·3	16·5	Newry	.	48·0	21·8	34·9	26·2
Clonmel	5·1	15·2	15·2	10·1	11·4	Newtownards	11·4	45·8	22·9	17·2	24·3
Cork	22·5	19·7	25·9	17·7	21·4	Portadown	8·9	8·9	.	8·9	6·7
Drogheda	8·4	.	12·6	21·0	10·5	Queenstown	.	.	13·2	6·6	5·0
Dublin Reg. Area ...	20·4	22·1	22·1	20·3	21·2	Sligo	4·7	28·0	18·7	4·7	14·0
Dundalk	15·9	11·9	23·8	7·9	14·9	Tralee	15·9	15·9	10·6	10·6	13·3
Galway	7·9	3·9	7·9	23·6	10·8	Waterford	19·0	15·2	13·3	15·2	15·7
Kilkenny	5·0	9·9	9·9	34·7	14·9	Wexford	31·9	9·1	13·7	18·2	18·2

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 2·0 per 1,000, the rates varying from 0·0 in thirteen of the districts to 8·7 in Newry, the 8 deaths from all causes for that district including one from enteric fever and one from diphtheria. Among the 128 deaths from all causes for Belfast are 2 from scarlet fever, 5 from whooping-cough, and 6 from diarrhœa and *enteritis* of children under 2 years. The 26 deaths from all causes for Cork include one from whooping-cough, and 3 from diarrhœa and *enteritis* of children under 2 years. Included in the 8 deaths from all causes for Waterford is one from scarlet fever. Two of the 7 deaths from all causes for Lurgan were caused by whooping-cough, and the one death for Sligo was from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 181—90 boys and 91 girls—and the deaths to 165—95 males and 70 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·3 per 1,000 of the population. During the forty-seven weeks ending with Saturday last the death-rate averaged 21·5, and was 0·8 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 165, represent an annual rate of 21·3 per 1,000; the annual rate for the past forty-seven weeks was 22·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·4 per 1,000 of the mean population for all deaths registered.

Among the deaths which were registered there were 2 from enteric fever, 4 from measles, 2 from scarlet fever, 3 from whooping-cough, and 7 from diarrhœa and *enteritis* of children under 2 years of age.

In each of the 3 preceding weeks, deaths from enteric fever were 3, 0, and 0; deaths from measles were 4, 6, and 5; deaths from scarlet fever were 2, 3, and 2; deaths from whooping-cough were one, 0, and 4; and deaths from diarrhœa and *enteritis* of children under 2 years of age were 14, 4, and 5.

Deaths from tuberculosis (all forms), which had been respectively, 24, 24, and 34 in the three preceding weeks, were 30 in the week under notice; the latter figure includes 19 deaths from pulmonary tuberculosis, 5 deaths from abdominal tuberculosis, one death from tuberculous disease of the hip-joint, and 5 deaths from disseminated tuberculosis.

Of 17 deaths from pneumonia (all forms), 8 were attributed to broncho-pneumonia, 3 to lobar pneumonia, and 6 to *pneumonia* (type not distinguished).

There were 7 deaths assigned to cancer.

Thirteen deaths were from organic diseases of the heart, and bronchitis accounted for the deaths of 20 persons.

Convulsions was returned as the cause of the deaths of 6 children (4 of whom were infants under one year of age), there were 5 deaths of infants from prematurity, and 4 from congenital debility.

Of 5 deaths resulting from accident or negligence, 2 were from burns, and one was by drowning.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year of age, and the deaths of 4 persons aged 65 years and upwards.

Fifty of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 10 were under one month old) and 40 were aged 65 years and upwards, including 30 persons aged 70 and upwards; among the latter were 15 aged 75 and upwards, of whom one (a female) was stated to have been aged 97 years.

Eighty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, 21 in the South Dublin Union Workhouse, and 3 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·3 per 1,000; the rate in the City was 21·5 (North City Districts, 22·4; South, 20·7) and in the Suburbs, 16·1.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·3 per 1,000 inhabitants, the rate for the City being 2·5 (2·6 in the North City Districts, and 2·4 in the South), and for the Suburbs, 1·7 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (10) are equal to an annual rate of 17·5 per 1,000. Of the 10 deaths, one was caused by whooping-cough, 2 were caused by pulmonary tuberculosis, one by *pneumonia* (type not distinguished), one by bronchitis, and one was due to accidental burns.

No. 1 *North City District, West* (Summer-hill).—The deaths (20) are equal to an annual rate of 26·1 per 1,000. Diarrhœa and *enteritis* of children under 2 years caused 3 deaths, pulmonary tuberculosis 3 deaths, broncho-pneumonia 2 deaths, and bronchitis 7 deaths.

No. 2 *North City District* (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 20·4 per 1,000, and include one death from each of scarlet fever and whooping-cough, 2 deaths from tuberculous disease, 3 from broncho-pneumonia, one from bronchitis, and one accidental death.

No. 3 *North City District* (Benburb-street).—The deaths (17) represent an annual rate of 26·5 per 1,000. Of the total one was from diarrhœa of a child under 2 years of age, 3 were from tuberculous disease, one from broncho-pneumonia, and 3 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 18·0; and Finglas and Glasnevin, part of, 20·4. Of the 3 deaths from all causes for Finglas and Glasnevin, part of, one is from scarlet fever. One of the 2 deaths for Clontarf and Howth, No. 1, part of, is from tuberculosis of hip-joint; and of the 4 deaths from all causes for Coolock and Drumcondra, part of, one is from broncho-pneumonia.

No. 1 *South City District* (South Earl-street).—The deaths (20) represent an annual rate of 25·2 per 1,000. The deaths include 2 from measles, one from whooping-cough, one from *enteritis* of a child under 2 years, 6 from tuberculous disease, one from *pneumonia* (type not distinguished), and one from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (9) are equal to an annual rate of 21·6 per 1,000. Of the total 2 were from tuberculous disease, 2 from *pneumonia* (type not distinguished), and 3 from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (24) are equal to an annual rate of 29·0 per 1,000. Enteric fever caused one death, measles 2 deaths, tuberculous disease 7 deaths, *pneumonia* (type not distinguished) one death, and accidental burns one death.

No. 4 *South City District* (Grand Canal Street).—The deaths (7) are equivalent to an annual rate of 10·2 per 1,000. The total includes one death from pulmonary tuberculosis.

New Kilmainham District.—There were no deaths recorded for this district during last week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 15·0; Pembroke, 17·8; Blackrock, 17·2; and Kingstown, 15·1. The deaths from the principal epidemic diseases tabulated for these districts include one from enteric fever for Rathmines and Rathgar, and 2 from *enteritis* of children under 2 years for Pembroke. Of the 11 deaths from all causes for Rathmines and Rathgar there was one from disseminated tuberculosis, one from broncho-pneumonia, and one from bronchitis. Included in the 10 deaths from all causes for Pembroke is one from abdominal tuberculosis, one from lobar pneumonia, 2 from bronchitis, and one by drowning.

* See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 25th November, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Nov. 4,	.	—	—	30	.	.	8	.	4	12	13	.	—	—	.	—	14	—	81
	Nov. 11,	.	—	—	37	.	.	18	.	1	8	13	.	—	—	.	—	9	—	86
	Nov. 18,	.	—	—	32	.	.	4	.	1	9	2	.	—	—	.	—	7	—	55
	Nov. 25,	.	—	—	33	1	.	4	.	2	8	13	.	—	—	.	—	15	—	76
Rathmines and Rathgar Urban District.	Nov. 4,	.	—	—	2	.	.	8	.	.	.	1	.	1	—	—	—	—	—	12
	Nov. 11,	.	—	—	5	.	.	14	.	.	2	.	.	.	—	—	—	—	—	21
	Nov. 18,	.	—	—	4	.	.	9	.	.	.	.	.	.	—	—	—	—	—	13
	Nov. 25,	.	—	—	1	.	.	3	.	.	.	.	.	.	—	—	—	—	—	4
Pembroke Urban District.	Nov. 4,	.	2	.	.	.	.	1	.	.	1	1	.	.	.	.	—	.	—	5
	Nov. 11,	.	.	.	1	.	.	3	.	.	.	2	.	.	.	.	—	.	—	6
	Nov. 18,	.	.	.	2	.	.	1	.	.	.	1	.	2	1	.	—	.	—	7
	Nov. 25,	.	.	.	.	.	.	.	.	.	.	.	.	5	4	.	—	.	—	9
Blackrock Urban District.	Nov. 4,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Nov. 11,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Nov. 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Nov. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Nov. 4,	.	—	—	.	.	.	.	.	.	1	2	.	—	—	—	—	.	—	3
	Nov. 11,	.	—	—	3	.	.	.	.	.	.	1	.	—	—	—	—	2	—	6
	Nov. 18,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	.	—	3
	Nov. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Nov. 4,	.	—	—	35	.	.	7	.	.	5	9	.	—	—	.	—	14	—	70
	Nov. 11,	.	—	—	22	.	.	13	.	.	.	6	.	—	—	.	—	3	—	44
	Nov. 18,	.	—	—	28	.	.	11	2	.	1	9	.	—	—	.	—	8	—	59
	Nov. 25,	.	—	—	13	.	.	2	.	.	.	4	.	—	—	.	—	17	—	36

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 25th November, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Five cases of measles were admitted to hospital during the week, 12 were discharged, and 16 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 32, 33, and 23, respectively.

Twenty-nine cases of scarlet fever were admitted to hospital, 20 were discharged, there was one death, and 197* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 177, 181, and 189, respectively.

One case of typhus was admitted to hospital during the week, one discharged, and 4 cases remained under treatment at the close of the week.

Fifteen cases of diphtheria were admitted to hospital during the week, 22 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 59, 79, and 75, respectively, were 67 at the close of last week.

Ten cases of enteric fever were admitted to hospital during the week, 26 were discharged, there was one death, and 74 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 124, 114, and 91.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 7 were discharged, and 20 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London, in which the rate was 13·2) was equal to an average annual death-rate of 14·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·7 per 1,000, the rate for Glasgow being 18·8 and for Edinburgh 15·1.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 25th November. From this Report it appears that of a total of 84 cases notified, 29 were phthisis, 24 diphtheria, 18 scarlet fever, 11 erysipelas, and 2 enteric fever. Among the 379 cases of infectious diseases in hospital at the close of the week were 153 cases of scarlet fever, 83 of diphtheria, 59 of phthisis, 26 of whooping-cough, 24 of measles, 13 of erysipelas, 11 of enteric fever, and one of chicken-pox.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 25th November, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.(a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.(b)	Registration—Week ending Saturday, 25th November, 1911. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology.(d) Week ending 25th November, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 18th November, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 11th November, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
Total of 22 Town Districts, ..	1,149,495	20·2	24·2	18·0	2·0	534	396	71	96	3	...	...	4	5	11	2	...	44	27	17	31	47	7	1	11	13	23	138	14	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:— Total, (c.) ...	403,732	29·3	23·4	20·3	2·3	181	157	29	38	2	...	...	4	2	3	...	...	18	11	6	15	21	3	...	4	4	3	79	8	e46·9 ...	25·2 ...	39·1 ...	0·19 ...	e58·3 ...	37·3 ...	44·5 ...	1·79 ...	e52·9 ...	24·7 ...	40·2 ...	1·02 ...
City of Dublin,	309,738	39·2	25·6	21·5	2·5	152	128	23	25	1	...	...	4	2	3	...	...	18	9	6	13	18	3	...	2	3	1	71	7	f47·1 ... g47·7 ...	30·4 ... 28·0 ...	40·9 ... 40·4 ...	0·10 ... 0·27 ...	f57·5 ... g56·8 ...	39·2 ... 38·2 ...	47·1 ... 46·7 ...	1·34 ... 1·44 ...	f57·2 ... g57·4 ...	30·8 ... 26·0 ...	42·2 ... 41·5 ...	0·84 ... 0·88 ...
Urban Districts. Rathmines and Rathgar.	38,330	22·4	9·5	15·0	1·4	7	11	1	5	1	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,347	18·5	19·5	17·8	3·6	11	10	3	2	...	...	...	...	...	...	...	...	...	1	...	1	2	...	...	2	1	2	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,090	8·4	11·5	17·2	.	2	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,227	11·8	27·2	15·1	.	9	5	2	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	47	33	41·3	0·09	58	39	48·7	1·06	54	31	42·3	0·89
Belfast ...	386,429	26·3	26·3	17·3	1·9	195	128	28	27	...	...	...	...	2	5	...	...	8	11	7	9	17	1	1	5	8	17	35	...	48·0	29·5	41·4	0·15	53·5	28·2	46·0	2·09	53·0	29·0	41·3	1·43
Cork, ...	76,632	33·8	30·6	17·7	2·7	45	26	5	2	...	...	...	...	...	1	...	...	6	2	...	3	1	2	...	1	...	...	9	...	48	34	41·7	0·03	53	41	47·9	2·59	53	33	44·3	1·57
Londonderry...	40,799	18·9	20·4	5·1	.	16	4	...	...	...	...	...	...	...	...	...	...	...	1	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick. ...	38,403	18·2	20·4	10·9	1·4	15	8	1	3	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	2	1	47·8	21·8	38·1	0·00	57·1	35·5	47·3	1·93	57·8	28·5	41·6	1·62
Waterford, ...	27,430	19·1	22·8	15·2	1·9	12	8	1	3	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	1	3	1	...	...	...	...	...	...	...	...	...	...	...	...
Galway. ...	13,249	2·5	19·7	23·6	.	5	6	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	2	1	49	29	39	0·00	56	40	49·6	1·79	56	30	44	1·30
Dundalk, ...	13,128	9·5	27·8	7·9	.	7	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,425	8·4	25·2	21·0	4·2	6	5	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	11,956	17·2	21·8	34·9	8·7	5	8	...	1	1	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	2	5	...	46·0	26·0	38·9	0·09	56·1	35·0	45·3	1·32	51·1	22·6	39·3	0·82
Lurgan, ...	12,135	14·3	43·0	30·1	8·6	10	7	...	2	...	...	...	...	...	2	...	...	2	...	1	1	1	...	...	...	...	...	1	...	46·0	26·0	38·9	0·09	56·1	35·0	45·3	1·32	51·1	22·6	39·3	0·82
Lisburn. ...	12,172	10·7	21·4	21·4	.	5	5	1	3	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	46·0	26·0	38·9	0·09	56·1	35·0	45·3	1·32	51·1	22·6	39·3	0·82
Wexford. ...	11,455	23·8	31·9	18·2	.	7	4	...	1	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena, ...	11,376	9·3	9·2	27·5	.	2	6	1	2	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Sligo. ...	11,163	3·8	18·7	4·7	4·7	4	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	46·8	22·8	37·7	0·09	56·7	37·9	45·0	2·85	56·2	26·0	35·7	1·84
Kilkenny, ...	10,513	11·4	5·0	34·7	.	1	7	1	3	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	1	1	46	28	38·4	0·07	56	39	46·6	2·57	52	25	39·9	1·40
Clonmel, ...	10,277	7·9	25·4	10·1	.	5	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	11,727	15·3	8·9	8·9	.	2	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	46·0	26·0	38·9	0·09	56·1	35·0	45·3	1·32	51·1	22·6	39·3	0·82
Tralee. ...	9,867	16·6	5·3	10·6	.	1	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	40·1	17·2	.	7	3	1	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	49	39	42·8	0·12	58	40	47·7	2·02	51	32	42·6	0·42
Queenstown, ...	7,909	14·4	6·6	6·6	.	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	48	34	41·7	0·03	53	41	47·9	2·59	53	33	44·3	1·57
Armagh, ...	7,588	22·2	13·7	27·5	.	2	4	1	3	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	...	46·0	26·0	38·9	0·09	56·1	35·0	45·3	1·32	51·1	22·6	39·3	0·82

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 8 deaths of persons (including one under one year old and 2 at 65 years or upwards) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observation by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 25th of November, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	2	.	2	.	.	.	.	.	.	4	.
Scarlet Fever,	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
Whooping-cough,	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	2	3	.	2	.	.	.	4	.	6	1	.	.	.	.	.	18	1
Tuberculous Disease. { Other Forms,	.	.	2	1	1	.	.	2	2	1	.	.	1	1	.	.	11	.
Cancer,	1	.	.	3	.	1	.	.	.	.	1	.	.	.	.	.	6	1
Diseases of Nervous System,	1	.	.	2	.	.	.	4	.	3	.	.	4	.	1	.	15	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	.	.	1	.	.	.	.	1	3	1	.	1	2	2	1	13	.
" Respiratory System. { Pneumonia,	1	2	3	1	1	1	.	1	2	1	.	.	1	1	.	.	15	2
" Respiratory System. { Others,	2	7	1	3	.	1	.	1	3	.	.	.	1	2	.	.	21	1
" Digestive System. { Diarrhœa, under 2 years,	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, under 2 years,	.	1	.	.	.	.	.	1	.	.	.	.	.	2	.	.	4	.
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
" Digestive System. { Others,	.	1	.	.	.	1	1	.	.	2	2	.	1	.	.	.	8	.
" Genito-urinary System,	.	1	2	.	.	.	.	1	1	2	.	.	.	.	.	.	7	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	3	1	3	.	.	1	1	.	2	2	.	1	.	.	4	18	2
Violent Deaths,	1	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	4	1
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	2	.
Deaths from All Causes	10	20	12	17	2	4	3	20	9	24	7	.	11	10	3	5	157	8
Annual Rate of Mortality from All Causes in every 1,000 of the population.	17·5	26·1	20·4	26·5	19·4	18·0	20·4	25·2	21·6	29·0	10·2	.	15·0	17·8	17·2	15·1	20·3	.
	22·4							20·7					16·1					
	21·5																	
Ages at Death. { Under 1 year,	1	6	3	4	.	.	.	4	.	4	1	.	1	3	.	2	29	1
1 and under 2 years,	1	1	1	1	.	.	.	2	.	1	.	.	.	.	.	.	7	.
2 " 5 "	.	1	2	1	.	.	.	5	3	1	.	.	.	.	.	.	13	.
5 " 15 "	.	1	.	.	.	.	.	1		1	.	.	.	1	.	.	4	.
15 " 25 "	.	4	.	.	.	.	.	.	.	3	.	.	1	.	.	.	8	2
25 " 45 "	5	1	4	4	1	.	1	2	1	6	3	.	1	1	.	.	30	1
45 " 65 "	2	2	1	3	.	1	.	2	3	6	2	.	3	3	.	.	28	2
65 and upwards,	1	4	1	4	1	3	2	4	2	2	1	.	5	2	3	3	38	2
Number of Uncertified Deaths,	1	1	1	.	.	1	.	1	.	1	1	.	.	.	.	1	8	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	5	3	6	.	.	.	7	3	10	3	.	2	2	.	.	44	7
Workhouse Hospitals,	2	3	2	6	.	.	.	5	4	8	1	.	.	1	2	1	35	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday Nov. 23, 1901.	Nov. 22, 1902.	Nov. 28, 1903.	Nov. 26, 1904	Nov. 25, 1905.	Nov. 24, 1906.	Nov. 23, 1907.	Nov. 21, 1908.	Nov. 27, 1909.	Nov. 26, 1910.	Averages in 47th Week of the 10 years 1901–1910.	In the Week ending Saturday, 25th November, 1911. Mean Temp.	Deaths of Persons of the Ages of 0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 44·9	° 42·4	° 44·4	° 33·6	° 40·0	° 47·7	° 40·2	° 45·6	° 38·4	° 42·2	° 41·9	° 39·1										
ALL CAUSES.	176	237	188	170	173	182	145	188	172	168	179·9	165	10	20	7	13	4	10	31	30	25	15
Enteric Fever, ...	3	2	5	.	.	1	2	3	1	2	1·9	2	.	.	.	.	.	1	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	19	.	12	.	9	.	8	2	1	5·1	4	.	2	2	.	.	.	.	.	.	.
Scarlet Fever, ...	.	5	.	1	1	.	1	.	1	1	1·0	2	.	.	1	.	.	.	1	.	.	.
Whooping-cough, ...	1	.	3	4	3	2	.	4	.	6	2·3	3	.	1	1	1	.	.	.	.	.	.
Diphtheria, ...	4	4	1	.	.	1	.	1	1	2	1·4	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	2	.	.	3	1	3	2	2	1·4	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	1	.	.	.
Other Epidemic Diseases, ...	.	1	.	.	1	.	2	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	.	1	.	3	1	.	.	1	·7	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	23	21	28	15	20	27	26	20	17	14	21·1	19	.	.	.	1	1	4	11	2	.	.
Tuberculous Meningitis, ...	1	2	2	5	1	1	3	4	3	1	2·3	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	4	2	1	1	.	.	1	2	2	.	1·3	5	.	1	.	4	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	8	7	6	7	6	6	3	4	1	5	5·3	1	.	.	.	.	.	.	1	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												5	.	.	.	2	1	.	1	1	.	.
Venereal Diseases, ...	1	1	.	2	4	3	2	1	2	.	1·6	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	2	9	8	7	10	5	8	9	7	14	7·9	7	.	.	.	.	.	.	1	3	3	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	.	1	1	.	.	.	.	·2	2	.	.	.	.	.	1	.	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	2	1	.	.	.	.	.	.	.	.	1
Alcoholism, ...	1	.	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*												5	.	.	.	.	.	.	1	2	1	1
Softening of Brain, ...												1	.	.	.	.	.	.	.	.	1	.
Paralysis, without specified cause.												1	.	.	.	.	.	.	.	.	1	.
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												6	1	3	.	1	1	.	.	.	.	.
Other Diseases of Nervous System.	48	55	57	38	37	34	27	35	37	34	40·2	2	.	.	.	.	.	.	2	.	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,												13	.	.	.	.	.	.	.	5	5	3
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	1	.
Bronchitis, ...	21	33	23	21	31	23	10	27	23	28	24·0	20	.	2	1	1	.	.	.	7	6	3
Broncho-pneumonia,	11	7	6	9	7	8	2	9	4	10	14·3	8	.	3	.	2	.	.	1	2	.	.
Lobar-pneumonia, ...		.	1	1	2	3	.	1	1	3		3	.	.	.	.	1	1	.	1	.	.
Pneumonia (type not distinguished)		9	8	5	6	7	4	5	11	3		6	.	.	.	.	.	.	2	2	2	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	3	3	1	1	3	7	.	1	9	1	2·9	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												1	.	.	.	.	.	.	1	.	.	.

FORTY-SEVENTH WEEK ending Saturday, 25th November, 1911, with, as far as practicable, the deaths from each cause in 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 47th Week of the 10 years 1901–1910.	In the Week ending Saturday, 25th November, 1911.										
													Deaths of Persons of the Ages of									
	Nov. 23, 1901.	Nov. 22, 1902.	Nov. 28, 1903.	Nov. 26, 1904.	Nov. 25, 1905.	Nov. 24, 1906.	Nov. 23, 1907.	Nov. 21, 1908.	Nov. 27, 1909.	Nov. 26, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 44·9	° 42·4	° 44·4	° 33·6	° 40·0	° 47·7	° 40·2	° 45·6	° 38·4	° 42·2	° 41·9	° 39·1										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	—	5	.	.	.	.	.	1	.	1	.	3
Diarrhœa of Children under 2 years.	2	7	3	4	3	6	7	4	4	4	4·4	3	2	1	.	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	.	3	2	1	4	1	3	5	2	3	2·4	4	.	4	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												1	.	.	.	.	.	.	.	.	1	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	2	1	.	1	2	1	.	2	2	2	2·2	2	.	.	.	.	.	.	2	.	.	.
Other Diseases of Liver, ...		2	.	1	1	.	.	3	1	1		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	2	.	.	.	.	.	.	1	1	·4	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Digestive System.	4	9	5	3	7	5	6	5	6	4	5·4	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	3	5	6	7	6	5	7	8	6	2	5·5	3	.	.	1	.	.	.	2	.	.	.
Chronic Bright's Disease, ...												3	.	.	.	.	.	2	.	.	1	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												1	.	.	.	.	.	.	1	.	.	.
Puerperal Septicæmia, &c., ...	1	.	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	1	.	.	.	.	2	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	7	4	2	3	2	2	4	3	1	4	3·2	5	5	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	4	.	3	1	.	.	.	.	.	.	.
Old Age, ...	8	2	4	8	3	3	3	1	5	5	4·2	4	.	.	.	.	.	.	.	.	.	4
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	1	.	1	1	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	1	.	.	3	2	.	2	1	1	2	1·2	2	.	.	.	1	.	.	1	.	.	.
By Drowning, ...	.	.	1	2	.	.	.	.	.	.	·3	1	.	.	.	.	.	.	1	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	1	.	1	.	2	3	1	.	.	·9	2	.	.	.	.	.	.	1	.	1	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	1	1	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.
No. of weeks in Annual Series.	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
BIRTHS registered.	261	228	232	185	324	190	190	294	233	198	210	233	218	198	212	201	182	265	204	217	195	177	193	241	183	181
Average Births in corresponding week of previous 10 years, ...	238	226	207	224	207	205	204	208	221	217	208	217	216	207	235	209	212	247	197	185	212	205	212	206	197	183
DEATHS registered, ...	150	149	159	127	135	120	172	162	186	153	169	199	162	210	219	189	183	161	179	183	165	147	169	179	186	165
Annual Death-rate per 1,000, ...	19·2	19·2	20·5	16·4	20·0	15·5	22·2	20·9	24·0	19·8	21·8	25·7	20·9	27·1	28·3	24·4	23·6	20·8	23·1	23·6	21·3	19·0	21·8	23·1	24·0	21·3
Average Deaths in corresponding week of previous 10 years, ...	154	151	149	148	134	140	141	144	147	145	146	154	162	153	156	152	167	160	156	153	161	156	171	174	177	180
Ages, Under 5 years, ...	43	34	42	44	56	43	41	51	88	73	72	94	80	94	93	82	77	69	68	66	50	55	47	61	61	50
5—15 " ...	10	8	4	9	10	4	13	6	5	6	8	5	8	5	8	4	6	8	5	7	8	5	4	8	7	4
15—25 " ...	9	9	13	2	7	7	11	10	6	6	4	7	7	12	7	7	7	6	12	11	11	10	6	7	13	10
25—45 " ...	29	36	32	18	20	19	31	26	21	22	19	31	19	23	26	30	26	22	33	33	30	28	24	25	33	31
45—65 " ...	20	33	31	34	28	20	33	37	29	21	40	37	28	38	37	35	33	29	39	39	35	32	38	39	33	30
65—75 " ...	17	26	18	13	16	15	24	18	24	15	14	11	9	21	28	17	22	11	11	16	17	8	28	26	21	25
75 and upwards, ...	13	13	19	7	18	12	19	14	13	10	12	14	11	17	20	14	12	16	11	11	14	9	22	13	18	15
Deaths from :—																										
Enteric Fever, ...	1	.	.	1	.	1	3	2	1	2	2	2	1	2	.	2	3	6	2	4	4	1	3	.	.	2
Typhus, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	4	2	8	7	4	7	3	7	5	2	.	1	1	.	1	.	.	.	1	2	5	4	6	5	4
Scarlet Fever, ...	2	2	.	.	.	1	3	.	2	1	3	.	1	.	1	1	3	1	1	1	4	1	2	3	2	2
Whooping-cough, ...	4	1	3	2	2	.	1	4	3	4	1	3	6	7	4	3	3	1	.	1	1	5	1	.	4	3
Diphtheria, ...	1	4	1	4	2	2	3	2	1	.	.	1	5	1	2	3	.	.	.	4	.	1	.	2	4	.
Influenza, ...	.	.	1	.	1	1	1	2	1	.	1	.	.	1	2	.	.	.	1	1	1	.	1	.	1	.
Dysentery, ...	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Tuberculous Disease, Phthisis, ...	22	25	23	7	21	7	20	17	17	16	13	19	15	22	22	19	12	14	18	16	28	18	19	19	24	19
Tuberculous Disease, Other Forms,	9	8	7	11	6	7	12	10	15	9	5	9	4	10	12	7	2	5	12	6	4	6	5	5	10	11
Cancer, ...	9	12	10	7	8	12	4	10	6	5	11	7	6	10	10	10	9	8	6	12	9	9	6	12	19	7
Diseases of Circulatory System,	12	12	23	14	22	16	22	20	15	10	13	13	8	13	15	16	16	17	16	14	20	10	18	17	14	13
Diseases of Respiratory System, Pneumonia,	10	8	9	8	9	9	10	8	12	1	8	3	6	12	5	10	4	4	14	9	8	8	6	14	8	17
Diseases of Respiratory System, Others, ...	15	16	17	9	17	6	11	10	13	3	8	13	7	5	14	12	12	10	17	14	15	9	27	25	24	22
Diarrhœa, Under 2 years, ...	6	.	3	3	.	1	3	9	27	20	29	37	25	38	31	37	32	19	17	20	5	8	6	3	4	3
Diarrhœa, 2 years & upwards,	.	.	.	.	.	.	.	.	5	1	6	7	10	7	4	1	3	1	1	2	.	.	2	1	.	.
Enteritis, under 2 years, ...	4	1	1	1	3	3	2	2	7	9	12	12	13	14	14	9	12	9	15	7	8	5	8	1	1	4
Violent Deaths, ...	2	3	6	5	2	6	7	2	5	2	2	8	5	3	4	2	7	7	2	5	4	7	3	2	5	5
Number of Uncertified Deaths,	4	3	4	.	5	9	5	2	3	3	7	7	7	7	5	6	5	5	1	7	3	8	6	7	5	8
Mean Temperature of the Air (Phœnix Park)	56·2	55·6	52·6	56·2	55·5	59·6	60·9	62·9	62·7	62·5	60·8	61·2	59·7	59·1	57·5	52·9	52·2	50·8	48·6	48·3	57·4	44·4	46·3	40·2	44·5	39·1
Average Mean Temperature in corresponding week of previous 10 years, ...	53·7	53·5	53·6	55·5	56·5	57·5	58·5	59·8	58·2	58·6	58·5	57·5	56·5	56·3	54·5	52·8	53·2*	53·7	52·4	50·4	48·7	46·6	46·3	44·7	42·0	41·9
Rainfall in inches, ...	·000	·000	·605	·782	·166	·018	·000	·316	1·860	·430	·170	·010	·338	·405	·020	·320	·248	·680	·208	·325	1·035	1·335	1·130	1·015	1·785	·185
Mean Humidity of the Air, complete Saturation 1·0, ...	·89	·88	·86	·91	·91	·92	·84	·92	·92	·92	·82	·82	·82	·78	·85	·83	·81	·83	·83	·89	·88	·86	·84	·84	·85	·82

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 25th November, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 25TH NOVEMBER, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Convulsions.	Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	165	50	4	10	31	30	25	15	2	.	.	4	2	3	.	.	19	11	7	6	17	22	3	.	4	5	60	8
	CLASSES.																														
	Deaths in Families of the—																														
I	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	20·9	7	1	.	.	.	.	4	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	4	.
II.	MIDDLE CLASS, ...	87,188	15·0	25	4	1	1	3	7	4	5	1	.	.	.	1	.	.	.	1	2	2	1	4	1	1	.	1	.	10	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	9·0	19	4	.	2	3	5	4	1	.	.	.	.	.	.	.	.	2	1	.	.	1	2	1	.	.	1	11	1
IV.	GENERAL SERVICE CLASS, ...	154,279	26·4	78	31	2	7	17	9	8	4	.	.	.	1	1	2	.	.	10	4	1	5	9	12	1	.	1	4	27	6
V.	INMATES OF WORKHOUSES, ...	6,024	—	36	10	1	.	8	9	5	3	1	.	.	3	.	1	.	.	6	4	3	.	3	6	.	.	1	.	8	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions: Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4	1	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	40·8	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers &c.	22,016	4·7	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
	6. Clerks and Commercial Assistants, ...	30,432	13·7	8	2	1	1	1	1	.	2	1	.	.	.	1	.	.	.	.	.	.	1	2	.	1	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	25·1	13	1	.	.	.	5	4	3	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.	.	1	.	7	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers	9,874	21·1	4	.	.	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2	.
	9. Building and Furnishing Trades, ...	29,801	1·7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	10. Clothing Trades, ...	23,260	9·0	4	.	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	11. Food Supply Trades	9,242	5·6	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	15·5	9	3	.	1	.	3	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	1	.	.	.	4	1
	13. Petty Shopkeepers	7,894	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	19·1	5	2	.	.	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	2	.
	15. Domestic Servants, ...	36,603	10·6	7	1	.	3	1	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	.	1	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	39·9	11	2	1	1	6	1	.	.	.	.	.	.	.	.	.	.	3	2	.	1	1	1	.	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	31·9	55	26	1	3	9	8	5	3	.	.	.	1	1	2	.	.	4	2	1	4	7	8	1	.	1	3	20	6
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	36	10	1	.	8	9	5	3	1	.	.	3	.	1	.	.	6	4	3	.	3	6	.	.	1	.	8	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 29,854.	Oct. 7,	15·7	5·2	9	1	.	.	.	.	.	.	.	3	.	.	.	1	.	.	2	.	.
	„ 14,	22·7	7·0	13	2	.	.	.	.	.	.	.	2	.	1	.	.	2	.	.	1	.
	„ 21,	15·7	1·7	9	.	.	.	.	.	.	.	.	4	.	.	.	1	.	.	1	1	.
	„ 28,	33·2	7·0	19	.	.	.	.	.	1	.	.	2	.	2	3	1	3	.	.	1	3
	Nov. 4,	21·0	5·2	12	.	.	.	.	.	.	.	.	3	1	.	.	1	2	1	.	.	2
	„ 11,	19·2	1·7	11	.	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	1
	„ 18,	40·2	7·0	23	.	.	.	.	.	.	.	.	3	2	2	1	4	4	.	.	1	1
	„ 25,	17·5	1·7	10	.	.	.	.	.	1	.	.	2	.	1	1	2	.	.	.	1	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 39,902.	Oct. 7,	30·1	7·8	23	.	.	.	.	.	.	.	.	2	.	1	2	2	4	.	2	.	.
	„ 14,	28·7	10·5	22	.	.	.	.	.	1	.	.	2	1	.	3	1	5	1	1	.	1
	„ 21,	18·3	2·6	14	1	.	.	.	.	.	.	.	4	.	1	.	2	1	.	.	.	.
	„ 28,	22·2	1·3	17	.	.	.	.	.	.	.	.	1	.	2	1	1	1	.	.	.	.
	Nov. 4,	22·2	6·5	17	.	.	.	.	1	.	.	.	3	1	1	1	2	1	.	3	.	.
	„ 11,	37·9	3·9	29	.	.	.	1	1	.	.	.	4	.	2	3	7	.	1	.	.	1
	„ 18,	22·2	1·3	17	.	.	.	.	.	1	.	.	2	.	.	.	4	.	.	.	1	1
	„ 25,	26·1	3·9	20	.	.	.	.	.	.	.	.	3	.	.	2	7	2	.	1	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 30,689.	Oct. 7,	25·5	6·8	15	1	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	.
	„ 14,	30·6	5·1	18	.	.	.	.	1	.	2	.	.	2	.	1	2	.	.	.	.	.
	„ 21,	20·4	.	12	.	.	.	.	.	.	.	.	1	.	1	2	2	.	.	.	.	.
	„ 28,	17·0	3·4	10	.	.	.	.	.	.	.	.	2	1	.	.	.	2	.	.	.	.
	Nov. 4,	23·8	1·7	14	.	.	.	.	.	.	.	.	2	.	1	1	2	1	.	.	.	1
	„ 11,	37·4	1·7	22	.	.	.	.	.	.	.	.	1	.	1	2	3	1	.	.	1	2
	„ 18,	25·5	.	15	.	.	.	.	.	.	.	.	1	1	2	2	2	.	.	.	.	.
	„ 25,	20·4	3·4	12	.	.	.	.	1	1	.	.	.	2	.	3	1	.	.	.	1	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,498.	Oct. 7,	28·0	.	18	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.
	„ 14,	9·3	.	6	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1
	„ 21,	9·3	3·1	6	1	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.
	„ 28,	20·2	.	13	.	.	.	.	.	.	.	.	1	1	2	2	.	.	.	.	.	2
	Nov. 4,	17·1	1·6	11	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
	„ 11,	21·8	.	14	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.	.
	„ 18,	32·7	3·1	21	.	.	.	.	1	.	.	1	1	1	2	1	2	.	.	.	.	.
	„ 25,	26·5	1·6	17	.	.	.	.	.	.	.	.	2	1	3	1	3	1	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,401.	Oct. 7,	26·4	6·3	21	.	.	.	.	1	.	.	.	1	1	.	3	4	2	.	2	.	.
	„ 14,	18·9	10·1	15	.	.	.	1	.	.	1	.	.	.	1	.	4	3	.	3	.	.
	„ 21,	37·8	7·6	30	.	1	.	2	.	.	.	.	7	2	.	.	2	1	.	2	1	1
	„ 28,	29·0	10·1	23	.	1	.	5	.	1	.	.	2	2	1	.	2	.	.	1	.	.
	Nov. 4,	30·2	5·0	24	.	.	.	3	.	.	.	.	2	1	.	1	4	.	.	1	1	.
	„ 11,	35·3	7·6	28	.	.	.	4	2	.	.	.	5	2	.	2	3	.	.	.	.	1
	„ 18,	26·4	7·6	21	.	.	.	4	.	1	.	.	1	2	2	1	3	.	.	1	.	.
	„ 25,	25·2	5·0	20	.	.	.	2	.	1	.	.	4	2	.	1	1	.	.	1	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,715.	Oct. 7,	19·2	9·6	8	.	.	.	.	.	.	.	.	1	1	.	.	1	3	.	1	1	.
	„ 14,	9·6	.	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
	„ 21,	24·0	4·8	10	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	1	.	.
	„ 28,	14·4	2·4	6	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.
	Nov. 4,	24·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	.
	„ 11,	26·4	2·4	11	.	.	.	.	.	.	1	.	2	1	.	1	4	.	.	.	.	.
	„ 18,	31·2	7·2	13	.	.	.	1	1	.	1	.	1	.	1	.	3	.	.	.	1	.
	„ 25,	21·6	.	9	.	.	.	.	.	.	.	.	.	2	.	2	3	.	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,149.	Oct. 7,	32·6	6·0	27	.	.	.	.	.	.	.	.	9	2	1	2	3	1	.	4	.	.
	„ 14,	30·2	3·6	25	.	.	.	.	.	.	.	.	5	2	.	2	2	2	.	1	1	.
	„ 21,	25·4	4·8	21	.	.	.	.	2	.	.	.	4	1	.	2	4	1	.	1	.	1
	„ 28,	23·0	6·0	19	1	.	.	.	.	1	.	.	2	.	.	.	.	1	.	2	2	2
	Nov. 4,	15·7	2·4	13	.	.	.	.	1	.	.	.	3	1	.	.	2	.	.	1	.	1
	„ 11,	16·9	1·2	14	.	.	.	1	.	.	.	.	1	1	2	1	4	.	.	.	.	1
	„ 18,	24·2	3·6	20	.	.	.	.	.	1	2	.	5	2	3	2	1	.	.	.	1	.
	„ 25,	29·0	3·6	24	1	.	.	2	.	.	.	.	6	1	.	1	.	.	.	.	1	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 35,816.	Oct. 7,	20·4	5·8	14	.	.	.	.	.	.	.	.	.	2	.	2	1	3	.	1	1	.
	„ 14,	32·0	10·2	22	2	.	.	.	.	.	.	.	.	.	3	1	1	4	1	.	.	2
	„ 21,	17·5	2·9	12	1	.	.	.	.	.	.	.	3	.	.	1	1	1	.	.	.	.
	„ 28,	13·1	.	9	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.	.	2	.
	Nov. 4,	26·2	1·5	18	1	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	.	.
	„ 11,	14·6	.	10	.	.	.	.	.	.	.	.	2	.	2	.	2	.	.	.	.	.
	„ 18,	11·6	.	8	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1
	„ 25,	10·2	.	7	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa. Children under 2 years.	2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	Oct. 7,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 14,	13·6	2·7	10	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.	1	.	2
	„ 21,	19·0	1·4	14	.	.	.	.	.	1	.	.	1	1	2	3	.	.	.	.	.	.
	„ 28,	5·4	1·4	4	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.
	Nov. 4,	16·3	4·1	12	1	.	.	.	.	.	.	.	.	.	.	.	3	.	1	1	1	1
	„ 11,	9·5	2·7	7	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
	„ 18,	17·7	.	13	.	.	.	.	.	.	.	.	4	1	3	.	.	.	.	.	1	.
	„ 25,	15·0	1·4	11	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	Oct. 7,	17·8	7·1	10	.	.	.	.	.	.	.	.	.	1	.	1	1	1	1	2	.	.
	„ 14,	16·0	1·8	9	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	1
	„ 21,	12·4	5·3	7	1	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	.
	„ 28,	8·9	3·6	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	Nov. 4,	19·5	3·6	11	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	2	.	.
	„ 11,	10·7	1·3	6	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.
	„ 18,	17·8	1·8	10	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	.	.	2
	„ 25,	17·8	3·6	10	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	2	1	.
Kingstown Urban District. Pop. in 1911 17,227.	Oct. 7,	6·1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 14,	12·1	3·0	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 21,	21·2	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	„ 28,	9·1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	Nov. 4,	12·1	3·0	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 11,	24·2	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	1
	„ 18,	9·1	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	„ 25,	15·1	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Belfast. Pop. in 1911 (Est.) 386,449.	Oct. 7,	17·3	3·0	128	2	.	.	.	1	1	.	.	13	10	6	7	10	10	2	6	2	.
	„ 14,	15·9	2·3	118	.	.	.	.	1	2	1	.	11	5	6	7	7	5	.	8	3	4
	„ 21,	17·0	1·3	126	.	.	.	.	.	1	.	.	19	4	5	10	13	2	.	7	3	1
	„ 28,	16·7	1·3	124	.	.	.	.	1	3	.	.	16	3	3	6	17	2	1	3	6	.
	Nov. 4,	15·1	0·7	112	1	.	.	.	2	.	.	.	15	4	5	13	17	.	.	2	1	2
	„ 11,	15·7	1·1	116	1	.	.	.	2	2	2	.	12	8	3	8	15	.	.	1	3	.
	„ 18,	17·7	1·6	131	.	.	.	.	1	1	4	.	17	7	4	10	15	1	.	5	3	1
	„ 25,	17·3	1·9	128	.	.	.	.	2	5	.	.	8	11	7	9	17	1	1	5	8	.
Cork. Pop. in 1911 76,692.	Oct. 7,	25·2	3·4	37	.	.	.	.	.	.	.	.	4	2	.	3	3	4	1	.	1	4
	„ 14,	25·2	1·4	37	1	.	.	.	.	.	.	.	7	.	.	3	2	1	.	.	.	.
	„ 21,	26·5	2·0	39	.	.	.	1	.	.	1	.	7	1	2	6	2	1	.	.	.	1
	„ 28,	22·5	1·4	33	.	.	.	1	.	.	.	.	4	2	2	4	2	1	.	.	.	4
	Nov. 4,	22·5	3·4	33	.	.	.	2	.	.	.	.	5	2	1	2	1	2	.	1	.	6
	„ 11,	19·7	2·7	29	.	.	.	1	.	.	2	.	5	1	1	4	1	.	.	1	.	.
	„ 18,	25·9	4·8	38	.	.	.	2	.	.	2	.	6	2	3	1	4	2	1	.	1	1
	„ 25,	17·7	2·7	26	.	.	.	.	.	1	.	.	6	2	.	3	1	2	.	1	.	.
Londonderry. Pop. in 1911 40,799	Oct. 7,	7·7	1·3	6	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
	„ 14,	15·3	5·1	12	.	.	.	.	.	.	.	.	1	1	.	.	.	2	2	.	1	.
	„ 21,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 28,	8·9	2·6	7	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	1	.	.
	Nov. 4,	19·2	.	15	.	.	.	.	.	.	.	.	3	.	.	1	4	.	.	.	.	.
	„ 11,	15·3	1·3	12	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	.	.	.
	„ 18,	16·6	.	13	.	.	.	.	.	.	.	.	1	.	.	3	2	.	.	.	.	1
	„ 25,	5·1	.	4	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	.
Limerick. Pop. in 1911 38,403.	Oct. 7,	20·4	2·7	15	.	.	.	.	.	.	.	.	5	.	.	.	2	2	.	.	.	3
	„ 14,	16·3	2·7	12	.	.	.	.	.	.	.	.	2	.	1	.	1	2	.	.	.	2
	„ 21,	20·4	1·4	15	.	.	.	.	.	.	.	.	3	1	2	.	3	1	.	.	.	1
	„ 28,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3
	Nov. 4,	17·7	.	13	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	.	4
	„ 11,	8·1	.	6	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.
	„ 18,	9·5	1·4	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1
	„ 25,	10·9	1·4	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1
Waterford. Pop. in 1911 27,430.	Oct. 7,	19·0	7·6	10	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	1	.	.
	„ 14,	26·6	5·7	14	.	.	.	.	.	.	.	.	1	4	.	.	1	3	.	.	.	3
	„ 21,	26·6	1·9	14	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	1	1	1
	„ 28,	9·5	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	Nov. 4,	19·0	5·7	10	.	.	.	.	.	.	1	.	.	1	.	.	1	1	1	.	1	1
	„ 11,	15·2	.	8	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1
	„ 18,	13·3	1·9	7	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.	.
	„ 25,	15·2	1·9	8	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 25th November, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911. represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911. represented by Deaths from: Certain Epidemic Diseases.*	Total Number of DEATHS.	DEATHS. Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.			The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																												
BELFAST URBAN No. 1 DISTRICT,	385,492	5			6	2	1	1	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.
Do. 2 do.		18			18	4	1	4	2	2	5	.	.	.	.	1	1	.	.	2	1	.	1	2	1	.	.	1	4	8	.
Do. 3 do.		28			19	2	2	3	2	8	2	.	.	.	.	.	.	.	.	1	5	1	2	1	.	1	.	1	3	6	.
Do. 4 do.		28			10	4	1	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	1	1	1	3	.
Do. 5 do.		10			10	2	2	1	.	4	1	.	.	.	.	1	.	.	.	.	3	1	.	.	.	.	1	1	1	2	.
Do. 6 do.		13			8	1	2	.	1	3	1	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	1	1	5	.
Do. 7 do.		1			2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
Do. 8 do.		2			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		8			8	2	4	.	.	1	1	.	.	.	.	.	2	.	.	.	.	.	1	3	.	.	.	.	.	.	.
Do. 10 do.		12			11	1	2	.	3	2	3	.	.	.	.	.	1	.	.	3	.	.	1	2	.	.	.	.	1	2	.
Do. 11 do.		18			9	2	.	1	2	.	4	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	1	1	1	3	.
Do. 12 do.		29			12	3	.	.	2	3	4	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1	2	3	3	.
Do. 13 do.		9			5	1	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		14			9	2	.	.	2	4	1	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	1	.
Total,	—	195			128	28	15	10	17	31	27	.	.	.	.	2	5	.	.	8	11	7	9	17	1	1	5	3	17	35	.
City of Cork.			The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																												
CORK URBAN No. 1 DISTRICT,	76,632	7			4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
Do. 2 do.		5			4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.	1	.
Do. 3 do.		9			2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.
Do. 4 do.		4			4	1	1	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	2	.
Do. 5 do.		5			2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Do. 6 do.		5			4	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
Do. 7 do.		10			6	.	2	.	2	1	1	.	.	.	.	.	.	.	.	3	.	.	2	.	.	.	.	.	.	1	.
Total,	—	45	17·7	2·7	26	5	4	3	4	8	2	.	.	.	.	.	1	.	.	6	2	.	3	1	2	.	1	.	.	9	.

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	June 3.	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14	Oct. 21.	Oct 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.
No. of weeks in Annual Series,	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
BIRTHS registered, ...	233	215	258	201	264	213	207	268	236	203	225	215	220	197	215	183	184	184	184	198	194	199	206	204	187	195
DEATHS registered, ...	125	115	107	82	116	92	123	121	105	123	121	139	132	138	146	122	150	125	128	118	126	124	112	116	131	128
Annual Death rate per 1,000 of estimated population, ...	16·4	15·5	14·4	11·1	15·7	12·4	16·6	16·3	14·2	16·6	16·3	18·8	17·8	18·6	19·7	16·5	20·2	16·9	17·3	15·9	17·0	16·7	15·1	15·7	17·7	17·3
AGES, Under 1 year, ...	18	19	23	16	18	11	25	32	38	39	45	44	36	52	49	43	53	35	26	21	24	22	20	19	30	28
1—5 years, ...	7	7	10	7	9	7	9	11	8	12	11	11	8	6	16	11	19	17	16	17	6	7	11	8	16	15
5—25 „ ...	14	14	16	7	16	15	16	14	11	7	14	15	18	11	10	8	12	7	13	9	17	17	12	16	16	10
25—45 „ ...	24	26	22	18	20	21	25	22	13	21	11	17	19	24	21	17	15	22	22	18	20	16	18	19	14	17
45—65 „ ...	34	20	20	20	37	25	29	23	17	23	23	28	31	27	29	21	31	20	28	28	29	37	24	28	31	31
65 and upwards, ...	28	29	16	14	16	13	19	19	18	21	17	24	20	18	21	22	20	24	23	25	30	25	27	26	24	27
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	1	.	.	1	1	2	1	2	.	.	.	2	.	.	.	1	1	.	.
Typhus, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	1	.	.	1	1	.	.	.	1	.	.	.	1	1	.	2	1	1	.	1	2	2	1	2
Whooping-cough, ...	.	.	4	.	1	.	1	1	1	2	1	.	1	.	1	2	2	1	1	2	1	3	.	2	1	5
Diphtheria, ...	.	1	.	.	.	1	.	2	.	2	.	1	.	.	.	.	.	1	.	1	.	.	.	2	4	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	16	14	13	13	23	16	18	20	10	13	9	6	19	17	11	10	8	8	13	11	19	16	15	12	17	8
Tuberculous Disease. Other Forms,	11	6	10	2	2	5	8	6	5	7	3	7	5	3	7	5	8	5	10	5	4	3	4	8	7	11
Cancer, ...	6	8	6	6	7	4	6	3	3	9	4	4	1	7	4	6	8	6	6	6	5	3	5	3	4	7
Diseases of Respiratory System, Pneumonia,	11	9	9	5	5	7	2	4	6	2	3	9	3	4	7	3	6	8	7	7	10	6	13	8	10	9
Diseases of Respiratory System, Others, ...	18	18	13	10	8	11	14	10	3	4	5	6	5	1	9	6	9	4	10	7	13	17	17	15	15	17
Diarrhœa, Under 2 years, ...	1	.	1	1	2	1	6	10	14	9	19	17	15	21	26	20	27	15	10	5	2	2	.	.	1	1
Diarrhœa, 2 years & upwards	.	1	.	3	.	.	.	.	1	4	4	3	5	6	7	4	1	2	2	.	.	1	.	.	.	1
Enteritis, under 2 years, ...	4	2	.	1	1	1	3	8	9	12	19	10	13	22	11	11	20	9	6	8	7	3	2	1	5	5
Violent Deaths, ...	.	3	3	1	4	.	3	5	3	2	2	6	4	5	3	2	1	2	2	3	3	6	1	3	3	8
Number of Uncertified Deaths, ...	2	1	.	3	3	.	1	.	2	.	1	1	2	.	.	.	1	1	.	4	1	.	2	.	1	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	Nov. 25,	2,056	1,146	13·2	4	.	9	3	7	17	21*a*
Edinburgh, ...	320,829	„ 25,	97	93	15·1	.	.	.	1	1	.	4
Glasgow, ...	784,621	„ 25,	405	282	18·8	2	.	7	3	4	4	5
Calcutta, ...	890,493	Oct. 21,	.	436	25·4	98*	.	.	.	3	.	61‡
Bombay, ...	977,822	„ 21,	483	591	31·4	81*	.	.	.	.	.	56‡
Madras, ...	509,346	Sept. 30,	453	406	41·4	71*	2	.	?	?	?	101‡
Cairo, ...	693,806	„ 23,	653	445	33·4	3	.	1	.	.	17†	101*a*
Paris, ...	2,846,986	Oct. 28,	835	818	15·5	9	1	2	1	5	3†	25*a*
Brussels, ...	705,295	Nov. 4,	199	164	12·1	1	.	.	.	.	4†	16
Antwerp, ...	320,640	„ 4,	100	57	9·3	.	.	.	.	.	.	3*a*
Amsterdam, ...	578,774	„ 4,	230	129	11·6	1	.	2	.	.	1†	5*a*
Copenhagen, ...	462,132	„ 4,	209	120	13·5	.	.	.	1	.	1†	5
Stockholm, ...	343,832	Oct. 28,	131	61	9·2	.	.	.	.	1	1†	.
Christiania, ...	244,038	Nov. 11,	116	49	10·4	.	.	1	1	.	1†	2
St. Petersburg, ...	1,639,266	Oct. 21,	767	585	19·1	19	2	18	10	4	9†	42
Moscow, ...	1,493,600	„ 21,	.	658	23·0	5	.	18	13	9	12†	67
Berlin, ...	2,068,808	„ 21,	666	608	15·3	4	.	.	17	5	25†	45
Hamburg, ...	931,035	Nov. 4,	.	276	15·4	1	.	3	5	1	21†	17
Breslau, ...	519,751	„ 4,	.	151	15·1	1	.	.	.	1	2†	11
Munich, ...	597,000	„ 11,	.	161	14·1	1	.	.	1	.	2†	14
Vienna (with suburbs),	2,064,583	„ 4,	660	583	14·7	1	.	7	3	.	3†	33*a*
Buda-Pesth, ...	891,585	„ 4,	411	264	15·4	7	.	8	8	.	1†	17*a*
Prague and Faubourgs,	508,310	Oct. 21,	162	171	17·5	1	.	.	5	3	.	10*a*
Trieste, ...	233,925	Nov. 4,	127	80	17·8	.	.	1	.	.	2†	6*a*
Rome, ...	602,068	Aug. 26,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Sept. 2,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	Oct. 14,	2,556	1,299	13·6	22	.	3	2	.	17†	112*a*
Philadelphia, ...	1,580,250	Sept. 30,	.	408	13·4	8	.	1	.	1	7†	40*a*
Boston ...	688,912	Nov. 4,	.	174	13·2	.	.	1	.	.	2	12

* Deaths from "fever," including 9 deaths from enteric fever and 5 from plague in Calcutta, 3 from enteric fever and 4 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 32 deaths from cholera in Calcutta, one in Bombay, and 3 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending November 25th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	.	.	.	.	.	1
" " 1, West, ...	.	6	.	.	.	.	.	1	1	.	.	4	12
" " 2, ...	.	4	.	.	.	.	.	1	.	.	.	3	8
" " 3, ...	.	5	.	.	.	.	.	.	1	.	.	2	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	1	.	.	.	1
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	1	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	3	.	.	2	.	.	1	.	.	.	.	6
South City No. 1, ...	.	5	1	.	1	.	.	.	4	.	.	1	12
" " 2, ...	.	3	.	.	.	.	.	.	1	.	.	2	6
" " 3, ...	.	3	.	.	1	.	.	2	3	.	.	2	11
" " 4, ...	.	2	.	.	.	.	2	2	2	.	.	1	9
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	33	1	.	4	.	2	8	13	.	.	15	76

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 25th November, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 25th November.			
	Nov. 4.	Nov. 11.	Nov. 18.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	32	33	23	5	12	.	16
Scarlet Fever, ...	177	181	189	29	20	1	197*
Typhus, ...	8	5	4	1	1	.	4
Diphtheria, ...	59	79	75	15	22	1	67
Enteric Fever, ...	124	114	91	10	26	1	74
Pneumonia, ...	20	14	18	9	7	.	20

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 25th November, 1911:—

"In Ireland the weather showed a great improvement compared with that of past weeks. In Great Britain, and especially in England, conditions were less favourable. During the first three days the United Kingdom was under the influence of a large and very deep atmospheric depression, which had drifted slowly eastwards across the Kingdom in the closing days of the previous week. At 7 a.m. of Sunday this serious disturbance was centred over the North Sea some distance east of Spurn Head, at which station the barometer was as low as 28·64 inches, Yarmouth reporting 28·63 inches at the same hour. N. to N.W. winds blew strongly over Ireland, but the weather was otherwise fine. So also it continued through the next two or three days save at some isolated stations in the N. and N.W. of this country. The depression travelled slowly away to the north-eastward, reaching the neighbourhood of Archangel on Thursday morning. But already on Tuesday another cyclonic system had appeared over the Bay of Biscay. This system gathered energy, so that the barometer fell to 29·19 inches at Biarritz on Wednesday morning. As a steady increase of pressure was at the same time taking place in Scotland and Ireland gradients for N.E. to E. winds became steep, and the wind rose to a gale from these points in the English Channel. Even on the east coast of Ireland the wind became strong and squally from E.N.E. and frequent cold showers fell on Wednesday and Thursday. Friday witnessed a lulling of the E. wind, and Saturday proved fair, bright and cold. A very sharp frost occurred in Central Ireland on Wednesday, the screened thermometer falling to 22° at Birr Castle—even in Dublin the minimum on this day was 30° in the screen. In this City the mean height of the barometer was 29·725 inches, the range being from 29·091 inches at 9 a.m. of Sunday (wind, N.W.) to 30·029 inches at 9 p.m. of Saturday (wind, E.S.E.). The mean temperature was 40·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 40·0°. On Sunday the screened thermometers rose to 47·1°, on Wednesday they sank to 30·4°. The prevalent winds were at first N.W., from Wednesday N.E. and E. The rainfall was ·101 inch on 2 days, ·089 inch being recorded on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·542 inches. The highest reading (29·851) was on Saturday at 9 p.m., air calm, the lowest (28·923) on Sunday at 9 a.m., wind W.

The mean temperature for the week was 39·1°, being 2·8° below the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Monday, on which day the thermometer registered 46·9°, and was lowest on Wednesday, the mercury having fallen to 25·2°. The mean of the Dry Bulb for the week was 38·7° and of the Wet Bulb, 36·6°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The rainfall during the week measured 0·185 inch.

At Greenwich the mean temperature for the week was 39·3°, the maximum 47·0°, and the minimum 28·3°; at Glasgow the maximum was 45·8°, the minimum 31·5°, and the mean 39·0°; and at Edinburgh the maximum was 44·9°, the minimum 30·9°, and the mean 38·3°. The rainfall at Greenwich measured 0·25 in.; at Glasgow 0·03 in.; and at Edinburgh 0·28 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, November 19,	29·017	46·2	34·9	40·6	42·4	40·7	·87	·7	0·0	·000	W.	W.N.W.
Monday, „ 20,	29·488	46·9	33·1	40·0	36·5	35·0	·84	·7	4·0	·000	N.N.W.	Calm.
Tuesday, „ 21,	29·489	39·9	29·7	34·8	32·0	30·8	·77	·7	3·2	·000	N.N.W.	N.W.
Wednesday, „ 22,	29·414	42·5	25·2	33·9	37·5	35·3	·84	·6	2·4	·170	Calm.	N.N.E.
Thursday, „ 23,	29·750	45·3	39·8	42·6	41·8	38·7	·78	·5	0·3	·015	N.N.E.	E.N.E.
Friday, „ 24,	29·793	44·2	40·0	42·1	41·3	38·3	·78	·0	0·3	·000	E.N.E.	E.N.E.
Saturday, „ 25,	29·844	46·2	33·1	39·7	39·4	37·2	·84	·0	4·6	·000	Calm.	Calm.
Mean, ...	29·542	44·5	33·7	39·1	38·7	36·6	·82	·5	Total 14·8	Total ·185	—	

Sunday—Day overcast; night overcast. *Monday*—A fine day, light clouds; night cloudy. *Tuesday*—Day cloudy, fine; night cloudy. *Wednesday*—Day cloudy, rain and hail showers at intervals from 9 a.m. to 4 p.m.; night cloudy, shower 4.30 to 4.50 a.m. *Thursday*—A dull day, heavy shower 9 to 9.45 a.m.; night cloudy. *Friday*—A dull day; night cloudy. *Saturday*—A fine day, light clouds; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, November 25th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, November 19,	41·6	44·9	48·9	47·0	36·4	41·7	0·1	—
Monday, „ 20,	40·1	44·7	48·8	47·3	36·0	41·7	1·8	—
Tuesday, „ 21,	36·4	43·8	48·5	41·2	32·9	37·1	1·9	—
Wednesday, „ 22,	36·4	42·0	48·2	44·4	30·5	37·5	0·9	·125
Thursday, „ 23,	41·9	42·1	48·0	46·9	40·0	43·5	0·3	·002
Friday, „ 24,	43·2	42·7	47·8	45·2	41·1	43·2	1·5	—
Saturday, „ 25,	43·2	42·7	47·5	46·7	38·0	42·4	4·4	—
Weekly Mean, .	40·4	43·3	48·2	45·5	36·4	41·0	Total 10·9	Total ·127

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31477. Wt. P. 346-99/138. 375. 11. 1911. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 2ND DECEMBER, 1911. [No. 48.

General Register Office, Charlemont House, Dublin, 4th December, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Nov. 11	Nov. 18	Nov. 25	Dec. 2	Average Rate for 4 weeks.	Towns, &c.	Week ending Nov. 11	Nov. 18	Nov. 25	Dec. 2	Average Rate for 4 weeks.
22 Town Districts, ...	**17·6**	**19·0**	**18·0**	**18·3**	**18·2**	Limerick	8·1	9·5	10·9	12·2	10·2
						Lisburn	17·1	17·1	21·4	34·3	22·5
Armagh	.	13·7	27·5	6·9	12·0	Londonderry	15·3	16·6	5·1	12·8	12·5
Ballymena	4·6	18·3	27·5	27·5	19·5	Lurgan	.	25·8	30·1	21·5	19·3
Belfast	15·7	17·7	17·3	13·6	16·1	Newry	48·0	21·8	34·9	17·4	30·5
Clonmel	15·2	15·2	10·1	.	10·1	Newtownards	45·8	22·9	17·2	11·4	24·3
Cork	19·7	25·9	17·7	25·9	22·3	Portadown	8·9	.	8·9	13·3	7·8
Drogheda	.	12·6	21·0	25·2	14·7	Queenstown	.	13·2	6·6	19·8	9·9
Dublin Reg. Area ...	22·1	22·1	20·3	21·6	21·5	Sligo	28·0	18·7	4·7	65·4	29·2
Dundalk	11·9	23·8	7·9	15·9	14·9	Tralee	15·9	10·6	10·6	15·9	13·3
Galway	3·9	7·9	23·6	3·9	9·8	Waterford	15·2	13·3	15·2	20·9	16·2
Kilkenny	9·9	9·9	34·7	9·9	16·1	Wexford	9·1	13·7	18·2	22·8	16·0

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in twelve of the districts to 17·2 in Lurgan, the 5 deaths from all causes for that district including 4 from whooping-cough. Among the 101 deaths from all causes for Belfast are one from scarlet fever, 3 from whooping-cough, one from diphtheria, and 2 from *enteritis* of children under 2 years. The 38 deaths from all causes for Cork include one from each of measles, whooping-cough, diphtheria, and diarrhœa of a child under 2 years of age. One death from diphtheria is included among the 9 deaths from all causes for Limerick. Of the 11 deaths from all causes for Waterford, 2 were of children under 2 years of age from diarrhœa, and one of the 14 deaths from all causes for Sligo is from scarlet fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 201—91 boys and 110 girls—and the deaths to 169—86 males and 83 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 2) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 21·6 per 1,000 of the population. During the forty-eight weeks ending with Saturday last the death-rate averaged 21·5, and was 0·8 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 169, represent an annual rate of 21·8 per 1,000; the annual rate for the past forty-eight weeks was 22·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·4 per 1,000 of the mean population for all deaths registered.

The total deaths from all causes included one death from each of enteric fever, typhus, scarlet fever, and influenza; and 3 deaths from each of measles, diphtheria and whooping-cough. There were 6 deaths from diarrhœa and *enteritis* of children under 2 years of age.

In each of the 3 preceding weeks, deaths from enteric fever were 0, 0, and 2; deaths from typhus were 0, 0, and 0; deaths from measles were 6, 5, and 4; deaths from scarlet fever were 3, 2, and 2; deaths from whooping-cough were 0, 4, and 3; deaths from diphtheria were 2, 4, and 0; deaths from influenza were 0, one, and 0; and deaths from diarrhœa and *enteritis* of children under 2 years of age were 4, 5, and 7.

There were 23 deaths from tuberculosis; this number includes 17 deaths from pulmonary tuberculosis, 2 deaths from tuberculous meningitis, one death from abdominal tuberculosis, one death from tuberculous disease of the hip-joint, and 2 deaths from disseminated tuberculosis. In each of the three preceding weeks, deaths from tuberculosis numbered 24, 34, and 30.

Broncho-pneumonia and *pneumonia* (type not distinguished), each caused 3 deaths.

The deaths of 6 persons were assigned to cancer.

Organic diseases of the heart caused the deaths of 14 persons and 27 deaths from bronchitis were recorded.

There were 2 deaths of infants from congenital defects, 7 from prematurity, and 2 from congenital debility.

Of 6 deaths from accidents, one was on a railway, and one was by a motor car.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year of age, and the death of one person aged 78 years.

Forty-nine of the persons whose deaths were registered during the week were under 5 years of age (35 being infants under one year, of whom 15 were under one month old) and 36 were aged 65 years and upwards, including 22 persons aged 70 and upwards; among the latter were 14 aged 75 and upwards, of whom 2 (a male and a female) were stated to have been aged 93 and 90 years, respectively.

Seventy of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse, and 21 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·6 per 1,000; the rate in the City was 23·4 (North City Districts, 22·0; South, 24·8) and in the Suburbs, 15·5.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·3 per 1,000 inhabitants, the rate for the City being 2·7 (2·3 in the North City Districts, and 3·1 in the South), and for the Suburbs, 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (19) are equal to an annual rate of 33·2 per 1,000, and include one death from whooping-cough, 3 deaths from tuberculosis, one death from *pneumonia* (type not distinguished), 5 deaths from bronchitis, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 22·2 per 1,000. Whooping-cough and influenza each caused one death; there were 4 deaths from tuberculous disease, one death from *pneumonia* (type not distinguished), and 6 deaths from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 28·9 per 1,000. Pulmonary tuberculosis caused 2 deaths; there was one death from broncho-pneumonia, one death from bronchitis, and one death from diarrhœa of a child under 2 years of age.

No. 3 North City District (Benburb-street).—The deaths (6) represent an annual rate of 9·3 per 1,000. There were 2 deaths from tuberculosis and one death from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 13·5; and Finglas and Glasnevin, part of, 20·4. Of the 3 deaths from all causes for Coolock and Drumcondra, No. 1, part of, one was of a child under 2 years of age from *enteritis*, and one was an accidental death; and of the 3 deaths from all causes for Finglas and Glasnevin, part of, one was from diphtheria and one was of a child under 2 years from *enteritis*

No. 1 South City District (South Earl-street).—The deaths (27) represent an annual rate of 34·0 per 1,000. Enteric fever, typhus and measles each caused one death; there were 2 deaths from diphtheria, 5 deaths from pulmonary tuberculosis, and 3 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 28·8 per 1,000. Measles and scarlet fever each caused one death; there was one death from pulmonary tuberculosis, and there were 6 deaths from bronchitis.

No. 3 South City District (Peter-street).—The deaths (13) are equal to an annual rate of 15·7 per 1,000. The deaths included one from measles, one from tuberculosis, one from *pneumonia* (type not distinguished), and 2 from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (14) are equivalent to an annual rate of 20·4 per 1,000. Of the total deaths 3 were from pulmonary tuberculosis.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 34·5 per 1,000. There was one death from whooping-cough and also one death from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·6; Pembroke, 21·3; Blackrock, 5·7; and Kingstown, 15·1. The deaths from the principal epidemic diseases tabulated for these districts comprise 2 from diarrhœa of children under 2 years of age for Kingstown. Included in the 10 deaths from all causes for Rathmines and Rathgar are one from tuberculous meningitis and one accidental death. Of the 12 deaths from all causes for Pembroke one was from broncho-pneumonia, 2 from bronchitis, one by a railway accident, and one by a motor accident. The one death for Blackrock was from pulmonary tuberculosis.

* See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 2nd December, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Nov. 11,	.	—	—	37	.	.	18	.	1	8	13	.	—	—	.	—	9	—	86
	Nov. 18,	.	—	—	32	.	.	4	.	1	9	2	.	—	—	.	—	7	—	55
	Nov. 25,	.	—	—	33	1	.	4	.	2	8	13	.	—	—	.	—	15	—	76
	Dec. 2,	.	—	—	33	1	.	20	.	2	12	9	.	—	—	.	—	16	—	93
Rathmines and Rathgar Urban District.	Nov. 11,	.	—	—	5	.	.	14	.	.	2	.	.	.	—	—	—	—	—	21
	Nov. 18,	.	—	—	4	.	.	9	.	.	.	.	.	.	—	—	—	—	—	13
	Nov. 25,	.	—	—	1	.	.	3	.	.	.	.	.	.	—	—	—	—	—	4
	Dec. 2,	.	—	—	3	.	.	2	.	.	.	.	.	.	—	—	—	—	—	5
Pembroke Urban District.	Nov. 11,	.	.	.	1	.	.	3	.	.	.	2	.	.	.	.	—	.	—	6
	Nov. 18,	.	.	.	2	.	.	1	.	.	.	1	.	2	1	.	—	.	—	7
	Nov. 25,	.	.	.	.	.	.	.	.	.	.	.	.	5	4	.	—	.	—	9
	Dec. 2,	.	1	.	.	.	.	.	1	.	.	1	.	5	1	.	—	.	—	9
Blackrock Urban District.	Nov. 11,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Nov. 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Nov. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Nov. 11,	.	—	—	3	.	.	.	.	.	.	1	.	—	—	—	—	2	—	6
	Nov. 18,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	.	—	3
	Nov. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Dec. 2,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	2	—	4
City of Belfast.	Nov. 11,	.	—	—	22	.	.	13	.	.	.	6	.	—	—	.	—	3	—	44
	Nov. 18,	.	—	—	28	.	.	11	2	.	1	9	.	—	—	.	—	8	—	59
	Nov. 25,	.	—	—	13	.	.	2	.	.	.	4	.	—	—	.	—	17	—	36
	Dec. 2,	.	—	—	23	.	.	12	.	.	.	7	.	—	—	.	—	15	—	57

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 2nd December, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Five cases of measles were admitted to hospital during the week, 4 were discharged, there was one death, and 16 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 33, 23, and 16, respectively.

Forty cases of scarlet fever were admitted to hospital, 38 were discharged, there were 2 deaths, and 197* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 181, 189, and 197, respectively.

One case of typhus was admitted to hospital during the week, 2 were discharged, there was one death, and 2 cases remained under treatment at the close of the week.

Twenty-five cases of diphtheria were admitted to hospital during the week, 24 were discharged, and there were 3 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 79, 75, and 67, respectively, were 65 at the close of last week.

Fifteen cases of enteric fever were admitted to hospital during the week, 12 were discharged, and 77 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 114, 91, and 74.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, 4 were discharged, there was one death, and 25 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London, in which the rate was 15·1) was equal to an average annual death-rate of 15·7 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·0 per 1,000, the rate for Glasgow being 18·8 and for Edinburgh 17·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 2nd December. From this Report it appears that of a total of 72 cases notified, 28 were phthisis, 21 scarlet fever, 14 diphtheria, 8 erysipelas, and one puerperal fever. Among the 402 cases of infectious diseases in hospital at the close of the week were 155 cases of scarlet fever, 84 of diphtheria, 60 of phthisis, 39 of measles, 33 of whooping-cough, 14 of erysipelas, 10 of enteric fever, and one of chicken-pox.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 2nd December, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 2nd December, 1911. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa. Of children under 2 years of age.	Diarrhœa. 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 2nd December, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 25th November, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 18th November, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
Total of 22 Town Districts, ..	1,149,495	20·2	25·9	18·3	1·8	570	403	81	100	1	1	...	4	3	11	6	...	43	13	18	16	61	9	...	5	8	19	149	12	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:—Total, (c.) ...	403,732	29·3	26·0	21·6	2·3	201	167	35	35	1	1	...	3	1	3	3	...	17	6	6	5	28	3	...	3	5	6	68	5	e54·9	30·1	42·4	0·43	e46·9	25·2	39·1	0·19	e58·3	37·3	44·5	1·79
City of Dublin.	309,738	39·2	29·1	23·4	2·7	173	139	30	27	1	1	...	3	1	3	3	...	16	5	5	4	26	1	...	3	2	2	61	5	f55·0 g55·1	36·5 30·0	44·6 43·2	0·37 0·37	f47·1 g47·7	30·4 28·0	40·9 40·4	0·10 0·27	f57·5 g56·8	39·2 38·2	47·1 46·7	1·34 1·44
Urban Districts. Rathmines and Rathgar.	38,330	22·4	4·1	13·6	.	3	10	1	2	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	1	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke. ...	29,347	18·5	28·4	21·3	.	16	12	2	6	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	2	2	4	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock. ...	9,090	8·4	17·2	5·7	.	3	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,227	11·8	18·2	15·1	6.1	6	5	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	53	37	45·3	0·42	47	33	41·3	0·09	58	39	48·7	1·06
Urban Districts. Belfast ...	386,449	26·3	25·8	13·6	0·9	191	101	19	30	...	...	...	...	1	3	1	...	9	3	5	4	19	...	...	2	1	4	37	1	52·5	32·0	43·0	0·47	48·0	29·5	41·4	0·15	53·5	28·2	46·0	2·09
Cork, ...	76,632	33·8	15·6	25·9	2·7	23	38	5	7	...	...	...	1	...	1	1	...	7	1	2	4	2	1	...	...	2	4	20	2	51	34	43·4	0·74	48	34	41·7	0·03	53	41	47·9	2·59
Londonderry..	40,799	18·9	29·4	12·8	1·3	23	10	4	1	...	...	...	...	...	...	...	...	1	1	...	1	2	1	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Limerick. ...	38,403	18·2	38·0	12·2	1·4	28	9	1	5	...	...	...	...	...	...	1	...	...	...	...	1	1	...	...	...	...	...	3	1	52·1	27·9	40·7	0·41	47·8	21·8	38·1	0·00	57·1	35·5	47·3	1·93
Waterford, ...	27,430	19·1	28·5	20·9	3·8	15	11	4	4	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...
Galway. ...	13,249	2·5	27·5	3·9	.	7	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	50	29	40	0·28	49	29	39	0·00	56	40	49·6	1·79
Dundalk, ...	13,128	9·5	11·9	15·9	.	3	4	...	2	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,425	8·4	16·8	25·2	.	4	6	2	1	...	...	...	...	...	...	...	..	1	...	...	1	1	...	...	.	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	11,956	17·2	26·2	17·4	.	6	4	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	52·0	32·0	42·0	0·30	46·0	26·0	38·9	0·09	56·1	35·0	45·3	1·32
Lurgan, ...	12,135	14·3	21·5	21·5	17·2	5	5	1	...	...	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	52·0	32·0	42·0	0·30	46·0	26·0	38·9	0·09	56·1	35·0	45·3	1·32
Lisburn, ...	12,172	10·7	42·8	34·3	.	10	8	2	3	...	...	...	...	...	...	...	...	1	...	1	...	2	...	...	...	...	1	...	...	52·0	32·0	42·0	0·30	46·0	26·0	38·9	0·09	56·1	35·0	45·3	1·32
Wexford. ...	11,455	23·8	31·9	22·8	.	7	5	1	...	...	...	...	...	...	...	...	...	...	1	1	...	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena. ...	11,376	9·3	18·3	27·5	4·6	4	6	1	2	...	...	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8	56·1	65·4	4·7	12	14	3	3	..	...	...	...	1	...	...	...	4	...	1	...	...	...	...	...	...	...	9	...	55·9	28·3	40·6	0·46	46·8	22·8	37·7	0·09	56·7	37·9	45·0	2·85
Kilkenny, ...	10,513	11·4	.	9·9	.	..	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	52	29	40·6	0·43	46	28	38·4	0·07	56	39	46·6	2·57
Clonmel, ...	10,277	7·9	40·6	.	.	8	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	11,727	15·3	17·8	13·3	.	4	3	...	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	52·0	32·0	42·0	0·30	46·0	26·0	38·9	0·09	56·1	35·0	45·3	1·32
Tralee. ...	9,867	16·6	42·3	15·9	.	8	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	22·9	11·4	.	4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	52	35	43·8	0·56	49	39	42·8	0·12	58	40	47·7	2·02
Queenstown, ...	7,909	14·4	19·8	19·8	6·6	3	3	1	1	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	51	34	43·4	0·74	48	34	41·7	0·03	53	41	47·9	2·59
Armagh. ...	7,588	22·2	27·5	6·9	.	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	52·0	32·0	42·0	0·30	46·0	26·0	38·9	0·09	56·1	35·0	45·3	1·32

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 2 deaths of persons (including one at 70 years) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observation by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 2nd of December, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	3	.
Scarlet Fever,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Whooping-cough,	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	3	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	1	3	2	1	.	.	.	5	1	.	3	.	.	.	1	.	17	.
Tuberculous Disease. — Other Forms,	2	1	.	1	.	.	.	.	.	1	.	.	1	.	.	.	6	.
Cancer,	.	1	1	.	.	.	.	1	.	1	1	.	1	.	.	.	6	.
Diseases of Nervous System,	2	.	.	1	.	.	.	2	.	2	1	1	1	3	.	2	15	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	.	1	.	1	.	1	2	1	1	4	1	2	.	.	1	15	.
" Respiratory System. — Pneumonia,	1	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	5	1
" Respiratory System. — Others,	6	6	1	1	.	.	.	3	6	2	.	1	.	2	.	.	28	.
" Digestive System. — Diarrhœa, under 2 years,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	3	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — *Enteritis*, under 2 years,	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	3	.
" Digestive System. — Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
" Digestive System. — Others,	1	.	4	.	.	.	.	2	.	.	.	.	1	.	.	.	8	.
" Genito-urinary System,	1	1	.	1	1	1	.	.	.	2	.	.	.	1	.	.	8	.
Puerperal Septicæmia, etc.,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy & Childbirth.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	2	5	1	.	.	.	5	1	2	4	2	.	2	.	.	25	.
Violent Deaths,	1	.	.	.	.	1	.	.	.	.	.	.	1	2	.	.	5	1
Ill-defined, &c. Causes,	1	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	5	.
Deaths from All Causes	19	17	17	6	2	3	3	27	12	13	14	6	10	12	1	5	167	2
Annual Rate of Mortality from All Causes in every 1,000 of the population.	33·2	22·2	28·9	9·3	19·4	13·5	20·4	34·0	28·8	15·7	20·4	34·5	13·6	21·3	5·7	15·1	21·6	.
	22·0							24·8					15·5					
	23·4																	
Ages at Death. — Under 1 year,	1	3	7	1	.	1	1	7	3	2	2	2	1	2	.	2	35	.
1 and under 2 years,	1	.	.	.	.	.	.	.	3	1	1	.	1	.	.	1	8	.
2 " 5 "	2	.	1	.	.	.	.	.	3	.	.	.	.	.	.	.	6	.
5 " 15 "	1	1	2	.	.	.	1	3	.	1	.	.	1	.	.	.	10	.
15 " 25 "	1	2	1	2	.	.	.	3	.	2	1	.	.	.	.	.	12	.
25 " 45 "	7	1	.	.	.	.	.	2	1	2	4	2	2	1	1	2	25	.
45 " 65 "	4	6	3	2	.	1	.	6	1	2	5	.	3	3	.	.	36	1
65 and upwards,	2	4	3	1	2	1	1	6	1	3	1	2	2	6	.	.	35	1
Number of Uncertified Deaths,	.	1	2	.	.	.	.	1	.	.	1	.	.	.	.	.	5	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	4	3	4	1	1	.	1	6	2	.	5	2	3	4	.	.	36	2
Workhouse Hospitals,	3	3	1	3	.	.	.	7	4	5	4	2	.	.	.	.	32	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 48th Week of the 10 years 1901–1910.	In the Week ending Saturday, 2nd December, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Nov. 30, 1901.	Nov. 29, 1902.	Dec. 5, 1903.	Dec. 3, 1904	Dec. 2, 1905.	Dec. 1, 1906.	Nov. 30, 1907.	Nov. 28, 1908.	Dec. 4, 1909.	Dec. 3, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 42·1	° 43·5	° 34·6	° 41·3	° 44·1	° 49·1	° 39·4	° 48·2	° 41·8	° 37·0	° 42·1	° 42·4										
ALL CAUSES.	141	230	207	204	157	179	175	178	180	176	182·7	169	15	20	8	6	10	12	25	37	22	14
Enteric Fever, ...	2	4	2	2	2	3	.	.	1	.	1·6	1	.	.	.	.	1	.	.	.	.	.
Typhus, ...	.	.	1	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	.	1	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	14	.	12	.	3	.	6	.	.	3·5	3	.	2	.	1	.	.	.	.	.	.
Scarlet Fever, ...	1	8	2	.	.	1	.	1	.	3	1·6	1	.	.	1	.	.	.	.	.	.	.
Whooping-cough, ...	1	.	5	3	1	3	1	2	.	5	2·1	3	.	2	.	1	.	.	.	.	.	.
Diphtheria, ...	.	4	2	1	.	2	.	2	1	4	1·6	3	.	1	.	.	2	.	.	.	.	.
Croup, ...	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	3	2	.	1	2	1	.	3	4	1·6	1	.	.	.	.	.	.	.	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	1	.	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	1	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	23	22	23	29	18	13	16	26	22	16	20·8	17	.	.	.	.	1	7	6	2	1	.
Tuberculous Meningitis, ...	1	3	2	2	4	2	1	2	2	1	2·0	2	.	.	.	.	2	.	.	.	.	.
Abdominal Tuberculosis, ...	.	1	1	1	1	2	1	.	1	1	·9	1	.	1	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	3	8	5	10	5	8	4	11	4	5	6·3	1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula.												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												2	.	.	1	.	.	.	.	1	.	.
Venereal Diseases, ...	.	2	1	1	1	3	4	4	2	1	1·9	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	5	9	11	9	8	9	8	6	11	3	7·9	6	.	.	.	.	.	.	.	6	.	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	1	.	.	1	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	1	1	.	1	.	.	2	.	·5	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	1	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	.	1	1
Alcoholism, ...	1	2	1	.	.	1	1	.	1	.	·7	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												4	.	1	1	.	1	.	1	.	.	.
Softening of Brain, ...												5	.	.	.	.	.	.	2	1	1	1
Paralysis, without specified cause.												.	.	.	.	.	.	.	.	.	.	.
Epilepsy, ...												2	.	.	.	.	.	.	.	1	1	.
Convulsions (non-puerperal),												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	25	39	57	36	39	40	37	29	42	39	38·3	4	.	.	.	.	.	.	2	1	.	1
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,												14	.	.	.	.	.	1	4	4	4	1
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												1	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	11	36	36	37	32	25	28	34	24	34	29·7	27	1	3	2	2	.	1	1	8	6	3
Broncho-pneumonia, ...	8	9	8	5	5	7	7	13	11	7	14·3	3	.	.	.	1	.	.	.	.	1	1
Lobar-pneumonia, ...		.	.	3	1	.	.	2	1	1		.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)		5	2	11	4	4	7	8	8	6		3	.	.	.	.	.	1	.	1	.	1
Pleurisy, ...	2	2	1	3	1	4	2	1	5	3	2·4	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												1	.	.	.	.	.	.	1	.	.	.

FORTY-EIGHTH WEEK ending Saturday, 2nd December, 1911, with, as far as practicable, the deaths from each cause in 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 48th Week of the 10 years 1901–1910.	In the Week ending Saturday, 2nd December, 1911.										
													Deaths of Persons of the Ages of									
	Nov. 30, 1901.	Nov. 29, 1902.	Dec. 5, 1903.	Dec. 3, 1904.	Dec. 2, 1905.	Dec. 1, 1906.	Nov. 30, 1907.	Nov. 28, 1908.	Dec. 4, 1909.	Dec. 3, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 42·1	° 43·5	° 34·6	° 41·3	° 44·1	° 49·1	° 39·4	° 48·2	° 41·8	° 37·0	° 42·1	° 42·4										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—		2	1	.	.	.	.	.	.	1	.	.
Diarrhœa of Children under 2 years.	4	7	.	3	5	4	3	1	2	6	3·5	3	1	2	.	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	.	2	1	1	3	3	3	4	5	2	2·4	3	1	2	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												2	.	.	.	.	.	.	1	1	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	.	.	.	1	.	2	.
Cirrhosis of Liver, ...	4	.	1	3	2	.	2	.	1	3	2·9	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...		5	.	1	1	2	2	2	.	.		.	.	.	.	.	.	.	.	1	.	.
Peritonitis (cause unknown),	.	1	1	.	.	1	1	.	1	.	·5	2	.	.	.	.	1	.	.	1	.	.
Other Diseases of Digestive System.	2	6	7	3	4	6	9	4	7	2	5·0	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...												2	.	.	.	.	.	1	1	.	.	.
Chronic Bright's Disease, ...												4	.	.	.	.	.	.	1	2	.	1
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	4	8	5	5	5	11	9	1	5	6	5·9	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												2	.	.	.	.	.	.	.	.	1	1
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	1	1	.	.	1	.	.	.	·3	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	1	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	2	2	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	1	3	2	1	4	2	3	1	4	2·4	7	6	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	2	.	.	.	.	.	.	.	.
Old Age, ...	16	5	5	7	4	4	5	2	3	4	5·5	5	.	.	.	.	.	.	.	1	3	1
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	4	3	1	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	1	.	1	.	.	.	.	.	.	.	·2	1	.	.	.	.	.	.	.	1	.	.
By Vehicles and Horses, ...	.	.	.	.	.	.	.	.	1	.	·1	1	.	.	.	.	.	.	.	.	1	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	.	.	.	.	1	2	.	.	1	2	·6	.	.	.	.	.	.	.	.	.	.	.
By Drowning, ...	1	1	1	.	1	.	.	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	.	.	2	.	1	1	2	4	2	2	1·4	4	.	.	.	1	.	.	1	1	.	1
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	5	.	1	2	.	.	.	1	.	.	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.
No. of weeks in Annual Series,	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
BIRTHS registered.	228	232	185	324	190	190	294	233	198	210	233	218	198	212	201	182	265	204	217	195	177	193	241	183	181	201
Average Births in corresponding week of previous 10 years, ...	226	207	224	237	205	204	208	221	217	208	217	216	207	235	209	212	247	197	185	212	205	212	206	197	183	210
DEATHS registered, ...	149	159	127	155	120	172	162	186	153	169	199	162	210	219	189	183	161	179	183	165	147	169	179	186	165	169
Annual Death-rate per 1,000, ...	19·2	20·5	16·4	20·0	15·5	22·2	20·9	24·0	19·8	21·8	25·7	20·9	27·1	28·3	24·4	23·6	20·8	23·1	23·6	21·3	19·0	21·8	23·1	24·0	21·3	21·8
Average Deaths in corresponding week of previous 10 years. ...	151	149	148	134	140	141	144	147	145	146	154	162	153	156	152	167	160	156	153	161	156	171	174	177	180	183
Ages, Under 5 years, ...	34	42	44	56	43	41	51	88	73	72	94	80	94	93	82	77	69	68	66	50	55	47	61	61	50	49
5—15 " ...	8	4	9	10	4	13	6	5	6	8	5	8	5	8	4	6	8	5	7	8	5	4	8	7	4	10
15—25 " ...	9	13	2	7	7	11	10	6	6	4	7	7	12	7	7	7	6	12	11	11	10	6	7	13	10	12
25—45 " ...	26	32	18	20	19	31	26	21	22	19	31	19	23	26	30	26	22	33	33	30	28	24	25	33	31	25
45—65 " ...	33	31	34	28	20	33	37	29	21	40	37	28	38	37	35	33	29	39	39	35	32	38	39	33	30	37
65—75 " ...	26	18	13	16	15	24	18	24	15	14	11	9	21	28	17	22	11	11	16	17	8	28	26	21	25	22
75 and upwards, ...	13	19	7	18	12	19	14	13	10	12	14	11	17	20	14	12	16	11	11	14	9	22	13	18	15	14
Deaths from:—																										
Enteric Fever, ...	.	.	1	.	1	3	2	1	2	2	2	1	2	.	2	3	6	2	4	4	1	3	.	.	2	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	4	2	8	7	4	7	3	7	5	2	.	1	1	.	1	.	.	.	1	2	5	4	6	5	4	3
Scarlet Fever, ...	2	.	.	.	1	3	.	2	1	3	.	1	.	1	1	3	1	1	1	4	1	2	3	2	2	1
Whooping-cough, ...	1	3	2	2	.	1	4	3	4	1	3	6	7	4	3	3	1	.	1	1	5	1	.	4	3	3
Diphtheria, ...	4	1	4	2	2	3	2	1	.	.	1	5	1	2	3	.	.	.	4	.	1	.	2	4	.	3
Influenza, ...	.	1	.	1	1	1	2	1	.	1	.	.	1	2	.	.	.	1	1	1	.	1	.	1	.	1
Dysentery, ...	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Tuberculous Disease, Phthisis, ...	25	23	7	21	7	20	17	17	16	13	19	15	22	22	19	12	14	18	16	28	18	19	19	24	19	17
Tuberculous Disease, Other Forms,	8	7	11	6	7	12	10	15	9	5	9	4	10	12	7	2	5	12	6	4	6	5	5	10	11	6
Cancer, ...	12	10	7	8	12	4	10	6	5	11	7	6	10	10	10	9	8	6	12	9	9	6	12	19	7	6
Diseases of Circulatory System,	12	23	14	22	16	22	20	15	10	13	13	8	13	15	16	16	17	16	14	20	10	18	17	14	13	15
Diseases of Respiratory System, Pneumonia,	8	9	8	9	9	10	8	12	1	8	3	6	12	5	10	4	4	14	9	8	8	6	14	8	17	6
Diseases of Respiratory System, Others, ...	16	17	9	17	6	11	10	13	3	8	13	7	5	14	12	12	10	17	14	15	9	27	25	24	22	28
Diarrhœa, Under 2 years, ...	.	3	3	.	1	3	9	27	20	29	37	25	38	31	37	32	19	17	20	5	8	6	3	4	3	3
Diarrhœa, 2 years & upwards,	.	.	.	.	.	.	.	5	1	6	7	10	7	4	1	3	1	1	2	.	.	2	1	.	.	.
Enteritis, under 2 years, ...	1	1	1	3	3	2	2	7	9	12	12	13	14	14	9	12	9	15	7	8	5	8	1	1	4	3
Violent Deaths, ...	3	6	5	2	6	7	2	5	2	2	8	5	3	4	2	7	7	2	5	4	7	3	2	5	5	6
Number of Uncertified Deaths,	3	4	.	5	9	5	2	3	3	7	7	7	7	5	6	5	5	1	7	3	8	6	7	5	8	5
Mean Temperature of the Air (Phœnix Park)	55·6	52·6	56·2	55·5	59·6	60·9	62·9	62·7	62·5	60·8	61·2	59·7	59·1	57·5	52·9	52·2	50·8	48·6	48·3	57·4	44·4	46·3	40·2	44·5	39·1	42·4
Average Mean Temperature in corresponding week of previous 10 years, ...	53·5	53·6	55·5	56·5	57·5	58·5	59·8	58·2	58·6	58·5	57·5	56·5	56·3	54·5	52·8	53·2*	53·7	52·4	50·4	48·7	46·6	46·3	44·7	42·0	41·9	42·1
Rainfall in inches, ...	·000	·605	·782	·166	·018	·000	·316	1·860	·430	·170	·010	·338	·405	·020	·320	·248	·680	·208	·325	1·035	1·335	1·130	1·015	1·785	·185	·430
Mean Humidity of the Air, complete Saturation 1·0, ...	·88	·86	·91	·91	·92	·84	·92	·92	·92	·82	·82	·82	·78	·85	·83	·81	·83	·83	·89	·88	·86	·84	·84	·85	·82	·83

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 2nd December, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 2ND DECEMBER, 1911.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	169	49	10	12	25	37	22	14	1	1	.	3	1	3	3	.	17	6	6	.	6	28	3	.	3	6	82	5
	CLASSES.																														
	Deaths in Families of the—																														
I	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	3·0	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS, ...	87,188	13·8	23	4	3	1	1	6	4	4	.	.	.	.	.	.	.	.	2	1	2	.	3	1	.	.	2	1	11	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	22·2	47	13	3	4	11	9	5	2	.	1	.	.	.	2	2	.	6	1	.	.	1	9	.	.	1	.	24	2
IV.	GENERAL SERVICE CLASS, ...	154,279	22·3½	66	26	3	4	8	12	7	6	.	.	.	.	1	1	1	.	4	2	1	.	2	13	3	.	.	5	33	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	32	6	1	3	5	9	6	2	1	.	.	3	.	.	.	.	5	2	3	.	.	5	.	.	.	.	13	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	6·7	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	.	1	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	14·2	6	1	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	1	2	.
	6. Clerks and Commercial Assistants, ...	30,432	12·0	7	3	1	1	.	1	.	1	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	1	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	13·5	7	.	.	.	.	2	3	2	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	31·7	6	2	1	.	3	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	3	.
	9. Building and Furnishing Trades, ...	29,801	24·5	14	5	.	1	3	3	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	.	.	.	9	2
	10. Clothing Trades, ...	23,260	13·5	6	1	.	.	2	1	1	1	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.	.	.	.	2	.
	11. Food Supply Trades	9,242	11·3	2	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	32·6	19	4	2	3	3	4	2	1	.	1	.	.	.	1	.	.	2	.	.	.	.	5	.	.	1	.	9	.
	13. Petty Shopkeepers	7,894	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	23·3	6	1	.	.	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	4	.
	15. Domestic Servants, ...	36,603	7·1	5	.	.	1	1	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	10·9	3	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	30·2	52	24	3	2	6	9	5	3	.	.	.	.	1	1	1	.	2	2	1	.	2	11	2	.	.	5	24	3
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	32	6	1	3	5	9	6	2	1	.	.	3	.	.	.	.	5	2	3	.	.	5	.	.	.	.	13	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (Office, Clarence-st. Nth.) Pop. in 1911 (Est.) 29,854.	Oct. 14,	22·7	7·0	13	2	.	.	.	.	.	.	.	2	.	1	.	.	2	.	.	1	.
		„ 21,	15·7	1·7	9	.	.	.	.	.	.	.	.	4	.	.	.	1	.	.	1	1	.
		„ 28,	33·2	7·0	19	.	.	.	.	.	1	.	.	2	.	2	3	1	3	.	.	1	3
		Nov. 4,	21·0	5·2	12	.	.	.	.	.	.	.	.	3	1	.	.	1	2	1	.	.	2
		„ 11,	19·2	1·7	11	.	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	1
		„ 18,	40·2	7·0	23	.	.	.	.	.	.	.	.	3	2	2	1	4	4	.	.	1	1
		„ 25,	17·5	1·7	10	.	.	.	.	.	1	.	.	2	.	1	1	2	.	.	.	1	1
		Dec. 2,	33·2	1·7	19	.	.	.	.	.	1	.	.	1	2	.	1	6	.	.	.	1	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1911 (Est.) 39,902.	Oct. 14,	28·7	10·5	22	.	.	.	.	.	1	.	.	2	1	.	3	1	5	1	1	.	1
		„ 21,	18·3	2·6	14	1	.	.	.	.	.	.	.	4	.	1	.	2	1	.	.	.	.
		„ 28,	22·2	1·3	17	.	.	.	.	.	.	.	.	1	.	2	1	1	1	.	.	.	.
		Nov. 4,	22·2	6·5	17	.	.	.	.	1	.	.	.	3	1	1	1	2	1	.	3	.	.
		„ 11,	37·9	3·9	29	.	.	.	1	1	.	.	.	4	.	2	3	7	.	1	.	.	1
		„ 18,	22·2	1·3	17	.	.	.	.	.	1	.	.	2	.	.	.	4	.	.	.	1	1
		„ 25,	26·1	3·9	20	.	.	.	.	.	.	.	.	3	.	.	2	7	2	.	1	.	1
		Dec. 2,	22·2	1·3	17	.	.	.	.	.	1	.	.	3	1	1	1	6	.	.	.	.	1
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1911 (Est.) 30,689.	Oct. 14,	30·6	5·1	18	.	.	.	.	1	.	2	.	.	2	.	1	2	.	.	.	.	.
		„ 21,	20·4	.	12	.	.	.	.	.	.	.	.	1	.	1	2	2	.	.	.	.	.
		„ 28,	17·0	3·4	10	.	.	.	.	.	.	.	.	2	1	.	.	.	2	.	.	.	.
		Nov. 4,	23·8	1·7	14	.	.	.	.	.	.	.	.	2	.	1	1	2	1	.	.	.	1
		„ 11,	37·4	1·7	22	.	.	.	.	.	.	.	.	1	.	1	2	3	1	.	.	1	2
		„ 18,	25·5	.	15	.	.	.	.	.	.	.	.	1	1	2	2	2	.	.	.	.	.
		„ 25,	20·4	3·4	12	.	.	.	.	1	1	.	.	.	2	.	3	1	.	.	.	1	1
		Dec. 2,	28·9	3·4	17	.	.	.	.	.	.	.	.	2	.	1	1	1	1	.	1	.	2
	North City, No. 3. (Office, Benburb-street.) Pop. in 1911 (Est.) 33,498.	Oct. 14,	9·3	.	6	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1
		„ 21,	9·3	3·1	6	1	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.
		„ 28,	20·2	.	13	.	.	.	.	.	.	.	.	1	1	2	2	.	.	.	.	.	2
		Nov. 4,	17·1	1·6	11	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
		„ 11,	21·8	.	14	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.	.
		„ 18,	32·7	3·1	21	.	.	.	.	1	.	.	1	1	1	2	1	2	.	.	.	.	.
		„ 25,	26·5	1·6	17	.	.	.	.	.	.	.	.	2	1	3	1	3	1	.	.	.	.
		Dec. 2,	9·2	.	6	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.
	South City, No. 1. (Office, Sth. Earl-street.) Pop. in 1911. (Est.) 41,401.	Oct. 14,	18·9	10·1	15	.	.	.	1	.	.	1	.	.	.	1	.	4	3	.	3	.	.
		„ 21,	37·8	7·6	30	.	1	.	2	.	.	.	.	7	2	.	.	2	1	.	2	1	1
		„ 28,	29·0	10·1	23	.	1	.	5	.	1	.	.	2	2	1	.	2	.	.	1	.	.
		Nov. 4,	30·2	5·0	24	.	.	.	3	.	.	.	.	2	1	.	1	4	.	.	1	1	.
		„ 11,	35·3	7·6	28	.	.	.	4	2	.	.	.	5	2	.	2	3	.	.	.	.	1
		„ 18,	26·4	7·6	21	.	.	.	4	.	1	.	.	1	2	2	1	3	.	.	1	.	.
		„ 25,	25·2	5·0	20	.	.	.	2	.	1	.	.	4	2	.	1	1	.	.	1	.	1
		Dec. 2,	34·0	6·3	27	1	1	.	1	.	.	2	.	5	.	1	.	3	.	.	.	.	1
	South City, No. 2. (Office, Castle-street.) Pop. in 1911 (Est.) 21,715.	Oct. 14,	9·6	.	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
		„ 21,	24·0	4·8	10	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	1	.	.
		„ 28,	14·4	2·4	6	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.
		Nov. 4,	24·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	.
		„ 11,	26·4	2·4	11	.	.	.	.	.	.	1	.	2	1	.	1	4	.	.	.	.	.
		„ 18,	31·2	7·2	13	.	.	.	1	1	.	1	.	1	.	1	.	3	.	.	.	1	.
		„ 25,	21·6	.	9	.	.	.	.	.	.	.	.	.	2	.	2	3	.	.	.	.	.
		Dec. 2,	28·8	4·8	12	.	.	.	1	1	.	.	.	1	.	.	.	6	.	.	.	.	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1911 (Est.) 43,149.	Oct. 14,	30·2	3·6	25	.	.	.	.	.	.	.	.	5	2	.	2	2	2	.	1	1	.
		„ 21,	25·4	4·8	21	.	.	.	.	2	.	.	.	4	1	.	2	4	1	.	1	.	1
		„ 28,	23·0	6·0	19	1	.	.	.	.	1	.	.	2	.	.	.	.	1	.	2	2	2
		Nov. 4,	15·7	2·4	13	.	.	.	.	1	.	.	.	3	1	.	.	2	.	.	1	.	1
		„ 11,	16·9	1·2	14	.	.	.	1	.	.	.	.	1	1	2	1	4	.	.	.	.	1
		„ 18,	24·2	3·6	20	.	.	.	.	.	1	2	.	5	2	3	2	1	.	.	.	1	.
		„ 25,	29·0	3·6	24	1	.	.	2	.	.	.	.	6	1	.	1	.	.	.	.	1	1
		Dec. 2,	15·7	1·2	13	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.	.	.	.
	South City, No. 4. (Office, Grand Canal-st.) Pop. in 1911 (Est.) 35,816.	Oct. 14,	32·0	10·2	22	2	.	.	.	.	.	.	.	.	.	3	1	1	4	1	.	.	2
		„ 21,	17·5	2·9	12	1	.	.	.	.	.	.	.	3	.	.	1	1	1	.	.	.	.
		„ 28,	13·1	.	9	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.	.	2	.
		Nov. 4,	26·2	1·5	18	1	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	.	.
		„ 11,	14·6	.	10	.	.	.	.	.	.	.	.	2	.	2	.	2	.	.	.	.	.
		„ 18,	11·6	.	8	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1
		„ 25,	10·2	.	7	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1
		Dec. 2,	20·4	.	14	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.	1

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	Oct. 14,	13·6	2·7	10	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.	1	.	2
	,, 21,	19·0	1·4	14	.	.	.	.	.	1	.	.	1	1	2	3	.	.	.	.	.	.
	,, 28,	5·4	1·4	4	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.
	Nov. 4,	16·3	4·1	12	1	.	.	.	.	.	.	.	.	.	.	.	3	.	1	1	1	1
	,, 11,	9·5	2·7	7	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
	,, 18,	17·7	.	13	.	.	.	.	.	.	.	.	4	1	3	.	.	.	.	.	1	.
	,, 25,	15·0	1·4	11	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	Dec. 2,	13·6	.	10	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	Oct. 14,	16·0	1·8	9	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	1
	,, 21,	12·4	5·3	7	1	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	.
	,, 28,	8·9	3·6	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	Nov. 4,	19·5	3·6	11	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	2	.	.
	,, 11,	10·7	1·3	6	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.
	,, 18,	17·8	1·8	10	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	.	.	2
	,, 25,	17·8	3·6	10	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	2	1	.
	Dec. 2,	21·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2	.
Kingstown Urban District. Pop. in 1911 17,227.	Oct. 14,	12·1	3·0	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	,, 21,	21·2	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	,, 28,	9·1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	Nov. 4,	12·1	3·0	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	,, 11,	24·2	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	1
	,, 18,	9·1	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	,, 25,	15·1	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	Dec. 2,	15·1	6·1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Belfast. Pop. in 1911 (Est.) 386,449.	Oct. 14,	15·9	2·3	118	.	.	.	.	1	2	1	.	11	5	6	7	7	5	.	8	3	4
	,, 21,	17·0	1·3	126	.	.	.	.	.	1	.	.	19	4	5	10	13	2	.	7	3	1
	,, 28,	16·7	1·3	124	.	.	.	.	1	3	.	.	16	3	3	6	17	2	1	3	6	.
	Nov. 4,	15·1	0·7	112	1	.	.	.	2	.	.	.	15	4	5	13	17	.	.	2	1	2
	,, 11,	15·7	1·1	116	1	.	.	.	2	2	2	.	12	8	3	8	15	.	.	1	3	.
	,, 18,	17·7	1·6	131	.	.	.	.	1	1	4	.	17	7	4	10	15	1	.	5	3	1
	,, 25,	17·3	1·9	128	.	.	.	.	2	5	.	.	8	11	7	9	17	1	1	5	8	.
	Dec. 2,	13·6	0·9	101	.	.	.	.	1	3	1	.	9	3	5	4	19	.	.	2	1	1
Cork. Pop. in 1911 76,632.	Oct. 14,	25·2	1·4	37	1	.	.	.	.	.	.	.	7	.	.	3	2	1	.	.	.	.
	,, 21,	26·5	2·0	39	.	.	.	1	.	.	1	.	7	1	2	6	2	1	.	.	.	1
	,, 28,	22·5	1·4	33	.	.	.	1	.	.	.	.	4	2	2	4	2	1	.	.	.	4
	Nov. 4,	22·5	3·4	33	.	.	.	2	.	.	.	.	5	2	1	2	1	2	.	1	.	6
	,, 11,	19·7	2·7	29	.	.	.	1	.	.	2	.	5	1	1	4	1	.	.	1	.	.
	,, 18,	25·9	4·8	38	.	.	.	2	.	.	2	.	6	2	3	1	4	2	1	.	1	1
	,, 25,	17·7	2·7	26	.	.	.	.	.	1	.	.	6	2	.	3	1	2	.	1	.	.
	Dec. 2,	25·9	2·7	38	.	.	.	1	.	1	1	.	7	1	2	4	2	1	.	.	2	2
Londonderry. Pop. in 1911 40,799	Oct. 14,	15·3	5·1	12	.	.	.	.	.	.	.	.	1	1	.	.	.	2	2	.	1	.
	,, 21,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	,, 28,	8·9	2·6	7	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	1	.	.
	Nov. 4,	19·2	.	15	.	.	.	.	.	.	.	.	3	.	.	1	4	.	.	.	.	.
	,, 11,	15·3	1·3	12	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	.	.	.
	,, 18,	16·6	.	13	.	.	.	.	.	.	.	.	1	.	.	3	2	.	.	.	.	1
	,, 25,	5·1	.	4	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	.
	Dec. 2,	12·8	1·3	10	.	.	.	.	.	.	.	.	1	1	.	1	2	1	.	.	.	1
Limerick. Pop. in 1911 38,403.	Oct. 14,	16·3	2·7	12	.	.	.	.	.	.	.	.	2	.	1	.	1	2	.	.	.	2
	,, 21,	20·4	1·4	15	.	.	.	.	.	.	.	.	3	1	2	.	3	1	.	.	.	1
	,, 28,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3
	Nov. 4,	17·7	.	13	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	.	4
	,, 11,	8·1	.	6	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.
	,, 18,	9·5	1·4	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1
	,, 25,	10·9	1·4	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1
	Dec. 2,	12·2	1·4	9	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	1
Waterford. Pop. in 1911 27,430.	Oct. 14,	26·6	5·7	14	.	.	.	.	.	.	.	.	1	4	.	.	1	3	.	.	.	3
	,, 21,	26·6	1·9	14	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	1	1	1
	,, 28,	9·5	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	Nov. 4,	19·0	5·7	10	.	.	.	.	.	.	1	.	.	1	.	.	1	1	1	.	1	1
	,, 11,	15·2	.	8	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1
	,, 18,	13·3	1·9	7	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.	.
	,, 25,	15·2	1·9	8	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	1
	Dec. 2,	20·9	3·8	11	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 2nd December, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	385,492	9	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	.	.	1	1	1	3	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	4	.
Do. 2 do.		20			15	2	2	2	2	3	4	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.	.	.	.	4	.
Do. 3 do.		17			20	3	3	2	4	4	4	.	.	.	.	1	1	.	.	2	1	.	.	2	.	.	2	.	1	7	1
Do. 4 do.		44			14	6	.	2	.	1	5	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.	6	.
Do. 5 do.		9			5	2	1	1	1	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.	.	2	.
Do. 6 do.		18			6	.	.	1	1	2	2	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	1	1	2	.
Do. 7 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		9			6	1	2	.	2	.	1	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 10 do.		9			8	3	1	.	1	2	1	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	1	3	.
Do. 11 do.		23			3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Do. 12 do.		21			7	1	.	1	.	2	3	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.	1	1	.
Do. 13 do.		7			2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		4			9	1	1	.	.	1	6	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	.	5	.
Total,	—	191			101	19	10	11	13	18	30	.	.	.	.	1	3	1	.	9	3	5	4	19	.	.	2	1	4	37	1
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	76,632	3	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	1	2	2	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	4	.
Do. 2 do.		3			5	.	1	3	.	1	.	.	.	.	1	.	.	1	.	1	.	.	1	.	.	.	.	.	.	4	.
Do. 3 do.		2			5	.	.	1	2	1	1	.	.	.	.	.	.	.	.	2	.	1	2	.	.	.	.	.	.	3	.
Do. 4 do.		2			2	.	1	.	.	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 5 do.		1			4	.	2	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	1	3	.
Do. 6 do.		2			5	1	1	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.
Do. 7 do.		10			11	3	.	1	3	1	3	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.	1	2	4	2
Total,	—	23	25·9	2·7	38	5	7	7	7	5	7	.	.	.	1	.	1	1	.	7	1	2	4	2	1	.	.	2	4	20	2

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	June 10.	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct 14.	Oct. 21.	Oct 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.
No. of weeks in Annual Series,	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
BIRTHS registered.	215	258	201	264	213	207	268	236	203	225	215	220	197	215	183	184	184	184	198	194	199	206	204	187	195	191
DEATHS registered, ...	115	107	82	116	92	123	121	105	123	121	139	132	138	146	122	150	125	128	118	126	124	112	116	131	128	101
Annual Death rate per 1,000 of estimated population, ...	15·5	14·4	11·1	15·7	12·4	16·6	16·3	14·2	16·6	16·3	18·8	17·8	18·6	19·7	16·5	20·2	16·9	17·3	15·9	17·0	16·7	15·1	15·7	17·7	17·3	13·6
AGES, Under 1 year, ...	19	23	16	18	11	25	32	38	39	45	44	36	52	49	43	53	35	26	21	24	22	20	19	30	28	19
1—5 years, ...	7	10	7	9	7	9	11	8	12	11	11	8	6	16	11	19	17	16	17	6	7	11	8	16	15	10
5—25 ,, ...	14	16	7	16	15	16	14	11	7	14	15	18	11	10	8	12	7	13	9	17	17	12	16	16	10	11
25—45 ,, ...	26	22	18	20	21	25	22	13	21	11	17	19	24	21	17	15	22	22	18	20	16	18	19	14	17	13
45—65 ,, ...	20	20	20	37	25	29	23	17	23	23	28	31	27	29	21	31	20	28	28	29	37	24	28	31	31	18
65 and upwards, ...	29	16	14	16	13	19	19	18	21	17	24	20	18	21	22	20	24	23	25	30	25	27	26	24	27	30
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	1	.	.	1	1	2	1	2	.	.	.	2	.	.	.	1	1	.	.	.
Typhus, ...	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	1	.	.	1	1	.	.	.	1	.	.	.	1	1	.	2	1	1	.	1	2	2	1	2	1
Whooping-cough, ...	.	4	.	1	.	1	1	1	2	1	.	1	.	1	2	2	1	1	2	1	3	.	2	1	5	3
Diphtheria, ...	1	.	.	.	1	.	2	.	2	.	1	.	.	.	.	.	1	.	1	.	.	.	2	4	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	14	13	13	23	16	18	20	10	13	9	6	19	17	11	10	8	8	13	11	19	16	15	12	17	8	9
Tuberculous Disease. Other Forms,	6	10	2	2	5	8	6	5	7	3	7	5	3	7	5	8	5	10	5	4	3	4	8	7	11	3
Cancer, ...	8	6	6	7	4	6	3	3	9	4	4	1	7	4	6	8	6	6	6	5	3	5	3	4	7	5
Diseases of Respiratory System, Pneumonia,	9	9	5	5	7	2	4	6	2	3	9	3	4	7	3	6	8	7	7	10	6	13	8	10	9	4
Diseases of Respiratory System, Others, ...	18	13	10	8	11	14	10	3	4	5	6	5	1	9	6	9	4	10	7	13	17	17	15	15	17	19
Diarrhœa, Under 2 years, ...	.	1	1	2	1	6	10	14	9	19	17	15	21	26	20	27	15	10	5	2	2	.	.	1	1	.
Diarrhœa, 2 years & upwards	1	.	3	.	.	.	.	1	4	4	3	5	6	7	4	1	2	2	.	.	1	.	.	.	1	.
Enteritis, under 2 years, ...	2	.	1	1	1	3	8	9	12	19	10	13	22	11	11	20	9	6	8	7	3	2	1	5	5	2
Violent Deaths, ...	3	3	1	4	.	3	5	3	2	2	6	4	5	3	2	1	2	2	3	3	6	1	3	3	8	1
Number of Uncertified Deaths, ...	1	.	3	3	.	1	.	2	.	1	1	2	.	.	.	1	1	.	4	1	.	2	.	1	.	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from: Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	Dec. 2,	2,097	1,307	15·1	5	.	9	1	7	12	27*a*
Edinburgh, ...	320,829	„ 2,	111	106	17·2	.	.	1	.	.	2	2
Glasgow, ...	784,621	„ 2,	379	283	18·8	2	.	11	1	3	8	9
Calcutta, ...	890,493	Oct. 28,	.	550	32·1	99*	.	1	.	2	.	147‡
Bombay, ...	977,822	„ 28,	445	558	29·7	86*	.	.	.	.	1	43‡
Madras, ...	509,346	„ 7,	368	349	35·6	63*	1	1	?	?	?	103‡
Cairo, ...	693,806	„ 7,	629	457	34·3	3	.	.	.	.	17†	83
Paris, ...	2,846,986	Nov. 4,	867	822	15·6	9	.	1	1	.	4†	26*a*
Brussels, ...	705,295	„ 11,	228	180	13·3	4	.	1	2	.	2†	11
Antwerp, ...	320,640	„ 11,	110	64	10·4	.	.	.	.	.	.	9*a*
Amsterdam, ...	579,705	„ 11,	217	105	9·4	1	.	.	.	.	.	.
Copenhagen, ...	462,132	„ 11,	188	108	12·2	.	.	.	.	2	.	1
Stockholm, ...	343,832	„ 4,	150	69	10·4	.	.	.	.	.	1†	4
Christiania, ...	244,038	„ 18,	120	80	17·1	.	.	2	.	.	2†	3
St. Petersburg, ...	1,639,266	Oct. 28,	931	597	19·0	18	.	25	7	12	11†	49
Moscow, ...	1,493,600	„ 28,	.	647	22·6	5	.	14	18	6	15†	91
Berlin, ...	2,072,750	„ 28,	746	580	14·6	1	.	2	13	4	17†	41
Hamburg, ...	931,035	Nov. 11,	.	262	14·6	.	.	7	4	3	16†	21
Breslau, ...	519,751	„ 11,	.	179	18·0	.	.	.	.	.	.	15
Munich, ...	597,000	„ 18,	.	148	12·9	.	.	.	.	1	6†	11
Vienna (with suburbs),	2,064,583	„ 11,	704	604	15·2	2	.	5	2	1	3†	24*a*
Buda-Pesth, ...	891,585	„ 11,	433	318	18·5	3	.	7	13	1	6†	23*a*
Prague and Faubourgs,	508,310	Oct. 28,	184	183	18·7	1	.	.	2	.	8†	4*a*
Trieste, ...	233,925	Nov. 11,	121	96	21·4	.	.	2	.	.	1†	5*a*
Rome, ...	602,068	Aug. 26,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Sept. 2,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	Oct 21,	2,611	1,269	13·2	11	1	2	1	7	13†	77*a*
Philadelphia, ...	1,580,250	„ 7,	.	399	13·1	6	.	1	.	.	9†	42*a*
Boston	686,912	Nov. 11,	.	203	15·4	3	.	4	2	1	2	7

* Deaths from "fever," including 6 deaths from enteric fever and one from plague in Calcutta, and 3 from enteric fever and 4 from plague in Bombay.

† Including deaths from croup.

‡ Including 103 deaths from cholera in Calcutta, 5 in Bombay, and 5 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending December 2nd, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	2	.	.	.	.	.	.	1	.	.	1	4
" " 1, West, ...	.	4	.	.	.	.	.	.	1	.	.	7	12
" " 2, ...	.	.	.	.	1	.	.	.	.	.	.	3	4
" " 3, ...	.	7	.	.	1	.	.	2	2	.	.	1	13
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	2	.	.	1	.	.	2	.	.	.	.	5
Finglas and Glasnevin (part of), ...	.	4	.	.	1	.	.	.	.	.	.	.	5
South City No. 1, ...	.	6	1	.	9	.	2	4	3	.	.	1	26
" " 2, ...	.	4	.	.	2	.	.	.	.	.	.	1	7
" " 3, ...	.	2	.	.	3	.	.	3	1	.	.	.	9
" " 4, ...	.	2	.	.	2	.	.	1	1	.	.	2	8
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	33	1	.	20	.	2	12	9	.	.	16	93

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 2nd December, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 2nd December.			
	Nov. 11.	Nov. 18.	Nov. 25.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	33	23	16	5	4	1	16
Scarlet Fever, ...	181	189	197	40	38	2	197*
Typhus, ...	5	4	4	1	2	1	2
Diphtheria, ...	79	75	67	25	24	3	65
Enteric Fever, ...	114	91	74	15	12	.	77
Pneumonia, ...	14	18	20	10	4	1	25

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 2nd December, 1911:—

"Changeable, but seasonable, weather prevailed. At the beginning of the week an anticyclone, in which the barometer stood above 30·6 inches over Central Sweden, stretched thence to Ireland. In this country Sunday was cool but fine; over England rain, hail or snow fell generally, whereas in Scotland frost prevailed, the thermometer at Nairn ranging from 20° to only 33°. On the morning of this day a shallow depression lay off Finisterre and a second similar system was reported by wireless telegram from Lat. 50° N., Long. 17° W. The former depression spread northwards to England, causing cold, gloomy, wet weather on Monday, hail and sleet falling in many districts. A change to milder conditions took place on Tuesday in consequence of the appearance of a large and deep atmospheric depression to Iceland. The warm, humid S.W. of its periphery passed over France and the British Isles. In Dublin on Tuesday morning lines of cirrus cloud passed in long files across the sky from N.W. to S.E., while the lower clouds came from S.W., and the wind from S. Both this day and Wednesday were fine and bright. In the course of Wednesday night the barometer fell very rapidly over the Upper Atlantic and on Thursday morning the barometer was down to 28·49 inches at Reykjavik, in Iceland, whereas it stood as high as 30·52 inches at Munich. Even over the S.E. of England the reading was slightly above 30·4 inches. Baric gradients were consequently very steep over the Atlantic, Ireland and Scotland, and at exposed points in those regions S.W. gales were experienced—the wind reaching hurricane force at times on the Atlantic on Thursday and Friday. At 7 a.m. of the latter day the barometer ranged from 28·37 inches at Reykjavik to 30·52 inches over the Gulf of Bothnia and Finmark. In Dublin the mean height of the barometer was 29·934 inches, pressure ranging between 30·266 inches at 9 a.m. of Wednesday (wind, W.) and 29·491 inches at 4 p.m. of Saturday (wind, S.). The corrected mean temperature was 44·6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 45·1°. The screened thermometers fell to 36·5° on Tuesday and rose to 55·0° on Saturday. The dominant wind was S.W. Rain fell daily, but the amount was not large—·368 inch, of which ·154 inch was referred to Sunday. Hail fell on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·759 inches. The highest reading (30·092) was on Wednesday at 9 a.m., air calm, the lowest (29·394) on Saturday at 9 p.m., wind S.W.

The mean temperature for the week was 42·4°, being 0·3° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Saturday, on which day the thermometer registered 54·9°, and was lowest on Sunday, the mercury having fallen to 30·1°. The mean of the Dry Bulb for the week was 44·1° and of the Wet Bulb, 41·9°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The rainfall during the week measured 0·430 inch.

At Greenwich the mean temperature for the week was 40·8°, the maximum 49·0°, and the minimum 30·1°; at Glasgow the maximum was 51·9°, the minimum 31·9°, and the mean 42·2°; and at Edinburgh the maximum was 50·5°, the minimum 31·7°, and the mean 41·7°. The rainfall at Greenwich measured 0·10 in.; at Glasgow 0·60 in.; and at Edinburgh 0·43 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, November 26,	29·910	44·6	30·1	37·4	41·5	38·8	·80	·7	1·2	·190	E.	N.N.E.
Monday, „ 27,	29·664	42·9	36·0	39·5	38·1	37·1	·93	·4	0·0	·070	N.N.E.	Calm.
Tuesday, „ 28,	29·702	47·0	31·7	39·4	42·5	40·4	·78	·5	1·9	·000	S.W.	S.S.W.
Wednesday, „ 29,	30·049	50·6	31·0	40·8	40·5	38·6	·86	·5	4·8	·000	Calm.	S.
Thursday, „ 30,	29·850	53·5	46·1	49·8	50·9	47·9	·80	·6	0·0	·010	S.S.E.	S.S.W.
Friday, December 1,	29·660	52·2	40·9	46·6	48·5	45·9	·82	·6	0·0	·110	S.S.W.	S.S.W.
Saturday, „ 2,	29·481	54·9	32·0	43·5	46·9	44·5	·83	·6	0·0	·050	S.W.	S.W.
Mean, ...	29·759	49·4	35·4	42·4	44·1	41·9	·83	·6	Total 7·9	Total ·430	Prevailing Wind, S.S.W.	

Sunday—Day cloudy, showers at intervals from 10.15 to 6 p.m.; night cloudy, showers from 2 to 6 a.m. *Monday*—Day overcast, showers at intervals from 9 a.m. to 4 p.m.; night cloudy. *Tuesday*—Day cloudy, fine; night cloudy. *Wednesday*—A fine bright day; night clear. *Thursday*—Day overcast, drizzling rain at intervals from 10.15 to 4 p.m.; night clear. *Friday*—Day overcast, drizzling rain 5.15 to 9 p.m.; night clear. *Saturday*—Day overcast, drizzling rain 9.30 a.m. to 1 p.m. and 3.30 to 5 p.m.; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, December 2nd, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, November 26,	44·1	42·3	47·1	45·1	40·0	42·6	1·1	·130
Monday, „ 27,	41·9	42·5	47·0	44·4	37·0	40·7	—	·072
Tuesday, „ 28,	43·0	42·3	47·0	47·9	36·7	42·3	1·1	·005
Wednesday, „ 29,	37·0	42·2	46·8	50·0	33·2	41·6	1·9	—
Thursday, „ 30,	51·8	42·6	47·7	54·9	46·9	50·9	—	·001
Friday, December 1,	48·6	43·5	46·4	53·8	42·9	48·9	—	·063
Saturday, „ 2,	48·8	43·7	46·4	56·0	36·2	46·1	—	·017
Weekly Mean, .	45·0	42·7	46·9	50·3	39·0	44·7	Total 4·1	Total ·288

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31623. Wt. P. 346–99/138. 375. 11. 1911. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 9TH DECEMBER, 1911. [No. 49.

General Register Office, Charlemont House, Dublin, 11th December, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Nov. 18	Nov. 25	Dec. 2	Dec. 9	Average Rate for 4 weeks.
22 Town Districts, ...	**19·0**	**18·0**	**18·3**	**17·7**	**18·2**
Armagh	13·7	27·5	6·9	20·6	17·2
Ballymena	18·3	27·5	27·5	22·9	24·0
Belfast	17·7	17·3	13·6	16·1	16·2
Clonmel	15·2	10·1	.	20·3	11·4
Cork	25·9	17·7	25·9	26·5	24·0
Drogheda	12·6	21·0	25·2	16·8	18·9
Dublin Reg. Area ...	22·1	20·3	21·6	18·6	20·6
Dundalk	23·8	7·9	15·9	7·9	13·9
Galway	7·9	23·6	3·9	7·9	10·8
Kilkenny	9·9	34·7	9·9	·	13·6
Limerick	9·5	10·9	12·2	16·3	12·2
Lisburn	17·1	21·4	34·3	25·7	24·6
Londonderry	16·6	5·1	12·8	19·2	13·4
Lurgan	25·8	30·1	21·5	25·8	25·8
Newry	21·8	34·9	17·4	13·1	21·8
Newtownards	22·9	17·2	11·4	5·7	14·3
Portadown	.	8·9	13·3	22·2	11·1
Queenstown	13·2	6·6	19·8	13·2	13·2
Sligo	18·7	4·7	65·4	4·7	23·4
Tralee	10·6	10·6	15·9	10·6	11·9
Waterford	13·3	15·2	20·9	20·9	17·6
Wexford	13·7	18·2	22·8	22·8	19·4

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in fifteen of the districts to 4·7 in Sligo, the only death for that district being from scarlet fever. Among the 119 deaths from all causes for Belfast are one from scarlet fever, 2 from each of whooping-cough and diphtheria, and 2 from *enteritis* of children under 2 years of age. Included in the 39 deaths from all causes for Cork are one from each of typhus, measles and diphtheria. Of the 15 deaths for Londonderry, one was from scarlet fever, and one of the 6 deaths from all causes for Lurgan was from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 168—87 boys and 81 girls—and the deaths to 157—83 males and 74 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·6 per 1,000 of the population. During the forty-nine weeks ending with Saturday last the death-rate averaged 21·4, and was 1·0 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 157, represent an annual rate of 20·3 per 1,000; the annual rate for the past forty-nine weeks was 22·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·4 per 1,000 of the mean population for all deaths registered.

The total deaths from all causes included one from each of enteric fever, measles, scarlet fever, and diphtheria; 3 from whooping-cough, and 2 from influenza. There were 5* deaths from diarrhœa and *enteritis* of children under 2 years of age.

In each of the 3 preceding weeks, deaths from enteric fever were 0, 2, and one; deaths from measles were 5, 4, and 3; deaths from scarlet fever were 2, 2, and one; deaths from diphtheria were 4, 0, and 3; deaths from whooping-cough were 4, 3, and 3; deaths from influenza were 1, 0, and one; and deaths from diarrhœa and *enteritis* of children under 2 years of age were 5, 7, and 6.

Tuberculous disease, which in the 3 preceding weeks caused 34, 30, and 23 deaths respectively, in the week under notice caused 29 deaths, comprising 24 from pulmonary tuberculosis, 3 from tuberculous meningitis, one from abdominal tuberculosis, and one from tuberculosis of the vertebral column.

Broncho-pneumonia caused 8 deaths, lobar pneumonia one death, and *pneumonia* (type not distinguished), 4 deaths.

The deaths of 12 persons were assigned to cancer.

Organic diseases of the heart caused the deaths of 11 persons and 20 deaths from bronchitis were recorded.

The deaths of 3 infants were attributed to *convulsions*, 4 to premature birth, and 4 to congenital debility.

Of 3 deaths accidentally caused one was of an infant by suffocation in bed.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases were all of infants under one year of age.

Forty-five of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 10 were under one month old) and 45 were aged 65 years and upwards, including 36 persons aged 70 and upwards; among the latter were 21 aged 75 and upwards.

Seventy-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse, and 25 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·6 per 1,000; the rate in the City was 20·7 (North City Districts, 18·1; South, 23·5) and in the Suburbs, 11·6.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·7 (1·6 in the North City Districts, and 1·7 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·2 per 1,000, and include one death each from whooping-cough, influenza, and tuberculous meningitis, and 3 from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (9) are equal to an annual rate of 11·8 per 1,000. Pulmonary tuberculosis caused 2 deaths; bronchitis caused one death, and one death was due to an accident.

No. 2 *North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 25·5 per 1,000. Of the total one was caused by whooping-cough, one by diarrhœa of a child under 2 years; 2 were due to pulmonary tuberculosis, one to broncho-pneumonia, one to lobar pneumonia, 2 to bronchitis, and one death was caused accidentally.

No. 3 *North City District* (Benburb-street).—The deaths (9) represent an annual rate of 14·0 per 1,000. Scarlet fever caused one death, pulmonary tuberculosis one death, broncho-pneumonia 2 deaths, and *pneumonia* (type not distinguished), one death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 58·2 per 1,000 inhabitants; Coolock and Drumcondra, part of, 9·0; and Finglas and Glasnevin, part of, 20·4. Included in the 6 deaths from all causes for Clontarf and Howth, No. 1, part of, are 2 from tuberculous disease and one from bronchitis. Of the 2 deaths from all causes for Coolock and Drumcondra, part of, one was from pulmonary tuberculosis; and of the 3 deaths from all causes for Finglas and Glasnevin, part of, one was from diphtheria and one from tuberculosis of the vertebral column.

No. 1 *South City District* (South Earl-street).—The deaths (20) represent an annual rate of 25·2 per 1,000. Of the 20 deaths one was caused by measles and one by whooping-cough; 2 were due to diarrhœa and *enteritis* of children under 2 years of age, 4 to tuberculous disease, one to broncho-pneumonia, one to *pneumonia* (type not distinguished), 4 to bronchitis, and one death of an infant to suffocation in bed.

No. 2 *South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 26·4 per 1,000. Pulmonary tuberculosis caused 4 deaths and bronchitis 2 deaths.

No. 3 *South City District* (Peter-street).—The deaths (27) are equal to an annual rate of 32·6 per 1,000. Diarrhœa caused one death under 2 years of age, tuberculous disease 5 deaths, and bronchitis 6 deaths.

No. 4 *South City District* (Grand Canal Street).—The deaths (10) are equivalent to an annual rate of 14·6 per 1,000, and include one from broncho-pneumonia and one from bronchitis.

New Kilmainham District.—There were no deaths registered for this district during the week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·6; Pembroke, 12·4; Blackrock, 11·5; and Kingstown, 6·1. The only death from any of the principal epidemic diseases tabulated for these districts was one from enteric fever for Pembroke. Of the 10 deaths from all causes for Rathmines and Rathgar one was from influenza, 2 from pulmonary tuberculosis, and one from broncho-pneumonia. Included in the 7 deaths from all causes for Pembroke are 2 from broncho-pneumonia; and of the 2 deaths from all causes for Blackrock one was from pulmonary tuberculosis and one was from *pneumonia* (type not distinguished).

* See note (*c*), Table II. † See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 9th December, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Nov. 18,	.	—	—	32	.	.	4	.	1	9	2	.	—	—	.	—	7	—	55
	Nov. 25,	.	—	—	33	1	.	4	.	2	8	13	.	—	—	.	—	15	—	76
	Dec. 2,	.	—	—	33	1	.	20	.	2	12	9	.	—	—	.	—	16	—	93
	Dec. 9,	.	—	—	27	.	.	13	.	2	7	13	.	—	—	.	—	8	—	70
Rathmines and Rathgar Urban District.	Nov. 18,	.	—	—	4	.	.	9	.	.	.	.	.	.	—	—	—	—	—	13
	Nov. 25,	.	—	—	1	.	.	3	.	.	.	.	.	.	—	—	—	—	—	4
	Dec. 2,	.	—	—	3	.	.	2	.	.	.	.	.	.	—	—	—	—	—	5
	Dec. 9,	.	—	—	5	.	.	2	.	.	.	.	.	.	—	—	—	—	—	7
Pembroke Urban District.	Nov. 18,	.	.	.	2	.	.	1	.	.	.	1	.	2	1	.	—	.	—	7
	Nov. 25,	.	.	.	.	.	.	.	.	.	.	.	.	5	4	.	—	.	—	9
	Dec. 2,	.	1	.	.	.	.	.	1	.	.	1	.	5	1	.	—	.	—	9
	Dec. 9,	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	—	.	—	3
Blackrock Urban District.	Nov. 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Nov. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 9,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Nov. 18,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	.	—	3
	Nov. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Dec. 2,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	2	—	4
	Dec. 9,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	Nov. 18,	.	—	—	28	.	.	11	2	.	1	9	.	—	—	.	—	8	—	59
	Nov. 25,	.	—	—	13	.	.	2	.	.	.	4	.	—	—	.	—	17	—	36
	Dec. 2,	.	—	—	23	.	.	12	.	.	.	7	.	—	—	.	—	15	—	57
	Dec. 9,	.	—	—	25	.	.	9	.	.	2	3	.	—	—	.	—	11	—	50

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 9th December, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Eight cases of measles were admitted to hospital during the week, 7 were discharged, and 17 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 23, 16, and 16, respectively.

Forty-seven cases of scarlet fever were admitted to hospital, 39 were discharged, there were 2 deaths, and 203* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 189, 197, and 197, respectively.

Two cases of typhus remained under treatment in hospital at the close of the week.

Nineteen cases of diphtheria were admitted to hospital during the week, 21 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 75, 67, and 65, respectively, were 62 at the close of last week.

Nine cases of enteric fever were admitted to hospital during the week, 15 were discharged, there was one death, and 70 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 91, 74, and 77.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 11 were discharged, there was one death, and 20 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London, in which the rate was 14·3) was equal to an average annual death-rate of 15·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·8 per 1,000, the rate for Glasgow being 17·1 and for Edinburgh 14·1.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 9th December. From this Report it appears that of a total of 76 cases notified, 27 were diphtheria, 24 phthisis, 17 scarlet fever, and 8 erysipelas. Among the 400 cases of infectious diseases in hospital at the close of the week were 149 cases of scarlet fever, 91 of diphtheria, 60 of phthisis, 40 of measles, 31 of whooping-cough, 16 of erysipelas, and 7 of enteric fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 9th December, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 9th December, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 2nd December, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 25th November, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
Total of 22 Town Districts, ..	1,149,495	20·2	22·8	17·7	1·1	502	391	60	106	1	1	...	2	4	6	4	...	66	13	19	31	61	3	...	4	9	15	125	13	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:—Total. (c.) ...	403,732	29·3	21·7	18·6	1·4	168	144	28	41	1	...	...	1	1	3	1	...	21	5	10	12	22	3	...	1	3	3	60	4	e49·7	26·7	39·1	0·63	e49	30·1	42·4	0·43	e46·9	25·2	39·1	0·19
City of Dublin.	309,738	39·2	23·4	20·7	1·7	139	123	24	33	...	...	...	1	1	3	1	...	18	5	9	8	21	3	...	1	3	2	51	3	f49·4 g50·9	34·6 29·8	41·6 39·8	1·03 0·68	f55·0 g55·1	36·5 30·0	44·6 43·2	0·37 0·37	f47·1 g47·7	30·4 28·0	40·9 40·4	0·10 0·27
Urban Districts. Rathmines and Rathgar.	38,330	22·4	10·9	13·6	.	8	10	2	4	...	...	...	...	...	...	...	...	2	...	1	1	1	...	...	...	...	1	6	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke. ...	29,347	18·5	19·5	12·4	1·8	11	7	1	2	1	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,090	8·4	11·5	11·5	.	2	2	...	1	...	...	...	...	...	...	...	...	1	...	...	1	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,227	11·8	24·2	6·1	.	8	2	1	1	...	...	...	...	...	...	...	...	...	...	...	..	..	...	...	...	...	...	...	1	50	34	41·3	1·55	53	37	45·3	0·42	47	33	41·3	0·09
Urban Districts. Belfast ...	386,449	26·3	26·3	16·1	0·9	195	119	22	24	...	...	...	...	1	2	2	...	19	2	5	10	17	...	...	2	3	6	27	1	50·0	29·5	39·0	1·72	52·5	32·0	43·0	0·47	48·0	29·5	41·4	0·15
Cork, ...	76,632	33·8	30·0	26·5	2·0	44	39	2	7	...	1	...	1	...	...	1	...	10	3	...	3	8	...	...	...	...	1	20	...	49	34	42·7	2·40	51	34	43·4	0·74	48	31	41·7	0·03
Londonderry...	40,799	18·9	19·2	19·2	1·3	15	15	...	4	...	...	...	...	1	...	...	...	4	1	1	1	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick. ...	38,403	18·2	20·4	16·3	.	15	12	1	3	...	...	...	...	...	...	...	...	2	1	1	2	1	...	...	...	...	...	3	2	48·7	33	40·7	1·68	52·1	27·9	40·7	0·41	47·8	21·8	38·1	0·00
Waterford, ...	27,430	19·1	17·1	20·9	.	9	11	...	7	...	...	...	...	...	...	...	...	2	...	1	...	2	...	...	...	1	2	5	...	...	...	...	...	...	...	...	...	...	...	...	...
Galway. ...	13,249	2·5	35·4	7·9	.	9	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	52	30	40	1·42	50	29	40	0·28	49	29	39	0·00
Dundalk, ...	13,128	9·5	7·9	7·9	.	2	2	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,425	8·4	12·6	16·8	.	3	4	2	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry. ...	11,956	17·2	4·4	13·1	.	1	3	...	2	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	1	...	...	47·2	32·0	38·5	1·47	52·0	32·0	42·0	0·30	46·0	26·0	38·9	0·09
Lurgan, ...	12,135	14·3	17·2	25·8	4·3	4	6	1	3	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	1	1	1	1	47·2	32·0	38·5	1·47	52·0	32·0	42·0	0·30	46·0	26·0	38·9	0·09
Lisburn. ...	12,172	10·7	21·4	25·7	.	5	6	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	2	1	47·2	32·0	38·5	1·47	52·0	32·0	42·0	0·30	46·0	26·0	38·9	0·09
Wexford. ...	11,455	23·8	27·3	22·8	.	6	5	...	2	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena. ...	11,376	9·3	13·8	22·9	.	3	5	1	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Sligo. ...	11,163	3·8	4·7	4·7	4·7	1	1	...	...	..	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	49·4	30·6	38·8	1·79	55·9	28·3	40·6	0·46	46·8	22·8	37·7	0·09
Kilkenny, ...	10,513	11·4	5·0	.	.	1	.	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	49	26	37·8	1·89	52	29	40·6	0·43	46	28	38·4	0·07
Clonmel, ...	10,277	7·9	15·2	20·3	.	3	4	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	11,727	15·3	40·0	22·2	4·4	9	5	2	...	...	...	...	...	...	...	...	...	2	..	...	...	...	...	...	1	...	...	...	...	47·2	32·0	38·5	1·47	52·0	32·0	42·0	0·30	46·0	26·0	38·9	0·09
Tralee. ...	9,867	16·6	21·1	10·6	.	4	2	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	5·7	5·7	.	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	48	32	39·7	1·63	52	35	43·8	0·56	49	39	42·8	0·12
Queenstown, ...	7,909	14·4	6·6	13·2	.	1	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	49	34	42·7	2·40	51	34	43·4	0·74	48	34	41·7	0·03
Armagh. ...	7,588	22·2	20·6	20·6	.	3	3	1	2	...	...	...	...	..	...	...	...	...	...	...	...	2	..	...	...	...	...	...	1	47·2	32·0	38·5	1·47	52·0	32·0	42·0	0·30	46·0	26·0	38·9	0·09

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (†) at foot of first page. (c) Exclusive of 13 deaths of persons (including 4 at 65 years or upwards) admitted to hospital from localities outside the Area: of the 13 deaths one was from enteritis of a child under 2 years of age. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observation by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 9th of December, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	.	2	2	1	1	1	.	3	4	4	.	.	2	.	1	.	21	3
Tuberculous Disease. { Other Forms,	1	.	.	.	1	.	1	1	.	1	.	.	.	.	.	.	5	.
Cancer,	.	1	1	.	1	.	.	.	1	4	1	.	1	.	.	.	10	2
Diseases of Nervous System,	1	2	2	2	1	.	.	.	1	.	1	.	1	.	.	.	11	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	1	1	.	.	1	.	3	2	3	.	.	.	1	.	.	12	.
" Respiratory System. { Pneumonia,	.	.	2	3	.	.	.	2	.	.	1	.	1	2	1	.	12	1
" Respiratory System. { Others,	3	1	2	.	1	.	.	4	2	7	1	.	1	.	.	.	22	.
" Digestive System. { Diarrhœa, under 2 years,	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	3	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, under 2 years,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1
" Digestive System. { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	1	1	2	.	.	.	.	.	1	.	.	.	.	.	.	1	6	1
" Genito-urinary System,	.	.	.	.	1	.	.	1	.	1	.	.	1	.	.	.	4	2
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy & Childbirth.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	.	.	1	.	.	1	.	.	4	5	.	2	2	.	1	17	2
Violent Deaths,	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
Ill-defined, &c. Causes,	2	.	.	1	.	.	.	.	.	2	1	.	.	1	.	.	7	.
Deaths from All Causes	11	9	15	9	6	2	3	20	11	27	10	.	10	7	2	2	144	13
Annual Rate of Mortality from All Causes in every 1,000 of the population.	19·2	11·8	25·5	14·0	58·2	9·0	20·4	25·2	26·4	32·6	14·6	.	13·6	12·4	11·5	6·1	18·6	.
	18·1							23·5					11·6					
	20·7																	
Ages at Death. Under 1 year,	3	.	5	2	.	.	.	3	2	7	2	.	2	1	.	1	28	.
1 and under 2 years,	1	.	.	.	.	.	.	3	.	.	.	.	1	.	.	.	5	1
2 " 5 "	1	.	.	1	1	.	3	1	.	1	1	.	.	1	.	.	10	1
5 " 15 "	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	1
15 " 25 "	.	1	.	.	.	.	.	1	2	.	.	.	.	.	.	.	4	.
25 " 45 "	.	1	1	2	1	.	.	3	3	4	.	.	1	1	1	.	18	2
45 " 65 "	3	5	7	2	.	1	.	3	3	7	1	.	2	2	.	.	36	4
65 and upwards,	3	1	2	2	4	1	.	5	1	8	6	.	4	2	1	1	41	4
Number of Uncertified Deaths,	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	1	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	.	3	2	2	1	.	1	6	.	6	1	.	3	2	.	.	27	12
Workhouse Hospitals,	1	3	4	1	.	.	.	4	6	8	2	.	3	1	.	.	33	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 49th Week of the 10 years 1901–1910.	In the Week ending Saturday, 9th December, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Dec. 7, 1901.	Dec. 6, 1902.	Dec. 12, 1903.	Dec. 10, 1904	Dec. 9, 1905.	Dec. 8, 1906.	Dec. 7, 1907.	Dec. 5, 1908.	Dec. 11, 1909.	Dec. 10, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 45·4	° 38·5	° 40·9	° 40·4	° 46·6	° 44·3	° 41·5	° 41·8	° 39·1	° 43·4	° 42·2	° 39·1										
ALL CAUSES.	153	196	186	192	168	169	207	185	177	188	182·1	157	10	18	6	11	3	4	20	40	24	21
Enteric Fever, ...	1	2	1	2	2	.	2	3	1	1	1·5	1	.	.	.	.	.	.	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	9	1	10	.	2	.	5	1	2	3·0	1	.	.	.	1	.	.	.	.	.	.
Scarlet Fever, ...	1	2	.	1	1	.	1	.	1	1	·8	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	.	.	7	.	2	5	3	2	2	11	3·2	3	.	1	2	.	.	.	.	.	.	.
Diphtheria, ...	2	2	.	1	1	.	2	.	.	.	·8	1	.	.	.	1	.	.	.	.	.	.
Croup, ...	.	1	.	1	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	1	5	1	2	4	.	2	1	2	2·1	2	.	.	.	.	.	.	.	.	1	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	.	.	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	2	2	1	.	.	.	1	.	1	.	·7	1	.	.	.	1	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	32	26	22	27	24	22	18	22	17	25	23·5	24	.	2	.	.	1	2	12	7	.	.
Tuberculous Meningitis, ...	1	3	4	2	1	3	4	3	3	1	2·5	3	.	.	1	2	.	.	.	.	.	.
Abdominal Tuberculosis, ...	2	1	.	2	.	1	.	1	1	3	1·1	1	.	.	.	1	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.												1	.	.	.	1	.	.	.	.	.	.
Tuberculosis of Joints, ...	4	3	5	8	3	9	2	5	4	7	5·0	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases, ...	.	.	1	1	2	2	2	.	.	1	·9	2	1	1	.	.	.	.	.	.	.	.
Cancer, ...	5	9	8	8	6	7	11	6	10	12	8·2	12	.	.	.	.	.	.	1	5	4	2
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	2	.	2	.	1	2	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	1	.	.	1	.	.	.
Alcoholism, ...	1	1	1	.	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												6	.	.	.	.	.	.	.	2	3	1
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												1	.	.	.	.	.	.	.	.	.	1
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												3	3	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	29	41	42	40	50	42	51	35	39	40	40·9	2	.	.	.	.	.	.	.	.	.	2
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												1	.	.	.	.	.	1	.	.	.	.
Organic Diseases of the Heart,												11	.	.	.	.	.	1	1	4	3	2
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	18	38	32	18	22	21	43	39	22	27	28·0	20	.	1	1	.	1	.	3	5	5	4
Broncho-pneumonia,		8	8	6	5	7	11	11	12	7		8	.	2	1	2	.	.	1	1	1	.
Lobar-pneumonia,	5	.	1	1	1	1	1	1	6	.	15·5	1	.	.	.	.	.	.	.	1	.	.
Pneumonia (type not distinguished)		4	10	8	4	5	8	6	10	8		4	.	.	.	.	.	.	.	2	1	1
Pleurisy, ...												1	.	.	.	.	.	.	.	1	.	.
Pulmonary Congestion, Pulmonary Apoplexy	2	2	2	4	.	.	2	.	1	.	1·3	1	.	1	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												.	.	.	.	.	.	.	.	.	.	.

FORTY-NINTH WEEK ending Saturday, 9th December, 1911, with, as far as practicable, the deaths from each cause in 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 49th Week of the 10 years 1901–1910.	In the Week ending Saturday, 9th December, 1911.										
													Deaths of Persons of the Ages of									
	Dec. 7, 1901.	Dec. 6, 1902.	Dec. 12, 1903.	Dec. 10, 1904.	Dec. 9, 1905.	Dec. 8, 1906.	Dec. 7, 1907.	Dec. 5, 1908.	Dec. 11, 1909.	Dec. 10, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 45·4	° 38·5	° 40·9	° 40·4	° 46·6	° 44·3	° 41·5	° 41·8	° 39·1	° 43·4	° 42·2	° 39·1										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	.	2	.	.	.	.	1	.	.	1	.	.
Diarrhœa of Children under 2 years.	4	1	2	1	2	2	1	3	4	2	2·2	3	.	3	.	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	2	2	2	1	3	.	4	5	1	.	2·0	2	.	1	1	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	.	.	1
Cirrhosis of Liver, ...	4	2	.	2	1	3	.	.	.	.	2·4	2	.	.	.	.	.	.	.	2	.	.
Other Diseases of Liver, ...		3	2	1	.	.	2	2	1	1		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	1	.	.	2	.	.	.	2	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	4	3	8	9	3	3	6	5	.	4·6	1	.	1	.	.	.	.	.	.	.	.
Acute Nephritis, ...	7	8	6	9	7	4	4	6	4	6	6·1	1	.	.	.	.	.	.	.	1	.	.
Chronic Bright's Disease, ...												2	.	.	.	.	.	.	.	.	1	1
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												3	.	.	.	.	.	.	.	1	.	2
Puerperal Septicæmia, &c., ...	.	1	.	.	.	.	1	1	.	1	·4	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	.	.	2	.	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	2	2	1	9	2	8	7	6	4	6	4·7	4	3	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	4	2	2	.	.	.	.	.	.	.	.
Old Age, ...	6	3	4	3	1	2	1	3	8	4	3·5	5	.	.	.	.	.	.	.	1	2	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	.	.	.	.	.	2	.	1	1	·4	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	2	1	3	1	1	.	2	1	3	2	1·6	.	.	.	.	.	.	.	.	.	.	.
By Drowning, ...	.	.	1	.	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	1	.	.	.	·1	1	.	1	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	.	2	1	1	.	2	1	.	.	·8	2	.	.	.	.	.	.	.	2	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	7	1	1	.	.	.	.	.	1	3	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.
No. of weeks in Annual Series,	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
BIRTHS registered.	232	185	324	190	190	294	233	198	210	233	218	198	212	201	182	265	204	217	195	177	193	241	183	181	201	168
Average Births in corresponding week of previous 10 years, ...	207	224	237	205	204	208	221	217	208	217	216	207	235	209	212	247	197	185	212	205	212	206	197	183	210	184
DEATHS registered, ...	159	127	155	120	172	162	186	153	169	199	162	210	219	189	183	161	179	183	165	147	169	179	186	165	169	157
Annual Death-rate per 1,000, ...	20·5	16·4	20·0	15·5	22·2	20·9	24·0	19·8	21·8	25·7	20·9	27·1	28·3	24·4	23·6	20·8	23·1	23·6	21·3	19·0	21·8	23·1	24·0	21·3	21·8	20·3
Average Deaths in corresponding week of previous 10 years, ...	149	148	134	140	141	144	147	145	146	154	162	153	156	152	167	160	156	153	161	156	171	174	177	180	183	182
Ages, Under 5 years, ...	42	44	56	43	41	51	88	73	72	94	80	94	93	82	77	69	68	66	50	55	47	61	61	50	49	45
5—15 " ...	4	9	10	4	13	6	5	6	8	5	8	5	8	4	6	8	5	7	8	5	4	8	7	4	10	3
15—25 " ...	13	2	7	7	11	10	6	6	4	7	7	12	7	7	7	6	12	11	11	10	6	7	13	10	12	4
25—45 " ...	32	18	20	19	31	26	21	22	19	31	19	23	26	30	26	22	33	33	30	28	24	25	33	31	25	20
45—65 " ...	31	34	28	20	33	37	29	21	40	37	28	38	37	35	33	29	39	39	35	32	38	39	33	30	37	40
65—75 " ...	18	13	16	15	24	18	24	15	14	11	9	21	28	17	22	11	11	16	17	8	28	26	21	25	22	24
75 and upwards, ...	19	7	18	12	19	14	13	10	12	14	11	17	20	14	12	16	11	11	14	9	22	13	18	15	14	21
Deaths from :—																										
Enteric Fever, ...	.	1	.	1	3	2	1	2	2	2	1	2	.	2	3	6	2	4	4	1	3	.	.	2	1	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	8	7	4	7	3	7	5	2	.	1	1	.	1	.	.	.	1	2	5	4	6	5	4	3	1
Scarlet Fever, ...	.	.	.	1	3	.	2	1	3	.	1	.	1	1	3	1	1	1	4	1	2	3	2	2	1	1
Whooping-cough, ...	3	2	2	.	1	4	3	4	1	3	6	7	4	3	3	1	.	1	1	5	1	.	4	3	3	3
Diphtheria, ...	1	4	2	2	3	2	1	.	.	1	5	1	2	3	.	.	.	4	.	1	.	2	4	.	3	1
Influenza, ...	1	.	1	1	1	2	1	.	1	.	.	1	2	.	.	.	1	1	1	.	1	.	1	.	1	2
Dysentery, ...	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Tuberculous Disease, Phthisis, ...	23	7	21	7	20	17	17	16	13	19	15	22	22	19	12	14	18	16	28	18	19	19	24	19	17	24
Tuberculous Disease, Other Forms,	7	11	6	7	12	10	15	9	5	9	4	10	12	7	2	5	12	6	4	6	5	5	10	11	6	5
Cancer, ...	10	7	8	12	4	10	6	5	11	7	6	10	10	10	9	8	6	12	9	9	6	12	19	7	6	12
Diseases of Circulatory System,	23	14	22	16	22	20	15	10	13	13	8	13	15	16	16	17	16	14	20	10	18	17	14	13	15	12
Diseases of Respiratory System, Pneumonia,	9	8	9	9	10	8	12	1	8	3	6	12	5	10	4	4	14	9	8	8	6	14	8	17	6	13
Diseases of Respiratory System, Others, ...	17	9	17	6	11	10	13	3	8	13	7	5	14	12	12	10	17	14	15	9	27	25	24	22	28	22
Diarrhœa, Under 2 years, ...	3	3	.	1	3	9	27	20	29	37	25	38	31	37	32	19	17	20	5	8	6	3	4	3	3	3
Diarrhœa, 2 years & upwards,	.	.	.	.	.	.	5	1	6	7	10	7	4	1	3	1	1	2	.	.	2	1	.	.	.	.
Enteritis, under 2 years, ...	1	1	3	3	2	2	7	9	12	12	13	14	14	9	12	9	15	7	8	5	8	1	1	4	3	2
Violent Deaths, ...	6	5	2	6	7	2	5	2	2	8	5	3	4	2	7	7	2	5	4	7	3	2	5	5	6	3
Number of Uncertified Deaths,	4	.	5	9	5	2	3	3	7	7	7	7	5	6	5	5	1	7	3	8	6	7	5	8	5	4
Mean Temperature of the Air (Phœnix Park)	52·6	56·2	55·5	59·6	60·9	62·9	62·7	62·5	60·8	61·2	59·7	59·1	57·5	52·9	52·2	50·8	48·6	48·3	57·4	44·4	46·3	40·2	44·5	39·1	42·4	39·1
Average Mean Temperature in corresponding week of previous 10 years, ...	53·6	55·5	56·5	57·5	58·5	59·8	58·2	58·6	58·5	57·5	56·5	56·3	54·5	52·8	53·2*	53·7	52·4	50·4	48·7	46·6	46·3	44·7	42·0	41·9	42·1	42·2
Rainfall in inches, ...	·605	·782	·166	·018	·000	·316	1·860	·430	·170	·010	·338	·405	·020	·320	·248	·680	·208	·325	1·035	1·335	1·130	1·015	1·785	·185	·430	·625
Mean Humidity of the Air, complete Saturation 1·0, ...	·86	·91	·91	·92	·84	·92	·92	·92	·82	·82	·82	·78	·85	·83	·81	·83	·83	·89	·88	·86	·84	·84	·85	·82	·83	·87

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 9th December, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 9th December, 1911. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	157	45	3	4	20	40	24	21	1	.	.	1	1	3	1	.	24	5	12	3	13	22	3	.	2	3	63	4
	CLASSES.																														
	Deaths in Families of the—																														
I	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	15·0	5	2	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	4	.
II.	MIDDLE CLASS, ...	87,188	19·7	33	4	1	1	5	9	4	9	.	.	.	.	.	.	1	.	6	1	4	.	2	2	.	.	1	.	16	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	14·2	30	9	.	3	3	9	4	2	.	.	.	.	.	1	.	.	5	1	1	.	3	4	.	.	.	1	14	.
IV.	GENERAL SERVICE CLASS, ...	154,279	18·6	55	25	2	.	6	10	8	4	1	.	.	1	1	2	.	.	6	2	1	3	7	10	2	.	.	1	18	4
V.	INMATES OF WORKHOUSES, ...	6,024	—	34	5	.	.	6	12	7	4	.	.	.	.	.	.	.	.	7	1	5	.	1	6	1	.	1	1	11	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	2	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	16·6	7	1	.	.	1	1	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	6	.
	6. Clerks and Commercial Assistants, ...	30,432	10·3	6	.	.	1	2	2	.	1	.	.	.	.	.	.	.	.	4	.	.	.	.	1	.	.	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	32·8	17	1	1	.	2	5	3	5	.	.	.	.	.	.	.	.	2	.	3	.	2	1	.	.	1	.	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	17·5	10	6	.	1	1	2	.	.	.	.	.	.	.	1	.	.	2	1	.	.	2	.	.	.	.	.	4	.
	10. Clothing Trades, ...	23,260	11·2	5	.	.	2	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	.	.	.	1	.
	11. Food Supply Trades	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	18·9	11	3	.	.	.	4	3	1	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.	1	6	.
	13. Petty Shopkeepers	7,894	13·2	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	7·8	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	15. Domestic Servants, ...	36,603	10·0	7	1	.	.	1	3	1	1	.	.	.	.	.	1	.	.	2	.	.	.	1	1	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	14·5	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	24·4	42	22	2	.	4	6	5	3	1	.	.	1	1	1	.	.	3	2	.	3	5	7	2	.	.	1	15	4
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	34	5	.	.	6	12	7	4	.	.	.	.	.	.	.	.	7	1	5	.	1	6	1	.	1	1	11	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (Office, Clarence-st. Nth.) Pop. in 1911 (Est.) 29,854.	Oct. 21,	15·7	1·7	9	.	.	.	.	.	.	.	.	4	.	.	.	1	.	.	1	1	.
	„ 28,	33·2	7·0	19	.	.	.	.	.	1	.	.	2	.	2	3	1	3	.	.	1	3
	Nov. 4,	21·0	5·2	12	.	.	.	.	.	.	.	.	3	1	.	.	1	2	1	.	.	2
	„ 11,	19·2	1·7	11	.	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	1
	„ 18,	40·2	7·0	23	.	.	.	.	.	.	.	.	3	2	2	1	4	4	.	.	1	1
	„ 25,	17·5	1·7	10	.	.	.	.	.	1	.	.	2	.	1	1	2	.	.	.	1	1
	Dec. 2,	33·2	1·7	19	.	.	.	.	.	1	.	.	1	2	.	1	6	.	.	.	1	.
	„ 9,	19·2	1·7	11	.	.	.	.	.	1	.	.	.	1	.	.	3	.	.	.	.	1
North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1911 (Est.) 39,902.	Oct. 21,	18·3	2·6	14	1	.	.	.	.	.	.	.	4	.	1	.	2	1	.	.	.	.
	„ 28,	22·2	1·3	17	.	.	.	.	.	.	.	.	1	.	2	1	1	1	.	.	.	.
	Nov. 4,	22·2	6·5	17	.	.	.	.	1	.	.	.	3	1	1	1	2	1	.	3	.	.
	„ 11,	37·9	3·9	29	.	.	.	1	1	.	.	.	4	.	2	3	7	.	1	.	.	1
	„ 18,	22·2	1·3	17	.	.	.	.	.	1	.	.	2	.	.	.	4	.	.	.	1	1
	„ 25,	26·1	3·9	20	.	.	.	.	.	.	.	.	3	.	.	2	7	2	.	1	.	1
	Dec. 2,	22·2	1·3	17	.	.	.	.	.	1	.	.	3	1	1	1	6	.	.	.	.	1
	„ 9,	11·8	.	9	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	1	.
North City, No. 2. (Office, Lisburn-street.) Pop. in 1911 (Est.) 30,689.	Oct. 21,	20·4	.	12	.	.	.	.	.	.	.	.	1	.	1	2	2	.	.	.	.	.
	„ 28,	17·0	3·4	10	.	.	.	.	.	.	.	.	2	1	.	.	.	2	.	.	.	.
	Nov. 4,	23·8	1·7	14	.	.	.	.	.	.	.	.	2	.	1	1	2	1	.	.	.	1
	„ 11,	37·4	1·7	22	.	.	.	.	.	.	.	.	1	.	1	2	3	1	.	.	1	2
	„ 18,	25·5	.	15	.	.	.	.	.	.	.	.	1	1	2	2	2	.	.	.	.	.
	„ 25,	20·4	3·4	12	.	.	.	.	1	1	.	.	.	2	.	3	1	.	.	.	1	1
	Dec. 2,	28·9	3·4	17	.	.	.	.	.	.	.	.	2	.	1	1	1	1	.	1	.	2
	„ 9,	25·5	3·4	15	.	.	.	.	.	1	.	.	2	.	1	2	2	1	.	.	1	1
North City, No. 3. (Office, Benburb-street.) Pop. in 1911 (Est.) 33,498.	Oct. 21,	9·3	3·1	6	1	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	.
	„ 28,	20·2	.	13	.	.	.	.	.	.	.	.	1	1	2	2	.	.	.	.	.	2
	Nov. 4,	17·1	1·6	11	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
	„ 11,	21·8	.	14	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.	.
	„ 18,	32·7	3·1	21	.	.	.	.	1	.	.	1	1	1	2	1	2	.	.	.	.	.
	„ 25,	26·5	1·6	17	.	.	.	.	.	.	.	.	2	1	3	1	3	1	.	.	.	.
	Dec. 2,	9·2	.	6	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.
	„ 9,	14·0	1·6	9	.	.	.	.	1	.	.	.	1	.	.	3	.	.	.	.	.	.
South City, No. 1. (Office, Sth. Earl-street.) Pop. in 1911. (Est.) 41,401.	Oct. 21,	37·8	7·6	30	.	1	.	2	.	.	.	.	7	2	.	.	2	1	.	2	1	1
	„ 28,	29·0	10·1	23	.	1	.	5	.	1	.	.	2	2	1	.	2	.	.	1	.	.
	Nov. 4,	30·2	5·0	24	.	.	.	3	.	.	.	.	2	1	.	1	4	.	.	1	1	.
	„ 11,	35·3	7·6	28	.	.	.	4	2	.	.	.	5	2	.	2	3	.	.	.	.	1
	„ 18,	26·4	7·6	21	.	.	.	4	.	1	.	.	1	2	2	1	3	.	.	1	.	.
	„ 25,	25·2	5·0	20	.	.	.	2	.	1	.	.	4	2	.	1	1	.	.	1	.	1
	Dec. 2,	34·0	6·3	27	1	1	.	1	.	.	2	.	5	.	1	.	3	.	.	.	.	1
	„ 9,	25·2	5·0	20	.	.	.	1	.	1	.	.	3	1	.	2	4	1	.	1	1	.
South City, No. 2. (Office, Castle-street.) Pop. in 1911 (Est.) 21,715.	Oct. 21,	24·0	4·8	10	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	1	.	.
	„ 28,	14·4	2·4	6	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.
	Nov. 4,	24·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	.
	„ 11,	26·4	2·4	11	.	.	.	.	.	.	1	.	2	1	.	1	4	.	.	.	.	.
	„ 18,	31·2	7·2	13	.	.	.	1	1	.	1	.	1	.	1	.	3	.	.	.	1	.
	„ 25,	21·6	.	9	.	.	.	.	.	.	.	.	.	2	.	2	3	.	.	.	.	.
	Dec. 2,	28·8	4·8	12	.	.	.	1	1	.	.	.	1	.	.	.	6	.	.	.	.	.
	„ 9,	26·4	.	11	.	.	.	.	.	.	.	.	4	.	1	.	2	.	.	.	.	1
South City, No. 3. (Office, Peter-street.) Pop. in 1911 (Est.) 43,149.	Oct. 21,	25·4	4·8	21	.	.	.	.	2	.	.	.	4	1	.	2	4	1	.	1	.	1
	„ 28,	23·0	6·0	19	1	.	.	.	.	1	.	.	2	.	.	.	.	1	.	2	2	2
	Nov. 4,	15·7	2·4	13	.	.	.	.	1	.	.	.	3	1	.	.	2	.	.	1	.	1
	„ 11,	16·9	1·2	14	.	.	.	1	.	.	.	.	1	1	2	1	4	.	.	.	.	1
	„ 18,	24·2	3·6	20	.	.	.	.	.	1	2	.	5	2	3	2	1	.	.	.	1	.
	„ 25,	29·0	3·6	24	1	.	.	2	.	.	.	.	6	1	.	1	.	.	.	.	1	1
	Dec. 2,	15·7	1·2	13	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.	.	.	.
	„ 9,	32·6	1·2	27	.	.	.	.	.	.	.	.	4	1	4	.	7	1	.	.	.	.
South City, No. 4. (Office, Grand Canal-st.) Pop. in 1911 (Est.) 35,816.	Oct. 21,	17·5	2·9	12	1	.	.	.	.	.	.	.	3	.	.	1	1	1	.	.	.	.
	„ 28,	13·1	.	9	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.	.	2	.
	Nov. 4,	26·2	1·5	18	1	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	.	.
	„ 11,	14·6	.	10	.	.	.	.	.	.	.	.	2	.	2	.	2	.	.	.	.	.
	„ 18,	11·6	.	8	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1
	„ 25,	10·2	.	7	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1
	Dec. 2,	20·4	.	14	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.	1
	„ 9,	14·6	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted*; also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	Oct. 21,	19·0	1·4	14	.	.	.	.	.	1	.	.	1	1	2	3	.	.	.	.	.	.
	„ 28,	5·4	1·4	4	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.
	Nov. 4,	16·3	4·1	12	1	.	.	.	.	.	.	.	.	.	.	.	3	.	1	1	1	1
	„ 11,	9·5	2·7	7	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
	„ 18,	17·7	.	13	.	.	.	.	.	.	.	.	4	1	3	.	.	.	.	.	1	.
	„ 25,	15·0	1·4	11	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	Dec. 2,	13·6	.	10	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
	„ 9,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	Oct. 21,	12·4	5·3	7	1	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	.
	„ 28,	8·9	3·6	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	Nov. 4,	19·5	3·6	11	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	2	.	.
	„ 11,	10·7	1·8	6	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.
	„ 18,	17·8	1·8	10	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	.	.	2
	„ 25,	17·8	3·6	10	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	2	1	.
	Dec. 2,	21·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2	.
	„ 9,	12·4	1·8	7	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 17,227.	Oct. 21,	21·2	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	„ 28,	9·1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	Nov. 4,	12·1	3·0	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 11,	24·2	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	1
	„ 18,	9·1	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	„ 25,	15·1	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	Dec. 2,	15·1	6·1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 9,	6·1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Belfast. Pop. in 1911 (Est.) 386,449.	Oct. 21,	17·0	1·3	126	.	.	.	.	.	1	.	.	19	4	5	10	13	2	.	7	3	1
	„ 28,	16·7	1·3	124	.	.	.	.	1	3	.	.	16	3	3	6	17	2	1	3	6	.
	Nov. 4,	15·1	0·7	112	1	.	.	.	2	.	.	.	15	4	5	13	17	.	.	2	1	2
	„ 11,	15·7	1·1	116	1	.	.	.	2	2	2	.	12	8	3	8	15	.	.	1	3	.
	„ 18,	17·7	1·6	131	.	.	.	.	1	1	4	.	17	7	4	10	15	1	.	5	3	1
	„ 25,	17·3	1·9	128	.	.	.	.	2	5	.	.	8	11	7	9	17	1	1	5	8	.
	Dec. 2,	13·6	0·9	101	.	.	.	.	1	3	1	.	9	3	5	4	19	.	.	2	1	1
	„ 9,	16·1	0·9	119	.	.	.	.	1	2	2	.	19	2	5	10	17	.	.	2	3	1
Cork. Pop. in 1911 76,632.	Oct. 21,	26·5	2·0	39	.	.	.	1	.	.	1	.	7	1	2	6	2	1	.	.	.	1
	„ 28,	22·5	1·4	33	.	.	.	1	.	.	.	.	4	2	2	4	2	1	.	.	.	4
	Nov. 4,	22·5	3·4	33	.	.	.	2	.	.	.	.	5	2	1	2	1	2	.	1	.	6
	„ 11,	19·7	2·7	29	.	.	.	1	.	.	2	.	5	1	1	4	1	.	.	1	.	.
	„ 18,	25·9	4·8	38	.	.	.	2	.	.	2	.	6	2	3	1	4	2	1	.	1	1
	„ 25,	17·7	2·7	26	.	.	.	.	.	1	.	.	6	2	.	3	1	2	.	1	.	.
	Dec. 2,	25·9	2·7	38	.	.	.	1	.	1	1	.	7	1	2	4	2	1	.	.	2	2
	„ 9,	26·5	2·0	39	.	1	.	1	.	.	1	.	10	3	.	3	3	.	.	.	.	.
Londonderry. Pop. in 1911 40,799	Oct. 21,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 28,	8·9	2·6	7	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	1	.	.
	Nov. 4,	19·2	.	15	.	.	.	.	.	.	.	.	3	.	.	1	4	.	.	.	.	.
	„ 11,	15·3	1·3	12	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	.	.	.
	„ 18,	16·6	.	13	.	.	.	.	.	.	.	.	1	.	.	3	2	.	.	.	.	1
	„ 25,	5·1	.	4	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	.
	Dec. 2,	12·8	1·3	10	.	.	.	.	.	.	.	.	1	1	.	1	2	1	.	.	.	1
	„ 9,	19·2	1·3	15	.	.	.	.	1	.	.	.	4	1	1	1	5	.	.	.	.	.
Limerick. Pop. in 1911 38,403.	Oct. 21,	20·4	1·4	15	.	.	.	.	.	.	.	.	3	1	2	.	3	1	.	.	.	1
	„ 28,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3
	Nov. 4,	17·7	.	13	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	.	4
	„ 11,	8·1	.	6	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.
	„ 18,	9·5	1·4	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1
	„ 25,	10·9	1·4	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1
	Dec. 2,	12·2	1·4	9	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	1
	„ 9,	16·3	.	12	.	.	.	.	.	.	.	.	2	1	1	2	1	.	.	.	.	2
Waterford Pop. in 1911 27,430.	Oct. 21,	26·6	1·9	14	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	1	1	1
	„ 28,	9·5	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	Nov. 4,	19·0	5·7	10	.	.	.	.	.	.	1	.	.	1	.	.	1	1	1	.	1	1
	„ 11,	15·2	.	8	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1
	„ 18,	13·3	1·9	7	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.	.
	„ 25,	15·2	1·9	8	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	1
	Dec. 2,	20·9	3·8	11	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
	„ 9,	20·9	.	11	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	1	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 9th December, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised).	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.			The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																												
BELFAST URBAN No. 1 DISTRICT,	385,492	10			6	2	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.
Do. 2 do.		24			16	5	1	2	3	1	4	.	.	.	.	.	.	.	.	4	.	.	1	.	.	.	1	.	.	5	.
Do. 3 do.		18			13	3	1	3	3	2	1	.	.	.	.	.	1	.	.	4	1	.	1	3	.	.	.	.	.	3	.
Do 4 do.		20			14	3	.	1	4	5	1	.	.	.	.	.	.	.	.	5	.	.	.	3	.	.	.	2	2	3	.
Do. 5 do.		15			5	.	1	1	.	3	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	3	.
Do. 6 do.		16			12	.	.	3	1	3	5	.	.	.	.	1	.	.	.	.	.	2	2	.	.	.	.	1	1	1	.
Do. 7 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		4			2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		13			7	3	1	1	1	1	.	.	.	.	.	.	1	.	.	3	.	.	2	.	.	.	.	.	1	.	1
Do. 10 do.		18			11	.	.	.	1	7	3	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	1	3	.
Do. 11 do.		20			11	3	2	.	2	2	2	.	.	.	.	.	.	1	.	.	1	.	1	3	.	.	.	.	.	2	.
Do. 12 do.		14			9	1	1	1	3	1	2	.	.	.	.	.	.	.	.	.	.	1	3	2	.	.	.	.	1	3	.
Do. 13 do.		10			7	.	1	.	2	.	4	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	1	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		12			6	2	.	2	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	2	.
Total,	—	195			119	22	9	14	21	29	24	.	.	.	.	1	2	2	.	19	2	5	10	17	.	.	2	3	6	27	1
City of Cork.			The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																												
CORK URBAN No. 1 DISTRICT,	76,632	12			3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 2 do.		7			10	1	3	3	1	2	.	.	1	.	.	.	.	1	.	3	.	.	1	.	.	.	.	.	1	4	.
Do. 3 do.		1			3	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	1	.
Do. 4 do.		4			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do.		8			6	.	1	.	1	2	2	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	.	.	4	.
Do. 6 do.		2			8	.	1	1	2	3	1	.	.	.	.	.	.	.	.	4	.	.	.	3	.	.	.	.	.	6	.
Do. 7 do.		10			8	1	1	1	1	1	3	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	5	.
Total,	—	44	26·5	2·0	39	2	8	6	5	11	7	.	1	.	1	.	.	1	.	10	3	.	3	8	.	.	.	.	1	20	.

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	June 17.	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct 14	Oct. 21.	Oct 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.
No. of weeks in Annual Series,	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
BIRTHS registered, ...	258	201	264	213	207	268	236	203	225	215	220	197	215	183	184	184	184	198	194	199	206	204	187	195	191	195
DEATHS registered, ...	107	82	116	92	123	121	105	123	121	139	132	138	146	122	150	125	128	118	126	124	112	116	131	128	101	119
Annual Death rate per 1,000 of estimated population, ...	14·4	11·1	15·7	12·4	16·6	16·3	14·2	16·6	16·3	18·8	17·8	18·6	19·7	16·5	20·2	16·9	17·3	15·9	17·0	16·7	15·1	15·7	17·7	17·3	13·6	16·1
AGES, Under 1 year, ...	23	16	18	11	25	32	38	39	45	44	36	52	49	43	53	35	26	21	24	22	20	19	30	28	19	22
1—5 years, ...	10	7	9	7	9	11	8	12	11	11	8	6	16	11	19	17	16	17	6	7	11	8	16	15	10	9
5—25 ,, ...	16	7	16	15	16	14	11	7	14	15	18	11	10	8	12	7	13	9	17	17	12	16	16	10	11	14
25—45 ,, ...	22	18	20	21	25	22	13	21	11	17	19	24	21	17	15	22	22	18	20	16	18	19	14	17	13	21
45—65 ,, ...	20	20	37	25	29	23	17	23	23	28	31	27	29	21	31	20	28	28	29	37	24	28	31	31	18	29
65 and upwards, ...	16	14	16	13	19	19	18	21	17	24	20	18	21	22	20	24	23	25	30	25	27	26	24	27	30	24
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	1	.	.	1	1	2	1	2	.	.	.	2	.	.	.	1	1	.	.	.	.
Typhus, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	.	.	1	1	.	.	.	1	.	.	.	1	1	.	2	1	1	.	1	2	2	1	2	1	1
Whooping-cough, ...	4	.	1	.	1	1	1	2	1	.	1	.	1	2	2	1	1	2	1	3	.	2	1	5	3	2
Diphtheria, ...	.	.	.	1	.	2	.	2	.	1	.	.	.	.	.	1	.	1	.	.	.	2	4	.	1	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	13	13	23	16	18	20	10	13	9	6	19	17	11	10	8	8	13	11	19	16	15	12	17	8	9	19
Tuberculous Disease. Other Forms,	10	2	2	5	8	6	5	7	3	7	5	3	7	5	8	5	10	5	4	3	4	8	7	11	3	2
Cancer, ...	6	6	7	4	6	3	3	9	4	4	1	7	4	6	8	6	6	6	5	3	5	3	4	7	5	5
Diseases of Respiratory System, Pneumonia,	9	5	5	7	2	4	6	2	3	9	3	4	7	3	6	8	7	7	10	6	13	8	10	9	4	10
Diseases of Respiratory System, Others, ...	13	10	8	11	14	10	3	4	5	6	5	1	9	6	9	4	10	7	13	17	17	15	15	17	19	17
Diarrhœa, Under 2 years, ...	1	1	2	1	6	10	14	9	19	17	15	21	26	20	27	15	10	5	2	2	.	.	1	1	.	.
Diarrhœa, 2 years & upwards	.	3	.	.	.	.	1	4	4	3	5	6	7	4	1	2	2	.	.	1	.	.	.	1	.	.
Enteritis, under 2 years, ...	.	1	1	1	3	8	9	12	19	10	13	22	11	11	20	9	6	8	7	3	2	1	5	5	2	2
Violent Deaths, ...	3	1	4	.	3	5	3	2	2	6	4	5	3	2	1	2	2	3	3	6	1	3	3	8	1	3
Number of Uncertified Deaths, ...	.	3	3	.	1	.	2	.	1	1	2	.	.	.	1	1	.	4	1	.	2	.	1	.	1	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	Dec. 9,	2,001	1,239	14·3	2	.	9	3	7	14	11*a*
Edinburgh, ...	320,829	„ 9,	128	87	14·1	.	.	.	.	1	1	.
Glasgow, ...	784,621	„ 9,	384	257	17·1	5	.	7	1	3	2	3
Calcutta, ...	890,493	Nov. 4,	.	502	29·3	119*	.	1	.	3	2	99‡
Bombay, ...	977,822	„ 4,	448	618	32·9	78*	.	.	.	.	.	57
Madras, ...	509,346	Oct. 14,	471	370	37·7	84*	2	.	?	?	?	81‡
Cairo, ...	693,806	„ 14,	610	501	37·7	2	.	3	1	.	23†	121
Paris, ...	2,846,986	Nov. 11,	842	787	14·9	8	.	2	1	1	5†	21*a*
Brussels, ...	705,295	„ 18,	239	162	11·9	.	.	.	2	.	.	6
Antwerp, ...	320,640	„ 18,	122	66	10·7	.	.	.	2	.	.	6*a*
Amsterdam, ...	579,705	„ 18,	227	142	12·7	.	.	.	.	.	1†	1
Copenhagen, ...	462,132	„ 18,	200	113	12·7	.	.	.	2	3	1†	2
Stockholm, ...	343,832	„ 11,	131	64	9·7	.	.	.	.	.	1†	1
Christiania, ...	244,038	„ 25,	112	60	12·8	.	.	3	1	1	1†	2
St. Petersburg, ...	1,639,266	„ 4,	919	542	17·2	11	.	18	4	8	5†	44
Moscow, ...	1,493,600	„ 4,	.	592	20·7	3	2	14	18	4	19†	54
Berlin, ...	2,075,222	„ 4,	761	559	14·0	2	.	1	12	2	29†	26
Hamburg, ...	931,035	„ 18,	.	258	14·4	.	.	5	6	3	27†	10
Breslau, ...	523,079	„ 18,	.	149	14·9	1	.	.	1	.	.	14
Munich, ...	597,000	„ 25,	.	155	13·5	1	.	1	.	.	3†	8
Vienna (with suburbs),	2,064,583	„ 18,	722	605	15·2	2	.	4	1	.	6†	34*a*
Buda-Pesth, ...	891,585	„ 18,	386	331	19·3	3	.	7	6	.	2†	12*a*
Prague and Faubourgs,	508,310	„ 4,	149	184	18·8	2	.	1	1	1	1†	8*a*
Trieste, ...	233,925	„ 18,	93	82	18·3	.	.	2	.	.	.	4*a*
Rome, ...	602,068	Aug. 26,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Sept. 2,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	Oct 28,	2,441	1,157	12·1	13	.	4	3	4	17†	51*a*
Philadelphia, ...	1,580,250	„ 14,	.	471	15·5	5	.	.	1	1	11†	31*a*
Boston ...	686,912	Nov. 18,	.	185	14·0	3	.	1	1	2	3	7

* Deaths from "fever," including 10 deaths from enteric fever and 6 from plague in Calcutta, and one from enteric fever and 6 from plague in Bombay.

† Including deaths from croup.

‡ Including 48 deaths from cholera in Calcutta, and 10 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending December 9th, 1911

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	2	.	.	.	.	2
„ „ 1, West, ...	.	1	.	.	.	.	.	.	.	.	.	.	1
„ „ 2, ...	.	3	.	.	.	.	1	.	1	.	.	1	6
„ „ 3, ...	.	4	.	.	4	.	1	.	2	.	.	2	13
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	5	.	.	.	.	.	1	.	.	.	.	6
Finglas and Glasnevin (part of), ...	.	5	.	.	2	.	.	1	.	.	.	.	8
South City No. 1, ...	.	3	.	.	2	.	.	1	6	.	.	2	14
„ „ 2, ...	.	2	.	.	.	.	.	1	.	.	.	.	3
„ „ 3, ...	.	4	.	.	3	.	.	1	3	.	.	2	13
„ „ 4, ...	.	.	.	.	2	.	.	.	.	.	.	1	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	1	.	.	.	1
Total, ...	.	27	.	.	13	.	2	7	13	.	.	8	70

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 9th December, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 9th December.			
	Nov. 18.	Nov. 25.	Dec. 2.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	23	16	16	8	7	.	17
Scarlet Fever, ...	189	197	197	47	39	2	203*
Typhus, ...	4	4	2	.	.	.	2
Diphtheria, ...	75	67	65	19	21	1	62
Enteric Fever, ...	91	74	77	9	15	1	70
Pneumonia, ...	18	20	25	7	11	1	20

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 9th December, 1911:—

"'Atlantic' weather prevailed throughout this week. Whereas an anticyclone, in the central area of which the barometer stood above 30·9 inches from Monday to Thursday, covered Russia, Sweden, and Central Europe, large and very deep depressions moved northwards or north-eastwards across the Atlantic Ocean outside the British and Norwegian coasts. One of these systems had its centre over the south of Iceland early on Sunday morning, when the barometer read 28·04 inches at Reykjavik. The forenoon of that day was fair and bright in Dublin, but rain fell in the afternoon, as a secondary depression passed north-eastwards across the British Isles. Monday again was fair at first, but the barometer fell fast in the afternoon, when a new and deep depression approached the West of Ireland from the ocean. This system caused rain and storm all over the United Kingdom as it travelled northeastwards along the western shores of these Islands. At 7 a.m. of Tuesday the barometer was down to 28·76 inches at Malin Head, while it stood at 30·64 inches at Haparanda on the Gulf of Bothnia. From Donegal this disturbance travelled north-westwards to eastern Iceland. The weather again became rough and wet on Wednesday evening, and Thursday found another deep primary depression centred near the S.W. of Iceland, while a V-shaped secondary stretched the whole length of Great Britain to the Bay of Biscay and Spain. In Ireland bright weather prevailed, but rain had fallen in large quantities during the previous night—1·53 inches at Blacksod Point and 1·17 inches at Valentia. Yet another deep cyclonic system arrived over Ireland on Friday, once more throwing the weather into a most unsettled state. Saturday was fair to cloudy and in the evening showery. In Dublin the mean height of the barometer was 29·515 inches, atmospheric pressure ranging from 29·910 inches at 9 a.m. of Wednesday (wind, S.S.E.) to 29·055 inches at 4 p.m. of Friday (wind W.S.W.). The corrected mean temperature was 41·6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 40·5°. On Sunday the screened thermometers rose to 49·4°; on Wednesday they sank to 34·6°. S.W. winds—strong to a gale at times—prevailed. Rain fell daily to the amount of 1·033 inches, of which ·359 inch was recorded on Wednesday. Sheet lightning was seen to S. on Saturday evening."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·340 inches. The highest reading (29·722) was on Wednesday at 9 a.m., wind W.S.W. the lowest (28·937) on Friday at 9 p.m., wind W.S.W.

The mean temperature for the week was 39·1°, being 3·1° below the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Tuesday, on which day the thermometer registered 49·7°, and was lowest on Wednesday, the mercury having fallen to 26·7°. The mean of the Dry Bulb for the week was 39·3° and of the Wet Bulb, 37·6°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The rainfall during the week measured 0·625 inch.

At Greenwich the mean temperature for the week was 41·3°, the maximum 53·8°, and the minimum 28·9°; and at Edinburgh the maximum was 50·7°, the minimum 31·9°, and the mean 38·8°. The rainfall at Greenwich measured 1·07 ins.; and at Edinburgh 0·32 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, December 3,	29·483	48·7	32·1	40·4	38·8	37·5	·91	·7	3·2	·050	S.W.	Calm.
Monday, " 4,	29·376	47·1	30·3	38·7	40·9	39·3	·87	·0	4·3	·085	W.S.W.	S.S.E.
Tuesday, " 5,	29·360	49·7	35·3	42·5	38·6	37·2	·88	·1	0·1	·005	S.W.	W.S.W.
Wednesday, " 6,	29·435	46·6	26·7	36·7	42·1	39·4	·80	·4	3·8	·220	W.S.W.	S.
Thursday, " 7,	29·471	45·9	32·1	39·0	35·3	34·1	·89	·5	5·8	·015	W.S.W.	W.S.W.
Friday, " 8,	29·047	47·3	30·0	38·7	39·9	38·3	·88	·6	0·0	·000	S.	W.S.W.
Saturday, " 9,	29·[illegible]07	42·7	32·8	37·8	39·2	37·3	·86	·5	5·7	·250	W.S.W.	S.S.W.
Mean, ...	29·340	46·9	31·3	39·1	39·3	37·6	·87	·4	Total 22·9	Total ·625	Prevailing Wind, W.S.W.	

Sunday—Day cloudy, showers at intervals from 3.30 to 8 p.m.; night cloudy, drizzling from 2,25 to 3.5 a.m. *Monday*—Day bright a.m., cloudy to overcast, p.m., rain from 6 p.m. to 9 p.m.; night overcast to clear, rain 9 p.m. to 10.30 p.m. *Tuesday*—Day overcast; drizzling rain from 9 to 10 a.m.; night clear. *Wednesday*—Day bright a.m., cloudy to overcast p.m.; drizzling rain from 5.30 to 9 p.m.; night overcast to clear; drizzling 9 p.m. to 12.20 a.m. *Thursday*—A beautiful bright day; night cloudy, rain 7 to 8.15 a.m. *Friday*—Day overcast; night cloudy. *Saturday*—A beautiful bright day; night cloudy, rain from 3 to 9 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, December 9th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, December 3,	47·0	44·0	46·6	52·0	36·5	44·3	3·0	·015
Monday, " 4,	37·0	43·0	46·6	52·0	36·6	44·3	3·0	·232
Tuesday, " 5,	42·8	42·6	46·4	50·2	37·0	43·6	—	·012
Wednesday, " 6,	40·0	41·6	46·4	47·4	33·3	40·4	2·2	·272
Thursday, " 7,	37·3	41·4	46·1	47·3	34·5	40·9	3·8	·001
Friday, " 8,	43·7	40·6	46·0	47·5	32·9	40·2	—	·092
Saturday, " 9,	36·8	40·6	45·9	46·6	38·7	42·7	4·4	·215
Weekly Mean, .	40·7	42·0	46·3	49·0	35·6	42·3	Total 16·4	Total ·839

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31623. Wt. P. 846-99/138. 375. 11. 1911. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 16TH DECEMBER, 1911. [No. 50.

General Register Office, Charlemont House, Dublin, 18*th December,* 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Nov. 25	Dec. 2	Dec. 9	Dec. 16	Average Rate for 4 weeks.	Towns, &c.	Week ending Nov. 25	Dec. 2	Dec. 9	Dec. 16	Average Rate for 4 weeks.
22 Town Districts, ...	**18·0**	**18·3**	**17·7**	**20·9**	**18·7**	Limerick	10·9	12·2	16·3	21·7	15·3
						Lisburn	21·4	34·3	25·7	17·1	24·6
Armagh	27·5	6·9	20·6	6·9	15·5	Londonderry	5·1	12·8	19·2	11·5	12·2
Ballymena	27·5	27·5	22·9	27·5	26·3	Lurgan	30·1	21·5	25·8	8·6	21·5
Belfast	17·3	13·6	16·1	20·5	16·9	Newry	34·9	17·4	13·1	39·3	26·2
Clonmel	10·1	.	20·3	5·1	8·9	Newtownards	17·2	11·4	5·7	5·7	10·0
Cork	17·7	25·9	26·5	35·4	26·4	Portadown	8·9	13·3	22·2	8·9	13·3
Drogheda	21·0	25·2	16·8	8·4	17·9	Queenstown	6·6	19·8	13·2	13·2	13·2
Dublin Reg. Area ...	20·3	21·6	18·6	22·0	20·6	Sligo	4·7	65·4	4·7	.	18·7
Dundalk	7·9	15·9	7·9	15·9	11·9	Tralee	10·6	15·9	10·6	21·1	14·6
Galway	23·6	3·9	7·9	15·7	12·8	Waterford	15·2	20·9	20·9	22·8	19·9
Kilkenny	34·7	9·9	.	5·0	12·4	Wexford	18·2	22·8	22·8	31·9	23·9

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in fifteen of the districts to 4·4 in Portadown, one of the 2 deaths from all causes for that district being from *enteritis* of a child under 2 years of age. Among the 152 deaths from all causes for Belfast are 2 from scarlet fever, 3 from whooping-cough, one from diphtheria, and 2 from diarrhœa and *enteritis* of children under 2 years of age. Included in the 52 deaths from all causes for Cork are 2 from measles and 2 from diarrhœa of children under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 266—136 boys and 130 girls—and the deaths to 180—89 males and 91 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 22·0 per 1,000 of the population. During the fifty weeks ending with Saturday last the death-rate averaged 21·4, and was 1·0 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 180, represent an annual rate of 23·2 per 1,000; the annual rate for the past fifty weeks was 22·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·4 per 1,000 of the mean population for all deaths registered.

The total mortality included 3 deaths from enteric fever, 5 from measles, one from scarlet fever, 3 from whooping-cough, 4 from diphtheria, one from influenza, and 3 from diarrhœa of children under 2 years of age.

In each of the 3 weeks preceding, deaths from enteric fever were 2, one, and one; deaths from measles were 4, 3, and one; deaths from scarlet fever were 2, one, and one; deaths from whooping-cough were 3, 3, and 3; deaths from diphtheria were 0, 3, and one; deaths from influenza were 0, one, and 2; and deaths from diarrhœa and *enteritis* of children under 2 years were 7, 6, and 5.

Tuberculosis caused the deaths of 21 persons, namely:—12 from pulmonary tuberculosis, 2 from tuberculous meningitis, 3 from abdominal tuberculosis, 2 from tuberculosis of the vertebral column, and 2 from hip joint disease. Deaths from tuberculosis in the 3 preceding weeks numbered 30, 23, and 29 respectively.

There were 7 deaths from broncho-pneumonia, and one death from *pneumonia* (type not distinguished).

Of 5 deaths from *convulsions*, 3 were of infants under one year, and 2 were between the ages of one year and 2 years.

Eighteen deaths were caused by organic diseases of the heart, and bronchitis caused the deaths of 30 persons.

Prematurity accounted for 8 deaths of infants, 2 died from congenital defects, and one from congenital debility.

There were 3 accidental deaths, including one of a child aged 5 years from burning, and one death was assigned to homicide.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 infants under one year of age, and the death of one person aged 68 years.

Fifty-four of the persons whose deaths were registered during the week were under 5 years of age (34 being infants under one year, of whom 16 were under one month old) and 44 were aged 65 years and upwards, including 34 persons aged 70 and upwards; among the latter were 20 aged 75 and upwards, of whom 3 (males) were stated to have been aged 93, 96, and 100 years respectively.

Sixty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 5 took place in the North Dublin Union Workhouse, and 21 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·0 per 1,000; the rate in the City was 23·1 (North City Districts, 20·4; South, 25·9) and in the Suburbs, 18·3.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·5 per 1,000 inhabitants, the rate for the City being 3·0 (3·3 in the North City Districts, and 2·8 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (15) are equal to an annual rate of 26·2 per 1,000, and include 2 from measles, one from each of scarlet fever, whooping-cough, and influenza, 2 from tuberculous disease, one from broncho-pneumonia, 2 from bronchitis, and one death from an accidental fall.

No. 1 *North City District, West* (Summer-hill).—The deaths (14) are equal to an annual rate of 18·3 per 1,000. Whooping-cough and diphtheria each caused one death, there was one death from pulmonary tuberculosis, one death from broncho-pneumonia, one death from bronchitis, and one death by homicide.

No. 2 *North City District* (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 23·8 per 1,000 Whooping-cough and diphtheria each caused one death, there was one death from diarrhœa of a child under 2 years of age, there were 3 deaths from tuberculous disease, and 5 deaths from diseases of the respiratory system (exclusive of pneumonia).

No. 3 *North City District* (Benburb-street).—The deaths (10) represent an annual rate of 15·6 per 1,000. The deaths included one from measles, 2 from pulmonary tuberculosis, one from broncho-pneumonia, and one death from accidental burns.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 27·0; and Finglas and Glasnevin, part of, 6·8. The 2 deaths from all causes for Clontarf and Howth, No. 1, part of, comprise one from bronchitis and one from an accident. Of the 6 deaths from all causes for Coolock and Drumcondra, part of, one was from pulmonary tuberculosis; and the one death for Finglas and Glasnevin, part of, was from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (20) represent an annual rate of 25·2 per 1,000, and include one death from enteric fever, 2 deaths from diphtheria, one death from diarrhœa of a child under 2 years of age, 2 deaths from pulmonary tuberculosis, one death from broncho-pneumonia, and 4 deaths from other diseases of the respiratory system.

No. 2 *South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 26·4 per 1,000. Among the deaths 3 were caused by bronchitis and one by diarrhœa of a child under 2 years of age.

No. 3 *South City District* (Peter-street).—The deaths (27) are equal to an annual rate of 32·6 per 1,000. There was one death from enteric fever, there were 2 deaths from measles, one from pulmonary tuberculosis, one from broncho-pneumonia, and 7 from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 18·9 per 1,000. The deaths included 3 from tuberculous disease and 3 from bronchitis.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 23·0 per 1,000. There was no death from any of the principal epidemic diseases or from tuberculous disease registered in this district during the week under notice.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 19·0; Pembroke, 19·5; Blackrock, 11·5; and Kingstown, 18·2. The only death from any of the principal epidemic diseases tabulated for these districts was one from enteric fever for Rathmines and Rathgar. Of the 14 deaths from all causes for Rathmines and Rathgar 3 were from tuberculous disease, one from *pneumonia* (type not distinguished), and 2 from bronchitis. Of the 11 deaths from all causes for Pembroke 2 were from tuberculous disease, one from broncho-pneumonia, and 2 from bronchitis. Of the 2 deaths from all causes for Blackrock one was from abdominal tuberculosis; and one of the 6 deaths from all causes for Kingstown was from bronchitis.

* See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 16th December, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Nov. 25,	.	—	—	33	1	.	4	.	2	8	13	.	—	—	.	—	15	—	76
	Dec. 2,	.	—	—	33	1	.	20	.	2	12	9	.	—	—	.	—	16	—	93
	Dec. 9,	.	—	—	27	.	.	13	.	2	7	13	.	—	—	.	—	8	—	70
	Dec. 16,	.	—	—	30	3	.	23	.	3	6	6	.	—	—	.	—	15	—	86
Rathmines and Rathgar Urban District.	Nov. 25,	.	—	—	1	.	.	3	.	.	.	.	.	.	—	—	—	—	—	4
	Dec. 2,	.	—	—	3	.	.	2	.	.	.	.	.	.	—	—	—	—	—	5
	Dec. 9,	.	—	—	5	.	.	2	.	.	.	.	.	.	—	—	—	—	—	7
	Dec. 16,	.	—	—	11	.	.	1	.	.	2	1	.	.	—	—	—	—	—	15
Pembroke Urban District.	Nov. 25,	.	.	.	.	.	.	.	.	.	.	.	.	5	4	.	—	.	—	9
	Dec. 2,	.	1	.	.	.	.	.	1	.	.	1	.	5	1	.	—	.	—	9
	Dec. 9,	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	—	.	—	3
	Dec. 16,	.	.	.	3	.	.	.	.	.	.	2	.	.	.	.	—	.	—	5
Blackrock Urban District.	Nov. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 9,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Dec. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Nov. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Dec. 2,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	2	—	4
	Dec. 9,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Dec. 16,	.	—	—	3	.	.	.	.	.	1	.	.	—	—	—	—	3	—	7
City of Belfast.	Nov. 25,	.	—	—	13	.	.	2	.	.	.	4	.	—	—	.	—	17	—	36
	Dec. 2,	.	—	—	23	.	.	12	.	.	.	7	.	—	—	.	—	15	—	57
	Dec. 9,	.	—	—	25	.	.	9	.	.	2	3	.	—	—	.	—	11	—	50
	Dec. 16,	.	—	—	11	3	.	12	.	1	1	2	.	—	—	.	—	9	—	39

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 16th December, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Seven cases of measles were admitted to hospital during the week, 4 were discharged, there were 2 deaths, and 18 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 16, 16, and 17, respectively.

Thirty-two cases of scarlet fever were admitted to hospital, 42 were discharged, there were 2 deaths, and 191* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 197, 197, and 203, respectively.

Four cases of typhus were admitted to hospital during the week, and 6 cases remained under treatment at its close.

Thirteen cases of diphtheria were admitted to hospital during the week, 8 were discharged, and there were 4 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 67, 65, and 62, respectively, were 63 at the close of last week.

Eleven cases of enteric fever were admitted to hospital during the week, 12 were discharged, there were 2 deaths, and 67 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 74, 77, and 70.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 5 were discharged, and 24 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London, in which the rate was 16·0) was equal to an average annual death-rate of 16·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·9 per 1,000, the rate for Glasgow being 18·4 and for Edinburgh 15·1.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 16th December. From this Report it appears that of a total of 95 cases notified, 44 were scarlet fever, 28 phthisis, 14 diphtheria, 7 erysipelas, and 2 enteric fever. Among the 416 cases of infectious diseases in hospital at the close of the week were 166 cases of scarlet fever, 91 of diphtheria, 58 of phthisis, 39 of measles, 33 of whooping-cough, 14 of erysipelas, and 7 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 16th December, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 16th December, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 9th December, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 2nd December, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
TOTAL OF 22 TOWN DISTRICTS, ..	1,149,495	20·2	27·9	20·9	1·6	615	461	77	115	3	...	...	7	3	6	5	...	44	25	16	32	73	6	...	5	9	13	135	21	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	403,732	29·3	34·4	22·0	2·5	266	170	32	43	3	...	...	5	1	3	4	...	12	9	6	7	32	3	...	...	4	6	56	5	e54·8	35·6	43·7	1·36	e49·7	26·7	39·1	0·63	e49·9	30·1	42·4	0·43
CITY OF DUBLIN,	309,738	39·2	38·2	23·1	3·0	227	137	31	32	2	...	...	5	1	3	4	...	10	5	5	5	27	3	...	...	4	5	50	5	f54·2 g54·5	37·0 35·0	44·2 43·1	1·71 1·44	f49·4 g50·9	34·6 29·8	41·6 39·8	1·03 0·68	f55·0 g55·1	36·5 30·0	44·6 43·2	0·37 0·37
Urban Districts. RATHMINES AND RATHGAR.	38,330	22·4	20·4	19·0	1·4	15	14	...	5	1	...	...	...	...	...	...	...	2	1	...	1	2	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE ...	29,347	18·5	19·5	19·5	.	11	11	1	3	...	...	...	...	...	...	...	...	...	2	...	1	2	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,090	8·4	11·5	11·5	.	2	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN. ...	17,227	11·8	33·3	18·2	.	11	6	...		...	...	...	...	...	...	...	...	...	...	1	..	1	...	...	...	...	1	...	...	54	38	44·4	0·97	50	34	41·3	1·55	53	37	45·3	0·42
Urban Districts. BELFAST ...	386,449	26·3	25·8	20·5	1·1	191	152	22	26	...	...	...	...	2	3	1	...	19	9	6	13	19	1	...	1	4	6	41	3	48·0	32·0	40·2	1·83	50·0	29·5	39·0	1·72	52·5	32·0	43·0	0·47
CORK, ...	76,632	33·8	16·3	35·4	2·7	24	52	13	13	...	...	...	2	...	...	...	...	5	5	...	8	7	2	...	...	1	...	18	2	51	38	45·1	1·79	49	34	42·7	2·40	51	34	43·4	0·74
LONDONDERRY...	40,799	18·9	32·0	11·5	.	25	9	2	2	...	...	...	...	...	...	...	...	2	...	...	1	.	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,403	18·2	10·9	21·7	.	8	16	1	5	...	...	...	...	...	...	...	...	3	...	...	...	5	...	...	...	...	...	5	4	52·6	35·0	42·6	0·99	48·7	33	40·7	1·68	52·1	27·9	40·7	0·41
WATERFORD, ...	27,430	19·1	17·1	22·8	1·9	9	12	3	7	...	...	...	...	...	...	...	...	2	...	1	...	1	...	...	1	...	1	6	2	...	...	...	...	...	...	...	...	...	..	...	...
GALWAY, ...	13,249	2·5	19·7	15·7	.	5	4	...	2	...	...	...	...	...	...	...	...	...	...	1	1	2	...	...	...	...	...	...	1	50	32	41	1·32	52	30	40	1·42	50	29	40	0·28
DUNDALK, ...	13,128	9·5	11·9	15·9	4·0	3	4	1	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	29·4	8·4	.	7	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY. ...	11,956	17·2	26·2	39·3	.	6	9	...	4	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	3	...	50·1	35·5	42·0	1·76	47·2	32·0	38·5	1·47	52·0	32·0	42·0	0·30
LURGAN, ...	12,135	14·3	21·5	8·6	.	5	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	50·1	35·5	42·0	1·76	47·2	32·0	38·5	1·47	52·0	32·0	42·0	0·30
LISBURN, ...	12,172	10·7	12·9	17·1	4·3	3	4	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	50·1	35·5	42·0	1·76	47·2	32·0	38·5	1·47	52·0	32·0	42·0	0·30
WEXFORD. ...	11,455	23·8	22·8	31·9	.	5	7	...	4	...	...	...	...	...	...	...	...	1	1	...	...	2	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ...	11,376	9·3	123·8	27·5	.	27	6	1	2	...	...	...	...	...	...	...	...	...	...	...	1	1	..	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	18·7	.	.	4	.	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	52·5	30·5	41·1	2·33	49·4	30·6	38·8	1·79	55·9	28·3	40·6	0·46
KILKENNY, ...	10,513	11·4	9·9	5·0	.	2	1	...	1	...	...	...	...	...	...	...	...	...	..	...	...	1	...	...	...	...	...	...	...	52	33	43·1	2·15	49	26	37·8	1·89	52	29	40·6	0·43
CLONMEL, ...	10,277	7·9	20·3	5·1	.	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	31·1	8·9	4·4	7	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	50·1	35·5	42·0	1·76	47·2	32·0	38·5	1·47	52·0	32·0	42·0	0·30
TRALEE. ...	9,867	16·6	15·9	21·1	.	3	4	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	28·6	5·7	.	5	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	52	34	43·1	1·81	48	32	39·7	1·63	52	35	43·8	0·56
QUEENSTOWN, ...	7,909	14·4	33·0	13·2	.	5	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	51	38	45·1	1·79	49	34	42·7	2·40	51	34	43·4	0·74
ARMAGH. ...	7,588	22·2	6·9	6·9	.	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	50·1	35·5	42·0	1·76	47·2	32·0	38·5	1·47	52·0	32·0	42·0	0·30

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 10 deaths of persons (including 2 under one year old and one at 71 years) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observation by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 16th of December, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN. REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	3	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	5	.
Scarlet Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Diphtheria,	.	1	1	.	.	.	.	2	.	.	.	.	.	.		.	4	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Pulmonary Tuberculosis,	.	1	1	2	.	1	.	2	.	1	2	.	2	.	.	.	12	.
Tuberculous Disease, Other Forms,	2	.	2	.	.	.	.	.	.	.	1	.	1	2	1	.	9	.
Cancer,	.	.	1	.	.	1	.	.	1	.	2	.	.	.	.	1	6	1
Diseases of Nervous System,	.	1	1	.	.	1	.	3	4	3	1	.	1	.	.	.	15	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1
" Circulatory System,	2	1	1	2	.	1	.	2	1	3	2	1	3	.	.	1	20	2
" Respiratory System. Pneumonia,	1	1	.	1	.	.	.	1	.	1	.	.	1	1	.	.	7	1
" Respiratory System. Others,	2	1	5	.	1	.	1	4	3	7	3	.	2	2	.	1	32	1
" Digestive System. Diarrhœa, under 2 years,	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	3	.
" Digestive System. Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. *Enteritis*, under 2 years,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
" Digestive System. Others,	.	.	.	.	.	1	.		.	3	.	.	.	1	.	.	5	1
" Genito-urinary System,	.	.	.	1	.	.	.	1	.	.	.	1	.	2	1	.	6	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	4	.	2	.	.	.	3	1	4	1	2	2	3	.	3	27	2
Violent Deaths,	1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	4	.
Ill-defined, &c. Causes,	.	2	.	.	.	1	.	.	.	.	1	.	1	.	.	.	5	.
Deaths from All Causes	15	14	14	10	2	6	1	20	11	27	13	4	14	11	2	6	170	10
Annual Rate of Mortality from All Causes in every 1,000 of the population.	26·2	18·3	23·8	15·6	19·4	27·0	6·8	25·2	26·4	32·6	18·9	23·0	19·0	19·5	11·5	18·2	22·0	.
	20·4							25·9					18·3					
	23·1																	
Ages at Death. Under 1 year,	5	5	3	2	.	1	1	5	3	3	2	1	.	1	.	.	32	2
1 and under 2 years,	2	3	.	1	.	.	.	1	1	3	.	.	1	1	.	.	13	.
2 " 5 "	1	2	2	.	.	.	.	1	.	.	.	.	.	1	.	.	7	.
5 " 15 "	2	.	1	1	.	.	.	1	.	1	1	.	2	1	.	.	10	.
15 " 25 "	1	.	1	.	.	.	.	1	.	1	.	.	1	1	1	.	7	1
25 " 45 "	.	2	1	4	.	1	.	2	3	4	3	1	1	2	.	2	26	5
45 " 65 "	2	.	3	.	.	2	.	3	1	7	6	1	4	1	1	1	32	1
65 and upwards,	2	2	3	2	2	2	.	6	3	8	1	1	5	3	.	3	43	1
Number of Uncertified Deaths,	.	4	.	.	.	1	.	.	.	.	.	.	.	.	.	.	5	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	2	3	2	1	3	.	5	1	5	1	.	3	3	.	.	31	9
Workhouse Hospitals,	1	1	3	.	.	.	.	3	3	10	4	.	.	.	.	.	25	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 50th Week of the 10 years 1901–1910.	In the Week ending Saturday, 16th December, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Dec. 14, 1901.	Dec. 13, 1902.	Dec. 19, 1903.	Dec. 17, 1904	Dec. 16, 1905.	Dec. 15, 1906.	Dec. 14, 1907.	Dec. 12, 1908.	Dec. 18, 1909.	Dec. 17, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 37·6	° 40·0	° 41·7	° 42·6	° 43·0	° 37·3	° 42·7	° 41·1	° 41·4	° 45·2	° 41·3	° 43·7										
ALL CAUSES.	138	219	193	197	148	171	180	179	158	165	174·8	180	16	18	13	7	10	8	31	33	24	20
Enteric Fever, ...	.	5	1	2	1	.	.	1	.	2	1·2	3	.	.	.	.	2	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	10	.	6	.	.	1	7	1	1	2·6	5	.	2	3	.	.	.	.	.	.	.
Scarlet Fever, ...	.	1	2	.	.	.	.	.	1	1	·5	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	1	.	4	.	2	4	1	3	2	1	1·8	3	.	1	2	.	.	.	.	.	.	.
Diphtheria, ...	.	1	2	.	1	5	3	1	2	3	1·8	4	.	.	1	2	1	.	.	.	.	.
Croup, ...	1	1	1	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	1	4	2	3	1	1	2	1	1	1·7	1	.	.	.	.	.	.	.	.	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	.	.	.	.	.	1	.	.
Other Epidemic Diseases, ...	.	.	.	.	1	.	1	1	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	1	.	.	1	.	.	.	.	1	·4	2	.	.	.	.	1	.	1	.	.	.
Tetanus, ...	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	15	18	16	30	9	15	18	23	15	14	17·3	12	1	.	.	.	.	2	5	3	1	.
Tuberculous Meningitis, ...	.	6	4	2	1	3	5	4	3	.	2·8	2	.	.	.	1	1	.	.	.	.	.
Abdominal Tuberculosis, ...	2	2	2	3	5	.	1	1	1	1	1·8	3	.	1	.	.	.	2	.	.	.	.
Tuberculosis of the Vertebral Column.												2	.	.	.	.	2	.	.	.	.	.
Tuberculosis of Joints, ...	2	4	9	10	9	2	7	7	2	3	5·5	2	.	.	.	.	2	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases, ...	1	.	.	4	2	1	2	1	2	1	1·4	1	.	.	.	.	.	.	1	.	.	.
Cancer, ...	6	9	14	6	11	7	7	5	8	4	7·7	7	.	.	.	.	.	.	1	2	4	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	1	3	2	.	.	1	.	·7	1	.	.	.	.	.	.	.	.	.	1
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	4	1	.	.	.	.	.	2	.	1	.
Alcoholism, ...	.	1	.	.	.	1	1	.	2	1	·6	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												4	.	.	.	.	.	.	2	1	1	.
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												4	.	.	.	.	.	.	1	2	1	.
Epilepsy, ...												2	.	.	.	.	.	.	1	.	.	1
Convulsions (non-puerperal),												5	2	1	2	.	.	.	.	.	.	.
Other Diseases of Nervous System.	37	42	54	45	35	44	30	40	35	38	39·5	1	.	.	.	.	.	.	1	.	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												1	.	.	.	.	.	1	.	.	.	.
Organic Diseases of the Heart,												18	.	.	.	.	.	2	3	7	3	3
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												3	.	.	.	.	.	.	1	2	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	19	37	26	26	16	24	37	31	23	25	26·4	30	1	5	1	1	.	1	4	7	8	2
Broncho-pneumonia, ...	12	11	4	5	5	8	11	5	10	9	15·5	7	.	3	2	1	.	.	.	.	1	.
Lobar-pneumonia, ...		.	.	2	.	1	1	1	3	4		.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)		11	3	3	3	6	11	6	6	14		1	.	.	1	.	.	.	.	.	.	.
Pleurisy, ...												2	.	.	.	.	.	.	1	1	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	5	4	6	.	1	2	3	3	7	3·2	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												1	.	.	.	.	.	.	.	1	.	.

FIFTIETH WEEK ending Saturday, 16th December, 1911, with, as far as practicable, the deaths from each cause in 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 50th Week of the 10 years 1901–1910.	In the Week ending Saturday, 16th December, 1911.										
												Deaths of Persons of the Ages of										
	Dec. 14, 1901.	Dec. 13, 1902.	Dec. 19, 1903.	Dec. 17, 1904.	Dec. 16, 1905.	Dec. 15, 1906.	Dec. 14, 1907.	Dec. 12, 1908.	Dec. 18, 1909.	Dec. 17, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 37·6	° 40·0	° 41·7	° 42·6	° 43·0	° 37·3	° 42·7	° 41·1	° 41·4	° 45·2	° 41·3	° 43·7										
Diseases of the Pharynx, Tonsillitis.	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	.	1	.	.	.	.	.	.	.	1	.	.
Diarrhœa of Children under 2 years.	.	5	1	3	1	4	2	1	1	2	2·0	3	.	2	1	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	.	1	3	.	1	2	3	2	3	1	1·6	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												1	.	.	.	.	.	.	.	.	.	1
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	3	3	1	.	1	1	1	1	1	.	1·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...		2	2	1	1	.	.	.	.	.		2	.	.	.	.	.	.	.	.	.	2
Peritonitis (cause unknown),	1	1	.	.	1	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	2	7	7	5	2	8	5	8	5	3	5·2	2	.	.	.	.	.	.	1	1	.	.
Acute Nephritis, ...												.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...												6	.	.	.	1	.	.	1	2	1	1
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	6	6	8	4	6	6	8	8	5	4	6·1	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	1	.	1	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	2	2	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	1	3	6	6	6	2	5	2	5	3·9	8	7	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	1	.	.	.	.	.	.	.	.
Old Age, ...	4	9	8	7	8	2	3	1	1	4	4·7	8	.	.	.	.	.	.	.	.	1	7
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	3	1	.	.	.	.	.	.	2	.	.
ACCIDENTS:																						
By Railways, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	1	.	.	1	1	3	.	.	2	2	1·0	1	.	.	.	.	1	.	.	.	.	.
By Drowning, ...	1	.	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	.	1	1	3	.	.	1	1	1	3	1·1	2	.	.	.	.	.	.	.	1	.	1
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.	.	.	1	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	5	1	1	.	.	.	.	1	.	1	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.
No. of weeks in Annual Series,	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
BIRTHS registered.	185	324	190	190	294	233	198	210	233	218	198	212	201	182	265	204	217	195	177	193	241	183	181	201	168	266
Average Births in corresponding week of previous 10 years, ...	224	237	205	204	208	221	217	208	217	216	207	235	209	212	247	197	185	212	205	212	206	197	183	210	184	201
DEATHS registered, ...	127	155	120	172	162	186	153	169	199	162	210	219	189	183	161	179	183	165	147	169	179	186	165	169	157	180
Annual Death-rate per 1,000, ...	16·4	20·0	15·5	22·2	20·9	24·0	19·8	21·8	25·7	20·9	27·1	28·3	24·4	23·6	20·8	23·1	23·6	21·3	19·0	21·8	23·1	24·0	21·3	21·8	20·3	23·2
Average Deaths in corresponding week of previous 10 years, ...	148	134	140	141	144	147	145	146	154	162	153	156	152	167	160	156	153	161	156	171	174	177	180	183	182	175
Ages, Under 5 years, ...	44	56	43	41	51	88	73	72	94	80	94	93	82	77	69	68	66	50	55	47	61	61	50	49	45	54
5—15 „ ...	9	10	4	13	6	5	6	8	5	8	5	8	4	6	8	5	7	8	5	4	8	7	4	10	3	10
15—25 „ ...	2	7	7	11	10	6	6	4	7	7	12	7	7	7	6	12	11	11	10	6	7	13	10	12	4	8
25—45 „ ...	18	20	19	31	26	21	22	19	31	19	23	26	30	26	22	33	33	30	28	24	25	33	31	25	20	31
45—65 „ ...	34	28	20	33	37	29	21	40	37	28	38	37	35	33	29	39	39	35	32	38	39	33	30	37	40	33
65—75 „ ...	13	16	15	24	18	24	15	14	11	9	21	28	17	22	11	11	16	17	8	28	26	21	25	22	24	24
75 and upwards, ...	7	18	12	19	14	13	10	12	14	11	17	20	14	12	16	11	11	14	9	22	13	18	15	14	21	20
Deaths from :—																										
Enteric Fever, ...	1	.	1	3	2	1	2	2	2	1	2	.	2	3	6	2	4	4	1	3	.	.	2	1	1	3
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	8	7	4	7	3	7	5	2	.	1	1	.	1	.	.	.	1	2	5	4	6	5	4	3	1	5
Scarlet Fever, ...	.	.	1	3	.	2	1	3	.	1	.	1	1	3	1	1	1	4	1	2	3	2	2	1	1	1
Whooping-cough, ...	2	2	.	1	4	3	4	1	3	6	7	4	3	3	1	.	1	1	5	1	.	4	3	3	3	3
Diphtheria, ...	4	2	2	3	2	1	.	.	1	5	1	2	3	.	.	.	4	.	1	.	2	4	.	3	1	4
Influenza, ...	.	1	1	1	2	1	.	1	.	.	1	2	.	.	.	1	1	1	.	1	.	1	.	1	2	1
Dysentery, ...	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Tuberculous Disease, Phthisis, ...	7	21	7	20	17	17	16	13	19	15	22	22	19	12	14	18	16	28	18	19	19	24	19	17	24	12
Tuberculous Disease, Other Forms,	11	6	7	12	10	15	9	5	9	4	10	12	7	2	5	12	6	4	6	5	5	10	11	6	5	9
Cancer, ...	7	8	12	4	10	6	5	11	7	6	10	10	10	9	8	6	12	9	9	6	12	19	7	6	12	7
Diseases of Circulatory System,	14	22	16	22	20	15	10	13	13	8	13	15	16	16	17	16	14	20	10	18	17	14	13	15	12	22
Diseases of Respiratory System, Pneumonia,	8	9	9	10	8	12	1	8	3	6	12	5	10	4	4	14	9	8	8	6	14	8	17	6	13	8
Diseases of Respiratory System, Others, ...	9	17	6	11	10	13	3	8	13	7	5	14	12	12	10	17	14	15	9	27	25	24	22	28	22	33
Diarrhœa, Under 2 years, ...	3	.	1	3	9	27	20	29	37	25	38	31	37	32	19	17	20	5	8	6	3	4	3	3	3	3
Diarrhœa, 2 years & upwards,	.	.	.	.	.	5	1	6	7	10	7	4	1	3	1	1	2	.	.	2	1	.	.	.	.	.
Enteritis, under 2 years, ...	1	3	3	2	2	7	9	12	12	13	14	14	9	12	9	15	7	8	5	8	1	1	4	3	2	.
Violent Deaths, ...	5	2	6	7	2	5	2	2	8	5	3	4	2	7	7	2	5	4	7	3	2	5	5	6	3	4
Number of Uncertified Deaths,	.	5	9	5	2	3	3	7	7	7	7	5	6	5	5	1	7	3	8	6	7	5	8	5	4	5
Mean Temperature of the Air (Phœnix Park)	56·2	55·5	59·6	60·9	62·9	62·7	62·5	60·8	61·2	59·7	59·1	57·5	52·9	52·2	50·8	48·6	48·3	57·4	44·4	48·3	40·2	44·5	39·1	42·4	39·1	43·7
Average Mean Temperature in corresponding week of previous 10 years, ...	55·5	56·5	57·5	58·5	59·8	58·2	58·6	58·5	57·5	56·5	56·3	54·5	52·8	53·2*	53·7	52·4	50·4	48·7	46·6	46·3	44·7	42·0	41·9	42·1	42·2	41·3
Rainfall in inches, ...	·782	·166	·018	·000	·316	1·860	·430	·170	·010	·338	·405	·020	·320	·248	·680	·208	·325	1·035	1·335	1·130	1·015	1·785	·185	·430	·625	1·355
Mean Humidity of the Air, complete Saturation 1·0, ...	·91	·91	·92	·84	·92	·92	·92	·82	·82	·82	·78	·85	·83	·81	·83	·83	·89	·88	·86	·84	·84	·85	·82	·83	·87	·86

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 16th December, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 16TH DECEMBER, 1911.

Class	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	180	54	10	8	31	33	24	20	3	.	.	5	1	3	4	.	12	9	7	5	8	33	3	.	.	4	83	5
	CLASSES.																														
	Deaths in Families of the—																														
I	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	17·9	6	.	.	.	.	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	5	.
II.	MIDDLE CLASS, ...	87,188	20·3	34	5	2	1	8	9	5	4	1	.	.	.	.	1	.	.	5	1	2	.	.	6	.	.	.	.	18	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	21·2	45	11	4	3	7	6	10	4	1	.	.	.	1	.	1	.	.	2	2	2	2	7	.	.	.	2	25	2
IV.	GENERAL SERVICE CLASS, ...	154,279	23·3	69	36	2	3	11	8	5	4	1	.	.	4	.	2	3	.	5	4	3	3	5	15	2	.	.	2	20	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	26	2	2	1	5	9	2	5	.	.	.	1	.	.	.	.	2	2	.	.	.	5	1	.	.	.	15	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	33·4	5	.	.	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6 2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	33·8	5	.	.	.	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	23·7	10	1	.	.	3	4	1	1	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	.	.	.	6	.
	6. Clerks and Commercial Assistants, ...	30,432	13·7	8	3	.	1	1	2	1	.	.	.	.	.	.	1	.	.	3	.	1	.	.	1	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	21·2	11	1	2	.	3	1	3	1	1	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	26·4	5	4	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	1
	9. Building and Furnishing Trades, ...	29,801	19·2	11	3	1	.	1	4	2	.	.	.	.	.	.	.	.	.	.	1	1	1	1	1	.	.	.	.	6	1
	10. Clothing Trades, ...	23,260	17·9	8	.	.	2	2	2	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	4	.
	11. Food Supply Trades	9,242	5·6	1	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	30·9	18	3	3	1	2	.	5	4	.	.	.	.	1	.	1	.	.	.	.	.	1	2	.	.	.	2	11	.
	13. Petty Shopkeepers	7,894	13·2	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	23·3	6	1	.	.	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	4	.
	15. Domestic Servants, ...	36,603	11·4	8	3	.	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	3	1	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	21·7	6	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	28·4	49	26	2	2	9	6	2	2	1	.	.	4	.	2	3	.	5	4	2	1	4	9	1	.	.	2	11	3
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	26	2	2	1	5	9	2	5	.	.	.	1	.	.	.	.	2	2	.	.	.	5	1	.	.	.	15	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 29,854.	Oct. 28,	33·2	7·0	19	.	.	.	.	.	1	.	.	2	.	2	3	1	3	.	.	1	3
		Nov. 4,	21·0	5·2	12	.	.	.	.	.	.	.	.	3	1	.	.	1	2	1	.	.	2
		„ 11,	19·2	1·7	11	.	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	1
		„ 18,	40·2	7·0	23	.	.	.	.	.	.	.	.	3	2	2	1	4	4	.	.	1	1
		„ 25,	17·5	1·7	10	.	.	.	.	.	1	.	.	2	.	1	1	2	.	.	.	1	1
		Dec. 2,	33·2	1·7	19	.	.	.	.	.	1	.	.	1	2	.	1	6	.	.	.	1	.
		„ 9,	19·2	1·7	11	.	.	.	.	.	1	.	.	.	1	.	.	3	.	.	.	.	1
		„ 16,	26·2	7·0	15	.	.	.	2	1	1	.	.	.	2	.	1	2	.	.	.	1	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 39,902.	Oct. 28,	22·2	1·3	17	.	.	.	.	.	.	.	.	1	.	2	1	1	1	.	.	.	.
		Nov. 4,	22·2	6·5	17	.	.	.	.	1	.	.	.	3	1	1	1	2	1	.	3	.	.
		„ 11,	37·9	3·9	29	.	.	.	1	1	.	.	.	4	.	2	3	7	.	1	.	.	1
		„ 18,	22·2	1·3	17	.	.	.	.	.	1	.	.	2	.	.	.	4	.	.	.	1	1
		„ 25,	26·1	3·9	20	.	.	.	.	.	.	.	.	3	.	.	2	7	2	.	1	.	1
		Dec. 2,	22·2	1·3	17	.	.	.	.	.	1	.	.	3	1	1	1	6	.	.	.	.	1
		„ 9,	11·8	.	9	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	1	.
		„ 16,	18·3	2·6	14	.	.	.	.	.	1	1	.	1	.	.	1	1	.	.	.	1	4
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 30,689.	Oct. 28,	17·0	3·4	10	.	.	.	.	.	.	.	.	2	1	.	.	.	2	.	.	.	.
		Nov. 4,	23·8	1·7	14	.	.	.	.	.	.	.	.	2	.	1	1	2	1	.	.	.	1
		„ 11,	37·4	1·7	22	.	.	.	.	.	.	.	.	1	.	1	2	3	1	.	.	1	2
		„ 18,	25·5	.	15	.	.	.	.	.	.	.	.	1	1	2	2	2	.	.	.	.	.
		„ 25,	20·4	3·4	12	.	.	.	.	1	1	.	.	.	2	.	3	1	.	.	.	1	1
		Dec. 2,	28·9	3·4	17	.	.	.	.	.	.	.	.	2	.	1	1	1	1	.	1	.	2
		„ 9,	25·5	3·4	15	.	.	.	.	.	1	.	.	2	.	1	2	2	1	.	.	1	1
		„ 16,	23·8	5·1	14	.	.	.	.	.	1	1	.	1	2	1	.	5	1	.	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,498.	Oct. 28,	20·2	.	13	.	.	.	.	.	.	.	.	1	1	2	2	.	.	.	.	.	2
		Nov. 4,	17·1	1·6	11	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
		„ 11,	21·8	.	14	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.	.
		„ 18,	32·7	3·1	21	.	.	.	.	1	.	.	1	1	1	2	1	2	.	.	.	.	.
		„ 25,	26·5	1·6	17	.	.	.	.	.	.	.	.	2	1	3	1	3	1	.	.	.	.
		Dec. 2,	9·3	.	6	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.
		„ 9,	14·0	1·6	9	.	.	.	.	1	.	.	.	1	.	.	3	.	.	.	.	.	.
		„ 16,	15·6	1·6	10	.	.	.	1	.	.	.	.	2	.	.	1	.	.	.	.	1	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,401.	Oct. 28,	29·0	10·1	23	.	1	.	5	.	1	.	.	2	2	1	.	2	.	.	1	.	.
		Nov. 4,	30·2	5·0	24	.	.	.	3	.	.	.	.	2	1	.	1	4	.	.	1	1	.
		„ 11,	35·3	7·6	28	.	.	.	4	2	.	.	.	5	2	.	2	3	.	.	.	.	1
		„ 18,	26·4	7·6	21	.	.	.	4	.	1	.	.	1	2	2	1	3	.	.	1	.	.
		„ 25,	25·2	5·0	20	.	.	.	2	.	1	.	.	4	2	.	1	1	.	.	1	.	1
		Dec. 2,	34·0	6·3	27	1	1	.	1	.	.	2	.	5	.	1	.	3	.	.	.	.	1
		„ 9,	25·2	5·0	20	.	.	.	1	.	1	.	.	3	1	.	2	4	1	.	1	1	.
		„ 16,	25·2	5·0	20	1	.	.	.	.	.	2	.	2	.	.	1	4	1	.	.	.	.
	South City, No. 2. (*Office, Castle-street,*) Pop. in 1911 (Est.) 21,715.	Oct. 28,	14·4	2·4	6	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.
		Nov. 4,	24·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	.
		„ 11,	26·4	2·4	11	.	.	.	.	.	.	1	.	2	1	.	1	4	.	.	.	.	.
		„ 18,	31·2	7·2	13	.	.	.	1	1	.	1	.	1	.	1	.	3	.	.	.	1	.
		„ 25,	21·6	.	9	.	.	.	.	.	.	.	.	.	2	.	2	3	.	.	.	.	.
		Dec. 2,	28·8	4·8	12	.	.	.	1	1	.	.	.	1	.	.	.	6	.	.	.	.	.
		„ 9,	26·4	.	11	.	.	.	.	.	.	.	.	4	.	1	.	2	.	.	.	.	1
		„ 16,	26·4	2·4	11	.	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,149.	Oct. 28,	23·0	6·0	19	1	.	.	.	.	1	.	.	2	.	.	.	.	1	.	2	2	2
		Nov. 4,	15·7	2·4	13	.	.	.	.	1	.	.	.	3	1	.	.	2	.	.	1	.	1
		„ 11,	16·9	1·2	14	.	.	.	1	.	.	.	.	1	1	2	1	4	.	.	.	.	1
		„ 18,	24·2	3·6	20	.	.	.	.	.	1	2	.	5	2	3	2	1	.	.	.	1	.
		„ 25,	29·0	3·6	24	1	.	.	2	.	.	.	.	6	1	.	1	.	.	.	.	1	1
		Dec. 2,	15·7	1·2	13	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.	.	.	.
		„ 9,	32·6	1·2	27	.	.	.	.	.	.	.	.	4	1	4	.	7	1	.	.	.	.
		„ 16,	32·6	3·6	27	1	.	.	2	.	.	.	.	1	.	.	1	7	.	.	.	.	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 35,816.	Oct. 28,	13·1	.	9	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.	.	2	.
		Nov. 4,	26·2	1·5	18	1	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	.	.
		„ 11,	14·6	.	10	.	.	.	.	.	.	.	.	2	.	2	.	2	.	.	.	.	.
		„ 18,	11·6	.	8	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1
		„ 25,	10·2	.	7	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1
		Dec. 2,	20·4	.	14	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.	1
		„ 9,	14·6	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.
		„ 16,	18·9	.	13	.	.	.	.	.	.	.	.	2	1	2	.	3	.	.	.	.	.

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	Oct. 28,	5·4	1·4	4	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.
	Nov. 4,	16·3	4·1	12	1	.	.	.	.	.	.	.	.	.	.	.	3	.	1	1	1	1
	„ 11,	9·5	2·7	7	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
	„ 18,	17·7	.	13	.	.	.	.	.	.	.	.	4	1	3	.	.	.	.	.	1	.
	„ 25,	15·0	1·4	11	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	Dec. 2,	13·6	.	10	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
	„ 9,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	.
	„ 16,	19·0	1·4	14	1	.	.	.	.	.	.	.	2	1	.	1	2	.	.	.	.	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	Oct. 28,	8·9	3·6	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
	Nov. 4,	19·5	3·6	11	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	2	.	.
	„ 11,	10·7	1·8	6	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.
	„ 18,	17·8	1·8	10	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	.	.	2
	„ 25,	17·8	3·6	10	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	2	1	.
	Dec. 2,	21·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2	.
	„ 9,	12·4	1·8	7	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 16,	19·5	.	11	.	.	.	.	.	.	.	.	.	2	.	1	2	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 17,227.	Oct. 28,	9·1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	Nov. 4,	12·1	3·0	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 11,	24·2	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	1
	„ 18,	9·1	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	„ 25,	15·1	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	Dec. 2,	15·1	6·1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 9,	6·1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 16,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
Belfast. Pop. in 1911 (Est.) 386,449.	Oct. 28,	16·7	1·3	124	.	.	.	.	1	3	.	.	16	3	3	6	17	2	1	3	6	.
	Nov. 4,	15·1	0·7	112	1	.	.	.	2	.	.	.	15	4	5	13	17	.	.	2	1	2
	„ 11,	15·7	1·1	116	1	.	.	.	2	2	2	.	12	8	3	8	15	.	.	1	3	.
	„ 18,	17·7	1·6	131	.	.	.	.	1	1	4	.	17	7	4	10	15	1	.	5	3	1
	„ 25,	17·3	1·9	128	.	.	.	.	2	5	.	.	8	11	7	9	17	1	1	5	8	.
	Dec. 2,	13·6	0·9	101	.	.	.	.	1	3	1	.	9	3	5	4	19	.	.	2	1	1
	„ 9,	16·1	0·9	119	.	.	.	.	1	2	2	.	19	2	5	10	17	.	.	2	3	1
	„ 16,	20·5	1·1	152	.	.	.	.	2	3	1	.	19	9	6	13	19	1	.	1	4	3
Cork. Pop. in 1911 76,632.	Oct. 28,	22·5	1·4	33	.	.	.	1	.	.	.	.	4	2	2	4	2	1	.	.	.	4
	Nov. 4,	22·5	3·4	33	.	.	.	2	.	.	.	.	5	2	1	2	1	2	.	1	.	6
	„ 11,	19·7	2·7	29	.	.	.	1	.	.	2	.	5	1	1	4	1	.	.	1	.	.
	„ 18,	25·9	4·8	38	.	.	.	2	.	.	2	.	6	2	3	1	4	2	1	.	1	1
	„ 25,	17·7	2·7	26	.	.	.	.	.	1	.	.	6	2	.	3	1	2	.	1	.	.
	Dec. 2,	25·9	2·7	38	.	.	.	1	.	1	1	.	7	1	2	4	2	1	.	.	2	2
	„ 9,	26·5	2·0	39	.	1	.	1	.	.	1	.	10	3	.	3	8	.	.	.	.	.
	„ 16,	35·4	2·7	52	.	.	.	2	.	.	.	.	5	5	.	8	7	2	.	.	1	2
Londonderry. Pop. in 1911 40,799	Oct. 28,	8·9	2·6	7	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	1	.	.
	Nov. 4,	19·2	.	15	.	.	.	.	.	.	.	.	3	.	.	1	4	.	.	.	.	.
	„ 11,	15·3	1·3	12	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	.	.	.
	„ 18,	16·6	.	13	.	.	.	.	.	.	.	.	1	.	.	3	2	.	.	.	.	1
	„ 25,	5·1	.	4	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	.
	Dec. 2,	12·8	1·3	10	.	.	.	.	.	.	.	.	1	1	.	1	2	1	.	.	.	1
	„ 9,	17·9	.	14	.	.	.	.	.	.	.	.	4	1	1	1	5	.	.	.	.	.
	„ 16,	11·5	.	9	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.
Limerick. Pop. in 1911 38,403.	Oct. 28,	12·2	.	9	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3
	Nov. 4,	17·7	.	13	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	.	4
	„ 11,	8·1	.	6	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.
	„ 18,	9·5	1·4	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1
	„ 25,	10·9	1·4	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1
	Dec. 2,	12·2	1·4	9	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	1
	„ 9,	16·3	.	12	.	.	.	.	.	.	.	.	2	1	1	2	1	.	.	.	.	2
	„ 16,	21·7	.	16	.	.	.	.	.	.	.	.	3	.	.	.	5	.	.	.	.	4
Waterford. Pop. in 1911 27,430.	Oct. 28,	9·5	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	Nov. 4,	19·0	5·7	10	.	.	.	.	.	.	1	.	.	1	.	.	1	1	1	.	1	1
	„ 11,	15·2	.	8	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1
	„ 18,	13·3	1·9	7	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.	.
	„ 25,	15·2	1·9	8	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	1
	Dec. 2,	20·9	3·8	11	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
	„ 9,	20·9	.	11	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	1	.
	„ 16,	22·8	1·9	12	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	1	.	2

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 16th December, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised).	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	385,492	13	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		9	4	1	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	4	.
Do. 2 do.		20			16	3	4	3	2	2	2	.	.	.	.	.	.	.	.	2	2	.	2	1	.	.	.	.	.	3	1
Do. 3 do.		24			17	1	2	3	2	6	3	.	.	.	.	2	.	.	.	.	1	1	2	3	.	.	.	.	.	9	.
Do 4 do.		22			15	6	1	1	1	2	4	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.	.	.	6	1
Do. 5 do.		9			9	1	2	1	3	1	1	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	1	.	.	2	.
Do. 6 do.		22			13	.	1	2	2	5	3	.	.	.	.	.	.	.	.	3	.	1	.	1	.	.	.	.	.	1	.
Do. 7 do.		2			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 8 do.		.			5	.	1	1	2	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	.	.	.	.
Do. 9 do.		9			10	2	1	4	2	1	.	.	.	.	.	.	1	.	.	2	2	.	1	1	.	.	.	2	2	3	.
Do. 10 do.		17			10	.	3	1	1	4	1	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	1	1	2	.
Do. 11 do.		16			13	1	1	.	1	6	4	.	.	.	.	.	.	1	.	.	.	1	1	1	.	.	.	.	1	2	1
Do. 12 do.		19			18	4	.	1	6	5	2	.	.	.	.	.	.	.	.	1	1	3	1	.	.	.	.	1	2	3	.
Do. 13 do.		12			3	.	2	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 14 do.		.			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		6			12	.	3	3	2	3	1	.	.	.	.	.	1	.	.	4	1	.	2	1	.	.	.	.	.	5	.
Total,	—	191			152	22	22	20	24	38	26	.	.	.	.	2	3	1	.	19	9	6	13	19	1	.	1	4	6	41	3
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	76,632	2	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		7	1	1	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	3	.
Do. 2 do.		7			6	1	2	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Do. 3 do.		3			11	4	.	1	.	2	4	.	.	.	1	.	.	.	.	.	5	.	.	1	.	.	.	.	.	2	1
Do. 4 do.		2			9	3	2	1	2	1	.	.	.	.	.	.	.	.	.	1	.	.	2	.	2	.	.	1	.	2	1
Do. 5 do.		3			8	2	.	.	2	.	4	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	3	.
Do. 6 do.		1			5	1	2	.	.	1	1	.	.	.	1	.	.	.	.	1	.	.	3	.	.	.	.	.	.	4	.
Do. 7 do.		6			6	1	.	.	2	2	1	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	.	4	.
Total,	—	24	35·4	2·7	52	13	7	4	7	8	13	.	.	.	2	.	.	.	.	5	5	.	8	7	2	.	.	1	.	18	2

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	June 24.	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.
No. of weeks in Annual Series,	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
BIRTHS registered, ...	201	264	213	207	268	236	203	225	215	220	197	215	183	184	184	184	198	194	199	206	204	187	195	191	195	191
DEATHS registered, ...	82	116	92	123	121	105	123	121	139	132	138	146	122	150	125	128	118	126	124	112	116	131	128	101	119	152
Annual Death rate per 1,000 of estimated population, ...	11·1	15·7	12·4	16·6	16·3	14·2	16·6	16·3	18·8	17·8	18·6	19·7	16·5	20·2	16·9	17·3	15·9	17·0	16·7	15·1	15·7	17·7	17·3	13·6	16·1	20·5
AGES, Under 1 year, ...	16	18	11	25	32	38	39	45	44	36	52	49	43	53	35	26	21	24	22	20	19	30	28	19	22	22
1—5 years, ...	7	9	7	9	11	8	12	11	11	8	6	16	11	19	17	16	17	6	7	11	8	16	15	10	9	22
5—25 ,, ...	7	16	15	16	14	11	7	14	15	18	11	10	8	12	7	13	9	17	17	12	16	16	10	11	14	20
25—45 ,, ...	18	20	21	25	22	13	21	11	17	19	24	21	17	15	22	22	18	20	16	18	19	14	17	13	21	24
45—65 ,, ...	20	37	25	29	23	17	23	23	28	31	27	29	21	31	20	28	28	29	37	24	28	31	31	18	29	38
65 and upwards, ...	14	16	13	19	19	18	21	17	24	20	18	21	22	20	24	23	25	30	25	27	26	24	27	30	24	26
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	1	.	.	1	1	2	1	2	.	.	.	2	.	.	.	1	1	.	.	.	.	.
Typhus, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	1	1	.	.	.	1	.	.	.	1	1	.	2	1	1	.	1	2	2	1	2	1	1	2
Whooping-cough, ...	.	1	.	1	1	1	2	1	.	1	.	1	2	2	1	1	2	1	3	.	2	1	5	3	2	3
Diphtheria, ...	.	.	1	.	2	.	2	.	1	.	.	.	.	.	1	.	1	.	.	.	2	4	.	1	2	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	13	23	16	18	20	10	13	9	6	19	17	11	10	8	8	13	11	19	16	15	12	17	8	9	19	19
Tuberculous Disease. Other Forms,	2	2	5	8	6	5	7	3	7	5	3	7	5	8	5	10	5	4	3	4	8	7	11	3	2	9
Cancer, ...	6	7	4	6	3	3	9	4	4	1	7	4	6	8	6	6	6	5	3	5	3	4	7	5	5	6
Diseases of Respiratory System, Pneumonia,	5	5	7	2	4	6	2	3	9	3	4	7	3	6	8	7	7	10	6	13	8	10	9	4	10	13
Diseases of Respiratory System, Others, ...	10	8	11	14	10	3	4	5	6	5	1	9	6	9	4	10	7	13	17	17	15	15	17	19	17	19
Diarrhœa, Under 2 years, ...	1	2	1	6	10	14	9	19	17	15	21	26	20	27	15	10	5	2	2	.	.	1	1	.	.	1
Diarrhœa, 2 years & upwards	3	.	.	.	.	1	4	4	3	5	6	7	4	1	2	2	.	.	1	.	.	.	1	.	.	.
Enteritis, under 2 years, ...	1	1	1	3	8	9	12	19	10	13	22	11	11	20	9	6	8	7	3	2	1	5	5	2	2	1
Violent Deaths, ...	1	4	.	3	5	3	2	2	6	4	5	3	2	1	2	2	3	3	6	1	3	3	8	1	3	4
Number of Uncertified Deaths, ...	3	3	.	1	.	2	.	1	1	2	.	.	.	1	1	.	4	1	.	2	.	1	.	1	1	3

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from						
			Exclusive of Stillborn.			Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	Dec. 16,	2,146	1,391	16·0	5	.	15	5	9	12	21*a*
Edinburgh, ...	320,829	„ 16,	146	98	15·1	.	.	.	.	1	.	1
Glasgow, ...	784,621	„ 16,	387	276	18·4	1	.	18	1	2	4	5
Calcutta, ...	890,493	Nov. 11,	.	510	29·7	120*	.	.	.	6	1	95‡
Bombay, ...	977,822	„ 11,	473	583	31·0	88*	2	.	.	.	.	57‡
Madras, ...	509,346	Oct. 21,	417	420	42·8	83*	6	1	?	?	?	112‡
Cairo, ...	693,806	„ 21,	606	446	33·5	2	.	1	1	.	17†	89
Paris, ...	2,846,986	Nov. 18,	872	839	15·6	8	.	1	2	.	9†	18*a*
Brussels, ...	705,295	„ 25,	240	141	10·4	1	.	.	2	.	1	9
Antwerp, ...	320,640	„ 25,	103	74	12·0	.	.	.	.	.	1†	7*a*
Amsterdam, ...	579,705	„ 25,	224	110	9·9	.	.	1	1	4	2†	1*a*
Copenhagen, ...	462,132	„ 25,	209	94	10·6	.	.	.	.	1	.	1
Stockholm, ...	343,832	„ 18,	155	72	10·9	.	.	.	.	.	2	2
		„ 25,	132	66	10·0	.	.	.	.	.	1	2
Christiania, ...	244,038	Dec. 2,	94	63	13·4	.	.	2	2	2	.	.
St. Petersburg, ...	1,639,266	Nov. 11,	835	572	18·7	10	.	20	8	13	4†	41
Moscow, ...	1,493,600	„ 11,	.	652	22·8	1	.	26	17	.	11†	67
Berlin, ...	2,076,333	„ 11,	788	613	15·4	.	.	.	8	5	38†	25
Hamburg, ...	931,035	„ 25,	.	271	15·1	1	.	7	3	6	12†	10
Breslau, ...	523,079	„ 25,	.	191	19·0	1	.	.	.	.	1†	10
Munich, ...	597,000	Dec. 2,	.	165	14·4	.	.	.	.	.	3†	15
Vienna (with suburbs),	2,064,583	Nov. 25,	627	608	15·3	.	.	7	5	1	6†	37*a*
Buda-Pesth, ...	891,585	„ 25,	424	339	19·8	6	.	13	9	.	2†	11*a*
Prague and Faubourgs,	508,310	„ 11,	149	171	17·5	.	.	1	1	.	5†	15
Trieste, ...	233,925	„ 25,	131	75	16·7	1	.	.	.	1	2†	1*a*
Rome, ...	602,068	Aug. 26,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Sept. 2,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	Nov. 4,	2,474	1,284	13·4	13	.	2	3	6	19†	54*a*
Philadelphia, ...	1,580,250	Oct. 21,	.	486	16·0	6	.	.	1	.	8†	31*a*
Boston	686,912	Nov. 25,	.	168	12·7	2	.	.	.	2	1	5

* Deaths from "fever," including 8 deaths from enteric fever and 6 from plague in Calcutta, 3 from enteric fever and 6 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 59 deaths from cholera in Calcutta, one in Bombay, and 10 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending December 16th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	3	.	.	1	.	.	1	.	.	.	.	5
" " 1, West, ...	.	3	.	.	.	.	2	.	2	.	.	3	10
" " 2, ...	.	.	.	.	.	.	.	.	1	.	.	3	4
" " 3, ...	.	3	.	.	1	.	.	2	1	.	.	2	9
Clontarf and Howth No. 1 (part of),	.	2	.	.	1	.	.	.	.	.	.	1	4
Coolock and Drumcondra (part of),	.	1	.	.	1	.	1	1	.	.	.	1	5
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	1	.	.	.	.	2
South City No. 1, ...	.	8	2	.	9	.	.	1	.	.	.	2	22
" " 2, ...	.	1	.	.	2	.	.	.	.	.	.	2	5
" " 3, ...	.	6	1	.	6	.	.	.	.	.	.	.	13
" " 4, ...	.	3	.	.	.	.	.	.	2	.	.	1	6
New Kilmainham, ...	.	.	.	.	1	.	.	.	.	.	.	.	1
Total, ...	.	30	3	.	23	.	3	6	6	.	.	15	86

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 16th December, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 16th December.			
	Nov. 25.	Dec. 2.	Dec. 9.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	16	16	17	7	4	2	18
Scarlet Fever, ...	197	197	203	32	42	2	191
Typhus, ...	4	2	2	4	.	.	6
Diphtheria, ...	67	65	62	13	8	4	63
Enteric Fever, ...	74	77	70	11	12	2	67
Pneumonia, ...	20	25	20	9	5	.	24

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 16th December, 1911:—

"Tempest and calm—these words best describe the weather of this week. The atmosphere remained in a very disturbed state over the whole of the North Atlantic and the western seaboard of Europe from Cape St. Vincent to the North Cape. Storm and rain accordingly prevailed from time to time, bright intervals separating the successive atmospheric disturbances from one another. On Sunday morning a very deep depression appeared suddenly off the south of Ireland and the Cornwall Peninsula. This system travelled in a N.N.E. direction up St. George's Channel and across the Irish Sea to Scotland and Northumbria, over which districts it was central on Monday morning. Its passage was attended by severe S.E. to S.W. gales and much rain. In Dublin no gale was felt, but the weather was extremely gloomy and wet during the greater part of Sunday. The next two days were chiefly fine and at times bright, but in the course of Tuesday night another deep depression approached the Scilly Isles from the Atlantic—at 7 a.m. of Wednesday the barometer was down to 28·64 inches at St. Mary's, where a strong W.S.W. gale was blowing at the time. At Pembroke, on the contrary, a gale prevailed from E.S.E. This cyclonic system travelled to Ireland first and thence passed out over the Atlantic to the northwestward. Its S.E. gales wrought much havoc along the coasts of Leinster and Munster. In the course of Thursday night a new disturbance caused a downpour of rain, and in Great Britain gales from S.E. and S. Friday was fair and cold in Ireland, but the weather again broke on Saturday which was dull, mild, and finally rainy. In Dublin the mean height of the barometer was 29·246 inches, the range of pressure being from 28·729 inches at 9 p.m. of Sunday (wind, W.) to 29·597 inches at 9 a.m. of Saturday (wind, S.E.). The corrected mean temperature was 44·2°, the mean dry reading at 9 a.m. and 9 p.m. being 43·7°. On Monday the screened thermometers fell to 37·0°, on Saturday they rose to 54·2°. Winds from southerly quarters (S.E., S. and S.W.) prevailed. The rainfall was 1·713 inches on 5 days, ·819 inch being recorded on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·077 inches. The highest reading (29·423) was on Saturday at 9 a.m., wind S., the lowest (28·545) on Sunday at 9 p.m., wind W.N.W.

The mean temperature for the week was 43·7°, being 2·4° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Saturday, on which day the thermometer registered 54·8°, and was lowest on Monday, the mercury having fallen to 35·6°. The mean of the Dry Bulb for the week was 43·5° and of the Wet Bulb, 41·5°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The rainfall during the week measured 1·355 inches.

At Greenwich the mean temperature for the week was 44·6°, the maximum 51·7°, and the minimum 34·1°; at Glasgow the maximum was 50 0°, the minimum 37·0°, and the mean 42·8°; and at Edinburgh the maximum was 48·0°, the minimum 32·9°, and the mean 41·2°. The rainfall at Greenwich measured 1·02 ins.; at Glasgow 0·99 in.; and at Edinburgh 0·61 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, December 10,	28·624	46·3	38·2	42·3	41·6	40·9	·95	·5	0·0	·155	Calm.	W.N.W.
Monday, „ 11,	29·019	43·0	35·6	39·3	38·4	36·6	·87	·6	3·9	·000	W.S.W.	S.W.
Tuesday, „ 12,	29·250	50·9	38·1	44·5	45·9	43·0	·80	·2	3·0	·010	S.S.W.	S.S.E.
Wednesday, „ 13,	28·916	48·9	41·9	45·4	45·3	42·5	·80	·6	0·0	·435	E.	S.S.W.
Thursday, „ 14,	29·211	49·9	39·2	44·6	43·0	40·9	·85	·0	3·9	·740	S.	Calm.
Friday, „ 15,	29·179	48·3	37·4	42·9	39·1	37·6	·88	·5	0·4	·000	W.S.W.	S.W.
Saturday, „ 16,	29·343	54·8	38·5	46·7	51·0	48·7	·86	·5	0·0	·015	S.	S.S.W.
Mean, ...	29·077	48·9	38·4	43·7	43·5	41·5	·86	·4	Total 11·2	Total 1·355	Prevailing Wind, S.S.W.	

Sunday—Day overcast, light rain 9 a.m. to 12.45 p m, and 5,30 to 6,15 p.m.; night cloudy, drizzling rain m.n. to 2.30 a.m. *Monday*—Day cloudy, fine; night clear. *Tuesday*—Day cloudy, fine; night cloudy, drizzling rain 7 a.m. to 8.30 a.m. *Wednesday*—Day overcast, rain from 9 a.m. to 8.30 p.m.; night overcast to clear, *Thursday*—Day bright a.m., cloudy p.m., rain from 5.45 to 9 p.m.; night overcast, drizzling and heavy rain from 9 p.m. to 6.30 a.m. *Friday*—A dull day; night cloudy. *Saturday*—Day overcast, drizzling at intervals from 3 to 8 p.m.; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, December 16th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, December 10,	45·2	40·8	45·6	48·2	36·8	42·5	—	·235
Monday, „ 11,	40·0	41·3	45·3	43·9	36·7	40·3	2·1	—
Tuesday, „ 12,	45·0	40·9	45·1	51·9	38·5	45·2	1·6	—
Wednesday, „ 13,	47·9	41·9	45·1	50·5	42·5	46·5	—	·500
Thursday, „ 14,	45·0	42·3	45·0	49·6	37·5	43·6	2·2	·750
Friday, „ 15,	40·0	42·5	45·0	49·3	38·0	43·7	0·8	—
Saturday, „ 16,	48·0	42·0	45·0	55·0	37·0	46·0	—	·070
Weekly Mean, .	44·4	41·7	45·2	49·8	38·1	44·0	Total 6·7	Total 1·555

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31623. Wt. P. 346-99/138. 375. 11. 1911. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 23RD DECEMBER, 1911. [No. 51.

General Register Office, Charlemont House, Dublin, 27th December, 1911.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Dec. 2	Dec. 9	Dec. 16	Dec. 23	Average Rate for 4 weeks.	Towns, &c.	Week ending Dec. 2	Dec. 9	Dec. 16	Dec. 23	Average Rate for 4 weeks.
22 Town Districts, ...	**18·3**	**17·7**	**20·9**	**18·2**	**18·3**	Limerick	12·2	16·3	21·7	18·6	16·0
						Lisburn	34·3	25·7	17·1	34·3	27·9
Armagh	6·9	20·6	6·9	.	8·6	Londonderry	12·8	19·2	11·5	11·5	13·8
Ballymena	27·5	22·9	27·5	27·5	26·4	Lurgan	21·5	25·8	8·6	30·1	21·5
Belfast	13·6	16·1	20·5	18·1	17·1	Newry	17·4	13·1	39·3	17·4	21·8
Clonmel	.	20·3	5·1	.	6·4	Newtownards	11·4	5·7	5·7	11·4	8·6
Cork	25·9	26·5	35·4	22·5	27·6	Portadown	13·3	22·2	8·9	.	11·1
Drogheda	25·2	16·8	8·4	21·0	17·9	Queenstown	19·8	13·2	13·2	6·6	13·2
Dublin Reg. Area ...	21·6	18·6	22·0	19·9	20·5	Sligo	65·4	4·7	.	4·7	18·7
Dundalk	15·9	7·9	15·9	11·9	12·9	Tralee	15·9	10·6	21·1	10·6	14·6
Galway	3·9	7·9	15·7	23·6	12·8	Waterford	20·9	20·9	22·8	5·7	17·6
Kilkenny	9·9	.	5·0	39·7	13·7	Wexford	22·8	22·8	31·9	22·8	25·1

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in fifteen of the districts to 8·6 in Lurgan, the 7 deaths from all causes for that district including 2 from whooping-cough. Among the 134 deaths from all causes for Belfast are one from scarlet fever, 8 from whooping-cough, 2 from diphtheria, and one from *enteritis* of a child under 2 years of age. Included in the 33 deaths from all causes for Cork is one from each of measles and diphtheria. Among the 3 deaths from all causes for Dundalk is one from each of whooping-cough and diphtheria, and one of the 8 deaths for Kilkenny is from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 177—95 boys and 82 girls—and the deaths to 168—75 males and 93 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·9 per 1,000 of the population. During the fifty-one weeks ending with Saturday last the death-rate averaged 21·4, and was 1·0 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 168, represent an annual rate of 21·7 per 1,000; the annual rate for the past fifty-one weeks was 22·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·4 per 1,000 of the mean population for all deaths registered.

The total number of deaths registered included 4 from measles, 3 from scarlet fever, 5 from whooping-cough, 5 from diphtheria, one from influenza, and 2 from *enteritis* of children under 2 years of age.

In the 3 weeks preceding, deaths from measles were 3, one, and 5; deaths from scarlet fever were one, one, and one; deaths from whooping-cough were 3, 3, and 3; deaths from diphtheria were 3, one, and 4; deaths from influenza were one, 2, and one; and deaths from diarrhœa and *enteritis* of children under 2 years of age were 6, 5, and 3, respectively.

Tuberculosis caused 25 deaths, comprising 20 from pulmonary tuberculosis, one from tuberculous meningitis, one from abdominal tuberculosis, one from tuberculosis of the vertebral column, and 2 from disseminated tuberculosis. In the 3 preceding weeks deaths from tuberculosis numbered 23, 29, and 21.

Broncho-pneumonia caused 6 deaths, lobar pneumonia one death, and *pneumonia* (type not distinguished) 9 deaths.

Convulsions caused the deaths of 3 infants under one year of age.

Thirteen deaths were caused by organic diseases of the heart, and 19 by bronchitis.

The deaths of 2 infants were ascribed to premature birth, one to congenital malformation, and one to congenital debility.

There were 4 accidental deaths, 3 of which were caused by burns or scalds, and one by drowning.

There was one death by suicide.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year old.

Forty-three of the persons whose deaths were registered during the week were under 5 years of age (18 being infants under one year, of whom 7 were under one month old) and 38 were aged 65 years and upwards, including 28 persons aged 70 and upwards; among the latter were 18 aged 75 and upwards, of whom one (a female) was stated to have been aged 92 years.

Eighty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse, 17 in the South Dublin Union Workhouse, and 3 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·9 per 1,000; the rate in the City was 20·9 (North City Districts, 21·4; South, 20·4) and in the Suburbs, 16·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·5 per 1,000 inhabitants, the rate for the City being 3·2 (3·9 in the North City Districts, and 2·4 in the South), and for the Suburbs, 0·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (16) are equal to an annual rate of 27·9 per 1,000, and include one from measles, 4 from whooping-cough, one from influenza, 2 from tuberculous disease, and one from *pneumonia* (type not distinguished).

No. 1 *North City District, West* (Summer-hill).—The deaths (22) are equal to an annual rate of 28·7 per 1,000. Of the total measles caused one death, scarlet fever one death, pulmonary tuberculosis 4 deaths, broncho-pneumonia 2 deaths, *pneumonia* (type not distinguished) 2 deaths, bronchitis 3 deaths, and accidental burns 2 deaths.

No. 2 *North City District* (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 17·0 per 1,000, and include one death from whooping-cough, and 2 from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (12) represent an annual rate of 18·7 per 1,000. Scarlet fever caused one death, diphtheria one death, pulmonary tuberculosis 2 deaths, and bronchitis 2 deaths,

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 4·5; and Finglas and Glasnevin, part of, 20·4. The only death for Clontarf and Howth, No. 1, part of, was one from scarlet fever. The only death for Coolock and Drumcondra, part of, was one from pulmonary tuberculosis; and of the 3 deaths from all causes for Finglas and Glasnevin, part of, one was from *enteritis* of a child under 2 years of age, one was from pulmonary tuberculosis and one from broncho-pneumonia.

No. 1 *South City District* (South Earl-street).—The deaths (13) represent an annual rate of 16·4 per 1,000, and include 2 deaths from measles, 2 from diphtheria, 3 from pulmonary tuberculosis, one from broncho-pneumonia, and one from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (8) are equal to an annual rate of 19·2 per 1,000. There were 3 deaths from tuberculous disease and one from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (21) are equal to an annual rate of 25·4 per 1,000. Included in the total are 2 deaths from diphtheria, one from *enteritis* of a child under 2 years of age, 2 from tuberculous disease, one from lobar pneumonia, 2 from *pneumonia* (type not distinguished), and 3 from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (14) are equivalent to an annual rate of 20·4 per 1,000. There were 3 deaths from tuberculous disease, one from broncho-pneumonia, 2 from *pneumonia* (type not distinguished), 3 from bronchitis, and 2 accidental deaths,

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·3 per 1,000. Of the total one was from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·6; Pembroke, 16·0; Blackrock, 11·5; and Kingstown, 27·2. There was no death from any of the principal epidemic diseases tabulated for these districts. Included in the 10 deaths from all causes for Rathmines and Rathgar are 2 from pulmonary tuberculosis, one from *pneumonia* (type not distinguished), and one from bronchitis. Of the 9 deaths from all causes for Pembroke one was from broncho-pneumonia, and included in the 9 deaths from all causes for Kingstown are 2 from tuberculous disease, one from *pneumonia* (type not distinguished), and one from bronchitis.

* See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 23rd December, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Dec. 2,	.	—	—	33	1	.	20	.	2	12	9	.	—	—	.	—	16	—	93
	Dec. 9,	.	—	—	27	.	.	13	.	2	7	13	.	—	—	.	—	8	—	70
	Dec. 16,	.	—	—	30	3	.	23	.	3	6	6	.	—	—	.	—	15	—	86
	Dec. 23,	.	—	—	17	1	.	9	.	.	1	6	.	—	—	.	—	7	—	41
Rathmines and Rathgar Urban District.	Dec. 2,	.	—	—	3	.	.	2	.	.	.	.	.	.	—	—	—	—	—	5
	Dec. 9,	.	—	—	5	.	.	2	.	.	.	.	.	.	—	—	—	—	—	7
	Dec. 16,	.	—	—	11	.	.	1	.	.	2	1	.	.	—	—	—	—	—	15
	Dec. 23,	.	—	—	3	.	.	.	.	.	1	.	.	.	—	—	—	—	—	4
Pembroke Urban District.	Dec. 2,	.	1	.	.	.	.	.	1	.	.	1	.	5	1	.	—	.	—	9
	Dec. 9,	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	—	.	—	3
	Dec. 16,	.	.	.	3	.	.	.	.	.	.	2	.	.	.	.	—	.	—	5
	Dec. 23,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	—	.	—	1
Blackrock Urban District.	Dec. 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 9,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Dec. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Dec. 2,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	2	—	4
	Dec. 9,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Dec. 16,	.	—	—	3	.	.	.	.	.	1	.	.	—	—	—	—	3	—	7
	Dec. 23,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	3	—	4
City of Belfast.	Dec. 2,	.	—	—	23	.	.	12	.	.	.	7	.	—	—	.	—	15	—	57
	Dec. 9,	.	—	—	25	.	.	9	.	.	2	3	.	—	—	.	—	11	—	50
	Dec. 16,	.	—	—	11	3	.	12	.	1	1	2	.	—	—	.	—	9	—	39
	Dec. 23,	.	—	—	16	.	.	5	.	.	.	6	.	—	—	.	—	10	—	37

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 23rd December, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Eleven cases of measles were admitted to hospital during the week, 14 were discharged, and 15 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 16, 17, and 18 respectively.

Twenty-four cases of scarlet fever were admitted to hospital, 28 were discharged, and 187* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 197, 203, and 191, respectively.

One case of typhus was admitted to hospital during the week, and 7 cases remained under treatment at its close.

Seventeen cases of diphtheria were admitted to hospital during the week, 20 were discharged, and there were 6 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 65, 62, and 63, respectively, were 54 at the close of last week.

Seven cases of enteric fever were admitted to hospital during the week, 22 were discharged, there was one death, and 51 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 77, 70, and 67.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 8 were discharged, there were 2 deaths, and 20 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London, in which the rate was 15·7) was equal to an average annual death-rate of 15·8 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·6 per 1,000, the rate for Glasgow being 18.2 and for Edinburgh 17·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 23rd December. From this Report it appears that of a total of 74 cases notified, 32 were scarlet fever, 25 phthisis, 8 diphtheria, 8 erysipelas, and one puerperal fever. Among the 416 cases of infectious diseases in hospital at the close of the week were 179 cases of scarlet fever, 79 of diphtheria, 60 of phthisis, 39 of measles, 32 of whooping-cough, 10 of erysipelas, 6 of enteric fever, 4 of chicken-pox, and one of puerperal fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 23rd December, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 23rd December, 1911. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa: Of children under 2 years of age.	Diarrhœa: 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 23rd December, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 16th December, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 9th December, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
TOTAL OF 22 TOWN DISTRICTS, ...	1,149,495	20·2	22·2	18·2	1·8	490	401	55	102	...	...	...	6	4	16	9	...	45	17	14	30	53	...	...	4	9	14	145	19	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:—TOTAL, (c.) ...	403,732	29·3	22·9	19·9	2·5	177	154	18	35	...	...	...	4	3	5	5	...	20	5	7	16	20	..	...	2	4	6	69	4	e 68	31·7	44·7	0·60	e 51·8	35·6	43·7	1·36	e 49·7	26·7	39·1	0·63
CITY OF DUBLIN,	309,738	39·2	25·9	20·9	3·2	154	124	14	25	...	...	...	4	3	5	5	...	17	4	4	13	17	...	...	2	4	6	58	4	f 57·2 g 56·8	33·9 32·0	46·1 45·4	0·83 0·79	f 54·2 g 54·5	37·0 35·0	41·2 43·1	1·11 1·44	f 49·4 g 50·9	34·6 29·8	41·6 39·8	1·03 0·68
Urban Districts. RATHMINES AND RATHGAR.	38,330	22·4	10·9	13·6	.	8	10	1	3	...	...	...	...	...	...	...	...	2	...	2	1	2	...	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,347	18·5	10·7	16·0	.	6	9	3	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,090	8·4	5·7	11·5	.	1	2	...	1	...	...	...	...	...	...	...	...	...	...	1	...	.	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	24·2	27·2	.	8	9	...	3	...	...	...	...	...	...	...	...	1	1	...	1	1	...	...	...	...	...	4	...	55	37	46·8	0·96	54	38	44·4	0·97	50	34	41·3	1·55
Urban Districts. BELFAST ...	386,449	26·3	22·9	18·1	1·6	170	134	18	28	...	...	...	...	1	8	2	...	15	8	4	9	14		...	1	1	2	41	...	53·5	32·0	44·0	0·90	48·0	32·0	40·2	1·83	50·0	29·5	39·0	1·72
CORK, ...	76,632	33·8	8·8	22·5	1·4	13	33	2	12	...	...	...	1	...	...	1	...	4	..	1	1	6	...	...	...	2	3	14	4	53	37	47·0	2·25	51	38	45·1	1·79	49	34	42·7	2·40
LONDONDERRY ...	40,799	18·9	28·1	11·5	.	22	9	2	3	...	...	...	...	...	...	...	...	...	1	...	2	1	...	...	...	1	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,403	18·2	19·0	13·6	.	14	10	2	2	...	...	...	...	...	...	...	...	2	...	...	...	3	...	...	...	...	...	5	...	54·5	28·3	43·8	1·96	52·6	35·0	42·6	0·99	48·7	33	40·7	1·68
WATERFORD, ...	27,430	19·1	19·0	5·7	.	10	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	2	...	...	..	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,249	2·5	27·5	23·6	.	7	6	...	4	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	.	...	...	3	2	54	36	44	1·06	50	32	41	1·32	52	30	40	1·42
DUNDALK, ...	13,128	9·5	31·8	11·9	7·9	8	3	1	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	42·0	21·0	.	10	5	1	3	...	...	...	...	...	...	...	..	...	1	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,956	17·2	34·9	17·4	.	8	4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	54·0	30·6	41·1	0·88	50·1	35·5	42·0	1·76	47·2	32·0	38·5	1·47
LURGAN, ...	12,135	14·3	17·2	30·1	8·6	4	7	2	3	...	...	...	...	...	2	...	...	2	...	...	...	...	...	...	.	1	1	3	...	54·0	30·6	41·1	0·88	50·1	35·5	42·0	1·76	47·2	32·0	38·5	1·47
LISBURN, ...	12,172	10·7	30·0	34·3	.	7	8	2	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	2	54·0	30·6	41·1	0·88	50·1	35·5	42·0	1·76	47·2	32·0	38·5	1·47
WEXFORD, ...	11,455	23·8	45·5	22·8	4·6	10	5	4	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ...	11,376	9·3	9·2	27·5	.	2	6	1	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	4·7	4·7	.	1	1	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	58·2	29·0	42·0	1·49	52·5	30·5	41·1	2·33	49·4	30·6	38·3	1·79
KILKENNY, ...	10,513	11·4	29·8	39·7	5·0	6	8	...	3	...	...	...	1	...	...	...	...	...	1	...	...	3	...	...	...	...	...	2	...	53	28	43·1	1·42	52	33	43·1	2·15	49	26	37·8	1·89
CLONMEL, ...	10,277	7·9	25·4	.	.	5	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	13·3	.	.	3	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	54·0	30·6	41·1	0·88	50·1	35·5	42·0	1·76	47·2	32·0	38·5	1·47
TRALEE, ...	9,867	16·6	15·9	10·6	.	3	2	...	2	...	...	...	...	...	...	...	...	..	...	...	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	28·6	11·4	.	5	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	53	34	44·0	0·95	52	34	43·1	1·81	48	32	39·7	1·63
QUEENSTOWN, ...	7,909	14·4	13·2	6·6	.	2	1	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	53	37	47·0	2·25	51	38	45·1	1·79	49	34	42·7	2·40
ARMAGH, ...	7,588	22·2	20·6	.	.	3	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	54·0	30·6	41·1	0·88	50·1	35·5	42·0	1·76	47·2	32·0	38·5	1·47

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 14 deaths of persons (including 3 at 65 years or upwards) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observation by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 23rd of December, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	4	.
Whooping-cough,	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Diphtheria,	.	.	.	1	.	.	.	2	.	2	.	.	.	.	.	.	5	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.
Influenza,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Tuberculous Disease. Pulmonary Tuberculosis,	1	4	.	2	.	1	1	3	2	1	2	.	2	.	.	1	20	.
Tuberculous Disease. Other Forms,	1	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1	5	.
Cancer,	.	1	.	1	.	.	.	.	.	1	.	1	2	.	1	.	7	4
Diseases of Nervous System,	2	1	2	1	.	.	.	1	1	1	2	1	.	1	.	4	17	2
" Organs of Special Sense,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Circulatory System,	1	.	1	1	.	.	.	2	1	2	.	.	3	1	.	1	13	3
" Respiratory System. Pneumonia,	1	4	.	.	.	.	1	1	.	3	3	.	1	1	.	1	16	.
" Respiratory System. Others,	1	3	2	2	.	.	.	1	1	3	3	1	2	.	.	1	20	1
" Digestive System. Diarrhœa, under 2 years,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. *Enteritis*, under 2 years,	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	2	.
" Digestive System. Enteritis, 2 years and upwards.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
" Digestive System. Others,	1	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	4	1
" Genito-urinary System,	.	2	1	.	.	.	.	.	.	2	.	.	.	1	.	.	6	1
Puerperal Septicæmia, etc.,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy & Childbirth,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	1	2	1	.	.	.	1	2	2	.	.	.	5	.	.	15	1
Violent Deaths,	.	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	4	1
Ill-defined, &c. Causes,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Deaths from All Causes	16	22	10	12	1	1	3	13	8	21	14	3	10	9	2	9	154	14
Annual Rate of Mortality from All Causes in every 1,000 of the population.	27·9	28·7	17·0	18·7	9·7	4·5	20·4	16·4	19·2	25·4	20·4	17·3	13·6	16·0	11·5	27·2	19·9	.
	21·4							20·4					16·6					
	20·9																	
Ages at Death. Under 1 year,	2	1	1	1	.	.	1	3	.	5	.	.	1	3	.	.	18	.
Ages at Death. 1 and under 2 years,	4	1	.	1	.	.	.	.	1	1	2	.	.	.	.	.	10	.
Ages at Death. 2 " 5 "	3	4	1	.	.	.	.	2	.	3	1	.	.	.	.	1	15	.
Ages at Death. 5 " 15 "	.	1	.	.	.	.	.	1	.	.	2	.	.	.	.	.	4	2
Ages at Death. 15 " 25 "	.	1	.	.	.	1	.	.	2	.	.	.	.	.	.	1	5	.
Ages at Death. 25 " 45 "	3	6	.	4	1	.	2	3	2	2	5	2	3	2	.	1	36	3
Ages at Death. 45 " 65 "	1	6	3	2	.	.	.	1	1	7	1	1	3	1	1	3	31	6
Ages at Death. 65 and upwards,	3	2	5	4	.	.	.	3	2	3	3	.	3	3	1	3	35	3
Number of Uncertified Deaths,	1	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	5	9	2	4	1	.	1	2	.	8	5	1	2	1	1	1	43	12
Workhouse Hospitals,	1	4	3	.	.	.	.	6	2	2	1	1	2	1	.	3	26	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 51st Week of the 10 years 1901–1910.	In the Week ending Saturday, 23rd December, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Dec. 21, 1901.	Dec. 20, 1902.	Dec. 26, 1903.	Dec. 24, 1904	Dec. 23, 1905.	Dec. 22, 1906.	Dec. 21, 1907.	Dec. 19, 1908.	Dec. 25, 1909.	Dec. 24, 1910.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 33·5	° 46·7	° 39·7	° 38·2	° 46·1	° 45·5	° 47·0	° 41·5	° 33·5	° 43·5	° 41·5	° 44·7										
ALL CAUSES.	196	235	153	184	171	217	195	143	155	178	182·7	168	7	11	10	15	6	5	39	37	20	18
Enteric Fever, ...	4	3	2	1	4	2	.	.	3	1	2·0	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	9	1	10	.	2	.	5	.	.	2·7	4	.	1	1	2	.	.	.	.	.	.
Scarlet Fever, ...	2	1	1	.	1	.	1	.	1	.	·7	3	.	.	.	1	.	.	2	.	.	.
Whooping-cough, ...	4	3	3	.	1	2	2	1	2	5	2·3	5	.	1	1	3	.	.	.	.	.	.
Diphtheria, ...	3	.	.	.	.	2	3	2	.	2	1·2	5	.	.	1	3	1	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	1	1	.	.	5	.	.	6	3	1·7	1	.	.	.	.	.	.	.	.	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	.	2	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	1	1	.	.	.	1	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	1	.	1	.	2	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	24	28	31	14	27	27	22	30	14	19	23·6	20	.	.	.	1	.	4	11	3	1	.
Tuberculous Meningitis, ...	5	2	3	.	1	2	2	2	4	.	2·1	1	.	.	1	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	2	1	.	1	.	2	3	3	.	.	1·2	1	.	.	.	.	.	1	.	.	.	.
Tuberculosis of the Vertebral Column.												1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of Joints, ...	3	8	6	8	3	5	3	4	.	7	4·7	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												2	.	.	.	1	.	.	1	.	.	.
Venereal Diseases, ...	.	.	3	.	1	1	.	1	1	1	·8	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	7	10	8	5	5	17	6	6	6	13	8·3	11	.	.	.	.	.	.	3	5	2	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	.	.	.	.	1	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	.	1	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	1	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	3	.	.	.	.	.	.	1	2	.	.
Alcoholism, ...	1	.	.	1	1	.	1	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												5	.	.	.	.	.	.	1	2	.	2
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												1	.	.	.	.	.	.	.	.	1	.
Epilepsy, ...												6	.	.	.	.	.	.	2	2	2	.
Convulsions (non-puerperal),												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	42	54	35	60	43	54	43	24	31	40	42·6	3	1	2	.	.	.	.	.	.	.	.
												4	.	.	.	.	.	.	2	2	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,												1	.	.	.	1	.	.	.	.	.	.
Embolism and Thrombosis (including Cerebral)												13	.	.	.	.	.	.	5	3	3	2
Other Diseases of Circulatory System.												1	.	.	.	.	.	.	1	.	.	.
												1	.	.	.	.	.	.	.	.	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	1	.	.	.	.	.	.	.
Bronchitis, ...	24	40	16	26	24	22	37	20	28	23	26·0	19	.	.	1	.	.	.	1	8	3	6
Broncho-pneumonia, ...		7	4	9	5	11	15	9	11	9		6	.	1	.	2	.	.	1	1	1	.
Lobar-pneumonia, ...	8	.	.	.	2	3	4	.	3	3	15·4	1	.	.	.	.	.	.	.	.	1	.
Pneumonia (type not distinguished)		6	5	7	4	9	5	3	6	6		9	1	2	2	1	1	.	1	1	.	.
Pleurisy, ...												.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	.	5	.	5	1	3	6	1	2	3	2·6	1	.	.	.	.	.	.	.	.	.	1
Other Diseases of Respiratory System.												.	.	.	.	.	.	.	.	.	.	.

FIFTY-FIRST WEEK ending Saturday, 23rd December, 1911, with, as far as practicable, the deaths from each cause in 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 51st Week of the 10 years 1901–1910.	In the Week ending Saturday, 23rd December, 1911.										
													Deaths of Persons of the Ages of									
													0—5.									
	Dec. 21, 1901.	Dec. 20, 1902.	Dec. 26, 1903.	Dec. 24, 1904.	Dec. 23, 1905.	Dec. 22, 1906.	Dec. 21, 1907.	Dec. 19, 1908.	Dec. 25, 1909.	Dec. 24, 1910.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 33·5	° 46·7	° 39·7	° 38·2	° 46·1	° 45·5	° 47·0	° 41·5	° 33·5	° 43·5	° 41·5	° 44·7										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	2	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—		.	.	.	.	.	.	.	.	.	.	.
Diarrhœa of Children under 2 years.	2	3	.	1	1	2	4	4	.	2	1·9	.	.	.	.	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	.	1	1	3	5	3	2	1	2	.	1·8	2	.	2	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards,												2	.	.	.	.	.	.	1	.	.	1
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	2	.	.
Cirrhosis of Liver, ...	.	1	.	.	.	2	.	1	.	2	1·5	2	.	.	.	.	.	.	.	1	.	1
Other Diseases of Liver, ...		2	1	1	2	.	1	1	.	1		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	1	.	.	1	.	3	.	1	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	10	5	3	2	4	8	3	3	6	7	5·1	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...												1	1	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...												4	.	.	.	.	1	.	1	1	1	.
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	9	7	9	6	10	5	7	2	5	5	6·5	1	.	.	.	.	.	.	.	1	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												1	.	.	.	.	.	.	.	.	1	.
Puerperal Septicæmia, &c., ...	2	.	.	.	.	1	.	.	1	.	·4	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	.	.	.	1	1	.	2	1	1	·7	2	.	.	.	.	.	.	2	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	7	2	2	6	7	3	5	4	3	4	4·3	2	2	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	1	1	.	.	.	.	.	.	.	.	.
Old Age, ...	8	8	3	4	3	2	.	1	1	4	3·4	6	.	.	.	.	.	.	.	.	2	4
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	1	1	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	.	1	.	2	1	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	4	2	1	1	2	4	.	1	1	2	1·8	3	.	.	1	.	1	.	1	.	.	.
By Drowning, ...	3	.	1	.	.	.	2	.	.	1	·7	1	.	.	.	.	.	.	1	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	3	3	.	2	1	.	4	1	1	1	1·6	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.	.	.	.	1	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	.	1	.	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.
No. of weeks in Annual Series,	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
BIRTHS registered.	324	190	190	294	233	198	210	233	218	198	212	201	182	265	204	217	195	177	193	241	183	181	201	168	266	177
Average Births in corresponding week of previous 10 years, ...	237	205	204	208	221	217	208	217	216	207	235	209	212	247	197	185	212	205	212	206	197	183	210	184	201	173
DEATHS registered, ...	155	120	172	162	186	153	169	199	162	210	219	189	183	161	179	183	165	147	169	179	186	165	169	157	180	168
Annual Death-rate per 1,000, ...	20·0	15·5	22·2	20·9	24·0	19·8	21·8	25·7	20·9	27·1	28·3	24·4	23·6	20·8	23·1	23·6	21·3	19·0	21·8	23·1	24·0	21·3	21·8	20·3	23·2	21·7
Average Deaths in corresponding week of previous 10 years, ...	134	140	141	144	147	145	146	154	162	153	156	152	167	160	156	153	161	156	171	174	177	180	183	182	175	183
Ages, Under 5 years, ...	56	43	41	51	88	73	72	94	80	94	93	82	77	69	68	66	50	55	47	61	61	50	49	45	54	43
5—15 " ...	10	4	13	6	5	6	8	5	8	5	8	4	6	8	5	7	8	5	4	8	7	4	10	3	10	6
15—25 " ...	7	7	11	10	6	6	4	7	7	12	7	7	7	6	12	11	11	10	6	7	13	10	12	4	8	5
25—45 " ...	20	19	31	26	21	22	19	31	19	23	26	30	26	22	33	33	30	28	24	25	33	31	25	20	31	39
45—65 " ...	28	20	33	37	29	21	40	37	28	38	37	35	33	29	39	39	35	32	38	39	33	30	37	40	33	37
65—75 " ...	16	15	24	18	24	15	14	11	9	21	28	17	22	11	11	16	17	8	28	26	21	25	22	24	24	20
75 and upwards, ...	18	12	19	14	13	10	12	14	11	17	20	14	12	16	11	11	14	9	22	13	18	15	14	21	20	18
Deaths from :—																										
Enteric Fever, ...	.	1	3	2	1	2	2	2	1	2	.	2	3	6	2	4	4	1	3	.	.	2	1	1	3	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	7	4	7	3	7	5	2	.	1	1	.	1	.	.	.	1	2	5	4	6	5	4	3	1	5	4
Scarlet Fever, ...	.	1	3	.	2	1	3	.	1	.	1	1	3	1	1	1	4	1	2	3	2	2	1	1	1	3
Whooping-cough, ...	2	.	1	4	3	4	1	3	6	7	4	3	3	1	.	1	1	5	1	.	4	3	3	3	3	5
Diphtheria, ...	2	2	3	2	1	.	.	1	5	1	2	3	.	.	.	4	.	1	.	2	4	.	3	1	4	5
Influenza, ...	1	1	1	2	1	.	1	.	.	1	2	.	.	.	1	1	1	.	1	.	1	.	1	2	1	1
Dysentery, ...	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	21	7	20	17	17	16	13	19	15	22	22	19	12	14	18	16	28	18	19	19	24	19	17	24	12	20
Tuberculous Disease, Other Forms,	6	7	12	10	15	9	5	9	4	10	12	7	2	5	12	6	4	6	5	5	10	11	6	5	9	5
Cancer, ...	8	12	4	10	6	5	11	7	6	10	10	10	9	8	6	12	9	9	6	12	19	7	6	12	7	11
Diseases of Circulatory System,	22	16	22	20	15	10	13	13	8	13	15	16	16	17	16	14	20	10	18	17	14	13	15	12	22	16
Diseases of Respiratory System, Pneumonia,	9	9	10	8	12	1	8	3	6	12	5	10	4	4	14	9	8	8	6	14	8	17	6	13	8	16
Diseases of Respiratory System, Others, ...	17	6	11	10	13	3	8	13	7	5	14	12	12	10	17	14	15	9	27	25	24	22	28	22	33	21
Diarrhœa, Under 2 years, ...	.	1	3	9	27	20	29	37	25	38	31	37	32	19	17	20	5	8	6	3	4	3	3	3	3	.
Diarrhœa, 2 years & upwards,	.	.	.	.	5	1	6	7	10	7	4	1	3	1	1	2	.	.	2	1	.	.	.	.	.	.
Enteritis, under 2 years, ...	3	3	2	2	7	9	12	12	13	14	14	9	12	9	15	7	8	5	8	1	1	4	3	2	.	2
Violent Deaths, ...	2	6	7	2	5	2	2	8	5	3	4	2	7	7	2	5	4	7	3	2	5	5	6	3	4	5
Number of Uncertified Deaths,	5	9	5	2	3	3	7	7	7	7	5	6	5	5	1	7	3	8	6	7	5	8	5	4	5	4
Mean Temperature of the Air (Phœnix Park)	55·5	59·6	60·9	62·9	62·7	62·5	60·8	61·2	59·7	59·1	57·5	52·9	52·2	50·8	48·6	48·3	57·4	44·4	46·2	40·2	44·5	39·1	42·4	39·1	43·7	44·7
Average Mean Temperature in corresponding week of previous 10 years, ...	56·5	57·5	58·5	59·8	58·2	58·6	58·5	57·5	56·5	56·3	54·5	52·8	53·2*	53·7	52·4	50·4	48·7	46·6	46·3	44·7	42·0	41·9	42·1	42·2	41·3	41·5
Rainfall in inches, ...	·166	·018	·000	·316	1·860	·430	·170	·010	·338	·405	·020	·320	·248	·680	·208	·325	1·035	1·335	1·130	1·015	1·785	·185	·430	·625	1·355	·595
Mean Humidity of the Air, complete Saturation 1·0, ...	·91	·92	·84	·92	·92	·92	·82	·82	·82	·78	·85	·83	·81	·83	·83	·89	·88	·86	·84	·84	·85	·82	·83	·87	·86	·84

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 23rd December, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 23rd December, 1911. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	168	43	6	5	39	37	20	18	.	.	.	4	3	5	5	.	20	5	11	3	16	21	.	.	2	5	68	4
	CLASSES.																														
	Deaths in Families of the—																														
I	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	9·0	3	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	14·4	24	3	.	.	5	7	5	4	.	.	.	.	.	.	1	.	2	.	2	1	4	2	.	.	1	1	10	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	21·7	46	8	3	2	12	13	3	5	.	.	.	.	.	1	3	.	7	1	3	1	1	8	.	.	.	3	18	3
IV.	GENERAL SERVICE CLASS, ...	154,279	22·6	67	28	3	1	14	9	7	5	.	.	.	2	3	4	1	.	4	3	5	1	11	6	.	.	1	1	25	.
V.	INMATES OF WORKHOUSES, ...	6,024	—	28	4	.	2	8	7	5	2	.	.	.	2	.	.	.	.	7	1	1	.	.	5	.	.	.	.	12	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	6·7	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c.	22,016	18·9	8	1	.	.	2	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	1	3	.
	6. Clerks and Commercial Assistants, ...	30,432	8·6	5	2	.	.	1	1	.	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	3	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	17·4	9	.	.	.	1	3	4	1	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	.	.	.	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	42·2	8	1	2	.	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	3	3	1
	9. Building and Furnishing Trades, ...	29,801	10·5	6	1	.	.	2	2	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	3	.	.	.	.	1	.
	10. Clothing Trades, ...	23,260	13·5	6	2	1	1	2	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1	1	.	.	.	.	.	1	1
	11. Food Supply Trades	9,242	28·2	5	1	.	.	1	3	.	.	.	.	.	.	.	1	.	.	1	.	2	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	36·1	21	3	.	1	4	6	2	5	.	.	.	.	.	.	1	.	3	.	1	.	.	4	.	.	.	.	12	1
	13. Petty Shopkeepers	7,894	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	15·5	4	1	.	.	1	1	1	.	.	.	.	.	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	15. Domestic Servants, ...	36,603	8·5	6	1	.	.	2	1	1	1	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	10·9	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	31·3	54	25	3	1	10	6	5	4	.	.	.	2	1	4	1	.	3	2	4	1	10	5	.	.	1	1	19	.
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	28	4	.	2	8	7	5	2	.	.	.	2	.	.	.	.	7	1	1	.	.	5	.	.	.	.	12	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	*Enteritis* of Children under 2 years.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1911 (Est.) 29,854.	Nov. 4,	21·0	5·2	12	.	.	.	.	.	.	.	.	3	1	.	.	1	2	1	.	.	2
		„ 11,	19·2	1·7	11	.	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	1
		„ 18,	40·2	7·0	23	.	.	.	.	.	.	.	.	3	2	2	1	4	4	.	.	1	1
		„ 25,	17·5	1·7	10	.	.	.	.	.	1	.	.	2	.	1	1	2	.	.	.	1	1
		Dec. 2,	33·2	1·7	19	.	.	.	.	.	1	.	.	1	2	.	1	6	.	.	.	1	.
		„ 9,	19·2	1·7	11	.	.	.	.	.	1	.	.	.	1	.	.	3	.	.	.	.	1
		„ 16,	26·2	7·0	15	.	.	.	2	1	1	.	.	.	2	.	1	2	.	.	.	1	.
		„ 23,	27·9	8·7	16	.	.	.	1	.	4	.	.	1	1	.	1	1	.	.	.	.	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1911 (Est.) 39,902.	Nov. 4,	22·2	6·5	17	.	.	.	.	1	.	.	.	3	1	1	1	2	1	.	3	.	.
		„ 11,	37·9	3·9	29	.	.	.	1	1	.	.	.	4	.	2	3	7	.	1	.	.	1
		„ 18,	22·2	1·3	17	.	.	.	.	.	1	.	.	2	.	.	.	4	.	.	.	1	1
		„ 25,	26·1	3·9	20	.	.	.	.	.	.	.	.	3	.	.	2	7	2	.	1	.	1
		Dec. 2,	22·2	1·3	17	.	.	.	.	.	1	.	.	3	1	1	1	6	.	.	.	.	1
		„ 9,	11·8	.	9	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	1	.
		„ 16,	18·3	2·6	14	.	.	.	.	.	1	1	.	1	.	.	1	1	.	.	.	1	4
		„ 23,	28·7	2·6	22	.	.	.	1	1	.	.	.	4	.	1	4	3	.	.	.	2	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1911 (Est.) 30,689.	Nov. 4,	23·8	1·7	14	.	.	.	.	.	.	.	.	2	.	1	1	2	1	.	.	.	1
		„ 11,	37·4	1·7	22	.	.	.	.	.	.	.	.	1	.	1	2	3	1	.	.	1	2
		„ 18,	25·5	.	15	.	.	.	.	.	.	.	.	1	1	2	2	2	.	.	.	.	.
		„ 25,	20·4	3·4	12	.	.	.	.	1	1	.	.	.	2	.	3	1	.	.	.	1	1
		Dec. 2,	28·9	3·4	17	.	.	.	.	.	.	.	.	2	.	1	1	1	1	.	1	.	2
		„ 9,	25·5	3·4	15	.	.	.	.	.	1	.	.	2	.	1	2	2	1	.	.	1	1
		„ 16,	23·8	5·1	14	.	.	.	.	.	1	1	.	1	2	1	.	5	1	.	.	.	.
		„ 23,	17·0	1·7	10	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1911 (Est.) 33,498.	Nov. 4,	17·1	1·6	11	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
		„ 11,	21·8	.	14	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.	.
		„ 18,	32·7	3·1	21	.	.	.	.	1	.	.	1	1	1	2	1	2	.	.	.	.	.
		„ 25,	26·5	1·6	17	.	.	.	.	.	.	.	.	2	1	3	1	3	1	.	.	.	.
		Dec. 2,	9·2	.	6	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.
		„ 9,	14·0	1·6	9	.	.	.	.	1	.	.	.	1	.	.	3	.	.	.	.	.	.
		„ 16,	15·6	1·6	10	.	.	.	1	.	.	.	.	2	.	.	1	.	.	.	.	1	.
		„ 23,	18·7	3·1	12	.	.	.	.	1	.	1	.	2	.	1	.	2	.	.	.	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1911. (Est.) 41,401.	Nov. 4,	30·2	5·0	24	.	.	.	3	.	.	.	.	2	1	.	1	4	.	.	1	1	.
		„ 11,	35·3	7·6	28	.	.	.	4	2	.	.	.	5	2	.	2	3	.	.	.	.	1
		„ 18,	26·4	7·6	21	.	.	.	4	.	1	.	.	1	2	2	1	3	.	.	1	.	.
		„ 25,	25·2	5·0	20	.	.	.	2	.	1	.	.	4	2	.	1	1	.	.	1	.	1
		Dec. 2,	34·0	6·3	27	1	1	.	1	.	.	2	.	5	.	1	.	3	.	.	.	.	1
		„ 9,	25·2	5·0	20	.	.	.	1	.	1	.	.	3	1	.	2	4	1	.	1	1	.
		„ 16,	25·2	5·0	20	1	.	.	.	.	.	2	.	2	.	.	1	4	1	.	.	.	.
		„ 23,	16·4	5·0	13	.	.	.	2	.	.	2	.	3	.	.	1	1	.	.	.	.	1
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1911 (Est.) 21,715.	Nov. 4,	24·0	.	10	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	.
		„ 11,	26·4	2·4	11	.	.	.	.	.	.	1	.	2	1	.	1	4	.	.	.	.	.
		„ 18,	31·2	7·2	13	.	.	.	1	1	.	1	.	1	.	1	.	3	.	.	.	1	.
		„ 25,	21·6	.	9	.	.	.	.	.	.	.	.	.	2	.	2	3	.	.	.	.	.
		Dec. 2,	28·8	4·8	12	.	.	.	1	1	.	.	.	1	.	.	.	6	.	.	.	.	.
		„ 9,	26·4	.	11	.	.	.	.	.	.	.	.	4	.	1	.	2	.	.	.	.	1
		„ 16,	26·4	2·4	11	.	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	.	.
		„ 23,	19·2	.	8	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1911 (Est.) 43,149.	Nov. 4,	15·7	2·4	13	.	.	.	.	1	.	.	.	3	1	.	.	2	.	.	1	.	1
		„ 11,	16·9	1·2	14	.	.	.	1	.	.	.	.	1	1	2	1	4	.	.	.	.	1
		„ 18,	24·2	3·6	20	.	.	.	.	.	1	2	.	5	2	3	2	1	.	.	.	1	.
		„ 25,	29·0	3·6	24	1	.	.	2	.	.	.	.	6	1	.	1	.	.	.	.	1	1
		Dec. 2,	15·7	1·2	13	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.	.	.	.
		„ 9,	32·6	1·2	27	.	.	.	.	.	.	.	.	4	1	4	.	7	1	.	.	.	.
		„ 16,	32·6	3·6	27	1	.	.	2	.	.	.	.	1	.	.	1	7	.	.	.	.	.
		„ 23,	25·4	3·6	21	.	.	.	.	.	.	2	.	1	1	1	3	3	.	.	1	.	2
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1911 (Est.) 35,816.	Nov. 4,	26·2	1·5	18	1	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	.	.
		„ 11,	14·6	.	10	.	.	.	.	.	.	.	.	2	.	2	.	2	.	.	.	.	.
		„ 18,	11·6	.	8	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1
		„ 25,	10·2	.	7	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1
		Dec. 2,	20·4	.	14	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.	1
		„ 9,	14·6	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.
		„ 16,	18·9	.	13	.	.	.	.	.	.	.	.	2	1	2	.	3	.	.	.	.	.
		„ 23,	20·4	.	14	.	.	.	.	.	.	.	.	2	1	.	3	3	.	.	.	2	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes.	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa: Children under 2 years.	Diarrhœa: 2 years and upwards.	Enteritis of Children under 1 year.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	Nov. 4,	16·3	4·1	12	1	.	.	.	.	.	.	.	.	.	.	.	3	.	1	1	1	1
	„ 11,	9·5	2·7	7	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
	„ 18,	17·7	.	13	.	.	.	.	.	.	.	.	4	1	3	.	.	.	.	.	1	.
	„ 25,	15·0	1·4	11	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	Dec. 2,	13·6	.	10	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
	„ 9,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	.
	„ 16,	19·0	1·4	14	1	.	.	.	.	.	.	.	2	1	.	1	2	.	.	.	.	.
	„ 23,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	2	1	2	.	.	.	.	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	Nov. 4,	19·5	3·6	11	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	2	.	.
	„ 11,	10·7	1·8	6	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.
	„ 18,	17·8	1·8	10	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	.	.	2
	„ 25,	17·8	3·6	10	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	2	1	.
	Dec. 2,	21·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2	.
	„ 9,	12·4	1·8	7	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 16,	19·5	.	11	.	.	.	.	.	.	.	.	.	2	.	1	2	.	.	.	.	.
	„ 23,	16·0	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 17,227.	Nov. 4,	12·1	3·0	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 11,	24·2	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	1
	„ 18,	9·1	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	„ 25,	15·1	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	Dec. 2,	15·1	6·1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 9,	6·1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 16,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 23,	27·2	.	9	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	.
Belfast. Pop. in 1911 (Est.) 386,449.	Nov. 4,	15·1	0·7	112	1	.	.	.	2	.	.	.	15	4	5	13	17	.	.	2	1	2
	„ 11,	15·7	1·1	116	1	.	.	.	2	2	2	.	12	8	3	8	15	.	.	1	3	.
	„ 18,	17·7	1·6	131	.	.	.	.	1	1	4	.	17	7	4	10	15	1	.	5	3	1
	„ 25,	17·3	1·9	128	.	.	.	.	2	5	.	.	8	11	7	9	17	1	1	5	8	.
	Dec. 2,	13·6	0·9	101	.	.	.	.	1	3	1	.	9	3	5	4	19	.	.	2	1	1
	„ 9,	16·1	0·9	119	.	.	.	.	1	2	2	.	19	2	5	10	17	.	.	2	3	1
	„ 16,	20·5	1·1	152	.	.	.	.	2	3	1	.	19	9	6	13	19	1	.	1	4	3
	„ 23,	18·1	1·6	134	.	.	.	.	1	8	2	.	15	8	4	9	14	.	.	1	1	.
Cork. Pop. in 1911 76,632.	Nov. 4,	22·5	3·4	33	.	.	.	2	.	.	.	.	5	2	1	2	1	2	.	1	.	6
	„ 11,	19·7	2·7	29	.	.	.	1	.	.	2	.	5	1	1	4	1	.	.	1	.	.
	„ 18,	25·9	4·8	38	.	.	.	2	.	.	2	.	6	2	3	1	4	2	1	.	1	1
	„ 25,	17·7	2·7	26	.	.	.	.	.	1	.	.	6	2	.	3	1	2	.	1	.	.
	Dec. 2,	25·9	2·7	38	.	.	.	1	.	1	1	.	7	1	2	4	2	1	.	.	2	2
	„ 9,	26·5	2·0	39	.	1	.	1	.	.	1	.	10	3	.	3	8	.	.	.	.	.
	„ 16,	35·4	2·7	52	.	.	.	2	.	.	.	.	5	5	.	8	7	2	.	.	1	2
	„ 23,	22·5	1·4	33	.	.	.	1	.	.	1	.	4	.	1	1	6	.	.	.	2	4
Londonderry. Pop. in 1911 40,799	Nov. 4,	19·2	.	15	.	.	.	.	.	.	.	.	3	.	.	1	4	.	.	.	.	.
	„ 11,	15·3	1·3	12	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	.	.	.
	„ 18,	16·6	.	13	.	.	.	.	.	.	.	.	1	.	.	3	2	.	.	.	.	1
	„ 25,	5·1	.	4	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	.
	Dec. 2,	12·8	1·3	10	.	.	.	.	.	.	.	.	1	1	.	1	2	1	.	.	.	1
	„ 9,	17·9	.	14	.	.	.	.	.	.	.	.	4	1	1	1	5	.	.	.	.	.
	„ 16,	11·5	.	9	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.
	„ 23,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	1	2
Limerick. Pop. in 1911 38,403.	Nov. 4,	17·7	.	13	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	.	4
	„ 11,	8·1	.	6	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.
	„ 18,	9·5	1·4	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1
	„ 25,	10·9	1·4	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1
	Dec. 2,	12·2	1·4	9	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	1
	„ 9,	16·3	.	12	.	.	.	.	.	.	.	.	2	1	1	2	1	.	.	.	.	2
	„ 16,	21·7	.	16	.	.	.	.	.	.	.	.	3	.	.	.	5	.	.	.	.	4
	„ 23,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.	.
Waterford Pop. in 1911 27,430.	Nov. 4,	19·0	5·7	10	.	.	.	.	.	.	1	.	.	1	.	.	1	1	1	.	1	1
	„ 11,	15·2	.	8	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1
	„ 18,	13·3	1·9	7	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.	.
	„ 25,	15·2	1·9	8	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	1
	Dec. 2,	20·9	3·8	11	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
	„ 9,	20·9	.	11	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	1	.
	„ 16,	22·8	1·9	12	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	1	.	2
	„ 23,	5·7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 23rd December, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised).	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	385,492	6	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		10	.	1	.	4	3	2	.	.	.	.	.	1	.	.	2	.	1	1	.	.	.	.	.	.	4	.
Do. 2 do.		32			13	1	.	1	3	3	5	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.	.	5	.
Do. 3 do.		32			16	4	1	.	5	3	3	.	.	.	.	.	.	1	.	2	.	1	.	1	.	.	.	.	.	6	.
Do 4 do.		17			9	1	2	1	1	3	1	.	.	.	.	.	.	1	.	1	1	1	.	1	.	.	.	.	.	2	.
Do. 5 do.		5			12	1	1	1	4	3	2	.	.	.	.	.	1	.	.	2	1	.	2	3	.	.	1	.	.	7	.
Do. 6 do.		10			14	1	1	1	4	3	4	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1	1	1	.
Do. 7 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		5			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		5			13	2	3	1	3	4	.	.	.	.	.	.	3	.	.	2	.	.	1	1	.	.	.	.	.	3	.
Do. 10 do.		11			9	1	3	.	3	1	1	.	.	.	.	.	2	.	.	1	1	.	1	1	.	.	.	.	.	1	.
Do. 11 do.		15			13	2	.	1	1	2	7	.	.	.	.	.	1	.	.	1	.	1	.	2	.	.	.	.	1	5	.
Do. 12 do.		23			15	3	5	.	2	4	1	.	.	.	.	1	.	.	.	1	.	.	2	3	.	.	.	.	.	5	.
Do. 13 do.		2			5	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		6			5	1	1	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
Total,	—	170			134	18	18	7	32	31	28	.	.	.	.	1	8	2	.	15	8	4	9	14	.	.	1	1	2	41	.
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	76,632	1	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 2 do.		.			4	1	.	2	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	1	1	1
Do. 3 do.		5			5	.	3	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	1	1	1
Do. 4 do.		.			2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 5 do.		3			3	.	1	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	2	.
Do. 6 do.		1			6	.	.	.	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 7 do.		3			11	.	2	.	1	4	4	.	.	.	1	.	.	1	.	1	.	1	.	2	.	.	.	1	1	7	1
Total,	—	13	22·5	1·4	33	2	7	2	2	8	12	.	.	.	1	.	.	1	.	4	.	1	1	6	.	.	.	2	3	14	4

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	July 1.	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14	Oct. 21.	Oct 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.
No. of weeks in Annual Series,	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
BIRTHS registered, ...	264	213	207	268	236	203	225	215	220	197	215	183	184	184	184	198	194	199	206	204	187	195	191	195	191	170
DEATHS registered, ...	116	92	123	121	105	123	121	139	132	138	146	122	150	125	128	118	126	124	112	116	131	128	101	119	152	134
Annual Death rate per 1,000 of estimated population, ...	15·7	12·4	16·6	16·3	14·2	16·6	16·3	18·8	17·8	18·6	19·7	16·5	20·2	16·9	17·3	15·9	17·0	16·7	15·1	15·7	17·7	17·3	13·6	16·1	20·5	18·1
AGES, Under 1 year, ...	18	11	25	32	38	39	45	44	36	52	49	43	53	35	26	21	24	22	20	19	30	28	19	22	22	18
1—5 years, ...	9	7	9	11	8	12	11	11	8	6	16	11	19	17	16	17	6	7	11	8	16	15	10	9	22	18
5—25 „ ...	16	15	16	14	11	7	14	15	18	11	10	8	12	7	13	9	17	17	12	16	16	10	11	14	20	7
25—45 „ ...	20	21	25	22	13	21	11	17	19	24	21	17	15	22	22	18	20	16	18	19	14	17	13	21	24	32
45—65 „ ...	37	25	29	23	17	23	23	28	31	27	29	21	31	20	28	28	29	37	24	28	31	31	18	29	38	31
65 and upwards, ...	16	13	19	19	18	21	17	24	20	18	21	22	20	24	23	25	30	25	27	26	24	27	30	24	26	28
Deaths from :—																										
Enteric Fever, ...	.	.	.	1	.	.	1	1	2	1	2	.	.	.	2	.	.	.	1	1	.	.	.	.	.	.
Typhus, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	1	1	.	.	.	1	.	.	.	1	1	.	2	1	1	.	1	2	2	1	2	1	1	2	1
Whooping-cough, ...	1	.	1	1	1	2	1	.	1	.	1	2	2	1	1	2	1	3	.	2	1	5	3	2	3	8
Diphtheria, ...	.	1	.	2	.	2	.	1	.	.	.	.	.	1	.	1	.	.	.	2	4	.	1	2	1	2
Dysentery, ...	.	.	.		.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	23	16	18	20	10	13	9	6	19	17	11	10	8	8	13	11	19	16	15	12	17	8	9	19	19	15
Tuberculous Disease. Other Forms,	2	5	8	6	5	7	3	7	5	3	7	5	8	5	10	5	4	3	4	8	7	11	3	2	9	8
Cancer, ...	7	4	6	3	3	9	4	4	1	7	4	6	8	6	6	6	5	3	5	3	4	7	5	5	6	4
Diseases of Respiratory System, Pneumonia,	5	7	2	4	6	2	3	9	3	4	7	3	6	8	7	7	10	6	13	8	10	9	4	10	13	9
Diseases of Respiratory System, Others, ...	8	11	14	10	3	4	5	6	5	1	9	6	9	4	10	7	13	17	17	15	15	17	19	17	19	14
Diarrhœa, Under 2 years, ...	2	1	6	10	14	9	19	17	15	21	26	20	27	15	10	5	2	2	.	.	1	1	.	.	1	.
Diarrhœa, 2 years & upwards	.	.	.	.	1	4	4	3	5	6	7	4	1	2	2	.	.	1	.	.	.	1	.	.	.	.
Enteritis, under 2 years, ...	1	1	3	8	9	12	19	10	13	22	11	11	20	9	6	8	7	3	2	1	5	5	2	2	1	1
Violent Deaths, ...	4	.	3	5	3	2	2	6	4	5	3	2	1	2	2	3	3	6	1	3	3	8	1	3	4	1
Number of Uncertified Deaths, ...	3	.	1	.	2	.	1	1	2	.	.	.	1	1	.	4	1	.	2	.	1	.	1	1	3	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	Dec. 23,	2,006	1,362	15·7	3	.	12	2	9	22	16*a*
Edinburgh, ...	320,829	„ 23,	123	108	17·6	.	.	3	1	1	.	1
Glasgow, ...	784,621	„ 23,	397	273	18·2	1	.	25	1	5	1	5
Calcutta, ...	890,493	Nov. 18,	.	543	31·7	120*	.	.	.	1	3	100‡
Bombay, ...	977,822	„ 18,	489	509	27·1	68*	1	.	.	.	.	46
Madras, ...	509,346	Oct. 28,	395	590	44·6	97*	1	2	?	?	?	180‡
Cairo, ...	693,806	„ 28,	578	406	30·5	3	.	.	1	.	15†	71*a*
Paris, ...	2,846,986	Nov. 25,	923	838	15·8	6	.	6	1	1	4†	15*a*
Brussels, ...	705,295	Dec. 2,	242	171	12·6	1	.	.	.	.	1	7
Antwerp, ...	320,640	„ 2,	136	64	10·4	.	.	.	2	.	1†	2*a*
Amsterdam, ...	579,705	„ 2,	250	122	10·9	1	.	.	.	5	1†	.
Copenhagen, ...	462,132	„ 2,	209	117	13·2	.	.	.	2	1	1	3
Stockholm, ...	343,832	„ 2,	154	76	11·5	1	.	.	1	1	1*a*	.
Christiania, ...	244,038	„ 9,	111	67	14·3	.	.	1	1	.	3	2
St. Petersburg, ...	1,639,266	Nov. 18,	796	578	18·8	24	.	21	7	3	1	44
Moscow, ...	1,493,600	„ 18,	.	634	22·1	6	.	22	11	.	10†	65
Berlin, ...	2,079,335	„ 18,	786	579	14·5	.	.	1	17	4	21†	18
Hamburg, ...	931,035	Dec. 2,	.	250	14·0	1	.	1	1	3	11†	12
Breslau, ...	523,079	„ 2,	.	162	16·2	1	.	.	1	.	3†	11
Munich, ...	597,000	„ 9,	.	161	14·6	.	.	.	1	.	1†	12
Vienna (with suburbs),	2,064,583	„ 2,	719	568	14·3	3	.	5	2	3	4†	24*a*
Buda-Pesth, ...	891,585	„ 2,	419	327	19·1	8	.	14	1	.	1†	15*a*
Prague and Faubourgs,	508,310	Nov. 18,	148	178	18·2	1	.	2	6	2	.	3*a*
Trieste, ...	233,925	Dec. 2,	142	85	18·9	.	.	1	.	.	1†	5*a*
Rome, ...	602,068	Aug. 26,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Sept. 2,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	Nov. 11,	2,513	1,276	13·4	14	.	4	4	2	12†	45*a*
Philadelphia, ...	1,580,250	Oct. 28,	.	450	14·8	4	.	.	1	.	11†	25*a*
Boston ...	688,912	Dec. 2,	.	191	14·5	1	.	.	2	.	.	4

* Deaths from "fever," including 8 deaths from enteric fever and 8 from plague in Calcutta, 2 from enteric fever and 8 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 42 deaths from cholera in Calcutta and 64 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending December 23rd, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	1	.	.	1	.	.	.	1	.	.	1	4
„ „ 1, West, ...	.	1	.	.	2	.	.	.	1	.	.	1	5
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 3, ...	.	5	.	.	1	.	.	1	1	.	.	.	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	3	.	.	.	.	.	.	1	.	.	1	5
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	.	.	.	.	.	1
South City No. 1, ...	.	2	1	.	.	.	.	.	.	.	.	3	6
„ „ 2, ...	.	1	.	.	2	.	.	.	.	.	.	1	4
„ „ 3, ...	.	2	.	.	2	.	.	.	1	.	.	.	5
„ „ 4, ...	.	2	.	.	.	.	.	.	1	.	.	.	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	17	1	.	9	.	.	1	6	.	.	7	41

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 23rd December, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 23rd December.			
	Dec. 2.	Dec. 9.	Dec. 16.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	16	17	18	11	14	.	15
Scarlet Fever, ...	197	203	191	24	28	.	187*
Typhus, ...	2	2	6	1	.	.	7
Diphtheria, ...	65	62	63	17	20	6	54
Enteric Fever, ...	77	70	67	7	22	1	51
Pneumonia, ...	25	20	24	6	8	2	20

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 23rd December, 1911:—

"The atmosphere remained in a state of very unstable equilibrium during this week, depression after depression passing in from the Atlantic over the western shores of Europe. The main area of low atmospheric pressure was situated for the most part off the S.W. of Iceland, except on Monday morning when the lowest reading of the barometer was 28·78 inches at Blacksod Point, Co. Mayo. On Thursday morning also, while Reykjavik, in Iceland, reported a barometric reading of 28·76 inches, a deep secondary depression was found lying over the Cornish Peninsula with the barometer down to 28·9 inches or thereabouts. Notwithstanding the arrival of low pressure systems in rapid succession, fine, bright intervals occurred. Sunday, for instance, proved very fine after a showery morning. Monday opened with a southerly gale and driving rain, but the sky cleared after 3 p.m. and the greater part of Tuesday was fine. In the afternoon, however, the sky clouded over and rain fell at night. Wednesday was chiefly fine and bright, temperature giving way after attaining a maximum of 57° on Monday. Thursday was dull, and Friday was cold and wet as well as dull, rain mingled with sleet falling heavily. A hoar frost on Saturday morning quickly yielded as a sheet of cirro-stratus spread across the sky from W.S.W., the wind backing to S. with some rain in the evening. In Dublin the mean height of the barometer was 29·461 inches, pressure ranging between 29·121 inches at 9 a.m. of Monday (wind, S., strong) and 30·015 inches at 9 a.m. of Saturday (wind again S., but light). This was the first occasion in the present month on which atmospheric pressure reached 30 inches in Dublin. The corrected mean temperature was 46·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 45·3°. The screened thermometers rose to 57·2° on Monday, and fell to 33·9° on Saturday. S. and S.S.W. winds prevailed. Rain fell daily to the amount of ·827 inch, the maximal measurement in 24 hours being ·416 inch on Friday. Sleet fell on that day."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·316 inches. The highest reading (29·849) was on Saturday at 9 a.m., air calm, the lowest (28·963) on Monday at 9 p.m., wind S.

The mean temperature for the week was 44·7°, being 3·2° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Monday, on which day the thermometer registered 56·8°, and was lowest on Saturday, the mercury having fallen to 31·7°. The mean of the Dry Bulb for the week was 44·2° and of the Wet Bulb, 41·9°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The rainfall during the week measured ·595 inch.

At Greenwich the mean temperature for the week was 46·0°, the maximum 53·9°, and the minimum 35·1°; at Glasgow the maximum was 54·3°, the minimum 35·0°, and the mean 44·6°; and at Edinburgh the maximum was 53·3°, the minimum 34·0°, and the mean 43·9°. The rainfall at Greenwich measured 1·31 ins.; at Glasgow 1·05 ins.; and at Edinburgh 0·76 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, December 17,	29·335	52·9	47·7	50·3	50·2	46·8	·77	·4	2·7	·030	S.S.W.	S.S.W.
Monday, „ 18,	29·116	56·8	45·0	50·9	51·4	48·0	·78	·5	0·0	·050	S.	S.
Tuesday, „ 19,	29·2.6	50·9	45·1	48·0	48·0	44·7	·77	·5	2·5	·085	S.	S.E.
Wednesday, „ 20,	29·162	49·8	40·3	45·1	42·1	40·4	·87	·0	2·2	·000	W.S.W.	S.W.
Thursday, „ 21,	29·313	43·8	37·7	40·8	40·1	38·5	·88	·0	0·0	·010	Calm.	S.W.
Friday, „ 22,	29·456	41·4	33·9	37·7	36·9	36·2	·94	·0	0·0	·380	Calm.	N.N.W.
Saturday, „ 23,	29·605	48·9	31·7	40·3	40·8	39·0	·88	·1	0·0	·040	Calm.	S.S.E.
Mean, ...	29·316	49·2	40·2	44·7	44·2	41·9	·84	·2	Total 7·4	Total ·595	Prevailing Wind, S.	

Sunday—Day cloudy, fine; night overcast, drizzling rain 3 a.m. to 7 a.m. *Monday*—Day overcast; night cloudy, showers at intervals from 9 p.m. to 6 a.m. *Tuesday*—Day cloudy, fine; night overcast, drizzling 10 p.m. to 11.15 and 4 a.m. to 6.30 a.m. *Wednesday*—Day cloudy, fine; night clear to overcast. *Thursday*—Day overcast, light rain 2.15 p.m. to 3.30 p.m.; night clear. *Friday*—Day overcast, light and heavy rain from 12.15 p.m. to 7 p.m.; night clear. *Saturday*—Day overcast; night cloudy, showers at intervals from 10 p.m. to 6 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, December 23rd, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, December 17,	51·7	43·5	45·0	55·0	48·2	51·6	2·4	·155
Monday, „ 18,	55·3	44·3	45·0	58·3	45·9	52·1	—	·015
Tuesday, „ 19,	48·4	44·3	45·2	51·5	46·6	49·1	1·4	·100
Wednesday, „ 20,	43·1	44·7	45·5	52·1	41·4	46·8	2·0	·005
Thursday, „ 21,	43·0	43·5	45·5	45·5	40·5	43·0	—	·010
Friday, „ 22,	41·3	42·6	45·7	43·0	36·8	39·9	—	·450
Saturday, „ 23,	37·3	41·5	45·7	48·0	33·5	40·8	—	·070
Weekly Mean, .	45·7	43·5	45·4	50·5	41·8	46·2	Total 5·8	Total ·805

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31623. Wt. P. 346-99/138. 375. 11. 1911. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLVIII.] WEEK ENDING SATURDAY, 30TH DECEMBER, 1911. [No. 52.

General Register Office, Charlemont House, Dublin, 1st January, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,149,495.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Dec. 9	Dec. 16	Dec. 23	Dec. 30	Average Rate for 4 weeks.
22 Town Districts, ...	**17·7**	**20·9**	**18·2**	**18·0**	**18·7**
Armagh	20·6	6·9	.	20·6	12·0
Ballymena	22·9	27·5	27·5	9·2	21·8
Belfast	16·1	20·5	18·1	16·9	17·9
Clonmel	20·3	5·1	.	10·1	8·9
Cork	26·5	35·4	22·5	21·1	26·4
Drogheda	16·8	8·4	21·0	16·8	15·8
Dublin Reg. Area ...	18·6	22·0	19·9	19·9	20·1
Dundalk	7·9	15·9	11·9	19·9	13·9
Galway	7·9	15·7	23·6	19·7	16·7
Kilkenny	.	5·0	39·7	14·9	14·9
Limerick	16·3	21·7	13·6	20·4	18·0
Lisburn	25·7	17·1	34·3	12·9	22·5
Londonderry	19·2	11·5	11·5	14·1	14·1
Lurgan	25·8	8·6	30·1	21·5	21·5
Newry	13·1	39·3	17·4	21·8	22·9
Newtownards	5·7	5·7	11·4	22·9	11·4
Portadown	22·2	8·9	.	17·8	12·2
Queenstown	13·2	13·2	6·6	13·2	11·6
Sligo	4·7	.	4·7	18·7	7·0
Tralee	10·6	21·1	10·6	10·6	13·2
Waterford	20·9	22·8	5·7	7·6	14·3
Wexford	22·8	31·9	22·8	13·7	22·8

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in sixteen of the districts to 12·9 in Lurgan, the 5 deaths from all causes for that district including 3 from whooping-cough. Among the 125 deaths from all causes for Belfast are 5 from scarlet fever, 3 from whooping-cough, 2 from diphtheria, and 3 from *enteritis* of children under 2 years of age. Included in the 5 deaths from all causes for Newry is one from enteric fever, and of the 3 deaths from all causes for Kilkenny one is from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 212—90 boys and 122 girls—and the deaths to 160—75 males and 85 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·9 per 1,000 of the population. During the fifty-two weeks ending with Saturday last the death-rate averaged 21·4, and was 1·0 below the mean rate for the corresponding portions of the 10 years 1901–10.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 160, represent an annual rate of 20·7 per 1,000; the annual rate for the past fifty-two weeks was 22·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·5 per 1,000 of the mean population for all deaths registered.

The total deaths registered, 160 in number, include one from enteric fever, 3 from measles, one from scarlet fever, 4 from whooping-cough, 3 from diphtheria, 3 from influenza and 3 from diarrhœal diseases of children under 2 years of age.

In the 3 weeks preceding, deaths from enteric fever were one, 3, and 0; deaths from measles were one, 5, and 4; deaths from scarlet fever were one, one, and 3; deaths from whooping-cough, were 3, 3, and 5; deaths from diphtheria, were one, 4, and 5; deaths from influenza were 2, one, and one; and deaths from diarrhœal diseases of children under 2 years were 5, 3, and 2, respectively.

Tuberculous disease caused 30 deaths, comprising 23 from pulmonary tuberculosis, 3 from tuberculous meningitis, one from abdominal tuberculosis, and 3 from disseminated tuberculosis. In the 3 weeks preceding deaths from tuberculous disease were 29, 21, and 25 respectively.

Broncho-pneumonia caused 5 deaths, lobar pneumonia 3 deaths, and *pneumonia* (type not distinguished) 5 deaths.

The deaths of 4 infants under 2 years of age were ascribed to *convulsions*.

Organic diseases of the heart caused 11 deaths and 16 deaths were due to bronchitis.

The deaths of 2 infants were ascribed to premature birth, one to congenital malformation, and 2 to congenital debility.

There were 7 accidental deaths, one of which was due to a motor accident and one to burns.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year of age.

Forty-five of the persons whose deaths were registered during the week were under 5 years of age (24 being infants under one year, of whom 7 were under one month old) and 35 were aged 65 years and upwards, including 26 persons aged 70 and upwards; among the latter were 19 aged 75 and upwards, of whom one (a female) was stated to have been aged 90 years.

Sixty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 3 took place in the North Dublin Union Workhouse, and 19 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·9 per 1,000; the rate in the City was 21·5 (North City Districts, 18·1; South, 25·2) and in the Suburbs, 14·4.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·9 per 1,000 inhabitants, the rate for the City being 2·0 (2·0 in the North City Districts, and 2·1 in the South), and for the Suburbs, 1·7 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (10) are equal to an annual rate of 17·5 per 1,000, and include one from each of measles, whooping-cough, influenza, lobar pneumonia, and bronchitis, and 2 from tuberculous disease.

No. 1 *North City District, West* (Summer-hill).—The deaths (8) are equal to an annual rate of 10·5 per 1,000. Of the 8 deaths one was from scarlet fever, 2 were from tuberculous disease, and 2 from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27·2 per 1,000. There were 5 deaths from tuberculous disease, and 4 from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (13) represent an annual rate of 20·2 per 1,000, and include one from enteric fever, one from diphtheria, 5 from tuberculous disease, one from *pneumonia* (type not distinguished), and one from an accidental fall.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 13·5; and Finglas and Glasnevin, part of, 27·2. The only death for the first-named district was from pulmonary tuberculosis, and included in the 4 deaths from all causes for Finglas and Glasnevin, part of, was one from diphtheria, and 2 from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (21) represent an annual rate of 26·4 per 1,000, and include one from whooping-cough, one from diphtheria, one from *enteritis* of a child under 2 years of age, 2 from pulmonary tuberculosis, one from broncho-pneumonia, one from lobar pneumonia, 2 from bronchitis, and one from an accidental fall.

No. 2 *South City District* (Castle-street).—The deaths (14) are equal to an annual rate of 33·6 per 1,000. Of the total one was from tuberculous meningitis, 2 were from *pneumonia* (type not distinguished), 4 from bronchitis, and one by a motor accident.

No. 3 *South City District* (Peter-street).—The deaths (20) are equal to an annual rate of 24·2 per 1,000. There was one death from measles; there were 5 deaths from pulmonary tuberculosis, and 3 from broncho-pneumonia.

No. 4 *South City District* (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 18·9 per 1,000. Included in the total were 2 from pulmonary tuberculosis, one from *enteritis* of a child under 2 years of age, and one from bronchitis.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 28·8 per 1,000, and include one from whooping-cough, one from tuberculous meningitis, and one from *pneumonia* (type not distinguished).

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·7; Pembroke, 8·9; Blackrock, 11·5; and Kingstown, 18·2. The deaths from the principal epidemic diseases tabulated for these districts comprise one from each of measles and whooping-cough for Rathmines and Rathgar, and one from diarrhœa of a child under 2 years of age for Blackrock. Among the 13 deaths from all causes for Rathmines and Rathgar are one from each of influenza, pulmonary tuberculosis, *pneumonia* (type not distinguished), and bronchitis, and one accidental death. Included in the 5 deaths from all causes for Pembroke are one from lobar pneumonia and one accidental death. One of the 2 deaths for Blackrock is from bronchitis, and among the 6 deaths from all causes for Kingstown is one from each of influenza, broncho-pneumonia, and accidental burns.

* See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 30th December, 1911, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Dec. 9,	.	—	—	27	.	.	13	.	2	7	13	.	—	—	.	—	8	—	70
	Dec. 16,	.	—	—	30	3	.	23	.	3	6	6	.	—	—	.	—	15	—	86
	Dec. 23,	.	—	—	17	1	.	9	.	.	1	6	.	—	—	.	—	7	—	41
	Dec. 30,	.	—	—	22	.	.	9	.	.	8	6	.	—	—	.	—	8	—	53
Rathmines and Rathgar Urban District.	Dec. 9,	.	—	—	5	.	.	2	.	.	.	.	.	.	—	—	—	—	—	7
	Dec. 16,	.	—	—	11	.	.	1	.	.	2	1	.	.	—	—	—	—	—	15
	Dec. 23,	.	—	—	3	.	.	.	.	.	1	.	.	.	—	—	—	—	—	4
	Dec. 30,	.	—	—	4	.	.	2	.	1	.	1	.	.	—	—	—	—	—	8
Pembroke Urban District.	Dec. 9,	.	.	—	1	.	.	.	.	.	2	.	.	.	.	—	—	.	—	3
	Dec. 16,	.	.	.	3	.	.	.	.	.	.	2	.	.	.	.	—	.	—	5
	Dec. 23,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	—	.	—	1
	Dec. 30,	.	.	.	2	.	.	2	.	.	.	1	.	.	.	.	—	1	—	6
Blackrock Urban District.	Dec. 9,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Dec. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 30,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	Dec. 9,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Dec. 16,	.	—	—	3	.	.	.	.	.	1	.	.	—	—	—	—	3	—	7
	Dec. 23,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	3	—	4
	Dec. 30,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	3	—	6
City of Belfast.	Dec. 9,	.	—	—	25	.	.	9	.	.	2	3	.	—	—	.	—	11	—	50
	Dec. 16,	.	—	—	11	3	.	12	.	1	1	2	.	—	—	.	—	9	—	39
	Dec. 23,	.	—	—	16	.	.	5	.	.	.	6	.	—	—	.	—	10	—	37
	Dec. 30,	.	—	—	18	.	.	7	.	.	.	8	.	—	—	.	—	3	—	36

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 30th December, 1911, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Nine cases of measles were admitted to hospital during the week, 5 were discharged, and 19 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 17, 18, and 15 respectively.

Thirty-one cases of scarlet fever were admitted to hospital, 29 were discharged, and 189* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 203, 191, and 187, respectively.

Two cases of typhus were discharged from hospital during the week, and 5 cases remained under treatment at its close.

Fifteen cases of diphtheria were admitted to hospital during the week, 4 were discharged, and there were 5 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 62, 63, and 54, respectively, were 60 at the close of last week.

Nine cases of enteric fever were admitted to hospital during the week, 10 were discharged, there were 2 deaths, and 48 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 70, 67, and 51.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 7 were discharged, there were 2 deaths, and 19 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London, in which the rate was 15·3) was equal to an average annual death-rate of 15·8 per 1,000 persons living.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 30th December. From this Report it appears that of a total of 52 cases notified, 18 were phthisis, 16 scarlet fever, 12 diphtheria, 5 erysipelas, and one enteric fever. Among the 401 cases of infectious diseases in hospital at the close of the week were 177 cases of scarlet fever, 70 of diphtheria, 51 of phthisis, 44 of measles, 23 of whooping-cough, 13 of erysipelas, 7 of enteric fever, 6 of chicken-pox, and one of puerperal fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 30th December, 1911, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Registration—Week ending Saturday, 30th December, 1911. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 30th December, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 23rd December, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 16th December, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)
Total of 22 Town Districts, ..	1,149,495	20·2	25·4	18·0	1·5	560	396	67	91	2	...	...	4	6	10	5	...	44	16	9	29	56	1	...	6	10	16	120	22	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:— Total, (c.) ...	403,732	29·3	27·4	19·9	1·9	212	154	24	33	1	...	...	3	1	4	3	...	22	7	4	13	17	1	...	2	6	4	58	4	e53·3	30·4	43·8	0·56	e56·8	31·7	44·7	0·60	e54·8	35·6	43·7	1·36
City of Dublin,	309,738	39·2	33·0	21·5	2·0	196	128	20	25	1	...	...	2	1	3	3	...	21	7	2	10	15	...	...	2	3	2	51	4	f54·2 g53·6	34·7 32·0	45·5 43·9	0·40 0·53	f57·2 g56·8	33·9 32·0	46·1 45·4	0·83 0·79	f54·2 g54·5	37·0 35·0	44·2 43·1	1·71 1·44
Urban Districts. Rathmines and Rathgar.	38,330	22·4	6·8	17·7	2.7	5	13	1	3	...	...	...	1	...	1	...	...	1	...	1	1	1	...	...	...	1	1	4	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke ...	29,347	18·5	10·7	8·9	.	6	5	1	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,090	8·4	.	11·5	5·7	.	2	1	.	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,227	11·8	15·1	18·2	.	5	6	1	2	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	1	2	...	55	31	44·9	0·39	55	37	46·8	0·96	54	38	44·4	0·97
Belfast ...	386,449	26·3	25·6	16·9	1·8	190	125	24	24	...	...	...	...	5	3	2	...	10	6	2	8	13	.	...	3	3	10	30	2	51·8	28·5	42·2	1·28	53·5	32·0	44·0	0·90	48·0	32·0	40·2	1·83
Cork, ...	76,632	33·8	24·5	21·1	.	36	31	4	6	...	...	...	...	...	...	...	...	5	1	1	2	5	...	...	...	...	...	14	3	53	38	46·3	1·04	53	37	47·0	2·25	51	38	45·1	1·79
Londonderry...	40,799	18·9	10·2	14·1	.	8	11	1	3	...	...	...	...	...	...	...	...	2	...	...	1	3	...	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,403	18·2	43·4	20·4	.	32	15	3	4	...	...	...	...	...	...	...	...	1	...	...	...	4	...	...	...	...	2	4	6	53·7	34·7	45·8	1·39	54·5	28·3	43·8	1·96	52·6	35·0	42·6	0·99
Waterford, ...	27,430	19·1	19·0	7·6	.	10	4	...	3	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,249	2·5	39·4	19·7	.	10	5	1	2	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	...	...	1	...	...	...	...	54	36	44	1·06	50	32	41	1·32
Dundalk, ...	13,128	9·5	7·9	19·9	.	2	5	...	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,425	8·4	16·8	16·8	.	4	4	...	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	11,956	17·2	43·6	21·8	4·4	10	5	...	2	1	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	1	...	2	...	51·4	31·8	42·3	0·99	54·0	30·6	41·1	0·88	50·1	35·5	42·0	1·76
Lurgan, ...	12,135	14·3	25·8	21·5	12·9	6	5	2	...	...	...	...	...	...	3	...	...	...	...	1	...	...	...	...	...	...	...	1	1	51·4	31·8	42·3	0·99	54·0	30·6	41·1	0·88	50·1	35·5	42·0	1·76
Lisburn, ...	12,172	10·7	38·6	12·9	.	9	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	51·4	31·8	42·3	0·99	54·0	30·6	41·1	0·88	50·1	35·5	42·0	1·76
Wexford, ...	11,455	23·8	41·0	13·7	.	9	3	1	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ...	11,376	9·3	4·6	9·2	.	1	2	...	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8	32·7	18·7	.	7	4	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	1	51·2	27·7	41·9	1·29	58·2	29·0	42·0	1·49	52·5	30·5	41·1	2·33
Kilkenny, ...	10,513	11·4	.	14·9	5·0	.	3	1	...	...	...	...	1	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	53	30	43·8	0·91	53	28	43·1	1·42	52	33	43·1	2·15
Clonmel, ...	10,277	7·9	.	10·1	.	.	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	11,727	15·3	4·4	17·8	.	1	4	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	51·4	31·8	42·3	0·99	54·0	30·6	41·1	0·88	50·1	35·5	42·0	1·76
Tralee, ...	9,867	16·6	47·6	10·6	5·3	9	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	.	22·9	.	.	4	1	3	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	1	1	54	33	42·6	0·83	53	34	44·0	0·95	52	34	43·1	1·81
Queenstown, ...	7,909	14·4	.	13·2	.	.	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	53	38	46·3	1·04	53	37	47·0	2·25	51	38	45·1	1·79
Armagh, ...	7,588	22·2	27·5	20·6	.	4	3	2	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	51·4	31·8	42·3	0·99	54·0	30·6	41·1	0·88	50·1	35·5	42·0	1·76

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 6 deaths of persons (including 2 at 65 years or upwards) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observation by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 30th of December, 1911, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.												Urban Districts of					
	Registration Districts in																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf and Howth No. 1 (part of).	Coolock and Drumcondra (part of).	Finglas and Glasnevin (part of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	New Kilmainham.	Rathmines and Rathgar.	Pembroke.	Blackrock.	Kingstown.		
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	3	.
Scarlet Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	1	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	4	.
Diphtheria,	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	3	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	3	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	1	1	4	3	1	.	2	2	.	5	2	.	1	.	.	.	22	1
Tuberculous Disease. — Other Forms,	1	1	1	2	.	.	.	.	1	.	.	1	.	.	.	.	7	.
Cancer,	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	1	4	1
Diseases of Nervous System,	.	.	.	.	.	.	1	.	.	3	1	.	2	1	.	.	8	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Circulatory System,	2	.	1	2	.	.	.	.	1	3	3	.	1	.	.	.	13	.
" Respiratory System. — Pneumonia,	1	.	.	1	.	.	.	2	2	3	.	1	1	1	.	1	13	.
" Respiratory System. — Others,	1	2	4	.	.	.	.	2	4	.	2	.	1	.	1	.	17	.
" Digestive System. — Diarrhœa, under 2 years,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — *Enteritis*, under 2 years.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
" Digestive System. — Enteritis, 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Others,	.	1	1	.	.	2	.	1	1	1	1	.	1	.	.	1	10	.
" Genito-urinary System,	.	.	2	1	.	1	.	2	.	1	2	.	.	2	.	.	11	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy & Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	.	3	1	.	.	.	6	3	2	1	1	1	.	.	1	20	.
Violent Deaths,	.	.	.	1	.	.	.	1	1	.	.	.	1	1	.	1	6	1
Ill-defined, &c. Causes,	.	2	.	.	.	.	.	1	1	1	.	.	.	.	.	.	5	1
Deaths from All Causes	10	8	16	13	1	3	4	21	14	20	13	5	13	5	2	6	154	6
Annual Rate of Mortality from All Causes in every 1,000 of the population.	17·5	10·5	27·2	20·2	9·7	13·5	27·2	26·4	33·6	24·2	18·9	28·8	17·7	8·9	11·5	18·2	19·9	.
	18·1							25·2					14·4					
	21·5																	
Ages at Death. — Under 1 year,	2	2	1	.	.	.	1	7	1	3	2	1	1	1	1	1	24	.
1 and under 2 years,	1	1	1	2	.	.	.	.	1	.	.	1	3	.	1	.	11	.
2 " 5 "	.	2	1	2	.	.	1	2	.	2	.	.	.	.	.	.	10	.
5 " 15 "	.	.	3	1	.	.	.	.	.	1	1	.	.	.	.	2	8	.
15 " 25 "	3	.	.	1	1	.	1	.	.	.	.	.	1	.	.	.	7	1
25 " 45 "	2	.	2	2	.	.	.	6	3	4	3	1	2	.	.	1	26	1
45 " 65 "	1	1	5	2	.	1	1	.	4	8	6	2	3	1	.	.	35	2
65 and upwards,	1	2	3	3	.	2	.	6	5	2	1	.	3	3	.	2	33	2
Number of Uncertified Deaths,	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	4	.
Number of the above Deaths which occurred in Hospitals, Prisons, Lunatic Asylums, and Workhouse Hospitals.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	2	6	4	1	2	1	3	2	3	4	.	4	1	.	2	38	4
Workhouse Hospitals,	1	.	2	.	.	.	.	5	6	4	2	.	.	.	.	.	20	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 52nd Week of the 10 years 1901–1910.	In the Week ending Saturday, 30th December, 1911.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Dec. 28, 1901.	Dec. 27, 1902.	Jan. 2, 1904.	Dec. 31, 1904	Dec. 30, 1905.	Dec. 29, 1906.	Dec. 28, 1907.	Dec. 26, 1908.	Jan. 1, 1910.	Dec. 31, 1910.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 35·2	° 46·5	° 36·3	° 44·1	° 45·7	° 31·8	° 39·4	° 44·8	° 45·9	° 40·9	° 41·1	° 43·8										
ALL CAUSES.	200	188	240	187	139	170	155	136	205	155	177·5	160	7	17	11	10	8	8	27	37	16	19
Enteric Fever, ...	5	3	1	2	3	1	1	1	2	.	1·9	1	.	.	.	.	1	.	.		.	.
Typhus, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	7	1	16	.	2	.	3	.	1	3·0	3	.	1	1	1	.	.	.	.	.	.
Scarlet Fever, ...	.	2	2	1	.	1	1	.	3	2	1·2	1	.	.	1	.	.	.	.	.	.	.
Whooping-cough, ...	.	1	12	2	1	3	2	2	1	7	3·1	4	.	2	2	.	.	.	.	.	.	.
Diphtheria, ...	2	3	.	.	2	1	1	1	1	.	1·1	3	.	1	.	2	.	.	.	.	.	.
Croup, ...	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	.	2	.	1	2	1	1	4	1	1·5	3	.	.	.	.	.	.	2	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	2	2	.	.	.	.	1	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	1	1	.	.	.	.	.	.	·3	1	.	.	.	.	.	.	1	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	21	23	25	21	19	20	21	13	15	19	19·7	23	.	.	1	.	.	5	8	9	.	.
Tuberculous Meningitis, ...	4	4	3	3	.	6	2	5	3	1	3·1	3	.	2	.	1	.	.	.	.	.	.
Abdominal Tuberculosis, ...	1	2	1	1	.	1	1	2	.	1	1·0	1	.	.	1	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.												.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	4	7	7	5	1	5	6	5	3	3	4·6	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,												.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...												.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...												3	.	.	.	1	1	1	.	.	.	.
Venereal Diseases, ...	.	.	3	3	2	1	2	.	2	.	1·3	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	4	5	8	7	6	10	5	3	4	6	5·8	5	.	.	.	.	.	.	1	3	1	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	2	.	.	1	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	1	1	1	.	1	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	.	.	.	.	.	1	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	1	.	.	1
Alcoholism, ...	.	.	3	.	2	1	.	.	3	.	·9	1	.	.	.	.	.	.	1	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...												.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.												3	.	.	.	.	.	.	.	2	.	1
Softening of Brain, ...												.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.												1	.	.	.	.	.	.	.	.	1	.
Epilepsy, ...												.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),												4	2	1	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	53	43	61	32	39	39	34	33	53	42	42·9	1	.	.	.	.	1	.	.	.	.	.
Pericarditis, ...												.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...												2	.	.	.	.	1	.	1	.	.	.
Organic Diseases of the Heart,												11	.	.	.	.	.	2	1	4	3	1
Embolism and Thrombosis (including Cerebral)												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.												.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	37	25	34	30	19	17	32	25	39	23	28·1	16	.	2	2	1	1	.	.	4	4	2
Broncho-pneumonia, ...	7	7	10	5	8	6	7	10	15	5	13·9	5	.	1	.	2	.	.	.	1	1	.
Lobar-pneumonia, ...		.	1	2	.	1	1	1	1	2		3	.	1	.	.	.	.	2	.	.	.
Pneumonia (type not distinguished)		8	10	5	3	5	4	5	6	4		5	.	.	1	.	.	.	.	3	1	.
Pleurisy, ...												1	.	.	.	.	.	.	1	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	2	1	3	5	1	3	3	.	2	2	2·2	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.												.	.	.	.	.	.	.	.	.	.	.

FIFTY-SECOND WEEK ending Saturday, 30th December, 1911, with, as far as practicable, the deaths from each cause in 1901–1910, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 52nd Week of the 10 years 1901–1910.	In the Week ending Saturday, 30th December, 1911.										
													Deaths of Persons of the Ages of									
	Dec. 28, 1901.	Dec. 27, 1902.	Jan. 2, 1904.	Dec. 31, 1904.	Dec. 30, 1905.	Dec. 29, 1906.	Dec. 28, 1907.	Dec. 26, 1908.	Jan. 1, 1910.	Dec. 31, 1910.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 35·2	° 46·5	° 36·3	° 44·1	° 45·7	° 31·8	° 39·4	° 44·8	° 45·9	° 40·9	° 41·1	° 43·8										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	—	.	1	.	.	.	.	.	.	1	.	.	.
Diarrhœa of Children under 2 years.	3	4	.	6	2	2	.	.	4	1	2·2	1	.	1	.	.	.	.	.	.	.	.
„ 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis of Children under 2 years.	2	.	2	1	.	6	.	1	4	1	1·7	2	1	1	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards												.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	2	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	—	—	2	.	.	.	.	.	.	.	1	.	1
Cirrhosis of Liver, ...	2	1	.	1	2	2	.	1	2	.	2·4	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Liver, ...		1	3	.	2	.	3	2	1	1		1	.	.	.	.	.	.	.	1	.	.
Peritonitis (cause unknown),	1	2	1	.	.	1	.	.	.	.	·5	1	.	.	.	.	.	.	.	.	.	1
Other Diseases of Digestive System.	4	5	7	10	1	2	5	3	5	5	4·7	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	5	3	6	5	6	8	6	5	6	9	5·9	3	.	.	1	1	.	.	1	.	.	.
Chronic Bright's Disease, ...												7	.	.	.	.	.	.	1	3	2	1
Urinary Calculi, ...												.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).												.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.												1	.	.	.	.	.	.	1	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	1	2	.	1	1	.	1	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	—	—	1	.	1	.	.	.	.	.	.	.	.
Premature Birth, ...	1	.	2	2	1	4	1	1	9	1	2·2	2	2	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	—	—	2	.	2	.	.	.	.	.	.	1	8
Old Age, ...	11	4	9	5	4	2	1	6	4	4	5·0	9	.	.	.	.	.	.	1	.	.	.
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	2	1	.	.	.	.	.	.	.	.	.
ACCIDENTS:																						
By Railways, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses, ...	1	1	.	.	1	1	.	.	.	1	·5	1	.	.	.	.	.	.	1	.	.	.
In Ships, Boats, Docks, (exclusive of Drowning).	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
In Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Burns, Scalds, Explosions,	2	2	4	1	2	.	2	1	1	1	1·6	1	.	.	.	.	1	.	.	.	.	.
By Drowning, ...	1	1	1	.	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
By Suffocation in Bed, ...	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	3	4	1	1	1	3	2	.	.	2	1·7	5	.	.	.	.	.	.	.	2	1	2
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	1	1	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	—	—	6	1	1	.	.	.	.	.	2	1	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.
No. of weeks in Annual Series,	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
BIRTHS registered.	190	190	294	233	198	210	233	218	198	212	201	182	265	204	217	195	177	193	241	183	181	201	168	266	177	212
Average Births in corresponding week of previous 10 years, ...	205	204	208	221	217	208	217	216	207	235	209	212	247	197	185	212	205	212	206	197	183	210	184	201	173	174
DEATHS registered, ...	120	172	162	186	153	169	199	162	210	219	189	183	161	179	183	165	147	169	179	186	165	169	157	180	168	160
Annual Death-rate per 1,000, ...	15·5	22·2	20·9	24·0	19·8	21·8	25·7	20·9	27·1	28·3	24·4	23·6	20·8	23·1	23·6	21·3	19·0	21·8	23·1	24·0	21·3	21·8	20·3	23·2	21·7	20·7
Average Deaths in corresponding week of previous 10 years, ...	140	141	144	147	145	146	154	162	153	156	152	167	160	156	153	161	156	171	174	177	180	183	182	175	183	178
Ages, Under 5 years, ...	43	41	51	88	73	72	94	80	94	93	82	77	69	68	66	50	55	47	61	61	50	49	45	54	43	45
5—15 " ...	4	13	6	5	6	8	5	8	5	8	4	6	8	5	7	8	5	4	8	7	4	10	3	10	6	8
15—25 " ...	7	11	10	6	6	4	7	7	12	7	7	7	6	12	11	11	10	6	7	13	10	12	4	8	5	8
25—45 " ...	19	31	26	21	22	19	31	19	23	26	30	26	22	33	33	30	28	24	25	33	31	25	20	31	39	27
45—65 " ...	20	33	37	29	21	40	37	28	38	37	35	33	29	39	39	35	32	38	39	33	30	37	40	33	37	37
65—75 " ...	15	24	18	24	15	14	11	9	21	28	17	22	11	11	16	17	8	28	26	21	25	22	24	24	20	16
75 and upwards, ...	12	19	14	13	10	12	14	11	17	20	14	12	16	11	11	14	9	22	13	18	15	14	21	20	18	19
Deaths from :—																										
Enteric Fever, ...	1	3	2	1	2	2	2	1	2	.	2	3	6	2	4	4	1	3	.	.	2	1	1	3	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	4	7	3	7	5	2	.	1	1	.	1	.	.	.	1	2	5	4	6	5	4	3	1	5	4	3
Scarlet Fever, ...	1	3	.	2	1	3	.	1	.	1	1	3	1	1	1	4	1	2	3	2	2	1	1	1	3	1
Whooping-cough, ...	.	1	4	3	4	1	3	6	7	4	3	3	1	.	1	1	5	1	.	4	3	3	3	3	5	4
Diphtheria, ...	2	3	2	1	.	.	1	5	1	2	3	.	.	.	4	.	1	.	2	4	.	3	1	4	5	3
Influenza, ...	1	1	2	1	.	1	.	.	1	2	.	.	.	1	1	1	.	1	.	1	.	1	2	1	1	3
Dysentery, ...	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	7	20	17	17	16	13	19	15	22	22	19	12	14	18	16	28	18	19	19	24	19	17	24	12	20	23
Tuberculous Disease, Other Forms,	7	12	10	15	9	5	9	4	10	12	7	2	5	12	6	4	6	5	5	10	11	6	5	9	5	7
Cancer, ...	12	4	10	6	5	11	7	6	10	10	10	9	8	6	12	9	9	6	12	19	7	6	12	7	11	5
Diseases of Circulatory System,	16	22	20	15	10	13	13	8	13	15	16	16	17	16	14	20	10	18	17	14	13	15	12	22	16	13
Diseases of Respiratory System, Pneumonia,	9	10	8	12	1	8	3	6	12	5	10	4	4	14	9	8	8	6	14	8	17	6	13	8	16	13
Diseases of Respiratory System, Others, ...	6	11	10	13	3	8	13	7	5	14	12	12	10	17	14	15	9	27	25	24	22	28	22	33	21	17
Diarrhœa, Under 2 years, ...	1	3	9	27	20	29	37	25	38	31	37	32	19	17	20	5	8	6	3	4	3	3	3	3	.	1
Diarrhœa, 2 years & upwards,	.	.	.	5	1	6	7	10	7	4	1	3	1	1	2	.	.	2	1	.	.	.	.	.	.	.
Enteritis, under 2 years, ...	3	2	2	7	9	12	12	13	14	14	9	12	9	15	7	8	5	8	1	1	4	3	2	.	2	2
Violent Deaths, ...	6	7	2	5	2	2	8	5	3	4	2	7	7	2	5	4	7	3	2	5	5	6	3	4	5	7
Number of Uncertified Deaths,	9	5	2	3	3	7	7	7	7	5	6	5	5	1	7	3	8	6	7	5	8	5	4	5	4	4
Mean Temperature of the Air (Phœnix Park)	59·6	60·9	62·9	62·7	62·5	60·8	61·2	59·7	59·1	57·5	52·9	52·2	50·8	48·6	48·3	57·4	44·4	46·3	40·2	44·5	39·1	42·4	39·1	43·7	44·7	43·8
Average Mean Temperature in corresponding week of previous 10 years, ...	57·5	58·5	59·8	58·2	58·6	58·5	57·5	56·5	56·3	54·5	52·8	53·2*	53·7	52·4	50·4	48·7	46·6	46·3	44·7	42·0	41·9	42·1	42·2	41·3	41·5	41·1
Rainfall in inches, ...	·018	·000	·316	1·860	·430	·170	·010	·338	·405	·020	·320	·248	·680	·208	·325	1·035	1·335	1·130	1·015	1·785	·185	·430	·625	1·355	·595	·560
Mean Humidity of the Air, complete Saturation 1·0, ...	·92	·84	·92	·92	·92	·82	·82	·82	·78	·85	·83	·81	·83	·83	·89	·88	·86	·84	·84	·85	·82	·83	·87	·86	·84	·88

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 30th December, 1911; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 30th December, 1911. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa. Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	375,350	—	160	45	8	8	27	37	16	19	1	.	.	3	1	4	3	.	23	7	5	4	13	17	1	.	2	7	69	4
	CLASSES.																														
	Deaths in Families of the—																														
I	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	6·0	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS, ...	87,188	12·6	21	5	1	4	2	6	.	3	.	.	.	.	.	.	.	.	3	1	.	2	1	.	1	.	.	2	11	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	18·9	40	8	4	1	5	12	4	6	.	.	.	1	.	1	1	.	4	3	1	1	3	2	.	.	.	1	22	1
IV.	GENERAL SERVICE CLASS, ...	154,279	25·3	75	28	3	2	13	15	9	5	1	.	.	1	1	2	2	.	10	3	3	1	9	11	.	.	1	3	27	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	22	4	.	.	7	4	3	4	.	.	.	1	.	1	.	.	5	.	1	.	.	4	.	.	1	1	8	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	6·7	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	11·8	5	2	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	3	.
	6. Clerks and Commercial Assistants, ...	30,432	12·0	7	3	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	15·4	8	.	1	2	1	1	.	3	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	2	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
	9. Building and Furnishing Trades, ...	29,801	17·5	10	1	2	.	.	4	1	2	.	.	.	1	.	.	.	.	1	1	.	.	.	1	.	.	.	1	5	.
	10. Clothing Trades, ...	23,260	11·2	5	.	.	.	1	2	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	3	.
	11. Food Supply Trades	9,242	5·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	34·4	20	7	.	1	3	6	.	3	.	.	.	.	.	1	1	.	2	2	1	1	1	.	.	.	.	.	11	.
	13. Petty Shopkeepers	7,894	13·2	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	15·5	4	2	1	.	.	.	.	1	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	15. Domestic Servants, ...	36,603	12·8	9	2	.	1	.	4	.	2	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.	1	4	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	39·9	11	2	.	.	4	1	4	.	.	.	.	.	.	1	.	.	1	.	2	.	.	1	.	.	.	.	6	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	29·6	51	22	2	1	9	10	5	2	.	.	.	1	.	1	2	.	6	3	.	1	9	9	.	.	1	2	16	3
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	22	4	.	.	7	4	3	4	.	.	.	1	.	1	.	.	5	.	1	.	.	4	.	.	1	1	8	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa: Children under 2 years.	Diarrhœa: 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (Office, Clarence-st. Nth.) Pop. in 1911 (Est.) 29,854.	Nov. 11,	19·2	1·7	11	.	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	1
	„ 18,	40·2	7·0	23	.	.	.	.	.	.	.	.	3	2	2	1	4	4	.	.	1	1
	„ 25,	17·5	1·7	10	.	.	.	.	.	1	.	.	2	.	1	1	2	.	.	.	1	1
	Dec. 2,	33·2	1·7	19	.	.	.	.	.	1	.	.	1	2	.	1	6	.	.	.	1	.
	„ 9,	19·2	1·7	11	.	.	.	.	.	1	.	.	.	1	.	.	3	.	.	.	.	1
	„ 16,	26·2	7·0	15	.	.	.	2	1	1	.	.	.	2	.	1	2	.	.	.	1	.
	„ 23,	27·9	8·7	16	.	.	.	1	.	4	.	.	1	1	.	1	1	.	.	.	.	1
	„ 30,	17·5	3·5	10	.	.	.	1	.	1	.	.	1	1	.	1	1	.	.	.	.	.
North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1911 (Est.) 39,902.	Nov. 11,	37·9	3·9	29	.	.	.	1	1	.	.	.	4	.	2	3	7	.	1	.	.	1
	„ 18,	22·2	1·3	17	.	.	.	.	.	1	.	.	2	.	.	.	4	.	.	.	1	1
	„ 25,	26·1	3·9	20	.	.	.	.	.	.	.	.	3	.	.	2	7	2	.	1	.	1
	Dec. 2,	22·2	1·3	17	.	.	.	.	.	1	.	.	3	1	1	1	6	.	.	.	.	1
	„ 9,	11·8	.	9	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	1	.
	„ 16,	18·3	2·6	14	.	.	.	.	.	1	1	.	1	.	.	1	1	.	.	.	1	4
	„ 23,	28·7	2·6	22	.	.	.	1	1	.	.	.	4	.	1	4	3	.	.	.	2	.
	„ 30,	10·5	1·3	8	.	.	.	.	1	.	.	.	1	1	.	.	2	.	.	.	.	.
North City, No. 2. (Office, Lisburn-street.) Pop. in 1911 (Est.) 30,689.	Nov. 11,	37·4	1·7	22	.	.	.	.	.	.	.	.	1	.	1	2	3	1	.	.	1	2
	„ 18,	25·5	.	15	.	.	.	.	.	.	.	.	1	1	2	2	2	.	.	.	.	.
	„ 25,	20·4	3·4	12	.	.	.	.	1	1	.	.	.	2	.	3	1	.	.	.	1	1
	Dec. 2,	28·9	3·4	17	.	.	.	.	.	.	.	.	2	.	1	1	1	1	.	1	.	2
	„ 9,	25·5	3·4	15	.	.	.	.	.	1	.	.	2	.	1	2	2	1	.	.	1	1
	„ 16,	23·8	5·1	14	.	.	.	.	.	1	1	.	1	2	1	.	5	1	.	.	.	.
	„ 23,	17·0	1·7	10	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.
	„ 30,	27·2	.	16	.	.	.	.	.	.	.	.	4	1	.	.	4	.	.	.	.	.
North City, No. 3. (Office, Benburb-street.) Pop. in 1911 (Est.) 33,498.	Nov. 11,	21·8	.	14	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.	.
	„ 18,	32·7	3·1	21	.	.	.	.	1	.	.	1	1	1	2	1	2	.	.	.	.	.
	„ 25,	26·5	1·6	17	.	.	.	.	.	.	.	.	2	1	3	1	3	1	.	.	.	.
	Dec. 2,	9·2	.	6	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.
	„ 9,	14·0	1·6	9	.	.	.	.	1	.	.	.	1	.	.	3	.	.	.	.	.	.
	„ 16,	15·6	1·6	10	.	.	.	1	.	.	.	.	2	.	.	1	.	.	.	.	1	.
	„ 23,	18·7	3·1	12	.	.	.	.	1	.	1	.	2	.	1	.	2	.	.	.	.	.
	„ 30,	20·2	3·1	13	1	.	.	.	.	.	1	.	3	2	.	1	.	.	.	.	1	.
South City, No. 1. (Office, Sth. Earl-street.) Pop. in 1911. (Est.) 41,401.	Nov. 11,	35·3	7·6	28	.	.	.	4	2	.	.	.	5	2	.	2	3	.	.	.	.	1
	„ 18,	26·4	7·6	21	.	.	.	4	.	1	.	.	1	2	2	1	3	.	.	1	.	.
	„ 25,	25·2	5·0	20	.	.	.	2	.	1	.	.	4	2	.	1	1	.	.	1	.	1
	Dec. 2,	34·0	6·3	27	1	1	.	1	.	.	2	.	5	.	1	.	3	.	.	.	.	1
	„ 9,	25·2	5·0	20	.	.	.	1	.	1	.	.	3	1	.	2	4	1	.	1	1	.
	„ 16,	25·2	5·0	20	1	.	.	.	.	.	2	.	2	.	.	1	4	1	.	.	.	.
	„ 23,	16·4	5·0	13	.	.	.	2	.	.	2	.	3	.	.	1	1	.	.	.	.	1
	„ 30,	26·4	3·8	21	.	.	.	.	.	1	1	.	2	.	1	2	2	.	.	1	1	.
South City, No. 2. (Office, Castle-street.) Pop. in 1911 (Est.) 21,715.	Nov. 11,	26·4	2·4	11	.	.	.	.	.	.	1	.	2	1	.	1	4	.	.	.	.	.
	„ 18,	31·2	7·2	13	.	.	.	1	1	.	1	.	1	.	1	.	3	.	.	.	1	.
	„ 25,	21·6	.	9	.	.	.	.	.	.	.	.	.	2	.	2	3	.	.	.	.	.
	Dec. 2,	28·8	4·8	12	.	.	.	1	1	.	.	.	1	.	.	.	6	.	.	.	.	.
	„ 9,	26·4	.	11	.	.	.	.	.	.	.	.	4	.	1	.	2	.	.	.	.	1
	„ 16,	26·4	2·4	11	.	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	.	.
	„ 23,	19·2	.	8	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	.
	„ 30,	33·6	.	14	.	.	.	.	.	.	.	.	.	1	.	2	4	.	.	.	1	1
South City, No. 3. (Office, Peter-street.) Pop. in 1911 (Est.) 43,149.	Nov. 11,	16·9	1·2	14	.	.	.	1	.	.	.	.	1	1	2	1	4	.	.	.	.	1
	„ 18,	24·2	3·6	20	.	.	.	.	.	1	2	.	5	2	3	2	1	.	.	.	1	.
	„ 25,	29·0	3·6	24	1	.	.	2	.	.	.	.	6	1	.	1	.	.	.	.	1	1
	Dec. 2,	15·7	1·2	13	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.	.	.	.
	„ 9,	32·6	1·2	27	.	.	.	.	.	.	.	.	4	1	4	.	7	1	.	.	.	.
	„ 16,	32·6	3·6	27	1	.	.	2	.	.	.	.	1	.	.	1	7	.	.	.	.	.
	„ 23,	25·4	3·6	21	.	.	.	.	.	.	2	.	1	1	1	3	3	.	.	1	.	2
	„ 30,	24·2	1·2	20	.	.	.	1	.	.	.	.	5	.	.	3	.	.	.	.	.	1
South City, No. 4. (Office, Grand Canal-st.) Pop. in 1911 (Est.) 35,816.	Nov. 11,	14·6	.	10	.	.	.	.	.	.	.	.	2	.	2	.	2	.	.	.	.	.
	„ 18,	11·6	.	8	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1
	„ 25,	10·2	.	7	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1
	Dec. 2,	20·4	.	14	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.	1
	„ 9,	14·6	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.
	„ 16,	18·9	.	13	.	.	.	.	.	.	.	.	2	1	2	.	3	.	.	.	.	.
	„ 23,	20·4	.	14	.	.	.	.	.	.	.	.	2	1	.	3	3	.	.	.	2	.
	„ 30,	18·9	1·5	13	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	1	.	2

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1911 (Est.) 38,330.	Nov. 11,	9·5	2·7	7	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
	„ 18,	17·7	.	13	.	.	.	.	.	.	.	.	4	1	3	.	.	.	.	.	1	.
	„ 25,	15·0	1·4	11	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	Dec. 2,	13·6	.	10	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
	„ 9,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.	.
	„ 16,	19·0	1·4	14	1	.	.	.	.	.	.	.	2	1	.	1	2	.	.	.	.	.
	„ 23,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	2	1	2	.	.	.	.	.
	„ 30,	17·7	2·7	13	.	.	.	1	.	1	.	.	1	.	1	1	1	.	.	.	1	.
Pembroke Urban District. Pop. in 1911 (Est.) 29,347.	Nov. 11,	10·7	1·3	6	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.
	„ 18,	17·8	1·8	10	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	.	.	2
	„ 25,	17·8	3·6	10	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	2	1	.
	Dec. 2,	21·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2	.
	„ 9,	12·4	1·8	7	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 16,	19·5	.	11	.	.	.	.	.	.	.	.	.	2	.	1	2	.	.	.	.	.
	„ 23,	16·0	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 30,	8·9	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Kingstown Urban District. Pop. in 1911 17,227.	Nov. 11,	24·2	.	8	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	1
	„ 18,	9·1	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	„ 25,	15·1	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	Dec. 2,	15·1	6·1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 9,	6·1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 16,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 23,	27·2	.	9	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	.
	„ 30,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
Belfast. Pop. in 1911 (Est.) 386,449.	Nov. 11,	15·7	1·1	116	1	.	.	.	2	2	2	.	12	8	3	8	15	.	.	1	3	.
	„ 18,	17·7	1·6	131	.	.	.	.	1	1	4	.	17	7	4	10	15	1	.	5	3	1
	„ 25,	17·3	1·9	128	.	.	.	.	2	5	.	.	8	11	7	9	17	1	1	5	8	.
	Dec. 2,	13·6	0·9	101	.	.	.	.	1	3	1	.	9	3	5	4	19	.	.	2	1	1
	„ 9,	16·1	0·9	119	.	.	.	.	1	2	2	.	19	2	5	10	17	.	.	2	3	1
	„ 16,	20·5	1·1	152	.	.	.	.	2	3	1	.	19	9	6	13	19	1	.	1	4	3
	„ 23,	18·1	1·6	134	.	.	.	.	1	8	2	.	15	8	4	9	14	.	.	1	1	.
	„ 30,	16·9	1·8	125	.	.	.	.	5	3	2	.	10	6	2	8	13	.	.	3	3	2
Cork. Pop. in 1911 76,632.	Nov. 11,	19·7	2·7	29	.	.	.	1	.	.	2	.	5	1	1	4	1	.	.	1	.	.
	„ 18,	25·9	4·8	38	.	.	.	2	.	.	2	.	6	2	3	1	4	2	1	.	1	1
	„ 25,	17·7	2·7	26	.	.	.	.	.	1	.	.	6	2	.	3	1	2	.	1	.	.
	Dec. 2,	25·9	2·7	38	.	.	.	1	.	1	1	.	7	1	2	4	2	1	.	.	2	2
	„ 9,	26·5	2·0	39	.	1	.	1	.	.	1	.	10	3	.	3	8	.	.	.	.	.
	„ 16,	35·4	2·7	52	.	.	.	2	.	.	.	.	5	5	.	8	7	2	.	.	1	2
	„ 23,	22·5	1·4	33	.	.	.	1	.	.	1	.	4	.	1	1	6	.	.	.	2	4
	„ 30,	21·1	.	31	.	.	.	.	.	.	.	.	5	1	1	2	5	.	.	.	.	3
Londonderry. Pop. in 1911 40,799	Nov. 11,	15·3	1·3	12	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	.	.	.
	„ 18,	16·6	.	13	.	.	.	.	.	.	.	.	1	.	.	3	2	.	.	.	.	1
	„ 25,	5·1	.	4	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	.
	Dec. 2,	12·8	1·3	10	.	.	.	.	.	.	.	.	1	1	.	1	2	1	.	.	.	1
	„ 9,	17·9	.	14	.	.	.	.	.	.	.	.	4	1	1	1	5	.	.	.	.	.
	„ 16,	11·5	.	9	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.
	„ 23,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	1	2
	„ 30,	14·1	.	11	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	.	.
Limerick. Pop. in 1911 38,403.	Nov. 11,	8·1	.	6	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.
	„ 18,	9·5	1·4	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1
	„ 25,	10·9	1·4	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1
	Dec. 2,	12·2	1·4	9	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	1
	„ 9,	16·3	.	12	.	.	.	.	.	.	.	.	2	1	1	2	1	.	.	.	.	2
	„ 16,	21·7	.	16	.	.	.	.	.	.	.	.	3	.	.	.	5	.	.	.	.	4
	„ 23,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.	.
	„ 30,	20·4	.	15	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	.	6
Waterford Pop. in 1911 27,430.	Nov. 11,	15·2	.	8	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1
	„ 18,	13·3	1·9	7	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.	.
	„ 25,	15·2	1·9	8	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	1
	Dec. 2,	20·9	3·8	11	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
	„ 9,	20·9	.	11	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	1	.
	„ 16,	22·8	1·9	12	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	1	.	2
	„ 23,	5·7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 30,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 30th December, 1911, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards.	*Enteritis* of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	385,492	7	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		8	.	.	1	1	.	6	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	1	4	2	.
Do. 2 do.		20			12	1	1	1	3	4	2	.	.	.	.	1	.	.	.	2	.	.	1	1	.	.	.	.	.	4	.
Do. 3 do.		22			14	2	4	.	2	4	2	.	.	.	.	.	1	1	.	1	.	1	1	2	.	.	1	.	.	1	.
Do. 4 do.		27			11	1	3	.	2	4	1	.	.	.	.	2	.	.	.	2	1	.	.	.	.	.	.	1	2	4	1
Do. 5 do.		6			9	3	.	1	2	3	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	1	1	4	.
Do. 6 do.		18			10	2	1	1	.	2	4	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.
Do. 7 do.		1			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		5			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		11			6	4	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Do. 10 do.		19			7	1	1	2	1	1	1	.	.	.	.	1	.	.	.	1	1	.	1	.	.	.	.	.	.	1	.
Do. 11 do.		14			11	3	2	1	2	2	1	.	.	.	.	.	.	.	.	1	.	.	3	1	.	.	.	.	1	2	.
Do. 12 do.		22			18	4	2	.	4	3	5	.	.	.	.	.	.	1	.	3	.	.	.	4	.	.	2	.	.	7	.
Do. 13 do.		10			4	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	2	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		8			13	3	2	.	1	6	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	3	.
Total,	—	190			125	24	17	8	19	33	24	.	.	.	.	5	3	2	.	10	6	2	8	13	.	.	3	3	10	30	2
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	76,632	8	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 2 do.		4			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 3 do.		7			4	1	1	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	1	.
Do. 4 do.		3			4	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	.
Do. 5 do.		1			2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 6 do.		5			6	2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	4	1
Do. 7 do.		8			13	.	1	1	5	2	4	.	.	.	.	.	.	.	.	4	.	1	1	.	.	.	.	.	.	6	2
Total,	—	36	21·1	.	31	4	4	2	9	6	6	.	.	.	.	.	.	.	.	5	1	1	2	5	.	.	.	.	.	14	3

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	July 8.	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14	Oct. 21.	Oct 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.
No. of weeks in Annual Series,	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
BIRTHS registered, ...	213	207	268	236	203	225	215	220	197	215	183	184	184	184	198	194	199	206	204	187	195	191	195	191	170	190
DEATHS registered, ...	92	123	121	105	123	121	139	132	138	146	122	150	125	128	118	126	124	112	116	131	128	101	119	152	134	125
Annual Death rate per 1,000 of estimated population, ...	12·4	16·6	16·3	14·2	16·6	16·3	18·8	17·8	18·6	19·7	16·5	20·2	16·9	17·3	15·9	17·0	16·7	15·1	15·7	17·7	17·3	13·6	16·1	20·5	18·1	16·9
AGES, Under 1 year, ...	11	25	32	38	39	45	44	36	52	49	43	53	35	26	21	24	22	20	19	30	28	19	22	22	18	24
1—5 years, ...	7	9	11	8	12	11	11	8	6	16	11	19	17	16	17	6	7	11	8	16	15	10	9	22	18	17
5—25 „ ...	15	16	14	11	7	14	15	18	11	10	8	12	7	13	9	17	17	12	16	16	10	11	14	20	7	8
25—45 „ ...	21	25	22	13	21	11	17	19	24	21	17	15	22	22	18	20	16	18	19	14	17	13	21	24	32	19
45—65 „ ...	25	29	23	17	23	23	28	31	27	29	21	31	20	23	28	29	37	24	28	31	31	18	29	38	31	33
65 and upwards, ...	13	19	19	18	21	17	24	20	18	21	22	20	24	23	25	30	25	27	26	24	27	30	24	26	28	24
Deaths from :—																										
Enteric Fever, ...	.	.	1	.	.	1	1	2	1	2	.	.	.	2	.	.	.	1	1	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	1	.	.	.	1	.	.	.	1	1	.	2	1	1	.	1	2	2	1	2	1	1	2	1	5
Whooping-cough, ...	.	1	1	1	2	1	.	1	.	1	2	2	1	1	2	1	3	.	2	1	5	3	2	3	8	3
Diphtheria, ...	1	.	2	.	2	.	1	.	.	.	.	.	1	.	1	.	.	.	2	4	.	1	2	1	2	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	16	18	20	10	13	9	6	19	17	11	10	8	8	13	11	19	16	15	12	17	8	9	19	19	15	10
Tuberculous Disease. Other Forms,	5	8	6	5	7	3	7	5	3	7	5	8	5	10	5	4	3	4	8	7	11	3	2	9	8	6
Cancer, ...	4	6	3	3	9	4	4	1	7	4	6	8	6	6	6	5	3	5	3	4	7	5	5	6	4	2
Diseases of Respiratory System, Pneumonia,	7	2	4	6	2	3	9	3	4	7	3	6	8	7	7	10	6	13	8	10	9	4	10	13	9	8
Diseases of Respiratory System, Others, ...	11	14	10	3	4	5	6	5	1	9	6	9	4	10	7	13	17	17	15	15	17	19	17	19	14	13
Diarrhœa, Under 2 years, ...	1	6	10	14	9	19	17	15	21	26	20	27	15	10	5	2	2	.	.	1	1	.	.	1	.	.
Diarrhœa, 2 years & upwards	.	.	.	1	4	4	3	5	6	7	4	1	2	2	.	.	1	.	.	.	1	.	.	.	.	.
Enteritis, under 2 years, ...	1	3	8	9	12	19	10	13	22	11	11	20	9	6	8	7	3	2	1	5	5	2	2	1	1	3
Violent Deaths, ...	.	3	5	3	2	2	6	4	5	3	2	1	2	2	3	3	6	1	3	3	8	1	3	4	1	3
Number of Uncertified Deaths, ...	.	1	.	2	.	1	1	2	.	.	.	1	1	.	4	1	.	2	.	1	.	1	1	3	.	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,522,628	Dec. 30,	1,864	1,325	15·3	2	.	14	3	12	13	15*a*
Edinburgh, ...	320,829	„ 30,	.	.	.	.	.	.	.	.	.	.
Glasgow, ...	784,621	„ 30,	.	.	.	.	.	.	.	.	.	.
Calcutta, ...	890,493	Nov. 25,	.	525	30·6	116*	.	.	.	.	.	90‡
Bombay, ...	977,822	„ 25,	503	551	29·3	76*	5	.	.	.	.	45
Madras, ...	509,346	„ 4,	408	553	44·1	89*	3	.	?	?	?	177‡
Cairo, ...	693,806	„ 4,	605	419	31·5	4	.	1	.	.	27†	76*a*
Paris, ...	2,846,986	Dec. 2,	928	926	17·5	14	.	2	2	.	4†	19*a*
Brussels, ...	705,295	„ 9,	225	147	10·8	2	.	.	1	.	1	5
Antwerp, ...	320,640	„ 9,	102	72	11·7	.	.	.	1	.	.	2*a*
Amsterdam, ...	580,365	„ 9,	214	185	12·1	.	.	1	.	2	.	3*a*
Copenhagen, ...	462,132	„ 9,	224	110	12·4	.	.	.	1	.	.	2
Stockholm, ...	343,832	„ 9,	150	92	14·8	.	.	.	.	.	1*a*	1
Christiania, ...	244,038	„ 16,	125	59	12·6	.	.	4	.	.	.	3
St. Petersburg, ...	1,639,266	Nov. 25,	1,120	567	18·5	18	1	20	5	9	3	29
Moscow, ...	1,493,600	„ 25,	.	663	23·1	5	.	20	14	4	19†	63
Berlin, ...	2,080,959	„ 25,	760	585	14·7	.	.	3	12	4	25†	18
Hamburg, ...	931,035	Dec. 9,	.	261	14·6	1	.	3	3	1	15†	19
Breslau, ...	523,079	„ 9,	.	173	17·3	.	.	.	.	1	1†	9
Munich, ...	597,000	„ 16,	.	174	15·2	.	.	.	.	1	2†	9
Vienna (with suburbs),	2,064,583	„ 9,	726	586	14·8	.	.	8	2	3	3†	35*a*
Buda-Pesth, ...	891,585	„ 9,	392	305	17·8	3	.	10	6	1	10†	8*a*
Prague and Faubourgs,	508,310	Nov 25,	163	182	18·6	1	.	1	2	1	2	9*a*
Trieste, ...	233,925	Dec. 9,	122	82	18·3	1	.	1	.	.	1†	3*a*
Rome, ...	602,068	Aug. 26,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Sept. 2,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	Nov. 18,	2,600	1,284	13·4	13	.	4	3	2	28†	45*a*
Philadelphia, ...	1,580,250	„ 4,	.	.	.	.	.	.	.	.	.	.
Boston	688,912	Dec. 9,	.	198	15·0	1	.	.	.	2	2	4

* Deaths from "fever," including 9 deaths from enteric fever and 9 from plague in Calcutta, 3 from enteric fever and 8 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 39 deaths from cholera in Calcutta and 70 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending December 30th, 1911.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West, ...	.	2	.	.	.	.	.	2	1	.	.	2	7
" " 2, ...	.	.	.	.	.	.	.	1	1	.	.	.	2
" " 3, ...	.	.	.	.	1	.	.	.	.	.	.	.	1
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	5	.	.	.	.	.	.	.	.	.	.	5
Finglas and Glasnevin (part of), ...	.	1	.	.	1	.	.	1	.	.	.	.	3
South City No. 1, ...	.	3	.	.	6	.	.	2	3	.	.	5	19
" " 2, ...	.	2	.	.	.	.	.	1	.	.	.	1	4
" " 3, ...	.	8	.	.	1	.	.	1	1	.	.	.	11
" " 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham, ...	.	1	.	.	.	.	.	.	.	.	.	.	1
Total, ...	.	22	.	.	9	.	.	8	6	.	.	8	53

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 30th December, 1911, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 30th December.			
	Dec. 9.	Dec. 16.	Dec. 23.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	17	18	15	9	5	.	19
Scarlet Fever, ...	203	191	187	31	29	.	189*
Typhus, ...	2	6	7	.	2	.	5
Diphtheria, ...	62	63	54	15	4	5	60
Enteric Fever, ...	70	67	51	9	10	2	48
Pneumonia, ...	20	24	20	8	7	2	19

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 30th December, 1911:—

"Although the weather of the closing week of the year 1911 remained of the same open, rainy character which has prevailed since the middle of October, yet the atmosphere showed signs of becoming more tranquil as the days passed by. The deep Atlantic depression gradually became less deep; its secondary systems swept in upon the shores of Western Europe—continental as well as insular—with decreasing impetuosity, and from time to time the air became quite calm or nearly so. This was especially the case on the mornings of Wednesday and Friday and on the afternoon of Saturday. The week opened with a gale from S.W. and showers, the barometer at 7 a.m. of Sunday ranging from below 29 inches beyond our north-western coast to 30·31 inches at Munich and 30·36 inches at Lisbon. The depression moved slowly north-eastwards, being central near the Faeroe on Christmas morning. At that time a small secondary disturbance passed eastwards across Wales, causing a gale in the English Channel, but fair, cold weather in Ireland, Scotland and the North of England. On Tuesday a new disturbance approached Ireland from the ocean. The sky cleared in the evening and an aurora borealis was seen both in Dublin and at Aberdeen. Wednesday, at first cold and foggy, proved gloomy and wet, and a S.W. wind towards evening sent the thermometer up to 50·3°—13·6° higher than it had been at 9 a.m. A large anticyclone now spread northwards from the Iberian Peninsula across France to the British Isles, and the Atlantic depressions showed lessened energy so that the week closed with fairer and colder prospects. In Dublin the mean atmospheric pressure was 29·727 inches, the barometer falling to 29·156 inches at 9 a.m. of Sunday (wind, S.W. by W.) and rising to 30·142 inches at 9 p.m. of Saturday (wind calm). The corrected mean temperature was 45·5°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 44·7°. The screened thermometers fell to 34·7° on Wednesday and rose to 54·2° on Thursday. The prevalent wind was W.S.W. Rain fell on 5 days to the amount of ·400 inch, ·145 inch being recorded on Tuesday. Aurora was seen on Tuesday night; a lunar corona on Saturday night."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·558 inches. The highest reading (29·968) was on Saturday at 9 p.m., air calm, the lowest (29·009) on Sunday at 9 a.m., wind S.W.

The mean temperature for the week was 43·8°, being 2·7° above the average for the corresponding period of the 10 years, 1901–1910. The temperature was highest on Friday, on which day the thermometer registered 53·3°, and was lowest on Monday, the mercury having fallen to 30·4°. The mean of the Dry Bulb for the week was 42·9° and of the Wet Bulb, 41·3°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured ·560 inch.

At Greenwich the mean temperature for the week was 45·7°, the maximum 52·8°, and the minimum 38·1°. The rainfall at Greenwich measured 0·64 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1911. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Station Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, December 24,	29·097	51·8	38·2	45·0	41·8	39·0	·80	·2	0·2	·155	S.W.	W.S.W.
Monday, „ 25,	29·266	44·8	30·4	37·6	39·3	37·7	·87	·3	0·2	·025	S.	W.S.W.
Tuesday, „ 26,	29·450	48·9	34·1	41·5	38·1	37·1	·92	·0	0·0	·180	S.W.	Calm.
Wednesday, „ 27,	29·689	50·6	31·8	41·2	42·0	41·4	·96	·0	0·0	·140	Calm.	W.S.W.
Thursday, „ 28,	29·761	53·1	49·4	51·3	51·3	49·8	·90	·2	0·0	·010	S.W.	W.S.W.
Friday, „ 29,	29·726	53·3	45·6	49·5	49·1	46·6	·84	·3	0·0	·050	S.W.	S.W.
Saturday, „ 30,	29·918	49·3	31·0	40·2	38·5	37·8	·90	·0	0·2	·000	W.S.W.	Calm.
Mean, ...	29·558	50·3	37·2	43·8	42·9	41·3	·88	·1	Total 0·6	Total ·560	Prevailing Winds, W.S.W. & S.W.	

Sunday—A dull day, showers at intervals from 8.50 a.m. to 9 p.m.; night cloudy, drizzling rain 2.20 a.m. to 4.30 a.m. *Monday*—A dull day; showers at intervals from 9 a.m. to 6 p.m.; night clear. *Tuesday*—Day overcast; drizzling rain 9 a.m. to 7 p.m.; night clear. *Wednesday*—Day overcast, drizzling at intervals a.m. and p.m; night clear to overcast; drizzling 2 a.m. to 3.30 a.m. *Thursday*—Day overcast, drizzling from 5.30 p.m. to 9 p.m.; night overcast, rain from 9 p.m. to 12 midnight. *Friday*—Day overcast, night cloudy, light rain from 9 p.m. to 12.30 a.m. *Saturday*—A dull day; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, December 30th, 1911.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, December 24,	45·8	42·1	45·6	53·7	39·0	46·4	0·5	·074
Monday, „ 25,	38·0	41·7	45·4	45·5	31·0	38·3	1·0	·015
Tuesday, „ 26,	43·4	41·2	45·1	50·1	36·0	43·1	—	·160
Wednesday, „ 27,	36·8	41·0	45·1	52·3	33·5	42·9	—	·120
Thursday, „ 28,	54·0	42·6	45·0	52·5	49·7	51·1	—	—
Friday, „ 29,	50·3	44·2	45·0	52·8	45·0	48·9	—	·050
Saturday, „ 30,	46·9	39·6	45·0	51·0	37·6	44·3	0·3	—
Weekly Mean, .	45·0	41·8	45·2	51·1	38·8	45·0	Total 1·8	Total ·419

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31623. Wt. P. 346-99/138. 375. 11. 1911. G. III. Sch. c. 7.

FOR OFFICIAL USE.

Quarterly Summary of the Weekly Returns

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

Sole Wholesale Agent for places outside the United Kingdom of Great Britain and Ireland,
T. FISHER UNWIN, 1, ADELPHI TERRACE, LONDON, W.C.
(Depôts in New York, Toronto, Melbourne, Wellington, Cape Town, Calcutta, Tokio, and Leipzig.)

PRINTED BY ALEXANDER THOM & CO. LIMITED, ABBEY-STREET. *Price* 1½*d.*

VOL. XLVIII.] QUARTER ENDING SATURDAY, 30TH DECEMBER, 1911. [No. 52A.

DUBLIN REGISTRATION AREA. — BIRTHS. — In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,759 statute acres, and the population, estimated to the middle of 1911, 403,732, there were registered during the thirteen weeks ended on Saturday, 30th December, 1911, 2,615 births—1,329 boys and 1,286 girls—being equal to an annual ratio of 1 in 38·6, or 25·9 in every 1,000 of the population.

The number of births registered in the city was 2,257, equivalent to an annual rate of 29·1 in every 1,000 of the population; and in the urban districts named above, 358, equal to an annual rate of 15·2 in every 1,000 of the population.

There were registered in London during the same period 27,019 births—being equal to an annual birth-rate of 23·9 in every 1,000 of the estimated population; in Glasgow there were registered 5,110, being equal to 26·1 per 1,000; and in Edinburgh, 1,588—a number affording an annual birth-rate of 19·8 in every 1,000 of the estimated population.

DEATHS.—Omitting the deaths (128) of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 2,079, are equivalent to an annual rate of 20·6 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 22·5. The total number of deaths registered in the Dublin Registration Area during the quarter was 2,207—1,076 males and 1,131 females—affording an annual ratio of 1 in 45·7 or 21·9 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the fourth quarter of the ten years, 1901–1910, in the Dublin Registration Area as then constituted, was 23·1 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the North City districts registered last quarter was 846, representing an annual mortality of 21·3 in every 1,000 of the population; and the number in the South City districts was 889, equivalent to a rate of 23·5 per 1,000. In the urban districts the number of deaths registered was 344, being equal to an annual death-rate of 14·6 in every 1,000.

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective Districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

The number of deaths registered in London during the same period was 16,147—a number equal to an annual rate of mortality of 14·3 in every 1,000 of the inhabitants; in Glasgow the number was 3,506, equal to 17·9 in every 1,000; and in Edinburgh, 1,259, affording an annual death-rate of 15·7 in every 1,000 of the estimated population.

Diseases.—The number of deaths from the principal epidemic diseases* registered in the Dublin Registration Area during last quarter was 292, and the annual rate per 1,000 of the population represented by the deaths from these diseases was 2·89.

The following tabular statement shows the mortality from some of the principal epidemic diseases in the period under notice, and the average number of deaths from these diseases which occurred in the corresponding period of the 10 years, 1901–1910:—

Names of Diseases.	No. of Deaths in Dec. Quarter, 1911.	Average No. of Deaths in Dec. Quarters, 1901–1910.
Enteric Fever, ...	22	23
Typhus, ...	3	1
Small-pox, ...	–	–
Measles, ...	43	38
Scarlet Fever, ...	23	10
Whooping-cough, ...	33	25
Diphtheria, ...	27	15

Enteric Fever.—There were 22 deaths from enteric fever registered during the period under notice. This figure represents an annual rate of 0·22 per 1,000 of the population of the area estimated to the 30th June, 1911. The deaths are less than the average for the corresponding quarter of the 10 years 1901—10 by one, but exceed the number registered in the December quarter of 1910 by 8. In each of the three earlier quarters of 1911, deaths from enteric fever were 23, 11, and 27. In Table II. it is seen that of the 22 deaths, 8 belonged to the city districts of North Dublin Union, 9 to the city districts of South Dublin Union, 3 to the urban district of Rathmines and Rathgar, and 2 to Pembroke urban district. From Table I. it appears that at the close of the preceding quarter 118 cases of enteric fever were under treatment in Dublin Hospitals, and that at the close of the period under notice 48 cases remained under treatment.

Typhus.—During the quarterly period 3 deaths from typhus were registered, all appertaining to No. 1 South City district. The hospital statistics, Table I., show that there were 2 cases under treatment at the close of the September quarter, 22 cases were admitted during the December quarter, 16 were discharged, 3 died, and 5 cases remained under treatment at its close.

Small-Pox.—No report concerning the incidence of small-pox was received in this Office during the period covered by this Report.

Measles.—Deaths from measles numbered 43, being equal to an annual rate of 0·43 per 1,000, and exceed the average by 5. In the 3 preceding quarters such deaths were 50, 83, and 31 respectively. Of the total deaths, 8 appertain to North Dublin city and 34 to South Dublin city, and one to the urban district of Rathmines and Rathgar. The statistics for cases of measles treated in hospital may be seen in Table I.

Scarlet Fever.—The mortality caused by scarlet fever, namely 23 deaths, equivalent to an annual rate of 0·23 per 1,000, exceeds the average by 13, and is also in excess of the numbers in either of the two quarters preceding, namely 14 and 17, but is equal to the number of deaths registered in the March quarter of 1911. It appears from Table II. that 13 of the total deaths belong to North Dublin city and 10 to South Dublin city. It will be observed from Table I. that 569 cases of scarlet fever were under treatment and 21 died during the quarter under notice.

* See note (*) p. 832A.

WHOOPING-COUGH.—As was the case with scarlet fever, the deaths from whooping-cough were over the average, the former figure being 33 and the latter 25. The 33 deaths represent an annual rate of 0·33 per 1,000. The deaths from this disease registered in the 3 previous quarters were 77, 33, and 40 respectively. Of the 33 deaths, 19 appertained to North Dublin city, 12 to South Dublin city, and 2 to the urban district of Rathmines and Rathgar.

DIPHTHERIA.—The deaths caused by diphtheria numbered 27, and correspond to an annual rate of 0·27 per 1,000. This number exceeds the average by 12, and is also above the number (24) registered in the December quarter of 1910. In the 3 preceding quarters of 1911, deaths from diphtheria numbered 24, 30, and 20 respectively. In Table I. it may be seen that there were 39 cases of diphtheria undergoing treatment at the close of the preceding quarter; 226 cases were admitted during the quarter, 178 were discharged, 27 died, and 60 cases remained under treatment at the close of the quarter.

DIARRHŒAL DISEASES.—Of the deaths classified under this heading, 134 were those of children under 2 years of age, which were attributed to either diarrhœa or *enteritis*. Of the total, 58 deaths belonged to North Dublin city, 54 to South Dublin city, and 25 to the urban districts which, with the City, constitute the Registration Area.

INFLUENZA.—There were 13 deaths ascribed to influenza as against an average of 18; deaths from this disease in the 3 preceding quarters numbered 34, 15, and 9 respectively.

CEREBRO-SPINAL FEVER.—There was no recorded mortality from this disease.

PNEUMONIA.—Altogether 140 deaths were attributed to one or other varieties of pneumonia, namely, to broncho-pneumonia, 65 deaths, to lobar pneumonia, 16 deaths, and *pneumonia* (type not distinguished), 59 deaths. The total is equal to an annual rate of 1·39 per 1,000.

TUBERCULOSIS.—The total deaths from all forms of tuberculous disease amounted to 348, and correspond to an annual rate of 3·45 per 1,000 of the estimated population. The total includes 257 deaths from pulmonary tuberculosis, 23 from tuberculous meningitis, 26 from abdominal tuberculosis, 6 from tuberculosis of the vertebral column, 7 from tuberculosis of joints, 3 from tuberculosis of other organs, and 26 from disseminated tuberculosis. In the December quarter of 1910 the number of deaths from all forms of tuberculous disease was 334. The annual rate from the disease in the city districts of North Dublin Union was 3·40 per 1,000; in the city districts of South Dublin Union it was 4·18 per 1,000; in the urban district of Rathmines and Rathgar, 2·30 per 1,000; in Pembroke urban district, 0·95 per 1,000; in Blackrock, 3·08 per 1,000; and in Kingstown, 0·93 per 1,000.

CANCER.—Deaths from carcinoma, sarcoma, and those returned as from cancer or malignant disease are classified under the above heading; they amounted to 121, and represent an annual rate of 1·20 per 1,000.

DISEASES OF THE BRAIN AND NERVOUS SYSTEM.—The total, 193, includes 41 deaths from *convulsions*. Of these 40 were deaths of children under 5 years. The 193 deaths are equivalent to an annual rate of 1·91 per 1,000 of the estimated population.

DISEASES OF THE CIRCULATORY SYSTEM.—Under this designation the deaths of 200 persons were tabulated; this number represents an annual rate of 1·98 per 1,000 of the estimated population of the Area.

BRONCHITIS.—This condition, either acute or chronic, accounted for the deaths of 252 people, equivalent to an annual death-rate of 2·50 per 1,000.

CONGENITAL MALFORMATION, PREMATURE BIRTH, CONGENITAL DEBILITY.—Of 127 deaths returned under these headings 12 were from congenital malformation, 61 from prematurity, and 54 from congenital debility.

ACCIDENTAL VIOLENCE.—There were 53 deaths attributed to accident or negligence, including 7 by vehicles and horses; 13 by burns, scalds, or explosions, 5 of the last figure being deaths of children under 5 years; 3 by drowning; 2 by suffocation in bed, and one by poison.

HOMICIDE.—Two deaths resulted from homicidal violence.

SUICIDE.—The deaths of 3 persons by suicide were recorded.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 30th December, 1911.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Small-pox, ...	–	–	–	–	–
Measles, ...	11	108	80	20	19
Scarlet Fever, ...	111	458	359	21	189*
Typhus, ...	2	22	16	3	5
Diphtheria, ...	39	226	178	27	60
Enteric Fever, ...	118	203	256	17	48
Pneumonia, ...	14	96	73	18	19

* Exclusive of 20 patients in Beneavin, the convalescent home of Cork-street Fever Hospital.

In 67 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 67 cases, 32 (or 47·8 per cent.) were deaths of children under 5 years of age; these 32 deaths form 4·6 per cent. of the total number of deaths of children of that age-period. Of the deaths of 145 infants under one month old registered, there were 17 (or 11·7 per cent.) regarding which the cause was uncertified.

From Table II., on page 832*f*, it will be seen that, excluding 128 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,079, equal to an annual rate of 20·6 per 1,000 of the estimated population, and that 289 of these deaths, representing an annual rate of 2·9 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 22·4 per 1,000, and for the urban districts 14·6 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 3·3, and in the urban districts 1·5, the rate for the several districts varying from 0·7 in Clontarf and Howth, No. 1, part of, to 6·5 in South City, No. 1, the 283 deaths from all causes for that district including 2 from enteric fever, 3 from typhus, 25 from measles, 3 from scarlet fever, 5 from whooping-cough, 8 from diphtheria, and 21 from diarrhœal diseases.

OCCUPATIONS.—Table III., on page 832*g*, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 15·4 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 15·9 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 17·8; and in the "General Service Class" it was 23·8.

AGES.—Of the 2,207 persons whose deaths were registered in the Dublin Registration Area during the quarter, 694 were under 5 years of age, including 429 infants under one year of age, the latter representing a rate of 164·1 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 72·8 in every 1,000 children at that age (according to the Census of 1901); 85 were between the ages of 5 and 15, representing an annual rate of 5·0 per 1,000 persons at that age-period; 117 were between the ages of 15 and 25, equivalent to an annual rate of 5·6 per 1,000; the total number under 25 years being equal to an annual mortality of 19·0 per 1,000 of the population at that age-period (according to the Census of 1901); 379, or 13·2 per 1,000 persons, were between 25 and 45; 469, or 32·7 per 1,000, between 45 and 65; 258, or 98·9 per 1,000, between 65 and 75; and 205, or 205·6 per 1,000, were aged 75 and upwards, including 20 persons aged 90 and upwards.

† See note (*) p. 832*h*.

Public Institutions.—Of the 2,207 deaths recorded during the quarter, 989, or 44·8 per cent., occurred in public institutions, viz., 604 in the various hospitals, prisons, and lunatic asylums; 134 in the North Dublin Union Workhouse; 245 in the South Dublin Union Workhouse; and 6 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 44·8°. At Greenwich, for the quarter, it was 46·4°; and at Glasgow, 43·9°.

The rainfall at Dublin during the thirteen weeks measured 10·58 inches; at Greenwich, 10·79 inches; at Glasgow, 11·61 inches; and at Edinburgh, 9·74 inches.

[Table

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 30th December, 1911,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

QUARTER (13 WEEKS) ENDED 30TH DECEMBER, 1911.

REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1911.†	ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS.		TOTAL DEATHS.	DEATHS.								CAUSED BY																		
		FROM ALL CAUSES	FROM DISEASES IN COLS. 13, 20, 26-8.		Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa. Children under 2 years.	Diarrhœa. 2 years and upwards.	Enteritis of Children under 2 years.	Violence.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
North City.																															
NORTH CITY, No. 1, E.,	29,854	23·7	4·6	177	41	17	10	5	8	35	31	30	3	.	.	4	1	10	.	.	22	10	7	11	24	12	1	3	7	10
" 1, W.,	39,902	23·0	3·5	229	59	14	17	6	19	35	46	33	1	.	.	2	4	4	1	.	32	4	10	18	39	14	2	7	5	9
" 2,	30,689	24·8	2·7	190	41	11	13	12	8	27	40	38	1	.	.	.	2	4	3	.	16	11	8	15	27	10	.	1	3	7
" 3,	33,498	18·6	1·4	156	29	9	9	6	7	32	28	36	3	.	.	1	4	.	2	1	17	9	10	11	11	1	.	.	3	3
CLONTARF AND HOWTH, No. 1, part of.	5,371	14·9	0·7	20	.	.	1	.	2	3	2	12	.	.	.	.	1	.	.	.	3	2	2	1	3	.	.	.	1	.
COOLOCK AND DRUMCONDRA, part of,	11,601	15·9	1·4	46	9	.	.	1	1	6	10	19	.	.	.	.	.	.	.	.	4	.	7	1	2	1	.	3	2	3
FINGLAS AND GLASNEVIN, part of,	7,679	14·6	4·7	28	6	1	4	1	2	4	5	5	.	.	.	1	1	1	3	.	4	1	1	1	3	1	.	2	1	1
South City.																															
SOUTH CITY, No. 1,	41,401	27·3	6·5	283	67	30	27	17	10	43	38	51	2	3	.	25	3	5	8	.	37	13	6	14	37	8	.	13	4	5
" 2,	21,715	23·4	2·6	127	17	13	13	2	9	21	28	24	.	.	.	2	4	.	2	.	14	7	3	6	32	4	.	2	4	2
" 3,	43,149	25·1	3·2	271	53	16	23	9	16	49	61	44	3	.	.	7	3	2	4	.	46	13	12	18	35	6	.	10	5	9
" 4,	35,816	18·3	1·7	164	27	8	4	8	11	30	48	28	4	.	.	.	.	.	.	.	18	6	10	9	21	8	1	2	5	7
NEW KILMAINHAM,	9,063	19·4	2·6	44	12	2	2	2	1	12	9	4	.	.	.	.	.	5	1	.	3	1	3	2	2	.	.	.	1	2
Urban Districts.																															
RATHMINES AND RATHGAR,	38,330	14·2	1·4	136	14	7	1	6	4	23	32	49	3	.	.	1	.	2	2	.	17	5	10	8	12	1	1	3	4	3
PEMBROKE,	29,347	15·3	2·3	112	28	1	3	2	6	15	26	31	2	.	.	.	.	.	1	.	3	4	4	11	12	4	1	9	4	3
BLACKROCK,	9,090	14·1	0·9	32	5	2	.	.	1	5	8	11	.	.	.	.	.	.	.	.	5	2	2	3	2	1	.	1	.	.
KINGSTOWN,	17,227	14·9	0·9	64	10	2	1	4	1	8	18	20	.	.	.	.	.	.	.	.	3	1	3	3	4	4	.	.	4	3
Total City. North,	158,594	21·3	2·9	846	185	52	54	31	47	142	162	173	8	.	.	8	13	19	9	1	98	37	45	58	109	39	3	16	22	33
Total City. South,	151,144	23·5	3·6	889	176	69	69	38	47	155	184	151	9	3	.	34	10	12	15	.	118	40	34	49	127	26	1	27	19	25
Total City. North and South,	309,738	22·4	3·3	1,735	361	121	123	69	94	297	346	324	17	3	.	42	23	31	24	1	216	77	79	107	236	65	4	43	41	58
Total Urban Districts,	93,994	14·6	1·5	344	57	12	5	12	12	51	84	111	5	.	.	1	.	2	3	.	28	12	19	25	30	10	2	13	12	9
Total Registration Area,	403,732	20·6	2·9	2,079	418	133	128	81	106	348	430	435	22	3	.	43	23	33	27	1	244	89	98	132	266	75	6	56	53	67
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				128	11	2	2	4	11	31	39	28	.	.	.	.	.	.	.	.	13	2	23	8	8	1	.	2	5	.

* See note (*) on page 832h.

† See note (*) on page 832i.

TABLE III.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) **ending Saturday, 30th December, 1911;** the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDING SATURDAY, 30TH DECEMBER, 1911.																												
					AGES.							CAUSES OF DEATH.																			
			Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Under 5 Years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa. Of children under 2 years of age.	Diarrhœa. 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS, ...	375,350	—	2,207	694	85	117	379	469	258	205	22	3	.	43	23	33	27	1	257	91	121	41	140	274	76	6	58	58	933	67
	CLASSES.																														
	Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	15·4	67	5	1	2	6	12	18	23	.	.	.	.	.	1	.	.	6	.	8	.	3	3	.	.	1	3	42	.
II.	MIDDLE CLASS, ...	87,188	15·9	346	61	14	22	56	98	43	52	7	.	.	1	2	1	2	.	38	12	31	5	25	27	10	1	10	5	169	8
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	17·8	491	136	27	33	96	107	54	38	8	1	.	4	6	8	10	.	52	16	23	13	29	54	12	2	12	13	228	21
IV.	GENERAL SERVICE CLASS, ...	154,279	23·8	918	400	36	43	143	154	89	53	5	2	.	24	15	18	15	1	93	36	33	22	73	128	45	2	26	35	345	38
V.	INMATES OF WORKHOUSES, ...	6,024	—	385	92	7	17	78	98	54	39	2	.	.	14	.	5	.	.	68	27	26	1	10	62	9	1	9	2	149	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																														
	1. Clerical, Medical, Legal and Other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	24·6	48	5	1	1	6	10	13	12	.	.	.	.	.	1	.	.	5	.	6	.	2	3	.	.	1	2	28	.
	2. Merchants and Manufacturers, Higher Class	1,277	3·1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	8·6	18	.	.	1	.	2	5	10	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.	1	13	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	14·5	28	4	1	.	4	10	3	6	.	.	.	.	.	.	1	.	2	2	3	.	1	.	1	.	.	.	18	1
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	14·4	79	19	2	2	14	27	6	9	2	.	.	.	1	.	.	.	5	.	7	2	8	6	2	.	5	3	38	.
	6. Clerks and Commercial Assistants, ...	30,432	13·1	100	29	4	12	21	22	3	9	4	.	.	.	1	1	1	.	20	4	5	3	5	8	6	.	3	.	39	3
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above, ...	27,028	20·6	139	9	7	8	17	39	31	28	1	.	.	1	.	.	.	.	11	6	16	.	11	13	1	1	2	2	74	4
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	17·8	44	12	6	.	16	8	.	2	.	.	.	.	.	.	1	.	7	.	.	1	1	5	2	.	1	5	21	5
	9. Building and Furnishing Trades, ...	29,801	16·2	121	45	10	7	16	27	8	8	2	.	.	3	3	2	1	.	14	7	4	4	9	9	4	1	4	1	53	6
	10. Clothing Trades, ...	23,260	12·7	74	16	2	8	16	17	11	4	.	.	.	1	1	1	4	.	5	2	5	3	3	13	.	.	2	.	34	2
	11. Food Supply Trades, ...	9,242	12·5	29	7	1	2	8	9	1	1	2	.	.	.	.	2	.	.	5	1	3	.	1	.	.	.	.	.	15	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	26·9	204	52	8	16	37	43	25	23	4	1	.	.	2	3	4	.	19	6	11	4	9	25	6	1	5	6	98	8
	13. Petty Shopkeepers, ...	7,894	9·6	19	4	.	.	3	3	9	.	.	.	.	.	.	.	.	.	2	.	.	1	6	2	.	.	.	1	7	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c.	13,425	19·7	66	22	2	2	7	11	13	9	1	.	.	.	3	.	1	1	3	2	3	1	1	13	5	.	2	2	28	3
	15. Domestic Servants, ...	36,603	10·9	100	27	2	8	21	21	10	11	.	.	.	1	.	1	1	.	17	3	7	.	3	13	6	.	1	2	45	2
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	24·2	87	31	1	6	21	16	10	2	.	.	.	.	1	1	1	.	16	2	5	5	5	8	2	1	3	2	35	3
	17. Hawkers, Porters, Labourers, &c., ...	89,861	29·6	665	320	31	27	94	106	56	31	4	2	.	23	11	16	12	.	57	29	18	16	64	94	32	1	20	29	237	30
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	6,024	—	385	92	7	17	78	98	54	39	2	.	.	14	.	5	.	.	68	27	26	1	10	62	9	1	9	2	149	.

Twenty-two Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-one of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 18·4 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest:—Queenstown, 10·1; Portadown, 10·9; Londonderry, 12·6; Armagh, 12·7; Clonmel, 14·0; Galway, 14·5; Dundalk, 14·9; Tralee, 15·0; Limerick, 15·3; Drogheda, 15·8; Belfast, 16·7; Lurgan, 16·8; Waterford, 17·1; Sligo, 17·6; Kilkenny, 18·3; Newtownards, 18·4; Lisburn, 19·4; Ballymena, 20·0; Dublin Registration Area, 20·6; Newry, 20·7; Wexford, 20·9; and Cork, 24·3.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 22 districts is 2·0 per 1,000 of the population, the rates varying from 0·0 in Galway and Armagh to 4·6 in Lurgan, the 51 deaths from all causes for that district including 13 from whooping-cough, and one from *enteritis* of a child under 2 years of age. Among the 1,614 deaths from all causes in Belfast are 4 from enteric fever, 20 from scarlet fever, 34 from whooping-cough, 15 from diphtheria, and 68 from diarrhœa and *enteritis* of children under 2 years of age.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-one provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter:—

Enteric Fever.—For Belfast 4 deaths, for Cork one death, and for Newry 2 deaths were registered.

Typhus.—There was one death from typhus registered in Cork.

Small-pox.—There was no mortality from small-pox recorded.

Measles.—This disease caused 12 deaths in Cork, 2 in Kilkenny, and 5 in Newtownards.

Scarlet Fever.—Twenty deaths appertain to Belfast, one to Waterford, one to Ballymena, and 2 to Sligo.

Whooping-cough.—Of 50 deaths, 34 belong to Belfast, 2 to Cork, one to Dundalk, and 13 to Lurgan.

Diphtheria.—For Belfast 15 deaths were recorded, for Cork 8, for Dundalk 2, and for each of Limerick, Waterford, Newry, Sligo, Newtownards and Queenstown, one death.

Diarrhœa and Enteritis of Children under 2 Years of Age.—Of the total, 68 were in Belfast, 19 in Cork, 7 in Londonderry, 6 in Limerick, 13 in Waterford, and 6 in Clonmel.

Phthisis.—The annual death-rate from phthisis for the 22 towns in the aggregate, was 2·2 per 1,000 of the estimated population; for the Dublin Registration Area it was 2·4 per 1,000, for Belfast County Borough, 1·9 per 1,000, and for the urban districts collectively (exclusive of Belfast and Dublin Registration Area), it was 2·3 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ending Saturday, 30th December, 1911,** in the Dublin Registration Area, and in each of the undermentioned Twenty-one Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other localities), with the number of Deaths from some of the principal causes; also the number of Uncertified Deaths.

Towns and Districts.	Census Statistics of Districts.* Population. Total.	Persons to an Acre.	Annual Rate per 1,000 persons Represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in Cols. 10-17, 23-5.	Registration—Quarter (13 weeks) ending Saturday, 30th December, 1911. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa: Of children under 2 years of age.	Diarrhœa: 2 years of age and upwards.	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
Total of 22 Town Districts, ...	1,149,495	20·2	25·2	18·4	2·0	7,228	5,274	999	1,207	29	4	...	62	47	83	58	1	634	234	230	336	648	155	18	129	117	190	1,726	213
Dublin Registration Area:— Total	403,732	29·3	25·9	20·6	2·9	2,615	2,079	418	435	22	3	...	43	23	33	27	1	244	89	98	132	266	75	6	56	53	55	861	67
City of Dublin, ...	309,738	39·2	29·1	22·4	3·3	2,257	1,735	361	324	17	3	...	42	23	31	24	1	216	77	79	107	236	65	4	43	41	39	758	58
Urban Districts. Rathmines and Rathgar, ...	38,330	22·4	10·3	14·2	1·4	99	136	14	49	3	...	...	1	...	2	2	...	17	5	10	8	12	1	1	3	4	5	45	3
Pembroke, ...	29,347	18·5	18·9	15·3	2·3	139	112	28	31	2	...	...	...	...	...	1	...	3	4	4	11	12	4	1	9	4	5	38	3
Blackrock, ...	9,090	8·4	11·9	14·1	0·9	27	32	5	11	...	...	...	...	...	...	...	...	5	2	2	3	2	1	...	1	...	...	8	...
Kingstown, ...	17,227	11·8	21·6	14·9	0·9	93	64	10	20	...	...	...	...	...	...	...	...	3	1	3	3	4	4	...	...	4	6	12	3
Urban Districts. Belfast, ...	386,449	26·3	25·9	16·7	1·5	2,504	1,614	295	339	4	...	...	...	20	34	15	...	183	80	61	114	193	22	4	46	41	86	448	15
Cork, ...	76,632	33·8	22·5	24·3	2·3	432	465	78	92	1	1	...	12	...	2	8	...	75	22	13	44	44	16	2	3	7	15	185	27
Londonderry, ...	40,799	18·9	22·8	12·6	0·9	233	129	22	26	...	...	...	...	...	...	...	...	18	5	4	12	24	6	2	1	2	3	12	4
Limerick, ...	38,403	18·2	24·7	15·3	0·8	237	147	29	38	...	...	...	...	...	...	1	...	22	2	6	6	22	6	1	...	...	5	43	28
Waterford, ...	27,430	19·1	21·9	17·1	2·3	150	117	25	44	...	...	...	...	1	...	1	...	13	5	5	1	11	9	1	4	3	7	47	10
Galway, ...	13,249	2·5	28.7	14·5	...	95	48	6	15	...	...	...	...	...	...	...	...	11	1	2	2	8	...	...	...	...	...	14	9
Dundalk, ...	13,128	9·5	24·1	14·9	1·5	79	49	9	14	...	...	...	...	...	1	2	...	5	1	7	5	3	...	...	2	...	1	8	2
Drogheda, ...	12,425	8·4	23·5	15·8	1·3	73	49	12	17	...	...	...	...	...	...	...	...	2	1	3	3	9	3	...	1	...	1	12	1
Newry, ...	11,956	17·2	22·4	20·7	1·7	67	62	8	23	2	...	...	...	...	...	1	...	4	1	3	4	2	...	1	1	2	5	16	3
Lurgan, ...	12,135	14·3	26·4	16·8	4·6	80	51	8	16	...	...	...	...	...	13	...	...	7	3	3	...	4	...	...	1	2	2	9	3
Lisburn, ...	12,172	10·7	26·3	19·4	2·0	80	59	9	19	...	...	...	...	...	...	...	...	4	4	4	...	6	3	1	2	1	3	8	3
Wexford, ...	11,455	23·8	30·7	20·9	1·7	88	60	14	17	...	...	...	...	...	...	...	...	11	6	5	3	10	3	...	2	2	2	8	12
Ballymena, ...	11,376	9·3	27·1	20·0	1·4	77	57	11	16	...	...	...	...	1	...	...	...	7	1	3	4	6	3	...	...	2	1	8	6
Sligo, ...	11,163	3·8	21·1	17·6	2·1	59	49	13	14	...	...	...	...	2	...	1	...	4	5	1	...	1	3	...	...	...	...	16	7
Kilkenny, ...	10,513	11·4	17·5	18·3	1·5	46	48	5	17	...	...	...	2	...	...	...	...	7	1	...	...	12	2	...	...	...	...	6	3
Clonmel, ...	10,277	7·9	23·0	14·0	2·3	59	36	8	13	...	...	...	...	...	...	...	...	3	1	2	...	3	3	...	3	...	2	10	3
Portadown, ...	11,727	15·3	22·9	10·9	1·0	67	32	6	6	...	...	...	...	...	...	...	...	4	2	2	1	3	...	...	3	...	1	...	2
Tralee, ...	9,867	16·6	21·5	15·0	0·8	53	37	4	19	...	...	...	...	...	...	...	...	2	...	4	1	5	...	...	2	...	...	5	1
Newtownards, ...	9,110	18·9	21·1	18·4	3·1	48	42	8	13	...	...	...	5	...	...	1	...	5	1	2	4	3	...	...	1	1	1	5	4
Queenstown, ...	7,909	14·4	26·3	10·1	1·5	52	20	3	5	...	...	...	...	...	...	1	...	2	3	1	...	5	1	...	1	...	...	1	...
Armagh, ...	7,588	22·2	17·9	12·7	.	34	24	8	9	...	...	...	...	...	...	...	...	1	...	1	...	8	...	...	...	1	...	4	3

* In the cases of the Districts comprising the Dublin Registration Area and for the City of Belfast, the Population given is that estimated to the middle of 1911; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) **ended 30th December, 1911,** Deaths in Public Institutions of persons *admitted from without each City being omitted,* and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population according to the Census of 1911 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at certain AGE-PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911 (unrevised).	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Diseases in Cols. 12-19, 25-7.	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa: Of children under 2 years of age.	2 years of age and upwards	Enteritis of children under 2 years.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT,	385,492	114	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		86	15	7	10	15	18	21	.	.	.	.	.	4	.	.	11	3	6	5	11	.	.	.	1	6	34	1
Do. 2 do.		290			204	35	20	27	33	42	47	.	.	.	.	2	4	.	.	28	7	6	11	15	11	1	2	2	8	55	1
Do. 3 do.		312			202	26	26	29	27	51	43	.	.	.	.	5	3	4	.	22	10	12	15	27	.	1	7	4	10	53	2
Do. 4 do.		309			171	49	17	15	18	35	37	.	.	.	.	2	1	2	.	21	5	1	8	25	4	.	6	7	9	69	2
Do. 5 do.		125			104	18	14	13	17	29	13	.	.	.	.	1	3	1	.	8	9	3	8	12	.	.	5	6	6	42	1
Do. 6 do.		196			143	14	9	17	17	43	43	.	.	.	.	5	.	.	.	14	5	7	10	13	.	.	.	8	9	24	1
Do. 7 do.		8			5	2	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.
Do. 8 do.		30			22	3	1	2	6	6	4	.	.	.	.	.	.	.	.	4	1	2	.	3	1	.	1	.	.	2	.
Do. 9 do.		132			102	23	21	9	17	21	11	.	.	.	.	.	9	1	.	10	4	3	14	12	.	1	2	3	5	22	2
Do. 10 do.		178			117	23	14	11	21	31	17	2	.	.	.	2	5	.	.	16	6	4	12	13	3	.	3	1	5	28	1
Do. 11 do.		261			128	20	13	10	23	31	31	.	.	.	.	.	1	4	.	15	7	2	9	17	.	.	3	2	7	27	1
Do. 12 do.		291			159	30	18	13	36	30	32	1	.	.	.	3	.	3	.	15	9	7	9	27	1	1	10	3	9	47	2
Do. 13 do.		109			54	9	4	4	8	16	13	.	.	.	.	.	3	.	.	5	6	5	1	6	.	.	3	2	4	8	.
Do. 14 do.		.			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		149			116	28	8	10	15	32	23	1	.	.	.	.	1	.	.	14	8	3	12	10	2	.	4	2	7	36	1
Total	—	2,504			1,614	295	172	170	253	385	339	4	.	.	.	20	34	15	.	183	80	61	114	193	22	4	46	41	86	448	15
City of Cork.																															
CORK URBAN No. 1 DISTRICT,	76,632	80	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		69	9	9	9	9	19	14	1	.	.	.	.	.	.	.	8	2	2	8	3	.	.	.	1	2	32	2
Do. 2 do.		62			58	11	13	15	6	9	4	.	1	.	4	.	.	4	.	11	7	.	6	2	1	.	1	1	4	20	2
Do. 3 do.		52			56	13	8	4	6	12	13	.	.	.	1	.	.	1	.	8	5	1	7	11	2	.	.	.	1	15	2
Do. 4 do.		39			44	11	6	5	6	9	7	.	.	.	3	.	2	.	.	7	1	1	4	4	3	.	1	2	1	10	4
Do. 5 do.		32			49	5	12	.	7	10	15	.	.	.	.	.	.	.	.	7	1	2	3	11	4	.	.	1	3	21	.
Do. 6 do.		66			51	13	12	5	12	24	15	.	.	.	1	.	.	2	.	16	2	3	6	6	2	.	.	.	1	39	6
Do. 7 do.		101			108	16	17	9	21	21	24	.	.	.	3	.	.	1	.	18	4	4	10	7	4	2	1	2	3	48	11
Total,	—	432	24·3	2·3	465	78	77	47	67	104	92	1	1	.	12	.	2	8	.	75	22	13	44	44	16	2	3	7	15	185	27

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
26th January, 1912.

WILLIAM J. THOMPSON,
Registrar-General.

Printed by A. THOM & Co. (Ltd.) 31801. Wt. P. 346.—99/138. 375. 1. 1912. Sch. C. 9.